


6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92545G	58.98	88.20	-29.22	41.30	3	Horizontal	269	2.45	-	39.25	11.83	33.40			
RMS	12.92516G	46.71	68.20	-21.49	29.03	3	Horizontal	269	2.45	-	39.25	11.83	33.40			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39624G	45.49	83.54	-38.05	41.89	1	Vertical	267	1.95	-	37.98	15.23	49.61			
AV	19.39844G	33.86	63.54	-29.68	30.25	1	Vertical	267	1.95	-	37.99	15.23	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39477G	46.11	83.54	-37.43	42.51	1	Horizontal	75	1.64	-	37.98	15.23	49.61			
AV	19.39533G	33.81	63.54	-29.73	30.21	1	Horizontal	75	1.64	-	37.98	15.23	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX

EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08653G	59.57	88.20	-28.63	41.33	3	Vertical	206	2.86	-	39.55	11.89	33.20			
RMS	13.09253G	47.65	68.20	-20.55	29.38	3	Vertical	206	2.86	-	39.57	11.89	33.19			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08982G	59.78	88.20	-28.42	41.52	3	Horizontal	221	1.73	-	39.56	11.89	33.19			
RMS	13.09454G	47.61	68.20	-20.59	29.33	3	Horizontal	221	1.73	-	39.58	11.89	33.19			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63979G	45.16	83.54	-38.38	41.47	1	Vertical	108	1.74	-	38.04	15.22	49.57			
AV	19.63837G	33.35	63.54	-30.19	29.67	1	Vertical	108	1.74	-	38.03	15.22	49.57			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX

EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6372G	45.42	83.54	-38.12	41.75	1	Horizontal	124	1.86	-	38.02	15.22	49.57			
AV	19.63184G	33.37	63.54	-30.17	29.73	1	Horizontal	124	1.86	-	37.99	15.22	49.57			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24004G	60.10	88.20	-28.10	41.31	3	Vertical	101	2.64	-	39.86	11.94	33.01			
RMS	13.24535G	48.02	68.20	-20.18	29.21	3	Vertical	101	2.64	-	39.88	11.94	33.01			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24869G	60.17	88.20	-28.03	41.34	3	Horizontal	15	1.43	-	39.89	11.94	33.00			
RMS	13.24889G	48.03	68.20	-20.17	29.19	3	Horizontal	15	1.43	-	39.90	11.94	33.00			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87785G	45.12	83.54	-38.42	41.51	1	Vertical	137	1.71	-	37.77	15.21	49.37			
AV	19.87441G	33.18	63.54	-30.36	29.59	1	Vertical	137	1.71	-	37.75	15.21	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87698G	45.66	83.54	-37.88	42.06	1	Horizontal	208	1.85	-	37.76	15.21	49.37			
AV	19.87828G	33.11	63.54	-30.43	29.50	1	Horizontal	208	1.85	-	37.77	15.21	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41222G	60.54	88.20	-27.66	41.23	3	Vertical	166	2.53	-	40.12	12.00	32.81			
RMS	13.40627G	48.28	68.20	-19.92	28.98	3	Vertical	166	2.53	-	40.11	12.00	32.81			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4056G	60.90	88.20	-27.30	41.60	3	Horizontal	9	2.92	-	40.11	12.00	32.81			
RMS	13.41191G	48.33	68.20	-19.87	29.02	3	Horizontal	9	2.92	-	40.12	12.00	32.81			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11516G	44.81	83.54	-38.73	40.95	1	Vertical	53	1.71	-	37.81	15.29	49.24			
AV	20.11295G	33.26	63.54	-30.28	29.39	1	Vertical	53	1.71	-	37.82	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
Setting 18
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11792G	45.12	83.54	-38.42	41.28	1	Horizontal	333	1.73	-	37.79	15.29	49.24			
AV	20.11464G	33.18	63.54	-30.36	29.32	1	Horizontal	333	1.73	-	37.81	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_X_4TX
Setting 17
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56748G	60.69	88.20	-27.51	40.93	3	Vertical	158	2.80	-	40.40	12.05	32.69			
RMS	13.57475G	48.73	68.20	-19.47	28.96	3	Vertical	158	2.80	-	40.40	12.06	32.69			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_X_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56639G	60.91	88.20	-27.29	41.15	3	Horizontal	358	1.72	-	40.40	12.05	32.69			
RMS	13.57448G	48.87	68.20	-19.33	29.10	3	Horizontal	358	1.72	-	40.40	12.06	32.69			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_X_4TX
Setting 17
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3598G	45.73	83.54	-37.81	41.34	1	Vertical	11	1.65	-	38.08	15.49	49.18			
AV	20.35656G	33.27	63.54	-30.27	28.87	1	Vertical	11	1.65	-	38.09	15.49	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_X_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35296G	45.20	83.54	-38.34	40.81	1	Horizontal	253	1.55	-	38.09	15.48	49.18			
AV	20.35633G	33.27	63.54	-30.27	28.87	1	Horizontal	253	1.55	-	38.09	15.49	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.73466G	61.87	88.20	-26.33	41.87	3	Vertical	342	2.11	-	40.54	12.11	32.65			
RMS	13.73134G	49.07	68.20	-19.13	29.08	3	Vertical	342	2.11	-	40.53	12.11	32.65			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72711G	61.44	88.20	-26.76	41.47	3	Horizontal	34	1.21	-	40.51	12.11	32.65			
RMS	13.73458G	49.02	68.20	-19.18	29.02	3	Horizontal	34	1.21	-	40.54	12.11	32.65			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59892G	45.76	83.54	-37.78	41.17	1	Vertical	93	1.77	-	38.00	15.68	49.09			
AV	20.59424G	33.65	63.54	-29.89	29.07	1	Vertical	93	1.77	-	37.99	15.68	49.09			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59298G	45.27	83.54	-38.27	40.70	1	Horizontal	269	1.85	-	37.99	15.67	49.09			
AV	20.59463G	33.56	63.54	-29.98	28.98	1	Horizontal	269	1.85	-	37.99	15.68	49.09			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89262G	61.92	88.20	-26.28	41.49	3	Vertical	209	1.62	-	40.89	12.16	32.62			
RMS	13.89024G	49.60	68.20	-18.60	29.18	3	Vertical	209	1.62	-	40.88	12.16	32.62			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89112G	61.85	88.20	-26.35	41.43	3	Horizontal	70	1.93	-	40.88	12.16	32.62			
RMS	13.88707G	49.54	68.20	-18.66	29.13	3	Horizontal	70	1.93	-	40.87	12.16	32.62			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83367G	45.48	83.54	-38.06	40.38	1	Vertical	326	1.35	-	38.20	15.87	48.97			
AV	20.83185G	33.37	63.54	-30.17	28.27	1	Vertical	326	1.35	-	38.20	15.87	48.97			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.8334G	45.79	83.54	-37.75	40.69	1	Horizontal	161	1.50	-	38.20	15.87	48.97			
AV	20.83316G	33.36	63.54	-30.18	28.26	1	Horizontal	161	1.50	-	38.20	15.87	48.97			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
Setting 19
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9928G	104.50	Inf	-Inf	94.79	3	Vertical	346	1.61	-	35.30	6.34	31.93			
RMS	7.0082G	92.79	Inf	-Inf	83.08	3	Vertical	346	1.61	-	35.30	6.35	31.94			
PK	7.1258G	53.71	88.20	-34.49	43.76	3	Vertical	346	1.61	-	35.55	6.41	32.01			
RMS	7.1307G	42.04	68.20	-26.16	32.05	3	Vertical	346	1.61	-	35.58	6.42	32.01			
PK	7.3169G	51.69	74.00	-22.31	40.83	3	Vertical	346	1.61	-	36.47	6.51	32.12			
AV	7.2588G	39.66	54.00	-14.34	29.02	3	Vertical	346	1.61	-	36.24	6.48	32.08			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
Setting 19
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0376G	107.82	Inf	-Inf	98.11	3	Horizontal	360	1.77	-	35.30	6.37	31.96			
RMS	7.0411G	96.66	Inf	-Inf	86.95	3	Horizontal	360	1.77	-	35.30	6.37	31.96			
PK	7.1335G	56.24	88.20	-31.96	46.23	3	Horizontal	360	1.77	-	35.60	6.42	32.01			
RMS	7.1314G	40.52	68.20	-27.68	30.52	3	Horizontal	360	1.77	-	35.59	6.42	32.01			
PK	7.2903G	51.97	74.00	-22.03	41.21	3	Horizontal	360	1.77	-	36.36	6.50	32.10			
AV	7.256G	39.94	54.00	-14.06	29.32	3	Horizontal	360	1.77	-	36.22	6.48	32.08			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_X_4TX
Setting 19
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05239G	63.16	88.20	-25.04	42.36	3	Vertical	103	2.42	-	41.20	12.22	32.62			
RMS	14.04701G	50.50	68.20	-17.70	29.71	3	Vertical	103	2.42	-	41.20	12.21	32.62			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_X_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04541G	62.87	88.20	-25.33	42.08	3	Horizontal	166	2.05	-	41.20	12.21	32.62			
RMS	14.04924G	50.44	68.20	-17.76	29.64	3	Horizontal	166	2.05	-	41.20	12.22	32.62			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_X_4TX
Setting 19
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07402G	46.54	83.54	-37.00	41.09	1	Vertical	222	1.85	-	38.26	16.06	48.87			
AV	21.07347G	34.16	63.54	-29.38	28.71	1	Vertical	222	1.85	-	38.26	16.06	48.87			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_X_4TX
Setting 19
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07396G	46.30	83.54	-37.24	40.85	1	Horizontal	84	1.55	-	38.26	16.06	48.87			
AV	21.07066G	34.05	63.54	-29.49	28.58	1	Horizontal	84	1.55	-	38.28	16.06	48.87			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
Setting 21
02-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	62.93	88.20	-25.27	54.12	3	Vertical	360	1.20	-	34.20	5.76	31.15			
RMS	5.9224G	53.77	68.20	-14.43	44.96	3	Vertical	360	1.20	-	34.20	5.76	31.15			
PK	6.0748G	104.90	Inf	-Inf	95.85	3	Vertical	360	1.20	-	34.40	5.87	31.22			
RMS	6.0826G	94.05	Inf	-Inf	84.97	3	Vertical	360	1.20	-	34.43	5.87	31.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
Setting 21
02-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9236G	69.08	88.20	-19.12	60.26	3	Horizontal	356	1.80	-	34.20	5.77	31.15			
RMS	5.9248G	54.14	68.20	-14.06	45.33	3	Horizontal	356	1.80	-	34.20	5.77	31.16			
PK	6.0064G	109.42	Inf	-Inf	100.46	3	Horizontal	356	1.80	-	34.30	5.85	31.19			
RMS	6.1012G	99.38	Inf	-Inf	90.22	3	Horizontal	356	1.80	-	34.50	5.88	31.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05139G	58.46	74.00	-15.54	42.23	3	Vertical	343	2.32	-	39.00	11.54	34.31			
AV	12.0475G	46.55	54.00	-7.45	30.31	3	Vertical	343	2.32	-	39.01	11.54	34.31			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0539G	58.71	74.00	-15.29	42.49	3	Horizontal	114	2.94	-	38.99	11.54	34.31			
AV	12.04718G	46.60	54.00	-7.40	30.37	3	Horizontal	114	2.94	-	39.01	11.54	34.32			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07604G	45.42	83.54	-38.12	42.10	1	Vertical	68	1.59	-	37.50	15.30	49.48			
AV	18.07742G	33.58	63.54	-29.96	30.25	1	Vertical	68	1.59	-	37.51	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07631G	45.88	83.54	-37.66	42.55	1	Horizontal	286	1.93	-	37.51	15.30	49.48			
AV	18.07902G	33.61	63.54	-29.93	30.27	1	Horizontal	286	1.93	-	37.52	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37268G	58.39	74.00	-15.61	42.16	3	Vertical	68	1.55	-	38.65	11.65	34.07			
AV	12.37195G	46.23	54.00	-7.77	29.99	3	Vertical	68	1.55	-	38.66	11.65	34.07			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37309G	58.38	74.00	-15.62	42.15	3	Horizontal	52	1.23	-	38.65	11.65	34.07			
AV	12.37232G	46.23	54.00	-7.77	29.99	3	Horizontal	52	1.23	-	38.66	11.65	34.07			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55658G	45.88	83.54	-37.66	42.55	1	Vertical	112	1.64	-	37.70	15.27	49.64			
AV	18.55148G	33.82	63.54	-29.72	30.49	1	Vertical	112	1.64	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_X_4TX
Setting 21
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55524G	45.79	83.54	-37.75	42.46	1	Horizontal	46	1.92	-	37.70	15.27	49.64			
AV	18.55155G	33.82	63.54	-29.72	30.49	1	Horizontal	46	1.92	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68735G	58.38	74.00	-15.62	41.49	3	Vertical	34	2.62	-	38.87	11.75	33.73			
AV	12.68945G	46.50	54.00	-7.50	29.59	3	Vertical	34	2.62	-	38.88	11.75	33.72			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68913G	58.71	74.00	-15.29	41.80	3	Horizontal	23	2.54	-	38.88	11.75	33.72			
AV	12.69152G	46.39	54.00	-7.61	29.47	3	Horizontal	23	2.54	-	38.88	11.76	33.72			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03821G	45.55	83.54	-37.99	41.77	1	Vertical	13	1.83	-	37.90	15.25	49.37			
AV	19.033G	33.85	63.54	-29.69	30.06	1	Vertical	13	1.83	-	37.90	15.25	49.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03225G	46.06	83.54	-37.48	42.27	1	Horizontal	62	1.76	-	37.90	15.25	49.36			
AV	19.03241G	33.77	63.54	-29.77	29.98	1	Horizontal	62	1.76	-	37.90	15.25	49.36			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01213G	59.66	88.20	-28.54	41.77	3	Vertical	287	2.54	-	39.32	11.86	33.29			
RMS	13.00646G	47.45	68.20	-20.75	29.57	3	Vertical	287	2.54	-	39.31	11.86	33.29			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.01314G	59.40	88.20	-28.80	41.49	3	Horizontal	278	2.33	-	39.33	11.86	33.28			
RMS	13.0086G	47.43	68.20	-20.77	29.54	3	Horizontal	278	2.33	-	39.32	11.86	33.29			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51095G	46.54	83.54	-37.00	42.97	1	Vertical	44	1.37	-	38.02	15.22	49.67			
AV	19.51107G	34.81	63.54	-28.73	31.24	1	Vertical	44	1.37	-	38.02	15.22	49.67			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51746G	46.48	83.54	-37.06	42.90	1	Horizontal	55	1.59	-	38.03	15.22	49.67			
AV	19.51106G	34.89	63.54	-28.65	31.32	1	Horizontal	55	1.59	-	38.02	15.22	49.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3284G	61.23	74.00	-12.77	42.17	3	Vertical	140	2.74	-	40.00	11.97	32.91			
AV	13.33253G	48.09	54.00	-5.91	29.02	3	Vertical	140	2.74	-	40.00	11.97	32.90			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32573G	60.50	74.00	-13.50	41.44	3	Horizontal	296	2.35	-	40.00	11.97	32.91			
AV	13.3326G	48.09	54.00	-5.91	29.02	3	Horizontal	296	2.35	-	40.00	11.97	32.90			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99591G	45.53	83.54	-38.01	41.80	1	Vertical	129	1.63	-	37.80	15.20	49.27			
AV	19.99633G	33.16	63.54	-30.38	29.43	1	Vertical	129	1.63	-	37.80	15.20	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9988G	44.89	83.54	-38.65	41.16	1	Horizontal	233	1.45	-	37.80	15.20	49.27			
AV	19.99154G	33.13	63.54	-30.41	29.41	1	Horizontal	233	1.45	-	37.80	15.20	49.28			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65301G	60.93	88.20	-27.27	41.12	3	Vertical	41	2.29	-	40.40	12.08	32.67			
RMS	13.65121G	49.01	68.20	-19.19	29.20	3	Vertical	41	2.29	-	40.40	12.08	32.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.65414G	61.59	88.20	-26.61	41.78	3	Horizontal	217	2.56	-	40.40	12.08	32.67			
RMS	13.6513G	49.08	68.20	-19.12	29.27	3	Horizontal	217	2.56	-	40.40	12.08	32.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47581G	45.06	83.54	-38.48	40.84	1	Vertical	191	1.70	-	37.79	15.58	49.15			
AV	20.47281G	33.04	63.54	-30.50	28.79	1	Vertical	191	1.70	-	37.82	15.58	49.15			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47517G	44.48	83.54	-39.06	40.25	1	Horizontal	105	1.50	-	37.80	15.58	49.15			
AV	20.47301G	32.94	63.54	-30.60	28.69	1	Horizontal	105	1.50	-	37.82	15.58	49.15			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
Setting 20
02-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.996G	105.38	Inf	-Inf	95.67	3	Vertical	347	1.11	-	35.30	6.35	31.94			
RMS	7.054G	92.31	Inf	-Inf	82.59	3	Vertical	347	1.11	-	35.31	6.38	31.97			
PK	7.1895G	62.25	88.20	-25.95	51.92	3	Vertical	347	1.11	-	35.94	6.44	32.05			
RMS	7.1385G	51.95	68.20	-16.25	41.92	3	Vertical	347	1.11	-	35.63	6.42	32.02			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
Setting 20
02-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.958G	109.72	Inf	-Inf	99.99	3	Horizontal	4	1.72	-	35.30	6.32	31.89			
RMS	6.951G	99.78	Inf	-Inf	90.04	3	Horizontal	4	1.72	-	35.30	6.32	31.88			
PK	7.1425G	70.64	88.20	-17.56	60.58	3	Horizontal	4	1.72	-	35.66	6.42	32.02			
RMS	7.1355G	53.62	68.20	-14.58	43.61	3	Horizontal	4	1.72	-	35.61	6.42	32.02			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9747G	62.66	88.20	-25.54	41.98	3	Vertical	276	2.06	-	41.10	12.19	32.61			
RMS	13.97078G	50.19	68.20	-18.01	29.53	3	Vertical	276	2.06	-	41.08	12.19	32.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9707G	62.98	88.20	-25.22	42.32	3	Horizontal	201	2.70	-	41.08	12.19	32.61			
RMS	13.97446G	50.10	68.20	-18.10	29.42	3	Horizontal	201	2.70	-	41.10	12.19	32.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95672G	46.02	83.54	-37.52	40.88	1	Vertical	328	1.76	-	38.07	15.97	48.90			
AV	20.95839G	33.82	63.54	-29.72	28.68	1	Vertical	328	1.76	-	38.07	15.97	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_X_4TX
Setting 20
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95799G	45.80	83.54	-37.74	40.66	1	Horizontal	141	1.36	-	38.07	15.97	48.90			
AV	20.95201G	33.78	63.54	-29.76	28.63	1	Horizontal	141	1.36	-	38.09	15.96	48.90			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
Setting 24
02-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	72.28	88.20	-15.92	63.47	3	Vertical	5	1.80	-	34.20	5.76	31.15			
RMS	5.9234G	59.70	68.20	-8.50	50.88	3	Vertical	5	1.80	-	34.20	5.77	31.15			
PK	6.1938G	102.26	Inf	-Inf	93.02	3	Vertical	5	1.80	-	34.60	5.90	31.26			
RMS	6.193G	93.38	Inf	-Inf	84.14	3	Vertical	5	1.80	-	34.60	5.90	31.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
Setting 24
02-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	72.46	88.20	-15.74	63.65	3	Horizontal	341	1.81	-	34.20	5.76	31.15			
RMS	5.921G	60.86	68.20	-7.34	52.05	3	Horizontal	341	1.81	-	34.20	5.76	31.15			
PK	6.2586G	109.83	Inf	-Inf	100.61	3	Horizontal	341	1.81	-	34.58	5.92	31.28			
RMS	6.197G	99.60	Inf	-Inf	90.36	3	Horizontal	341	1.81	-	34.60	5.90	31.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2127G	58.07	74.00	-15.93	41.94	3	Vertical	22	1.52	-	38.73	11.59	34.19			
AV	12.21427G	47.19	54.00	-6.81	31.06	3	Vertical	22	1.52	-	38.73	11.59	34.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21278G	58.10	74.00	-15.90	41.97	3	Horizontal	288	1.95	-	38.73	11.59	34.19			
AV	12.21391G	47.30	54.00	-6.70	31.17	3	Horizontal	288	1.95	-	38.73	11.59	34.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31951G	45.53	83.54	-38.01	42.34	1	Vertical	356	1.51	-	37.50	15.28	49.59			
AV	18.3136G	34.78	63.54	-28.76	31.59	1	Vertical	356	1.51	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31161G	45.47	83.54	-38.07	42.28	1	Horizontal	273	1.81	-	37.50	15.28	49.59			
AV	18.31592G	34.84	63.54	-28.70	31.65	1	Horizontal	273	1.81	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52682G	58.21	74.00	-15.79	41.75	3	Vertical	227	2.09	-	38.70	11.70	33.94			
AV	12.52615G	47.54	54.00	-6.46	31.08	3	Vertical	227	2.09	-	38.70	11.70	33.94			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53227G	58.72	74.00	-15.28	42.26	3	Horizontal	355	2.71	-	38.70	11.70	33.94			
AV	12.52933G	47.45	54.00	-6.55	30.99	3	Horizontal	355	2.71	-	38.70	11.70	33.94			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79452G	45.41	83.54	-38.13	41.83	1	Vertical	190	1.79	-	37.80	15.26	49.48			
AV	18.79846G	34.82	63.54	-28.72	31.24	1	Vertical	190	1.79	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79593G	46.06	83.54	-37.48	42.48	1	Horizontal	21	1.57	-	37.80	15.26	49.48			
AV	18.79926G	34.83	63.54	-28.71	31.25	1	Horizontal	21	1.57	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8522G	59.54	88.20	-28.66	42.03	3	Vertical	278	1.05	-	39.20	11.81	33.50			
RMS	12.85445G	48.51	68.20	-19.69	31.00	3	Vertical	278	1.05	-	39.20	11.81	33.50			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84986G	59.83	88.20	-28.37	42.32	3	Horizontal	165	2.68	-	39.20	11.81	33.50			
RMS	12.85305G	48.63	68.20	-19.57	31.12	3	Horizontal	165	2.68	-	39.20	11.81	33.50			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27547G	45.06	83.54	-38.48	41.40	1	Vertical	200	1.57	-	37.95	15.24	49.53			
AV	19.27705G	34.53	63.54	-29.01	30.87	1	Vertical	200	1.57	-	37.95	15.24	49.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27436G	45.10	83.54	-38.44	41.44	1	Horizontal	141	1.66	-	37.95	15.24	49.53			
AV	19.27951G	34.68	63.54	-28.86	31.01	1	Horizontal	141	1.66	-	37.96	15.24	49.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16953G	60.63	88.20	-27.57	42.17	3	Vertical	203	2.33	-	39.64	11.92	33.10			
RMS	13.16557G	49.26	68.20	-18.94	30.81	3	Vertical	203	2.33	-	39.63	11.92	33.10			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16877G	60.53	88.20	-27.67	42.07	3	Horizontal	349	1.81	-	39.64	11.92	33.10			
RMS	13.16915G	49.00	68.20	-19.20	30.54	3	Horizontal	349	1.81	-	39.64	11.92	33.10			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75558G	45.51	83.54	-38.03	41.85	1	Vertical	331	1.63	-	37.92	15.21	49.47			
AV	19.75575G	34.37	63.54	-29.17	30.71	1	Vertical	331	1.63	-	37.92	15.21	49.47			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75346G	44.85	83.54	-38.69	41.20	1	Horizontal	194	1.68	-	37.91	15.21	49.47			
AV	19.75742G	34.53	63.54	-29.01	30.86	1	Horizontal	194	1.68	-	37.93	15.21	49.47			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4891G	61.24	88.20	-26.96	41.64	3	Vertical	9	1.69	-	40.28	12.03	32.71			
RMS	13.49308G	50.03	68.20	-18.17	30.42	3	Vertical	9	1.69	-	40.29	12.03	32.71			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49408G	61.39	88.20	-26.81	41.78	3	Horizontal	35	2.00	-	40.29	12.03	32.71			
RMS	13.48945G	50.02	68.20	-18.18	30.42	3	Horizontal	35	2.00	-	40.28	12.03	32.71			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23376G	45.65	83.54	-37.89	41.50	1	Vertical	180	1.79	-	37.97	15.39	49.21			
AV	20.23778G	34.96	63.54	-28.58	30.80	1	Vertical	180	1.79	-	37.98	15.39	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_X_4TX
Setting 24
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23989G	45.52	83.54	-38.02	41.36	1	Horizontal	53	1.45	-	37.98	15.39	49.21			
AV	20.23181G	34.99	63.54	-28.55	30.85	1	Horizontal	53	1.45	-	37.96	15.39	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_X_4TX
Setting 23
02-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.85G	103.29	Inf	-Inf	93.51	3	Vertical	18	1.14	-	35.30	6.25	31.77			
AV	6.7697G	90.92	Inf	-Inf	81.14	3	Vertical	18	1.14	-	35.24	6.21	31.67			
PK	7.2856G	55.75	74.00	-18.25	45.01	3	Vertical	18	1.14	-	36.34	6.50	32.10			
AV	7.3021G	45.32	54.00	-8.68	34.51	3	Vertical	18	1.14	-	36.41	6.51	32.11			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_X_4TX
Setting 23
02-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7752G	108.77	Inf	-Inf	98.99	3	Horizontal	6	1.81	-	35.25	6.21	31.68			
AV	6.7499G	99.10	Inf	-Inf	89.34	3	Horizontal	6	1.81	-	35.20	6.21	31.65			
PK	7.2515G	64.37	74.00	-9.63	53.76	3	Horizontal	6	1.81	-	36.21	6.48	32.08			
AV	7.2515G	53.10	54.00	-0.90	42.49	3	Horizontal	6	1.81	-	36.21	6.48	32.08			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81212G	61.79	88.20	-26.41	41.57	3	Vertical	128	2.11	-	40.72	12.14	32.64			
RMS	13.80831G	50.91	68.20	-17.29	30.70	3	Vertical	128	2.11	-	40.72	12.13	32.64			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80754G	61.52	88.20	-26.68	41.31	3	Horizontal	303	2.70	-	40.72	12.13	32.64			
RMS	13.80771G	50.92	68.20	-17.28	30.71	3	Horizontal	303	2.70	-	40.72	12.13	32.64			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71982G	45.44	83.54	-38.10	40.83	1	Vertical	341	1.80	-	37.86	15.78	49.03			
AV	20.71991G	35.62	63.54	-27.92	31.01	1	Vertical	341	1.80	-	37.86	15.78	49.03			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_X_4TX
Setting 23
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71781G	45.92	83.54	-37.62	41.32	1	Horizontal	0	1.95	-	37.86	15.77	49.03			
AV	20.71989G	35.78	63.54	-27.76	31.17	1	Horizontal	0	1.95	-	37.86	15.78	49.03			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX	Pass	RMS	5.925G	68.18	68.20	-0.02	3	Horizontal	343	2.00	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 2.5/19.25
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	75.95	88.20	-12.25	69.12	3	Vertical	10.9	2.29	-	34.30	8.11	35.58			
RMS	5.925G	62.53	68.20	-5.67	55.70	3	Vertical	10.9	2.29	-	34.30	8.11	35.58			
PK	6.009G	106.88	Inf	-Inf	100.09	3	Vertical	10.9	2.29	-	34.22	8.16	35.59			
RMS	6.0226G	97.13	Inf	-Inf	90.28	3	Vertical	10.9	2.29	-	34.25	8.17	35.57			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 2.5/19.25
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	83.23	88.20	-4.97	76.40	3	Horizontal	345	2.98	-	34.30	8.11	35.58			
RMS	5.925G	66.94	68.20	-1.26	60.11	3	Horizontal	345	2.98	-	34.30	8.11	35.58			
PK	5.9522G	111.30	Inf	-Inf	104.46	3	Horizontal	345	2.98	-	34.30	8.13	35.59			
RMS	6.0174G	101.51	Inf	-Inf	94.69	3	Horizontal	345	2.98	-	34.23	8.17	35.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5985MHz_TX

EUT_Y_1TX
Setting 2.5/19.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98002G	59.17	74.00	-14.83	42.78	3	Vertical	135	2.37	-	38.76	11.06	33.43			
AV	11.97822G	45.88	54.00	-8.12	29.49	3	Vertical	135	2.37	-	38.76	11.06	33.43			
PK	17.96994G	63.51	74.00	-10.49	41.45	3	Vertical	349	1.15	-	42.32	13.35	33.61			
AV	17.96436G	50.22	54.00	-3.78	28.19	3	Vertical	349	1.15	-	42.29	13.34	33.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 2.5/19.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97702G	58.85	74.00	-15.15	42.47	3	Horizontal	29	2.57	-	38.75	11.06	33.43			
AV	11.98476G	46.05	54.00	-7.95	29.66	3	Horizontal	29	2.57	-	38.77	11.06	33.44			
PK	17.95638G	63.32	74.00	-10.68	41.34	3	Horizontal	255	2.06	-	42.24	13.34	33.60			
AV	17.9643G	49.95	54.00	-4.05	27.92	3	Horizontal	255	2.06	-	42.29	13.34	33.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_V_1TX
Setting 2.5/19.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93643G	50.60	83.54	-32.94	41.47	1	Vertical	353	1.82	-	38.87	17.38	47.12			
AV	23.95425G	38.12	63.54	-25.42	28.92	1	Vertical	353	1.82	-	38.92	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_V_1TX
Setting 2.5/19.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95458G	51.16	83.54	-32.38	41.96	1	Horizontal	264	1.32	-	38.92	17.39	47.11			
AV	23.95368G	38.04	63.54	-25.50	28.85	1	Horizontal	264	1.32	-	38.91	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_Y_1TX
Setting 1/18.75
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.905G	78.28	88.20	-9.92	71.45	3	Vertical	13	2.36	-	34.30	8.10	35.57			
RMS	5.9014G	63.60	68.20	-4.60	56.77	3	Vertical	13	2.36	-	34.30	8.10	35.57			
PK	6.0122G	110.19	Inf	-Inf	103.40	3	Vertical	13	2.36	-	34.22	8.16	35.59			
RMS	6.023G	99.53	Inf	-Inf	92.67	3	Vertical	13	2.36	-	34.25	8.17	35.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_Y_1TX
Setting 1/18.75
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9066G	84.01	88.20	-4.19	77.18	3	Horizontal	348	2.95	-	34.30	8.10	35.57			
RMS	5.9022G	67.81	68.20	-0.39	60.98	3	Horizontal	348	2.95	-	34.30	8.10	35.57			
PK	6.0146G	114.83	Inf	-Inf	108.02	3	Horizontal	348	2.95	-	34.23	8.16	35.58			
RMS	6.0214G	103.96	Inf	-Inf	97.12	3	Horizontal	348	2.95	-	34.24	8.17	35.57			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5985MHz_TX

EUT_Y_1TX
Setting 1/18.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97972G	58.72	74.00	-15.28	42.33	3	Vertical	81	1.98	-	38.76	11.06	33.43			
AV	11.9784G	45.94	54.00	-8.06	29.55	3	Vertical	81	1.98	-	38.76	11.06	33.43			
PK	17.96208G	62.85	74.00	-11.15	40.84	3	Vertical	244	2.50	-	42.27	13.34	33.60			
AV	17.9658G	50.14	54.00	-3.86	28.11	3	Vertical	244	2.50	-	42.29	13.34	33.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_Y_1TX
Setting 1/18.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9727G	58.23	74.00	-15.77	41.85	3	Horizontal	198	2.00	-	38.75	11.06	33.43				
AV	11.985G	45.95	54.00	-8.05	29.56	3	Horizontal	198	2.00	-	38.77	11.06	33.44				
PK	17.96346G	63.60	74.00	-10.40	41.58	3	Horizontal	19	1.77	-	42.28	13.34	33.60				
AV	17.94102G	50.14	54.00	-3.86	28.24	3	Horizontal	19	1.77	-	42.16	13.33	33.59				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_V_1TX
Setting 1/18.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95482G	50.85	83.54	-32.69	41.65	1	Vertical	178	2.51	-	38.92	17.39	47.11			
AV	23.95443G	38.15	63.54	-25.39	28.95	1	Vertical	178	2.51	-	38.92	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5985MHz_TX

EUT_V_1TX
Setting 1/18.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93601G	50.36	83.54	-33.18	41.23	1	Horizontal	350	1.34	-	38.87	17.38	47.12			
AV	23.94945G	37.92	63.54	-25.62	28.76	1	Horizontal	350	1.34	-	38.90	17.38	47.12			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_Y_1TX
Setting 1.5/20.25
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0098G	110.61	Inf	-Inf	101.08	3	Vertical	350	1.02	-	36.24	8.61	35.32			
RMS	7.0002G	99.92	Inf	-Inf	90.45	3	Vertical	350	1.02	-	36.20	8.61	35.34			
PK	7.1266G	75.21	88.20	-12.99	64.98	3	Vertical	350	1.02	-	36.76	8.58	35.11			
RMS	7.125G	61.76	68.20	-6.44	51.54	3	Vertical	350	1.02	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_Y_1TX
Setting 1.5/20.25
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.061G	114.64	Inf	-Inf	104.84	3	Horizontal	345	2.61	-	36.44	8.59	35.23			
RMS	7.0482G	104.10	Inf	-Inf	94.36	3	Horizontal	345	2.61	-	36.39	8.60	35.25			
PK	7.1298G	82.63	88.20	-5.57	72.37	3	Horizontal	345	2.61	-	36.78	8.58	35.10			
RMS	7.125G	67.02	68.20	-1.18	56.80	3	Horizontal	345	2.61	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_V_1TX
Setting 1.5/20.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04424G	61.23	88.20	-26.97	42.61	3	Vertical	75	1.45	-	40.41	11.77	33.56			
AV	14.06302G	48.01	68.20	-20.19	29.34	3	Vertical	75	1.45	-	40.45	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_V_1TX
Setting 1.5/20.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05264G	60.71	88.20	-27.49	42.08	3	Horizontal	3	1.17	-	40.41	11.78	33.56			
AV	14.05822G	48.00	68.20	-20.20	29.35	3	Horizontal	3	1.17	-	40.43	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_V_1TX
Setting 1.5/20.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08829G	45.65	83.54	-37.89	40.28	1	Vertical	268	2.75	-	38.17	16.07	48.87			
AV	21.07917G	32.54	63.54	-31.00	27.13	1	Vertical	268	2.75	-	38.22	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_V_1TX
Setting 1.5/20.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07809G	45.71	83.54	-37.83	40.29	1	Horizontal	7	1.85	-	38.23	16.06	48.87			
AV	21.0777G	32.65	63.54	-30.89	27.23	1	Horizontal	7	1.85	-	38.23	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_Y_1TX
Setting 2/17.75
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0018G	111.53	Inf	-Inf	102.05	3	Vertical	346.1	2.15	-	36.21	8.61	35.34			
RMS	7.0002G	101.19	Inf	-Inf	91.72	3	Vertical	346.1	2.15	-	36.20	8.61	35.34			
PK	7.1258G	81.27	88.20	-6.93	71.05	3	Vertical	346.1	2.15	-	36.75	8.58	35.11			
RMS	7.1254G	66.93	68.20	-1.27	56.71	3	Vertical	346.1	2.15	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_Y_1TX
Setting 2/17.75
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0458G	113.65	Inf	-Inf	103.93	3	Horizontal	346	2.17	-	36.38	8.60	35.26			
RMS	7.0538G	103.19	Inf	-Inf	93.41	3	Horizontal	346	2.17	-	36.42	8.60	35.24			
PK	7.1258G	80.34	88.20	-7.86	70.12	3	Horizontal	346	2.17	-	36.75	8.58	35.11			
RMS	7.125G	66.20	68.20	-2.00	55.98	3	Horizontal	346	2.17	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_V_1TX
Setting 2/17.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0602G	60.90	88.20	-27.30	42.24	3	Vertical	35	1.07	-	40.44	11.78	33.56			
RMS	14.0641G	48.14	68.20	-20.06	29.46	3	Vertical	35	1.07	-	40.46	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_V_1TX
Setting 2/17.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.06002G	60.83	88.20	-27.37	42.17	3	Horizontal	37	1.68	-	40.44	11.78	33.56			
RMS	14.06494G	47.85	68.20	-20.35	29.17	3	Horizontal	37	1.68	-	40.46	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

7025MHz_TX




EUT_V_1TX
Setting 2/17.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.06216G	45.21	83.54	-38.33	39.70	1	Vertical	90	1.63	-	38.33	16.05	48.87			
AV	21.07869G	32.67	63.54	-30.87	27.25	1	Vertical	90	1.63	-	38.23	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


7025MHz_TX

EUT Y_1TX
Setting 2/17.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.08772G	46.11	83.54	-37.43	40.74	1	Horizontal	223	2.76	-	38.17	16.07	48.87			
AV	21.08022G	32.68	63.54	-30.86	27.27	1	Horizontal	223	2.76	-	38.22	16.06	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 4/21.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.63	88.20	-10.57	70.80	3	Vertical	360	1.80	-	34.30	8.11	35.58			
RMS	5.9245G	65.28	68.20	-2.92	58.45	3	Vertical	360	1.80	-	34.30	8.11	35.58			
PK	6.049G	103.51	Inf	-Inf	96.55	3	Vertical	360	1.80	-	34.30	8.17	35.51			
RMS	6.079G	92.35	Inf	-Inf	85.39	3	Vertical	360	1.80	-	34.24	8.18	35.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX


6025MHz_TX

EUT_Y_1TX
Setting 4/21.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.72	88.20	-9.48	71.89	3	Horizontal	346	2.95	-	34.30	8.11	35.58			
RMS	5.9245G	67.18	68.20	-1.02	60.35	3	Horizontal	346	2.95	-	34.30	8.11	35.58			
PK	6.099G	104.30	Inf	-Inf	97.33	3	Horizontal	346	2.95	-	34.20	8.19	35.42			
RMS	6.102G	93.42	Inf	-Inf	86.44	3	Horizontal	346	2.95	-	34.20	8.19	35.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 4/21.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04532G	58.62	74.00	-15.38	42.04	3	Vertical	20	2.39	-	38.89	11.09	33.40			
AV	12.04064G	45.78	54.00	-8.22	29.23	3	Vertical	20	2.39	-	38.88	11.08	33.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 4/21.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05192G	58.25	74.00	-15.75	41.65	3	Horizontal	154	1.03	-	38.90	11.09	33.39			
AV	12.06374G	45.76	54.00	-8.24	29.12	3	Horizontal	154	1.03	-	38.93	11.09	33.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX


6025MHz_TX

EUT_V_1TX
Setting 4/21.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08604G	44.91	83.54	-38.63	41.55	1	Vertical	86	1.95	-	37.54	15.30	49.48			
AV	18.08778G	31.57	63.54	-31.97	28.20	1	Vertical	86	1.95	-	37.55	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
Setting 4/21.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08295G	44.28	83.54	-39.26	40.93	1	Horizontal	147	1.83	-	37.53	15.30	49.48			
AV	18.08964G	31.64	63.54	-31.90	28.26	1	Horizontal	147	1.83	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 6/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	75.36	88.20	-12.84	68.53	3	Vertical	1	1.01	-	34.30	8.11	35.58			
RMS	5.924G	62.60	68.20	-5.60	55.77	3	Vertical	1	1.01	-	34.30	8.11	35.58			
PK	6.038G	105.64	Inf	-Inf	98.73	3	Vertical	1	1.01	-	34.28	8.17	35.54			
RMS	6.041G	94.66	Inf	-Inf	87.74	3	Vertical	1	1.01	-	34.28	8.17	35.53			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 6/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	81.21	88.20	-6.99	74.38	3	Horizontal	347.9	3.00	-	34.30	8.11	35.58			
RMS	5.9235G	66.73	68.20	-1.47	59.90	3	Horizontal	347.9	3.00	-	34.30	8.11	35.58			
PK	6.032G	110.50	Inf	-Inf	103.62	3	Horizontal	347.9	3.00	-	34.26	8.17	35.55			
RMS	5.9915G	99.30	Inf	-Inf	92.54	3	Horizontal	347.9	3.00	-	34.22	8.15	35.61			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 6/18.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.044G	59.12	74.00	-14.88	42.54	3	Vertical	218	1.22	-	38.89	11.09	33.40			
AV	12.04004G	45.31	54.00	-8.69	28.76	3	Vertical	218	1.22	-	38.88	11.08	33.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 6/18.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0605G	58.61	74.00	-15.39	41.99	3	Horizontal	308	1.83	-	38.92	11.09	33.39			
AV	12.04604G	45.39	54.00	-8.61	28.81	3	Horizontal	308	1.83	-	38.89	11.09	33.40			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 6/18.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06336G	44.60	83.54	-38.94	41.32	1	Vertical	332	2.49	-	37.45	15.30	49.47			
AV	18.0657G	31.30	63.54	-32.24	28.01	1	Vertical	332	2.49	-	37.46	15.30	49.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 6/18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.06804G	44.70	83.54	-38.84	41.40	1	Horizontal	120	1.90	-	37.47	15.30	49.47			
AV	18.06744G	31.50	63.54	-32.04	28.20	1	Horizontal	120	1.90	-	37.47	15.30	49.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 4.5/19
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	75.57	88.20	-12.63	68.74	3	Vertical	6	1.00	-	34.30	8.11	35.58			
RMS	5.925G	61.92	68.20	-6.28	55.09	3	Vertical	6	1.00	-	34.30	8.11	35.58			
PK	5.949G	106.87	Inf	-Inf	100.03	3	Vertical	6	1.00	-	34.30	8.13	35.59			
RMS	6.0765G	95.45	Inf	-Inf	88.48	3	Vertical	6	1.00	-	34.25	8.18	35.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 4.5/19
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	81.65	88.20	-6.55	74.82	3	Horizontal	347	2.90	-	34.30	8.11	35.58			
RMS	5.925G	67.85	68.20	-0.35	61.02	3	Horizontal	347	2.90	-	34.30	8.11	35.58			
PK	6.101G	112.83	Inf	-Inf	105.85	3	Horizontal	347	2.90	-	34.20	8.19	35.41			
RMS	6.0755G	101.14	Inf	-Inf	94.17	3	Horizontal	347	2.90	-	34.25	8.18	35.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 4.5/19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05276G	58.76	74.00	-15.24	42.15	3	Vertical	230	2.89	-	38.91	11.09	33.39			
AV	12.04556G	45.52	54.00	-8.48	28.94	3	Vertical	230	2.89	-	38.89	11.09	33.40			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 4.5/19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05678G	58.83	74.00	-15.17	42.22	3	Horizontal	315	1.26	-	38.91	11.09	33.39			
AV	12.06452G	45.49	54.00	-8.51	28.85	3	Horizontal	315	1.26	-	38.93	11.09	33.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
Setting 4.5/19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07608G	44.57	83.54	-38.97	41.25	1	Vertical	119	2.43	-	37.50	15.30	49.48			
AV	18.08304G	31.35	63.54	-32.19	28.00	1	Vertical	119	2.43	-	37.53	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX


6025MHz_TX

EUT_V_1TX
Setting 4.5/19
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08016G	44.39	83.54	-39.15	41.05	1	Horizontal	55	2.77	-	37.52	15.30	49.48			
AV	18.08307G	31.30	63.54	-32.24	27.95	1	Horizontal	55	2.77	-	37.53	15.30	49.48			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Y_1TX
Setting 6.5/19
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.038G	106.95	Inf	-Inf	97.27	3	Vertical	352	1.02	-	36.35	8.60	35.27			
RMS	7.042G	96.18	Inf	-Inf	86.47	3	Vertical	352	1.02	-	36.37	8.60	35.26			
PK	7.136G	76.72	88.20	-11.48	66.41	3	Vertical	352	1.02	-	36.82	8.58	35.09			
RMS	7.1335G	61.83	68.20	-6.37	51.55	3	Vertical	352	1.02	-	36.80	8.58	35.10			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Y_1TX
Setting 6.5/19
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.027G	111.14	Inf	-Inf	101.52	3	Horizontal	337.9	2.60	-	36.31	8.60	35.29			
RMS	7.0415G	100.80	Inf	-Inf	91.09	3	Horizontal	337.9	2.60	-	36.37	8.60	35.26			
PK	7.129G	83.60	88.20	-4.60	73.36	3	Horizontal	337.9	2.60	-	36.77	8.58	35.11			
RMS	7.133G	67.72	68.20	-0.48	57.44	3	Horizontal	337.9	2.60	-	36.80	8.58	35.10			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 6.5/19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9679G	60.29	88.20	-27.91	41.58	3	Vertical	80	1.73	-	40.50	11.75	33.54			
RMS	13.9604G	47.12	68.20	-21.08	28.41	3	Vertical	80	1.73	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 6.5/19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9748G	60.34	88.20	-27.86	41.63	3	Horizontal	160	2.82	-	40.50	11.75	33.54			
RMS	13.98392G	47.32	68.20	-20.88	28.61	3	Horizontal	160	2.82	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 6.5/19
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9532G	45.09	83.54	-38.45	39.94	1	Vertical	52	1.38	-	38.09	15.96	48.90			
AV	20.96922G	32.20	63.54	-31.34	27.10	1	Vertical	52	1.38	-	38.02	15.98	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 6.5/19
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94531G	45.16	83.54	-38.38	40.01	1	Horizontal	188	1.26	-	38.10	15.96	48.91			
AV	20.96301G	32.15	63.54	-31.39	27.03	1	Horizontal	188	1.26	-	38.05	15.97	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6985MHz_TX




EUT_Y_1TX
Setting 6/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.92G	107.74	Inf	-Inf	98.38	3	Vertical	352	1.00	-	36.04	8.55	35.23			
RMS	7.048G	97.96	Inf	-Inf	88.22	3	Vertical	352	1.00	-	36.39	8.60	35.25			
PK	7.151G	78.79	88.20	-9.41	68.39	3	Vertical	352	1.00	-	36.90	8.57	35.07			
RMS	7.1285G	62.24	68.20	-5.96	52.00	3	Vertical	352	1.00	-	36.77	8.58	35.11			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6985MHz_TX




EUT_Y_1TX
Setting 6/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.049G	113.15	Inf	-Inf	103.40	3	Horizontal	343	2.65	-	36.40	8.60	35.25			
RMS	7.047G	102.20	Inf	-Inf	92.46	3	Horizontal	343	2.65	-	36.39	8.60	35.25			
PK	7.126G	82.40	88.20	-5.80	72.17	3	Horizontal	343	2.65	-	36.76	8.58	35.11			
RMS	7.1255G	67.78	68.20	-0.42	57.56	3	Horizontal	343	2.65	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 6/18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96268G	60.24	88.20	-27.96	41.53	3	Vertical	289	2.83	-	40.50	11.75	33.54			
RMS	13.95698G	47.20	68.20	-21.00	28.49	3	Vertical	289	2.83	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 6/18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98002G	60.15	88.20	-28.05	41.44	3	Horizontal	268	1.48	-	40.50	11.75	33.54			
RMS	13.95818G	47.26	68.20	-20.94	28.55	3	Horizontal	268	1.48	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 6/18.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95359G	45.67	83.54	-37.87	40.52	1	Vertical	155	1.60	-	38.09	15.96	48.90			
AV	20.96985G	32.04	63.54	-31.50	26.94	1	Vertical	155	1.60	-	38.02	15.98	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX


6985MHz_TX

EUT_V_1TX
Setting 6/18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95929G	45.26	83.54	-38.28	40.13	1	Horizontal	57	2.65	-	38.06	15.97	48.90			
AV	20.97G	32.38	63.54	-31.16	27.28	1	Horizontal	57	2.65	-	38.02	15.98	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_Y_1TX
Setting 7.5/16
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.036G	108.45	Inf	-Inf	98.78	3	Vertical	348	1.01	-	36.34	8.60	35.27			
RMS	7.0305G	97.68	Inf	-Inf	88.04	3	Vertical	348	1.01	-	36.32	8.60	35.28			
PK	7.184G	77.66	88.20	-10.54	67.07	3	Vertical	348	1.01	-	37.04	8.56	35.01			
RMS	7.1735G	61.19	68.20	-7.01	50.65	3	Vertical	348	1.01	-	36.99	8.57	35.02			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_Y_1TX
Setting 7.5/16
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.039G	113.29	Inf	-Inf	103.60	3	Horizontal	338	2.62	-	36.36	8.60	35.27			
RMS	7.0375G	102.18	Inf	-Inf	92.50	3	Horizontal	338	2.62	-	36.35	8.60	35.27			
PK	7.164G	82.03	88.20	-6.17	71.54	3	Horizontal	338	2.62	-	36.96	8.57	35.04			
RMS	7.154G	66.48	68.20	-1.72	56.05	3	Horizontal	338	2.62	-	36.92	8.57	35.06			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 7.5/16
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98002G	60.00	88.20	-28.20	41.29	3	Vertical	258	1.62	-	40.50	11.75	33.54			
RMS	13.98206G	47.45	68.20	-20.75	28.74	3	Vertical	258	1.62	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6985MHz_TX




EUT_V_1TX
Setting 7.5/16
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97618G	60.64	88.20	-27.56	41.93	3	Horizontal	154	1.90	-	40.50	11.75	33.54			
RMS	13.98002G	47.20	68.20	-21.00	28.49	3	Horizontal	154	1.90	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX


6985MHz_TX

EUT_V_1TX
Setting 7.5/16
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9676G	45.08	83.54	-38.46	39.98	1	Vertical	34	1.78	-	38.03	15.97	48.90			
AV	20.96211G	32.16	63.54	-31.38	27.04	1	Vertical	34	1.78	-	38.05	15.97	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX


6985MHz_TX

EUT_V_1TX
Setting 7.5/16
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96298G	45.20	83.54	-38.34	40.08	1	Horizontal	74	2.28	-	38.05	15.97	48.90			
AV	20.96214G	32.30	63.54	-31.24	27.18	1	Horizontal	74	2.28	-	38.05	15.97	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Y_1TX
Setting 6/21.25
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	74.99	88.20	-13.21	68.16	3	Vertical	19	3.00	-	34.30	8.11	35.58			
RMS	5.923G	61.42	68.20	-6.78	54.59	3	Vertical	19	3.00	-	34.30	8.11	35.58			
PK	6.119G	102.22	Inf	-Inf	95.16	3	Vertical	19	3.00	-	34.24	8.20	35.38			
RMS	6.121G	91.52	Inf	-Inf	84.45	3	Vertical	19	3.00	-	34.24	8.20	35.37			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Y_1TX
Setting 6/21.25
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	82.54	88.20	-5.66	75.71	3	Horizontal	344.1	2.87	-	34.30	8.11	35.58			
RMS	5.925G	67.41	68.20	-0.79	60.58	3	Horizontal	344.1	2.87	-	34.30	8.11	35.58			
PK	6.153G	107.81	Inf	-Inf	100.60	3	Horizontal	344.1	2.87	-	34.31	8.21	35.31			
RMS	6.112G	97.17	Inf	-Inf	90.15	3	Horizontal	344.1	2.87	-	34.22	8.19	35.39			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
Setting 6/21.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2109G	59.14	74.00	-14.86	42.13	3	Vertical	180	2.28	-	39.10	11.14	33.23			
AV	12.21726G	45.40	54.00	-8.60	28.38	3	Vertical	180	2.28	-	39.10	11.14	33.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
Setting 6/21.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21612G	58.22	74.00	-15.78	41.20	3	Horizontal	118	1.54	-	39.10	11.14	33.22			
AV	12.21612G	45.30	54.00	-8.70	28.28	3	Horizontal	118	1.54	-	39.10	11.14	33.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
Setting 6/21.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31914G	44.24	83.54	-39.30	41.05	1	Vertical	336	1.73	-	37.50	15.28	49.59			
AV	18.30003G	31.39	63.54	-32.15	28.19	1	Vertical	336	1.73	-	37.50	15.28	49.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
Setting 6/21.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31179G	44.62	83.54	-38.92	41.43	1	Horizontal	57	1.51	-	37.50	15.28	49.59			
AV	18.30666G	31.15	63.54	-32.39	27.96	1	Horizontal	57	1.51	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_2TX
Setting 4.5/22.25
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	78.09	88.20	-10.11	71.26	3	Vertical	11	1.80	-	34.30	8.11	35.58			
RMS	5.925G	66.52	68.20	-1.68	59.69	3	Vertical	11	1.80	-	34.30	8.11	35.58			
PK	6.153G	103.81	Inf	-Inf	96.60	3	Vertical	11	1.80	-	34.31	8.21	35.31			
RMS	6.155G	92.14	Inf	-Inf	84.93	3	Vertical	11	1.80	-	34.31	8.21	35.31			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_2TX
Setting 4.5/22.25
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	79.44	88.20	-8.76	72.61	3	Horizontal	333	2.00	-	34.30	8.11	35.58			
RMS	5.925G	68.17	68.20	-0.03	61.34	3	Horizontal	333	2.00	-	34.30	8.11	35.58			
PK	6.051G	108.04	Inf	-Inf	101.07	3	Horizontal	333	2.00	-	34.30	8.18	35.51			
RMS	6.149G	96.75	Inf	-Inf	89.57	3	Horizontal	333	2.00	-	34.30	8.20	35.32			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_2TX
Setting 4.5/22.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20796G	58.14	74.00	-15.86	41.13	3	Vertical	50	1.31	-	39.10	11.14	33.23			
AV	12.21522G	45.25	54.00	-8.75	28.23	3	Vertical	50	1.31	-	39.10	11.14	33.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_2TX
Setting 4.5/22.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.19734G	58.01	74.00	-15.99	41.02	3	Horizontal	101	2.61	-	39.09	11.14	33.24			
AV	12.2013G	45.19	54.00	-8.81	28.19	3	Horizontal	101	2.61	-	39.10	11.14	33.24			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_2TX
Setting 4.5/22.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30348G	43.98	83.54	-39.56	40.79	1	Vertical	218	1.46	-	37.50	15.28	49.59			
AV	18.30066G	31.30	63.54	-32.24	28.10	1	Vertical	218	1.46	-	37.50	15.28	49.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_2TX
Setting 4.5/22.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31719G	44.20	83.54	-39.34	41.01	1	Horizontal	103	2.55	-	37.50	15.28	49.59			
AV	18.31392G	31.33	63.54	-32.21	28.14	1	Horizontal	103	2.55	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_Y_1TX
Setting 4/21.75
05-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	76.38	88.20	-11.82	69.55	3	Vertical	4	1.80	-	34.30	8.11	35.58			
RMS	5.925G	65.08	68.20	-3.12	58.25	3	Vertical	4	1.80	-	34.30	8.11	35.58			
PK	6.199G	104.47	Inf	-Inf	97.07	3	Vertical	4	1.80	-	34.40	8.22	35.22			
RMS	6.192G	93.53	Inf	-Inf	86.16	3	Vertical	4	1.80	-	34.38	8.22	35.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_Y_1TX
Setting 4/21.75
05-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	79.98	88.20	-8.22	73.15	3	Horizontal	343	2.00	-	34.30	8.11	35.58			
RMS	5.925G	68.18	68.20	-0.02	61.35	3	Horizontal	343	2.00	-	34.30	8.11	35.58			
PK	6.019G	107.86	Inf	-Inf	101.02	3	Horizontal	343	2.00	-	34.24	8.17	35.57			
RMS	6.021G	96.38	Inf	-Inf	89.54	3	Horizontal	343	2.00	-	34.24	8.17	35.57			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 4/21.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21672G	58.34	74.00	-15.66	41.32	3	Vertical	268	1.86	-	39.10	11.14	33.22			
AV	12.21846G	44.94	54.00	-9.06	27.91	3	Vertical	268	1.86	-	39.10	11.15	33.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 4/21.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20196G	57.91	74.00	-16.09	40.91	3	Horizontal	103	1.63	-	39.10	11.14	33.24			
AV	12.2184G	44.87	54.00	-9.13	27.84	3	Horizontal	103	1.63	-	39.10	11.15	33.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 4/21.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31308G	44.47	83.54	-39.07	41.28	1	Vertical	6	2.04	-	37.50	15.28	49.59			
AV	18.3006G	30.70	63.54	-32.84	27.50	1	Vertical	6	2.04	-	37.50	15.28	49.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
Setting 4/21.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32013G	44.14	83.54	-39.40	40.95	1	Horizontal	1	2.74	-	37.50	15.28	49.59			
AV	18.30123G	30.79	63.54	-32.75	27.59	1	Horizontal	1	2.74	-	37.50	15.28	49.58			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_1TX
Setting 7.5/19.25
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.829G	104.85	Inf	-Inf	95.43	3	Vertical	351.1	2.00	-	36.04	8.48	35.10			
RMS	6.831G	92.66	Inf	-Inf	83.24	3	Vertical	351.1	2.00	-	36.04	8.48	35.10			
PK	7.133G	75.48	88.20	-12.72	65.20	3	Vertical	351.1	2.00	-	36.80	8.58	35.10			
RMS	7.129G	60.01	68.20	-8.19	49.77	3	Vertical	351.1	2.00	-	36.77	8.58	35.11			
PK	7.255G	62.56	74.00	-11.44	51.76	3	Vertical	351.1	2.00	-	37.10	8.58	34.88			
AV	7.25G	49.10	54.00	-4.90	38.30	3	Vertical	351.1	2.00	-	37.10	8.58	34.88			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_1TX
Setting 7.5/19.25
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.037G	106.58	Inf	-Inf	96.90	3	Horizontal	342	2.00	-	36.35	8.60	35.27			
RMS	6.833G	96.00	Inf	-Inf	86.59	3	Horizontal	342	2.00	-	36.03	8.48	35.10			
PK	7.145G	79.08	88.20	-9.12	68.72	3	Horizontal	342	2.00	-	36.87	8.57	35.08			
RMS	7.137G	62.95	68.20	-5.25	52.64	3	Horizontal	342	2.00	-	36.82	8.58	35.09			
PK	7.259G	64.07	74.00	-9.93	53.26	3	Horizontal	342	2.00	-	37.10	8.58	34.87			
AV	7.25G	52.82	54.00	-1.18	42.02	3	Horizontal	342	2.00	-	37.10	8.58	34.88			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_1TX
Setting 7.5/19.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.816G	58.46	88.20	-29.74	39.95	3	Vertical	140	1.03	-	40.30	11.70	33.49			
RMS	13.8247G	45.62	68.20	-22.58	27.11	3	Vertical	140	1.03	-	40.30	11.70	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_1TX
Setting 7.5/19.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79638G	59.03	88.20	-29.17	40.51	3	Horizontal	184	1.82	-	40.31	11.69	33.48			
RMS	13.82392G	45.62	68.20	-22.58	27.11	3	Horizontal	184	1.82	-	40.30	11.70	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_1TX
Setting 7.5/19.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70549G	45.27	83.54	-38.27	40.65	1	Vertical	63	1.58	-	37.89	15.76	49.03			
AV	20.7006G	32.51	63.54	-31.03	27.89	1	Vertical	63	1.58	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_1TX
Setting 7.5/19.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72334G	45.35	83.54	-38.19	40.74	1	Horizontal	11	2.80	-	37.85	15.78	49.02			
AV	20.70555G	32.31	63.54	-31.23	27.69	1	Horizontal	11	2.80	-	37.89	15.76	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_1TX
Setting 8.5/17.25
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.807G	103.95	Inf	-Inf	94.46	3	Vertical	346	2.00	-	36.09	8.47	35.07			
RMS	6.814G	93.64	Inf	-Inf	84.18	3	Vertical	346	2.00	-	36.07	8.47	35.08			
PK	7.247G	68.19	88.20	-20.01	57.40	3	Vertical	346	2.00	-	37.10	8.58	34.89			
RMS	7.22G	49.82	68.20	-18.38	39.09	3	Vertical	346	2.00	-	37.10	8.57	34.94			
PK	7.281G	67.56	74.00	-6.44	56.70	3	Vertical	346	2.00	-	37.10	8.59	34.83			
AV	7.251G	49.64	54.00	-4.36	38.84	3	Vertical	346	2.00	-	37.10	8.58	34.88			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_1TX
Setting 8.5/17.25
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.801G	105.97	Inf	-Inf	96.47	3	Horizontal	0	2.00	-	36.10	8.46	35.06			
RMS	6.803G	94.87	Inf	-Inf	85.38	3	Horizontal	0	2.00	-	36.09	8.46	35.06			
PK	7.231G	67.40	88.20	-20.80	56.65	3	Horizontal	0	2.00	-	37.10	8.57	34.92			
RMS	7.234G	52.25	68.20	-15.95	41.49	3	Horizontal	0	2.00	-	37.10	8.57	34.91			
PK	7.251G	70.10	74.00	-3.90	59.30	3	Horizontal	0	2.00	-	37.10	8.58	34.88			
AV	7.259G	51.85	54.00	-2.15	41.04	3	Horizontal	0	2.00	-	37.10	8.58	34.87			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_1TX
Setting 8.5/17.25
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80124G	58.56	88.20	-29.64	40.06	3	Vertical	326	2.02	-	40.30	11.69	33.49			
RMS	13.82458G	45.22	68.20	-22.98	26.71	3	Vertical	326	2.02	-	40.30	11.70	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_1TX
Setting 8.5/17.25
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79512G	58.15	88.20	-30.05	39.62	3	Horizontal	250	2.32	-	40.32	11.69	33.48			
RMS	13.795G	45.01	68.20	-23.19	26.48	3	Horizontal	250	2.32	-	40.32	11.69	33.48			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_1TX
Setting 8.5/17.25
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71869G	44.52	83.54	-39.02	39.92	1	Vertical	286	2.39	-	37.86	15.77	49.03			
AV	20.70048G	31.97	63.54	-31.57	27.35	1	Vertical	286	2.39	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_1TX
Setting 8.5/17.25
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71083G	44.68	83.54	-38.86	40.06	1	Horizontal	72	2.41	-	37.88	15.77	49.03			
AV	20.70081G	31.85	63.54	-31.69	27.23	1	Horizontal	72	2.41	-	37.90	15.76	49.04			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/18.75
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	81.05	88.20	-7.15	74.23	3	Vertical	343	2.27	-	34.30	8.10	35.58			
RMS	5.9146G	67.04	68.20	-1.16	60.22	3	Vertical	343	2.27	-	34.30	8.10	35.58			
PK	6.0146G	114.07	Inf	-Inf	107.26	3	Vertical	343	2.27	-	34.23	8.16	35.58			
RMS	6.0126G	103.41	Inf	-Inf	96.61	3	Vertical	343	2.27	-	34.23	8.16	35.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/18.75
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	79.84	88.20	-8.36	73.01	3	Horizontal	342	2.07	-	34.30	8.11	35.58			
RMS	5.9234G	67.62	68.20	-0.58	60.79	3	Horizontal	342	2.07	-	34.30	8.11	35.58			
PK	6.0226G	115.49	Inf	-Inf	108.64	3	Horizontal	342	2.07	-	34.25	8.17	35.57			
RMS	6.0234G	104.72	Inf	-Inf	97.86	3	Horizontal	342	2.07	-	34.25	8.17	35.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/18.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9658G	58.39	74.00	-15.61	42.03	3	Vertical	348	1.01	-	38.73	11.05	33.42				
AV	11.97774G	46.37	54.00	-7.63	29.98	3	Vertical	348	1.01	-	38.76	11.06	33.43				
PK	17.964G	63.09	74.00	-10.91	41.07	3	Vertical	165	2.33	-	42.28	13.34	33.60				
AV	17.96856G	50.15	54.00	-3.85	28.10	3	Vertical	165	2.33	-	42.31	13.35	33.61				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/18.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9661G	59.06	74.00	-14.94	42.69	3	Horizontal	192	2.50	-	38.73	11.06	33.42			
AV	11.98494G	45.88	54.00	-8.12	29.49	3	Horizontal	192	2.50	-	38.77	11.06	33.44			
PK	17.96976G	62.74	74.00	-11.26	40.68	3	Horizontal	10	1.76	-	42.32	13.35	33.61			
AV	17.96976G	50.15	54.00	-3.85	28.09	3	Horizontal	10	1.76	-	42.32	13.35	33.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/18.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93649G	51.08	83.54	-32.46	41.95	1	Vertical	312	1.45	-	38.87	17.38	47.12			
AV	23.9529G	37.92	63.54	-25.62	28.73	1	Vertical	312	1.45	-	38.91	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/18.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93373G	51.04	83.54	-32.50	41.91	1	Horizontal	82	2.59	-	38.87	17.38	47.12			
AV	23.9511G	37.99	63.54	-25.55	28.81	1	Horizontal	82	2.59	-	38.90	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/16.75
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9122G	81.62	88.20	-6.58	74.80	3	Vertical	343.9	2.30	-	34.30	8.10	35.58			
RMS	5.9114G	64.08	68.20	-4.12	57.26	3	Vertical	343.9	2.30	-	34.30	8.10	35.58			
PK	6.0138G	116.23	Inf	-Inf	109.42	3	Vertical	343.9	2.30	-	34.23	8.16	35.58			
RMS	6.0134G	105.33	Inf	-Inf	98.52	3	Vertical	343.9	2.30	-	34.23	8.16	35.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/16.75
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8994G	82.42	88.20	-5.78	75.60	3	Horizontal	353	2.84	-	34.30	8.09	35.57			
RMS	5.903G	67.54	68.20	-0.66	60.71	3	Horizontal	353	2.84	-	34.30	8.10	35.57			
PK	6.0194G	118.06	Inf	-Inf	111.22	3	Horizontal	353	2.84	-	34.24	8.17	35.57			
RMS	6.0214G	107.20	Inf	-Inf	100.36	3	Horizontal	353	2.84	-	34.24	8.17	35.57			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/16.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98092G	58.75	74.00	-15.25	42.36	3	Vertical	293	1.10	-	38.76	11.06	33.43			
AV	11.97828G	46.27	54.00	-7.73	29.88	3	Vertical	293	1.10	-	38.76	11.06	33.43			
PK	17.95444G	62.86	74.00	-11.14	40.89	3	Vertical	16	1.46	-	42.23	13.34	33.60			
AV	17.96676G	50.31	54.00	-3.69	28.28	3	Vertical	16	1.46	-	42.30	13.34	33.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/16.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98158G	59.43	74.00	-14.57	43.04	3	Horizontal	246	2.85	-	38.76	11.06	33.43			
AV	11.98386G	46.13	54.00	-7.87	29.74	3	Horizontal	246	2.85	-	38.77	11.06	33.44			
PK	17.9481G	63.27	74.00	-10.73	41.33	3	Horizontal	200	2.07	-	42.19	13.34	33.59			
AV	17.9646G	50.11	54.00	-3.89	28.08	3	Horizontal	200	2.07	-	42.29	13.34	33.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/16.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93499G	50.39	83.54	-33.15	41.26	1	Vertical	260	2.97	-	38.87	17.38	47.12			
AV	23.95143G	37.83	63.54	-25.71	28.64	1	Vertical	260	2.97	-	38.91	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting -3/16.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93769G	50.65	83.54	-32.89	41.51	1	Horizontal	323	1.86	-	38.88	17.38	47.12			
AV	23.95344G	37.84	63.54	-25.70	28.65	1	Horizontal	323	1.86	-	38.91	17.39	47.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting -4.5/20.25
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0578G	116.11	Inf	-Inf	106.31	3	Vertical	351	1.00	-	36.43	8.60	35.23			
RMS	7.0166G	105.36	Inf	-Inf	95.79	3	Vertical	351	1.00	-	36.27	8.61	35.31			
PK	7.1346G	78.35	88.20	-9.85	68.06	3	Vertical	351	1.00	-	36.81	8.58	35.10			
RMS	7.131G	60.63	68.20	-7.57	50.36	3	Vertical	351	1.00	-	36.79	8.58	35.10			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting -4.5/20.25
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0058G	117.75	Inf	-Inf	108.25	3	Horizontal	353	1.01	-	36.22	8.61	35.33			
RMS	7.0466G	107.17	Inf	-Inf	97.44	3	Horizontal	353	1.01	-	36.39	8.60	35.26			
PK	7.1266G	85.84	88.20	-2.36	75.61	3	Horizontal	353	1.01	-	36.76	8.58	35.11			
RMS	7.125G	67.71	68.20	-0.49	57.49	3	Horizontal	353	1.01	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting -4.5/20.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0533G	61.15	88.20	-27.05	42.52	3	Vertical	292	1.00	-	40.41	11.78	33.56			
RMS	14.05558G	47.80	68.20	-20.40	29.16	3	Vertical	292	1.00	-	40.42	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting -4.5/20.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05222G	61.66	88.20	-26.54	43.03	3	Horizontal	35	1.08	-	40.41	11.78	33.56			
RMS	14.0542G	48.02	68.20	-20.18	29.38	3	Horizontal	35	1.08	-	40.42	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting -4.5/20.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08691G	46.24	83.54	-37.30	40.86	1	Vertical	158	2.29	-	38.18	16.07	48.87			
AV	21.07833G	32.58	63.54	-30.96	27.16	1	Vertical	158	2.29	-	38.23	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


7025MHz_TX

EUT_Y_2TX
Setting -4.5/20.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0696G	44.75	83.54	-38.79	39.28	1	Horizontal	42	1.38	-	38.28	16.06	48.87			
AV	21.08847G	32.55	63.54	-30.99	27.18	1	Horizontal	42	1.38	-	38.17	16.07	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2.5/16.25
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0554G	114.84	Inf	-Inf	105.06	3	Vertical	352	1.01	-	36.42	8.60	35.24			
RMS	7.0558G	104.99	Inf	-Inf	95.21	3	Vertical	352	1.01	-	36.42	8.60	35.24			
PK	7.133G	75.33	88.20	-12.87	65.05	3	Vertical	352	1.01	-	36.80	8.58	35.10			
RMS	7.1302G	59.34	68.20	-8.86	49.08	3	Vertical	352	1.01	-	36.78	8.58	35.10			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2.5/16.25
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0466G	118.15	Inf	-Inf	108.42	3	Horizontal	355	1.00	-	36.39	8.60	35.26			
RMS	7.0462G	107.35	Inf	-Inf	97.63	3	Horizontal	355	1.00	-	36.38	8.60	35.26			
PK	7.125G	83.26	88.20	-4.94	73.04	3	Horizontal	355	1.00	-	36.75	8.58	35.11			
RMS	7.125G	67.06	68.20	-1.14	56.84	3	Horizontal	355	1.00	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2.5/16.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05696G	61.11	88.20	-27.09	42.46	3	Vertical	44	1.46	-	40.43	11.78	33.56			
RMS	14.04742G	47.94	68.20	-20.26	29.31	3	Vertical	44	1.46	-	40.41	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2.5/16.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05246G	60.74	88.20	-27.46	42.11	3	Horizontal	211	1.81	-	40.41	11.78	33.56			
RMS	14.06392G	47.89	68.20	-20.31	29.21	3	Horizontal	211	1.81	-	40.46	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2.5/16.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.06273G	45.87	83.54	-37.67	40.37	1	Vertical	325	2.51	-	38.32	16.05	48.87			
AV	21.0786G	32.85	63.54	-30.69	27.43	1	Vertical	325	2.51	-	38.23	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2.5/16.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07848G	45.74	83.54	-37.80	40.32	1	Horizontal	285	2.51	-	38.23	16.06	48.87			
AV	21.08079G	32.51	63.54	-31.03	27.10	1	Horizontal	285	2.51	-	38.22	16.06	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/19
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	76.83	88.20	-11.37	70.01	3	Vertical	360	1.01	-	34.30	8.10	35.58			
RMS	5.918G	62.34	68.20	-5.86	55.51	3	Vertical	360	1.01	-	34.30	8.11	35.58			
PK	6.076G	110.31	Inf	-Inf	103.34	3	Vertical	360	1.01	-	34.25	8.18	35.46			
RMS	6.037G	99.32	Inf	-Inf	92.42	3	Vertical	360	1.01	-	34.27	8.17	35.54			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/19
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	79.73	88.20	-8.47	72.90	3	Horizontal	341	2.74	-	34.30	8.11	35.58			
RMS	5.924G	66.57	68.20	-1.63	59.74	3	Horizontal	341	2.74	-	34.30	8.11	35.58			
PK	6.045G	112.13	Inf	-Inf	105.19	3	Horizontal	341	2.74	-	34.29	8.17	35.52			
RMS	6.063G	101.35	Inf	-Inf	94.39	3	Horizontal	341	2.74	-	34.27	8.18	35.49			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04184G	58.71	74.00	-15.29	42.16	3	Vertical	27	2.25	-	38.88	11.08	33.41			
AV	12.05726G	45.59	54.00	-8.41	28.98	3	Vertical	27	2.25	-	38.91	11.09	33.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05516G	58.42	74.00	-15.58	41.81	3	Horizontal	74	1.47	-	38.91	11.09	33.39			
AV	12.05792G	45.56	54.00	-8.44	28.94	3	Horizontal	74	1.47	-	38.92	11.09	33.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/19
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.06993G	44.06	83.54	-39.48	40.75	1	Vertical	348	1.00	-	37.48	15.30	49.47			
AV	18.0888G	31.38	63.54	-32.16	28.00	1	Vertical	348	1.00	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


6025MHz_TX

EUT_Y_2TX
Setting 0.5/19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08703G	44.09	83.54	-39.45	40.72	1	Horizontal	300	2.29	-	37.55	15.30	49.48			
AV	18.07695G	31.34	63.54	-32.20	28.01	1	Horizontal	300	2.29	-	37.51	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT Y_2TX
Setting 0.5/18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	81.01	88.20	-7.19	74.19	3	Vertical	360	1.01	-	34.30	8.10	35.58			
RMS	5.9175G	66.66	68.20	-1.54	59.83	3	Vertical	360	1.01	-	34.30	8.11	35.58			
PK	5.998G	112.31	Inf	-Inf	105.56	3	Vertical	360	1.01	-	34.20	8.16	35.61			
RMS	6.037G	100.83	Inf	-Inf	93.93	3	Vertical	360	1.01	-	34.27	8.17	35.54			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT Y_2TX
Setting 0.5/18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	79.89	88.20	-8.31	73.06	3	Horizontal	336.9	1.80	-	34.30	8.11	35.58			
RMS	5.9245G	66.86	68.20	-1.34	60.03	3	Horizontal	336.9	1.80	-	34.30	8.11	35.58			
PK	6.027G	111.92	Inf	-Inf	105.06	3	Horizontal	336.9	1.80	-	34.25	8.17	35.56			
RMS	6.044G	101.36	Inf	-Inf	94.42	3	Horizontal	336.9	1.80	-	34.29	8.17	35.52			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/18
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0554G	59.24	74.00	-14.76	42.63	3	Vertical	255	2.76	-	38.91	11.09	33.39			
AV	12.05786G	45.57	54.00	-8.43	28.95	3	Vertical	255	2.76	-	38.92	11.09	33.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05582G	58.70	74.00	-15.30	42.09	3	Horizontal	106	1.64	-	38.91	11.09	33.39			
AV	12.0647G	45.52	54.00	-8.48	28.88	3	Horizontal	106	1.64	-	38.93	11.09	33.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.06297G	44.36	83.54	-39.18	41.08	1	Vertical	164	2.56	-	37.45	15.30	49.47			
AV	18.08748G	31.54	63.54	-32.00	28.17	1	Vertical	164	2.56	-	37.55	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/18
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06243G	44.57	83.54	-38.97	41.29	1	Horizontal	251	2.74	-	37.45	15.30	49.47			
AV	18.07677G	31.51	63.54	-32.03	28.18	1	Horizontal	251	2.74	-	37.51	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	74.92	88.20	-13.28	68.09	3	Vertical	360	1.01	-	34.30	8.11	35.58			
RMS	5.921G	59.62	68.20	-8.58	52.79	3	Vertical	360	1.01	-	34.30	8.11	35.58			
PK	6.075G	112.32	Inf	-Inf	105.35	3	Vertical	360	1.01	-	34.25	8.18	35.46			
RMS	6.0765G	100.90	Inf	-Inf	93.93	3	Vertical	360	1.01	-	34.25	8.18	35.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	79.71	88.20	-8.49	72.88	3	Horizontal	352	2.80	-	34.30	8.11	35.58			
RMS	5.925G	64.94	68.20	-3.26	58.11	3	Horizontal	352	2.80	-	34.30	8.11	35.58			
PK	6.08G	114.52	Inf	-Inf	107.55	3	Horizontal	352	2.80	-	34.24	8.18	35.45			
RMS	6.081G	103.55	Inf	-Inf	96.58	3	Horizontal	352	2.80	-	34.24	8.18	35.45			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/17
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.062G	58.42	74.00	-15.58	41.79	3	Vertical	39	2.99	-	38.92	11.09	33.38			
AV	12.03608G	45.73	54.00	-8.27	29.19	3	Vertical	39	2.99	-	38.87	11.08	33.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/17
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05282G	58.71	74.00	-15.29	42.10	3	Horizontal	182	1.61	-	38.91	11.09	33.39			
AV	12.0584G	45.49	54.00	-8.51	28.87	3	Horizontal	182	1.61	-	38.92	11.09	33.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/17
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08577G	44.87	83.54	-38.67	41.51	1	Vertical	64	2.48	-	37.54	15.30	49.48			
AV	18.07167G	31.47	63.54	-32.07	28.15	1	Vertical	64	2.48	-	37.49	15.30	49.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5/17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.06831G	45.02	83.54	-38.52	41.72	1	Horizontal	24	2.14	-	37.47	15.30	49.47			
AV	18.07665G	31.60	63.54	-31.94	28.27	1	Horizontal	24	2.14	-	37.51	15.30	49.48			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.02G	111.71	Inf	-Inf	102.13	3	Vertical	349	1.01	-	36.28	8.60	35.30			
RMS	7.0375G	102.10	Inf	-Inf	92.42	3	Vertical	349	1.01	-	36.35	8.60	35.27			
PK	7.143G	81.60	88.20	-6.60	71.25	3	Vertical	349	1.01	-	36.86	8.57	35.08			
RMS	7.138G	64.49	68.20	-3.71	54.17	3	Vertical	349	1.01	-	36.83	8.58	35.09			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT Y_2TX
Setting 1/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.044G	115.08	Inf	-Inf	105.36	3	Horizontal	352	2.56	-	36.38	8.60	35.26			
RMS	7.043G	104.01	Inf	-Inf	94.30	3	Horizontal	352	2.56	-	36.37	8.60	35.26			
PK	7.136G	82.25	88.20	-5.95	71.94	3	Horizontal	352	2.56	-	36.82	8.58	35.09			
RMS	7.125G	67.92	68.20	-0.28	57.70	3	Horizontal	352	2.56	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1/18.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.95518G	60.63	88.20	-27.57	41.93	3	Vertical	116	1.87	-	40.50	11.74	33.54			
RMS	13.9577G	47.09	68.20	-21.11	28.38	3	Vertical	116	1.87	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1/18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96904G	60.33	88.20	-27.87	41.62	3	Horizontal	284	1.39	-	40.50	11.75	33.54			
RMS	13.97222G	47.17	68.20	-21.03	28.46	3	Horizontal	284	1.39	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1/18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95641G	44.66	83.54	-38.88	39.52	1	Vertical	116	1.68	-	38.07	15.97	48.90			
AV	20.96262G	32.12	63.54	-31.42	27.00	1	Vertical	116	1.68	-	38.05	15.97	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1/18.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96424G	46.04	83.54	-37.50	40.93	1	Horizontal	214	1.40	-	38.04	15.97	48.90			
AV	20.95002G	32.07	63.54	-31.47	26.92	1	Horizontal	214	1.40	-	38.10	15.96	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1/17.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.933G	114.66	Inf	-Inf	105.27	3	Vertical	348	2.13	-	36.07	8.56	35.24			
RMS	7.053G	103.85	Inf	-Inf	94.08	3	Vertical	348	2.13	-	36.41	8.60	35.24			
PK	7.128G	80.71	88.20	-7.49	70.47	3	Vertical	348	2.13	-	36.77	8.58	35.11			
RMS	7.133G	66.54	68.20	-1.66	56.26	3	Vertical	348	2.13	-	36.80	8.58	35.10			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1/17.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.046G	114.83	Inf	-Inf	105.11	3	Horizontal	358	1.02	-	36.38	8.60	35.26			
RMS	7.0465G	104.87	Inf	-Inf	95.14	3	Horizontal	358	1.02	-	36.39	8.60	35.26			
PK	7.125G	82.40	88.20	-5.80	72.18	3	Horizontal	358	1.02	-	36.75	8.58	35.11			
RMS	7.125G	67.23	68.20	-0.97	57.01	3	Horizontal	358	1.02	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1/17.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97672G	60.18	88.20	-28.02	41.47	3	Vertical	249	1.09	-	40.50	11.75	33.54			
RMS	13.96994G	47.21	68.20	-20.99	28.50	3	Vertical	249	1.09	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX


6985MHz_TX

EUT_Y_2TX
Setting 1/17.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.95536G	60.63	88.20	-27.57	41.93	3	Horizontal	256	1.34	-	40.50	11.74	33.54			
RMS	13.97474G	47.38	68.20	-20.82	28.67	3	Horizontal	256	1.34	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1/17.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9679G	45.03	83.54	-38.51	39.93	1	Vertical	106	1.39	-	38.03	15.97	48.90			
AV	20.96895G	32.08	63.54	-31.46	26.98	1	Vertical	106	1.39	-	38.02	15.98	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1/17.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94276G	45.94	83.54	-37.60	40.80	1	Horizontal	360	1.80	-	38.10	15.95	48.91			
AV	20.96919G	32.40	63.54	-31.14	27.30	1	Horizontal	360	1.80	-	38.02	15.98	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 2/15.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.055G	112.48	Inf	-Inf	102.70	3	Vertical	353	1.00	-	36.42	8.60	35.24			
RMS	7.037G	102.44	Inf	-Inf	92.76	3	Vertical	353	1.00	-	36.35	8.60	35.27			
PK	7.197G	77.61	88.20	-10.59	66.94	3	Vertical	353	1.00	-	37.09	8.56	34.98			
RMS	7.1565G	62.96	68.20	-5.24	52.52	3	Vertical	353	1.00	-	36.93	8.57	35.06			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 2/15.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.044G	115.89	Inf	-Inf	106.17	3	Horizontal	346.9	2.52	-	36.38	8.60	35.26			
RMS	7.044G	105.04	Inf	-Inf	95.32	3	Horizontal	346.9	2.52	-	36.38	8.60	35.26			
PK	7.166G	82.80	88.20	-5.40	72.31	3	Horizontal	346.9	2.52	-	36.96	8.57	35.04			
RMS	7.1635G	66.79	68.20	-1.41	56.31	3	Horizontal	346.9	2.52	-	36.95	8.57	35.04			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 2/15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97696G	59.99	88.20	-28.21	41.28	3	Vertical	220	2.34	-	40.50	11.75	33.54			
RMS	13.97984G	47.26	68.20	-20.94	28.55	3	Vertical	220	2.34	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 2/15.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98428G	60.23	88.20	-27.97	41.52	3	Horizontal	254	1.55	-	40.50	11.75	33.54			
RMS	13.97198G	46.97	68.20	-21.23	28.26	3	Horizontal	254	1.55	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX


6985MHz_TX

EUT_Y_2TX
Setting 2/15.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96262G	44.89	83.54	-38.65	39.77	1	Vertical	285	1.04	-	38.05	15.97	48.90			
AV	20.9676G	31.98	63.54	-31.56	26.88	1	Vertical	285	1.04	-	38.03	15.97	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 2/15.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96961G	44.56	83.54	-38.98	39.46	1	Horizontal	295	2.38	-	38.02	15.98	48.90			
AV	20.96235G	32.06	63.54	-31.48	26.94	1	Horizontal	295	2.38	-	38.05	15.97	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1/20.75
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	80.14	88.20	-8.06	73.31	3	Vertical	353	1.80	-	34.30	8.11	35.58			
RMS	5.917G	65.24	68.20	-2.96	58.41	3	Vertical	353	1.80	-	34.30	8.11	35.58			
PK	6.135G	108.61	Inf	-Inf	101.49	3	Vertical	353	1.80	-	34.27	8.20	35.35			
RMS	6.134G	98.66	Inf	-Inf	91.54	3	Vertical	353	1.80	-	34.27	8.20	35.35			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1/20.75
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	81.41	88.20	-6.79	74.59	3	Horizontal	348	1.99	-	34.30	8.10	35.58			
RMS	5.924G	68.17	68.20	-0.03	61.34	3	Horizontal	348	1.99	-	34.30	8.11	35.58			
PK	6.163G	109.78	Inf	-Inf	102.53	3	Horizontal	348	1.99	-	34.33	8.21	35.29			
RMS	6.143G	100.12	Inf	-Inf	92.96	3	Horizontal	348	1.99	-	34.29	8.20	35.33			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1/20.75
05-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20124G	54.56	74.00	-19.44	37.56	3	Vertical	212	1.43	-	39.10	11.14	33.24			
AV	12.2187G	45.19	54.00	-8.81	28.16	3	Vertical	212	1.43	-	39.10	11.15	33.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1/20.75
05-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21672G	56.53	74.00	-17.47	39.51	3	Horizontal	19	1.85	-	39.10	11.14	33.22			
AV	12.21426G	45.29	54.00	-8.71	28.27	3	Horizontal	19	1.85	-	39.10	11.14	33.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1/20.75
05-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31515G	40.55	83.54	-42.99	37.36	1	Vertical	75	2.15	-	37.50	15.28	49.59			
AV	18.31431G	31.08	63.54	-32.46	27.89	1	Vertical	75	2.15	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1/20.75
05-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31869G	41.62	83.54	-41.92	38.43	1	Horizontal	119	2.26	-	37.50	15.28	49.59			
AV	18.30138G	31.05	63.54	-32.49	27.85	1	Horizontal	119	2.26	-	37.50	15.28	49.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 0.5/20.25
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	76.66	88.20	-11.54	69.84	3	Vertical	0	1.80	-	34.30	8.10	35.58			
RMS	5.916G	63.63	68.20	-4.57	56.80	3	Vertical	0	1.80	-	34.30	8.11	35.58			
PK	6.153G	108.47	Inf	-Inf	101.26	3	Vertical	0	1.80	-	34.31	8.21	35.31			
RMS	6.154G	98.33	Inf	-Inf	91.12	3	Vertical	0	1.80	-	34.31	8.21	35.31			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 0.5/20.25
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	80.51	88.20	-7.69	73.68	3	Horizontal	343	2.00	-	34.30	8.11	35.58			
RMS	5.925G	67.68	68.20	-0.52	60.85	3	Horizontal	343	2.00	-	34.30	8.11	35.58			
PK	6.183G	111.09	Inf	-Inf	103.76	3	Horizontal	343	2.00	-	34.37	8.21	35.25			
RMS	6.163G	100.16	Inf	-Inf	92.91	3	Horizontal	343	2.00	-	34.33	8.21	35.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 0.5/20.25
05-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20178G	58.19	74.00	-15.81	41.19	3	Vertical	106	2.04	-	39.10	11.14	33.24			
AV	12.21228G	45.16	54.00	-8.84	28.14	3	Vertical	106	2.04	-	39.10	11.14	33.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 0.5/20.25
05-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21816G	58.07	74.00	-15.93	41.04	3	Horizontal	222	2.53	-	39.10	11.15	33.22			
AV	12.225G	45.11	54.00	-8.89	28.07	3	Horizontal	222	2.53	-	39.10	11.15	33.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 0.5/20.25
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31491G	43.18	83.54	-40.36	39.99	1	Vertical	276	2.00	-	37.50	15.28	49.59			
AV	18.30138G	31.04	63.54	-32.50	27.84	1	Vertical	276	2.00	-	37.50	15.28	49.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 0.5/20.25
05-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32994G	44.13	83.54	-39.41	40.95	1	Horizontal	80	2.34	-	37.50	15.28	49.60			
AV	18.3261G	30.91	63.54	-32.63	27.73	1	Horizontal	80	2.34	-	37.50	15.28	49.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting -0.75/20.5
05-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	78.39	88.20	-9.81	71.57	3	Vertical	355	1.80	-	34.30	8.10	35.58			
RMS	5.917G	63.75	68.20	-4.45	56.92	3	Vertical	355	1.80	-	34.30	8.11	35.58			
PK	6.193G	110.08	Inf	-Inf	102.70	3	Vertical	355	1.80	-	34.39	8.22	35.23			
RMS	6.194G	100.11	Inf	-Inf	92.73	3	Vertical	355	1.80	-	34.39	8.22	35.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting -0.75/20.5
05-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.70	88.20	-7.50	73.87	3	Horizontal	348	2.00	-	34.30	8.11	35.58			
RMS	5.925G	68.11	68.20	-0.09	61.28	3	Horizontal	348	2.00	-	34.30	8.11	35.58			
PK	6.263G	112.96	Inf	-Inf	105.28	3	Horizontal	348	2.00	-	34.50	8.27	35.09			
RMS	6.203G	101.68	Inf	-Inf	94.26	3	Horizontal	348	2.00	-	34.41	8.22	35.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting -0.75/20.5
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21198G	57.96	74.00	-16.04	40.95	3	Vertical	62	1.42	-	39.10	11.14	33.23			
AV	12.21786G	44.58	54.00	-9.42	27.55	3	Vertical	62	1.42	-	39.10	11.15	33.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting -0.75/20.5
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.22428G	57.70	74.00	-16.30	40.66	3	Horizontal	93	2.12	-	39.10	11.15	33.21			
AV	12.21834G	44.61	54.00	-9.39	27.58	3	Horizontal	93	2.12	-	39.10	11.15	33.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting -0.75/20.5
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3054G	44.11	83.54	-39.43	40.92	1	Vertical	32	1.20	-	37.50	15.28	49.59			
AV	18.31338G	30.60	63.54	-32.94	27.41	1	Vertical	32	1.20	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting -0.75/20.5
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3165G	43.88	83.54	-39.66	40.69	1	Horizontal	268	2.65	-	37.50	15.28	49.59			
AV	18.31527G	30.29	63.54	-33.25	27.10	1	Horizontal	268	2.65	-	37.50	15.28	49.59			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 2/18.75
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.833G	110.21	Inf	-Inf	100.80	3	Vertical	350	2.00	-	36.03	8.48	35.10			
RMS	7.013G	99.20	Inf	-Inf	89.66	3	Vertical	350	2.00	-	36.25	8.61	35.32			
PK	7.133G	80.99	88.20	-7.21	70.71	3	Vertical	350	2.00	-	36.80	8.58	35.10			
RMS	7.133G	64.02	68.20	-4.18	53.74	3	Vertical	350	2.00	-	36.80	8.58	35.10			
PK	7.253G	65.35	74.00	-8.65	54.55	3	Vertical	350	2.00	-	37.10	8.58	34.88			
AV	7.253G	51.97	54.00	-2.03	41.17	3	Vertical	350	2.00	-	37.10	8.58	34.88			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 2/18.75
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.001G	110.42	Inf	-Inf	100.95	3	Horizontal	342	2.00	-	36.20	8.61	35.34			
RMS	7.005G	99.63	Inf	-Inf	90.13	3	Horizontal	342	2.00	-	36.22	8.61	35.33			
PK	7.145G	80.65	88.20	-7.55	70.29	3	Horizontal	342	2.00	-	36.87	8.57	35.08			
RMS	7.125G	64.84	68.20	-3.36	54.62	3	Horizontal	342	2.00	-	36.75	8.58	35.11			
PK	7.255G	66.28	74.00	-7.72	55.48	3	Horizontal	342	2.00	-	37.10	8.58	34.88			
AV	7.261G	53.10	54.00	-0.90	42.28	3	Horizontal	342	2.00	-	37.10	8.58	34.86			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 2/18.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81684G	58.51	88.20	-29.69	40.00	3	Vertical	106	2.58	-	40.30	11.70	33.49			
RMS	13.82452G	45.85	68.20	-22.35	27.34	3	Vertical	106	2.58	-	40.30	11.70	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 2/18.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.82104G	58.85	88.20	-29.35	40.34	3	Horizontal	1	1.35	-	40.30	11.70	33.49			
RMS	13.82488G	45.54	68.20	-22.66	27.03	3	Horizontal	1	1.35	-	40.30	11.70	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 2/18.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71149G	44.12	83.54	-39.42	39.50	1	Vertical	133	2.52	-	37.88	15.77	49.03			
AV	20.70306G	32.19	63.54	-31.35	27.57	1	Vertical	133	2.52	-	37.89	15.76	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX


6905MHz Straddle 6.525-6.875GHz_TX

EUT_Y_2TX
Setting 2/18.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70387G	44.63	83.54	-38.91	40.01	1	Horizontal	63	2.80	-	37.89	15.76	49.03			
AV	20.70513G	32.06	63.54	-31.48	27.44	1	Horizontal	63	2.80	-	37.89	15.76	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 3/16.75
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.815G	109.61	Inf	-Inf	100.15	3	Vertical	348.1	2.00	-	36.07	8.47	35.08			
AV	7.013G	98.20	Inf	-Inf	88.66	3	Vertical	348.1	2.00	-	36.25	8.61	35.32			
PK	7.291G	71.75	74.00	-2.25	60.86	3	Vertical	348.1	2.00	-	37.10	8.60	34.81			
AV	7.251G	51.44	54.00	-2.56	40.64	3	Vertical	348.1	2.00	-	37.10	8.58	34.88			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 3/16.75
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.803G	110.81	Inf	-Inf	101.32	3	Horizontal	340	2.00	-	36.09	8.46	35.06			
AV	7.003G	98.74	Inf	-Inf	89.25	3	Horizontal	340	2.00	-	36.21	8.61	35.33			
PK	7.269G	72.90	74.00	-1.10	62.06	3	Horizontal	340	2.00	-	37.10	8.59	34.85			
AV	7.259G	53.51	54.00	-0.49	42.70	3	Horizontal	340	2.00	-	37.10	8.58	34.87			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 3/16.75
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8154G	58.73	88.20	-29.47	40.22	3	Vertical	233	1.84	-	40.30	11.70	33.49			
RMS	13.825G	45.45	68.20	-22.75	26.94	3	Vertical	233	1.84	-	40.30	11.70	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 3/16.75
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.82092G	58.76	88.20	-29.44	40.25	3	Horizontal	341	1.68	-	40.30	11.70	33.49			
RMS	13.825G	45.16	68.20	-23.04	26.65	3	Horizontal	341	1.68	-	40.30	11.70	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 3/16.75
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70318G	44.32	83.54	-39.22	39.70	1	Vertical	352	1.90	-	37.89	15.76	49.03			
AV	20.70153G	31.52	63.54	-32.02	26.90	1	Vertical	352	1.90	-	37.90	15.76	49.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 3/16.75
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70468G	44.68	83.54	-38.86	40.06	1	Horizontal	56	2.96	-	37.89	15.76	49.03			
AV	20.70288G	31.55	63.54	-31.99	26.93	1	Horizontal	56	2.96	-	37.89	15.76	49.03			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting -7.5/17.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	82.00	88.20	-6.20	75.17	3	Vertical	14	1.80	-	34.30	8.11	35.58			
RMS	5.9246G	67.59	68.20	-0.61	60.76	3	Vertical	14	1.80	-	34.30	8.11	35.58			
PK	6.0226G	117.73	Inf	-Inf	110.88	3	Vertical	14	1.80	-	34.25	8.17	35.57			
RMS	6.0234G	107.74	Inf	-Inf	100.88	3	Vertical	14	1.80	-	34.25	8.17	35.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting -7.5/17.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	82.50	88.20	-5.70	75.67	3	Horizontal	355	1.80	-	34.30	8.11	35.58			
RMS	5.9182G	66.61	68.20	-1.59	59.78	3	Horizontal	355	1.80	-	34.30	8.11	35.58			
PK	6.017G	118.56	Inf	-Inf	111.74	3	Horizontal	355	1.80	-	34.23	8.17	35.58			
RMS	6.0178G	107.56	Inf	-Inf	100.73	3	Horizontal	355	1.80	-	34.24	8.17	35.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT X_4TX
Setting -7.5/17.25
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98212G	58.61	74.00	-15.39	42.22	3	Vertical	141	2.12	-	38.76	11.06	33.43			
AV	11.98278G	45.87	54.00	-8.13	29.47	3	Vertical	141	2.12	-	38.77	11.06	33.43			
PK	17.96616G	63.32	74.00	-10.68	41.28	3	Vertical	247	1.43	-	42.30	13.34	33.60			
AV	17.96844G	50.17	54.00	-3.83	28.12	3	Vertical	247	1.43	-	42.31	13.35	33.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT X_4TX
Setting -7.5/17.25
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97954G	58.45	74.00	-15.55	42.06	3	Horizontal	234	1.77	-	38.76	11.06	33.43			
AV	11.97654G	45.83	54.00	-8.17	29.45	3	Horizontal	234	1.77	-	38.75	11.06	33.43			
PK	17.94744G	63.40	74.00	-10.60	41.46	3	Horizontal	79	1.63	-	42.19	13.34	33.59			
AV	17.96346G	49.99	54.00	-4.01	27.97	3	Horizontal	79	1.63	-	42.28	13.34	33.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting -7.5/17.25
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94213G	50.02	83.54	-33.52	40.88	1	Vertical	88	2.20	-	38.88	17.38	47.12			
AV	23.95398G	37.78	63.54	-25.76	28.58	1	Vertical	88	2.20	-	38.92	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_X_4TX
Setting -7.5/17.25
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94471G	50.32	83.54	-33.22	41.17	1	Horizontal	114	1.86	-	38.89	17.38	47.12			
AV	23.95458G	37.50	63.54	-26.04	28.30	1	Horizontal	114	1.86	-	38.92	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT X_4TX
Setting -7.75/15.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9042G	82.53	88.20	-5.67	75.70	3	Vertical	14	1.80	-	34.30	8.10	35.57			
RMS	5.9042G	67.27	68.20	-0.93	60.44	3	Vertical	14	1.80	-	34.30	8.10	35.57			
PK	6.0234G	119.95	Inf	-Inf	113.09	3	Vertical	14	1.80	-	34.25	8.17	35.56			
RMS	6.0234G	109.71	Inf	-Inf	102.85	3	Vertical	14	1.80	-	34.25	8.17	35.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting -7.75/15.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9162G	82.33	88.20	-5.87	75.50	3	Horizontal	355	1.80	-	34.30	8.11	35.58			
RMS	5.8978G	66.91	68.20	-1.29	60.10	3	Horizontal	355	1.80	-	34.29	8.09	35.57			
PK	6.017G	120.54	Inf	-Inf	113.72	3	Horizontal	355	1.80	-	34.23	8.17	35.58			
RMS	6.0178G	109.74	Inf	-Inf	102.91	3	Horizontal	355	1.80	-	34.24	8.17	35.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting -7.5/17.25
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97666G	58.49	74.00	-15.51	42.11	3	Vertical	80	2.98	-	38.75	11.06	33.43			
AV	11.98416G	45.79	54.00	-8.21	29.40	3	Vertical	80	2.98	-	38.77	11.06	33.44			
PK	17.96022G	63.22	74.00	-10.78	41.22	3	Vertical	164	2.51	-	42.26	13.34	33.60			
AV	17.96946G	49.98	54.00	-4.02	27.92	3	Vertical	164	2.51	-	42.32	13.35	33.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT X_4TX
Setting -7.5/17.25
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.97558G	58.97	74.00	-15.03	42.59	3	Horizontal	354	2.88	-	38.75	11.06	33.43				
AV	11.98494G	46.06	54.00	-7.94	29.67	3	Horizontal	354	2.88	-	38.77	11.06	33.44				
PK	17.96994G	62.56	74.00	-11.44	40.50	3	Horizontal	45	1.90	-	42.32	13.35	33.61				
AV	17.95902G	50.08	54.00	-3.92	28.09	3	Horizontal	45	1.90	-	42.25	13.34	33.60				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT X_4TX
Setting -7.5/17.25
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92845G	50.22	83.54	-33.32	41.11	1	Vertical	107	2.84	-	38.86	17.38	47.13			
AV	23.95485G	37.69	63.54	-25.85	28.49	1	Vertical	107	2.84	-	38.92	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_X_4TX
Setting -7.5/17.25
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9343G	50.56	83.54	-32.98	41.43	1	Horizontal	227	2.77	-	38.87	17.38	47.12			
AV	23.95062G	37.61	63.54	-25.93	28.43	1	Horizontal	227	2.77	-	38.90	17.39	47.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_X_4TX
Setting -9.75/19.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0106G	119.81	Inf	-Inf	110.28	3	Vertical	349	1.80	-	36.24	8.61	35.32			
RMS	7.0098G	110.14	Inf	-Inf	100.61	3	Vertical	349	1.80	-	36.24	8.61	35.32			
PK	7.129G	82.73	88.20	-5.47	72.49	3	Vertical	349	1.80	-	36.77	8.58	35.11			
RMS	7.1294G	67.74	68.20	-0.46	57.48	3	Vertical	349	1.80	-	36.78	8.58	35.10			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_X_4TX
Setting -9.75/19.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0162G	120.23	Inf	-Inf	110.67	3	Horizontal	351	1.80	-	36.26	8.61	35.31			
RMS	7.0162G	110.43	Inf	-Inf	100.87	3	Horizontal	351	1.80	-	36.26	8.61	35.31			
PK	7.1354G	79.79	88.20	-8.41	69.49	3	Horizontal	351	1.80	-	36.81	8.58	35.09			
RMS	7.1354G	62.57	68.20	-5.63	52.27	3	Horizontal	351	1.80	-	36.81	8.58	35.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_X_4TX
Setting -9.75/19.5
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.06056G	60.24	88.20	-27.96	41.58	3	Vertical	157	1.02	-	40.44	11.78	33.56			
RMS	14.0545G	47.64	68.20	-20.56	29.00	3	Vertical	157	1.02	-	40.42	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_X_4TX
Setting -9.75/19.5
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0611G	61.12	88.20	-27.08	42.46	3	Horizontal	186	1.22	-	40.44	11.78	33.56			
RMS	14.0548G	47.73	68.20	-20.47	29.09	3	Horizontal	186	1.22	-	40.42	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT X_4TX
Setting -9.75/19.5
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07371G	45.49	83.54	-38.05	40.04	1	Vertical	140	1.01	-	38.26	16.06	48.87			
AV	21.07737G	32.49	63.54	-31.05	27.06	1	Vertical	140	1.01	-	38.24	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_X_4TX
Setting -9.75/19.5
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.06219G	45.37	83.54	-38.17	39.86	1	Horizontal	152	1.07	-	38.33	16.05	48.87			
AV	21.08055G	32.31	63.54	-31.23	26.90	1	Horizontal	152	1.07	-	38.22	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
Setting -8.5/16.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0026G	120.68	Inf	-Inf	111.20	3	Vertical	360	1.80	-	36.21	8.61	35.34			
RMS	7.0022G	110.51	Inf	-Inf	101.03	3	Vertical	360	1.80	-	36.21	8.61	35.34			
PK	7.1298G	86.28	88.20	-1.92	76.02	3	Vertical	360	1.80	-	36.78	8.58	35.10			
RMS	7.129G	67.98	68.20	-0.22	57.74	3	Vertical	360	1.80	-	36.77	8.58	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
Setting -8.5/16.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0554G	120.65	Inf	-Inf	110.87	3	Horizontal	352	1.80	-	36.42	8.60	35.24			
RMS	7.0558G	111.53	Inf	-Inf	101.75	3	Horizontal	352	1.80	-	36.42	8.60	35.24			
PK	7.1362G	79.95	88.20	-8.25	69.64	3	Horizontal	352	1.80	-	36.82	8.58	35.09			
RMS	7.1354G	62.71	68.20	-5.49	52.41	3	Horizontal	352	1.80	-	36.81	8.58	35.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
Setting -8.5/16.25
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04196G	61.36	88.20	-26.84	42.73	3	Vertical	110	2.35	-	40.42	11.77	33.56			
RMS	14.05234G	47.72	68.20	-20.48	29.09	3	Vertical	110	2.35	-	40.41	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
Setting -8.5/16.25
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0431G	61.31	88.20	-26.89	42.69	3	Horizontal	207	1.74	-	40.41	11.77	33.56			
RMS	14.05378G	47.79	68.20	-20.41	29.15	3	Horizontal	207	1.74	-	40.42	11.78	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
Setting -8.5/16.25
05-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07896G	45.20	83.54	-38.34	39.78	1	Vertical	301	2.92	-	38.23	16.06	48.87			
AV	21.0789G	32.53	63.54	-31.01	27.11	1	Vertical	301	2.92	-	38.23	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




EUT_X_4TX
Setting -8.5/16.25
05-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07164G	44.98	83.54	-38.56	39.52	1	Horizontal	129	2.61	-	38.27	16.06	48.87			
AV	21.07695G	32.66	63.54	-30.88	27.23	1	Horizontal	129	2.61	-	38.24	16.06	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_X_4TX
Setting -5/18.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	83.31	88.20	-4.89	76.48	3	Vertical	360	1.80	-	34.30	8.11	35.58			
RMS	5.924G	67.89	68.20	-0.31	61.06	3	Vertical	360	1.80	-	34.30	8.11	35.58			
PK	6.083G	115.55	Inf	-Inf	108.59	3	Vertical	360	1.80	-	34.23	8.18	35.45			
RMS	6.044G	104.99	Inf	-Inf	98.05	3	Vertical	360	1.80	-	34.29	8.17	35.52			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX



EUT_X_4TX
Setting -5/18.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	81.76	88.20	-6.44	74.93	3	Horizontal	356	1.80	-	34.30	8.11	35.58			
RMS	5.918G	67.58	68.20	-0.62	60.75	3	Horizontal	356	1.80	-	34.30	8.11	35.58			
PK	6.078G	116.07	Inf	-Inf	109.11	3	Horizontal	356	1.80	-	34.24	8.18	35.46			
RMS	6.058G	105.84	Inf	-Inf	98.88	3	Horizontal	356	1.80	-	34.28	8.18	35.50			