


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.23641G	58.38	83.54	-25.16	54.71	1	Horizontal	39	1.80	25	37.93	15.24	49.50			
AV	19.24392G	43.80	63.54	-19.74	40.16	1	Horizontal	39	1.80	25	37.91	15.24	49.51			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08694G	55.94	88.20	-32.26	47.68	3	Vertical	233	1.80	25	39.15	11.53	42.42			
RMS	13.08886G	43.60	68.20	-24.60	35.33	3	Vertical	233	1.80	25	39.16	11.53	42.42			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07236G	56.72	88.20	-31.48	48.52	3	Horizontal	113	1.80	25	39.09	11.53	42.42			
RMS	13.05078G	43.42	68.20	-24.78	35.33	3	Horizontal	113	1.80	25	39.00	11.52	42.43			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61627G	70.23	83.54	-13.31	66.69	1	Vertical	325	1.86	25	37.90	15.22	49.58			
AV	19.61131G	56.76	63.54	-6.78	53.26	1	Vertical	325	1.86	25	37.87	15.22	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.62286G	72.63	83.54	-10.91	69.05	1	Horizontal	343	1.83	25	37.94	15.22	49.58			
AV	19.61107G	57.67	63.54	-5.87	54.17	1	Horizontal	343	1.83	25	37.87	15.22	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40686G	57.58	88.20	-30.62	48.44	3	Vertical	78	1.50	25	39.83	11.65	42.34			
RMS	13.40146G	44.91	68.20	-23.29	35.79	3	Vertical	78	1.50	25	39.81	11.65	42.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40996G	57.35	88.20	-30.85	48.19	3	Horizontal	48	1.76	25	39.84	11.66	42.34			
RMS	13.4019G	44.94	68.20	-23.26	35.82	3	Horizontal	48	1.76	25	39.81	11.65	42.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07065G	60.28	83.54	-23.26	56.49	1	Vertical	329	1.85	25	37.78	15.26	49.25			
AV	20.07921G	46.11	63.54	-17.43	42.28	1	Vertical	329	1.85	25	37.82	15.26	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07525G	61.65	83.54	-21.89	57.84	1	Horizontal	323	1.56	25	37.80	15.26	49.25			
AV	20.08049G	47.67	63.54	-15.87	43.84	1	Horizontal	323	1.56	25	37.82	15.26	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69573G	56.80	88.20	-31.40	47.51	3	Vertical	62	1.80	25	40.10	11.76	42.57			
RMS	13.70301G	44.56	68.20	-23.64	35.26	3	Vertical	62	1.80	25	40.11	11.77	42.58			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69422G	56.81	88.20	-31.39	47.52	3	Horizontal	8	1.80	25	40.10	11.76	42.57			
RMS	13.70265G	44.54	68.20	-23.66	35.24	3	Horizontal	8	1.80	25	40.11	11.77	42.58			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55961G	58.05	83.54	-25.49	53.59	1	Vertical	12	1.80	25	37.92	15.65	49.11			
AV	20.56172G	45.48	63.54	-18.06	41.02	1	Vertical	12	1.80	25	37.92	15.65	49.11			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5668G	56.78	83.54	-26.76	52.31	1	Horizontal	315	1.80	25	37.93	15.65	49.11			
AV	20.56492G	44.17	63.54	-19.37	39.70	1	Horizontal	315	1.80	25	37.93	15.65	49.11			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	76.53	88.20	-11.67	69.46	3	Vertical	66	2.93	20	32.40	7.64	32.97			
RMS	5.925G	63.84	68.20	-4.36	56.77	3	Vertical	66	2.93	20	32.40	7.64	32.97			
PK	5.9676G	109.77	Inf	-Inf	102.66	3	Vertical	66	2.93	20	32.44	7.66	32.99			
RMS	5.9828G	96.85	Inf	-Inf	89.70	3	Vertical	66	2.93	20	32.47	7.67	32.99			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET 20
25\17\21\19\20
-17.47\13.27\5.73\5.66\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9216G	80.34	88.20	-7.86	73.27	3	Horizontal	341	2.58	20	32.40	7.64	32.97			
RMS	5.925G	67.83	68.20	-0.37	60.76	3	Horizontal	341	2.58	20	32.40	7.64	32.97			
PK	5.974G	113.14	Inf	-Inf	106.01	3	Horizontal	341	2.58	20	32.45	7.67	32.99			
RMS	5.9824G	100.92	Inf	-Inf	93.78	3	Horizontal	341	2.58	20	32.46	7.67	32.99			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91434G	47.81	74.00	-26.19	40.75	3	Vertical	357	1.80	20	38.93	11.07	42.94			
AV	11.93008G	35.01	54.00	-18.99	27.90	3	Vertical	357	1.80	20	38.96	11.08	42.93			
PK	17.895G	56.32	74.00	-17.68	37.71	3	Vertical	1	1.80	20	46.78	13.42	41.59			
AV	17.87926G	43.41	54.00	-10.59	25.21	3	Vertical	1	1.80	20	46.40	13.41	41.61			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89172G	47.05	74.00	-26.95	40.05	3	Horizontal	310	1.80	20	38.90	11.06	42.96			
AV	11.93G	34.93	54.00	-19.07	27.82	3	Horizontal	310	1.80	20	38.96	11.08	42.93			
PK	17.87982G	55.79	74.00	-18.21	37.57	3	Horizontal	90	1.80	20	46.42	13.41	41.61			
AV	17.89076G	43.67	54.00	-10.33	25.17	3	Horizontal	90	1.80	20	46.68	13.41	41.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86496G	54.72	83.54	-28.82	45.72	1	Vertical	351	1.53	25	38.80	17.36	47.16			
AV	23.85992G	40.71	63.54	-22.83	31.71	1	Vertical	351	1.53	25	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.83187G	51.66	83.54	-31.88	42.57	1	Horizontal	344	1.80	25	38.91	17.35	47.17			
AV	23.86G	40.09	63.54	-23.45	31.09	1	Horizontal	344	1.80	25	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40169G	55.36	74.00	-18.64	48.33	3	Vertical	245	1.26	25	38.79	11.27	43.03			
AV	12.37012G	42.94	54.00	-11.06	35.84	3	Vertical	245	1.26	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.3754G	55.66	74.00	-18.34	48.58	3	Horizontal	167	1.80	25	38.85	11.26	43.03			
AV	12.37228G	42.92	54.00	-11.08	35.82	3	Horizontal	167	1.80	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59646G	57.32	83.54	-26.22	53.96	1	Vertical	10	1.82	25	37.70	15.27	49.61			
AV	18.60669G	44.72	63.54	-18.82	41.35	1	Vertical	10	1.82	25	37.71	15.27	49.61			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.62099G	56.09	83.54	-27.45	52.68	1	Horizontal	313	1.96	25	37.74	15.27	49.60			
AV	18.61668G	42.99	63.54	-20.55	39.59	1	Horizontal	313	1.96	25	37.73	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78035G	55.20	88.20	-33.00	47.42	3	Vertical	215	1.80	25	39.08	11.42	42.72			
RMS	12.84445G	42.81	68.20	-25.39	34.72	3	Vertical	215	1.80	25	39.29	11.44	42.64			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8498G	54.95	88.20	-33.25	46.84	3	Horizontal	226	1.80	25	39.30	11.44	42.63			
RMS	12.84756G	42.94	68.20	-25.26	34.83	3	Horizontal	226	1.80	25	39.30	11.44	42.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22099G	52.78	83.54	-30.76	49.07	1	Vertical	33	1.79	25	37.96	15.24	49.49			
AV	19.22515G	40.10	63.54	-23.44	36.40	1	Vertical	33	1.79	25	37.95	15.24	49.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22403G	52.88	83.54	-30.66	49.18	1	Horizontal	41	1.81	25	37.95	15.24	49.49			
AV	19.22107G	40.60	63.54	-22.94	36.89	1	Horizontal	41	1.81	25	37.96	15.24	49.49			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6565MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09611G	56.67	88.20	-31.53	48.37	3	Vertical	294	1.80	25	39.18	11.54	42.42			
RMS	13.11306G	44.19	68.20	-24.01	35.81	3	Vertical	294	1.80	25	39.25	11.54	42.41			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6565MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.11737G	56.66	88.20	-31.54	48.26	3	Horizontal	141	1.80	25	39.27	11.54	42.41			
RMS	13.11426G	44.19	68.20	-24.01	35.80	3	Horizontal	141	1.80	25	39.26	11.54	42.41			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6565MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69212G	71.42	83.54	-12.12	67.87	1	Vertical	326	1.85	25	37.85	15.22	49.52			
AV	19.68429G	57.95	63.54	-5.59	54.37	1	Vertical	326	1.85	25	37.89	15.22	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6565MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69356G	71.33	83.54	-12.21	67.79	1	Horizontal	342	1.83	25	37.84	15.22	49.52			
AV	19.68877G	57.74	63.54	-5.80	54.18	1	Horizontal	342	1.83	25	37.87	15.22	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6685MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36305G	57.66	74.00	-16.34	48.64	3	Vertical	360	2.14	25	39.73	11.64	42.35			
AV	13.33595G	44.83	54.00	-9.17	35.94	3	Vertical	360	2.14	25	39.62	11.63	42.36			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6685MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.34355G	58.09	74.00	-15.91	49.16	3	Horizontal	9	1.80	25	39.66	11.63	42.36			
AV	13.33563G	44.82	54.00	-9.18	35.94	3	Horizontal	9	1.80	25	39.61	11.63	42.36			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6685MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04405G	62.59	83.54	-20.95	58.90	1	Vertical	327	1.83	25	37.71	15.24	49.26			
AV	20.04589G	48.79	63.54	-14.75	45.10	1	Vertical	327	1.83	25	37.71	15.24	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6685MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04133G	63.03	83.54	-20.51	59.34	1	Horizontal	327	1.55	25	37.72	15.23	49.26			
AV	20.04917G	49.56	63.54	-13.98	45.88	1	Horizontal	327	1.55	25	37.70	15.24	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6845MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70662G	57.13	88.20	-31.07	47.84	3	Vertical	9	1.80	25	40.11	11.77	42.59			
RMS	13.65076G	44.69	68.20	-23.51	35.36	3	Vertical	9	1.80	25	40.10	11.75	42.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6845MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72445G	57.12	88.20	-31.08	47.80	3	Horizontal	212	1.80	25	40.15	11.78	42.61			
RMS	13.65036G	44.69	68.20	-23.51	35.36	3	Horizontal	212	1.80	25	40.10	11.75	42.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6845MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5183G	53.92	83.54	-29.62	49.73	1	Vertical	327	1.80	25	37.71	15.61	49.13			
AV	20.52485G	41.44	63.54	-22.10	37.20	1	Vertical	327	1.80	25	37.75	15.62	49.13			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6845MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.50679G	55.82	83.54	-27.72	51.71	1	Horizontal	325	1.57	25	37.64	15.61	49.14			
AV	20.52477G	42.73	63.54	-20.81	38.49	1	Horizontal	325	1.57	25	37.75	15.62	49.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT Y_1TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	74.52	88.20	-13.68	67.45	3	Vertical	63	2.95	20.5	32.40	7.64	32.97			
RMS	5.925G	62.34	68.20	-5.86	55.27	3	Vertical	63	2.95	20.5	32.40	7.64	32.97			
PK	5.997G	106.21	Inf	-Inf	99.04	3	Vertical	63	2.95	20.5	32.49	7.68	33.00			
RMS	6.0174G	94.02	Inf	-Inf	86.81	3	Vertical	63	2.95	20.5	32.53	7.68	33.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
SET 20.5
25\17\21\19\20\20.5
-17.13\15.00\1.51\8.84\4.36\2.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	79.20	88.20	-9.00	72.13	3	Horizontal	342	2.52	20.5	32.40	7.64	32.97			
RMS	5.9246G	65.98	68.20	-2.22	58.91	3	Horizontal	342	2.52	20.5	32.40	7.64	32.97			
PK	6.019G	110.57	Inf	-Inf	103.35	3	Horizontal	342	2.52	20.5	32.54	7.68	33.00			
RMS	6.019G	98.94	Inf	-Inf	91.72	3	Horizontal	342	2.52	20.5	32.54	7.68	33.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT Y_1TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96824G	46.86	74.00	-27.14	39.63	3	Vertical	56	1.80	20.5	39.04	11.10	42.91			
AV	11.92077G	34.72	54.00	-19.28	27.64	3	Vertical	56	1.80	20.5	38.94	11.08	42.94			
PK	17.95878G	60.41	74.00	-13.59	40.17	3	Vertical	238	1.80	20.5	48.28	13.44	41.48			
AV	17.95686G	47.98	54.00	-6.02	27.80	3	Vertical	238	1.80	20.5	48.22	13.44	41.48			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT Y_1TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95002G	47.37	74.00	-26.63	40.20	3	Horizontal	2	1.80	20.5	39.00	11.09	42.92			
AV	12.03122G	35.16	54.00	-18.84	27.71	3	Horizontal	2	1.80	20.5	39.22	11.13	42.90			
PK	17.95478G	60.24	74.00	-13.76	38.11	3	Horizontal	200	1.80	20.5	50.07	13.45	41.39			
AV	17.95951G	47.89	54.00	-6.11	25.93	3	Horizontal	200	1.80	20.5	49.90	13.45	41.39			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.96653G	54.03	83.54	-29.51	44.78	1	Vertical	38	1.80	25	38.97	17.39	47.11			
AV	23.9555G	41.10	63.54	-22.44	31.90	1	Vertical	38	1.80	25	38.92	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.92194G	48.81	83.54	-34.73	39.72	1	Horizontal	5	1.80	25	38.84	17.38	47.13			
AV	23.94G	38.16	63.54	-25.38	29.02	1	Horizontal	5	1.80	25	38.88	17.38	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.47605G	55.17	74.00	-18.83	48.43	3	Vertical	349	1.99	25	38.50	11.30	43.06			
AV	12.37056G	43.25	54.00	-10.75	36.15	3	Vertical	349	1.99	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.50147G	56.52	74.00	-17.48	49.78	3	Horizontal	102	2.43	25	38.50	11.31	43.07			
AV	12.3859G	43.11	54.00	-10.89	36.04	3	Horizontal	102	2.43	25	38.83	11.27	43.03			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.65854G	53.88	83.54	-29.66	50.41	1	Vertical	8	1.80	25	37.77	15.27	49.57			
AV	18.65406G	41.05	63.54	-22.49	37.58	1	Vertical	8	1.80	25	37.78	15.27	49.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67292G	54.20	83.54	-29.34	50.78	1	Horizontal	34	1.83	25	37.71	15.27	49.56			
AV	18.65742G	41.02	63.54	-22.52	37.55	1	Horizontal	34	1.83	25	37.77	15.27	49.57			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.7051G	55.26	88.20	-32.94	47.87	3	Vertical	292	1.05	25	38.81	11.39	42.81			
RMS	12.70503G	42.84	68.20	-25.36	35.45	3	Vertical	292	1.05	25	38.81	11.39	42.81			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.70734G	54.41	88.20	-33.79	47.02	3	Horizontal	19	1.80	25	38.81	11.39	42.81			
RMS	12.70503G	42.78	68.20	-25.42	35.39	3	Horizontal	19	1.80	25	38.81	11.39	42.81			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.13262G	51.84	83.54	-31.70	48.26	1	Vertical	356	1.94	25	37.77	15.24	49.43			
AV	19.1387G	39.55	63.54	-23.99	35.99	1	Vertical	356	1.94	25	37.75	15.24	49.43			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15324G	53.54	83.54	-30.00	50.02	1	Horizontal	39	1.84	25	37.72	15.24	49.44			
AV	19.14989G	41.01	63.54	-22.53	37.51	1	Horizontal	39	1.84	25	37.70	15.24	49.44			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6625MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.22028G	57.21	88.20	-30.99	48.82	3	Vertical	284	1.80	25	39.20	11.58	42.39			
RMS	13.22067G	45.20	68.20	-23.00	36.81	3	Vertical	284	1.80	25	39.20	11.58	42.39			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6625MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17759G	57.22	88.20	-30.98	48.76	3	Horizontal	218	1.80	25	39.29	11.57	42.40			
RMS	13.19236G	45.17	68.20	-23.03	36.76	3	Horizontal	218	1.80	25	39.23	11.57	42.39			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6625MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.83136G	67.73	83.54	-15.81	64.14	1	Vertical	325	1.91	25	37.79	15.21	49.41			
AV	19.82465G	54.41	63.54	-9.13	50.76	1	Vertical	325	1.91	25	37.85	15.21	49.41			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6625MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.824333G	65.92	83.54	-17.62	62.26	1	Horizontal	338	1.81	25	37.86	15.21	49.41			
AV	19.82097G	52.98	63.54	-10.56	49.30	1	Horizontal	338	1.81	25	37.89	15.21	49.42			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6705MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4295G	58.38	88.20	-29.82	49.14	3	Vertical	198	1.80	25	39.92	11.66	42.34			
RMS	13.4888G	45.62	68.20	-22.58	36.17	3	Vertical	198	1.80	25	40.08	11.69	42.32			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6705MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.46243G	57.59	88.20	-30.61	48.22	3	Horizontal	93	1.80	25	40.02	11.68	42.33			
RMS	13.48976G	45.59	68.20	-22.61	36.14	3	Horizontal	93	1.80	25	40.08	11.69	42.32			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6705MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05074G	54.72	83.54	-28.82	51.04	1	Vertical	327	1.88	25	37.70	15.24	49.26			
AV	20.05458G	41.41	63.54	-22.13	37.71	1	Vertical	327	1.88	25	37.72	15.24	49.26			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6705MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05842G	52.73	83.54	-30.81	49.00	1	Horizontal	335	1.80	25	37.73	15.25	49.25			
AV	20.06113G	40.11	63.54	-23.43	36.37	1	Horizontal	335	1.80	25	37.74	15.25	49.25			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.54986G	57.67	88.20	-30.53	48.04	3	Vertical	260	1.80	25	40.30	11.71	42.38			
RMS	13.49344G	45.67	68.20	-22.53	36.21	3	Vertical	260	1.80	25	40.09	11.69	42.32			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64081G	58.17	88.20	-30.03	48.83	3	Horizontal	270	2.74	25	40.10	11.74	42.50			
RMS	13.49807G	45.70	68.20	-22.50	36.23	3	Horizontal	270	2.74	25	40.10	11.69	42.32			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34829G	52.74	83.54	-30.80	48.34	1	Vertical	5	1.85	25	38.10	15.48	49.18			
AV	20.34365G	38.75	63.54	-24.79	34.35	1	Vertical	5	1.85	25	38.11	15.47	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.36107G	50.52	83.54	-33.02	46.13	1	Horizontal	334	1.80	25	38.08	15.49	49.18			
AV	20.36907G	37.58	63.54	-25.96	33.19	1	Horizontal	334	1.80	25	38.06	15.50	49.17			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 21.5
25\17\21\23\22\21.5
-11.03\17.74\4.57\6.23\1.49\1.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	79.14	88.20	-9.06	72.07	3	Vertical	62	2.95	21.5	32.40	7.64	32.97			
RMS	5.9245G	66.47	68.20	-1.73	59.40	3	Vertical	62	2.95	21.5	32.40	7.64	32.97			
PK	6.0485G	105.78	Inf	-Inf	98.49	3	Vertical	62	2.95	21.5	32.60	7.69	33.00			
RMS	6.0345G	93.26	Inf	-Inf	86.00	3	Vertical	62	2.95	21.5	32.57	7.69	33.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
SET 21
21.5\19.5\20.5\21
-1.92\9.36\4.06\0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9235G	80.60	88.20	-7.60	73.53	3	Horizontal	355	1.05	21	32.40	7.64	32.97			
RMS	5.925G	67.49	68.20	-0.71	60.42	3	Horizontal	355	1.05	21	32.40	7.64	32.97			
PK	6.0275G	109.37	Inf	-Inf	102.13	3	Horizontal	355	1.05	21	32.55	7.69	33.00			
RMS	6.0285G	97.10	Inf	-Inf	89.85	3	Horizontal	355	1.05	21	32.56	7.69	33.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT Y_1TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20664G	56.05	74.00	-17.95	48.71	3	Vertical	360	1.80	21	39.10	11.20	42.96			
AV	11.89975G	42.25	54.00	-11.75	35.24	3	Vertical	360	1.80	21	38.90	11.06	42.95			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT Y_1TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91637G	55.34	74.00	-18.66	48.28	3	Horizontal	286	1.80	21	38.93	11.07	42.94			
AV	11.90039G	42.27	54.00	-11.73	35.25	3	Horizontal	286	1.80	21	38.90	11.07	42.95			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.0523G	46.85	83.54	-36.69	43.61	1	Vertical	108	1.80	25	37.41	15.30	49.47			
AV	18.06093G	32.24	63.54	-31.30	28.97	1	Vertical	108	1.80	25	37.44	15.30	49.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.02513G	49.92	83.54	-33.62	46.57	1	Horizontal	357	1.80	25	37.50	15.30	49.45			
AV	17.98837G	35.72	63.54	-27.82	32.26	1	Horizontal	357	1.80	25	37.58	15.29	49.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.3051G	55.94	74.00	-18.06	48.71	3	Vertical	306	1.80	25	38.99	11.24	43.00			
AV	12.23637G	42.40	54.00	-11.60	35.07	3	Vertical	306	1.80	25	39.10	11.21	42.98			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.28528G	55.82	74.00	-18.18	48.55	3	Horizontal	271	1.50	25	39.03	11.23	42.99			
AV	12.23254G	42.48	54.00	-11.52	35.14	3	Horizontal	271	1.50	25	39.10	11.21	42.97			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.56107G	53.84	83.54	-29.70	50.51	1	Vertical	9	1.81	25	37.70	15.27	49.64			
AV	18.56107G	39.20	63.54	-24.34	35.87	1	Vertical	9	1.81	25	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.50513G	52.35	83.54	-31.19	48.88	1	Horizontal	42	1.80	25	37.88	15.27	49.68			
AV	18.53422G	37.49	63.54	-26.05	34.12	1	Horizontal	42	1.80	25	37.76	15.27	49.66			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.56437G	54.98	74.00	-19.02	48.08	3	Vertical	47	1.35	25	38.56	11.33	42.99			
AV	12.57587G	41.56	54.00	-12.44	34.59	3	Vertical	47	1.35	25	38.60	11.34	42.97			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.65132G	55.25	74.00	-18.75	47.96	3	Horizontal	354	2.85	25	38.80	11.37	42.88			
AV	12.565G	41.40	54.00	-12.60	34.50	3	Horizontal	354	2.85	25	38.56	11.33	42.99			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.04139G	50.02	83.54	-33.52	46.24	1	Vertical	345	1.80	25	37.90	15.25	49.37			
AV	19.08071G	35.42	63.54	-28.12	31.66	1	Vertical	345	1.80	25	37.90	15.25	49.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.98385G	49.32	83.54	-34.22	45.55	1	Horizontal	1	1.80	25	37.87	15.25	49.35			
AV	18.98065G	35.24	63.54	-28.30	31.48	1	Horizontal	1	1.80	25	37.86	15.25	49.35			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6665MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33313G	58.18	74.00	-15.82	49.31	3	Vertical	169	1.80	25	39.60	11.63	42.36			
AV	13.29164G	45.19	54.00	-8.81	36.58	3	Vertical	169	1.80	25	39.37	11.61	42.37			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6665MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32137G	57.15	74.00	-16.85	48.36	3	Horizontal	151	1.74	25	39.53	11.62	42.36			
AV	13.30187G	45.23	54.00	-8.77	36.58	3	Horizontal	151	1.74	25	39.41	11.61	42.37			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6665MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.83516G	57.04	83.54	-26.50	53.49	1	Vertical	324	1.74	25	37.75	15.21	49.41			
AV	19.83516G	43.61	63.54	-19.93	40.06	1	Vertical	324	1.74	25	37.75	15.21	49.41			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6665MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.8358G	58.74	83.54	-24.80	55.19	1	Horizontal	338	1.80	25	37.74	15.21	49.40			
AV	19.83548G	46.83	63.54	-16.71	43.27	1	Horizontal	338	1.80	25	37.75	15.21	49.40			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
SET 22.5
23\19\21\22\22.5
-3.70\15.93\9.67\5.41\1.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.44	88.20	-9.76	71.37	3	Vertical	0	1.05	22.5	32.40	7.64	32.97			
RMS	5.925G	66.50	68.20	-1.70	59.43	3	Vertical	0	1.05	22.5	32.40	7.64	32.97			
PK	5.963G	119.21	Inf	-Inf	112.11	3	Vertical	0	1.05	22.5	32.43	7.66	32.99			
RMS	5.964G	107.92	Inf	-Inf	100.82	3	Vertical	0	1.05	22.5	32.43	7.66	32.99			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 23
25\20\22.5\23.5\23
-4.89\15.93\6.99\ -1.60\2.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	82.98	88.20	-5.22	75.91	3	Horizontal	344	2.24	23	32.40	7.64	32.97			
RMS	5.9186G	65.69	68.20	-2.51	58.62	3	Horizontal	344	2.24	23	32.40	7.64	32.97			
PK	5.9516G	120.91	Inf	-Inf	113.83	3	Horizontal	344	2.24	23	32.40	7.66	32.98			
RMS	5.952G	109.58	Inf	-Inf	102.50	3	Horizontal	344	2.24	23	32.40	7.66	32.98			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT Y_2TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92279G	47.23	74.00	-26.77	40.14	3	Vertical	356	1.80	22.5	38.95	11.08	42.94			
AV	11.92415G	34.90	54.00	-19.10	27.81	3	Vertical	356	1.80	22.5	38.95	11.08	42.94			
PK	17.8632G	57.05	74.00	-16.95	39.26	3	Vertical	2	1.78	22.5	46.02	13.41	41.64			
AV	17.8626G	44.57	54.00	-9.43	26.80	3	Vertical	2	1.78	22.5	46.00	13.41	41.64			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT Y_2TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89557G	47.49	74.00	-26.51	40.48	3	Horizontal	356	1.80	22.5	38.90	11.06	42.95			
AV	11.92447G	34.90	54.00	-19.10	27.81	3	Horizontal	356	1.80	22.5	38.95	11.08	42.94			
PK	17.86668G	58.56	74.00	-15.44	40.68	3	Horizontal	1	1.73	22.5	46.10	13.41	41.63			
AV	17.86588G	46.77	54.00	-7.23	28.92	3	Horizontal	1	1.73	22.5	46.08	13.41	41.64			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82448G	69.54	83.54	-14.00	60.42	1	Vertical	352	1.55	25	38.95	17.35	47.18			
AV	23.82396G	56.14	63.54	-7.40	47.01	1	Vertical	352	1.55	25	38.96	17.35	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.83403G	65.64	83.54	-17.90	56.56	1	Horizontal	32	1.80	25	38.90	17.35	47.17			
AV	23.81521G	51.57	63.54	-11.97	42.40	1	Horizontal	32	1.80	25	39.01	17.34	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6195MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37306G	55.96	74.00	-18.04	48.87	3	Vertical	298	1.80	25	38.85	11.26	43.02			
AV	12.37054G	42.91	54.00	-11.09	35.81	3	Vertical	298	1.80	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39731G	55.37	74.00	-18.63	48.32	3	Horizontal	360	2.58	25	38.81	11.27	43.03			
AV	12.37086G	42.91	54.00	-11.09	35.81	3	Horizontal	360	2.58	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6195MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57845G	66.03	83.54	-17.51	62.69	1	Vertical	11	1.80	25	37.70	15.27	49.63			
AV	18.57909G	51.09	63.54	-12.45	47.75	1	Vertical	11	1.80	25	37.70	15.27	49.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6195MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57941G	64.72	83.54	-18.82	61.38	1	Horizontal	312	1.80	25	37.70	15.27	49.63			
AV	18.57957G	50.70	63.54	-12.84	47.36	1	Horizontal	312	1.80	25	37.70	15.27	49.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83288G	55.17	88.20	-33.03	47.11	3	Vertical	359	2.87	25	39.27	11.44	42.65			
RMS	12.84754G	42.87	68.20	-25.33	34.76	3	Vertical	359	2.87	25	39.30	11.44	42.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84323G	55.28	88.20	-32.92	47.19	3	Horizontal	359	1.80	25	39.29	11.44	42.64			
RMS	12.84754G	42.84	68.20	-25.36	34.73	3	Horizontal	359	1.80	25	39.30	11.44	42.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.25067G	61.82	83.54	-21.72	58.19	1	Vertical	1	1.40	25	37.90	15.24	49.51			
AV	19.25107G	46.99	63.54	-16.55	43.36	1	Vertical	1	1.40	25	37.90	15.24	49.51			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24944G	60.00	83.54	-23.54	56.37	1	Horizontal	40	1.80	25	37.90	15.24	49.51			
AV	19.24592G	44.76	63.54	-18.78	41.12	1	Horizontal	40	1.80	25	37.91	15.24	49.51			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6535MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05581G	55.80	88.20	-32.40	47.69	3	Vertical	206	1.05	25	39.02	11.52	42.43			
RMS	13.05238G	43.48	68.20	-24.72	35.38	3	Vertical	206	1.05	25	39.01	11.52	42.43			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6535MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05613G	55.99	88.20	-32.21	47.88	3	Horizontal	236	1.80	25	39.02	11.52	42.43			
RMS	13.08878G	43.57	68.20	-24.63	35.30	3	Horizontal	236	1.80	25	39.16	11.53	42.42			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6535MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60056G	76.26	83.54	-7.28	72.84	1	Vertical	292	1.80	25	37.80	15.22	49.60			
AV	19.60084G	62.78	63.54	-0.76	59.35	1	Vertical	292	1.80	25	37.81	15.22	49.60			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6535MHz_TX

EUT Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60084G	76.92	83.54	-6.62	73.49	1	Horizontal	345	1.83	24.5	37.81	15.22	49.60			
AV	19.60104G	63.15	63.54	-0.39	59.72	1	Horizontal	345	1.83	24.5	37.81	15.22	49.60			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37478G	57.61	74.00	-16.39	48.57	3	Vertical	223	2.47	25	39.75	11.64	42.35			
AV	13.37158G	45.00	54.00	-9.00	35.97	3	Vertical	223	2.47	25	39.74	11.64	42.35			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39216G	57.31	74.00	-16.69	48.23	3	Horizontal	193	1.80	25	39.78	11.65	42.35			
AV	13.37454G	44.91	54.00	-9.09	35.87	3	Horizontal	193	1.80	25	39.75	11.64	42.35			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06878G	65.55	83.54	-17.99	61.76	1	Vertical	331	1.86	25	37.78	15.26	49.25			
AV	20.06768G	51.94	63.54	-11.60	48.07	1	Vertical	331	1.86	25	37.85	15.27	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07689G	66.07	83.54	-17.47	62.25	1	Horizontal	349	1.81	25	37.81	15.26	49.25			
AV	20.07809G	53.16	63.54	-10.38	49.34	1	Horizontal	349	1.81	25	37.81	15.26	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6855MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70604G	57.19	88.20	-31.01	47.90	3	Vertical	278	1.80	25	40.11	11.77	42.59			
RMS	13.69629G	44.49	68.20	-23.71	35.21	3	Vertical	278	1.80	25	40.10	11.76	42.58			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6855MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69226G	57.04	88.20	-31.16	47.75	3	Horizontal	1	1.80	25	40.10	11.76	42.57			
RMS	13.70313G	44.56	68.20	-23.64	35.26	3	Horizontal	1	1.80	25	40.11	11.77	42.58			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6855MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56172G	63.02	83.54	-20.52	58.56	1	Vertical	8	1.81	25	37.92	15.65	49.11			
AV	20.564G	50.81	63.54	-12.73	46.34	1	Vertical	8	1.81	25	37.93	15.65	49.11			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6855MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.57111G	62.16	83.54	-21.38	57.66	1	Horizontal	306	1.80	25	37.94	15.66	49.10			
AV	20.569G	50.02	63.54	-13.52	45.52	1	Horizontal	306	1.80	25	37.94	15.66	49.10			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT Y_2TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9164G	77.14	88.20	-11.06	70.07	3	Vertical	357	1.08	19	32.40	7.64	32.97			
RMS	5.9206G	61.82	68.20	-6.38	54.75	3	Vertical	357	1.08	19	32.40	7.64	32.97			
PK	5.9758G	115.68	Inf	-Inf	108.55	3	Vertical	357	1.08	19	32.45	7.67	32.99			
RMS	5.9766G	102.97	Inf	-Inf	95.84	3	Vertical	357	1.08	19	32.45	7.67	32.99			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 19
25\17\21\19\20\19.5\19
-20.46\10.08\9.40\2.12\3.44\0.41\2.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	78.84	88.20	-9.36	71.77	3	Horizontal	346	2.21	19	32.40	7.64	32.97			
RMS	5.925G	66.01	68.20	-2.19	58.94	3	Horizontal	346	2.21	19	32.40	7.64	32.97			
PK	5.9824G	115.61	Inf	-Inf	108.47	3	Horizontal	346	2.21	19	32.46	7.67	32.99			
RMS	5.983G	104.00	Inf	-Inf	96.85	3	Horizontal	346	2.21	19	32.47	7.67	32.99			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT Y_2TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95094G	47.32	74.00	-26.68	40.15	3	Vertical	357	1.80	19	39.00	11.09	42.92			
AV	11.93G	35.09	54.00	-18.91	27.98	3	Vertical	357	1.80	19	38.96	11.08	42.93			
PK	17.88133G	56.24	74.00	-17.76	37.99	3	Vertical	285	1.80	19	46.45	13.41	41.61			
AV	17.89013G	43.75	54.00	-10.25	25.27	3	Vertical	285	1.80	19	46.66	13.41	41.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94487G	47.17	74.00	-26.83	40.01	3	Horizontal	309	1.80	19	38.99	11.09	42.92			
AV	11.93016G	34.93	54.00	-19.07	27.82	3	Horizontal	309	1.80	19	38.96	11.08	42.93			
PK	17.87798G	56.93	74.00	-17.07	38.76	3	Horizontal	37	1.80	19	46.37	13.41	41.61			
AV	17.89021G	43.86	54.00	-10.14	25.37	3	Horizontal	37	1.80	19	46.67	13.41	41.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86344G	64.84	83.54	-18.70	55.84	1	Vertical	351	1.54	25	38.80	17.36	47.16			
AV	23.86504G	52.31	63.54	-11.23	43.31	1	Vertical	351	1.54	25	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85489G	61.44	83.54	-22.10	52.44	1	Horizontal	341	1.80	25	38.80	17.36	47.16			
AV	23.85449G	48.25	63.54	-15.29	39.25	1	Horizontal	341	1.80	25	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39258G	55.45	74.00	-18.55	48.40	3	Vertical	4	1.80	25	38.81	11.27	43.03			
AV	12.37036G	43.00	54.00	-11.00	35.90	3	Vertical	4	1.80	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39162G	56.02	74.00	-17.98	48.96	3	Horizontal	80	1.80	25	38.82	11.27	43.03			
AV	12.37076G	42.94	54.00	-11.06	35.84	3	Horizontal	80	1.80	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6205MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60637G	64.56	83.54	-18.98	61.19	1	Vertical	9	1.80	25	37.71	15.27	49.61			
AV	18.60717G	52.37	63.54	-11.17	49.00	1	Vertical	9	1.80	25	37.71	15.27	49.61			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6205MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60629G	61.21	83.54	-22.33	57.84	1	Horizontal	312	1.80	25	37.71	15.27	49.61			
AV	18.60797G	48.91	63.54	-14.63	45.53	1	Horizontal	312	1.80	25	37.72	15.27	49.61			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6405MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84517G	55.19	88.20	-33.01	47.10	3	Vertical	354	1.80	25	39.29	11.44	42.64			
RMS	12.84413G	42.84	68.20	-25.36	34.75	3	Vertical	354	1.80	25	39.29	11.44	42.64			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6405MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84812G	55.22	88.20	-32.98	47.11	3	Horizontal	195	1.07	25	39.30	11.44	42.63			
RMS	12.84764G	42.87	68.20	-25.33	34.76	3	Horizontal	195	1.07	25	39.30	11.44	42.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6405MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24273G	58.41	83.54	-25.13	54.77	1	Vertical	1	1.40	25	37.91	15.24	49.51			
AV	19.22331G	46.26	63.54	-17.28	42.56	1	Vertical	1	1.40	25	37.95	15.24	49.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6405MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.23522G	57.07	83.54	-26.47	53.40	1	Horizontal	37	1.80	25	37.93	15.24	49.50			
AV	19.21692G	43.74	63.54	-19.80	40.02	1	Horizontal	37	1.80	25	37.97	15.24	49.49			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6565MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12401G	56.38	88.20	-31.82	47.94	3	Vertical	54	1.80	25	39.30	11.55	42.41			
RMS	13.11354G	44.25	68.20	-23.95	35.87	3	Vertical	54	1.80	25	39.25	11.54	42.41			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6565MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.11681G	56.25	88.20	-31.95	47.85	3	Horizontal	309	1.80	25	39.27	11.54	42.41			
RMS	13.11306G	44.22	68.20	-23.98	35.84	3	Horizontal	309	1.80	25	39.25	11.54	42.41			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6565MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68773G	72.67	83.54	-10.87	69.11	1	Vertical	293	1.80	25	37.87	15.22	49.53			
AV	19.68645G	60.48	63.54	-3.06	56.91	1	Vertical	293	1.80	25	37.88	15.22	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6565MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68653G	74.86	83.54	-8.68	71.29	1	Horizontal	348	1.82	25	37.88	15.22	49.53			
AV	19.68789G	61.41	63.54	-2.13	57.85	1	Horizontal	348	1.82	25	37.87	15.22	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40461G	57.50	88.20	-30.70	48.37	3	Vertical	151	1.86	25	39.82	11.65	42.34			
RMS	13.40532G	44.83	68.20	-23.37	35.70	3	Vertical	151	1.86	25	39.82	11.65	42.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40947G	57.94	88.20	-30.26	48.78	3	Horizontal	164	2.67	25	39.84	11.66	42.34			
RMS	13.4054G	44.88	68.20	-23.32	35.75	3	Horizontal	164	2.67	25	39.82	11.65	42.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04437G	65.76	83.54	-17.78	62.07	1	Vertical	22	1.80	25	37.71	15.24	49.26			
AV	20.04285G	52.55	63.54	-10.99	48.87	1	Vertical	22	1.80	25	37.71	15.23	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06643G	65.99	83.54	-17.55	62.22	1	Horizontal	342	1.81	25	37.77	15.25	49.25			
AV	20.05124G	52.66	63.54	-10.88	48.98	1	Horizontal	342	1.81	25	37.70	15.24	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6845MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70694G	57.08	88.20	-31.12	47.79	3	Vertical	111	1.80	25	40.11	11.77	42.59			
RMS	13.6506G	44.72	68.20	-23.48	35.39	3	Vertical	111	1.80	25	40.10	11.75	42.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6845MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.66946G	57.36	88.20	-30.84	48.05	3	Horizontal	346	1.80	25	40.10	11.75	42.54			
RMS	13.65316G	44.77	68.20	-23.43	35.44	3	Horizontal	346	1.80	25	40.10	11.75	42.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6845MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55338G	60.68	83.54	-22.86	56.24	1	Vertical	9	1.81	25	37.91	15.64	49.11			
AV	20.53468G	47.84	63.54	-15.70	43.52	1	Vertical	9	1.81	25	37.81	15.63	49.12			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6845MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54123G	59.26	83.54	-24.28	54.90	1	Horizontal	307	1.80	25	37.85	15.63	49.12			
AV	20.54083G	47.75	63.54	-15.79	43.40	1	Horizontal	307	1.80	25	37.84	15.63	49.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT Y_2TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9198G	78.62	88.20	-9.58	71.55	3	Vertical	355	1.05	19.5	32.40	7.64	32.97			
RMS	5.919G	64.81	68.20	-3.39	57.74	3	Vertical	355	1.05	19.5	32.40	7.64	32.97			
PK	5.9978G	112.14	Inf	-Inf	104.96	3	Vertical	355	1.05	19.5	32.50	7.68	33.00			
RMS	6.0162G	100.75	Inf	-Inf	93.54	3	Vertical	355	1.05	19.5	32.53	7.68	33.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
SET 19.5
25\17\21\19\20\19.5
-20.41\11.53\6.10\4.44\0.75\2.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	78.30	88.20	-9.90	71.23	3	Horizontal	345	2.21	19.5	32.40	7.64	32.97			
RMS	5.9246G	66.18	68.20	-2.02	59.11	3	Horizontal	345	2.21	19.5	32.40	7.64	32.97			
PK	6.023G	113.45	Inf	-Inf	106.22	3	Horizontal	345	2.21	19.5	32.55	7.68	33.00			
RMS	6.0226G	101.73	Inf	-Inf	94.50	3	Horizontal	345	2.21	19.5	32.55	7.68	33.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT Y_2TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.009G	47.24	74.00	-26.76	39.87	3	Vertical	181	1.80	19.5	39.14	11.12	42.89			
AV	12.01907G	35.06	54.00	-18.94	27.65	3	Vertical	181	1.80	19.5	39.18	11.13	42.90			
PK	17.9315G	57.51	74.00	-16.49	38.02	3	Vertical	360	1.80	19.5	47.59	13.43	41.53			
AV	17.97366G	47.95	54.00	-6.05	27.20	3	Vertical	360	1.80	19.5	48.76	13.44	41.45			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT Y_2TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95545G	48.46	74.00	-25.54	41.27	3	Horizontal	359	1.80	19.5	39.01	11.10	42.92			
AV	12.04976G	35.15	54.00	-18.85	27.62	3	Horizontal	359	1.80	19.5	39.30	11.14	42.91			
PK	17.96187G	58.36	74.00	-15.64	38.01	3	Horizontal	106	1.80	19.5	48.38	13.44	41.47			
AV	17.9767G	48.08	54.00	-5.92	27.24	3	Horizontal	106	1.80	19.5	48.85	13.44	41.45			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.92354G	62.03	83.54	-21.51	52.93	1	Vertical	353	2.03	25	38.85	17.38	47.13			
AV	23.92178G	49.51	63.54	-14.03	40.42	1	Vertical	353	2.03	25	38.84	17.38	47.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93137G	54.07	83.54	-29.47	44.95	1	Horizontal	342	1.80	25	38.86	17.38	47.12			
AV	23.91235G	41.81	63.54	-21.73	32.75	1	Horizontal	342	1.80	25	38.82	17.37	47.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37056G	55.24	74.00	-18.76	48.14	3	Vertical	63	1.80	25	38.86	11.26	43.02			
AV	12.37104G	43.19	54.00	-10.81	36.09	3	Vertical	63	1.80	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38063G	55.96	74.00	-18.04	48.89	3	Horizontal	223	2.95	25	38.84	11.26	43.03			
AV	12.37056G	43.22	54.00	-10.78	36.12	3	Horizontal	223	2.95	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.63072G	60.19	83.54	-23.35	56.75	1	Vertical	9	1.81	25	37.76	15.27	49.59			
AV	18.64703G	47.73	63.54	-15.81	44.25	1	Vertical	9	1.81	25	37.79	15.27	49.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.66445G	59.17	83.54	-24.37	55.73	1	Horizontal	33	1.96	25	37.74	15.27	49.57			
AV	18.66365G	45.58	63.54	-17.96	42.13	1	Horizontal	33	1.96	25	37.75	15.27	49.57			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69887G	55.41	74.00	-18.59	48.04	3	Vertical	105	1.80	25	38.80	11.39	42.82			
AV	12.69136G	42.85	54.00	-11.15	35.50	3	Vertical	105	1.80	25	38.80	11.38	42.83			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69168G	55.20	74.00	-18.80	47.85	3	Horizontal	322	1.80	25	38.80	11.38	42.83			
AV	12.6912G	42.85	54.00	-11.15	35.50	3	Horizontal	322	1.80	25	38.80	11.38	42.83			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.11744G	61.15	83.54	-22.39	57.50	1	Vertical	292	1.76	25	37.83	15.24	49.42			
AV	19.11728G	47.19	63.54	-16.35	43.54	1	Vertical	292	1.76	25	37.83	15.24	49.42			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.16267G	59.13	83.54	-24.41	55.56	1	Horizontal	286	1.89	25	37.78	15.24	49.45			
AV	19.14173G	47.30	63.54	-16.24	43.77	1	Horizontal	286	1.89	25	37.73	15.24	49.44			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24224G	57.44	88.20	-30.76	49.03	3	Vertical	99	2.16	25	39.20	11.59	42.38			
RMS	13.24019G	45.26	68.20	-22.94	36.85	3	Vertical	99	2.16	25	39.20	11.59	42.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24824G	57.20	88.20	-31.00	48.79	3	Horizontal	138	1.80	25	39.20	11.59	42.38			
RMS	13.24843G	45.32	68.20	-22.88	36.91	3	Horizontal	138	1.80	25	39.20	11.59	42.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.80739G	69.63	83.54	-13.91	65.82	1	Vertical	326	1.80	25	38.03	15.21	49.43			
AV	19.82737G	56.65	63.54	-6.89	53.02	1	Vertical	326	1.80	25	37.83	15.21	49.41			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.825993G	63.58	83.54	-19.96	59.94	1	Horizontal	337	1.80	25	37.84	15.21	49.41			
AV	19.82513G	50.98	63.54	-12.56	47.33	1	Horizontal	337	1.80	25	37.85	15.21	49.41			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.35214G	57.03	74.00	-16.97	48.06	3	Vertical	261	1.80	25	39.70	11.63	42.36			
AV	13.33296G	45.00	54.00	-9.00	36.13	3	Vertical	261	1.80	25	39.60	11.63	42.36			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40329G	57.96	88.20	-30.24	48.84	3	Horizontal	340	1.80	25	39.81	11.65	42.34			
RMS	13.48928G	45.59	68.20	-22.61	36.14	3	Horizontal	340	1.80	25	40.08	11.69	42.32			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.14393G	60.38	83.54	-23.16	56.65	1	Vertical	6	1.80	25	37.64	15.32	49.23			
AV	20.10813G	48.01	63.54	-15.53	44.11	1	Vertical	6	1.80	25	37.85	15.29	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06913G	63.34	83.54	-20.20	59.55	1	Horizontal	342	1.83	25	37.78	15.26	49.25			
AV	20.08767G	50.01	63.54	-13.53	46.14	1	Horizontal	342	1.83	25	37.85	15.27	49.25			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.50079G	58.14	88.20	-30.06	48.67	3	Vertical	252	1.22	25	40.10	11.69	42.32			
RMS	13.49535G	45.67	68.20	-22.53	36.21	3	Vertical	252	1.22	25	40.09	11.69	42.32			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.50622G	58.03	88.20	-30.17	48.55	3	Horizontal	160	1.80	25	40.12	11.69	42.33			
RMS	13.50127G	45.72	68.20	-22.48	36.24	3	Horizontal	160	1.80	25	40.11	11.69	42.32			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.33054G	63.36	83.54	-20.18	58.94	1	Vertical	7	1.70	25	38.14	15.46	49.18			
AV	20.33038G	49.63	63.54	-13.91	45.21	1	Vertical	7	1.70	25	38.14	15.46	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34317G	59.92	83.54	-23.62	55.52	1	Horizontal	45	1.82	25	38.11	15.47	49.18			
AV	20.34477G	46.69	63.54	-16.85	42.28	1	Horizontal	45	1.82	25	38.11	15.48	49.18			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT Y_2TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9155G	76.61	88.20	-11.59	69.54	3	Vertical	338	2.27	20.5	32.40	7.64	32.97			
RMS	5.9145G	65.01	68.20	-3.19	57.94	3	Vertical	338	2.27	20.5	32.40	7.64	32.97			
PK	6.074G	110.30	Inf	-Inf	103.07	3	Vertical	338	2.27	20.5	32.55	7.69	33.01			
RMS	6.034G	98.82	Inf	-Inf	91.56	3	Vertical	338	2.27	20.5	32.57	7.69	33.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 20.5
25\17.21\19\20\20.5
-17.37\13.89\3.30\7.37\2.70\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9235G	81.50	88.20	-6.70	74.43	3	Horizontal	346	2.25	20.5	32.40	7.64	32.97			
RMS	5.9235G	68.00	68.20	-0.20	60.93	3	Horizontal	346	2.25	20.5	32.40	7.64	32.97			
PK	6.1025G	112.06	Inf	-Inf	104.86	3	Horizontal	346	2.25	20.5	32.51	7.70	33.01			
RMS	6.023G	99.55	Inf	-Inf	92.32	3	Horizontal	346	2.25	20.5	32.55	7.68	33.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT Y_2TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.1945G	56.38	74.00	-17.62	49.03	3	Vertical	6	1.80	20.5	39.12	11.19	42.96			
AV	11.89943G	42.15	54.00	-11.85	35.14	3	Vertical	6	1.80	20.5	38.90	11.06	42.95			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT Y_2TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94738G	56.38	74.00	-17.62	49.22	3	Horizontal	348	1.80	20.5	38.99	11.09	42.92			
AV	11.90039G	42.13	54.00	-11.87	35.11	3	Horizontal	348	1.80	20.5	38.90	11.07	42.95			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.96375G	44.99	83.54	-38.55	41.53	1	Vertical	241	1.80	25	37.52	15.28	49.34			
AV	18.16771G	31.83	63.54	-31.71	28.33	1	Vertical	241	1.80	25	37.73	15.29	49.52			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.0718G	50.30	83.54	-33.24	46.98	1	Horizontal	357	1.80	25	37.49	15.30	49.47			
AV	18.09098G	36.92	63.54	-26.62	33.54	1	Horizontal	357	1.80	25	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21623G	56.56	74.00	-17.44	49.23	3	Vertical	198	1.08	25	39.10	11.20	42.97			
AV	12.23605G	42.42	54.00	-11.58	35.08	3	Vertical	198	1.08	25	39.10	11.21	42.97			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.32045G	55.99	74.00	-18.01	48.80	3	Horizontal	141	2.37	25	38.96	11.24	43.01			
AV	12.29807G	42.18	54.00	-11.82	34.95	3	Horizontal	141	2.37	25	39.00	11.23	43.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.56619G	59.14	83.54	-24.40	55.80	1	Vertical	9	1.81	25	37.70	15.27	49.63			
AV	18.56619G	45.05	63.54	-18.49	41.71	1	Vertical	9	1.81	25	37.70	15.27	49.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.56427G	55.78	83.54	-27.76	52.45	1	Horizontal	312	1.80	25	37.70	15.27	49.64			
AV	18.56715G	42.48	63.54	-21.06	39.14	1	Horizontal	312	1.80	25	37.70	15.27	49.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.57172G	55.14	74.00	-18.86	48.19	3	Vertical	286	1.80	25	38.59	11.34	42.98			
AV	12.56277G	41.34	54.00	-12.66	34.45	3	Vertical	286	1.80	25	38.55	11.33	42.99			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.58291G	54.94	74.00	-19.06	47.94	3	Horizontal	312	2.33	25	38.63	11.34	42.97			
AV	12.57012G	41.48	54.00	-12.52	34.54	3	Horizontal	312	2.33	25	38.58	11.34	42.98			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.10757G	53.85	83.54	-29.69	50.15	1	Vertical	294	1.81	25	37.87	15.24	49.41			
AV	19.09894G	41.09	63.54	-22.45	37.35	1	Vertical	294	1.81	25	37.90	15.25	49.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.0577G	54.92	83.54	-28.62	51.15	1	Horizontal	39	1.80	25	37.90	15.25	49.38			
AV	19.07624G	41.48	63.54	-22.06	37.72	1	Horizontal	39	1.80	25	37.90	15.25	49.39			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2731G	57.25	74.00	-16.75	48.73	3	Vertical	300	1.80	25	39.29	11.60	42.37			
AV	13.29931G	45.22	54.00	-8.78	36.58	3	Vertical	300	1.80	25	39.40	11.61	42.37			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.26894G	57.51	74.00	-16.49	49.01	3	Horizontal	151	1.80	25	39.28	11.60	42.38			
AV	13.30347G	45.25	54.00	-8.75	36.58	3	Horizontal	151	1.80	25	39.42	11.62	42.37			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.8716G	61.80	83.54	-21.74	58.24	1	Vertical	324	1.59	25	37.73	15.21	49.38			
AV	19.85082G	49.89	63.54	-13.65	46.47	1	Vertical	324	1.59	25	37.60	15.21	49.39			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.84603G	59.60	83.54	-23.94	56.15	1	Horizontal	71	1.80	25	37.64	15.21	49.40			
AV	19.84731G	47.26	63.54	-16.28	43.82	1	Horizontal	71	1.80	25	37.63	15.21	49.40			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT X_4TX
SET 21.5
22\21.5
-0.14\3.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	77.20	88.20	-11.00	70.13	3	Vertical	22	1.80	21.5	32.40	7.64	32.97			
RMS	5.9226G	64.64	68.20	-3.56	57.57	3	Vertical	22	1.80	21.5	32.40	7.64	32.97			
PK	5.9632G	122.72	Inf	-Inf	115.62	3	Vertical	22	1.80	21.5	32.43	7.66	32.99			
RMS	5.9628G	111.77	Inf	-Inf	104.67	3	Vertical	22	1.80	21.5	32.43	7.66	32.99			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
SET 22
25\17\21\23\22\22.5\22
-11.26\18.16\9.21\8.26\2.60\1.94\2.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.70	88.20	-10.50	70.63	3	Horizontal	7	1.80	22	32.40	7.64	32.97			
RMS	5.925G	65.49	68.20	-2.71	58.42	3	Horizontal	7	1.80	22	32.40	7.64	32.97			
PK	5.9474G	124.76	Inf	-Inf	117.69	3	Horizontal	7	1.80	22	32.40	7.65	32.98			
RMS	5.9482G	113.12	Inf	-Inf	106.05	3	Horizontal	7	1.80	22	32.40	7.65	32.98			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89745G	47.43	74.00	-26.57	40.42	3	Vertical	325	1.80	21.5	38.90	11.06	42.95			
AV	11.92023G	35.49	54.00	-18.51	28.41	3	Vertical	325	1.80	21.5	38.94	11.08	42.94			
PK	17.86112G	57.81	74.00	-16.19	40.08	3	Vertical	22	1.79	21.5	45.97	13.40	41.64			
AV	17.86128G	44.69	54.00	-9.31	26.96	3	Vertical	22	1.79	21.5	45.97	13.40	41.64			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91232G	47.99	74.00	-26.01	40.94	3	Horizontal	64	1.80	21.5	38.92	11.07	42.94			
AV	11.91012G	35.36	54.00	-18.64	28.32	3	Horizontal	64	1.80	21.5	38.92	11.07	42.95			
PK	17.86276G	57.12	74.00	-16.88	39.34	3	Horizontal	307	1.80	21.5	46.01	13.41	41.64			
AV	17.86408G	44.44	54.00	-9.56	26.63	3	Horizontal	307	1.80	21.5	46.04	13.41	41.64			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82444G	62.19	83.54	-21.35	53.07	1	Vertical	349	1.80	25	38.95	17.35	47.18			
AV	23.82348G	48.93	63.54	-14.61	39.80	1	Vertical	349	1.80	25	38.96	17.35	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82192G	71.50	83.54	-12.04	62.36	1	Horizontal	317	1.68	25	38.97	17.35	47.18			
AV	23.8244G	57.40	63.54	-6.14	48.28	1	Horizontal	317	1.68	25	38.95	17.35	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT X_4TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39671G	56.22	74.00	-17.78	49.17	3	Vertical	180	1.80	23.5	38.81	11.27	43.03			
AV	12.37142G	43.53	54.00	-10.47	36.43	3	Vertical	180	1.80	23.5	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT X_4TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40806G	56.14	74.00	-17.86	49.15	3	Horizontal	324	1.86	23.5	38.75	11.28	43.04			
AV	12.38037G	43.50	54.00	-10.50	36.43	3	Horizontal	324	1.86	23.5	38.84	11.26	43.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57561G	68.97	83.54	-14.57	65.63	1	Vertical	354	1.80	25	37.70	15.27	49.63			
AV	18.57521G	55.51	63.54	-8.03	52.17	1	Vertical	354	1.80	25	37.70	15.27	49.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57365G	67.80	83.54	-15.74	64.46	1	Horizontal	42	1.75	25	37.70	15.27	49.63			
AV	18.57485G	54.40	63.54	-9.14	51.06	1	Horizontal	42	1.75	25	37.70	15.27	49.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT X_4TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84878G	55.72	88.20	-32.48	47.61	3	Vertical	357	2.92	22.5	39.30	11.44	42.63			
RMS	12.84934G	43.55	68.20	-24.65	35.44	3	Vertical	357	2.92	22.5	39.30	11.44	42.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT X_4TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84063G	55.98	88.20	-32.22	47.90	3	Horizontal	32	1.80	22.5	39.28	11.44	42.64			
RMS	12.8499G	43.49	68.20	-24.71	35.38	3	Horizontal	32	1.80	22.5	39.30	11.44	42.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.25099G	66.69	83.54	-16.85	63.06	1	Vertical	323	1.80	25	37.90	15.24	49.51			
AV	19.25103G	52.85	63.54	-10.69	49.22	1	Vertical	323	1.80	25	37.90	15.24	49.51			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.23101G	69.77	83.54	-13.77	66.09	1	Horizontal	1	1.80	25	37.94	15.24	49.50			
AV	19.2504G	53.81	63.54	-9.73	50.18	1	Horizontal	1	1.80	25	37.90	15.24	49.51			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT X_4TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05781G	56.19	88.20	-32.01	48.07	3	Vertical	5	1.80	22.5	39.03	11.52	42.43			
RMS	13.05026G	43.68	68.20	-24.52	35.59	3	Vertical	5	1.80	22.5	39.00	11.52	42.43			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT X_4TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06229G	56.93	88.20	-31.27	48.79	3	Horizontal	115	1.80	22.5	39.05	11.52	42.43			
RMS	13.05234G	43.68	68.20	-24.52	35.58	3	Horizontal	115	1.80	22.5	39.01	11.52	42.43			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61635G	72.41	83.54	-11.13	68.87	1	Vertical	334	1.80	25	37.90	15.22	49.58			
AV	19.61619G	58.86	63.54	-4.68	55.32	1	Vertical	334	1.80	25	37.90	15.22	49.58			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61483G	75.46	83.54	-8.08	71.94	1	Horizontal	359	1.80	25	37.89	15.22	49.59			
AV	19.61623G	62.25	63.54	-1.29	58.71	1	Horizontal	359	1.80	25	37.90	15.22	49.58			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT X_4TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37027G	58.66	74.00	-15.34	49.63	3	Vertical	113	1.80	23.5	39.74	11.64	42.35			
AV	13.37454G	45.51	54.00	-8.49	36.47	3	Vertical	113	1.80	23.5	39.75	11.64	42.35			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT X_4TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38844G	58.43	74.00	-15.57	49.35	3	Horizontal	337	2.49	23.5	39.78	11.65	42.35			
AV	13.37462G	45.54	54.00	-8.46	36.50	3	Horizontal	337	2.49	23.5	39.75	11.64	42.35			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07705G	73.49	83.54	-10.05	69.67	1	Vertical	336	1.83	25	37.81	15.26	49.25			
AV	20.07761G	60.50	63.54	-3.04	56.68	1	Vertical	336	1.83	25	37.81	15.26	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09931G	74.67	83.54	-8.87	70.73	1	Horizontal	298	1.83	25	37.90	15.28	49.24			
AV	20.07993G	60.10	63.54	-3.44	56.27	1	Horizontal	298	1.83	25	37.82	15.26	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6855MHz_TX

EUT X_4TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72087G	57.84	88.20	-30.36	48.54	3	Vertical	71	2.80	22.5	40.14	11.77	42.61			
RMS	13.70181G	45.00	68.20	-23.20	35.71	3	Vertical	71	2.80	22.5	40.10	11.77	42.58			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6855MHz_TX

EUT X_4TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70624G	58.11	88.20	-30.09	48.82	3	Horizontal	195	1.80	22.5	40.11	11.77	42.59			
RMS	13.69282G	45.02	68.20	-23.18	35.73	3	Horizontal	195	1.80	22.5	40.10	11.76	42.57			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6855MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.57407G	75.90	83.54	-7.64	71.39	1	Vertical	352	1.46	25	37.95	15.66	49.10			
AV	20.56616G	62.87	63.54	-0.67	58.40	1	Vertical	352	1.46	25	37.93	15.65	49.11			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6855MHz_TX

EUT X_4TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56328G	75.17	83.54	-8.37	70.70	1	Horizontal	347	1.79	22.5	37.93	15.65	49.11			
AV	20.56268G	62.19	63.54	-1.35	57.72	1	Horizontal	347	1.79	22.5	37.93	15.65	49.11			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT X_4TX
SET 19.5
25\17\21\19\20\19.5
-19.88\13.04\9.40\4.06\2.70\0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	81.82	88.20	-6.38	74.75	3	Vertical	22	1.80	19.5	32.40	7.64	32.97			
RMS	5.925G	67.47	68.20	-0.73	60.40	3	Vertical	22	1.80	19.5	32.40	7.64	32.97			
PK	5.9728G	119.35	Inf	-Inf	112.22	3	Vertical	22	1.80	19.5	32.45	7.67	32.99			
RMS	5.9728G	107.74	Inf	-Inf	100.61	3	Vertical	22	1.80	19.5	32.45	7.67	32.99			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT X_4TX
SET 19
19.5\19
-0.36\2.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9186G	79.80	88.20	-8.40	72.73	3	Horizontal	6	1.80	19	32.40	7.64	32.97			
RMS	5.919G	66.20	68.20	-2.00	59.13	3	Horizontal	6	1.80	19	32.40	7.64	32.97			
PK	5.9786G	120.85	Inf	-Inf	113.71	3	Horizontal	6	1.80	19	32.46	7.67	32.99			
RMS	5.9786G	107.62	Inf	-Inf	100.48	3	Horizontal	6	1.80	19	32.46	7.67	32.99			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT X_4TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96668G	47.64	74.00	-26.36	40.42	3	Vertical	359	1.80	19	39.03	11.10	42.91			
AV	11.92473G	35.21	54.00	-18.79	28.12	3	Vertical	359	1.80	19	38.95	11.08	42.94			
PK	17.89316G	56.49	74.00	-17.51	37.92	3	Vertical	84	1.80	19	46.74	13.42	41.59			
AV	17.87998G	43.74	54.00	-10.26	25.52	3	Vertical	84	1.80	19	46.42	13.41	41.61			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT X_4TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92992G	47.93	74.00	-26.07	40.82	3	Horizontal	72	1.80	19	38.96	11.08	42.93			
AV	11.93G	35.54	54.00	-18.46	28.43	3	Horizontal	72	1.80	19	38.96	11.08	42.93			
PK	17.91035G	56.34	74.00	-17.66	37.35	3	Horizontal	86	1.80	19	47.13	13.42	41.56			
AV	17.89316G	43.86	54.00	-10.14	25.29	3	Horizontal	86	1.80	19	46.74	13.42	41.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86216G	59.55	83.54	-23.99	50.55	1	Vertical	28	1.86	25	38.80	17.36	47.16			
AV	23.86096G	46.01	63.54	-17.53	37.01	1	Vertical	28	1.86	25	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.87463G	65.82	83.54	-17.72	56.81	1	Horizontal	321	1.67	25	38.80	17.36	47.15			
AV	23.8556G	52.98	63.54	-10.56	43.98	1	Horizontal	321	1.67	25	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37571G	55.96	74.00	-18.04	48.88	3	Vertical	74	1.80	25	38.85	11.26	43.03			
AV	12.37132G	43.62	54.00	-10.38	36.52	3	Vertical	74	1.80	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.42407G	55.83	74.00	-18.17	48.93	3	Horizontal	320	1.80	25	38.66	11.28	43.04			
AV	12.38011G	43.61	54.00	-10.39	36.54	3	Horizontal	320	1.80	25	38.84	11.26	43.03			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60261G	63.03	83.54	-20.51	59.66	1	Vertical	346	1.80	25	37.71	15.27	49.61			
AV	18.62259G	50.73	63.54	-12.81	47.31	1	Vertical	346	1.80	25	37.75	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61324G	65.31	83.54	-18.23	61.91	1	Horizontal	49	1.76	25	37.73	15.27	49.60			
AV	18.6142G	52.56	63.54	-10.98	49.16	1	Horizontal	49	1.76	25	37.73	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77492G	55.30	88.20	-32.90	47.56	3	Vertical	347	1.80	25	39.05	11.41	42.72			
RMS	12.84796G	43.55	68.20	-24.65	35.44	3	Vertical	347	1.80	25	39.30	11.44	42.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84061G	55.72	88.20	-32.48	47.64	3	Horizontal	8	1.80	25	39.28	11.44	42.64			
RMS	12.84541G	43.52	68.20	-24.68	35.42	3	Horizontal	8	1.80	25	39.29	11.44	42.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.19502G	60.12	83.54	-23.42	56.38	1	Vertical	342	1.80	25	37.97	15.24	49.47			
AV	19.215G	48.34	63.54	-15.20	44.62	1	Vertical	342	1.80	25	37.97	15.24	49.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21572G	64.38	83.54	-19.16	60.66	1	Horizontal	37	1.80	25	37.97	15.24	49.49			
AV	19.2162G	51.91	63.54	-11.63	48.19	1	Horizontal	37	1.80	25	37.97	15.24	49.49			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.11585G	57.62	88.20	-30.58	49.23	3	Vertical	213	1.80	25	39.26	11.54	42.41			
RMS	13.16764G	44.71	68.20	-23.49	36.22	3	Vertical	213	1.80	25	39.33	11.56	42.40			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12768G	56.67	88.20	-31.53	48.22	3	Horizontal	44	1.80	25	39.31	11.55	42.41			
RMS	13.1694G	44.62	68.20	-23.58	36.14	3	Horizontal	44	1.80	25	39.32	11.56	42.40			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT X_4TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.71122G	74.87	83.54	-8.67	71.35	1	Vertical	14	1.84	24	37.82	15.21	49.51			
AV	19.69164G	62.04	63.54	-1.50	58.49	1	Vertical	14	1.84	24	37.85	15.22	49.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT X_4TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68613G	74.52	83.54	-9.02	70.95	1	Horizontal	360	1.80	24	37.88	15.22	49.53			
AV	19.68597G	62.07	63.54	-1.47	58.50	1	Horizontal	360	1.80	24	37.88	15.22	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33715G	57.97	74.00	-16.03	49.08	3	Vertical	357	1.93	25	39.62	11.63	42.36			
AV	13.37184G	45.60	54.00	-8.40	36.57	3	Vertical	357	1.93	25	39.74	11.64	42.35			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.34531G	58.70	74.00	-15.30	49.76	3	Horizontal	295	1.80	25	39.67	11.63	42.36			
AV	13.33859G	45.48	54.00	-8.52	36.58	3	Horizontal	295	1.80	25	39.63	11.63	42.36			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06819G	67.82	83.54	-15.72	64.05	1	Vertical	338	1.81	25	37.77	15.25	49.25			
AV	20.04821G	56.06	63.54	-7.48	52.38	1	Vertical	338	1.81	25	37.70	15.24	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05484G	70.55	83.54	-12.99	66.85	1	Horizontal	4	1.80	25	37.72	15.24	49.26			
AV	20.05524G	58.24	63.54	-5.30	54.54	1	Horizontal	4	1.80	25	37.72	15.24	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6845MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69176G	57.76	88.20	-30.44	48.47	3	Vertical	179	1.80	25	40.10	11.76	42.57			
RMS	13.65212G	45.10	68.20	-23.10	35.77	3	Vertical	179	1.80	25	40.10	11.75	42.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6845MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72117G	57.43	88.20	-30.77	48.13	3	Horizontal	319	1.79	25	40.14	11.77	42.61			
RMS	13.68672G	45.13	68.20	-23.07	35.83	3	Horizontal	319	1.79	25	40.10	11.76	42.56			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6845MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54987G	71.70	83.54	-11.84	67.27	1	Vertical	12	1.96	25	37.90	15.64	49.11			
AV	20.55019G	59.22	63.54	-4.32	54.79	1	Vertical	12	1.96	25	37.90	15.64	49.11			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6845MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53228G	75.45	83.54	-8.09	71.15	1	Horizontal	347	1.80	25	37.79	15.63	49.12			
AV	20.53188G	62.45	63.54	-1.09	58.15	1	Horizontal	347	1.80	25	37.79	15.63	49.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT X_4TX
SET 19.5
25\17.2\19\20\19.5
-20.30\11.0\1\7.54\2.96\2.59\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9138G	80.58	88.20	-7.62	73.51	3	Vertical	18	1.80	19.5	32.40	7.64	32.97			
RMS	5.913G	67.98	68.20	-0.22	60.91	3	Vertical	18	1.80	19.5	32.40	7.64	32.97			
PK	6.0122G	115.98	Inf	-Inf	108.78	3	Vertical	18	1.80	19.5	32.52	7.68	33.00			
RMS	6.0126G	105.27	Inf	-Inf	98.06	3	Vertical	18	1.80	19.5	32.53	7.68	33.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT X_4TX
SET 19
19.5\18\18.5\19
-1.08\5.84\3.67\0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	78.80	88.20	-9.40	71.73	3	Horizontal	360	1.80	19	32.40	7.64	32.97			
RMS	5.9182G	67.23	68.20	-0.97	60.16	3	Horizontal	360	1.80	19	32.40	7.64	32.97			
PK	5.9982G	116.29	Inf	-Inf	109.11	3	Horizontal	360	1.80	19	32.50	7.68	33.00			
RMS	6.0186G	105.12	Inf	-Inf	97.90	3	Horizontal	360	1.80	19	32.54	7.68	33.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.03569G	47.42	74.00	-26.58	39.95	3	Vertical	198	1.80	19	39.24	11.13	42.90			
AV	11.92461G	34.82	54.00	-19.18	27.73	3	Vertical	198	1.80	19	38.95	11.08	42.94			
PK	17.99896G	59.25	74.00	-14.75	37.64	3	Vertical	245	1.80	19	49.57	13.45	41.41			
AV	17.99818G	48.04	54.00	-5.96	26.46	3	Vertical	245	1.80	19	49.54	13.45	41.41			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98806G	47.42	74.00	-26.58	40.13	3	Horizontal	353	1.80	19	39.08	11.11	42.90			
AV	11.92445G	34.82	54.00	-19.18	27.73	3	Horizontal	353	1.80	19	38.95	11.08	42.94			
PK	17.99314G	60.68	74.00	-13.32	39.27	3	Horizontal	2	1.80	19	49.38	13.45	41.42			
AV	17.99794G	48.06	54.00	-5.94	26.49	3	Horizontal	2	1.80	19	49.53	13.45	41.41			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94272G	57.48	83.54	-26.06	48.33	1	Vertical	28	1.74	25	38.89	17.38	47.12			
AV	23.92306G	45.11	63.54	-18.43	36.01	1	Vertical	28	1.74	25	38.85	17.38	47.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.92801G	58.38	83.54	-25.16	49.27	1	Horizontal	317	1.80	25	38.86	17.38	47.13			
AV	23.92705G	45.40	63.54	-18.14	36.30	1	Horizontal	317	1.80	25	38.85	17.38	47.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38079G	55.64	74.00	-18.36	48.57	3	Vertical	169	1.13	25	38.84	11.26	43.03			
AV	12.372G	43.65	54.00	-10.35	36.55	3	Vertical	169	1.13	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41883G	55.50	74.00	-18.50	48.57	3	Horizontal	23	1.13	25	38.69	11.28	43.04			
AV	12.37136G	43.62	54.00	-10.38	36.52	3	Horizontal	23	1.13	25	38.86	11.26	43.02			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.66269G	64.01	83.54	-19.53	60.56	1	Vertical	348	1.81	25	37.75	15.27	49.57			
AV	18.68427G	51.85	63.54	-11.69	48.47	1	Vertical	348	1.81	25	37.66	15.27	49.55			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.65502G	65.25	83.54	-18.29	61.77	1	Horizontal	50	1.80	25	37.78	15.27	49.57			
AV	18.65406G	52.70	63.54	-10.84	49.23	1	Horizontal	50	1.80	25	37.78	15.27	49.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84497G	55.83	88.20	-32.37	47.74	3	Vertical	173	1.80	25	39.29	11.44	42.64			
RMS	12.75184G	43.08	68.20	-25.12	35.51	3	Vertical	173	1.80	25	38.91	11.41	42.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.71645G	55.49	88.20	-32.71	48.07	3	Horizontal	1	2.19	25	38.83	11.39	42.80			
RMS	12.72775G	43.13	68.20	-25.07	35.65	3	Horizontal	1	2.19	25	38.86	11.40	42.78			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.18089G	61.20	83.54	-22.34	57.53	1	Vertical	360	1.75	25	37.89	15.24	49.46			
AV	19.16219G	49.31	63.54	-14.23	45.75	1	Vertical	360	1.75	25	37.77	15.24	49.45			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.17994G	64.41	83.54	-19.13	60.75	1	Horizontal	1	1.80	25	37.88	15.24	49.46			
AV	19.16107G	51.76	63.54	-11.78	48.20	1	Horizontal	1	1.80	25	37.77	15.24	49.45			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2492G	57.68	88.20	-30.52	49.27	3	Vertical	9	2.86	25	39.20	11.59	42.38			
RMS	13.24632G	45.09	68.20	-23.11	36.68	3	Vertical	9	2.86	25	39.20	11.59	42.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24559G	57.47	88.20	-30.73	49.06	3	Horizontal	1	2.15	25	39.20	11.59	42.38			
RMS	13.24179G	45.37	68.20	-22.83	36.96	3	Horizontal	1	2.15	25	39.20	11.59	42.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.82689G	71.01	83.54	-12.53	67.38	1	Vertical	14	1.81	25	37.83	15.21	49.41			
AV	19.82561G	58.33	63.54	-5.21	54.69	1	Vertical	14	1.81	25	37.84	15.21	49.41			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.80515G	66.33	83.54	-17.21	62.50	1	Horizontal	349	1.91	25	38.05	15.21	49.43			
AV	19.82641G	53.66	63.54	-9.88	50.02	1	Horizontal	349	1.91	25	37.84	15.21	49.41			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37324G	57.91	74.00	-16.09	48.87	3	Vertical	298	1.80	25	39.75	11.64	42.35			
AV	13.38411G	45.77	54.00	-8.23	36.70	3	Vertical	298	1.80	25	39.77	11.65	42.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36668G	58.03	74.00	-15.97	49.01	3	Horizontal	149	1.80	25	39.73	11.64	42.35			
AV	13.36556G	45.66	54.00	-8.34	36.64	3	Horizontal	149	1.80	25	39.73	11.64	42.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06641G	66.30	83.54	-17.24	62.53	1	Vertical	335	1.83	25	37.77	15.25	49.25			
AV	20.06593G	53.81	63.54	-9.73	50.05	1	Vertical	335	1.83	25	37.76	15.25	49.25			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09278G	67.07	83.54	-16.47	63.18	1	Horizontal	300	1.81	25	37.87	15.27	49.25			
AV	20.10989G	55.17	63.54	-8.37	51.28	1	Horizontal	300	1.81	25	37.84	15.29	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.62259G	58.18	88.20	-30.02	48.82	3	Vertical	299	2.69	25	40.10	11.74	42.48			
RMS	13.49248G	45.91	68.20	-22.29	36.46	3	Vertical	299	2.69	25	40.08	11.69	42.32			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.62035G	58.18	88.20	-30.02	48.82	3	Horizontal	1	2.94	25	40.10	11.74	42.48			
RMS	13.49663G	45.91	68.20	-22.29	36.45	3	Horizontal	1	2.94	25	40.09	11.69	42.32			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.32495G	67.35	83.54	-16.19	62.93	1	Vertical	360	1.80	25	38.15	15.46	49.19			
AV	20.32623G	54.68	63.54	-8.86	50.26	1	Vertical	360	1.80	25	38.15	15.46	49.19			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.32895G	68.84	83.54	-14.70	64.42	1	Horizontal	351	1.80	25	38.14	15.46	49.18			
AV	20.32767G	56.55	63.54	-6.99	52.13	1	Horizontal	351	1.80	25	38.14	15.46	49.18			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT X_4TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	80.05	88.20	-8.15	72.98	3	Vertical	357	1.80	19.5	32.40	7.64	32.97			
RMS	5.9245G	67.12	68.20	-1.08	60.05	3	Vertical	357	1.80	19.5	32.40	7.64	32.97			
PK	6.0455G	113.68	Inf	-Inf	106.40	3	Vertical	357	1.80	19.5	32.59	7.69	33.00			
RMS	6.0855G	102.56	Inf	-Inf	95.34	3	Vertical	357	1.80	19.5	32.53	7.70	33.01			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
SET 19.5
25\17\21\19\20\19.5
-20.51\11.12\8.47\2.76\2.59\0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9185G	79.88	88.20	-8.32	72.81	3	Horizontal	0	1.80	19.5	32.40	7.64	32.97			
RMS	5.9185G	67.93	68.20	-0.27	60.86	3	Horizontal	0	1.80	19.5	32.40	7.64	32.97			
PK	5.998G	115.16	Inf	-Inf	107.98	3	Horizontal	0	1.80	19.5	32.50	7.68	33.00			
RMS	6.0385G	103.53	Inf	-Inf	96.26	3	Horizontal	0	1.80	19.5	32.58	7.69	33.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT X_4TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.11074G	56.66	74.00	-17.34	49.13	3	Vertical	353	1.80	19.5	39.30	11.16	42.93			
AV	12.17404G	44.35	54.00	-9.65	36.91	3	Vertical	353	1.80	19.5	39.20	11.19	42.95			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT X_4TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.18874G	56.45	74.00	-17.55	49.07	3	Horizontal	360	1.80	19.5	39.15	11.19	42.96			
AV	12.18459G	44.29	54.00	-9.71	36.90	3	Horizontal	360	1.80	19.5	39.16	11.19	42.96			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.9954G	47.16	83.54	-36.38	43.70	1	Vertical	92	1.35	25	37.59	15.30	49.43			
AV	18.16227G	34.40	63.54	-29.14	30.88	1	Vertical	92	1.35	25	37.75	15.29	49.52			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.11368G	59.79	83.54	-23.75	56.34	1	Horizontal	336	1.80	25	37.65	15.29	49.49			
AV	18.10601G	47.36	63.54	-16.18	43.94	1	Horizontal	336	1.80	25	37.62	15.29	49.49			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.31438G	56.29	74.00	-17.71	49.08	3	Vertical	162	1.53	25	38.97	11.24	43.00			
AV	12.23541G	44.42	54.00	-9.58	37.08	3	Vertical	162	1.53	25	39.10	11.21	42.97			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.31597G	56.65	74.00	-17.35	49.44	3	Horizontal	349	1.80	25	38.97	11.24	43.00			
AV	12.30383G	44.23	54.00	-9.77	37.00	3	Horizontal	349	1.80	25	38.99	11.24	43.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.46517G	59.10	83.54	-24.44	55.72	1	Vertical	339	1.80	25	37.76	15.28	49.66			
AV	18.48627G	46.77	63.54	-16.77	43.31	1	Vertical	339	1.80	25	37.85	15.28	49.67			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55308G	59.21	83.54	-24.33	55.88	1	Horizontal	335	1.80	25	37.70	15.27	49.64			
AV	18.5518G	46.43	63.54	-17.11	43.10	1	Horizontal	335	1.80	25	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.62894G	56.06	74.00	-17.94	48.85	3	Vertical	148	1.80	25	38.76	11.36	42.91			
AV	12.57172G	43.46	54.00	-10.54	36.51	3	Vertical	148	1.80	25	38.59	11.34	42.98			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.62888G	57.17	74.00	-16.83	49.96	3	Horizontal	328	1.80	25	38.76	11.36	42.91			
AV	12.57172G	43.40	54.00	-10.60	36.45	3	Horizontal	328	1.80	25	38.59	11.34	42.98			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.89402G	60.22	83.54	-23.32	56.28	1	Vertical	350	1.78	25	38.09	15.26	49.41			
AV	18.9944G	48.11	63.54	-15.43	44.31	1	Vertical	350	1.78	25	37.89	15.25	49.34			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.99536G	62.70	83.54	-20.84	58.90	1	Horizontal	5	1.80	25	37.89	15.25	49.34			
AV	19.03436G	50.96	63.54	-12.58	47.17	1	Horizontal	5	1.80	25	37.90	15.25	49.36			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33863G	58.29	74.00	-15.71	49.39	3	Vertical	240	1.80	25	39.63	11.63	42.36			
AV	13.33433G	45.04	54.00	-8.96	36.16	3	Vertical	240	1.80	25	39.61	11.63	42.36			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38722G	58.42	74.00	-15.58	49.35	3	Horizontal	267	2.88	25	39.77	11.65	42.35			
AV	13.37827G	45.74	54.00	-8.26	36.69	3	Horizontal	267	2.88	25	39.76	11.64	42.35			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.94993G	64.34	83.54	-19.20	60.65	1	Vertical	336	1.81	25	37.80	15.20	49.31			
AV	20.04775G	51.77	63.54	-11.77	48.09	1	Vertical	336	1.81	25	37.70	15.24	49.26			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX

EUT X_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.89142G	61.30	83.54	-22.24	57.60	1	Horizontal	346	1.80	25	37.85	15.21	49.36			
AV	19.96879G	49.41	63.54	-14.13	45.71	1	Horizontal	346	1.80	25	37.80	15.20	49.30			




Test Mode: Mode 7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.925G	66.18	68.20	-2.02	3	Vertical	348	1.76	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	75.79	88.20	-12.41	68.71	3	Vertical	0	1.96	-	34.55	7.63	35.10			
RMS	5.925G	57.81	68.20	-10.39	50.73	3	Vertical	0	1.96	-	34.55	7.63	35.10			
PK	5.9474G	116.44	Inf	-Inf	109.31	3	Vertical	0	1.96	-	34.59	7.65	35.11			
RMS	5.9636G	106.14	Inf	-Inf	99.00	3	Vertical	0	1.96	-	34.60	7.66	35.12			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	81.81	88.20	-6.39	74.73	3	Horizontal	343	1.80	-	34.55	7.63	35.10			
RMS	5.925G	60.63	68.20	-7.57	53.55	3	Horizontal	343	1.80	-	34.55	7.63	35.10			
PK	5.951G	121.61	Inf	-Inf	114.48	3	Horizontal	343	1.80	-	34.60	7.65	35.12			
RMS	5.9502G	111.19	Inf	-Inf	104.06	3	Horizontal	343	1.80	-	34.60	7.65	35.12			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9145G	57.42	74.00	-16.58	41.15	3	Vertical	92	1.80	-	39.20	11.47	34.40			
AV	11.91402G	42.58	54.00	-11.42	26.31	3	Vertical	92	1.80	-	39.20	11.47	34.40			
PK	17.86194G	60.65	74.00	-13.35	34.44	3	Vertical	345	1.00	-	44.88	13.84	32.51			
AV	17.85999G	45.80	54.00	-8.20	19.60	3	Vertical	345	1.00	-	44.88	13.84	32.52			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91846G	57.69	74.00	-16.31	41.42	3	Horizontal	360	1.80	-	39.20	11.47	34.40			
AV	11.90352G	42.43	54.00	-11.57	26.17	3	Horizontal	360	1.80	-	39.20	11.47	34.41			
PK	17.87412G	60.38	74.00	-13.62	34.16	3	Horizontal	359	1.80	-	44.85	13.85	32.48			
AV	17.85312G	46.91	54.00	-7.09	20.72	3	Horizontal	359	1.80	-	44.89	13.84	32.54			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82496G	52.62	83.54	-30.92	43.50	1	Vertical	33	1.80	-	38.95	17.35	47.18			
AV	23.81798G	41.22	63.54	-22.32	32.06	1	Vertical	33	1.80	-	38.99	17.35	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81552G	52.54	83.54	-31.00	43.37	1	Horizontal	56	2.61	-	39.01	17.34	47.18			
AV	23.81816G	41.08	63.54	-22.46	31.92	1	Horizontal	56	2.61	-	38.99	17.35	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39192G	56.24	74.00	-17.76	40.03	3	Vertical	359	1.80	-	38.62	11.65	34.06			
AV	12.39936G	42.98	54.00	-11.02	26.77	3	Vertical	359	1.80	-	38.60	11.66	34.05			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38814G	56.72	74.00	-17.28	40.51	3	Horizontal	173	1.76	-	38.62	11.65	34.06			
AV	12.40038G	43.92	54.00	-10.08	27.71	3	Horizontal	173	1.76	-	38.60	11.66	34.05			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58082G	51.52	83.54	-32.02	48.18	1	Vertical	358	1.77	-	37.70	15.27	49.63			
AV	18.58222G	41.79	63.54	-21.75	38.44	1	Vertical	358	1.77	-	37.70	15.27	49.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58478G	50.81	83.54	-32.73	47.46	1	Horizontal	155	1.53	-	37.70	15.27	49.62			
AV	18.5888G	39.76	63.54	-23.78	36.41	1	Horizontal	155	1.53	-	37.70	15.27	49.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83138G	56.62	88.20	-31.58	39.22	3	Vertical	356	1.53	-	39.13	11.80	33.53			
RMS	12.84416G	42.47	68.20	-25.73	24.99	3	Vertical	356	1.53	-	39.18	11.81	33.51			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82622G	57.12	88.20	-29.08	41.76	3	Horizontal	360	2.38	-	39.10	11.80	33.54			
RMS	12.84308G	42.39	68.20	-20.81	29.92	3	Horizontal	360	2.38	-	39.17	11.81	33.51			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24258G	49.20	83.54	-34.34	45.55	1	Vertical	229	2.97	-	37.91	15.24	49.50			
AV	19.24166G	38.20	63.54	-25.34	34.54	1	Vertical	229	2.97	-	37.92	15.24	49.50			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2433G	50.58	83.54	-32.96	46.94	1	Horizontal	-0	1.50	-	37.91	15.24	49.51			
AV	19.2424G	38.57	63.54	-24.97	34.91	1	Horizontal	-0	1.50	-	37.92	15.24	49.50			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07164G	59.60	88.20	-28.60	41.44	3	Vertical	172	1.16	-	39.49	11.88	33.21			
RMS	13.07036G	48.25	68.20	-19.95	30.11	3	Vertical	172	1.16	-	39.48	11.88	33.22			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07272G	59.54	88.20	-28.66	41.38	3	Horizontal	315	2.28	-	39.49	11.88	33.21			
RMS	13.06702G	48.16	68.20	-20.04	30.03	3	Horizontal	315	2.28	-	39.47	11.88	33.22			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60996G	56.17	83.54	-27.37	52.68	1	Vertical	148	1.81	-	37.86	15.22	49.59			
AV	19.60006G	44.68	63.54	-18.86	41.26	1	Vertical	148	1.81	-	37.80	15.22	49.60			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6012G	56.26	83.54	-27.28	52.83	1	Horizontal	118	1.09	-	37.81	15.22	49.60			
AV	19.60452G	44.62	63.54	-18.92	41.16	1	Horizontal	118	1.09	-	37.83	15.22	49.59			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38664G	56.74	74.00	-17.26	37.52	3	Vertical	85	2.58	-	40.07	11.99	32.84			
AV	13.3851G	42.65	54.00	-11.35	23.43	3	Vertical	85	2.58	-	40.07	11.99	32.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3928G	56.89	74.00	-17.11	37.64	3	Horizontal	20	2.61	-	40.09	11.99	32.83			
AV	13.38536G	42.59	54.00	-11.41	23.37	3	Horizontal	20	2.61	-	40.07	11.99	32.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08934G	56.68	83.54	-26.86	52.80	1	Vertical	227	2.21	-	37.86	15.27	49.25			
AV	20.08198G	44.92	63.54	-18.62	41.07	1	Vertical	227	2.21	-	37.83	15.27	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0804G	56.71	83.54	-26.83	52.88	1	Horizontal	134	1.13	-	37.82	15.26	49.25			
AV	20.08936G	44.90	63.54	-18.64	41.02	1	Horizontal	134	1.13	-	37.86	15.27	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6855MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71244G	57.06	88.20	-31.14	37.17	3	Vertical	29	1.27	-	40.45	12.10	32.66			
RMS	13.70558G	42.32	68.20	-25.88	22.46	3	Vertical	29	1.27	-	40.42	12.10	32.66			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6855MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70902G	57.86	88.20	-30.34	37.98	3	Horizontal	272	1.97	-	40.44	12.10	32.66			
RMS	13.70612G	44.62	68.20	-23.58	24.76	3	Horizontal	272	1.97	-	40.42	12.10	32.66			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6855MHz_TX

EUT Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56094G	55.20	83.54	-28.34	50.74	1	Vertical	54	1.69	-	37.92	15.65	49.11			
AV	20.56474G	44.07	63.54	-19.47	39.60	1	Vertical	54	1.69	-	37.93	15.65	49.11			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6855MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56788G	57.29	83.54	-26.25	52.80	1	Horizontal	62	1.10	-	37.94	15.65	49.10			
AV	20.56086G	46.05	63.54	-17.49	41.59	1	Horizontal	62	1.10	-	37.92	15.65	49.11			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 25
03-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9198G	67.65	88.20	-20.55	60.58	3	Vertical	69	1.94	-	34.54	7.63	35.10			
RMS	5.9186G	50.99	68.20	-17.21	43.93	3	Vertical	69	1.94	-	34.54	7.62	35.10			
PK	5.9766G	107.91	Inf	-Inf	100.77	3	Vertical	69	1.94	-	34.60	7.67	35.13			
RMS	5.9754G	96.94	Inf	-Inf	89.80	3	Vertical	69	1.94	-	34.60	7.67	35.13			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 25
03-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	68.84	88.20	-19.36	61.76	3	Horizontal	349	2.00	-	34.55	7.63	35.10			
RMS	5.9234G	52.31	68.20	-15.89	45.23	3	Horizontal	349	2.00	-	34.55	7.63	35.10			
PK	5.9818G	111.98	Inf	-Inf	104.83	3	Horizontal	349	2.00	-	34.60	7.68	35.13			
RMS	5.9794G	100.60	Inf	-Inf	93.46	3	Horizontal	349	2.00	-	34.60	7.67	35.13			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93282G	56.40	74.00	-17.60	40.11	3	Vertical	314	2.27	-	39.20	11.48	34.39			
AV	11.93408G	43.91	54.00	-10.09	27.62	3	Vertical	314	2.27	-	39.20	11.48	34.39			
PK	17.89062G	61.69	74.00	-12.31	35.44	3	Vertical	202	1.55	-	44.82	13.86	32.43			
AV	17.88282G	46.90	54.00	-7.10	20.67	3	Vertical	202	1.55	-	44.83	13.85	32.45			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92778G	56.92	74.00	-17.08	40.63	3	Horizontal	187	2.40	-	39.20	11.48	34.39			
AV	11.93468G	43.96	54.00	-10.04	27.67	3	Horizontal	187	2.40	-	39.20	11.48	34.39			
PK	17.88144G	61.20	74.00	-12.80	34.97	3	Horizontal	224	2.41	-	44.84	13.85	32.46			
AV	17.8806G	46.92	54.00	-7.08	20.69	3	Horizontal	224	2.41	-	44.84	13.85	32.46			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85852G	53.98	83.54	-29.56	44.98	1	Vertical	76	2.32	-	38.80	17.36	47.16			
AV	23.85666G	40.61	63.54	-22.93	31.61	1	Vertical	76	2.32	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85962G	52.28	83.54	-31.26	43.28	1	Horizontal	127	1.62	-	38.80	17.36	47.16			
AV	23.85532G	40.63	63.54	-22.91	31.63	1	Horizontal	127	1.62	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41224G	56.83	74.00	-17.17	40.61	3	Vertical	193	1.69	-	38.60	11.66	34.04			
AV	12.40604G	44.57	54.00	-9.43	28.36	3	Vertical	193	1.69	-	38.60	11.66	34.05			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40526G	56.12	74.00	-17.88	39.91	3	Horizontal	54	1.82	-	38.60	11.66	34.05			
AV	12.40868G	44.21	54.00	-9.79	28.00	3	Horizontal	54	1.82	-	38.60	11.66	34.05			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6196G	55.01	83.54	-28.53	51.60	1	Vertical	251	1.37	-	37.74	15.27	49.60			
AV	18.61414G	42.75	63.54	-20.79	39.35	1	Vertical	251	1.37	-	37.73	15.27	49.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61588G	54.05	83.54	-29.49	50.65	1	Horizontal	230	2.53	-	37.73	15.27	49.60			
AV	18.61288G	41.82	63.54	-21.72	38.42	1	Horizontal	230	2.53	-	37.73	15.27	49.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81328G	59.00	88.20	-29.20	41.70	3	Vertical	270	2.01	-	39.05	11.80	33.55			
RMS	12.81372G	46.81	68.20	-21.39	29.51	3	Vertical	270	2.01	-	39.05	11.80	33.55			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT Y_2TX
Setting 25
03-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80578G	59.13	88.20	-29.07	41.88	3	Horizontal	41	2.03	-	39.02	11.79	33.56			
RMS	12.80924G	46.79	68.20	-21.41	29.51	3	Horizontal	41	2.03	-	39.04	11.80	33.56			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21282G	54.84	83.54	-28.70	51.11	1	Vertical	144	1.00	-	37.97	15.24	49.48			
AV	19.21386G	42.78	63.54	-20.76	39.06	1	Vertical	144	1.00	-	37.97	15.24	49.49			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.212G	54.47	83.54	-29.07	50.73	1	Horizontal	355	1.36	-	37.98	15.24	49.48			
AV	19.21058G	41.83	63.54	-21.71	38.09	1	Horizontal	355	1.36	-	37.98	15.24	49.48			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 25
03-H-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12826G	60.59	88.20	-27.61	42.24	3	Vertical	105	2.22	-	39.60	11.90	33.15			
RMS	13.12797G	48.30	68.20	-19.90	29.95	3	Vertical	105	2.22	-	39.60	11.90	33.15			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6565MHz_TX

EUT Y_2TX
Setting 25
03-H-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12898G	60.20	88.20	-28.00	41.85	3	Horizontal	196	2.96	-	39.60	11.90	33.15			
RMS	13.1292G	48.38	68.20	-19.82	30.02	3	Horizontal	196	2.96	-	39.60	11.90	33.14			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69022G	56.40	83.54	-27.14	52.84	1	Vertical	8	1.13	-	37.86	15.22	49.52			
AV	19.69214G	44.24	63.54	-19.30	40.69	1	Vertical	8	1.13	-	37.85	15.22	49.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6916G	54.85	83.54	-28.69	51.30	1	Horizontal	67	1.22	-	37.85	15.22	49.52			
AV	19.6992G	42.24	63.54	-21.30	38.74	1	Horizontal	67	1.22	-	37.80	15.22	49.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX

EUT Y_2TX
Setting 25
03-H-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37132G	60.81	74.00	-13.19	41.63	3	Vertical	115	2.53	-	40.04	11.99	32.85			
AV	13.36759G	48.51	54.00	-5.49	29.35	3	Vertical	115	2.53	-	40.04	11.98	32.86			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX

EUT Y_2TX
Setting 25
03-H-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37126G	60.92	74.00	-13.08	41.74	3	Horizontal	104	1.75	-	40.04	11.99	32.85			
AV	13.372G	48.50	54.00	-5.50	29.32	3	Horizontal	104	1.75	-	40.04	11.99	32.85			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05306G	55.34	83.54	-28.20	51.65	1	Vertical	346	1.82	-	37.71	15.24	49.26			
AV	20.05996G	43.31	63.54	-20.23	39.57	1	Vertical	346	1.82	-	37.74	15.25	49.25			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX

EUT_Y_2TX
Setting 25
03-H-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0529G	55.94	83.54	-27.60	52.25	1	Horizontal	205	1.48	-	37.71	15.24	49.26			
AV	20.05934G	44.30	63.54	-19.24	40.56	1	Horizontal	205	1.48	-	37.74	15.25	49.25			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX

EUT Y_2TX
Setting 25
03-H-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68946G	62.21	88.20	-25.99	42.38	3	Vertical	136	2.86	-	40.40	12.09	32.66			
RMS	13.68761G	49.88	68.20	-18.32	30.05	3	Vertical	136	2.86	-	40.40	12.09	32.66			