


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.03822G | 72.32    | 83.54    | -11.22 | 68.63  | 1    | Vertical  | 17      | 1.80   | 25      | 37.72 | 15.23 | 49.26 |  |  |  |
| AV   | 20.05732G | 60.61    | 63.54    | -2.93  | 56.89  | 1    | Vertical  | 17      | 1.80   | 25      | 37.73 | 15.25 | 49.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6685MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.05076G    | 74.14             | 83.54             | -9.40          | 70.46         | 1           | Horizontal | 28             | 1.80          | 25      | 37.70      | 15.24      | 49.26      |  |  |  |
| AV   | 20.05116G    | 61.91             | 63.54             | -1.63          | 58.23         | 1           | Horizontal | 28             | 1.80          | 25      | 37.70      | 15.24      | 49.26      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6885MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.78431G | 47.71    | 88.20    | -40.49 | 60.08  | 3    | Vertical  | 87      | 1.80   | 25      | 40.20 | 11.80 | 64.37 |  |  |  |
| RMS  | 13.80964G | 35.91    | 68.20    | -32.29 | 48.26  | 3    | Vertical  | 87      | 1.80   | 25      | 40.22 | 11.81 | 64.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6885MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.74834G    | 47.93             | 88.20             | -40.27         | 60.31         | 3           | Horizontal | 271            | 1.80          | 25      | 40.20      | 11.78      | 64.36      |  |  |  |
| RMS  | 13.80772G    | 36.33             | 68.20             | -31.87         | 48.68         | 3           | Horizontal | 271            | 1.80          | 25      | 40.22      | 11.81      | 64.38      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6885MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.65388G    | 68.16             | 83.54             | -15.38         | 63.60         | 1           | Vertical  | 18             | 1.80          | 25      | 37.90      | 15.72      | 49.06      |  |  |  |
| AV   | 20.65292G    | 55.41             | 63.54             | -8.13          | 50.85         | 1           | Vertical  | 18             | 1.80          | 25      | 37.90      | 15.72      | 49.06      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.63686G    | 69.38             | 83.54             | -14.16         | 64.81         | 1           | Horizontal | 18             | 1.82          | 25      | 37.93      | 15.71      | 49.07      |  |  |  |
| AV   | 20.6562G     | 58.26             | 63.54             | -5.28          | 53.70         | 1           | Horizontal | 18             | 1.82          | 25      | 37.90      | 15.72      | 49.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6925MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81963G | 48.26    | 88.20    | -39.94 | 60.60  | 3    | Vertical  | 262     | 1.80   | 25      | 40.24 | 11.81 | 64.39 |  |  |  |
| RMS  | 13.81587G | 36.05    | 68.20    | -32.15 | 48.40  | 3    | Vertical  | 262     | 1.80   | 25      | 40.23 | 11.81 | 64.39 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.83074G | 48.41    | 88.20    | -39.79 | 60.72  | 3    | Horizontal | 38      | 1.80   | 25      | 40.26 | 11.82 | 64.39 |  |  |  |
| RMS  | 13.82754G | 36.36    | 68.20    | -31.84 | 48.68  | 3    | Horizontal | 38      | 1.80   | 25      | 40.26 | 11.81 | 64.39 |  |  |  |



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.77308G | 64.68    | 83.54    | -18.86 | 59.88  | 1    | Vertical  | 67      | 1.80   | 25      | 37.98 | 15.82 | 49.00 |  |  |  |
| AV   | 20.775G   | 53.23    | 63.54    | -10.31 | 48.41  | 1    | Vertical  | 67      | 1.80   | 25      | 38.00 | 15.82 | 49.00 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.77468G | 65.97    | 83.54    | -17.57 | 61.15  | 1    | Horizontal | 24      | 1.80   | 25      | 38.00 | 15.82 | 49.00 |  |  |  |
| AV   | 20.77612G | 54.41    | 63.54    | -9.13  | 49.58  | 1    | Horizontal | 24      | 1.80   | 25      | 38.01 | 15.82 | 49.00 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


7005MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.04469G | 48.38    | 88.20    | -39.82 | 59.85  | 3    | Vertical  | 289     | 1.80   | 25      | 40.99 | 11.90 | 64.36 |  |  |  |
| RMS  | 14.01416G | 36.07    | 68.20    | -32.13 | 47.68  | 3    | Vertical  | 289     | 1.80   | 25      | 40.93 | 11.89 | 64.43 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.02351G    | 48.59             | 88.20             | -39.61         | 60.16         | 3           | Horizontal | 11             | 1.80          | 25      | 40.95      | 11.89      | 64.41      |  |  |  |
| RMS  | 14.02279G    | 36.49             | 68.20             | -31.71         | 48.06         | 3           | Horizontal | 11             | 1.80          | 25      | 40.95      | 11.89      | 64.41      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


7005MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.03306G | 75.76    | 83.54    | -7.78  | 70.38  | 1    | Vertical  | 4       | 1.84   | 25      | 38.23 | 16.03 | 48.88 |  |  |  |
| AV   | 21.01268G | 63.53    | 63.54    | -0.01  | 58.37  | 1    | Vertical  | 4       | 1.84   | 25      | 38.03 | 16.01 | 48.88 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


7005MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.01172G | 72.47    | 83.54    | -11.07 | 67.32  | 1    | Horizontal | 345     | 1.80   | 25      | 38.02 | 16.01 | 48.88 |  |  |  |
| AV   | 21.0114G  | 60.56    | 63.54    | -2.98  | 55.42  | 1    | Horizontal | 345     | 1.80   | 25      | 38.01 | 16.01 | 48.88 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Y\_2TX  
SET 12.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0766G      | 110.77            | Inf               | -Inf           | 99.81         | 3           | Vertical  | 66             | 2.95          | -       | 35.46      | 8.53       | 33.03      |  |  |  |
| RMS  | 7.0732G      | 101.17            | Inf               | -Inf           | 90.23         | 3           | Vertical  | 66             | 2.95          | -       | 35.44      | 8.53       | 33.03      |  |  |  |
| PK   | 7.154G       | 65.71             | 88.20             | -22.49         | 54.34         | 3           | Vertical  | 66             | 2.95          | -       | 35.92      | 8.51       | 33.06      |  |  |  |
| RMS  | 7.1736G      | 54.55             | 68.20             | -13.65         | 43.12         | 3           | Vertical  | 66             | 2.95          | -       | 35.99      | 8.50       | 33.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX


EUT\_Y\_2TX  
SET 12.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0694G      | 100.01            | Inf               | -Inf           | 89.08         | 3           | Horizontal | 312            | 2.00          | -       | 35.42      | 8.54       | 33.03      |  |  |  |
| RMS  | 7.0712G      | 91.19             | Inf               | -Inf           | 80.25         | 3           | Horizontal | 312            | 2.00          | -       | 35.43      | 8.54       | 33.03      |  |  |  |
| PK   | 7.1696G      | 64.81             | 88.20             | -23.39         | 53.39         | 3           | Horizontal | 312            | 2.00          | -       | 35.98      | 8.50       | 33.06      |  |  |  |
| RMS  | 7.1772G      | 54.48             | 68.20             | -13.72         | 43.03         | 3           | Horizontal | 312            | 2.00          | -       | 36.01      | 8.50       | 33.06      |  |  |  |



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


7085MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.18702G    | 50.73             | 88.20             | -37.47         | 61.34         | 3           | Vertical  | 336            | 1.80          | 25      | 41.47      | 11.97      | 64.05      |  |  |  |
| RMS  | 14.16928G    | 38.96             | 68.20             | -29.24         | 49.65         | 3           | Vertical  | 336            | 1.80          | 25      | 41.44      | 11.96      | 64.09      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


7085MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.19629G    | 49.73             | 88.20             | -38.47         | 60.30         | 3           | Horizontal | 39             | 1.80          | 25      | 41.49      | 11.97      | 64.03      |  |  |  |
| RMS  | 14.17823G    | 38.38             | 68.20             | -29.82         | 49.03         | 3           | Horizontal | 39             | 1.80          | 25      | 41.46      | 11.96      | 64.07      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


7085MHz\_TX

EUT\_Y\_2TX  
SET22.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.25716G | 75.94    | 83.54    | -7.60  | 70.52  | 1    | Vertical  | 341     | 1.80   | 22.5    | 38.06 | 16.21 | 48.85 |  |  |  |
| AV   | 21.25516G | 62.65    | 63.54    | -0.89  | 57.26  | 1    | Vertical  | 341     | 1.80   | 22.5    | 38.04 | 16.20 | 48.85 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


7085MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.25508G | 75.65    | 83.54    | -7.89  | 70.26  | 1    | Horizontal | 36      | 1.74   | 25      | 38.04 | 16.20 | 48.85 |  |  |  |
| AV   | 21.24973G | 62.26    | 63.54    | -1.28  | 56.91  | 1    | Horizontal | 36      | 1.74   | 25      | 38.00 | 16.20 | 48.85 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


5985MHz\_TX

EUT\_Y\_2TX  
SET

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.91804G     | 62.41             | 88.20             | -25.79         | 55.34         | 3           | Vertical  | 63             | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| AV   | 5.91804G     | 50.91             | 68.20             | -17.29         | 43.84         | 3           | Vertical  | 63             | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 5.9778G      | 109.31            | Inf               | -Inf           | 102.17        | 3           | Vertical  | 63             | 2.95          | -       | 32.46      | 7.67       | 32.99      |  |  |  |
| AV   | 6.01908G     | 97.69             | Inf               | -Inf           | 90.47         | 3           | Vertical  | 63             | 2.95          | -       | 32.54      | 7.68       | 33.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


5985MHz\_TX

EUT\_Y\_2TX  
SET

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.90652G     | 62.28             | 88.20             | -25.92         | 55.22         | 3           | Horizontal | 308            | 2.95          | -       | 32.40      | 7.63       | 32.97      |  |  |  |
| AV   | 5.92308G     | 49.82             | 68.20             | -18.38         | 42.75         | 3           | Horizontal | 308            | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.0066G      | 101.99            | Inf               | -Inf           | 94.80         | 3           | Horizontal | 308            | 2.95          | -       | 32.51      | 7.68       | 33.00      |  |  |  |
| AV   | 6.00612G     | 90.05             | Inf               | -Inf           | 82.86         | 3           | Horizontal | 308            | 2.95          | -       | 32.51      | 7.68       | 33.00      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


## 5985MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.99094G    | 46.37             | 74.00             | -27.63         | 61.92         | 3           | Vertical  | 6              | 1.80          | 25      | 39.08      | 11.12      | 65.75      |  |  |  |
| AV   | 11.96984G    | 32.72             | 54.00             | -21.28         | 48.34         | 3           | Vertical  | 6              | 1.80          | 25      | 39.04      | 11.10      | 65.76      |  |  |  |
| PK   | 17.90305G    | 57.88             | 74.00             | -16.12         | 59.96         | 3           | Vertical  | 22             | 1.80          | 25      | 46.97      | 13.42      | 62.47      |  |  |  |
| AV   | 17.98153G    | 46.43             | 54.00             | -7.57          | 46.30         | 3           | Vertical  | 22             | 1.80          | 25      | 49.01      | 13.44      | 62.32      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

## 5985MHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.98678G    | 45.96             | 74.00             | -28.04         | 61.53         | 3           | Horizontal | 360            | 1.80          | 25      | 39.07      | 11.11      | 65.75      |  |  |  |
| AV   | 11.91006G    | 32.15             | 54.00             | -21.85         | 47.96         | 3           | Horizontal | 360            | 1.80          | 25      | 38.92      | 11.07      | 65.80      |  |  |  |
| PK   | 17.98329G    | 59.48             | 74.00             | -14.52         | 59.28         | 3           | Horizontal | 9              | 1.80          | 25      | 49.07      | 13.44      | 62.31      |  |  |  |
| AV   | 17.98137G    | 46.30             | 54.00             | -7.70          | 46.18         | 3           | Horizontal | 9              | 1.80          | 25      | 49.00      | 13.44      | 62.32      |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


5985MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.93904G | 61.97    | 83.54    | -21.57 | 52.83  | 1    | Vertical  | 22      | 1.80   | 25      | 38.88 | 17.38 | 47.12 |  |  |  |
| AV   | 23.94G    | 49.88    | 63.54    | -13.66 | 40.74  | 1    | Vertical  | 22      | 1.80   | 25      | 38.88 | 17.38 | 47.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


5985MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94G    | 63.35    | 83.54    | -20.19 | 54.21  | 1    | Horizontal | 346     | 1.73   | 25      | 38.88 | 17.38 | 47.12 |  |  |  |
| AV   | 23.93936G | 51.18    | 63.54    | -12.36 | 42.04  | 1    | Horizontal | 346     | 1.73   | 25      | 38.88 | 17.38 | 47.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6225MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.45016G | 47.15    | 74.00    | -26.85 | 62.69  | 3    | Vertical  | 354     | 1.80   | 25      | 38.50 | 11.29 | 65.33 |  |  |  |
| AV   | 12.44984G | 36.33    | 54.00    | -17.67 | 51.88  | 3    | Vertical  | 354     | 1.80   | 25      | 38.50 | 11.29 | 65.34 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6225MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.43018G    | 48.17             | 74.00             | -25.83         | 63.62         | 3           | Horizontal | 67             | 1.80          | 25      | 38.62      | 11.28      | 65.35      |  |  |  |
| AV   | 12.40253G    | 35.55             | 54.00             | -18.45         | 50.88         | 3           | Horizontal | 67             | 1.80          | 25      | 38.78      | 11.27      | 65.38      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6225MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.65454G    | 47.66             | 83.54             | -35.88         | 44.18         | 1           | Vertical  | 88             | 1.80          | 25      | 37.78      | 15.27      | 49.57      |  |  |  |
| AV   | 18.64879G    | 35.18             | 63.54             | -28.36         | 31.69         | 1           | Vertical  | 88             | 1.80          | 25      | 37.80      | 15.27      | 49.58      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6225MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.68331G    | 58.51             | 83.54             | -25.03         | 55.13         | 1           | Horizontal | 12             | 1.80          | 25      | 37.67      | 15.27      | 49.56      |  |  |  |
| AV   | 18.66429G    | 46.79             | 63.54             | -16.75         | 43.35         | 1           | Horizontal | 12             | 1.80          | 25      | 37.74      | 15.27      | 49.57      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6385MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.76968G    | 45.94             | 88.20             | -42.26         | 60.77         | 3           | Vertical  | 357            | 1.79          | 25      | 39.02      | 11.41      | 65.26      |  |  |  |
| RMS  | 12.76984G    | 35.73             | 68.20             | -32.47         | 50.56         | 3           | Vertical  | 357            | 1.79          | 25      | 39.02      | 11.41      | 65.26      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.76616G    | 46.08             | 88.20             | -42.12         | 60.93         | 3           | Horizontal | 311            | 1.80          | 25      | 39.00      | 11.41      | 65.26      |  |  |  |
| RMS  | 12.76984G    | 35.02             | 68.20             | -33.18         | 49.85         | 3           | Horizontal | 311            | 1.80          | 25      | 39.02      | 11.41      | 65.26      |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6385MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.15228G | 50.22    | 83.54    | -33.32 | 46.71  | 1    | Vertical  | 348     | 1.80   | 25      | 37.71 | 15.24 | 49.44 |  |  |  |
| AV   | 19.15052G | 39.21    | 63.54    | -24.33 | 35.71  | 1    | Vertical  | 348     | 1.80   | 25      | 37.70 | 15.24 | 49.44 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6385MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.16795G    | 57.35             | 83.54             | -26.19         | 53.75         | 1           | Horizontal | 37             | 1.80          | 25      | 37.81      | 15.24      | 49.45      |  |  |  |
| AV   | 19.14717G    | 45.84             | 63.54             | -17.70         | 42.33         | 1           | Horizontal | 37             | 1.80          | 25      | 37.71      | 15.24      | 49.44      |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6465MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.88668G | 45.62    | 88.20    | -42.58 | 60.10  | 3    | Vertical  | 25      | 1.80   | 25      | 39.30 | 11.46 | 65.24 |  |  |  |
| RMS  | 12.87086G | 33.88    | 68.20    | -34.32 | 48.38  | 3    | Vertical  | 25      | 1.80   | 25      | 39.30 | 11.45 | 65.25 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6465MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.86143G    | 46.25             | 88.20             | -41.95         | 60.75         | 3           | Horizontal | 360            | 1.80          | 25      | 39.30      | 11.45      | 65.25      |  |  |  |
| RMS  | 12.86846G    | 34.22             | 68.20             | -33.98         | 48.72         | 3           | Horizontal | 360            | 1.80          | 25      | 39.30      | 11.45      | 65.25      |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.40763G | 60.07    | 83.54    | -23.47 | 56.49  | 1    | Vertical  | 40      | 1.83   | 25      | 37.97 | 15.23 | 49.62 |  |  |  |
| AV   | 19.38765G | 48.56    | 63.54    | -14.98 | 44.98  | 1    | Vertical  | 40      | 1.83   | 25      | 37.95 | 15.23 | 49.60 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6465MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.41226G | 62.19    | 83.54    | -21.35 | 58.63  | 1    | Horizontal | 41      | 1.73   | 25      | 37.95 | 15.23 | 49.62 |  |  |  |
| AV   | 19.40795G | 49.98    | 63.54    | -13.56 | 46.40  | 1    | Horizontal | 41      | 1.73   | 25      | 37.97 | 15.23 | 49.62 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.14403G    | 46.50             | 88.20             | -41.70         | 60.52         | 3           | Vertical  | 239            | 1.80          | 25      | 39.38      | 11.55      | 64.95      |  |  |  |
| RMS  | 13.16976G    | 34.70             | 68.20             | -33.50         | 48.72         | 3           | Vertical  | 239            | 1.80          | 25      | 39.32      | 11.56      | 64.90      |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.09783G    | 47.72             | 88.20             | -40.48         | 62.03         | 3           | Horizontal | 31             | 1.80          | 25      | 39.19      | 11.54      | 65.04      |  |  |  |
| RMS  | 13.1696G     | 35.07             | 68.20             | -33.13         | 49.09         | 3           | Horizontal | 31             | 1.80          | 25      | 39.32      | 11.56      | 64.90      |  |  |  |



6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.66889G    | 73.62             | 83.54             | -9.92          | 69.95         | 1           | Vertical  | 12             | 1.89          | 25      | 37.99      | 15.22      | 49.54      |  |  |  |
| AV   | 19.64907G    | 61.63             | 63.54             | -1.91          | 57.88         | 1           | Vertical  | 12             | 1.89          | 25      | 38.09      | 15.22      | 49.56      |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.66985G    | 70.89             | 83.54             | -12.65         | 67.23         | 1           | Horizontal | 332            | 1.71          | 25      | 37.98      | 15.22      | 49.54      |  |  |  |
| AV   | 19.66985G    | 58.25             | 63.54             | -5.29          | 54.59         | 1           | Horizontal | 332            | 1.71          | 25      | 37.98      | 15.22      | 49.54      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6625MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.24717G    | 47.66             | 88.20             | -40.54         | 61.62         | 3           | Vertical  | 77             | 1.80          | 25      | 39.20      | 11.59      | 64.75      |  |  |  |
| RMS  | 13.24382G    | 35.95             | 68.20             | -32.25         | 49.92         | 3           | Vertical  | 77             | 1.80          | 25      | 39.20      | 11.59      | 64.76      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6625MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.24329G    | 47.97             | 88.20             | -40.23         | 61.94         | 3           | Horizontal | 216            | 1.80          | 25      | 39.20      | 11.59      | 64.76      |  |  |  |
| RMS  | 13.2443G     | 36.37             | 68.20             | -31.83         | 50.34         | 3           | Horizontal | 216            | 1.80          | 25      | 39.20      | 11.59      | 64.76      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6625MHz\_TX

EUT\_Y\_2TX  
SET 23

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.86253G | 74.89    | 83.54    | -8.65  | 71.38  | 1    | Vertical  | 20      | 1.82   | 23      | 37.68 | 15.21 | 49.38 |  |  |  |
| AV   | 19.86477G | 62.96    | 63.54    | -0.58  | 59.44  | 1    | Vertical  | 20      | 1.82   | 23      | 37.69 | 15.21 | 49.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6625MHz\_TX

EUT\_Y\_2TX  
SET23.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.84511G    | 75.44             | 83.54             | -8.10          | 71.98         | 1           | Horizontal | 342            | 1.80          | 23.5    | 37.65      | 15.21      | 49.40      |  |  |  |
| AV   | 19.86445G    | 62.71             | 63.54             | -0.83          | 59.19         | 1           | Horizontal | 342            | 1.80          | 23.5    | 37.69      | 15.21      | 49.38      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6705MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.4451G     | 48.24             | 88.20             | -39.96         | 60.96         | 3           | Vertical  | 85             | 1.80          | 25      | 39.98      | 11.67      | 64.37      |  |  |  |
| RMS  | 13.47362G    | 37.19             | 68.20             | -31.01         | 49.77         | 3           | Vertical  | 85             | 1.80          | 25      | 40.05      | 11.68      | 64.31      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.43999G    | 48.56             | 88.20             | -39.64         | 61.31         | 3           | Horizontal | 351            | 1.80          | 25      | 39.96      | 11.67      | 64.38      |  |  |  |
| RMS  | 13.48928G    | 37.31             | 68.20             | -30.89         | 49.82         | 3           | Horizontal | 351            | 1.80          | 25      | 40.08      | 11.69      | 64.28      |  |  |  |



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6705MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.10381G    | 71.26             | 83.54             | -12.28         | 67.34         | 1           | Vertical  | 20             | 1.83          | 25      | 37.88      | 15.28      | 49.24      |  |  |  |
| AV   | 20.10221G    | 59.22             | 63.54             | -4.32          | 55.29         | 1           | Vertical  | 20             | 1.83          | 25      | 37.89      | 15.28      | 49.24      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6705MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.11308G | 71.45    | 83.54    | -12.09 | 67.58  | 1    | Horizontal | 30      | 1.80   | 25      | 37.82 | 15.29 | 49.24 |  |  |  |
| AV   | 20.11324G | 59.20    | 63.54    | -4.34  | 55.33  | 1    | Horizontal | 30      | 1.80   | 25      | 37.82 | 15.29 | 49.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6785MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.648G   | 49.24    | 88.20    | -38.96 | 61.71  | 3    | Vertical  | 101     | 1.80   | 25      | 40.10 | 11.75 | 64.32 |  |  |  |
| RMS  | 13.49663G | 37.07    | 68.20    | -31.13 | 49.56  | 3    | Vertical  | 101     | 1.80   | 25      | 40.09 | 11.69 | 64.27 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6785MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.53132G | 49.13    | 88.20    | -39.07 | 61.47  | 3    | Horizontal | 244     | 1.80   | 25      | 40.23 | 11.70 | 64.27 |  |  |  |
| RMS  | 13.49296G | 37.24    | 68.20    | -30.96 | 49.73  | 3    | Horizontal | 244     | 1.80   | 25      | 40.09 | 11.69 | 64.27 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6785MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.32671G    | 66.98             | 83.54             | -16.56         | 62.56         | 1           | Vertical  | 20             | 1.80          | 25      | 38.15      | 15.46      | 49.19      |  |  |  |
| AV   | 20.32927G    | 54.48             | 63.54             | -9.06          | 50.06         | 1           | Vertical  | 20             | 1.80          | 25      | 38.14      | 15.46      | 49.18      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6785MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.28931G    | 61.82             | 83.54             | -21.72         | 57.42         | 1           | Horizontal | 347            | 1.80          | 25      | 38.16      | 15.43      | 49.19      |  |  |  |
| AV   | 20.30801G    | 49.86             | 63.54             | -13.68         | 45.42         | 1           | Horizontal | 347            | 1.80          | 25      | 38.18      | 15.45      | 49.19      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.68604G    | 48.75             | 88.20             | -39.45         | 61.22         | 3           | Vertical  | 348            | 1.80          | 25      | 40.10      | 11.76      | 64.33      |  |  |  |
| RMS  | 13.6528G     | 36.29             | 68.20             | -31.91         | 48.76         | 3           | Vertical  | 348            | 1.80          | 25      | 40.10      | 11.75      | 64.32      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.65711G    | 48.72             | 88.20             | -39.48         | 61.19         | 3           | Horizontal | 178            | 1.80          | 25      | 40.10      | 11.75      | 64.32      |  |  |  |
| RMS  | 13.65535G    | 36.75             | 68.20             | -31.45         | 49.22         | 3           | Horizontal | 178            | 1.80          | 25      | 40.10      | 11.75      | 64.32      |  |  |  |



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.61434G    | 59.48             | 83.54             | -24.06         | 54.90         | 1           | Vertical  | 17             | 1.80          | 25      | 37.97      | 15.69      | 49.08      |  |  |  |
| AV   | 20.61466G    | 47.81             | 63.54             | -15.73         | 43.23         | 1           | Vertical  | 17             | 1.80          | 25      | 37.97      | 15.69      | 49.08      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.57582G    | 65.50             | 83.54             | -18.04         | 60.99         | 1           | Horizontal | 17             | 1.81          | 25      | 37.95      | 15.66      | 49.10      |  |  |  |
| AV   | 20.61626G    | 54.01             | 63.54             | -9.53          | 49.43         | 1           | Horizontal | 17             | 1.81          | 25      | 37.97      | 15.69      | 49.08      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6945MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.81983G    | 48.16             | 88.20             | -40.04         | 60.50         | 3           | Vertical  | 275            | 1.80          | 25      | 40.24      | 11.81      | 64.39      |  |  |  |
| RMS  | 13.81488G    | 35.84             | 68.20             | -32.36         | 48.19         | 3           | Vertical  | 275            | 1.80          | 25      | 40.23      | 11.81      | 64.39      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6945MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.91494G    | 48.59             | 88.20             | -39.61         | 60.44         | 3           | Horizontal | 1              | 1.80          | 25      | 40.73      | 11.85      | 64.43      |  |  |  |
| RMS  | 13.81168G    | 36.08             | 68.20             | -32.12         | 48.43         | 3           | Horizontal | 1              | 1.80          | 25      | 40.22      | 11.81      | 64.38      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6945MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.85338G | 68.94    | 83.54    | -14.60 | 63.83  | 1    | Vertical  | 25      | 1.82   | 25      | 38.19 | 15.88 | 48.96 |  |  |  |
| AV   | 20.8545G  | 57.24    | 63.54    | -6.30  | 52.13  | 1    | Vertical  | 25      | 1.82   | 25      | 38.19 | 15.88 | 48.96 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6945MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.81198G    | 70.18             | 83.54             | -13.36         | 65.11         | 1           | Horizontal | 26             | 1.80          | 25      | 38.20      | 15.85      | 48.98      |  |  |  |
| AV   | 20.83404G    | 57.45             | 63.54             | -6.09          | 52.35         | 1           | Horizontal | 26             | 1.80          | 25      | 38.20      | 15.87      | 48.97      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


7025MHz\_TX

EUT Y\_2TX  
SET 15

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.013G       | 111.77            | Inf               | -Inf           | 101.07        | 3           | Vertical  | 64.1           | 2.66          | -       | 35.15      | 8.56       | 33.01      |  |  |  |
| RMS  | 7.015G       | 101.56            | Inf               | -Inf           | 90.86         | 3           | Vertical  | 64.1           | 2.66          | -       | 35.16      | 8.55       | 33.01      |  |  |  |
| PK   | 7.1382G      | 65.33             | 88.20             | -22.87         | 54.04         | 3           | Vertical  | 64.1           | 2.66          | -       | 35.83      | 8.51       | 33.05      |  |  |  |
| RMS  | 7.2242G      | 54.74             | 68.20             | -13.46         | 43.15         | 3           | Vertical  | 64.1           | 2.66          | -       | 36.15      | 8.52       | 33.08      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX


EUT\_Y\_2TX  
SET 15

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.013G       | 99.28             | Inf               | -Inf           | 88.58         | 3           | Horizontal | 324            | 2.76          | -       | 35.15      | 8.56       | 33.01      |  |  |  |
| RMS  | 7.0122G      | 89.87             | Inf               | -Inf           | 79.17         | 3           | Horizontal | 324            | 2.76          | -       | 35.15      | 8.56       | 33.01      |  |  |  |
| PK   | 7.1894G      | 65.51             | 88.20             | -22.69         | 54.03         | 3           | Horizontal | 324            | 2.76          | -       | 36.06      | 8.49       | 33.07      |  |  |  |
| RMS  | 7.2214G      | 54.68             | 68.20             | -13.52         | 43.10         | 3           | Horizontal | 324            | 2.76          | -       | 36.14      | 8.52       | 33.08      |  |  |  |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


7025MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.01947G    | 48.47             | 88.20             | -39.73         | 60.06         | 3           | Vertical  | 354            | 2.94          | 25      | 40.94      | 11.89      | 64.42      |  |  |  |
| RMS  | 14.02506G    | 36.77             | 68.20             | -31.43         | 48.34         | 3           | Vertical  | 354            | 2.94          | 25      | 40.95      | 11.89      | 64.41      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


7025MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.03082G | 48.12    | 88.20    | -40.08 | 59.66  | 3    | Horizontal | 125     | 1.80   | 25      | 40.96 | 11.89 | 64.39 |  |  |  |
| RMS  | 14.02347G | 36.36    | 68.20    | -31.84 | 47.93  | 3    | Horizontal | 125     | 1.80   | 25      | 40.95 | 11.89 | 64.41 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


7025MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.0921G  | 73.28    | 83.54    | -10.26 | 67.93  | 1    | Vertical  | 21      | 1.80   | 25      | 38.15 | 16.07 | 48.87 |  |  |  |
| AV   | 21.07324G | 60.86    | 63.54    | -2.68  | 55.41  | 1    | Vertical  | 21      | 1.80   | 25      | 38.26 | 16.06 | 48.87 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


7025MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.05582G | 72.24    | 83.54    | -11.30 | 66.70  | 1    | Horizontal | 342     | 1.63   | 25      | 38.37 | 16.04 | 48.87 |  |  |  |
| AV   | 21.07212G | 60.60    | 63.54    | -2.94  | 55.14  | 1    | Horizontal | 342     | 1.63   | 25      | 38.27 | 16.06 | 48.87 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Y\_2TX  
SET 18.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.92196G     | 64.86             | 88.20             | -23.34         | 57.79         | 3           | Vertical  | 57             | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.91972G     | 53.59             | 68.20             | -14.61         | 46.52         | 3           | Vertical  | 57             | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.09668G     | 109.69            | Inf               | -Inf           | 102.49        | 3           | Vertical  | 57             | 2.95          | -       | 32.51      | 7.70       | 33.01      |  |  |  |
| RMS  | 6.09732G     | 97.66             | Inf               | -Inf           | 90.46         | 3           | Vertical  | 57             | 2.95          | -       | 32.51      | 7.70       | 33.01      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT Y\_2TX  
SET 18.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.91012G     | 61.93             | 88.20             | -26.27         | 54.86         | 3           | Horizontal | 308            | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.9242G      | 50.66             | 68.20             | -17.54         | 43.59         | 3           | Horizontal | 308            | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.0458G      | 100.93            | Inf               | -Inf           | 93.65         | 3           | Horizontal | 308            | 2.95          | -       | 32.59      | 7.69       | 33.00      |  |  |  |
| RMS  | 6.00676G     | 89.06             | Inf               | -Inf           | 81.87         | 3           | Horizontal | 308            | 2.95          | -       | 32.51      | 7.68       | 33.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.89176G    | 46.21             | 74.00             | -27.79         | 62.06         | 3           | Vertical  | 86             | 1.80          | 25      | 38.90      | 11.06      | 65.81      |  |  |  |
| AV   | 12.20888G    | 32.76             | 54.00             | -21.24         | 48.01         | 3           | Vertical  | 86             | 1.80          | 25      | 39.10      | 11.20      | 65.55      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.09507G    | 46.56             | 74.00             | -27.44         | 61.75         | 3           | Horizontal | 355            | 1.80          | 25      | 39.30      | 11.16      | 65.65      |  |  |  |
| AV   | 12.20952G    | 33.06             | 54.00             | -20.94         | 48.31         | 3           | Horizontal | 355            | 1.80          | 25      | 39.10      | 11.20      | 65.55      |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.00307G | 58.45    | 83.54    | -25.09 | 55.00  | 1    | Vertical  | 14      | 2.13   | 25      | 37.59 | 15.30 | 49.44 |  |  |  |
| AV   | 18.00499G | 46.53    | 63.54    | -17.01 | 43.09  | 1    | Vertical  | 14      | 2.13   | 25      | 37.58 | 15.30 | 49.44 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.06317G    | 56.58             | 83.54             | -26.96         | 53.30         | 1           | Horizontal | 24             | 1.76          | 25      | 37.45      | 15.30      | 49.47      |  |  |  |
| AV   | 18.06381G    | 45.15             | 63.54             | -18.39         | 41.86         | 1           | Horizontal | 24             | 1.76          | 25      | 37.46      | 15.30      | 49.47      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6185MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.33867G    | 47.36             | 74.00             | -26.64         | 62.63         | 3           | Vertical  | 33             | 1.80          | 25      | 38.92      | 11.25      | 65.44      |  |  |  |
| AV   | 12.36968G    | 34.24             | 54.00             | -19.76         | 49.53         | 3           | Vertical  | 33             | 1.80          | 25      | 38.86      | 11.26      | 65.41      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6185MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.32844G    | 47.84             | 74.00             | -26.16         | 63.10         | 3           | Horizontal | 359            | 1.80          | 25      | 38.94      | 11.24      | 65.44      |  |  |  |
| AV   | 12.40037G    | 33.82             | 54.00             | -20.18         | 49.13         | 3           | Horizontal | 359            | 1.80          | 25      | 38.80      | 11.27      | 65.38      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6185MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.48339G | 48.40    | 83.54    | -35.14 | 44.96  | 1    | Vertical  | 85      | 1.80   | 25      | 37.83 | 15.28 | 49.67 |  |  |  |
| AV   | 18.48403G | 36.22    | 63.54    | -27.32 | 32.77  | 1    | Vertical  | 85      | 1.80   | 25      | 37.84 | 15.28 | 49.67 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6185MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.52303G    | 58.48             | 83.54             | -25.06         | 55.06         | 1           | Horizontal | 38             | 1.80          | 25      | 37.81      | 15.27      | 49.66      |  |  |  |
| AV   | 18.54221G    | 45.31             | 63.54             | -18.23         | 41.96         | 1           | Horizontal | 38             | 1.80          | 25      | 37.73      | 15.27      | 49.65      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6345MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.54327G | 47.18    | 74.00    | -26.82 | 62.63  | 3    | Vertical  | 80      | 1.80   | 25      | 38.50 | 11.33 | 65.28 |  |  |  |
| AV   | 12.53975G | 33.21    | 54.00    | -20.79 | 48.67  | 3    | Vertical  | 80      | 1.80   | 25      | 38.50 | 11.33 | 65.29 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.54135G | 46.89    | 74.00    | -27.11 | 62.35  | 3    | Horizontal | 245     | 1.80   | 25      | 38.50 | 11.33 | 65.29 |  |  |  |
| AV   | 12.53464G | 33.55    | 54.00    | -20.45 | 49.02  | 3    | Horizontal | 245     | 1.80   | 25      | 38.50 | 11.32 | 65.29 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6345MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.12451G    | 54.12             | 83.54             | -29.42         | 50.50         | 1           | Vertical  | 12             | 1.80          | 25      | 37.80      | 15.24      | 49.42      |  |  |  |
| AV   | 19.14145G    | 41.52             | 63.54             | -22.02         | 37.99         | 1           | Vertical  | 12             | 1.80          | 25      | 37.73      | 15.24      | 49.44      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6345MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.97138G | 55.61    | 83.54    | -27.93 | 51.88  | 1    | Horizontal | 36      | 1.81   | 25      | 37.84 | 15.25 | 49.36 |  |  |  |
| AV   | 19.00943G | 44.40    | 63.54    | -19.14 | 40.60  | 1    | Horizontal | 36      | 1.81   | 25      | 37.90 | 15.25 | 49.35 |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.89012G    | 45.34             | 88.20             | -42.86         | 59.82         | 3           | Vertical  | 1              | 1.80          | 25      | 39.30      | 11.46      | 65.24      |  |  |  |
| RMS  | 13.16984G    | 34.75             | 68.20             | -33.45         | 48.77         | 3           | Vertical  | 1              | 1.80          | 25      | 39.32      | 11.56      | 64.90      |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.07745G    | 46.36             | 88.20             | -41.84         | 60.80         | 3           | Horizontal | 287            | 1.80          | 25      | 39.11      | 11.53      | 65.08      |  |  |  |
| RMS  | 13.16952G    | 34.96             | 68.20             | -33.24         | 48.98         | 3           | Horizontal | 287            | 1.80          | 25      | 39.32      | 11.56      | 64.90      |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.60739G    | 65.15             | 83.54             | -18.39         | 61.68         | 1           | Vertical  | 15             | 1.90          | 25      | 37.84      | 15.22      | 49.59      |  |  |  |
| AV   | 19.62593G    | 53.84             | 63.54             | -9.70          | 50.24         | 1           | Vertical  | 15             | 1.90          | 25      | 37.96      | 15.22      | 49.58      |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.64511G    | 64.96             | 83.54             | -18.58         | 61.23         | 1           | Horizontal | 346            | 1.83          | 25      | 38.07      | 15.22      | 49.56      |  |  |  |
| AV   | 19.65086G    | 52.09             | 63.54             | -11.45         | 48.34         | 1           | Horizontal | 346            | 1.83          | 25      | 38.09      | 15.22      | 49.56      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6665MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.30826G    | 48.38             | 74.00             | -25.62         | 61.94         | 3           | Vertical  | 335            | 1.80          | 25      | 39.45      | 11.62      | 64.63      |  |  |  |
| AV   | 13.27565G    | 36.07             | 54.00             | -17.93         | 49.87         | 3           | Vertical  | 335            | 1.80          | 25      | 39.30      | 11.60      | 64.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.2715G  | 47.76    | 74.00    | -26.24 | 61.57  | 3    | Horizontal | 64      | 1.80   | 25      | 39.29 | 11.60 | 64.70 |  |  |  |
| AV   | 13.27533G | 36.43    | 54.00    | -17.57 | 50.23  | 3    | Horizontal | 64      | 1.80   | 25      | 39.30 | 11.60 | 64.70 |  |  |  |



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6665MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.84603G | 75.77    | 83.54    | -7.77  | 72.32  | 1    | Vertical  | 19      | 1.87   | 25      | 37.64 | 15.21 | 49.40 |  |  |  |
| AV   | 19.86489G | 63.47    | 63.54    | -0.07  | 59.95  | 1    | Vertical  | 19      | 1.87   | 25      | 37.69 | 15.21 | 49.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6665MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.86425G | 73.71    | 83.54    | -9.83  | 70.19  | 1    | Horizontal | 342     | 1.80   | 25      | 37.69 | 15.21 | 49.38 |  |  |  |
| AV   | 19.86521G | 61.48    | 63.54    | -2.06  | 57.96  | 1    | Horizontal | 342     | 1.80   | 25      | 37.69 | 15.21 | 49.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.55474G    | 48.95             | 88.20             | -39.25         | 61.24         | 3           | Vertical  | 219            | 1.80          | 25      | 40.28      | 11.71      | 64.28      |  |  |  |
| RMS  | 13.49336G    | 37.14             | 68.20             | -31.06         | 49.63         | 3           | Vertical  | 219            | 1.80          | 25      | 40.09      | 11.69      | 64.27      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.50007G    | 48.63             | 88.20             | -39.57         | 61.10         | 3           | Horizontal | 39             | 1.80          | 25      | 40.10      | 11.69      | 64.26      |  |  |  |
| RMS  | 13.51126G    | 37.37             | 68.20             | -30.83         | 49.79         | 3           | Horizontal | 39             | 1.80          | 25      | 40.15      | 11.69      | 64.26      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.41202G    | 61.71             | 83.54             | -21.83         | 57.34         | 1           | Vertical  | 20             | 1.80          | 25      | 38.00      | 15.53      | 49.16      |  |  |  |
| AV   | 20.39092G    | 48.34             | 63.54             | -15.20         | 43.98         | 1           | Vertical  | 20             | 1.80          | 25      | 38.02      | 15.51      | 49.17      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6825MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.45486G    | 60.90             | 83.54             | -22.64         | 56.53         | 1           | Horizontal | 18             | 1.92          | 25      | 37.96      | 15.56      | 49.15      |  |  |  |
| AV   | 20.4149G     | 49.06             | 63.54             | -14.48         | 44.69         | 1           | Horizontal | 18             | 1.92          | 25      | 38.00      | 15.53      | 49.16      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6985MHz\_TX

EUT\_Y\_2TX  
SET 18

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.012G       | 111.49            | Inf               | -Inf           | 100.79        | 3           | Vertical  | 61.9           | 2.95          | -       | 35.15      | 8.56       | 33.01      |  |  |  |
| AV   | 7.014G       | 101.54            | Inf               | -Inf           | 90.83         | 3           | Vertical  | 61.9           | 2.95          | -       | 35.16      | 8.56       | 33.01      |  |  |  |
| PK   | 7.1335G      | 67.11             | 88.20             | -21.09         | 55.85         | 3           | Vertical  | 61.9           | 2.95          | -       | 35.80      | 8.51       | 33.05      |  |  |  |
| AV   | 7.1315G      | 57.29             | 68.20             | -10.91         | 46.04         | 3           | Vertical  | 61.9           | 2.95          | -       | 35.79      | 8.51       | 33.05      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX


EUT\_Y\_2TX  
SET

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9128G      | 98.42             | Inf               | -Inf           | 88.19         | 3           | Horizontal | 316            | 2.08          | -       | 34.78      | 8.47       | 33.02      |  |  |  |
| AV   | 6.91082G     | 87.18             | Inf               | -Inf           | 76.97         | 3           | Horizontal | 316            | 2.08          | -       | 34.76      | 8.47       | 33.02      |  |  |  |
| PK   | 7.22919G     | 64.52             | 88.20             | -23.68         | 52.91         | 3           | Horizontal | 316            | 2.08          | -       | 36.16      | 8.53       | 33.08      |  |  |  |
| AV   | 7.24776G     | 52.25             | 68.20             | -15.95         | 40.58         | 3           | Horizontal | 316            | 2.08          | -       | 36.20      | 8.55       | 33.08      |  |  |  |
| PK   | 7.2525G      | 63.62             | 74.00             | -10.38         | 51.95         | 3           | Horizontal | 316            | 2.08          | -       | 36.21      | 8.55       | 33.09      |  |  |  |
| AV   | 7.25G        | 52.08             | 54.00             | -1.92          | 40.41         | 3           | Horizontal | 316            | 2.08          | -       | 36.20      | 8.55       | 33.08      |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6985MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.82678G | 47.35    | 88.20    | -40.85 | 59.68  | 3    | Vertical  | 360     | 1.80   | 25      | 40.25 | 11.81 | 64.39 |  |  |  |
| RMS  | 13.81815G | 35.95    | 68.20    | -32.25 | 48.29  | 3    | Vertical  | 360     | 1.80   | 25      | 40.24 | 11.81 | 64.39 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6985MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.9083G     | 49.47             | 88.20             | -38.73         | 61.32         | 3           | Horizontal | 57             | 1.80          | 25      | 40.72      | 11.85      | 64.42      |  |  |  |
| RMS  | 13.81655G    | 36.46             | 68.20             | -31.74         | 48.81         | 3           | Horizontal | 57             | 1.80          | 25      | 40.23      | 11.81      | 64.39      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6985MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.9307G  | 69.24    | 83.54    | -14.30 | 64.12  | 1    | Vertical  | 5       | 1.88   | 25      | 38.10 | 15.94 | 48.92 |  |  |  |
| AV   | 20.97226G | 56.97    | 63.54    | -6.57  | 51.87  | 1    | Vertical  | 5       | 1.88   | 25      | 38.01 | 15.98 | 48.89 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6985MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.93006G    | 67.47             | 83.54             | -16.07         | 62.35         | 1           | Horizontal | 345            | 1.80          | 25      | 38.10      | 15.94      | 48.92      |  |  |  |
| AV   | 20.95116G    | 54.32             | 63.54             | -9.22          | 49.17         | 1           | Horizontal | 345            | 1.80          | 25      | 38.10      | 15.96      | 48.91      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Y\_2TX  
SET 20.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9226G      | 72.25             | 88.20             | -15.95         | 65.18         | 3           | Vertical  | 58             | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.9202G      | 59.24             | 68.20             | -8.96          | 52.17         | 3           | Vertical  | 58             | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.25908G     | 109.87            | Inf               | -Inf           | 102.10        | 3           | Vertical  | 58             | 2.95          | -       | 33.00      | 7.80       | 33.03      |  |  |  |
| RMS  | 6.23748G     | 97.55             | Inf               | -Inf           | 89.85         | 3           | Vertical  | 58             | 2.95          | -       | 32.95      | 7.77       | 33.02      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Y\_2TX  
SET 20.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.92404G     | 65.52             | 88.20             | -22.68         | 58.45         | 3           | Horizontal | 306            | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.925G       | 54.24             | 68.20             | -13.96         | 47.17         | 3           | Horizontal | 306            | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.24852G     | 100.39            | Inf               | -Inf           | 92.63         | 3           | Horizontal | 306            | 2.95          | -       | 32.99      | 7.79       | 33.02      |  |  |  |
| RMS  | 6.14724G     | 88.36             | Inf               | -Inf           | 80.97         | 3           | Horizontal | 306            | 2.95          | -       | 32.69      | 7.71       | 33.01      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.44528G | 46.91    | 74.00    | -27.09 | 62.43  | 3    | Vertical  | 30      | 1.80   | 25      | 38.53 | 11.29 | 65.34 |  |  |  |
| AV   | 12.51817G | 35.13    | 54.00    | -18.87 | 50.60  | 3    | Vertical  | 30      | 1.80   | 25      | 38.50 | 11.32 | 65.29 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.42866G    | 47.40             | 74.00             | -26.60         | 62.84         | 3           | Horizontal | 360            | 1.80          | 25      | 38.63      | 11.28      | 65.35      |  |  |  |
| AV   | 12.29184G    | 35.73             | 54.00             | -18.27         | 50.96         | 3           | Horizontal | 360            | 1.80          | 25      | 39.02      | 11.23      | 65.48      |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.34761G | 54.07    | 83.54    | -29.47 | 50.90  | 1    | Vertical  | 346     | 1.80   | 25      | 37.50 | 15.28 | 49.61 |  |  |  |
| AV   | 18.32459G | 41.42    | 63.54    | -22.12 | 38.24  | 1    | Vertical  | 346     | 1.80   | 25      | 37.50 | 15.28 | 49.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.33738G | 62.34    | 83.54    | -21.20 | 59.16  | 1    | Horizontal | 39      | 1.77   | 25      | 37.50 | 15.28 | 49.60 |  |  |  |
| AV   | 18.34569G | 46.61    | 63.54    | -16.93 | 43.44  | 1    | Horizontal | 39      | 1.77   | 25      | 37.50 | 15.28 | 49.61 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6265MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.45711G | 47.01    | 74.00    | -26.99 | 62.55  | 3    | Vertical  | 8       | 1.80   | 25      | 38.50 | 11.29 | 65.33 |  |  |  |
| AV   | 12.53G    | 37.05    | 54.00    | -16.95 | 52.52  | 3    | Vertical  | 8       | 1.80   | 25      | 38.50 | 11.32 | 65.29 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6265MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.57603G    | 47.42             | 74.00             | -26.58         | 62.76         | 3           | Horizontal | 360            | 1.80          | 25      | 38.60      | 11.34      | 65.28      |  |  |  |
| AV   | 12.37719G    | 35.96             | 54.00             | -18.04         | 51.25         | 3           | Horizontal | 360            | 1.80          | 25      | 38.85      | 11.26      | 65.40      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6265MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.83336G    | 47.26             | 83.54             | -36.28         | 43.52         | 1           | Vertical  | 200            | 1.80          | 25      | 37.93      | 15.26      | 49.45      |  |  |  |
| AV   | 18.5399G     | 34.96             | 63.54             | -28.58         | 31.60         | 1           | Vertical  | 200            | 1.80          | 25      | 37.74      | 15.27      | 49.65      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6265MHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.81674G    | 54.74             | 83.54             | -28.80         | 51.07         | 1           | Horizontal | 352            | 1.86          | 25      | 37.87      | 15.26      | 49.46      |  |  |  |
| AV   | 18.88195G    | 42.76             | 63.54             | -20.78         | 38.86         | 1           | Horizontal | 352            | 1.86          | 25      | 38.06      | 15.26      | 49.42      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6425MHz Straddle 5.925-6.425GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.53288G | 46.05    | 74.00    | -27.95 | 61.52  | 3    | Vertical  | 1       | 1.80   | 25      | 38.50 | 11.32 | 65.29 |  |  |  |
| AV   | 12.54183G | 35.29    | 54.00    | -18.71 | 50.74  | 3    | Vertical  | 1       | 1.80   | 25      | 38.50 | 11.33 | 65.28 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6425MHz Straddle 5.925-6.425GHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.55462G    | 46.98             | 74.00             | -27.02         | 62.41         | 3           | Horizontal | 189            | 1.80          | 25      | 38.52      | 11.33      | 65.28      |  |  |  |
| AV   | 12.5463G     | 35.56             | 54.00             | -18.44         | 51.01         | 3           | Horizontal | 189            | 1.80          | 25      | 38.50      | 11.33      | 65.28      |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6425MHz Straddle 5.925-6.425GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.26285G | 53.66    | 83.54    | -29.88 | 50.01  | 1    | Vertical  | 1       | 1.40   | 25      | 37.93 | 15.24 | 49.52 |  |  |  |
| AV   | 19.30505G | 41.66    | 63.54    | -21.88 | 38.00  | 1    | Vertical  | 1       | 1.40   | 25      | 37.98 | 15.23 | 49.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6425MHz Straddle 5.925-6.425GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.29738G | 57.61    | 83.54    | -25.93 | 53.92  | 1    | Horizontal | 360     | 1.80   | 25      | 37.99 | 15.24 | 49.54 |  |  |  |
| AV   | 19.36707G | 42.73    | 63.54    | -20.81 | 39.22  | 1    | Horizontal | 360     | 1.80   | 25      | 37.87 | 15.23 | 49.59 |  |  |  |

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6585MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.26463G    | 47.70             | 74.00             | -26.30         | 61.56         | 3           | Vertical  | 212            | 1.80          | 25      | 39.26      | 11.60      | 64.72      |  |  |  |
| AV   | 13.27422G    | 35.89             | 54.00             | -18.11         | 49.69         | 3           | Vertical  | 212            | 1.80          | 25      | 39.30      | 11.60      | 64.70      |  |  |  |

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6585MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.48457G    | 49.26             | 88.20             | -38.94         | 61.80         | 3           | Horizontal | 243            | 1.80          | 25      | 40.07      | 11.68      | 64.29      |  |  |  |
| AV   | 13.27486G    | 36.12             | 54.00             | -17.88         | 49.92         | 3           | Horizontal | 243            | 1.80          | 25      | 39.30      | 11.60      | 64.70      |  |  |  |

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6585MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.84451G | 72.95    | 83.54    | -10.59 | 69.49  | 1    | Vertical  | 19      | 1.88   | 25      | 37.65 | 15.21 | 49.40 |  |  |  |
| AV   | 19.84515G | 61.99    | 63.54    | -1.55  | 58.53  | 1    | Vertical  | 19      | 1.88   | 25      | 37.65 | 15.21 | 49.40 |  |  |  |

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6585MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.84771G    | 72.00             | 83.54             | -11.54         | 68.56         | 1           | Horizontal | 347            | 1.83          | 25      | 37.62      | 15.21      | 49.39      |  |  |  |
| AV   | 19.84579G    | 61.48             | 63.54             | -2.06          | 58.03         | 1           | Horizontal | 347            | 1.83          | 25      | 37.64      | 15.21      | 49.40      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6745MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.4886G     | 47.34             | 88.20             | -40.86         | 59.85         | 3           | Vertical  | 352            | 1.79          | 25      | 40.08      | 11.69      | 64.28      |  |  |  |
| RMS  | 13.49G       | 37.61             | 68.20             | -30.59         | 50.12         | 3           | Vertical  | 352            | 1.79          | 25      | 40.08      | 11.69      | 64.28      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.49436G    | 48.22             | 88.20             | -39.98         | 60.71         | 3           | Horizontal | 5              | 1.80          | 25      | 40.09      | 11.69      | 64.27      |  |  |  |
| RMS  | 13.4739G     | 36.35             | 68.20             | -31.85         | 48.93         | 3           | Horizontal | 5              | 1.80          | 25      | 40.05      | 11.68      | 64.31      |  |  |  |



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6745MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.9198G  | 66.39    | 83.54    | -17.15 | 62.67  | 1    | Vertical  | 19      | 1.82   | 25      | 37.86 | 15.20 | 49.34 |  |  |  |
| AV   | 19.92363G | 53.23    | 63.54    | -10.31 | 49.51  | 1    | Vertical  | 19      | 1.82   | 25      | 37.85 | 15.20 | 49.33 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6745MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.21326G | 63.20    | 83.54    | -20.34 | 59.11  | 1    | Horizontal | 28      | 1.80   | 25      | 37.93 | 15.37 | 49.21 |  |  |  |
| AV   | 20.13142G | 51.00    | 63.54    | -12.54 | 47.22  | 1    | Horizontal | 28      | 1.80   | 25      | 37.71 | 15.31 | 49.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6905MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 19.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.039G       | 108.59            | Inf               | -Inf           | 97.80         | 3           | Vertical  | 66.8           | 2.65          | -       | 35.26      | 8.55       | 33.02      |  |  |  |
| AV   | 7.055G       | 98.40             | Inf               | -Inf           | 87.56         | 3           | Vertical  | 66.8           | 2.65          | -       | 35.33      | 8.54       | 33.03      |  |  |  |
| PK   | 7.255G       | 62.47             | 74.00             | -11.53         | 50.79         | 3           | Vertical  | 66.8           | 2.65          | -       | 36.21      | 8.56       | 33.09      |  |  |  |
| AV   | 7.253G       | 52.70             | 54.00             | -1.30          | 41.03         | 3           | Vertical  | 66.8           | 2.65          | -       | 36.21      | 8.55       | 33.09      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_2TX  
SET 19.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.771G       | 102.25            | Inf               | -Inf           | 92.90         | 3           | Horizontal | 13             | 2.95          | -       | 34.10      | 8.28       | 33.03      |  |  |  |
| AV   | 6.752G       | 92.01             | Inf               | -Inf           | 82.71         | 3           | Horizontal | 13             | 2.95          | -       | 34.10      | 8.23       | 33.03      |  |  |  |
| PK   | 7.25G        | 58.20             | 74.00             | -15.80         | 46.53         | 3           | Horizontal | 13             | 2.95          | -       | 36.20      | 8.55       | 33.08      |  |  |  |
| AV   | 7.25G        | 48.25             | 54.00             | -5.75          | 36.58         | 3           | Horizontal | 13             | 2.95          | -       | 36.20      | 8.55       | 33.08      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6905MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.49735G    | 48.49             | 88.20             | -39.71         | 60.98         | 3           | Vertical  | 360            | 1.80          | 25      | 40.09      | 11.69      | 64.27      |  |  |  |
| RMS  | 13.50694G    | 36.95             | 68.20             | -31.25         | 49.39         | 3           | Vertical  | 360            | 1.80          | 25      | 40.13      | 11.69      | 64.26      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6905MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.84197G    | 48.53             | 88.20             | -39.67         | 60.83         | 3           | Horizontal | 34             | 1.80          | 25      | 40.28      | 11.82      | 64.40      |  |  |  |
| RMS  | 13.50694G    | 37.32             | 68.20             | -30.88         | 49.76         | 3           | Horizontal | 34             | 1.80          | 25      | 40.13      | 11.69      | 64.26      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6905MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.91512G    | 59.77             | 83.54             | -23.77         | 54.66         | 1           | Vertical  | 14             | 1.80          | 25      | 38.10      | 15.93      | 48.92      |  |  |  |
| AV   | 20.93622G    | 48.10             | 63.54             | -15.44         | 42.96         | 1           | Vertical  | 14             | 1.80          | 25      | 38.10      | 15.95      | 48.91      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX


EUT\_Y\_2TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.73034G    | 60.77             | 83.54             | -22.77         | 56.17         | 1           | Horizontal | 16             | 1.84          | 25      | 37.84      | 15.78      | 49.02      |  |  |  |
| AV   | 20.77382G    | 49.15             | 63.54             | -14.39         | 44.34         | 1           | Horizontal | 16             | 1.84          | 25      | 37.99      | 15.82      | 49.00      |  |  |  |



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX

EUT Y\_4TX  
SET 8.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.86536G     | 61.75             | 88.20             | -26.45         | 54.83         | 3           | Vertical  | 60             | 2.24          | -       | 32.26      | 7.61       | 32.95      |  |  |  |
| RMS  | 5.89326G     | 49.77             | 68.20             | -18.43         | 42.73         | 3           | Vertical  | 60             | 2.24          | -       | 32.37      | 7.63       | 32.96      |  |  |  |
| PK   | 5.94798G     | 109.01            | Inf               | -Inf           | 101.94        | 3           | Vertical  | 60             | 2.24          | -       | 32.40      | 7.65       | 32.98      |  |  |  |
| RMS  | 5.94888G     | 97.60             | Inf               | -Inf           | 90.53         | 3           | Vertical  | 60             | 2.24          | -       | 32.40      | 7.65       | 32.98      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX

EUT\_Y\_4TX  
SET8.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.91108G     | 61.81             | 88.20             | -26.39         | 54.74         | 3           | Horizontal | 291            | 1.80          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.91486G     | 49.66             | 68.20             | -18.54         | 42.59         | 3           | Horizontal | 291            | 1.80          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 5.96238G     | 106.19            | Inf               | -Inf           | 99.10         | 3           | Horizontal | 291            | 1.80          | -       | 32.42      | 7.66       | 32.99      |  |  |  |
| RMS  | 5.96346G     | 94.74             | Inf               | -Inf           | 87.64         | 3           | Horizontal | 291            | 1.80          | -       | 32.43      | 7.66       | 32.99      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


## 5955MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.91264G    | 45.89             | 74.00             | -28.11         | 61.69         | 3           | Vertical  | 1              | 1.80          | 25      | 38.93      | 11.07      | 65.80      |  |  |  |
| AV   | 11.9098G     | 32.72             | 54.00             | -21.28         | 48.53         | 3           | Vertical  | 1              | 1.80          | 25      | 38.92      | 11.07      | 65.80      |  |  |  |
| PK   | 17.85925G    | 60.56             | 74.00             | -13.44         | 63.80         | 3           | Vertical  | 12             | 1.80          | 25      | 45.92      | 13.40      | 62.56      |  |  |  |
| AV   | 17.85897G    | 46.63             | 54.00             | -7.37          | 49.87         | 3           | Vertical  | 12             | 1.80          | 25      | 45.92      | 13.40      | 62.56      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.91667G    | 46.39             | 74.00             | -27.61         | 62.18         | 3           | Horizontal | 265            | 1.80          | 25      | 38.93      | 11.07      | 65.79      |  |  |  |
| AV   | 11.90964G    | 32.00             | 54.00             | -22.00         | 47.81         | 3           | Horizontal | 265            | 1.80          | 25      | 38.92      | 11.07      | 65.80      |  |  |  |
| PK   | 17.87899G    | 66.20             | 74.00             | -7.80          | 68.91         | 3           | Horizontal | 25             | 1.80          | 25      | 46.40      | 13.41      | 62.52      |  |  |  |
| AV   | 17.8606G     | 51.11             | 54.00             | -2.89          | 54.31         | 3           | Horizontal | 25             | 1.80          | 25      | 45.95      | 13.40      | 62.55      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.81277G | 71.63    | 83.54    | -11.91 | 62.45  | 1    | Vertical  | 26      | 1.80   | 25      | 39.02 | 17.34 | 47.18 |  |  |  |
| AV   | 23.81209G | 59.24    | 63.54    | -4.30  | 50.05  | 1    | Vertical  | 26      | 1.80   | 25      | 39.03 | 17.34 | 47.18 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.8188G | 74.95    | 83.54    | -8.59  | 65.79  | 1    | Horizontal | 345     | 1.80   | 25      | 38.99 | 17.35 | 47.18 |  |  |  |
| AV   | 23.8188G | 62.57    | 63.54    | -0.97  | 53.41  | 1    | Horizontal | 345     | 1.80   | 25      | 38.99 | 17.35 | 47.18 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6195MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.39136G | 47.32    | 74.00    | -26.68 | 62.62  | 3    | Vertical  | 1       | 1.80   | 25      | 38.82 | 11.27 | 65.39 |  |  |  |
| AV   | 12.38992G | 34.52    | 54.00    | -19.48 | 49.82  | 3    | Vertical  | 1       | 1.80   | 25      | 38.82 | 11.27 | 65.39 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.37669G | 47.46    | 74.00    | -26.54 | 62.75  | 3    | Horizontal | 197     | 1.80   | 25      | 38.85 | 11.26 | 65.40 |  |  |  |
| AV   | 12.40554G | 33.77    | 54.00    | -20.23 | 49.11  | 3    | Horizontal | 197     | 1.80   | 25      | 38.77 | 11.27 | 65.38 |  |  |  |



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6195MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.57065G    | 55.59             | 83.54             | -27.95         | 52.25         | 1           | Vertical  | 317            | 1.80          | 25      | 37.70      | 15.27      | 49.63      |  |  |  |
| AV   | 18.59024G    | 43.08             | 63.54             | -20.46         | 39.73         | 1           | Vertical  | 317            | 1.80          | 25      | 37.70      | 15.27      | 49.62      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6195MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.58556G | 73.24    | 83.54    | -10.30 | 69.89  | 1    | Horizontal | 41      | 1.70   | 25      | 37.70 | 15.27 | 49.62 |  |  |  |
| AV   | 18.5858G  | 60.12    | 63.54    | -3.42  | 56.77  | 1    | Horizontal | 41      | 1.70   | 25      | 37.70 | 15.27 | 49.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6415MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.82996G    | 46.81             | 88.20             | -41.39         | 61.36         | 3           | Vertical  | 360            | 1.80          | 25      | 39.26      | 11.44      | 65.25      |  |  |  |
| RMS  | 12.82988G    | 35.05             | 68.20             | -33.15         | 49.60         | 3           | Vertical  | 360            | 1.80          | 25      | 39.26      | 11.44      | 65.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6415MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.84568G    | 46.34             | 88.20             | -41.86         | 60.86         | 3           | Horizontal | 50             | 1.80          | 25      | 39.29      | 11.44      | 65.25      |  |  |  |
| RMS  | 12.84893G    | 32.37             | 68.20             | -35.83         | 46.88         | 3           | Horizontal | 50             | 1.80          | 25      | 39.30      | 11.44      | 65.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6415MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.84568G    | 46.34             | 88.20             | -41.86         | 60.86         | 3           | Horizontal | 50             | 1.80          | 25      | 39.29      | 11.44      | 65.25      |  |  |  |
| RMS  | 12.84893G    | 32.37             | 68.20             | -35.83         | 46.88         | 3           | Horizontal | 50             | 1.80          | 25      | 39.30      | 11.44      | 65.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6415MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.24972G    | 69.85             | 83.54             | -13.69         | 66.22         | 1           | Horizontal | 42             | 1.80          | 25      | 37.90      | 15.24      | 49.51      |  |  |  |
| AV   | 19.25063G    | 56.86             | 63.54             | -6.68          | 53.23         | 1           | Horizontal | 42             | 1.80          | 25      | 37.90      | 15.24      | 49.51      |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6435MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87747G | 46.23    | 88.20    | -41.97 | 60.72  | 3    | Vertical  | 11      | 1.80   | 25      | 39.30 | 11.45 | 65.24 |  |  |  |
| RMS  | 12.86992G | 36.19    | 68.20    | -32.01 | 50.69  | 3    | Vertical  | 11      | 1.80   | 25      | 39.30 | 11.45 | 65.25 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.86205G    | 46.58             | 88.20             | -41.62         | 61.08         | 3           | Horizontal | 314            | 1.80          | 25      | 39.30      | 11.45      | 65.25      |  |  |  |
| RMS  | 12.86992G    | 35.27             | 68.20             | -32.93         | 49.77         | 3           | Horizontal | 314            | 1.80          | 25      | 39.30      | 11.45      | 65.25      |  |  |  |



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6435MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.29881G    | 66.74             | 83.54             | -16.80         | 63.04         | 1           | Vertical  | 11             | 1.80          | 25      | 38.00      | 15.24      | 49.54      |  |  |  |
| AV   | 19.31083G    | 53.94             | 63.54             | -9.60          | 50.30         | 1           | Vertical  | 11             | 1.80          | 25      | 37.96      | 15.23      | 49.55      |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6435MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.31012G | 69.74    | 83.54    | -13.80 | 66.10  | 1    | Horizontal | 44      | 1.69   | 25      | 37.96 | 15.23 | 49.55 |  |  |  |
| AV   | 19.3104G  | 56.75    | 63.54    | -6.79  | 53.11  | 1    | Horizontal | 44      | 1.69   | 25      | 37.96 | 15.23 | 49.55 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6475MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.95931G    | 44.78             | 88.20             | -43.42         | 59.17         | 3           | Vertical  | 7              | 1.80          | 25      | 39.36      | 11.48      | 65.23      |  |  |  |
| RMS  | 12.94988G    | 34.45             | 68.20             | -33.75         | 48.81         | 3           | Vertical  | 7              | 1.80          | 25      | 39.40      | 11.48      | 65.24      |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6475MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.96103G    | 46.25             | 88.20             | -41.95         | 60.63         | 3           | Horizontal | 337            | 1.80          | 25      | 39.36      | 11.49      | 65.23      |  |  |  |
| RMS  | 12.95739G    | 33.68             | 68.20             | -34.52         | 48.07         | 3           | Horizontal | 337            | 1.80          | 25      | 39.37      | 11.48      | 65.24      |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6475MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.42788G    | 69.48             | 83.54             | -14.06         | 65.99         | 1           | Vertical  | 10             | 1.80          | 25      | 37.89      | 15.23      | 49.63      |  |  |  |
| AV   | 19.4282G     | 57.20             | 63.54             | -6.34          | 53.71         | 1           | Vertical  | 10             | 1.80          | 25      | 37.89      | 15.23      | 49.63      |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6475MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.43151G | 67.92    | 83.54    | -15.62 | 64.45  | 1    | Horizontal | 360     | 1.80   | 25      | 37.87 | 15.23 | 49.63 |  |  |  |
| AV   | 19.42296G | 55.18    | 63.54    | -8.36  | 51.67  | 1    | Horizontal | 360     | 1.80   | 25      | 37.91 | 15.23 | 49.63 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6515MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.02792G    | 45.64             | 88.20             | -42.56         | 60.22         | 3           | Vertical  | 1              | 1.80          | 25      | 39.09      | 11.51      | 65.18      |  |  |  |
| RMS  | 13.02992G    | 33.55             | 68.20             | -34.65         | 48.13         | 3           | Vertical  | 1              | 1.80          | 25      | 39.08      | 11.51      | 65.17      |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6515MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.0463G     | 46.35             | 88.20             | -41.85         | 60.96         | 3           | Horizontal | 222            | 1.80          | 25      | 39.01      | 11.52      | 65.14      |  |  |  |
| RMS  | 13.04754G    | 33.28             | 68.20             | -34.92         | 47.89         | 3           | Horizontal | 222            | 1.80          | 25      | 39.01      | 11.52      | 65.14      |  |  |  |



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6515MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.56462G | 73.99    | 83.54    | -9.55  | 70.39  | 1    | Vertical  | 6       | 1.86   | 25      | 38.01 | 15.22 | 49.63 |  |  |  |
| AV   | 19.54548G | 61.17    | 63.54    | -2.37  | 57.50  | 1    | Vertical  | 6       | 1.86   | 25      | 38.09 | 15.22 | 49.64 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6515MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.543G   | 74.42    | 83.54    | -9.12  | 70.75  | 1    | Horizontal | 356     | 1.81   | 25      | 38.09 | 15.22 | 49.64 |  |  |  |
| AV   | 19.54424G | 63.17    | 63.54    | -0.37  | 59.50  | 1    | Horizontal | 356     | 1.81   | 25      | 38.09 | 15.22 | 49.64 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6535MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.06988G | 46.94    | 88.20    | -41.26 | 61.42  | 3    | Vertical  | 351     | 1.80   | 25      | 39.08 | 11.53 | 65.09 |  |  |  |
| RMS  | 13.06988G | 34.99    | 68.20    | -33.21 | 49.47  | 3    | Vertical  | 351     | 1.80   | 25      | 39.08 | 11.53 | 65.09 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6535MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.08782G | 46.40    | 88.20    | -41.80 | 60.78  | 3    | Horizontal | 33      | 1.80   | 25      | 39.15 | 11.53 | 65.06 |  |  |  |
| RMS  | 13.07004G | 34.25    | 68.20    | -33.95 | 48.73  | 3    | Horizontal | 33      | 1.80   | 25      | 39.08 | 11.53 | 65.09 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6535MHz\_TX

EUT\_Y\_4TX  
SET 23.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.62019G | 75.85    | 83.54    | -7.69  | 72.29  | 1    | Vertical  | 349     | 1.73   | 23.5    | 37.92 | 15.22 | 49.58 |  |  |  |
| AV   | 19.60224G | 63.15    | 63.54    | -0.39  | 59.72  | 1    | Vertical  | 349     | 1.73   | 23.5    | 37.81 | 15.22 | 49.60 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6535MHz\_TX

EUT\_Y\_4TX  
SET 22

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.6026G  | 74.96    | 83.54    | -8.58  | 71.52  | 1    | Horizontal | 299     | 1.81   | 22      | 37.82 | 15.22 | 49.60 |  |  |  |
| AV   | 19.60332G | 62.04    | 63.54    | -1.50  | 58.60  | 1    | Horizontal | 299     | 1.81   | 22      | 37.82 | 15.22 | 49.60 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6695MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.40042G | 48.63    | 88.20    | -39.57 | 61.63  | 3    | Vertical  | 331     | 1.80   | 25      | 39.80 | 11.65 | 64.45 |  |  |  |
| RMS  | 13.4077G  | 36.20    | 68.20    | -32.00 | 49.16  | 3    | Vertical  | 331     | 1.80   | 25      | 39.83 | 11.65 | 64.44 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.40335G    | 48.90             | 88.20             | -39.30         | 61.89         | 3           | Horizontal | 76             | 1.80          | 25      | 39.81      | 11.65      | 64.45      |  |  |  |
| RMS  | 13.47921G    | 36.26             | 68.20             | -31.94         | 48.82         | 3           | Horizontal | 76             | 1.80          | 25      | 40.06      | 11.68      | 64.30      |  |  |  |



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6695MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.08676G | 76.26    | 83.54    | -7.28  | 72.39  | 1    | Vertical  | 22      | 1.74   | 25      | 37.85 | 15.27 | 49.25 |  |  |  |
| AV   | 20.08664G | 63.32    | 63.54    | -0.22  | 59.45  | 1    | Vertical  | 22      | 1.74   | 25      | 37.85 | 15.27 | 49.25 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6695MHz\_TX

EUT\_Y\_4TX  
SET 23.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.08664G    | 75.68             | 83.54             | -7.86          | 71.81         | 1           | Horizontal | 19             | 1.76          | 23.5    | 37.85      | 15.27      | 49.25      |  |  |  |
| AV   | 20.087G      | 63.18             | 63.54             | -0.36          | 59.31         | 1           | Horizontal | 19             | 1.76          | 23.5    | 37.85      | 15.27      | 49.25      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6875MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.74109G | 48.08    | 88.20    | -40.12 | 60.48  | 3    | Vertical  | 358     | 1.80   | 25      | 40.18 | 11.78 | 64.36 |  |  |  |
| RMS  | 13.74996G | 36.13    | 68.20    | -32.07 | 48.51  | 3    | Vertical  | 358     | 1.80   | 25      | 40.20 | 11.78 | 64.36 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6875MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.74189G    | 47.46             | 88.20             | -40.74         | 59.86         | 3           | Horizontal | 8              | 1.80          | 25      | 40.18      | 11.78      | 64.36      |  |  |  |
| RMS  | 13.73442G    | 35.61             | 68.20             | -32.59         | 48.01         | 3           | Horizontal | 8              | 1.80          | 25      | 40.17      | 11.78      | 64.35      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6875MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.6427G     | 71.07             | 83.54             | -12.47         | 66.52         | 1           | Vertical  | 22             | 1.80          | 25      | 37.91      | 15.71      | 49.07      |  |  |  |
| AV   | 20.63012G    | 58.84             | 63.54             | -4.70          | 54.27         | 1           | Vertical  | 22             | 1.80          | 25      | 37.94      | 15.70      | 49.07      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6875MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 24.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.63847G    | 76.52             | 83.54             | -7.02          | 71.96         | 1           | Horizontal | 342            | 1.80          | 24.5    | 37.92      | 15.71      | 49.07      |  |  |  |
| AV   | 20.61929G    | 62.94             | 63.54             | -0.60          | 58.36         | 1           | Horizontal | 342            | 1.80          | 24.5    | 37.96      | 15.70      | 49.08      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6895MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.77002G | 48.04    | 88.20    | -40.16 | 60.42  | 3    | Vertical  | 343     | 1.80   | 25      | 40.20 | 11.79 | 64.37 |  |  |  |
| RMS  | 13.78988G | 36.21    | 68.20    | -31.99 | 48.59  | 3    | Vertical  | 343     | 1.80   | 25      | 40.20 | 11.80 | 64.38 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6895MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.80459G    | 48.26             | 88.20             | -39.94         | 60.62         | 3           | Horizontal | 8              | 1.79          | 25      | 40.21      | 11.81      | 64.38      |  |  |  |
| RMS  | 13.78533G    | 36.51             | 68.20             | -31.69         | 48.88         | 3           | Horizontal | 8              | 1.79          | 25      | 40.20      | 11.80      | 64.37      |  |  |  |



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6895MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.68033G    | 75.29             | 83.54             | -8.25          | 70.70         | 1           | Vertical  | 18             | 1.80          | 25      | 37.90      | 15.74      | 49.05      |  |  |  |
| AV   | 20.68152G    | 63.42             | 63.54             | -0.12          | 58.82         | 1           | Vertical  | 18             | 1.80          | 25      | 37.90      | 15.75      | 49.05      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6895MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68088G | 76.77    | 83.54    | -6.77  | 72.18  | 1    | Horizontal | 347     | 1.51   | 25      | 37.90 | 15.74 | 49.05 |  |  |  |
| AV   | 20.69091G | 63.53    | 63.54    | -0.01  | 58.92  | 1    | Horizontal | 347     | 1.51   | 25      | 37.90 | 15.75 | 49.04 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6995MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.98812G | 48.24    | 88.20    | -39.96 | 59.94  | 3    | Vertical  | 316     | 1.80   | 25      | 40.88 | 11.88 | 64.46 |  |  |  |
| RMS  | 14.00742G | 35.94    | 68.20    | -32.26 | 47.59  | 3    | Vertical  | 316     | 1.80   | 25      | 40.91 | 11.88 | 64.44 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.00371G    | 49.01             | 88.20             | -39.19         | 60.67         | 3           | Horizontal | 46             | 1.80          | 25      | 40.91      | 11.88      | 64.45      |  |  |  |
| RMS  | 13.99707G    | 36.51             | 68.20             | -31.69         | 48.20         | 3           | Horizontal | 46             | 1.80          | 25      | 40.89      | 11.88      | 64.46      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6995MHz\_TX

EUT\_Y\_4TX  
SET 22

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.99863G | 75.82    | 83.54    | -7.72  | 70.79  | 1    | Vertical  | 22      | 1.80   | 22      | 37.91 | 16.00 | 48.88 |  |  |  |
| AV   | 20.98113G | 62.59    | 63.54    | -0.95  | 57.52  | 1    | Vertical  | 22      | 1.80   | 22      | 37.98 | 15.98 | 48.89 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6995MHz\_TX

EUT\_Y\_4TX  
SET 22

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.99947G | 75.58    | 83.54    | -7.96  | 70.56  | 1    | Horizontal | 344     | 1.80   | 22      | 37.90 | 16.00 | 48.88 |  |  |  |
| AV   | 20.97817G | 62.62    | 63.54    | -0.92  | 57.54  | 1    | Horizontal | 344     | 1.80   | 22      | 37.99 | 15.98 | 48.89 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX

EUT\_Y\_4TX  
SET 8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.098G       | 108.46            | Inf               | -Inf           | 97.38         | 3           | Vertical  | 337            | 2.91          | -       | 35.59      | 8.53       | 33.04      |  |  |  |
| RMS  | 7.098G       | 100.62            | Inf               | -Inf           | 89.54         | 3           | Vertical  | 337            | 2.91          | -       | 35.59      | 8.53       | 33.04      |  |  |  |
| PK   | 7.1468G      | 64.98             | 88.20             | -23.22         | 53.64         | 3           | Vertical  | 337            | 2.91          | -       | 35.88      | 8.51       | 33.05      |  |  |  |
| RMS  | 7.1766G      | 54.32             | 68.20             | -13.88         | 42.87         | 3           | Vertical  | 337            | 2.91          | -       | 36.01      | 8.50       | 33.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
SET 8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0858G      | 105.27            | Inf               | -Inf           | 94.27         | 3           | Horizontal | 89             | 1.80          | -       | 35.51      | 8.53       | 33.04      |  |  |  |
| RMS  | 7.0866G      | 95.98             | Inf               | -Inf           | 84.97         | 3           | Horizontal | 89             | 1.80          | -       | 35.52      | 8.53       | 33.04      |  |  |  |
| PK   | 7.1746G      | 64.61             | 88.20             | -23.59         | 53.17         | 3           | Horizontal | 89             | 1.80          | -       | 36.00      | 8.50       | 33.06      |  |  |  |
| RMS  | 7.1722G      | 54.40             | 68.20             | -13.80         | 42.97         | 3           | Horizontal | 89             | 1.80          | -       | 35.99      | 8.50       | 33.06      |  |  |  |



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.1946G  | 57.86    | 88.20    | -30.34 | 68.44  | 3    | Vertical  | 56      | 1.93   | 25      | 41.49 | 11.97 | 64.04 |  |  |  |
| RMS  | 14.19444G | 45.49    | 68.20    | -22.71 | 56.07  | 3    | Vertical  | 56      | 1.93   | 25      | 41.49 | 11.97 | 64.04 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.2061G     | 60.88             | 88.20             | -27.32         | 71.43         | 3           | Horizontal | 286            | 1.05          | 25      | 41.49      | 11.97      | 64.01      |  |  |  |
| RMS  | 14.1938G     | 48.00             | 68.20             | -20.20         | 58.58         | 3           | Horizontal | 286            | 1.05          | 25      | 41.49      | 11.97      | 64.04      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX

EUT\_Y\_4TX  
SET 22

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.27357G | 75.85    | 83.54    | -7.69  | 70.29  | 1    | Vertical  | 12      | 1.80   | 22      | 38.19 | 16.22 | 48.85 |  |  |  |
| AV   | 21.28252G | 63.40    | 63.54    | -0.14  | 57.76  | 1    | Vertical  | 12      | 1.80   | 22      | 38.26 | 16.23 | 48.85 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.26714G    | 71.62             | 83.54             | -11.92         | 66.12         | 1           | Horizontal | 22             | 1.80          | 25      | 38.14      | 16.21      | 48.85      |  |  |  |
| AV   | 21.28344G    | 59.73             | 63.54             | -3.81          | 54.08         | 1           | Horizontal | 22             | 1.80          | 25      | 38.27      | 16.23      | 48.85      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX

EUT\_Y\_4TX  
SET-1  
01-P-C-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment  | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|----------|------------|------------|------------|--|--|--|
| PK   | 7.1235G      | 98.04             | Inf               | -Inf           | 86.83         | 3           | Vertical  | 60.9           | 2.90          | 25_BP 1M | 35.74      | 8.52       | 33.05      |  |  |  |
| RMS  | 7.1235G      | 92.06             | Inf               | -Inf           | 80.85         | 3           | Vertical  | 60.9           | 2.90          | 25_BP 1M | 35.74      | 8.52       | 33.05      |  |  |  |
| PK   | 7.1255G      | 77.03             | 88.20             | -11.17         | 65.81         | 3           | Vertical  | 60.9           | 2.90          | 25_BP 1M | 35.75      | 8.52       | 33.05      |  |  |  |
| RMS  | 7.1255G      | 68.03             | 68.20             | -0.17          | 56.81         | 3           | Vertical  | 60.9           | 2.90          | 25_BP 1M | 35.75      | 8.52       | 33.05      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
SET-1  
01-P-C-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.1135G      | 97.63             | Inf               | -Inf           | 86.47         | 3           | Horizontal | 70             | 3.00          | BP 1MHz | 35.68      | 8.52       | 33.04      |  |  |  |
| RMS  | 7.1135G      | 91.52             | Inf               | -Inf           | 80.36         | 3           | Horizontal | 70             | 3.00          | BP 1MHz | 35.68      | 8.52       | 33.04      |  |  |  |
| PK   | 7.1255G      | 67.42             | 88.20             | -20.78         | 56.20         | 3           | Horizontal | 70             | 3.00          | BP 1MHz | 35.75      | 8.52       | 33.05      |  |  |  |
| RMS  | 7.1255G      | 59.52             | 68.20             | -8.68          | 48.30         | 3           | Horizontal | 70             | 3.00          | BP 1MHz | 35.75      | 8.52       | 33.05      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.23408G    | 64.84             | 88.20             | -23.36         | 75.37         | 3           | Vertical  | 307            | 2.08          | 25      | 41.43      | 11.99      | 63.95      |  |  |  |
| RMS  | 14.23436G    | 53.07             | 68.20             | -15.13         | 63.60         | 3           | Vertical  | 307            | 2.08          | 25      | 41.43      | 11.99      | 63.95      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.22776G    | 66.55             | 88.20             | -21.65         | 77.09         | 3           | Horizontal | 294            | 1.18          | 25      | 41.44      | 11.98      | 63.96      |  |  |  |
| RMS  | 14.2292G     | 54.13             | 68.20             | -14.07         | 64.66         | 3           | Horizontal | 294            | 1.18          | 25      | 41.44      | 11.99      | 63.96      |  |  |  |



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX

EUT\_Y\_4TX  
SET 20

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34272G | 75.23    | 83.54    | -8.31  | 69.49  | 1    | Vertical  | 16      | 1.80   | 20      | 38.31 | 16.27 | 48.84 |  |  |  |
| AV   | 21.3424G  | 62.93    | 63.54    | -0.61  | 57.18  | 1    | Vertical  | 16      | 1.80   | 20      | 38.32 | 16.27 | 48.84 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX

EUT\_Y\_4TX  
SET 23

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.32522G    | 75.52             | 83.54             | -8.02          | 69.75         | 1           | Horizontal | 21             | 1.55          | 23      | 38.35      | 16.26      | 48.84      |  |  |  |
| AV   | 21.34164G    | 63.31             | 63.54             | -0.23          | 57.56         | 1           | Horizontal | 21             | 1.55          | 23      | 38.32      | 16.27      | 48.84      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
SET-1  
01-P-C-6-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment  | AF     | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|-----------|---------|--------|----------|--------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |          | (dB)   | (dB) | (dB)  |  |  |  |
| AV   | 7.115G | 6.76     | 30.00    | -23.24 | -16.27 | 3    | Vertical  | 60.9    | 2.90   | CP 20MHz | -11.54 | 8.52 | 33.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX

EUT\_Y\_4TX  
SET 11.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.904G       | 62.46             | 88.20             | -25.74         | 55.40         | 3           | Vertical  | 45             | 2.95          | -       | 32.40      | 7.63       | 32.97      |  |  |  |
| RMS  | 5.8886G      | 49.75             | 68.20             | -18.45         | 42.74         | 3           | Vertical  | 45             | 2.95          | -       | 32.35      | 7.62       | 32.96      |  |  |  |
| PK   | 5.9764G      | 108.74            | Inf               | -Inf           | 101.61        | 3           | Vertical  | 45             | 2.95          | -       | 32.45      | 7.67       | 32.99      |  |  |  |
| RMS  | 5.9768G      | 97.49             | Inf               | -Inf           | 90.36         | 3           | Vertical  | 45             | 2.95          | -       | 32.45      | 7.67       | 32.99      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX

EUT\_Y\_4TX  
SET

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.917G       | 61.82             | 88.20             | -26.38         | 54.75         | 3           | Horizontal | 290            | 1.80          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| AV   | 5.9216G      | 49.84             | 68.20             | -18.36         | 42.77         | 3           | Horizontal | 290            | 1.80          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 5.9734G      | 107.46            | Inf               | -Inf           | 100.33        | 3           | Horizontal | 290            | 1.80          | -       | 32.45      | 7.67       | 32.99      |  |  |  |
| AV   | 5.9732G      | 95.21             | Inf               | -Inf           | 88.08         | 3           | Horizontal | 290            | 1.80          | -       | 32.45      | 7.67       | 32.99      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.91593G    | 46.70             | 74.00             | -27.30         | 62.50         | 3           | Vertical  | 192            | 1.80          | 25      | 38.93      | 11.07      | 65.80      |  |  |  |
| AV   | 11.9097G     | 32.09             | 54.00             | -21.91         | 47.90         | 3           | Vertical  | 192            | 1.80          | 25      | 38.92      | 11.07      | 65.80      |  |  |  |
| PK   | 17.87047G    | 59.52             | 74.00             | -14.48         | 62.45         | 3           | Vertical  | 11             | 1.80          | 25      | 46.19      | 13.41      | 62.53      |  |  |  |
| AV   | 17.88845G    | 47.09             | 54.00             | -6.91          | 49.56         | 3           | Vertical  | 11             | 1.80          | 25      | 46.62      | 13.41      | 62.50      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


## 5965MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.95821G    | 47.02             | 74.00             | -26.98         | 62.67         | 3           | Horizontal | 82             | 1.80          | 25      | 39.02      | 11.10      | 65.77      |  |  |  |
| AV   | 11.9097G     | 32.05             | 54.00             | -21.95         | 47.86         | 3           | Horizontal | 82             | 1.80          | 25      | 38.92      | 11.07      | 65.80      |  |  |  |
| PK   | 17.88741G    | 63.17             | 74.00             | -10.83         | 65.66         | 3           | Horizontal | 14             | 1.80          | 25      | 46.60      | 13.41      | 62.50      |  |  |  |
| AV   | 17.88677G    | 49.30             | 54.00             | -4.70          | 51.81         | 3           | Horizontal | 14             | 1.80          | 25      | 46.58      | 13.41      | 62.50      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.87143G    | 67.46             | 83.54             | -16.08         | 58.45         | 1           | Vertical  | 25             | 1.80          | 25      | 38.80      | 17.36      | 47.15      |  |  |  |
| AV   | 23.85145G    | 55.51             | 63.54             | -8.03          | 46.51         | 1           | Vertical  | 25             | 1.80          | 25      | 38.80      | 17.36      | 47.16      |  |  |  |



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.8787G     | 64.75             | 83.54             | -18.79         | 55.74         | 1           | Horizontal | 343            | 1.80          | 25      | 38.80      | 17.36      | 47.15      |  |  |  |
| AV   | 23.85944G    | 52.02             | 63.54             | -11.52         | 43.02         | 1           | Horizontal | 343            | 1.80          | 25      | 38.80      | 17.36      | 47.16      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6205MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.41496G | 47.65    | 74.00    | -26.35 | 63.03  | 3    | Vertical  | 1       | 1.80   | 25      | 38.71 | 11.28 | 65.37 |  |  |  |
| AV   | 12.40992G | 36.35    | 54.00    | -17.65 | 51.70  | 3    | Vertical  | 1       | 1.80   | 25      | 38.74 | 11.28 | 65.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6205MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.3937G     | 47.39             | 74.00             | -26.61         | 62.70         | 3           | Horizontal | 175            | 1.80          | 25      | 38.81      | 11.27      | 65.39      |  |  |  |
| AV   | 12.4112G     | 35.40             | 54.00             | -18.60         | 50.76         | 3           | Horizontal | 175            | 1.80          | 25      | 38.73      | 11.28      | 65.37      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6205MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.61788G | 54.16    | 83.54    | -29.38 | 50.75  | 1    | Vertical  | 118     | 1.80   | 25      | 37.74 | 15.27 | 49.60 |  |  |  |
| AV   | 18.61836G | 42.17    | 63.54    | -21.37 | 38.76  | 1    | Vertical  | 118     | 1.80   | 25      | 37.74 | 15.27 | 49.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6205MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.60381G    | 64.09             | 83.54             | -19.45         | 60.72         | 1           | Horizontal | 342            | 1.80          | 25      | 37.71      | 15.27      | 49.61      |  |  |  |
| AV   | 18.60461G    | 51.10             | 63.54             | -12.44         | 47.73         | 1           | Horizontal | 342            | 1.80          | 25      | 37.71      | 15.27      | 49.61      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6405MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.81016G | 45.84    | 88.20    | -42.36 | 60.44  | 3    | Vertical  | 356     | 1.80   | 25      | 39.22 | 11.43 | 65.25 |  |  |  |
| RMS  | 12.80984G | 35.14    | 68.20    | -33.06 | 49.74  | 3    | Vertical  | 356     | 1.80   | 25      | 39.22 | 11.43 | 65.25 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6405MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.77356G    | 45.93             | 88.20             | -42.27         | 60.74         | 3           | Horizontal | 295            | 1.80          | 25      | 39.04      | 11.41      | 65.26      |  |  |  |
| RMS  | 12.77204G    | 33.76             | 68.20             | -34.44         | 48.58         | 3           | Horizontal | 295            | 1.80          | 25      | 39.03      | 11.41      | 65.26      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.23106G | 60.38    | 83.54    | -23.16 | 56.70  | 1    | Vertical  | 2       | 1.80   | 25      | 37.94 | 15.24 | 49.50 |  |  |  |
| AV   | 19.213G   | 47.84    | 63.54    | -15.70 | 44.11  | 1    | Vertical  | 2       | 1.80   | 25      | 37.97 | 15.24 | 49.48 |  |  |  |



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6405MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.21524G | 65.42    | 83.54    | -18.12 | 61.70  | 1    | Horizontal | 43      | 1.80   | 25      | 37.97 | 15.24 | 49.49 |  |  |  |
| AV   | 19.22059G | 53.20    | 63.54    | -10.34 | 49.49  | 1    | Horizontal | 43      | 1.80   | 25      | 37.96 | 15.24 | 49.49 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6445MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.85915G    | 45.57             | 88.20             | -42.63         | 60.07         | 3           | Vertical  | 5              | 1.80          | 25      | 39.30      | 11.45      | 65.25      |  |  |  |
| RMS  | 12.88984G    | 34.77             | 68.20             | -33.43         | 49.25         | 3           | Vertical  | 5              | 1.80          | 25      | 39.30      | 11.46      | 65.24      |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6445MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.88904G    | 46.21             | 88.20             | -41.99         | 60.69         | 3           | Horizontal | 308            | 1.80          | 25      | 39.30      | 11.46      | 65.24      |  |  |  |
| RMS  | 12.88984G    | 34.41             | 68.20             | -33.79         | 48.89         | 3           | Horizontal | 308            | 1.80          | 25      | 39.30      | 11.46      | 65.24      |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6445MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.30975G    | 62.23             | 83.54             | -21.31         | 58.59         | 1           | Vertical  | 12             | 1.80          | 25      | 37.96      | 15.23      | 49.55      |  |  |  |
| AV   | 19.33964G    | 48.40             | 63.54             | -15.14         | 44.90         | 1           | Vertical  | 12             | 1.80          | 25      | 37.84      | 15.23      | 49.57      |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6445MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.35386G | 67.45    | 83.54    | -16.09 | 63.98  | 1    | Horizontal | 43      | 1.68   | 25      | 37.82 | 15.23 | 49.58 |  |  |  |
| AV   | 19.33916G | 54.70    | 63.54    | -8.84  | 51.20  | 1    | Horizontal | 43      | 1.68   | 25      | 37.84 | 15.23 | 49.57 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6485MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.97631G | 45.08    | 88.20    | -43.12 | 59.53  | 3    | Vertical  | 360     | 1.80   | 25      | 39.29 | 11.49 | 65.23 |  |  |  |
| RMS  | 12.97G    | 34.23    | 68.20    | -33.97 | 48.65  | 3    | Vertical  | 360     | 1.80   | 25      | 39.32 | 11.49 | 65.23 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6485MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.0094G     | 45.20             | 88.20             | -43.00         | 59.75         | 3           | Horizontal | 1              | 1.80          | 25      | 39.16      | 11.50      | 65.21      |  |  |  |
| RMS  | 12.96976G    | 33.92             | 68.20             | -34.28         | 48.34         | 3           | Horizontal | 1              | 1.80          | 25      | 39.32      | 11.49      | 65.23      |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.47866G | 69.36    | 83.54    | -14.18 | 65.89  | 1    | Vertical  | 10      | 1.80   | 25      | 37.91 | 15.23 | 49.67 |  |  |  |
| AV   | 19.45836G | 56.52    | 63.54    | -7.02  | 53.11  | 1    | Vertical  | 10      | 1.80   | 25      | 37.83 | 15.23 | 49.65 |  |  |  |



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.44133G | 70.67    | 83.54    | -12.87 | 67.25  | 1    | Horizontal | 351     | 1.83   | 25      | 37.83 | 15.23 | 49.64 |  |  |  |
| AV   | 19.46171G | 58.65    | 63.54    | -4.89  | 55.22  | 1    | Horizontal | 351     | 1.83   | 25      | 37.85 | 15.23 | 49.65 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6525MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.08525G    | 45.90             | 88.20             | -42.30         | 60.29         | 3           | Vertical  | 311            | 1.80          | 25      | 39.14      | 11.53      | 65.06      |  |  |  |
| RMS  | 13.0663G     | 33.89             | 68.20             | -34.31         | 48.39         | 3           | Vertical  | 311            | 1.80          | 25      | 39.07      | 11.53      | 65.10      |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6525MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.08477G    | 46.87             | 88.20             | -41.33         | 61.27         | 3           | Horizontal | 4              | 1.80          | 25      | 39.14      | 11.53      | 65.07      |  |  |  |
| RMS  | 13.0659G     | 34.25             | 68.20             | -33.95         | 48.76         | 3           | Horizontal | 4              | 1.80          | 25      | 39.06      | 11.53      | 65.10      |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6525MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.57492G | 74.22    | 83.54    | -9.32  | 70.67  | 1    | Vertical  | 8       | 1.80   | 25      | 37.95 | 15.22 | 49.62 |  |  |  |
| AV   | 19.57452G | 61.62    | 63.54    | -1.92  | 58.07  | 1    | Vertical  | 8       | 1.80   | 25      | 37.95 | 15.22 | 49.62 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
SET 23

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.61272G | 76.24    | 83.54    | -7.30  | 72.73  | 1    | Horizontal | 301     | 1.80   | 23      | 37.88 | 15.22 | 49.59 |  |  |  |  |
| AV   | 19.59298G | 62.71    | 63.54    | -0.83  | 59.25  | 1    | Horizontal | 302     | 1.80   | 23      | 37.84 | 15.22 | 49.60 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6565MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.10523G    | 46.73             | 88.20             | -41.47         | 61.00         | 3           | Vertical  | 184            | 1.80          | 25      | 39.22      | 11.54      | 65.03      |  |  |  |
| RMS  | 13.16988G    | 34.53             | 68.20             | -33.67         | 48.55         | 3           | Vertical  | 184            | 1.80          | 25      | 39.32      | 11.56      | 64.90      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6565MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.13336G    | 46.66             | 88.20             | -41.54         | 60.75         | 3           | Horizontal | 348            | 1.80          | 25      | 39.33      | 11.55      | 64.97      |  |  |  |
| RMS  | 13.1698G     | 35.17             | 68.20             | -33.03         | 49.19         | 3           | Horizontal | 348            | 1.80          | 25      | 39.32      | 11.56      | 64.90      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX


EUT\_Y\_4TX  
SET 23

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.72841G | 77.06    | 83.54    | -6.48  | 73.48  | 1    | Vertical  | 18      | 1.78   | 23      | 37.86 | 15.21 | 49.49 |  |  |  |
| AV   | 19.70979G | 62.18    | 63.54    | -1.36  | 58.66  | 1    | Vertical  | 18      | 1.78   | 23      | 37.82 | 15.21 | 49.51 |  |  |  |



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6565MHz\_TX

EUT\_Y\_4TX  
SET22.5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.693G  | 74.96    | 83.54    | -8.58  | 71.42  | 1    | Horizontal | 296     | 1.80   | 22.5    | 37.84 | 15.22 | 49.52 |  |  |  |
| AV   | 19.6926G | 62.71    | 63.54    | -0.83  | 59.17  | 1    | Horizontal | 296     | 1.80   | 22.5    | 37.84 | 15.22 | 49.52 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.37016G    | 48.33             | 74.00             | -25.67         | 61.46         | 3           | Vertical  | 358            | 1.80          | 25      | 39.74      | 11.64      | 64.51      |  |  |  |
| AV   | 13.36992G    | 36.82             | 54.00             | -17.18         | 49.95         | 3           | Vertical  | 358            | 1.80          | 25      | 39.74      | 11.64      | 64.51      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.36009G | 48.32    | 74.00    | -25.68 | 61.49  | 3    | Horizontal | 53      | 1.80   | 25      | 39.72 | 11.64 | 64.53 |  |  |  |
| AV   | 13.33244G | 36.32    | 54.00    | -17.68 | 49.69  | 3    | Horizontal | 53      | 1.80   | 25      | 39.59 | 11.63 | 64.59 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6685MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.06283G | 75.02    | 83.54    | -8.52  | 71.27  | 1    | Vertical  | 19      | 1.80   | 25      | 37.75 | 15.25 | 49.25 |  |  |  |
| AV   | 20.06275G | 62.36    | 63.54    | -1.18  | 58.61  | 1    | Vertical  | 19      | 1.80   | 25      | 37.75 | 15.25 | 49.25 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6685MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.05212G | 71.97    | 83.54    | -11.57 | 68.28  | 1    | Horizontal | 37      | 1.80   | 25      | 37.71 | 15.24 | 49.26 |  |  |  |
| AV   | 20.05268G | 59.85    | 63.54    | -3.69  | 56.16  | 1    | Horizontal | 37      | 1.80   | 25      | 37.71 | 15.24 | 49.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.74746G    | 47.57             | 88.20             | -40.63         | 59.96         | 3           | Vertical  | 360            | 1.80          | 25      | 40.19      | 11.78      | 64.36      |  |  |  |
| RMS  | 13.76992G    | 35.85             | 68.20             | -32.35         | 48.23         | 3           | Vertical  | 360            | 1.80          | 25      | 40.20      | 11.79      | 64.37      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6885MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.79973G    | 49.11             | 88.20             | -39.09         | 61.49         | 3           | Horizontal | 7              | 1.80          | 25      | 40.20      | 11.80      | 64.38      |  |  |  |
| RMS  | 13.80972G    | 36.29             | 68.20             | -31.91         | 48.64         | 3           | Horizontal | 7              | 1.80          | 25      | 40.22      | 11.81      | 64.38      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.67066G | 72.22    | 83.54    | -11.32 | 67.63  | 1    | Vertical  | 22      | 1.80   | 25      | 37.90 | 15.74 | 49.05 |  |  |  |  |
| AV   | 20.67066G | 59.41    | 63.54    | -4.13  | 54.82  | 1    | Vertical  | 22      | 1.80   | 25      | 37.90 | 15.74 | 49.05 |  |  |  |  |



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6885MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.66931G    | 75.07             | 83.54             | -8.47          | 70.48         | 1           | Horizontal | 344            | 1.80          | 25      | 37.90      | 15.74      | 49.05      |  |  |  |
| AV   | 20.64917G    | 62.05             | 63.54             | -1.49          | 57.49         | 1           | Horizontal | 344            | 1.80          | 25      | 37.90      | 15.72      | 49.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6925MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.81595G    | 47.90             | 88.20             | -40.30         | 60.25         | 3           | Vertical  | 358            | 1.80          | 25      | 40.23      | 11.81      | 64.39      |  |  |  |
| RMS  | 13.85008G    | 36.24             | 68.20             | -31.96         | 48.52         | 3           | Vertical  | 358            | 1.80          | 25      | 40.30      | 11.82      | 64.40      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6925MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.81763G    | 48.44             | 88.20             | -39.76         | 60.78         | 3           | Horizontal | 6              | 1.80          | 25      | 40.24      | 11.81      | 64.39      |  |  |  |
| RMS  | 13.82419G    | 36.50             | 68.20             | -31.70         | 48.83         | 3           | Horizontal | 6              | 1.80          | 25      | 40.25      | 11.81      | 64.39      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6925MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.77172G | 72.74    | 83.54    | -10.80 | 67.95  | 1    | Vertical  | 23      | 1.80   | 25      | 37.97 | 15.82 | 49.00 |  |  |  |
| AV   | 20.77068G | 61.21    | 63.54    | -2.33  | 56.42  | 1    | Vertical  | 23      | 1.80   | 25      | 37.97 | 15.82 | 49.00 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6925MHz\_TX

EUT\_Y\_4TX  
SET 23

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.79058G | 75.67    | 83.54    | -7.87  | 70.71  | 1    | Horizontal | 26      | 1.80   | 23      | 38.12 | 15.83 | 48.99 |  |  |  |
| AV   | 20.77124G | 63.27    | 63.54    | -0.27  | 58.48  | 1    | Horizontal | 26      | 1.80   | 23      | 37.97 | 15.82 | 49.00 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7005MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.01735G    | 48.47             | 88.20             | -39.73         | 60.07         | 3           | Vertical  | 311            | 1.80          | 25      | 40.93      | 11.89      | 64.42      |  |  |  |
| RMS  | 14.02319G    | 36.75             | 68.20             | -31.45         | 48.32         | 3           | Vertical  | 311            | 1.80          | 25      | 40.95      | 11.89      | 64.41      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7005MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.01759G    | 48.82             | 88.20             | -39.38         | 60.41         | 3           | Horizontal | 50             | 1.80          | 25      | 40.94      | 11.89      | 64.42      |  |  |  |
| RMS  | 14.01671G    | 37.10             | 68.20             | -31.10         | 48.70         | 3           | Horizontal | 50             | 1.80          | 25      | 40.93      | 11.89      | 64.42      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7005MHz\_TX


EUT\_Y\_4TX  
SET21.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.00981G | 75.49    | 83.54    | -8.05  | 70.36  | 1    | Vertical  | 1       | 1.80   | 21.5    | 38.00 | 16.01 | 48.88 |  |  |  |
| AV   | 21.00973G | 62.74    | 63.54    | -0.80  | 57.61  | 1    | Vertical  | 1       | 1.80   | 21.5    | 38.00 | 16.01 | 48.88 |  |  |  |



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7005MHz\_TX

EUT\_Y\_4TX  
SET 22

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.99078G | 76.08    | 83.54    | -7.46  | 71.03  | 1    | Horizontal | 343     | 1.82   | 22      | 37.94 | 15.99 | 48.88 |  |  |  |
| AV   | 21.01005G | 62.89    | 63.54    | -0.65  | 57.76  | 1    | Horizontal | 343     | 1.82   | 22      | 38.00 | 16.01 | 48.88 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
SET9.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0688G      | 108.51            | Inf               | -Inf           | 97.59         | 3           | Vertical  | 331            | 2.70          | -       | 35.41      | 8.54       | 33.03      |  |  |  |
| AV   | 7.0682G      | 99.80             | Inf               | -Inf           | 88.88         | 3           | Vertical  | 331            | 2.70          | -       | 35.41      | 8.54       | 33.03      |  |  |  |
| PK   | 7.1618G      | 65.73             | 88.20             | -22.47         | 54.34         | 3           | Vertical  | 331            | 2.70          | -       | 35.95      | 8.50       | 33.06      |  |  |  |
| AV   | 7.1754G      | 54.66             | 68.20             | -13.54         | 43.22         | 3           | Vertical  | 331            | 2.70          | -       | 36.00      | 8.50       | 33.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX

EUT Y\_4TX  
SET9.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0968G      | 109.08            | Inf               | -Inf           | 98.01         | 3           | Horizontal | 37             | 2.95          | -       | 35.58      | 8.53       | 33.04      |  |  |  |
| AV   | 7.0754G      | 100.38            | Inf               | -Inf           | 89.43         | 3           | Horizontal | 37             | 2.95          | -       | 35.45      | 8.53       | 33.03      |  |  |  |
| PK   | 7.178G       | 65.04             | 88.20             | -23.16         | 53.59         | 3           | Horizontal | 37             | 2.95          | -       | 36.01      | 8.50       | 33.06      |  |  |  |
| AV   | 7.1744G      | 54.61             | 68.20             | -13.59         | 43.17         | 3           | Horizontal | 37             | 2.95          | -       | 36.00      | 8.50       | 33.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.1684G     | 52.37             | 88.20             | -35.83         | 63.06         | 3           | Vertical  | 336            | 1.80          | 25      | 41.44      | 11.96      | 64.09      |  |  |  |
| RMS  | 14.16864G    | 40.81             | 68.20             | -27.39         | 51.50         | 3           | Vertical  | 336            | 1.80          | 25      | 41.44      | 11.96      | 64.09      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.18399G | 54.67    | 88.20    | -33.53 | 65.30  | 3    | Horizontal | 48      | 1.80   | 25      | 41.47 | 11.96 | 64.06 |  |  |  |
| RMS  | 14.18423G | 42.55    | 68.20    | -25.65 | 53.18  | 3    | Horizontal | 48      | 1.80   | 25      | 41.47 | 11.96 | 64.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX

EUT\_Y\_4TX  
SET 20.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.25045G | 75.52    | 83.54    | -8.02  | 70.17  | 1    | Vertical  | 24      | 1.80   | 20.5    | 38.00 | 16.20 | 48.85 |  |  |  |
| AV   | 21.2514G  | 63.18    | 63.54    | -0.36  | 57.82  | 1    | Vertical  | 24      | 1.80   | 20.5    | 38.01 | 16.20 | 48.85 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX

EUT\_Y\_4TX  
SET 21.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.26203G | 74.43    | 83.54    | -9.11  | 68.97  | 1    | Horizontal | 340     | 1.80   | 21.5    | 38.10 | 16.21 | 48.85 |  |  |  |
| AV   | 21.26075G | 62.66    | 63.54    | -0.88  | 57.21  | 1    | Horizontal | 340     | 1.80   | 21.5    | 38.09 | 16.21 | 48.85 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX


EUT\_Y\_4TX  
SET 14

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9226G      | 62.05             | 88.20             | -26.15         | 54.98         | 3           | Vertical  | 318            | 1.80          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.91444G     | 50.94             | 68.20             | -17.26         | 43.87         | 3           | Vertical  | 318            | 1.80          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.02124G     | 109.48            | Inf               | -Inf           | 102.26        | 3           | Vertical  | 318            | 1.80          | -       | 32.54      | 7.68       | 33.00      |  |  |  |
| RMS  | 6.02076G     | 98.11             | Inf               | -Inf           | 90.89         | 3           | Vertical  | 318            | 1.80          | -       | 32.54      | 7.68       | 33.00      |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
SET 14

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.91276G     | 62.71             | 88.20             | -25.49         | 55.64         | 3           | Horizontal | 291            | 1.80          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.92068G     | 50.89             | 68.20             | -17.31         | 43.82         | 3           | Horizontal | 291            | 1.80          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.01332G     | 109.77            | Inf               | -Inf           | 102.56        | 3           | Horizontal | 291            | 1.80          | -       | 32.53      | 7.68       | 33.00      |  |  |  |
| RMS  | 6.01284G     | 97.83             | Inf               | -Inf           | 90.62         | 3           | Horizontal | 291            | 1.80          | -       | 32.53      | 7.68       | 33.00      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


## 5985MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.94858G    | 46.04             | 74.00             | -27.96         | 61.72         | 3           | Vertical  | 321            | 1.80          | 25      | 39.00      | 11.09      | 65.77      |  |  |  |
| AV   | 11.90958G    | 31.99             | 54.00             | -22.01         | 47.80         | 3           | Vertical  | 321            | 1.80          | 25      | 38.92      | 11.07      | 65.80      |  |  |  |
| PK   | 17.96987G    | 60.30             | 74.00             | -13.70         | 60.56         | 3           | Vertical  | 9              | 1.80          | 25      | 48.64      | 13.44      | 62.34      |  |  |  |
| AV   | 17.94845G    | 45.30             | 54.00             | -8.70          | 46.28         | 3           | Vertical  | 9              | 1.80          | 25      | 47.97      | 13.43      | 62.38      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.94682G    | 47.01             | 74.00             | -26.99         | 62.71         | 3           | Horizontal | 314            | 1.80          | 25      | 38.99      | 11.09      | 65.78      |  |  |  |
| AV   | 11.96984G    | 32.42             | 54.00             | -21.58         | 48.04         | 3           | Horizontal | 314            | 1.80          | 25      | 39.04      | 11.10      | 65.76      |  |  |  |
| PK   | 17.98953G    | 65.62             | 74.00             | -8.38          | 65.21         | 3           | Horizontal | 11             | 1.80          | 25      | 49.26      | 13.45      | 62.30      |  |  |  |
| AV   | 17.97034G    | 50.73             | 54.00             | -3.27          | 50.98         | 3           | Horizontal | 11             | 1.80          | 25      | 48.65      | 13.44      | 62.34      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.94016G    | 63.40             | 83.54             | -20.14         | 54.26         | 1           | Vertical  | 360            | 1.89          | 25      | 38.88      | 17.38      | 47.12      |  |  |  |
| AV   | 23.93233G    | 51.51             | 63.54             | -12.03         | 42.39         | 1           | Vertical  | 360            | 1.89          | 25      | 38.86      | 17.38      | 47.12      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.9376G  | 66.25    | 83.54    | -17.29 | 57.11  | 1    | Horizontal | 346     | 1.77   | 25      | 38.88 | 17.38 | 47.12 |  |  |  |
| AV   | 23.93744G | 54.61    | 63.54    | -8.93  | 45.48  | 1    | Horizontal | 346     | 1.77   | 25      | 38.87 | 17.38 | 47.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6225MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.37072G | 47.23    | 74.00    | -26.77 | 62.52  | 3    | Vertical  | 352     | 1.80   | 25      | 38.86 | 11.26 | 65.41 |  |  |  |
| AV   | 12.45G    | 36.39    | 54.00    | -17.61 | 51.94  | 3    | Vertical  | 352     | 1.80   | 25      | 38.50 | 11.29 | 65.34 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6225MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.40413G    | 47.93             | 74.00             | -26.07         | 63.26         | 3           | Horizontal | 63             | 1.80          | 25      | 38.78      | 11.27      | 65.38      |  |  |  |
| AV   | 12.44984G    | 35.46             | 54.00             | -18.54         | 51.01         | 3           | Horizontal | 63             | 1.80          | 25      | 38.50      | 11.29      | 65.34      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.63568G | 59.80    | 83.54    | -23.74 | 56.35  | 1    | Vertical  | 1       | 1.80   | 25      | 37.77 | 15.27 | 49.59 |  |  |  |
| AV   | 18.67164G | 47.84    | 63.54    | -15.70 | 44.42  | 1    | Vertical  | 1       | 1.80   | 25      | 37.71 | 15.27 | 49.56 |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6225MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.67596G | 64.06    | 83.54    | -19.48 | 60.65  | 1    | Horizontal | 41      | 1.72   | 25      | 37.70 | 15.27 | 49.56 |  |  |  |
| AV   | 18.675G   | 51.92    | 63.54    | -11.62 | 48.51  | 1    | Horizontal | 41      | 1.72   | 25      | 37.70 | 15.27 | 49.56 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6385MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.792G | 46.59    | 88.20    | -41.61 | 61.27  | 3    | Vertical  | 360     | 1.80   | 25      | 39.15 | 11.42 | 65.25 |  |  |  |
| RMS  | 12.77G  | 35.12    | 68.20    | -33.08 | 49.95  | 3    | Vertical  | 360     | 1.80   | 25      | 39.02 | 11.41 | 65.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6385MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.77543G    | 46.60             | 88.20             | -41.60         | 61.40         | 3           | Horizontal | 104            | 1.80          | 25      | 39.05      | 11.41      | 65.26      |  |  |  |
| RMS  | 12.79008G    | 33.90             | 68.20             | -34.30         | 48.60         | 3           | Horizontal | 104            | 1.80          | 25      | 39.14      | 11.42      | 65.26      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6385MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.16347G    | 62.79             | 83.54             | -20.75         | 59.22         | 1           | Vertical  | 10             | 1.80          | 25      | 37.78      | 15.24      | 49.45      |  |  |  |
| AV   | 19.16155G    | 51.56             | 63.54             | -11.98         | 48.00         | 1           | Vertical  | 10             | 1.80          | 25      | 37.77      | 15.24      | 49.45      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6385MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.14733G | 62.63    | 83.54    | -20.91 | 59.12  | 1    | Horizontal | 1       | 1.80   | 25      | 37.71 | 15.24 | 49.44 |  |  |  |
| AV   | 19.14717G | 50.40    | 63.54    | -13.14 | 46.89  | 1    | Horizontal | 1       | 1.80   | 25      | 37.71 | 15.24 | 49.44 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87629G | 45.94    | 88.20    | -42.26 | 60.43  | 3    | Vertical  | 360     | 1.80   | 25      | 39.30 | 11.45 | 65.24 |  |  |  |
| RMS  | 12.86191G | 33.95    | 68.20    | -34.25 | 48.45  | 3    | Vertical  | 360     | 1.80   | 25      | 39.30 | 11.45 | 65.25 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6465MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.92489G    | 45.92             | 88.20             | -42.28         | 60.34         | 3           | Horizontal | 11             | 1.80          | 25      | 39.35      | 11.47      | 65.24      |  |  |  |
| RMS  | 12.86558G    | 34.28             | 68.20             | -33.92         | 48.78         | 3           | Horizontal | 11             | 1.80          | 25      | 39.30      | 11.45      | 65.25      |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6465MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.40075G | 66.44    | 83.54    | -17.10 | 62.82  | 1    | Vertical  | 8       | 1.98   | 25      | 38.00 | 15.23 | 49.61 |  |  |  |
| AV   | 19.40043G | 54.85    | 63.54    | -8.69  | 51.23  | 1    | Vertical  | 8       | 1.98   | 25      | 38.00 | 15.23 | 49.61 |  |  |  |



6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6465MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.38189G | 62.74    | 83.54    | -20.80 | 59.18  | 1    | Horizontal | 360     | 1.80   | 25      | 37.93 | 15.23 | 49.60 |  |  |  |
| AV   | 19.38221G | 51.16    | 63.54    | -12.38 | 47.60  | 1    | Horizontal | 360     | 1.80   | 25      | 37.93 | 15.23 | 49.60 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6545MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.16512G    | 46.68             | 88.20             | -41.52         | 60.69         | 3           | Vertical  | 200            | 1.80          | 25      | 39.34      | 11.56      | 64.91      |  |  |  |
| RMS  | 13.16992G    | 34.72             | 68.20             | -33.48         | 48.74         | 3           | Vertical  | 200            | 1.80          | 25      | 39.32      | 11.56      | 64.90      |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6545MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.08345G    | 46.24             | 88.20             | -41.96         | 60.65         | 3           | Horizontal | 42             | 1.80          | 25      | 39.13      | 11.53      | 65.07      |  |  |  |
| RMS  | 13.16944G    | 35.06             | 68.20             | -33.14         | 49.08         | 3           | Horizontal | 42             | 1.80          | 25      | 39.32      | 11.56      | 64.90      |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6545MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_4TX  
SET 24

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.64379G | 74.12    | 83.54    | -9.42  | 70.40  | 1    | Vertical  | 18      | 1.83   | 24      | 38.06 | 15.22 | 49.56 |  |  |  |
| AV   | 19.65098G | 62.58    | 63.54    | -0.96  | 58.83  | 1    | Vertical  | 18      | 1.83   | 24      | 38.09 | 15.22 | 49.56 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6545MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_4TX  
SET 23

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.63354G    | 75.09             | 83.54             | -8.45          | 71.34         | 1           | Horizontal | 300            | 1.81          | 23      | 38.08      | 15.22      | 49.55      |  |  |  |
| AV   | 19.63228G    | 63.37             | 63.54             | -0.17          | 59.73         | 1           | Horizontal | 300            | 1.81          | 23      | 37.99      | 15.22      | 49.57      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6625MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.17583G    | 47.36             | 88.20             | -40.84         | 61.38         | 3           | Vertical  | 358            | 1.80          | 25      | 39.30      | 11.57      | 64.89      |  |  |  |
| RMS  | 13.24984G    | 36.03             | 68.20             | -32.17         | 49.99         | 3           | Vertical  | 358            | 1.80          | 25      | 39.20      | 11.59      | 64.75      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6625MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.18277G | 48.10    | 88.20    | -40.10 | 62.14  | 3    | Horizontal | 149     | 1.80   | 25      | 39.27 | 11.57 | 64.88 |  |  |  |
| RMS  | 13.17717G | 36.48    | 68.20    | -31.72 | 50.51  | 3    | Horizontal | 149     | 1.80   | 25      | 39.29 | 11.57 | 64.89 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX


EUT\_Y\_4TX  
SET 22

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.86317G    | 75.15             | 83.54             | -8.39          | 71.64         | 1           | Vertical  | 17             | 1.87          | 22      | 37.68      | 15.21      | 49.38      |  |  |  |
| AV   | 19.84719G    | 62.61             | 63.54             | -0.93          | 59.17         | 1           | Vertical  | 17             | 1.87          | 22      | 37.63      | 15.21      | 49.40      |  |  |  |



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6625MHz\_TX

EUT\_Y\_4TX  
SET 23

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.84607G | 75.79    | 83.54    | -7.75  | 72.34  | 1    | Horizontal | 348     | 1.80   | 23      | 37.64 | 15.21 | 49.40 |  |  |  |
| AV   | 19.84623G | 63.24    | 63.54    | -0.30  | 59.79  | 1    | Horizontal | 348     | 1.80   | 23      | 37.64 | 15.21 | 49.40 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6705MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.45795G | 48.98    | 88.20    | -39.22 | 61.63  | 3    | Vertical  | 337     | 1.80   | 25      | 40.02 | 11.67 | 64.34 |  |  |  |
| RMS  | 13.47937G | 37.07    | 68.20    | -31.13 | 49.63  | 3    | Vertical  | 337     | 1.80   | 25      | 40.06 | 11.68 | 64.30 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6705MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.41767G    | 49.11             | 88.20             | -39.09         | 62.00         | 3           | Horizontal | 1              | 1.80          | 25      | 39.87      | 11.66      | 64.42      |  |  |  |
| RMS  | 13.47697G    | 37.43             | 68.20             | -30.77         | 50.00         | 3           | Horizontal | 1              | 1.80          | 25      | 40.05      | 11.68      | 64.30      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6705MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.06689G    | 64.61             | 83.54             | -18.93         | 60.84         | 1           | Vertical  | 27             | 1.80          | 25      | 37.77      | 15.25      | 49.25      |  |  |  |
| AV   | 20.08655G    | 52.68             | 63.54             | -10.86         | 48.81         | 1           | Vertical  | 27             | 1.80          | 25      | 37.85      | 15.27      | 49.25      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6705MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.0987G     | 67.55             | 83.54             | -15.99         | 63.62         | 1           | Horizontal | 42             | 1.80          | 25      | 37.89      | 15.28      | 49.24      |  |  |  |
| AV   | 20.11948G    | 55.59             | 63.54             | -7.95          | 51.75         | 1           | Horizontal | 42             | 1.80          | 25      | 37.78      | 15.30      | 49.24      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6785MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.50974G    | 48.98             | 88.20             | -39.22         | 61.41         | 3           | Vertical  | 228            | 1.80          | 25      | 40.14      | 11.69      | 64.26      |  |  |  |
| RMS  | 13.49328G    | 37.09             | 68.20             | -31.11         | 49.58         | 3           | Vertical  | 228            | 1.80          | 25      | 40.09      | 11.69      | 64.27      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6785MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.5318G     | 49.77             | 88.20             | -38.43         | 62.11         | 3           | Horizontal | 10             | 1.80          | 25      | 40.23      | 11.70      | 64.27      |  |  |  |
| RMS  | 13.50558G    | 37.32             | 68.20             | -30.88         | 49.77         | 3           | Horizontal | 10             | 1.80          | 25      | 40.12      | 11.69      | 64.26      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.33758G | 70.24    | 83.54    | -13.30 | 65.83  | 1    | Vertical  | 1       | 1.88   | 25      | 38.12 | 15.47 | 49.18 |  |  |  |
| AV   | 20.31696G | 58.09    | 63.54    | -5.45  | 53.66  | 1    | Vertical  | 1       | 1.88   | 25      | 38.17 | 15.45 | 49.19 |  |  |  |



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6785MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.30305G    | 69.12             | 83.54             | -14.42         | 64.68         | 1           | Horizontal | 350            | 1.80          | 25      | 38.19      | 15.44      | 49.19      |  |  |  |
| AV   | 20.31888G    | 56.49             | 63.54             | -7.05          | 52.06         | 1           | Horizontal | 350            | 1.80          | 25      | 38.16      | 15.46      | 49.19      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6865MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.70858G | 48.83    | 88.20    | -39.37 | 61.28  | 3    | Vertical  | 200     | 1.80   | 25      | 40.12 | 11.77 | 64.34 |  |  |  |
| RMS  | 13.71002G | 36.37    | 68.20    | -31.83 | 48.82  | 3    | Vertical  | 200     | 1.80   | 25      | 40.12 | 11.77 | 64.34 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6865MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.6926G     | 48.65             | 88.20             | -39.55         | 61.13         | 3           | Horizontal | 335            | 1.80          | 25      | 40.10      | 11.76      | 64.34      |  |  |  |
| RMS  | 13.65296G    | 36.81             | 68.20             | -31.39         | 49.28         | 3           | Horizontal | 335            | 1.80          | 25      | 40.10      | 11.75      | 64.32      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6865MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.66085G    | 59.39             | 83.54             | -24.15         | 54.82         | 1           | Vertical  | 24             | 1.80          | 25      | 37.90      | 15.73      | 49.06      |  |  |  |
| AV   | 20.64071G    | 47.92             | 63.54             | -15.62         | 43.36         | 1           | Vertical  | 24             | 1.80          | 25      | 37.92      | 15.71      | 49.07      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6865MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.60011G    | 61.55             | 83.54             | -21.99         | 56.96         | 1           | Horizontal | 346            | 1.80          | 25      | 38.00      | 15.68      | 49.09      |  |  |  |
| AV   | 20.59932G    | 49.27             | 63.54             | -14.27         | 44.68         | 1           | Horizontal | 346            | 1.80          | 25      | 38.00      | 15.68      | 49.09      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6945MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.83613G | 48.21    | 88.20    | -39.99 | 60.51  | 3    | Vertical  | 168     | 1.80   | 25      | 40.27 | 11.82 | 64.39 |  |  |  |
| RMS  | 13.81408G | 35.94    | 68.20    | -32.26 | 48.29  | 3    | Vertical  | 168     | 1.80   | 25      | 40.23 | 11.81 | 64.39 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6945MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.90838G    | 48.50             | 88.20             | -39.70         | 60.35         | 3           | Horizontal | 8              | 1.80          | 25      | 40.72      | 11.85      | 64.42      |  |  |  |
| RMS  | 13.8259G     | 36.25             | 68.20             | -31.95         | 48.58         | 3           | Horizontal | 8              | 1.80          | 25      | 40.25      | 11.81      | 64.39      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6945MHz\_TX


EUT\_Y\_4TX  
SET 23.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.81118G | 74.67    | 83.54    | -8.87  | 69.60  | 1    | Vertical  | 13      | 1.84   | 23.5    | 38.20 | 15.85 | 48.98 |  |  |  |
| AV   | 20.83068G | 63.48    | 63.54    | -0.06  | 58.39  | 1    | Vertical  | 13      | 1.84   | 23.5    | 38.20 | 15.86 | 48.97 |  |  |  |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6945MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.81262G | 71.00    | 83.54    | -12.54 | 65.93  | 1    | Horizontal | 29      | 1.80   | 25      | 38.20 | 15.85 | 48.98 |  |  |  |
| AV   | 20.81278G | 58.70    | 63.54    | -4.84  | 53.63  | 1    | Horizontal | 29      | 1.80   | 25      | 38.20 | 15.85 | 48.98 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
SET 14  
01-P-C-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0086G      | 111.12            | Inf               | -Inf           | 100.44        | 3           | Vertical  | 330.4          | 1.80          | -       | 35.13      | 8.56       | 33.01      |  |  |  |
| RMS  | 7.0102G      | 101.51            | Inf               | -Inf           | 90.82         | 3           | Vertical  | 330.4          | 1.80          | -       | 35.14      | 8.56       | 33.01      |  |  |  |
| PK   | 7.1354G      | 65.97             | 88.20             | -22.23         | 54.70         | 3           | Vertical  | 330.4          | 1.80          | -       | 35.81      | 8.51       | 33.05      |  |  |  |
| RMS  | 7.225G       | 55.32             | 68.20             | -12.88         | 43.73         | 3           | Vertical  | 330.4          | 1.80          | -       | 36.15      | 8.52       | 33.08      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
SET 14  
01-P-C-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9894G      | 108.87            | Inf               | -Inf           | 98.25         | 3           | Horizontal | 49             | 1.80          | -       | 35.08      | 8.55       | 33.01      |  |  |  |
| RMS  | 6.989G       | 99.28             | Inf               | -Inf           | 88.66         | 3           | Horizontal | 49             | 1.80          | -       | 35.08      | 8.55       | 33.01      |  |  |  |
| PK   | 7.1418G      | 66.12             | 88.20             | -22.08         | 54.81         | 3           | Horizontal | 49             | 1.80          | -       | 35.85      | 8.51       | 33.05      |  |  |  |
| RMS  | 7.2218G      | 55.22             | 68.20             | -12.98         | 43.64         | 3           | Horizontal | 49             | 1.80          | -       | 36.14      | 8.52       | 33.08      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.05767G    | 48.56             | 88.20             | -39.64         | 59.95         | 3           | Vertical  | 5              | 1.80          | 25      | 41.03      | 11.91      | 64.33      |  |  |  |
| RMS  | 14.03609G    | 36.37             | 68.20             | -31.83         | 47.88         | 3           | Vertical  | 5              | 1.80          | 25      | 40.97      | 11.90      | 64.38      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9931G  | 48.60    | 88.20    | -39.60 | 60.29  | 3    | Horizontal | 308     | 1.80   | 25      | 40.89 | 11.88 | 64.46 |  |  |  |
| RMS  | 14.01755G | 36.33    | 68.20    | -31.87 | 47.92  | 3    | Horizontal | 308     | 1.80   | 25      | 40.94 | 11.89 | 64.42 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX

EUT Y\_4TX  
SET 21.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.05998G | 74.20    | 83.54    | -9.34  | 68.68  | 1    | Vertical  | 20      | 1.78   | 21.5    | 38.34 | 16.05 | 48.87 |  |  |  |
| AV   | 21.06925G | 61.87    | 63.54    | -1.67  | 56.40  | 1    | Vertical  | 20      | 1.78   | 21.5    | 38.28 | 16.06 | 48.87 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
SET 22

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.04895G | 74.21    | 83.54    | -9.33  | 68.65  | 1    | Horizontal | 342     | 1.80   | 22      | 38.39 | 16.04 | 48.87 |  |  |  |
| AV   | 21.04895G | 62.29    | 63.54    | -1.25  | 56.73  | 1    | Horizontal | 342     | 1.80   | 22      | 38.39 | 16.04 | 48.87 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX


EUT\_Y\_4TX  
SET 17.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.91652G     | 63.22             | 88.20             | -24.98         | 56.15         | 3           | Vertical  | 48             | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.91652G     | 52.03             | 68.20             | -16.17         | 44.96         | 3           | Vertical  | 48             | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.07652G     | 109.92            | Inf               | -Inf           | 102.68        | 3           | Vertical  | 48             | 2.95          | -       | 32.55      | 7.70       | 33.01      |  |  |  |
| RMS  | 6.09668G     | 97.75             | Inf               | -Inf           | 90.55         | 3           | Vertical  | 48             | 2.95          | -       | 32.51      | 7.70       | 33.01      |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX

EUT Y\_4TX  
SET 17.5

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment  | AF     | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|----------|--------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |          | (dB)   | (dB) | (dB)  |  |  |  |
| AV   | 6.025G | 20.48    | 30.00    | -9.52  | 1.46   | 3    | Horizontal | 299     | 2.95   | CP 160MH | -13.30 | 7.68 | 33.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
SET 17.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.91652G     | 62.58             | 88.20             | -25.62         | 55.51         | 3           | Horizontal | 295            | 1.80          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.91396G     | 51.33             | 68.20             | -16.87         | 44.26         | 3           | Horizontal | 295            | 1.80          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.03332G     | 108.52            | Inf               | -Inf           | 101.26        | 3           | Horizontal | 295            | 1.80          | -       | 32.57      | 7.69       | 33.00      |  |  |  |
| RMS  | 6.03268G     | 96.11             | Inf               | -Inf           | 88.85         | 3           | Horizontal | 295            | 1.80          | -       | 32.57      | 7.69       | 33.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.19386G | 46.61    | 74.00    | -27.39 | 61.87  | 3    | Vertical  | 109     | 1.80   | 25      | 39.12 | 11.19 | 65.57 |  |  |  |
| AV   | 12.20952G | 33.03    | 54.00    | -20.97 | 48.28  | 3    | Vertical  | 109     | 1.80   | 25      | 39.10 | 11.20 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.16317G    | 46.88             | 74.00             | -27.12         | 62.04         | 3           | Horizontal | 70             | 1.80          | 25      | 39.25      | 11.18      | 65.59      |  |  |  |
| AV   | 12.20984G    | 33.23             | 54.00             | -20.77         | 48.48         | 3           | Horizontal | 70             | 1.80          | 25      | 39.10      | 11.20      | 65.55      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.01106G | 62.45    | 83.54    | -21.09 | 59.04  | 1    | Vertical  | 12      | 1.80   | 25      | 37.56 | 15.30 | 49.45 |  |  |  |
| AV   | 18.01106G | 50.81    | 63.54    | -12.73 | 47.40  | 1    | Vertical  | 12      | 1.80   | 25      | 37.56 | 15.30 | 49.45 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.02961G    | 60.66             | 83.54             | -22.88         | 57.33         | 1           | Horizontal | 25             | 1.80          | 25      | 37.48      | 15.30      | 49.45      |  |  |  |
| AV   | 18.00979G    | 48.14             | 63.54             | -15.40         | 44.72         | 1           | Horizontal | 25             | 1.80          | 25      | 37.56      | 15.30      | 49.44      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
SET 17.5

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment  | AF     | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|-----------|---------|--------|----------|--------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |          | (dB)   | (dB) | (dB)  |  |  |  |
| AV   | 6.025G | 21.98    | 30.00    | -8.02  | 2.96   | 3    | Vertical  | 62      | 2.95   | CP 160MH | -13.30 | 7.68 | 33.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.33324G    | 48.23             | 74.00             | -25.77         | 63.49         | 3           | Vertical  | 146            | 1.80          | 25      | 38.93      | 11.25      | 65.44      |  |  |  |
| AV   | 12.33739G    | 33.59             | 54.00             | -20.41         | 48.85         | 3           | Vertical  | 146            | 1.80          | 25      | 38.93      | 11.25      | 65.44      |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6185MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.40261G | 48.50    | 74.00    | -25.50 | 63.83  | 3    | Horizontal | 234     | 1.80   | 25      | 38.78 | 11.27 | 65.38 |  |  |  |
| AV   | 12.40261G | 33.95    | 54.00    | -20.05 | 49.28  | 3    | Horizontal | 234     | 1.80   | 25      | 38.78 | 11.27 | 65.38 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6185MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.54957G    | 60.08             | 83.54             | -23.46         | 56.76         | 1           | Vertical  | 1              | 1.76          | 25      | 37.70      | 15.27      | 49.65      |  |  |  |
| AV   | 18.55468G    | 49.09             | 63.54             | -14.45         | 45.76         | 1           | Vertical  | 1              | 1.76          | 25      | 37.70      | 15.27      | 49.64      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6185MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.51696G | 64.19    | 83.54    | -19.35 | 60.76  | 1    | Horizontal | 42      | 1.71   | 25      | 37.83 | 15.27 | 49.67 |  |  |  |
| AV   | 18.55532G | 52.24    | 63.54    | -11.30 | 48.91  | 1    | Horizontal | 42      | 1.71   | 25      | 37.70 | 15.27 | 49.64 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6345MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.56085G | 47.36    | 74.00    | -26.64 | 62.77  | 3    | Vertical  | 243     | 1.80   | 25      | 38.54 | 11.33 | 65.28 |  |  |  |
| AV   | 12.57044G | 33.58    | 54.00    | -20.42 | 48.94  | 3    | Vertical  | 243     | 1.80   | 25      | 38.58 | 11.34 | 65.28 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6345MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.55478G | 47.52    | 74.00    | -26.48 | 62.95  | 3    | Horizontal | 360     | 1.80   | 25      | 38.52 | 11.33 | 65.28 |  |  |  |
| AV   | 12.53432G | 33.68    | 54.00    | -20.32 | 49.15  | 3    | Horizontal | 360     | 1.80   | 25      | 38.50 | 11.32 | 65.29 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6345MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.02733G    | 59.41             | 83.54             | -24.13         | 55.62         | 1           | Vertical  | 360            | 1.80          | 25      | 37.90      | 15.25      | 49.36      |  |  |  |
| AV   | 19.02797G    | 48.59             | 63.54             | -14.95         | 44.80         | 1           | Vertical  | 360            | 1.80          | 25      | 37.90      | 15.25      | 49.36      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6345MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.00815G    | 61.79             | 83.54             | -21.75         | 57.99         | 1           | Horizontal | 1              | 1.88          | 25      | 37.90      | 15.25      | 49.35      |  |  |  |
| AV   | 19.02701G    | 49.83             | 63.54             | -13.71         | 46.04         | 1           | Horizontal | 1              | 1.88          | 25      | 37.90      | 15.25      | 49.36      |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.89683G    | 45.88             | 88.20             | -42.32         | 60.36         | 3           | Vertical  | 1              | 1.80          | 25      | 39.30      | 11.46      | 65.24      |  |  |  |
| RMS  | 13.16952G    | 34.63             | 68.20             | -33.57         | 48.65         | 3           | Vertical  | 1              | 1.80          | 25      | 39.32      | 11.56      | 64.90      |  |  |  |



6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.89076G    | 46.08             | 88.20             | -42.12         | 60.56         | 3           | Horizontal | 188            | 1.80          | 25      | 39.30      | 11.46      | 65.24      |  |  |  |
| RMS  | 13.16952G    | 34.92             | 68.20             | -33.28         | 48.94         | 3           | Horizontal | 188            | 1.80          | 25      | 39.32      | 11.56      | 64.90      |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.66813G | 70.14    | 83.54    | -13.40 | 66.47  | 1    | Vertical  | 22      | 1.95   | 25      | 37.99 | 15.22 | 49.54 |  |  |  |
| AV   | 19.64895G | 57.45    | 63.54    | -6.09  | 53.70  | 1    | Vertical  | 22      | 1.95   | 25      | 38.09 | 15.22 | 49.56 |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.65374G    | 72.79             | 83.54             | -10.75         | 69.04         | 1           | Horizontal | 298            | 1.81          | 25      | 38.08      | 15.22      | 49.55      |  |  |  |
| AV   | 19.63264G    | 60.42             | 63.54             | -3.12          | 56.77         | 1           | Horizontal | 298            | 1.81          | 25      | 38.00      | 15.22      | 49.57      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6665MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.36197G    | 48.28             | 74.00             | -25.72         | 61.45         | 3           | Vertical  | 360            | 1.80          | 25      | 39.72      | 11.64      | 64.53      |  |  |  |
| AV   | 13.33G       | 36.74             | 54.00             | -17.26         | 50.12         | 3           | Vertical  | 360            | 1.80          | 25      | 39.58      | 11.63      | 64.59      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6665MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.2651G     | 48.45             | 74.00             | -25.55         | 62.31         | 3           | Horizontal | 31             | 1.80          | 25      | 39.26      | 11.60      | 64.72      |  |  |  |
| AV   | 13.27501G    | 36.36             | 54.00             | -17.64         | 50.16         | 3           | Horizontal | 31             | 1.80          | 25      | 39.30      | 11.60      | 64.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6665MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.84571G | 75.64    | 83.54    | -7.90  | 72.19  | 1    | Vertical  | 21      | 1.84   | 25      | 37.64 | 15.21 | 49.40 |  |  |  |
| AV   | 19.86649G | 62.84    | 63.54    | -0.70  | 59.31  | 1    | Vertical  | 21      | 1.84   | 25      | 37.70 | 15.21 | 49.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6665MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.84635G | 74.52    | 83.54    | -9.02  | 71.07  | 1    | Horizontal | 342     | 1.80   | 25      | 37.64 | 15.21 | 49.40 |  |  |  |
| AV   | 19.86553G | 61.88    | 63.54    | -1.66  | 58.36  | 1    | Horizontal | 342     | 1.80   | 25      | 37.69 | 15.21 | 49.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX


EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.64872G    | 49.47             | 88.20             | -38.73         | 61.94         | 3           | Vertical  | 265            | 1.80          | 25      | 40.10      | 11.75      | 64.32      |  |  |  |
| RMS  | 13.49176G    | 37.16             | 68.20             | -31.04         | 49.67         | 3           | Vertical  | 265            | 1.80          | 25      | 40.08      | 11.69      | 64.28      |  |  |  |



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6825MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.53683G    | 48.84             | 88.20             | -39.36         | 61.16         | 3           | Horizontal | 18             | 1.80          | 25      | 40.25      | 11.70      | 64.27      |  |  |  |
| RMS  | 13.4924G     | 37.31             | 68.20             | -30.89         | 49.81         | 3           | Horizontal | 18             | 1.80          | 25      | 40.08      | 11.69      | 64.27      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6825MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.38005G    | 61.27             | 83.54             | -22.27         | 56.90         | 1           | Vertical  | 22             | 1.80          | 25      | 38.04      | 15.50      | 49.17      |  |  |  |
| AV   | 20.39892G    | 49.88             | 63.54             | -13.66         | 45.53         | 1           | Vertical  | 22             | 1.80          | 25      | 38.00      | 15.52      | 49.17      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6825MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.58145G    | 64.80             | 83.54             | -18.74         | 60.27         | 1           | Horizontal | 341            | 1.77          | 25      | 37.96      | 15.67      | 49.10      |  |  |  |
| AV   | 20.52807G    | 51.95             | 63.54             | -11.59         | 47.69         | 1           | Horizontal | 341            | 1.77          | 25      | 37.77      | 15.62      | 49.13      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
SET 16.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.008G       | 109.56            | Inf               | -Inf           | 98.88         | 3           | Vertical  | 328            | 2.89          | -       | 35.13      | 8.56       | 33.01      |  |  |  |
| AV   | 6.908G       | 100.94            | Inf               | -Inf           | 90.75         | 3           | Vertical  | 328            | 2.89          | -       | 34.75      | 8.46       | 33.02      |  |  |  |
| PK   | 7.2165G      | 65.72             | 88.20             | -22.48         | 54.15         | 3           | Vertical  | 328            | 2.89          | -       | 36.13      | 8.51       | 33.07      |  |  |  |
| AV   | 7.1275G      | 55.54             | 68.20             | -12.66         | 44.30         | 3           | Vertical  | 328            | 2.89          | -       | 35.77      | 8.52       | 33.05      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
SET 16.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.036G       | 109.21            | Inf               | -Inf           | 98.44         | 3           | Horizontal | 37             | 2.95          | -       | 35.24      | 8.55       | 33.02      |  |  |  |
| AV   | 7.0555G      | 100.38            | Inf               | -Inf           | 89.54         | 3           | Horizontal | 37             | 2.95          | -       | 35.33      | 8.54       | 33.03      |  |  |  |
| PK   | 7.136G       | 66.21             | 88.20             | -21.99         | 54.93         | 3           | Horizontal | 37             | 2.95          | -       | 35.82      | 8.51       | 33.05      |  |  |  |
| AV   | 7.136G       | 55.77             | 68.20             | -12.43         | 44.49         | 3           | Horizontal | 37             | 2.95          | -       | 35.82      | 8.51       | 33.05      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.8255G  | 48.19    | 88.20    | -40.01 | 60.52  | 3    | Vertical  | 326     | 1.80   | 25      | 40.25 | 11.81 | 64.39 |  |  |  |
| RMS  | 13.81176G | 35.90    | 68.20    | -32.30 | 48.25  | 3    | Vertical  | 326     | 1.80   | 25      | 40.22 | 11.81 | 64.38 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.81911G    | 47.99             | 88.20             | -40.21         | 60.33         | 3           | Horizontal | 19             | 1.80          | 25      | 40.24      | 11.81      | 64.39      |  |  |  |
| RMS  | 13.81496G    | 36.38             | 68.20             | -31.82         | 48.73         | 3           | Horizontal | 19             | 1.80          | 25      | 40.23      | 11.81      | 64.39      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX


EUT\_Y\_4TX  
SET23.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.99144G | 75.50    | 83.54    | -8.04  | 70.46  | 1    | Vertical  | 6       | 1.58   | 23.5    | 37.93 | 15.99 | 48.88 |  |  |  |
| AV   | 21.00999G | 63.22    | 63.54    | -0.32  | 58.09  | 1    | Vertical  | 6       | 1.58   | 23.5    | 38.00 | 16.01 | 48.88 |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
SET22.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 21.00135G | 74.07    | 83.54    | -9.47  | 69.04  | 1    | Horizontal | 342     | 1.68   | 22.5    | 37.91 | 16.00 | 48.88 |  |  |  |  |
| AV   | 20.9502G  | 62.70    | 63.54    | -0.84  | 57.55  | 1    | Horizontal | 342     | 1.68   | 22.5    | 38.10 | 15.96 | 48.91 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
SET 19

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.92356G     | 66.71             | 88.20             | -21.49         | 59.64         | 3           | Vertical  | 56             | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.92404G     | 54.51             | 68.20             | -13.69         | 47.44         | 3           | Vertical  | 56             | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.23604G     | 109.78            | Inf               | -Inf           | 102.09        | 3           | Vertical  | 56             | 2.95          | -       | 32.94      | 7.77       | 33.02      |  |  |  |
| RMS  | 6.25572G     | 97.59             | Inf               | -Inf           | 89.82         | 3           | Vertical  | 56             | 2.95          | -       | 33.00      | 7.80       | 33.03      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
SET 19

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.925G       | 65.77             | 88.20             | -22.43         | 58.70         | 3           | Horizontal | 297            | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.925G       | 55.01             | 68.20             | -13.19         | 47.94         | 3           | Horizontal | 297            | 2.95          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.2514G      | 107.24            | Inf               | -Inf           | 99.48         | 3           | Horizontal | 297            | 2.95          | -       | 33.00      | 7.79       | 33.03      |  |  |  |
| RMS  | 6.24996G     | 96.38             | Inf               | -Inf           | 88.61         | 3           | Horizontal | 297            | 2.95          | -       | 33.00      | 7.79       | 33.02      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.30207G | 46.78    | 74.00    | -27.22 | 62.02  | 3    | Vertical  | 76      | 1.80   | 25      | 39.00 | 11.23 | 65.47 |  |  |  |
| AV   | 12.52201G | 35.11    | 54.00    | -18.89 | 50.58  | 3    | Vertical  | 76      | 1.80   | 25      | 38.50 | 11.32 | 65.29 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX

EUT\_Y\_4TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.38199G    | 47.10             | 74.00             | -26.90         | 62.39         | 3           | Horizontal | 254            | 1.80          | 25      | 38.84      | 11.27      | 65.40      |  |  |  |
| AV   | 12.29887G    | 35.53             | 54.00             | -18.47         | 50.77         | 3           | Horizontal | 254            | 1.80          | 25      | 39.00      | 11.23      | 65.47      |  |  |  |