


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX


5985MHz_TX

EUT_Y_2TX
Setting 19
01-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9409G	53.86	83.54	-29.68	44.72	1	Horizontal	22	1.95	-	38.88	17.38	47.12			
AV	23.92551G	42.89	63.54	-20.65	33.79	1	Horizontal	22	1.95	-	38.85	17.38	47.13			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX

6025MHz_TX




EUT_Y_2TX
Setting 19.5
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9215G	82.04	88.20	-6.16	73.66	3	Vertical	60	1.74	-	32.54	7.44	31.60			
RMS	5.925G	68.01	68.20	-0.19	59.62	3	Vertical	60	1.74	-	32.55	7.44	31.60			
PK	6.0805G	110.79	Inf	-Inf	102.09	3	Vertical	60	1.74	-	32.60	7.53	31.43			
RMS	6.082G	101.49	Inf	-Inf	92.78	3	Vertical	60	1.74	-	32.60	7.54	31.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX

6025MHz_TX




EUT_Y_2TX
Setting 19.5
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	72.53	88.20	-15.67	64.14	3	Horizontal	294	1.84	-	32.55	7.44	31.60			
RMS	5.918G	57.68	68.20	-10.52	49.30	3	Horizontal	294	1.84	-	32.54	7.44	31.60			
PK	6.077G	100.96	Inf	-Inf	92.27	3	Horizontal	294	1.84	-	32.60	7.53	31.44			
RMS	6.0755G	90.16	Inf	-Inf	81.47	3	Horizontal	294	1.84	-	32.60	7.53	31.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX

6025MHz_TX




EUT_Y_2TX
Setting 19.5
06-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05378G	59.54	74.00	-14.46	42.44	3	Vertical	228	2.84	-	39.21	10.83	32.94			
AV	12.05516G	47.38	54.00	-6.62	30.27	3	Vertical	228	2.84	-	39.21	10.84	32.94			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX


6025MHz_TX

EUT_Y_2TX
Setting 19.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04193G	58.85	74.00	-15.15	41.79	3	Horizontal	71	2.99	-	39.18	10.83	32.95			
AV	12.05828G	47.41	54.00	-6.59	30.28	3	Horizontal	71	2.99	-	39.22	10.84	32.93			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX

6025MHz_TX




EUT_Y_2TX
Setting 19.5
06-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07731G	46.95	83.54	-36.59	43.62	1	Vertical	12	1.13	-	37.51	15.30	49.48			
AV	18.08961G	34.62	63.54	-28.92	31.24	1	Vertical	12	1.13	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX


6025MHz_TX

EUT_Y_2TX
Setting 19.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07044G	46.22	83.54	-37.32	42.91	1	Horizontal	212	2.45	-	37.48	15.30	49.47			
AV	18.08943G	34.62	63.54	-28.92	31.24	1	Horizontal	212	2.45	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 19
01-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9224G	76.24	88.20	-11.96	68.64	3	Vertical	64	1.80	-	32.40	7.64	32.44			
RMS	5.9242G	66.56	68.20	-1.64	58.96	3	Vertical	64	1.80	-	32.40	7.64	32.44			
PK	6.0604G	110.12	Inf	-Inf	102.28	3	Vertical	64	1.80	-	32.58	7.69	32.43			
RMS	6.0622G	100.55	Inf	-Inf	92.71	3	Vertical	64	1.80	-	32.58	7.69	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 19
01-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	68.17	88.20	-20.03	60.57	3	Horizontal	63	2.99	-	32.40	7.64	32.44			
RMS	5.9212G	56.11	68.20	-12.09	48.51	3	Horizontal	63	2.99	-	32.40	7.64	32.44			
PK	6.0226G	101.03	Inf	-Inf	93.24	3	Horizontal	63	2.99	-	32.55	7.68	32.44			
RMS	6.001G	91.11	Inf	-Inf	83.37	3	Horizontal	63	2.99	-	32.50	7.68	32.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX


6025MHz_TX

EUT_Y_2TX
Setting 19
01-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06086G	59.22	74.00	-14.78	41.49	3	Vertical	140	2.34	-	39.30	11.14	32.71			
AV	12.06446G	47.32	54.00	-6.68	29.59	3	Vertical	140	2.34	-	39.30	11.14	32.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX


6025MHz_TX

EUT_Y_2TX
Setting 19
01-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.06086G	58.33	74.00	-15.67	40.60	3	Horizontal	22	2.01	-	39.30	11.14	32.71			
AV	12.06446G	46.95	54.00	-7.05	29.22	3	Horizontal	22	2.01	-	39.30	11.14	32.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX


6025MHz_TX

EUT_Y_2TX
Setting 19
01-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07785G	46.22	83.54	-37.32	42.89	1	Vertical	274	1.02	-	37.51	15.30	49.48			
AV	18.08982G	33.72	63.54	-29.82	30.34	1	Vertical	274	1.02	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX


6025MHz_TX

EUT_Y_2TX
Setting 19
01-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08976G	48.33	83.54	-35.21	44.95	1	Horizontal	13	2.83	-	37.56	15.30	49.48			
AV	18.08949G	32.57	63.54	-30.97	29.19	1	Horizontal	13	2.83	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_Y_4TX
Setting 18.5
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	81.77	88.20	-6.43	73.38	3	Vertical	315	1.46	-	32.55	7.44	31.60			
RMS	5.9235G	67.60	68.20	-0.60	59.21	3	Vertical	315	1.46	-	32.55	7.44	31.60			
PK	5.9635G	114.12	Inf	-Inf	105.70	3	Vertical	315	1.46	-	32.57	7.46	31.61			
RMS	5.9625G	104.60	Inf	-Inf	96.17	3	Vertical	315	1.46	-	32.58	7.46	31.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_Y_4TX
Setting 18.5
06-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9145G	78.88	88.20	-9.32	70.51	3	Horizontal	298	1.87	-	32.53	7.44	31.60			
RMS	5.9145G	63.94	68.20	-4.26	55.57	3	Horizontal	298	1.87	-	32.53	7.44	31.60			
PK	5.9925G	115.18	Inf	-Inf	106.80	3	Horizontal	298	1.87	-	32.52	7.47	31.61			
RMS	6.014G	104.25	Inf	-Inf	95.82	3	Horizontal	298	1.87	-	32.53	7.48	31.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5985MHz_TX

EUT_Y_4TX
Setting 18.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97342G	57.37	74.00	-16.63	40.61	3	Vertical	122	1.81	-	38.94	10.80	32.98			
AV	11.98347G	44.88	54.00	-9.12	28.06	3	Vertical	122	1.81	-	39.00	10.80	32.98			
PK	17.96652G	62.95	74.00	-11.05	32.65	3	Vertical	84	2.31	-	50.99	13.55	34.24			
AV	17.96823G	47.22	54.00	-6.78	16.83	3	Vertical	84	2.31	-	51.08	13.56	34.25			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5985MHz_TX

EUT_Y_4TX
Setting 18.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9685G	56.82	74.00	-17.18	40.09	3	Horizontal	293	1.46	-	38.91	10.80	32.98			
AV	11.9844G	42.10	54.00	-11.90	25.27	3	Horizontal	293	1.46	-	39.01	10.80	32.98			
PK	17.94261G	61.80	74.00	-12.20	32.55	3	Horizontal	334	2.20	-	49.88	13.54	34.17			
AV	17.96985G	49.33	54.00	-4.67	18.85	3	Horizontal	334	2.20	-	51.17	13.56	34.25			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5985MHz_TX




EUT_V_4TX
Setting 18.5
06-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93502G	55.00	83.54	-28.54	45.87	1	Vertical	145	1.59	-	38.87	17.38	47.12			
AV	23.94228G	42.20	63.54	-21.34	33.06	1	Vertical	145	1.59	-	38.88	17.38	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5985MHz_TX

EUT_V_4TX
Setting 18.5
06-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95302G	55.15	83.54	-28.39	45.96	1	Horizontal	22	2.01	-	38.91	17.39	47.11			
AV	23.92548G	42.18	63.54	-21.36	33.08	1	Horizontal	22	2.01	-	38.85	17.38	47.13			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX


6025MHz_TX

EUT_Y_4TX
Setting 20
01-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9158G	76.77	88.20	-11.43	69.17	3	Vertical	331	2.45	-	32.40	7.64	32.44			
RMS	5.917G	67.38	68.20	-0.82	59.78	3	Vertical	331	2.45	-	32.40	7.64	32.44			
PK	6.055G	109.23	Inf	-Inf	101.38	3	Vertical	331	2.45	-	32.59	7.69	32.43			
RMS	6.0748G	99.91	Inf	-Inf	92.10	3	Vertical	331	2.45	-	32.55	7.69	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX


6025MHz_TX

EUT_Y_4TX
Setting 20
01-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	72.08	88.20	-16.12	64.48	3	Horizontal	291	2.21	-	32.40	7.64	32.44			
RMS	5.9188G	54.77	68.20	-13.43	47.17	3	Horizontal	291	2.21	-	32.40	7.64	32.44			
PK	6.0778G	106.33	Inf	-Inf	98.52	3	Horizontal	291	2.21	-	32.54	7.70	32.43			
RMS	6.0772G	96.27	Inf	-Inf	88.45	3	Horizontal	291	2.21	-	32.55	7.70	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

6025MHz_TX




EUT_V_4TX
Setting 20
01-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.03956G	55.33	74.00	-18.67	37.67	3	Vertical	66	1.18	-	39.26	11.14	32.74			
AV	12.06131G	42.53	54.00	-11.47	24.80	3	Vertical	66	1.18	-	39.30	11.14	32.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

6025MHz_TX




EUT_V_4TX
Setting 20
01-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.03833G	56.32	74.00	-17.68	38.68	3	Horizontal	200	2.03	-	39.25	11.13	32.74			
AV	12.05741G	42.81	54.00	-11.19	25.09	3	Horizontal	200	2.03	-	39.30	11.14	32.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX


6025MHz_TX

EUT_V_4TX
Setting 20
01-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07119G	45.23	83.54	-38.31	41.92	1	Vertical	55	1.32	-	37.48	15.30	49.47			
AV	18.08976G	33.89	63.54	-29.65	30.51	1	Vertical	55	1.32	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX


6025MHz_TX

EUT_V_4TX
Setting 20
01-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06789G	45.82	83.54	-37.72	42.52	1	Horizontal	201	1.15	-	37.47	15.30	49.47			
AV	18.08925G	33.51	63.54	-30.03	30.13	1	Horizontal	201	1.15	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 19.5
01-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	78.24	88.20	-9.96	70.64	3	Vertical	332	2.42	-	32.40	7.64	32.44			
RMS	5.9236G	65.88	68.20	-2.32	58.28	3	Vertical	332	2.42	-	32.40	7.64	32.44			
PK	6.055G	113.84	Inf	-Inf	105.99	3	Vertical	332	2.42	-	32.59	7.69	32.43			
RMS	6.055G	102.85	Inf	-Inf	95.00	3	Vertical	332	2.42	-	32.59	7.69	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 19.5
01-K-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	75.98	88.20	-12.22	68.38	3	Horizontal	64	1.80	-	32.40	7.64	32.44			
RMS	5.9248G	62.39	68.20	-5.81	54.79	3	Horizontal	64	1.80	-	32.40	7.64	32.44			
PK	6.0064G	110.04	Inf	-Inf	102.29	3	Horizontal	64	1.80	-	32.51	7.68	32.44			
RMS	5.9866G	99.53	Inf	-Inf	91.83	3	Horizontal	64	1.80	-	32.47	7.67	32.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 19.5
01-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05069G	54.23	74.00	-19.77	36.52	3	Vertical	50	2.33	-	39.30	11.14	32.73			
AV	12.06329G	46.22	54.00	-7.78	28.49	3	Vertical	50	2.33	-	39.30	11.14	32.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 19.5
01-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.03803G	56.42	74.00	-17.58	39.36	3	Horizontal	123	2.39	-	39.18	10.83	32.95			
AV	12.05078G	42.88	54.00	-11.12	25.79	3	Horizontal	123	2.39	-	39.20	10.83	32.94			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX


6025MHz_TX

EUT_V_4TX
Setting 19.5
01-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08975G	45.22	83.54	-38.32	41.91	1	Vertical	147	1.11	-	37.48	15.30	49.47			
AV	18.08964G	33.80	63.54	-29.74	30.42	1	Vertical	147	1.11	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX



EUT_V_4TX
Setting 19.5
01-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08838G	46.25	83.54	-37.29	42.88	1	Horizontal	24	1.93	-	37.55	15.30	49.48			
AV	18.08982G	33.88	63.54	-29.66	30.50	1	Horizontal	24	1.93	-	37.56	15.30	49.48			




Test Mode: Mode 9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	68.09	68.20	-0.11	3	Vertical	246	2.54	BP 1MHz

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
SET 23
01-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	78.18	88.20	-10.02	71.11	3	Vertical	231	2.79	-	32.40	7.64	32.97			
RMS	5.9248G	67.37	68.20	-0.83	60.30	3	Vertical	231	2.79	-	32.40	7.64	32.97			
PK	5.956G	119.00	Inf	-Inf	111.92	3	Vertical	231	2.79	-	32.41	7.66	32.99			
RMS	5.9562G	108.12	Inf	-Inf	101.04	3	Vertical	231	2.79	-	32.41	7.66	32.99			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
SET 23
01-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	71.08	88.20	-17.12	64.01	3	Horizontal	225	2.28	-	32.40	7.64	32.97			
RMS	5.925G	59.90	68.20	-8.30	52.83	3	Horizontal	225	2.28	-	32.40	7.64	32.97			
PK	5.9572G	111.41	Inf	-Inf	104.33	3	Horizontal	225	2.28	-	32.41	7.66	32.99			
RMS	5.9564G	100.47	Inf	-Inf	93.39	3	Horizontal	225	2.28	-	32.41	7.66	32.99			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT Y_1TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91675G	44.64	74.00	-29.36	60.43	3	Vertical	309	1.80	23	38.93	11.07	65.79			
AV	11.90988G	32.03	54.00	-21.97	47.84	3	Vertical	309	1.80	23	38.92	11.07	65.80			
PK	17.8644G	57.25	74.00	-16.75	60.34	3	Vertical	9	1.80	23	46.05	13.41	62.55			
AV	17.866G	44.01	54.00	-9.99	47.06	3	Vertical	9	1.80	23	46.08	13.41	62.54			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT Y_1TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89849G	43.53	74.00	-30.47	59.38	3	Horizontal	350	1.80	23	38.90	11.06	65.81			
AV	11.90984G	32.47	54.00	-21.53	48.28	3	Horizontal	350	1.80	23	38.92	11.07	65.80			
PK	17.87335G	60.52	74.00	-13.48	63.38	3	Horizontal	8	1.80	23	46.26	13.41	62.53			
AV	17.86748G	46.96	54.00	-7.04	49.97	3	Horizontal	8	1.80	23	46.12	13.41	62.54			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT Y_1TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.823G	70.46	83.54	-13.08	61.33	1	Vertical	334	1.85	23	38.96	17.35	47.18			
AV	23.82176G	56.86	63.54	-6.68	47.72	1	Vertical	334	1.85	23	38.97	17.35	47.18			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81592G	66.68	83.54	-16.86	57.52	1	Horizontal	14	1.80	23	39.00	17.34	47.18			
AV	23.81964G	53.03	63.54	-10.51	43.88	1	Horizontal	14	1.80	23	38.98	17.35	47.18			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37597G	46.66	74.00	-27.34	61.95	3	Vertical	33	1.05	25	38.85	11.26	65.40			
AV	12.4061G	33.32	54.00	-20.68	48.66	3	Vertical	33	1.05	25	38.76	11.27	65.37			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40966G	45.84	74.00	-28.16	61.19	3	Horizontal	264	1.80	25	38.74	11.28	65.37			
AV	12.40359G	33.24	54.00	-20.76	48.57	3	Horizontal	264	1.80	25	38.78	11.27	65.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57765G	70.03	83.54	-13.51	66.69	1	Vertical	28	1.82	25	37.70	15.27	49.63			
AV	18.58308G	56.20	63.54	-7.34	52.85	1	Vertical	28	1.82	25	37.70	15.27	49.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5844G	68.05	83.54	-15.49	64.70	1	Horizontal	34	1.75	25	37.70	15.27	49.62			
AV	18.58308G	55.05	63.54	-8.49	51.70	1	Horizontal	34	1.75	25	37.70	15.27	49.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83579G	44.11	88.20	-44.09	58.65	3	Vertical	1	1.80	25	39.27	11.44	65.25			
RMS	12.84942G	31.71	68.20	-36.49	46.22	3	Vertical	1	1.80	25	39.30	11.44	65.25			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81893G	43.84	88.20	-44.36	58.42	3	Horizontal	360	1.80	25	39.24	11.43	65.25			
RMS	12.84662G	31.64	68.20	-36.56	46.16	3	Horizontal	360	1.80	25	39.29	11.44	65.25			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24576G	77.69	83.54	-5.85	74.05	1	Vertical	353	1.80	22	37.91	15.24	49.51			
AV	19.24504G	63.24	63.54	-0.30	59.60	1	Vertical	353	1.80	22	37.91	15.24	49.51			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2432G	75.93	83.54	-7.61	72.29	1	Horizontal	354	1.78	24	37.91	15.24	49.51			
AV	19.24648G	63.27	63.54	-0.27	59.63	1	Horizontal	354	1.78	24	37.91	15.24	49.51			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6435MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86652G	44.30	88.20	-43.90	58.80	3	Vertical	345	1.80	25	39.30	11.45	65.25			
RMS	12.87112G	32.14	68.20	-36.06	46.64	3	Vertical	345	1.80	25	39.30	11.45	65.25			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6435MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87132G	44.44	88.20	-43.76	58.94	3	Horizontal	24	1.80	25	39.30	11.45	65.25			
RMS	12.86632G	32.02	68.20	-36.18	46.52	3	Horizontal	24	1.80	25	39.30	11.45	65.25			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6435MHz_TX

EUT Y_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.3042G	76.78	83.54	-6.76	73.12	1	Vertical	354	1.81	22.5	37.98	15.23	49.55			
AV	19.30572G	62.63	63.54	-0.91	58.97	1	Vertical	354	1.81	22.5	37.98	15.23	49.55			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6435MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30049G	76.44	83.54	-7.10	72.75	1	Horizontal	360	1.77	25	38.00	15.23	49.54			
AV	19.30612G	63.09	63.54	-0.45	59.43	1	Horizontal	360	1.77	25	37.98	15.23	49.55			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6475MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94361G	43.90	88.20	-44.30	58.27	3	Vertical	343	1.80	25	39.39	11.48	65.24			
RMS	12.95551G	31.29	68.20	-36.91	45.67	3	Vertical	343	1.80	25	39.38	11.48	65.24			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6475MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94117G	43.08	88.20	-45.12	57.46	3	Horizontal	1	1.80	25	39.38	11.48	65.24			
RMS	12.95599G	31.20	68.20	-37.00	45.58	3	Horizontal	1	1.80	25	39.38	11.48	65.24			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6475MHz_TX

EUT Y_1TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.4254G	75.90	83.54	-7.64	72.40	1	Vertical	351	1.93	24.5	37.90	15.23	49.63			
AV	19.42396G	63.27	63.54	-0.27	59.77	1	Vertical	351	1.93	24.5	37.90	15.23	49.63			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6475MHz_TX

EUT Y_1TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42544G	69.91	83.54	-13.63	66.41	1	Horizontal	25	1.69	24.5	37.90	15.23	49.63			
AV	19.4242G	56.34	63.54	-7.20	52.84	1	Horizontal	25	1.69	24.5	37.90	15.23	49.63			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6515MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03536G	43.36	88.20	-44.84	57.95	3	Vertical	331	1.05	25	39.06	11.51	65.16			
RMS	13.02129G	31.21	68.20	-36.99	45.78	3	Vertical	331	1.05	25	39.11	11.51	65.19			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6515MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03579G	43.37	88.20	-44.83	57.96	3	Horizontal	72	1.80	25	39.06	11.51	65.16			
RMS	13.02201G	30.79	68.20	-37.41	45.36	3	Horizontal	72	1.80	25	39.11	11.51	65.19			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6515MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.53969G	75.41	83.54	-8.13	71.76	1	Vertical	352	1.72	25	38.08	15.22	49.65			
AV	19.54612G	62.16	63.54	-1.38	58.49	1	Vertical	352	1.72	25	38.09	15.22	49.64			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6515MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54932G	69.39	83.54	-14.15	65.71	1	Horizontal	360	1.80	25	38.10	15.22	49.64			
AV	19.54448G	56.22	63.54	-7.32	52.55	1	Horizontal	360	1.80	25	38.09	15.22	49.64			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0889G	43.74	88.20	-44.46	58.11	3	Vertical	152	1.05	25	39.16	11.53	65.06			
RMS	13.0863G	31.49	68.20	-36.71	45.87	3	Vertical	152	1.05	25	39.15	11.53	65.06			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08071G	44.03	88.20	-44.17	58.45	3	Horizontal	141	1.80	25	39.12	11.53	65.07			
RMS	13.08622G	31.89	68.20	-36.31	46.28	3	Horizontal	141	1.80	25	39.14	11.53	65.06			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60228G	74.78	83.54	-8.76	71.35	1	Vertical	353	1.72	25	37.81	15.22	49.60			
AV	19.6034G	61.42	63.54	-2.12	57.98	1	Vertical	353	1.72	25	37.82	15.22	49.60			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60932G	71.61	83.54	-11.93	68.12	1	Horizontal	360	1.83	25	37.86	15.22	49.59			
AV	19.60604G	58.62	63.54	-4.92	55.15	1	Horizontal	360	1.83	25	37.84	15.22	49.59			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38956G	47.71	74.00	-26.29	60.75	3	Vertical	38	1.05	25	39.78	11.65	64.47			
AV	13.38109G	35.06	54.00	-18.94	48.15	3	Vertical	38	1.05	25	39.76	11.64	64.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38329G	47.12	74.00	-26.88	60.19	3	Horizontal	309	1.80	25	39.77	11.65	64.49			
AV	13.38117G	34.78	54.00	-19.22	47.87	3	Horizontal	309	1.80	25	39.76	11.64	64.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08336G	61.02	83.54	-22.52	57.17	1	Vertical	345	1.83	25	37.83	15.27	49.25			
AV	20.08548G	48.43	63.54	-15.11	44.57	1	Vertical	345	1.83	25	37.84	15.27	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08037G	60.72	83.54	-22.82	56.89	1	Horizontal	27	1.83	25	37.82	15.26	49.25			
AV	20.08804G	47.98	63.54	-15.56	44.11	1	Horizontal	27	1.83	25	37.85	15.27	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6875MHz Straddle 6.525-6.875GHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76618G	46.49	88.20	-41.71	58.87	3	Vertical	281	1.06	25	40.20	11.79	64.37			
AV	13.73002G	33.99	68.20	-34.21	46.40	3	Vertical	281	1.06	25	40.16	11.78	64.35			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6875MHz Straddle 6.525-6.875GHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.74005G	45.96	88.20	-42.24	58.36	3	Horizontal	226	1.80	25	40.18	11.78	64.36			
AV	13.73482G	33.77	68.20	-34.43	46.17	3	Horizontal	226	1.80	25	40.17	11.78	64.35			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6875MHz Straddle 6.525-6.875GHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.61621G	72.19	83.54	-11.35	67.61	1	Vertical	27	1.53	25	37.97	15.69	49.08			
AV	20.62672G	59.95	63.54	-3.59	55.37	1	Vertical	27	1.53	25	37.95	15.70	49.07			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6875MHz Straddle 6.525-6.875GHz_TX

EUT Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62544G	76.68	83.54	-6.86	72.10	1	Horizontal	57	1.80	24	37.95	15.70	49.07			
AV	20.6258G	63.38	63.54	-0.16	58.80	1	Horizontal	57	1.80	24	37.95	15.70	49.07			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80778G	46.14	88.20	-42.06	58.49	3	Vertical	93	1.80	25	40.22	11.81	64.38			
RMS	13.80914G	33.71	68.20	-34.49	46.06	3	Vertical	93	1.80	25	40.22	11.81	64.38			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80578G	45.74	88.20	-42.46	58.10	3	Horizontal	305	1.05	25	40.21	11.81	64.38			
RMS	13.80978G	33.76	68.20	-34.44	46.11	3	Horizontal	305	1.05	25	40.22	11.81	64.38			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68636G	75.81	83.54	-7.73	71.20	1	Vertical	20	1.80	25	37.90	15.75	49.04			
AV	20.68432G	63.27	63.54	-0.27	58.66	1	Vertical	20	1.80	25	37.90	15.75	49.04			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX

EUT Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.67061G	75.65	83.54	-7.89	71.06	1	Horizontal	56	1.80	24	37.90	15.74	49.05			
AV	20.68336G	62.54	63.54	-1.00	57.93	1	Horizontal	56	1.80	24	37.90	15.75	49.04			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6995MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98453G	46.03	88.20	-42.17	57.74	3	Vertical	351	1.05	25	40.87	11.87	64.45			
RMS	14.00842G	34.15	68.20	-34.05	45.79	3	Vertical	351	1.05	25	40.92	11.88	64.44			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6995MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98489G	46.28	88.20	-41.92	57.99	3	Horizontal	111	1.06	25	40.87	11.87	64.45			
RMS	14.00778G	34.11	68.20	-34.09	45.75	3	Horizontal	111	1.06	25	40.92	11.88	64.44			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6995MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98784G	75.23	83.54	-8.31	70.18	1	Vertical	344	1.82	25	37.95	15.99	48.89			
AV	20.9836G	61.82	63.54	-1.72	56.75	1	Vertical	344	1.82	25	37.97	15.99	48.89			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6995MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98528G	74.08	83.54	-9.46	69.02	1	Horizontal	356	1.85	25	37.96	15.99	48.89			
AV	20.98604G	61.33	63.54	-2.21	56.27	1	Horizontal	356	1.85	25	37.96	15.99	48.89			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
SET 22.5
01-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0942G	119.01	Inf	-Inf	107.95	3	Vertical	246	2.35	-	35.57	8.53	33.04			
RMS	7.096G	108.81	Inf	-Inf	97.74	3	Vertical	246	2.35	-	35.58	8.53	33.04			
PK	7.1254G	79.59	88.20	-8.61	68.37	3	Vertical	246	2.35	-	35.75	8.52	33.05			
RMS	7.125G	67.44	68.20	-0.76	56.22	3	Vertical	246	2.35	-	35.75	8.52	33.05			

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
SET 22.5
01-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0994G	109.16	Inf	-Inf	98.07	3	Horizontal	229	1.80	-	35.60	8.53	33.04			
RMS	7.093G	98.94	Inf	-Inf	87.89	3	Horizontal	229	1.80	-	35.56	8.53	33.04			
PK	7.1294G	69.19	88.20	-19.01	57.95	3	Horizontal	229	1.80	-	35.78	8.51	33.05			
RMS	7.1254G	58.95	68.20	-9.25	47.73	3	Horizontal	229	1.80	-	35.75	8.52	33.05			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7095MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19084G	45.40	88.20	-42.80	55.99	3	Vertical	262	1.80	25	41.48	11.97	64.04			
RMS	14.20379G	33.53	68.20	-34.67	44.09	3	Vertical	262	1.80	25	41.49	11.97	64.02			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7095MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18169G	47.56	88.20	-40.64	58.20	3	Horizontal	81	1.05	25	41.46	11.96	64.06			
RMS	14.19056G	34.94	68.20	-33.26	45.53	3	Horizontal	81	1.05	25	41.48	11.97	64.04			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7095MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.27061G	70.37	83.54	-13.17	64.84	1	Vertical	21	1.78	25	38.16	16.22	48.85			
AV	21.28556G	58.58	63.54	-4.96	52.92	1	Vertical	21	1.78	25	38.28	16.23	48.85			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7095MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28824G	69.23	83.54	-14.31	63.54	1	Horizontal	26	1.86	25	38.31	16.23	48.85			
AV	21.28688G	57.06	63.54	-6.48	51.38	1	Horizontal	26	1.86	25	38.30	16.23	48.85			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7115MHz_TX

EUT_Z_1TX
SET 11
01-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1125G	104.74	Inf	-Inf	93.59	3	Vertical	246	2.54	BP 1MHz	35.67	8.52	33.04			
RMS	7.1135G	98.47	Inf	-Inf	87.31	3	Vertical	246	2.54	BP 1MHz	35.68	8.52	33.04			
PK	7.1255G	78.71	88.20	-9.49	67.49	3	Vertical	246	2.54	BP 1MHz	35.75	8.52	33.05			
RMS	7.1255G	68.09	68.20	-0.11	56.87	3	Vertical	246	2.54	BP 1MHz	35.75	8.52	33.05			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7115MHz_TX

EUT_Z_1TX
SET 11
01-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1145G	95.39	Inf	-Inf	84.22	3	Horizontal	231	2.04	BP 1MHz	35.69	8.52	33.04			
RMS	7.1125G	89.60	Inf	-Inf	78.45	3	Horizontal	231	2.04	BP 1MHz	35.67	8.52	33.04			
PK	7.1255G	69.68	88.20	-18.52	58.46	3	Horizontal	231	2.04	BP 1MHz	35.75	8.52	33.05			
RMS	7.1255G	60.90	68.20	-7.30	49.68	3	Horizontal	231	2.04	BP 1MHz	35.75	8.52	33.05			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7115MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.24654G	46.36	88.20	-41.84	56.88	3	Vertical	314	1.80	25	41.41	11.99	63.92			
RMS	14.24451G	34.37	68.20	-33.83	44.90	3	Vertical	314	1.80	25	41.41	11.99	63.93			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7115MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.24327G	47.45	88.20	-40.75	57.98	3	Horizontal	30	1.05	25	41.41	11.99	63.93			
RMS	14.23875G	35.70	68.20	-32.50	46.23	3	Horizontal	30	1.05	25	41.42	11.99	63.94			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7115MHz_TX

EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34049G	72.77	83.54	-10.77	67.02	1	Vertical	7	1.80	25	38.32	16.27	48.84			
AV	21.34716G	59.69	63.54	-3.85	53.94	1	Vertical	7	1.80	25	38.31	16.28	48.84			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.35036G	71.82	83.54	-11.72	66.08	1	Horizontal	26	1.92	25	38.30	16.28	48.84			
AV	21.34332G	59.40	63.54	-4.14	53.66	1	Horizontal	26	1.92	25	38.31	16.27	48.84			




Test Mode: Mode 10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	19.24648G	63.27	63.54	-0.27	1	Horizontal	354	1.78	24

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
SET 23
01-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	78.18	88.20	-10.02	71.11	3	Vertical	231	2.79	-	32.40	7.64	32.97			
RMS	5.9248G	67.37	68.20	-0.83	60.30	3	Vertical	231	2.79	-	32.40	7.64	32.97			
PK	5.956G	119.00	Inf	-Inf	111.92	3	Vertical	231	2.79	-	32.41	7.66	32.99			
RMS	5.9562G	108.12	Inf	-Inf	101.04	3	Vertical	231	2.79	-	32.41	7.66	32.99			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
SET 23
01-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	71.08	88.20	-17.12	64.01	3	Horizontal	225	2.28	-	32.40	7.64	32.97			
RMS	5.925G	59.90	68.20	-8.30	52.83	3	Horizontal	225	2.28	-	32.40	7.64	32.97			
PK	5.9572G	111.41	Inf	-Inf	104.33	3	Horizontal	225	2.28	-	32.41	7.66	32.99			
RMS	5.9564G	100.47	Inf	-Inf	93.39	3	Horizontal	225	2.28	-	32.41	7.66	32.99			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT Y_1TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91675G	44.64	74.00	-29.36	60.43	3	Vertical	309	1.80	23	38.93	11.07	65.79			
AV	11.90988G	32.03	54.00	-21.97	47.84	3	Vertical	309	1.80	23	38.92	11.07	65.80			
PK	17.8644G	57.25	74.00	-16.75	60.34	3	Vertical	9	1.80	23	46.05	13.41	62.55			
AV	17.866G	44.01	54.00	-9.99	47.06	3	Vertical	9	1.80	23	46.08	13.41	62.54			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT Y_1TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89849G	43.53	74.00	-30.47	59.38	3	Horizontal	350	1.80	23	38.90	11.06	65.81			
AV	11.90984G	32.47	54.00	-21.53	48.28	3	Horizontal	350	1.80	23	38.92	11.07	65.80			
PK	17.87335G	60.52	74.00	-13.48	63.38	3	Horizontal	8	1.80	23	46.26	13.41	62.53			
AV	17.86748G	46.96	54.00	-7.04	49.97	3	Horizontal	8	1.80	23	46.12	13.41	62.54			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT Y_1TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.823G	70.46	83.54	-13.08	61.33	1	Vertical	334	1.85	23	38.96	17.35	47.18			
AV	23.82176G	56.86	63.54	-6.68	47.72	1	Vertical	334	1.85	23	38.97	17.35	47.18			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT Y_1TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81592G	66.68	83.54	-16.86	57.52	1	Horizontal	14	1.80	23	39.00	17.34	47.18			
AV	23.81964G	53.03	63.54	-10.51	43.88	1	Horizontal	14	1.80	23	38.98	17.35	47.18			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37597G	46.66	74.00	-27.34	61.95	3	Vertical	33	1.05	25	38.85	11.26	65.40			
AV	12.4061G	33.32	54.00	-20.68	48.66	3	Vertical	33	1.05	25	38.76	11.27	65.37			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40966G	45.84	74.00	-28.16	61.19	3	Horizontal	264	1.80	25	38.74	11.28	65.37			
AV	12.40359G	33.24	54.00	-20.76	48.57	3	Horizontal	264	1.80	25	38.78	11.27	65.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57765G	70.03	83.54	-13.51	66.69	1	Vertical	28	1.82	25	37.70	15.27	49.63			
AV	18.58308G	56.20	63.54	-7.34	52.85	1	Vertical	28	1.82	25	37.70	15.27	49.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5844G	68.05	83.54	-15.49	64.70	1	Horizontal	34	1.75	25	37.70	15.27	49.62			
AV	18.58308G	55.05	63.54	-8.49	51.70	1	Horizontal	34	1.75	25	37.70	15.27	49.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83579G	44.11	88.20	-44.09	58.65	3	Vertical	1	1.80	25	39.27	11.44	65.25			
RMS	12.84942G	31.71	68.20	-36.49	46.22	3	Vertical	1	1.80	25	39.30	11.44	65.25			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81893G	43.84	88.20	-44.36	58.42	3	Horizontal	360	1.80	25	39.24	11.43	65.25			
RMS	12.84662G	31.64	68.20	-36.56	46.16	3	Horizontal	360	1.80	25	39.29	11.44	65.25			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24576G	77.69	83.54	-5.85	74.05	1	Vertical	353	1.80	22	37.91	15.24	49.51			
AV	19.24504G	63.24	63.54	-0.30	59.60	1	Vertical	353	1.80	22	37.91	15.24	49.51			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2432G	75.93	83.54	-7.61	72.29	1	Horizontal	354	1.78	24	37.91	15.24	49.51			
AV	19.24648G	63.27	63.54	-0.27	59.63	1	Horizontal	354	1.78	24	37.91	15.24	49.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0889G	43.74	88.20	-44.46	58.11	3	Vertical	152	1.05	25	39.16	11.53	65.06			
RMS	13.0863G	31.49	68.20	-36.71	45.87	3	Vertical	152	1.05	25	39.15	11.53	65.06			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08071G	44.03	88.20	-44.17	58.45	3	Horizontal	141	1.80	25	39.12	11.53	65.07			
RMS	13.08622G	31.89	68.20	-36.31	46.28	3	Horizontal	141	1.80	25	39.14	11.53	65.06			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60228G	74.78	83.54	-8.76	71.35	1	Vertical	353	1.72	25	37.81	15.22	49.60			
AV	19.6034G	61.42	63.54	-2.12	57.98	1	Vertical	353	1.72	25	37.82	15.22	49.60			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60932G	71.61	83.54	-11.93	68.12	1	Horizontal	360	1.83	25	37.86	15.22	49.59			
AV	19.60604G	58.62	63.54	-4.92	55.15	1	Horizontal	360	1.83	25	37.84	15.22	49.59			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38956G	47.71	74.00	-26.29	60.75	3	Vertical	38	1.05	25	39.78	11.65	64.47			
AV	13.38109G	35.06	54.00	-18.94	48.15	3	Vertical	38	1.05	25	39.76	11.64	64.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38329G	47.12	74.00	-26.88	60.19	3	Horizontal	309	1.80	25	39.77	11.65	64.49			
AV	13.38117G	34.78	54.00	-19.22	47.87	3	Horizontal	309	1.80	25	39.76	11.64	64.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08336G	61.02	83.54	-22.52	57.17	1	Vertical	345	1.83	25	37.83	15.27	49.25			
AV	20.08548G	48.43	63.54	-15.11	44.57	1	Vertical	345	1.83	25	37.84	15.27	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08037G	60.72	83.54	-22.82	56.89	1	Horizontal	27	1.83	25	37.82	15.26	49.25			
AV	20.08804G	47.98	63.54	-15.56	44.11	1	Horizontal	27	1.83	25	37.85	15.27	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71018G	49.48	88.20	-38.72	61.93	3	Vertical	291	1.32	25	40.12	11.77	64.34			
RMS	13.71702G	36.52	68.20	-31.68	48.97	3	Vertical	291	1.32	25	40.13	11.77	64.35			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71305G	47.62	88.20	-40.58	60.07	3	Horizontal	207	1.68	25	40.13	11.77	64.35			
RMS	13.71282G	35.18	68.20	-33.02	47.63	3	Horizontal	207	1.68	25	40.13	11.77	64.35			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56121G	70.58	83.54	-12.96	66.12	1	Vertical	22	1.47	25	37.92	15.65	49.11			
AV	20.56572G	57.63	63.54	-5.91	53.16	1	Vertical	22	1.47	25	37.93	15.65	49.11			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56344G	75.43	83.54	-8.11	70.96	1	Horizontal	49	1.83	25	37.93	15.65	49.11			
AV	20.56981G	62.19	63.54	-1.35	57.69	1	Horizontal	49	1.83	25	37.94	15.66	49.10			

Test Mode: Mode 1




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

30/04/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

30/04/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

30/04/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

30/04/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

30/04/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

30/04/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

30/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

30/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

30/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

30/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7115MHz_TX

30/04/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

30/04/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

30/04/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

30/04/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

30/04/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6485MHz_TX

30/04/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6525MHz_TX

30/04/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

30/04/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

30/04/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6885MHz_TX

30/04/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

30/04/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

30/04/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

30/04/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

30/04/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

30/04/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

30/04/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

30/04/2024

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.49099G	4.46	6.4197G	-22.71	-15.55	-7.16	1


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6545MHz_TX

30/04/2024

CF (Hz)
6.545G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57579G	5.71	6.6256G	-23.27	-18.67	-4.60	1

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

30/04/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6865MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6425MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6585MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6745MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6905MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

01/05/2024

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.689026G	-6.33	6.657475G	-59.66	-46.33	-13.33	1
6.702573G	-6.57	6.7314G	-59.67	-46.57	-13.10	2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

01/05/2024

CF (Hz)
6.875G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.867527G	-6.23	6.835225G	-58.83	-46.23	-12.60	1
6.883873G	-6.21	6.827875G	-59.26	-46.21	-13.05	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

01/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.899546G	-2.17	6.86235G	-33.74	-21.77	-11.97	1
6.866405G	-2.05	6.81505G	-54.92	-42.05	-12.87	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

01/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92335G	-1.56	6.8579G	-54.26	-41.56	-12.70	1
6.906555G	-1.57	6.90215G	-34.04	-21.64	-12.40	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

01/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9831G	-1.19	6.0307G	-31.53	-21.20	-10.33	1
5.9774G	-1.58	6.0303G	-30.84	-21.64	-9.20	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

01/05/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2052G	-2.04	6.2707G	-32.22	-22.05	-10.17	1
6.25449G	-2.17	6.2703G	-31.76	-21.57	-10.19	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

01/05/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3774G	-2.07	6.3395G	-31.88	-22.12	-9.76	1
6.35591G	-2.35	6.5505G	-52.90	-42.35	-10.55	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

01/05/2024

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4843G	-1.46	6.5088G	-29.42	-21.46	-7.96	1
6.4586G	-1.70	6.4203G	-31.99	-21.71	-10.28	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

01/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58139G	-1.30	6.4989G	-31.56	-21.36	-10.20	1
6.51301G	-1.56	6.4991G	-31.85	-21.64	-10.21	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

01/05/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59691G	0.01	6.5797G	-29.51	-19.39	-10.12	1
6.58971G	-0.79	6.5803G	-29.34	-20.84	-8.50	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

01/05/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68211G	-0.59	6.6601G	-29.23	-20.61	-8.62	1
6.6936G	-0.91	6.6588G	-31.33	-20.95	-10.38	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

01/05/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.788G	1.05	6.7416G	-25.34	-18.96	-6.38	1
6.75621G	0.56	6.7393G	-29.56	-19.45	-10.11	2


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

01/05/2024

CF (Hz)
6.865G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8622G	1.11	6.8192G	-29.12	-18.90	-10.22	1
6.82831G	0.85	6.8191G	-29.13	-19.19	-9.94	2


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

01/05/2024

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91421G	-1.61	6.7954G	-51.91	-41.61	-10.30	1
6.91301G	-1.83	6.8096G	-51.83	-41.83	-10.00	2


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

01/05/2024

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98711G	-2.58	6.9798G	-31.50	-22.60	-8.90	1
6.99921G	-2.48	6.8568G	-52.12	-42.48	-9.64	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

01/05/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06959G	1.45	6.2954G	-48.67	-38.55	-10.12	1
6.09638G	1.55	6.3388G	-48.61	-38.45	-10.16	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

01/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1748G	1.29	6.4772G	-49.22	-38.71	-10.51	1
6.1976G	1.07	6.4458G	-48.73	-38.93	-9.80	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

01/05/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3358G	1.53	6.617G	-48.91	-38.47	-10.44	1
6.3422G	1.28	6.6038G	-48.84	-38.72	-10.12	2

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

01/05/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56039G	0.81	6.7616G	-49.46	-39.19	-10.27	1
6.47041G	0.25	6.7844G	-50.05	-39.75	-10.30	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

01/05/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68539G	2.95	6.4792G	-35.14	-27.10	-8.04	1
6.58942G	2.85	6.4064G	-46.55	-37.04	-9.51	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

01/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8214G	3.00	6.6306G	-36.19	-28.61	-7.58	1
6.75122G	2.96	6.553G	-45.86	-37.04	-8.82	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

01/05/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91802G	0.81	6.7214G	-48.52	-39.19	-9.33	1
6.91222G	0.60	6.6718G	-48.04	-39.40	-8.64	2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

01/05/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0854G	2.09	6.5146G	-36.35	-31.31	-5.04	1
6.25696G	2.17	6.6066G	-44.29	-37.83	-6.46	2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

01/05/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.29099G	1.93	6.573G	-28.68	-24.49	-4.19	1
6.273G	1.44	6.769G	-45.00	-38.54	-6.46	2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

01/05/2024

CF (Hz)
6.425G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54057G	2.18	6.8218G	-35.54	-30.00	-5.54	1
6.39341G	1.93	6.9394G	-44.76	-38.07	-6.69	2


6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

01/05/2024

CF (Hz)
6.585G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56101G	2.61	6.0794G	-42.79	-37.30	-5.49	1
6.52302G	2.37	6.1706G	-36.46	-31.22	-5.24	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

01/05/2024

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63903G	5.26	6.471G	-21.05	-15.47	-5.58	1
6.59584G	5.07	6.4698G	-24.14	-17.20	-6.94	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

01/05/2024

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75984G	1.06	6.4046G	-45.68	-38.94	-6.74	1
6.75864G	1.08	6.3986G	-45.59	-38.89	-6.70	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

01/05/2024



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

01/05/2024

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.869676G	-10.20	6.828925G	-59.89	-50.20	-9.69	1
6.882523G	-10.43	6.830325G	-59.81	-50.43	-9.38	2
6.867227G	-10.07	6.84025G	-60.11	-50.07	-10.04	3
6.867652G	-10.46	6.834575G	-60.24	-50.46	-9.78	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

01/05/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.891176G	-9.77	6.85055G	-59.73	-49.77	-9.96	1
6.904098G	-9.43	6.8537G	-59.67	-49.43	-10.24	2
6.900474G	-9.70	6.84985G	-59.73	-49.70	-10.03	3
6.902598G	-9.59	6.858675G	-59.65	-49.59	-10.06	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

01/05/2024



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

01/05/2024

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187604G	-5.37	6.116G	-56.79	-45.37	-11.42	1
6.193453G	-5.48	6.22715G	-35.01	-24.98	-10.03	2
6.186905G	-5.15	6.1256G	-57.03	-45.15	-11.88	3
6.191303G	-5.33	6.29755G	-57.20	-45.33	-11.87	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

01/05/2024

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.386805G	-6.79	6.4858G	-56.84	-46.79	-10.05	1
6.388004G	-7.17	6.474G	-56.58	-47.17	-9.41	2
6.389804G	-6.60	6.504G	-56.99	-46.60	-10.39	3
6.413298G	-7.26	6.48305G	-57.13	-47.26	-9.87	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

01/05/2024



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

01/05/2024

CF (Hz)
7.085G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.072653G	-8.35	6.98595G	-57.04	-48.35	-8.69	1
7.074503G	-8.37	6.98555G	-57.26	-48.37	-8.89	2
7.068304G	-8.09	6.987G	-57.18	-48.09	-9.09	3
7.072903G	-8.43	6.9858G	-57.14	-48.43	-8.71	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

01/05/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00689G	-0.14	6.0297G	-29.18	-20.15	-9.03	1
6.01179G	-0.32	6.0298G	-28.80	-20.41	-8.39	2
6.02229G	-0.85	6.0305G	-30.19	-20.94	-9.25	3
6.02159G	-0.02	6.0306G	-30.49	-20.11	-10.38	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

01/05/2024

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4617G	-3.66	6.5099G	-33.23	-23.72	-9.51	1
6.43721G	-4.26	6.6629G	-53.19	-44.26	-8.93	2
6.42951G	-3.65	6.6604G	-53.22	-43.65	-9.57	3
6.4737G	-4.14	6.647G	-53.01	-44.14	-8.87	4


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

01/05/2024

CF (Hz)
6.545G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52211G	-3.58	6.6902G	-52.73	-43.58	-9.15	1
6.5566G	-3.99	6.7358G	-52.90	-43.99	-8.91	2
6.5301G	-3.45	6.5895G	-32.59	-23.48	-9.11	3
6.50831G	-3.86	6.7212G	-52.51	-43.86	-8.65	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

01/05/2024

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6123G	-1.48	6.5802G	-30.98	-21.57	-9.41	1
6.6115G	-1.98	6.5792G	-32.40	-21.99	-10.41	2
6.6161G	-1.51	6.669G	-29.34	-21.55	-7.79	3
6.59181G	-2.05	6.5794G	-31.99	-22.06	-9.93	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

01/05/2024

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6855G	-0.69	6.6599G	-30.12	-20.49	-9.63	1
6.67241G	-1.52	6.8568G	-52.30	-41.52	-10.78	2
6.6945G	-0.90	6.6599G	-29.66	-20.96	-8.70	3
6.66891G	-1.26	6.6595G	-31.07	-21.27	-9.80	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

01/05/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75651G	-2.86	6.7398G	-31.85	-22.96	-8.89	1
6.769G	-3.64	6.6055G	-53.11	-43.64	-9.47	2
6.7814G	-2.86	6.7397G	-32.45	-22.90	-9.55	3
6.76121G	-3.61	6.6404G	-52.68	-43.61	-9.07	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

01/05/2024

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8519G	-2.98	6.8202G	-31.75	-22.98	-8.77	1
6.8585G	-3.35	6.6906G	-52.72	-43.35	-9.37	2
6.8627G	-2.81	6.8201G	-32.03	-22.81	-9.22	3
6.8782G	-3.56	6.8198G	-32.59	-23.66	-8.93	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

03/05/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

01/05/2024



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

01/05/2024

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3518G	-0.78	6.6902G	-50.11	-40.78	-9.33	1
6.3486G	-1.08	6.6584G	-50.37	-41.08	-9.29	2
6.36759G	-0.81	6.6608G	-49.82	-40.81	-9.01	3
6.27502G	-0.82	6.6706G	-50.47	-40.82	-9.65	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

01/05/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.521G	-1.51	6.8454G	-50.34	-41.51	-8.83	1
6.5156G	-1.98	6.8178G	-50.60	-41.98	-8.62	2
6.5088G	-1.40	6.8376G	-49.80	-41.40	-8.40	3
6.43322G	-1.65	6.888G	-50.64	-41.65	-8.99	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

01/05/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

01/05/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

01/05/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

01/05/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

01/05/2024




Test Mode: Mode 2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

24/05/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

24/05/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

24/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

24/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

24/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

24/05/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

24/05/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

24/05/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

24/05/2024



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

24/05/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.120849G	-15.05	7.069925G	-57.73	-55.05	-2.68	1
7.110026G	-15.12	7.0745G	-57.65	-55.12	-2.53	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

24/05/2024

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.979746G	-2.23	6.0348G	-51.14	-42.23	-8.91	1
5.982846G	-2.28	6.05735G	-51.25	-42.28	-8.97	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.219446G	-1.58	6.10705G	-51.51	-41.58	-9.93	1
6.216647G	-1.91	6.1096G	-51.82	-41.91	-9.91	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.420246G	-3.99	6.4942G	-51.30	-43.99	-7.31	1
6.388054G	-4.35	6.4863G	-51.56	-44.35	-7.21	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.456347G	-1.98	6.52075G	-50.91	-41.98	-8.93	1
6.432003G	-2.82	6.53955G	-51.06	-42.82	-8.24	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.467804G	-0.95	6.56725G	-50.63	-40.95	-9.68	1
6.474403G	-1.57	6.57625G	-51.05	-41.57	-9.48	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.537847G	-0.82	6.61445G	-50.67	-40.82	-9.85	1
6.511103G	-0.70	6.61585G	-50.97	-40.70	-10.27	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.572348G	-1.66	6.66185G	-50.28	-41.66	-8.62	1
6.582596G	-0.55	6.6565G	-50.38	-40.55	-9.83	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

24/05/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

24/05/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

24/05/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19101G	-4.07	6.0645G	-48.25	-44.07	-4.18	1
6.26289G	-4.36	6.413G	-48.75	-44.36	-4.39	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36061G	0.03	6.5595G	-47.95	-39.97	-7.98	1
6.3878G	-0.63	6.5275G	-48.45	-40.63	-7.82	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50139G	0.44	6.6535G	-47.45	-39.56	-7.89	1
6.482G	-0.98	6.6575G	-47.20	-40.98	-6.22	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57929G	1.21	6.6962G	-47.08	-38.79	-8.29	1
6.51401G	0.66	6.7379G	-47.03	-39.34	-7.69	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6185G	-0.03	6.8179G	-47.02	-40.03	-6.99	1
6.59071G	-0.17	6.7973G	-47.41	-40.17	-7.24	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

24/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67721G	1.30	6.8401G	-46.47	-38.65	-7.82	1
6.67691G	0.99	6.8732G	-46.79	-39.01	-7.78	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

24/05/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

24/05/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

24/05/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

24/05/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0204G	2.24	6.1686G	-23.94	-22.27	-1.67	1
6.09498G	2.15	6.1822G	-25.62	-19.56	-6.06	2


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

24/05/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15041G	3.23	6.3436G	-27.84	-16.79	-11.05	1
6.22799G	2.60	6.4472G	-44.44	-37.40	-7.04	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

24/05/2024




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

24/05/2024



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

24/05/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61761G	3.45	6.8192G	-24.43	-17.06	-7.37	1
6.59462G	3.00	6.985G	-44.54	-37.00	-7.54	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

24/05/2024

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77861G	5.84	6.6678G	-19.25	-14.16	-5.09	1
6.75642G	5.28	6.6886G	-23.17	-15.04	-8.13	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

24/05/2024

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9882G	5.00	6.597G	-45.08	-35.00	-10.08	1
6.94141G	2.27	6.7252G	-42.87	-37.73	-5.14	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

24/05/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1098G	5.52	6.4122G	-20.87	-16.20	-4.67	1
6.085G	3.56	6.8566G	-40.72	-36.44	-4.28	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

24/05/2024

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.30179G	4.08	6.535G	-25.66	-19.84	-5.82	1
6.21701G	1.06	6.8618G	-43.58	-38.94	-4.64	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

24/05/2024

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45779G	6.82	6.0654G	-21.48	-13.25	-8.23	1
6.4338G	5.06	6.081G	-22.64	-14.97	-7.67	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

24/05/2024




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

24/05/2024



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

24/05/2024

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98778G	4.05	6.5866G	-25.79	-21.96	-3.83	1
6.79263G	2.50	6.6002G	-25.43	-17.53	-7.90	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

25/05/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.960824G	-6.83	5.91315G	-54.75	-46.83	-7.92	1
5.962898G	-6.57	5.9887G	-53.99	-46.57	-7.42	2
5.951676G	-8.09	5.9965G	-54.99	-48.09	-6.90	3
5.957799G	-8.96	6.00295G	-55.12	-48.96	-6.16	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

25/05/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

25/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

25/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

25/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

25/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

25/05/2024



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

25/05/2024

