


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX

EUT_Y_4TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37284G	54.88	68.20	-13.32	41.36	3	Horizontal	236	2.54	-	37.95	10.62	35.05			
PK	15.54636G	59.13	74.00	-14.87	42.04	3	Horizontal	263	1.06	-	37.93	12.68	33.52			
AV	15.52554G	46.60	54.00	-7.40	29.37	3	Horizontal	263	1.06	-	38.10	12.67	33.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 23.5
20\26.5\23.5\25\24.5\19\21.5\22.5\23\23.5
6.58\11.52\1.08\6.98\4.97\7.19\5.52\3.92\2.77\0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	68.94	74.00	-5.06	62.99	3	Vertical	350	1.80	23.5	34.00	6.80	34.85			
AV	5.15G	53.31	54.00	-0.69	47.36	3	Vertical	350	1.80	23.5	34.00	6.80	34.85			
PK	5.19664G	124.25	Inf	-Inf	118.23	3	Vertical	350	1.80	23.5	34.00	6.88	34.86			
AV	5.19748G	113.92	Inf	-Inf	107.89	3	Vertical	350	1.80	23.5	34.00	6.89	34.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 23.5
23.5
1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14988G	67.99	74.00	-6.01	62.04	3	Horizontal	358	1.68	23.5	34.00	6.80	34.85			
AV	5.15G	52.43	54.00	-1.57	46.48	3	Horizontal	358	1.68	23.5	34.00	6.80	34.85			
PK	5.20294G	124.39	Inf	-Inf	118.35	3	Horizontal	358	1.68	23.5	34.01	6.89	34.86			
AV	5.20322G	113.82	Inf	-Inf	107.78	3	Horizontal	358	1.68	23.5	34.01	6.89	34.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39379G	54.61	68.20	-13.59	41.11	3	Vertical	350	1.00	-	37.91	10.63	35.04			
PK	15.58524G	58.79	74.00	-15.21	41.77	3	Vertical	229	2.86	-	37.83	12.69	33.50			
AV	15.59049G	45.95	54.00	-8.05	28.94	3	Vertical	229	2.86	-	37.82	12.69	33.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.394G	56.10	68.20	-12.10	42.60	3	Horizontal	296	1.70	-	37.91	10.63	35.04			
PK	15.59517G	58.44	74.00	-15.56	41.43	3	Horizontal	357	2.84	-	37.81	12.69	33.49			
AV	15.59148G	45.96	54.00	-8.04	28.95	3	Horizontal	357	2.84	-	37.82	12.69	33.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 27
20\25.5\28\27\27.5\27
5.82\4.23\ -0.06\0.71\ -0.07\0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13522G	69.95	74.00	-4.05	64.11	3	Vertical	353	1.67	27	33.91	6.78	34.85			
AV	5.15G	53.08	54.00	-0.92	47.13	3	Vertical	353	1.67	27	34.00	6.80	34.85			
PK	5.2374G	127.70	Inf	-Inf	121.55	3	Vertical	353	1.67	27	34.07	6.94	34.86			
AV	5.23662G	116.44	Inf	-Inf	110.29	3	Vertical	353	1.67	27	34.07	6.94	34.86			
PK	5.35518G	66.81	74.00	-7.19	60.17	3	Vertical	353	1.67	27	34.41	7.11	34.88			
AV	5.35232G	50.48	54.00	-3.52	43.86	3	Vertical	353	1.67	27	34.40	7.10	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 26.5
27\26.5
-0.16\2.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13964G	68.75	74.00	-5.25	62.88	3	Horizontal	360	1.80	26.5	33.94	6.78	34.85			
AV	5.13678G	51.35	54.00	-2.65	45.50	3	Horizontal	360	1.80	26.5	33.92	6.78	34.85			
PK	5.24286G	126.64	Inf	-Inf	120.46	3	Horizontal	360	1.80	26.5	34.09	6.95	34.86			
AV	5.24286G	115.73	Inf	-Inf	109.55	3	Horizontal	360	1.80	26.5	34.09	6.95	34.86			
PK	5.35258G	64.20	74.00	-9.80	57.57	3	Horizontal	360	1.80	26.5	34.41	7.10	34.88			
AV	5.3544G	49.98	54.00	-4.02	43.34	3	Horizontal	360	1.80	26.5	34.41	7.11	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 26.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48756G	57.39	68.20	-10.81	43.73	3	Vertical	42	2.24	-	37.98	10.68	35.00			
PK	15.71367G	59.71	74.00	-14.29	42.44	3	Vertical	294	2.65	-	37.97	12.73	33.43			
AV	15.72564G	46.52	54.00	-7.48	29.26	3	Vertical	294	2.65	-	37.95	12.73	33.42			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX

EUT_Y_4TX
SET 26.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47925G	57.73	68.20	-10.47	44.10	3	Horizontal	297	1.95	-	37.96	10.68	35.01			
PK	15.73071G	59.67	74.00	-14.33	42.41	3	Horizontal	360	1.64	-	37.94	12.74	33.42			
AV	15.72738G	46.50	54.00	-7.50	29.23	3	Horizontal	360	1.64	-	37.95	12.74	33.42			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 19.5
20\19.5
-0.36\2.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1396G	65.53	74.00	-8.47	59.66	3	Vertical	345	1.58	19.5	33.94	6.78	34.85			
AV	5.15G	51.25	54.00	-2.75	45.30	3	Vertical	345	1.58	19.5	34.00	6.80	34.85			
PK	5.1773G	122.20	Inf	-Inf	116.20	3	Vertical	345	1.58	19.5	34.00	6.85	34.85			
AV	5.178G	109.66	Inf	-Inf	103.66	3	Vertical	345	1.58	19.5	34.00	6.85	34.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 19.5
19.5
2.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	68.18	74.00	-5.82	62.28	3	Horizontal	359	1.92	19.5	33.96	6.79	34.85			
AV	5.1493G	51.47	54.00	-2.53	45.52	3	Horizontal	359	1.92	19.5	34.00	6.80	34.85			
PK	5.1761G	123.15	Inf	-Inf	117.15	3	Horizontal	359	1.92	19.5	34.00	6.85	34.85			
AV	5.176G	110.10	Inf	-Inf	104.10	3	Horizontal	359	1.92	19.5	34.00	6.85	34.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36966G	54.86	68.20	-13.34	41.33	3	Vertical	353	1.67	-	37.96	10.62	35.05			
PK	15.5259G	58.88	74.00	-15.12	41.65	3	Vertical	96	1.25	-	38.09	12.67	33.53			
AV	15.52953G	46.60	54.00	-7.40	29.40	3	Vertical	96	1.25	-	38.06	12.67	33.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36243G	54.51	68.20	-13.69	40.98	3	Horizontal	152	1.30	-	37.98	10.61	35.06			
PK	15.52518G	59.45	74.00	-14.55	42.22	3	Horizontal	178	2.26	-	38.10	12.67	33.54			
AV	15.52587G	46.59	54.00	-7.41	29.36	3	Horizontal	178	2.26	-	38.09	12.67	33.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 22
20\26\23\21.5\22\28\25\23.5\22
6.17\12.18\0.38\4.44\3.22\15.44\7.93\1.96\3.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.38	74.00	-8.62	59.43	3	Vertical	346	1.69	22	34.00	6.80	34.85			
AV	5.15G	50.80	54.00	-3.20	44.85	3	Vertical	346	1.69	22	34.00	6.80	34.85			
PK	5.19776G	125.38	Inf	-Inf	119.35	3	Vertical	346	1.69	22	34.00	6.89	34.86			
AV	5.19776G	112.26	Inf	-Inf	106.23	3	Vertical	346	1.69	22	34.00	6.89	34.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 22
22
3.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14344G	65.44	74.00	-8.56	59.54	3	Horizontal	-0	2.14	22	33.96	6.79	34.85			
AV	5.14946G	51.00	54.00	-3.00	45.05	3	Horizontal	-0	2.14	22	34.00	6.80	34.85			
PK	5.19594G	124.52	Inf	-Inf	118.50	3	Horizontal	-0	2.14	22	34.00	6.88	34.86			
AV	5.19482G	111.96	Inf	-Inf	105.94	3	Horizontal	-0	2.14	22	34.00	6.88	34.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39685G	54.63	68.20	-13.57	41.13	3	Vertical	341	2.56	-	37.91	10.63	35.04			
PK	15.58902G	58.50	74.00	-15.50	41.49	3	Vertical	120	1.80	-	37.82	12.69	33.50			
AV	15.5883G	45.97	54.00	-8.03	28.96	3	Vertical	120	1.80	-	37.82	12.69	33.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5200MHz_TX

EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39667G	55.13	68.20	-13.07	41.63	3	Horizontal	98	2.65	-	37.91	10.63	35.04			
PK	15.59916G	59.46	74.00	-14.54	42.45	3	Horizontal	144	1.29	-	37.80	12.70	33.49			
AV	15.58524G	46.00	54.00	-8.00	28.98	3	Horizontal	144	1.29	-	37.83	12.69	33.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 25.5
20\25.5\28\27\26.5\26\25.5
5.95\1.97\2.34\1.19\1.42\1.08\1.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14952G	67.12	74.00	-6.88	61.17	3	Vertical	352	1.69	25.5	34.00	6.80	34.85			
AV	5.15G	52.20	54.00	-1.80	46.25	3	Vertical	352	1.69	25.5	34.00	6.80	34.85			
PK	5.23636G	127.47	Inf	-Inf	121.32	3	Vertical	352	1.69	25.5	34.07	6.94	34.86			
AV	5.2374G	114.90	Inf	-Inf	108.75	3	Vertical	352	1.69	25.5	34.07	6.94	34.86			
PK	5.35G	66.76	74.00	-7.24	60.14	3	Vertical	352	1.69	25.5	34.40	7.10	34.88			
AV	5.3505G	49.27	54.00	-4.73	42.65	3	Vertical	352	1.69	25.5	34.40	7.10	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
SET 25.5
25.5
5.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14874G	65.04	74.00	-8.96	59.10	3	Horizontal	19	1.80	25.5	33.99	6.80	34.85			
AV	5.14692G	48.89	54.00	-5.11	42.96	3	Horizontal	19	1.80	25.5	33.98	6.80	34.85			
PK	5.24624G	127.37	Inf	-Inf	121.19	3	Horizontal	19	1.80	25.5	34.09	6.95	34.86			
AV	5.24702G	114.71	Inf	-Inf	108.52	3	Horizontal	19	1.80	25.5	34.09	6.96	34.86			
PK	5.35362G	64.40	74.00	-9.60	57.76	3	Horizontal	19	1.80	25.5	34.41	7.11	34.88			
AV	5.36454G	47.76	54.00	-6.24	41.09	3	Horizontal	19	1.80	25.5	34.43	7.12	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48501G	55.57	68.20	-12.63	41.93	3	Vertical	39	2.25	-	37.97	10.68	35.01			
PK	15.72345G	59.51	74.00	-14.49	42.25	3	Vertical	84	2.28	-	37.95	12.73	33.42			
AV	15.72768G	46.99	54.00	-7.01	29.73	3	Vertical	84	2.28	-	37.94	12.74	33.42			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47925G	55.94	68.20	-12.26	42.31	3	Horizontal	299	1.89	-	37.96	10.68	35.01			
PK	15.70677G	59.69	74.00	-14.31	42.40	3	Horizontal	7	1.80	-	37.99	12.73	33.43			
AV	15.73047G	46.99	54.00	-7.01	29.73	3	Horizontal	7	1.80	-	37.94	12.74	33.42			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 16.5
20\12\16\18\17\16.5
-12.62\7.36\1.79\4.13\0.96\0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	67.69	74.00	-6.31	61.74	3	Vertical	8	1.79	16.5	34.00	6.80	34.85			
AV	5.15G	53.47	54.00	-0.53	47.52	3	Vertical	8	1.79	16.5	34.00	6.80	34.85			
PK	5.17212G	116.59	Inf	-Inf	110.60	3	Vertical	8	1.79	16.5	34.00	6.84	34.85			
AV	5.17176G	104.12	Inf	-Inf	98.13	3	Vertical	8	1.79	16.5	34.00	6.84	34.85			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 16.5
16.5
0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14656G	70.64	74.00	-3.36	64.71	3	Horizontal	360	1.80	16.5	33.98	6.80	34.85			
AV	5.14632G	53.83	54.00	-0.17	47.90	3	Horizontal	360	1.80	16.5	33.98	6.80	34.85			
PK	5.18724G	117.08	Inf	-Inf	111.07	3	Horizontal	360	1.80	16.5	34.00	6.87	34.86			
AV	5.18604G	103.85	Inf	-Inf	97.84	3	Horizontal	360	1.80	16.5	34.00	6.87	34.86			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5190MHz_TX

EUT Y_4TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37767G	55.72	68.20	-12.48	42.21	3	Vertical	205	2.42	-	37.94	10.62	35.05			
PK	15.56915G	59.03	74.00	-14.97	41.99	3	Vertical	162	1.90	-	37.86	12.69	33.51			
AV	15.56547G	45.92	54.00	-8.08	28.87	3	Vertical	162	1.90	-	37.87	12.69	33.51			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5190MHz_TX

EUT Y_4TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37678G	56.38	68.20	-11.82	42.86	3	Horizontal	285	2.45	-	37.95	10.62	35.05			
PK	15.56826G	59.67	74.00	-14.33	42.63	3	Horizontal	341	1.25	-	37.86	12.69	33.51			
AV	15.56676G	45.92	54.00	-8.08	28.87	3	Horizontal	341	1.25	-	37.87	12.69	33.51			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 22
20\25.5\23\22\22.5\22
5.94\13.90\3.76\1.69\0.55\1.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14758G	71.83	74.00	-2.17	65.89	3	Vertical	351	1.76	22	33.99	6.80	34.85			
AV	5.1481G	52.33	54.00	-1.67	46.39	3	Vertical	351	1.76	22	33.99	6.80	34.85			
PK	5.24742G	122.42	Inf	-Inf	116.23	3	Vertical	351	1.76	22	34.09	6.96	34.86			
AV	5.24716G	109.75	Inf	-Inf	103.56	3	Vertical	351	1.76	22	34.09	6.96	34.86			
PK	5.3535G	60.67	74.00	-13.33	54.04	3	Vertical	351	1.76	22	34.41	7.10	34.88			
AV	5.35376G	47.90	54.00	-6.10	41.26	3	Vertical	351	1.76	22	34.41	7.11	34.88			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 22
2.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14602G	68.31	74.00	-5.69	62.38	3	Horizontal	360	1.80	22	33.98	6.80	34.85			
AV	5.14706G	51.63	54.00	-2.37	45.70	3	Horizontal	360	1.80	22	33.98	6.80	34.85			
PK	5.21362G	122.17	Inf	-Inf	116.09	3	Horizontal	360	1.80	22	34.03	6.91	34.86			
AV	5.2326G	109.21	Inf	-Inf	103.06	3	Horizontal	360	1.80	22	34.07	6.94	34.86			
PK	5.35818G	61.19	74.00	-12.81	54.54	3	Horizontal	360	1.80	22	34.42	7.11	34.88			
AV	5.35168G	48.05	54.00	-5.95	41.43	3	Horizontal	360	1.80	22	34.40	7.10	34.88			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4573G	55.40	68.20	-12.80	41.85	3	Vertical	100	2.29	-	37.91	10.66	35.02			
PK	15.69281G	59.18	74.00	-14.82	41.91	3	Vertical	23	2.13	-	37.99	12.72	33.44			
AV	15.69086G	46.06	54.00	-7.94	28.80	3	Vertical	23	2.13	-	37.98	12.72	33.44			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46405G	55.03	68.20	-13.17	41.44	3	Horizontal	174	2.55	-	37.93	10.67	35.01			
PK	15.69151G	59.38	74.00	-14.62	42.12	3	Horizontal	33	2.97	-	37.98	12.72	33.44			
AV	15.68753G	46.05	54.00	-7.95	28.79	3	Horizontal	33	2.97	-	37.98	12.72	33.44			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_Y_4TX
SET 17
20\12\16\18\17\17.5\17
-11.86\6.81\3.79\1.77\1.41\0.15\1.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13064G	69.00	74.00	-5.00	63.20	3	Vertical	6	1.80	17	33.88	6.77	34.85			
AV	5.13224G	52.64	54.00	-1.36	46.83	3	Vertical	6	1.80	17	33.89	6.77	34.85			
PK	5.17192G	114.55	Inf	-Inf	108.56	3	Vertical	6	1.80	17	34.00	6.84	34.85			
AV	5.1716G	101.28	Inf	-Inf	95.29	3	Vertical	6	1.80	17	34.00	6.84	34.85			
PK	5.354G	60.41	74.00	-13.59	53.77	3	Vertical	6	1.80	17	34.41	7.11	34.88			
AV	5.36776G	47.09	54.00	-6.91	40.41	3	Vertical	6	1.80	17	34.44	7.12	34.88			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_Y_4TX
SET 16.5
17\15.5\16\16.5
-1.21\2.48\1.42\0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14728G	69.25	74.00	-4.75	63.32	3	Horizontal	0	1.80	16.5	33.98	6.80	34.85			
AV	5.146G	53.90	54.00	-0.10	47.97	3	Horizontal	0	1.80	16.5	33.98	6.80	34.85			
PK	5.186G	113.13	Inf	-Inf	107.12	3	Horizontal	0	1.80	16.5	34.00	6.87	34.86			
AV	5.23272G	100.82	Inf	-Inf	94.67	3	Horizontal	0	1.80	16.5	34.07	6.94	34.86			
PK	5.36168G	60.42	74.00	-13.58	53.76	3	Horizontal	0	1.80	16.5	34.42	7.12	34.88			
AV	5.3604G	47.16	54.00	-6.84	40.51	3	Horizontal	0	1.80	16.5	34.42	7.11	34.88			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX


5210MHz_TX

EUT Y_4TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42148G	55.30	68.20	-12.90	41.79	3	Vertical	140	1.11	-	37.90	10.64	35.03			
PK	15.62752G	58.70	74.00	-15.30	41.62	3	Vertical	354	2.11	-	37.86	12.70	33.48			
AV	15.62643G	45.54	54.00	-8.46	28.47	3	Vertical	354	2.11	-	37.85	12.70	33.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX



EUT_Y_4TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42439G	54.93	68.20	-13.27	41.41	3	Horizontal	90	2.57	-	37.90	10.65	35.03			
PK	15.62828G	58.82	74.00	-15.18	41.74	3	Horizontal	154	2.53	-	37.86	12.70	33.48			
AV	15.62696G	45.51	54.00	-8.49	28.44	3	Horizontal	154	2.53	-	37.85	12.70	33.48			




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.146G	53.69	54.00	-0.31	3	Horizontal	352	1.83	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 22.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	70.63	74.00	-3.37	64.68	3	Vertical	354	2.12	-	34.00	6.80	34.85			
AV	5.15G	53.59	54.00	-0.41	47.64	3	Vertical	354	2.12	-	34.00	6.80	34.85			
PK	5.1732G	114.89	Inf	-Inf	108.90	3	Vertical	354	2.12	-	34.00	6.84	34.85			
AV	5.1736G	104.21	Inf	-Inf	98.22	3	Vertical	354	2.12	-	34.00	6.84	34.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 22.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	69.41	74.00	-4.59	63.46	3	Horizontal	17	2.20	-	34.00	6.80	34.85			
AV	5.15G	52.10	54.00	-1.90	46.15	3	Horizontal	17	2.20	-	34.00	6.80	34.85			
PK	5.1736G	112.80	Inf	-Inf	106.81	3	Horizontal	17	2.20	-	34.00	6.84	34.85			
AV	5.1732G	102.51	Inf	-Inf	96.52	3	Horizontal	17	2.20	-	34.00	6.84	34.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_V_1TX
Setting 22.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.53768G	56.57	74.00	-17.43	47.29	3	Vertical	242	1.14	-	38.00	12.68	41.40			
AV	15.53546G	42.34	54.00	-11.66	33.04	3	Vertical	242	1.14	-	38.02	12.68	41.40			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_V_1TX
Setting 22.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.54216G	56.73	74.00	-17.27	47.50	3	Horizontal	180	2.40	-	37.96	12.68	41.41			
AV	15.53518G	42.33	54.00	-11.67	33.03	3	Horizontal	180	2.40	-	38.02	12.68	41.40			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	64.82	74.00	-9.18	58.87	3	Vertical	355	2.23	-	34.00	6.80	34.85			
AV	5.15G	50.07	54.00	-3.93	44.12	3	Vertical	355	2.23	-	34.00	6.80	34.85			
PK	5.1932G	117.66	Inf	-Inf	111.64	3	Vertical	355	2.23	-	34.00	6.88	34.86			
AV	5.1932G	106.77	Inf	-Inf	100.75	3	Vertical	355	2.23	-	34.00	6.88	34.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	63.95	74.00	-10.05	58.00	3	Horizontal	8	1.25	-	34.00	6.80	34.85			
AV	5.15G	48.72	54.00	-5.28	42.77	3	Horizontal	8	1.25	-	34.00	6.80	34.85			
PK	5.1948G	115.14	Inf	-Inf	109.12	3	Horizontal	8	1.25	-	34.00	6.88	34.86			
AV	5.1928G	104.73	Inf	-Inf	98.71	3	Horizontal	8	1.25	-	34.00	6.88	34.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.59938G	55.60	74.00	-18.40	46.63	3	Vertical	27	1.61	-	37.80	12.70	41.53			
AV	15.59512G	41.94	54.00	-12.06	32.96	3	Vertical	27	1.61	-	37.81	12.69	41.52			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.60418G	55.63	74.00	-18.37	46.66	3	Horizontal	169	1.41	-	37.81	12.70	41.54			
AV	15.59512G	41.96	54.00	-12.04	32.98	3	Horizontal	169	1.41	-	37.81	12.69	41.52			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1314G	59.70	74.00	-14.30	53.89	3	Vertical	347	2.09	-	33.89	6.77	34.85				
AV	5.1488G	45.70	54.00	-8.30	39.76	3	Vertical	347	2.09	-	33.99	6.80	34.85				
PK	5.2466G	116.54	Inf	-Inf	110.35	3	Vertical	347	2.09	-	34.09	6.96	34.86				
AV	5.2472G	106.16	Inf	-Inf	99.97	3	Vertical	347	2.09	-	34.09	6.96	34.86				
PK	5.3582G	60.93	74.00	-13.07	54.28	3	Vertical	347	2.09	-	34.42	7.11	34.88				
AV	5.3546G	46.53	54.00	-7.47	39.89	3	Vertical	347	2.09	-	34.41	7.11	34.88				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1122G	58.48	74.00	-15.52	52.82	3	Horizontal	355	2.83	-	33.77	6.74	34.85			
AV	5.1482G	45.23	54.00	-8.77	39.29	3	Horizontal	355	2.83	-	33.99	6.80	34.85			
PK	5.2334G	114.58	Inf	-Inf	108.43	3	Horizontal	355	2.83	-	34.07	6.94	34.86			
AV	5.2328G	103.81	Inf	-Inf	97.66	3	Horizontal	355	2.83	-	34.07	6.94	34.86			
PK	5.3732G	60.19	74.00	-13.81	53.49	3	Horizontal	355	2.83	-	34.45	7.13	34.88			
AV	5.3534G	46.44	54.00	-7.56	39.81	3	Horizontal	355	2.83	-	34.41	7.10	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.71734G	56.99	74.00	-17.01	48.05	3	Vertical	226	2.07	-	37.97	12.73	41.76			
AV	15.71552G	42.57	54.00	-11.43	33.63	3	Vertical	226	2.07	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.71548G	56.75	74.00	-17.25	47.81	3	Horizontal	290	1.54	-	37.97	12.73	41.76			
AV	15.71556G	42.53	54.00	-11.47	33.59	3	Horizontal	290	1.54	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 21.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	67.97	74.00	-6.03	62.02	3	Vertical	352	2.11	-	34.00	6.80	34.85			
AV	5.1498G	52.75	54.00	-1.25	46.80	3	Vertical	352	2.11	-	34.00	6.80	34.85			
PK	5.171G	116.58	Inf	-Inf	110.59	3	Vertical	352	2.11	-	34.00	6.84	34.85			
AV	5.1714G	103.13	Inf	-Inf	97.14	3	Vertical	352	2.11	-	34.00	6.84	34.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 21.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	67.25	74.00	-6.75	61.30	3	Horizontal	15	2.12	-	34.00	6.80	34.85			
AV	5.1494G	51.79	54.00	-2.21	45.84	3	Horizontal	15	2.12	-	34.00	6.80	34.85			
PK	5.1766G	114.24	Inf	-Inf	108.24	3	Horizontal	15	2.12	-	34.00	6.85	34.85			
AV	5.1718G	101.45	Inf	-Inf	95.46	3	Horizontal	15	2.12	-	34.00	6.84	34.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 21.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.54176G	57.00	74.00	-17.00	47.76	3	Vertical	110	2.63	-	37.97	12.68	41.41			
AV	15.5363G	42.71	54.00	-11.29	33.42	3	Vertical	110	2.63	-	38.01	12.68	41.40			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 21.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.53536G	56.47	74.00	-17.53	47.17	3	Horizontal	340	1.34	-	38.02	12.68	41.40			
AV	15.53578G	42.73	54.00	-11.27	33.44	3	Horizontal	340	1.34	-	38.01	12.68	41.40			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	72.26	74.00	-1.74	66.32	3	Vertical	355	2.23	-	33.99	6.80	34.85			
AV	5.15G	52.68	54.00	-1.32	46.73	3	Vertical	355	2.23	-	34.00	6.80	34.85			
PK	5.1944G	119.01	Inf	-Inf	112.99	3	Vertical	355	2.23	-	34.00	6.88	34.86			
AV	5.1928G	106.38	Inf	-Inf	100.36	3	Vertical	355	2.23	-	34.00	6.88	34.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	70.25	74.00	-3.75	64.32	3	Horizontal	31	1.30	-	33.98	6.80	34.85			
AV	5.15G	52.15	54.00	-1.85	46.20	3	Horizontal	31	1.30	-	34.00	6.80	34.85			
PK	5.1944G	117.17	Inf	-Inf	111.15	3	Horizontal	31	1.30	-	34.00	6.88	34.86			
AV	5.2092G	104.35	Inf	-Inf	98.29	3	Horizontal	31	1.30	-	34.02	6.90	34.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.60024G	55.89	74.00	-18.11	46.92	3	Vertical	13	1.49	-	37.80	12.70	41.53			
AV	15.59526G	42.29	54.00	-11.71	33.31	3	Vertical	13	1.49	-	37.81	12.69	41.52			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.60026G	56.23	74.00	-17.77	47.26	3	Horizontal	336	2.02	-	37.80	12.70	41.53			
AV	15.59662G	42.32	54.00	-11.68	33.34	3	Horizontal	336	2.02	-	37.81	12.69	41.52			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1296G	59.29	74.00	-14.71	53.49	3	Vertical	348	1.99	-	33.88	6.77	34.85			
AV	5.1494G	45.93	54.00	-8.07	39.98	3	Vertical	348	1.99	-	34.00	6.80	34.85			
PK	5.2478G	118.20	Inf	-Inf	112.00	3	Vertical	348	1.99	-	34.10	6.96	34.86			
AV	5.2322G	105.29	Inf	-Inf	99.15	3	Vertical	348	1.99	-	34.06	6.94	34.86			
PK	5.3522G	59.74	74.00	-14.26	53.12	3	Vertical	348	1.99	-	34.40	7.10	34.88			
AV	5.3522G	46.77	54.00	-7.23	40.15	3	Vertical	348	1.99	-	34.40	7.10	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1356G	58.80	74.00	-15.20	52.96	3	Horizontal	26	1.26	-	33.91	6.78	34.85			
AV	5.1488G	45.93	54.00	-8.07	39.99	3	Horizontal	26	1.26	-	33.99	6.80	34.85			
PK	5.2478G	117.51	Inf	-Inf	111.31	3	Horizontal	26	1.26	-	34.10	6.96	34.86			
AV	5.2316G	104.78	Inf	-Inf	98.65	3	Horizontal	26	1.26	-	34.06	6.93	34.86			
PK	5.3678G	59.94	74.00	-14.06	53.26	3	Horizontal	26	1.26	-	34.44	7.12	34.88			
AV	5.3582G	46.69	54.00	-7.31	40.04	3	Horizontal	26	1.26	-	34.42	7.11	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.71512G	57.09	74.00	-16.91	48.15	3	Vertical	261	2.93	-	37.97	12.73	41.76			
AV	15.71502G	42.84	54.00	-11.16	33.90	3	Vertical	261	2.93	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.71574G	56.43	74.00	-17.57	47.49	3	Horizontal	24	1.39	-	37.97	12.73	41.76			
AV	15.71652G	42.96	54.00	-11.04	34.02	3	Horizontal	24	1.39	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 21
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	67.18	74.00	-6.82	61.24	3	Vertical	353	2.11	-	33.99	6.80	34.85			
AV	5.1496G	52.20	54.00	-1.80	46.25	3	Vertical	353	2.11	-	34.00	6.80	34.85			
PK	5.2012G	113.10	Inf	-Inf	107.07	3	Vertical	353	2.11	-	34.00	6.89	34.86			
AV	5.172G	99.86	Inf	-Inf	93.87	3	Vertical	353	2.11	-	34.00	6.84	34.85			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 21
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	66.80	74.00	-7.20	60.87	3	Horizontal	14	2.11	-	33.98	6.80	34.85			
AV	5.15G	51.84	54.00	-2.16	45.89	3	Horizontal	14	2.11	-	34.00	6.80	34.85			
PK	5.1736G	111.46	Inf	-Inf	105.47	3	Horizontal	14	2.11	-	34.00	6.84	34.85			
AV	5.1716G	98.20	Inf	-Inf	92.21	3	Horizontal	14	2.11	-	34.00	6.84	34.85			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 21
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.565G	56.40	74.00	-17.60	47.30	3	Vertical	330	2.30	-	37.87	12.69	41.46			
AV	15.56684G	42.66	54.00	-11.34	33.56	3	Vertical	330	2.30	-	37.87	12.69	41.46			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_V_1TX
Setting 21
03-H-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.57454G	56.23	74.00	-17.77	47.17	3	Horizontal	281	1.72	-	37.85	12.69	41.48			
AV	15.57442G	42.70	54.00	-11.30	33.64	3	Horizontal	281	1.72	-	37.85	12.69	41.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 23.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	68.43	74.00	-5.57	62.48	3	Vertical	352	2.07	-	34.00	6.80	34.85			
AV	5.15G	53.43	54.00	-0.57	47.48	3	Vertical	352	2.07	-	34.00	6.80	34.85			
PK	5.2366G	115.01	Inf	-Inf	108.86	3	Vertical	352	2.07	-	34.07	6.94	34.86			
AV	5.2138G	102.37	Inf	-Inf	96.29	3	Vertical	352	2.07	-	34.03	6.91	34.86			
PK	5.3518G	61.15	74.00	-12.85	54.53	3	Vertical	352	2.07	-	34.40	7.10	34.88			
AV	5.35G	47.45	54.00	-6.55	40.83	3	Vertical	352	2.07	-	34.40	7.10	34.88			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 23.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	71.05	74.00	-2.95	65.10	3	Horizontal	29	1.22	-	34.00	6.80	34.85			
AV	5.15G	52.54	54.00	-1.46	46.59	3	Horizontal	29	1.22	-	34.00	6.80	34.85			
PK	5.248G	115.37	Inf	-Inf	109.17	3	Horizontal	29	1.22	-	34.10	6.96	34.86			
AV	5.2438G	101.23	Inf	-Inf	95.05	3	Horizontal	29	1.22	-	34.09	6.95	34.86			
PK	5.3512G	60.88	74.00	-13.12	54.26	3	Horizontal	29	1.22	-	34.40	7.10	34.88			
AV	5.35G	47.53	54.00	-6.47	40.91	3	Horizontal	29	1.22	-	34.40	7.10	34.88			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Y_1TX
Setting 23.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.69092G	55.61	74.00	-18.39	46.62	3	Vertical	229	2.18	-	37.98	12.72	41.71			
AV	15.68618G	42.26	54.00	-11.74	33.27	3	Vertical	229	2.18	-	37.97	12.72	41.70			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 23.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.6899G	55.77	74.00	-18.23	46.78	3	Horizontal	48	2.44	-	37.98	12.72	41.71			
AV	15.6869G	42.28	54.00	-11.72	33.29	3	Horizontal	48	2.44	-	37.97	12.72	41.70			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUT Y_1TX
Setting 20
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	72.03	74.00	-1.97	66.10	3	Vertical	353	2.13	-	33.98	6.80	34.85			
AV	5.1476G	52.67	54.00	-1.33	46.73	3	Vertical	353	2.13	-	33.99	6.80	34.85			
PK	5.178G	108.75	Inf	-Inf	102.75	3	Vertical	353	2.13	-	34.00	6.85	34.85			
AV	5.174G	95.88	Inf	-Inf	89.89	3	Vertical	353	2.13	-	34.00	6.84	34.85			
PK	5.382G	60.76	74.00	-13.24	54.04	3	Vertical	353	2.13	-	34.46	7.14	34.88			
AV	5.3548G	47.41	54.00	-6.59	40.77	3	Vertical	353	2.13	-	34.41	7.11	34.88			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUT Y_1TX
Setting 20
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	70.63	74.00	-3.37	64.74	3	Horizontal	13	2.23	-	33.95	6.79	34.85			
AV	5.1476G	51.98	54.00	-2.02	46.04	3	Horizontal	13	2.23	-	33.99	6.80	34.85			
PK	5.178G	108.04	Inf	-Inf	102.04	3	Horizontal	13	2.23	-	34.00	6.85	34.85			
AV	5.1788G	94.30	Inf	-Inf	88.31	3	Horizontal	13	2.23	-	34.00	6.85	34.86			
PK	5.358G	60.41	74.00	-13.59	53.76	3	Horizontal	13	2.23	-	34.42	7.11	34.88			
AV	5.35G	47.26	54.00	-6.74	40.64	3	Horizontal	13	2.23	-	34.40	7.10	34.88			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUT Y_1TX
Setting 20
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.63258G	56.64	74.00	-17.36	47.65	3	Vertical	110	1.19	-	37.87	12.71	41.59			
AV	15.6337G	42.17	54.00	-11.83	33.18	3	Vertical	110	1.19	-	37.87	12.71	41.59			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUT_V_1TX
Setting 20
03-H-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.62898G	55.58	74.00	-18.42	46.61	3	Horizontal	277	1.01	-	37.86	12.70	41.59			
AV	15.6305G	42.17	54.00	-11.83	33.19	3	Horizontal	277	1.01	-	37.86	12.71	41.59			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	70.19	74.00	-3.81	64.24	3	Vertical	0	2.35	-	34.00	6.80	34.85			
AV	5.15G	53.53	54.00	-0.47	47.58	3	Vertical	0	2.35	-	34.00	6.80	34.85			
PK	5.1736G	117.85	Inf	-Inf	111.86	3	Vertical	0	2.35	-	34.00	6.84	34.85			
AV	5.174G	107.27	Inf	-Inf	101.28	3	Vertical	0	2.35	-	34.00	6.84	34.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	69.33	74.00	-4.67	63.40	3	Horizontal	22	2.61	-	33.98	6.80	34.85			
AV	5.15G	53.08	54.00	-0.92	47.13	3	Horizontal	22	2.61	-	34.00	6.80	34.85			
PK	5.1766G	116.15	Inf	-Inf	110.15	3	Horizontal	22	2.61	-	34.00	6.85	34.85			
AV	5.1766G	105.79	Inf	-Inf	99.79	3	Horizontal	22	2.61	-	34.00	6.85	34.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.53776G	56.00	74.00	-18.00	46.72	3	Vertical	359	2.17	-	38.00	12.68	41.40			
AV	15.53532G	42.31	54.00	-11.69	33.01	3	Vertical	359	2.17	-	38.02	12.68	41.40			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.5394G	56.55	74.00	-17.45	47.30	3	Horizontal	237	1.13	-	37.98	12.68	41.41			
AV	15.5351G	42.32	54.00	-11.68	33.02	3	Horizontal	237	1.13	-	38.02	12.68	41.40			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	69.31	74.00	-4.69	63.36	3	Vertical	358	2.27	-	34.00	6.80	34.85			
AV	5.15G	53.24	54.00	-0.76	47.29	3	Vertical	358	2.27	-	34.00	6.80	34.85			
PK	5.1936G	121.98	Inf	-Inf	115.96	3	Vertical	358	2.27	-	34.00	6.88	34.86			
AV	5.1992G	111.11	Inf	-Inf	105.08	3	Vertical	358	2.27	-	34.00	6.89	34.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	67.04	74.00	-6.96	61.10	3	Horizontal	351	2.07	-	33.99	6.80	34.85			
AV	5.1492G	51.67	54.00	-2.33	45.72	3	Horizontal	351	2.07	-	34.00	6.80	34.85			
PK	5.1968G	120.28	Inf	-Inf	114.26	3	Horizontal	351	2.07	-	34.00	6.88	34.86			
AV	5.1968G	109.85	Inf	-Inf	103.83	3	Horizontal	351	2.07	-	34.00	6.88	34.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.59638G	55.60	74.00	-18.40	46.62	3	Vertical	238	2.81	-	37.81	12.69	41.52			
AV	15.59522G	41.93	54.00	-12.07	32.95	3	Vertical	238	2.81	-	37.81	12.69	41.52			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.59856G	55.92	74.00	-18.08	46.95	3	Horizontal	78	1.15	-	37.80	12.70	41.53			
AV	15.59534G	41.93	54.00	-12.07	32.95	3	Horizontal	78	1.15	-	37.81	12.69	41.52			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1386G	59.75	74.00	-14.25	53.89	3	Vertical	358	2.00	-	33.93	6.78	34.85			
AV	5.1188G	46.62	54.00	-7.38	40.91	3	Vertical	358	2.00	-	33.81	6.75	34.85			
PK	5.2346G	120.89	Inf	-Inf	114.74	3	Vertical	358	2.00	-	34.07	6.94	34.86			
AV	5.234G	110.78	Inf	-Inf	104.63	3	Vertical	358	2.00	-	34.07	6.94	34.86			
PK	5.354G	61.18	74.00	-12.82	54.54	3	Vertical	358	2.00	-	34.41	7.11	34.88			
AV	5.3594G	48.03	54.00	-5.97	41.38	3	Vertical	358	2.00	-	34.42	7.11	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.111G	59.47	74.00	-14.53	53.82	3	Horizontal	354	2.81	-	33.77	6.73	34.85			
AV	5.126G	46.35	54.00	-7.65	40.58	3	Horizontal	354	2.81	-	33.86	6.76	34.85			
PK	5.2364G	120.19	Inf	-Inf	114.04	3	Horizontal	354	2.81	-	34.07	6.94	34.86			
AV	5.2418G	109.81	Inf	-Inf	103.64	3	Horizontal	354	2.81	-	34.08	6.95	34.86			
PK	5.3612G	60.41	74.00	-13.59	53.75	3	Horizontal	354	2.81	-	34.42	7.12	34.88			
AV	5.3612G	47.68	54.00	-6.32	41.02	3	Horizontal	354	2.81	-	34.42	7.12	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.72396G	56.86	74.00	-17.14	47.95	3	Vertical	169	2.82	-	37.95	12.73	41.77			
AV	15.71518G	42.47	54.00	-11.53	33.53	3	Vertical	169	2.82	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.71828G	56.22	74.00	-17.78	47.29	3	Horizontal	139	2.64	-	37.96	12.73	41.76			
AV	15.71588G	42.44	54.00	-11.56	33.50	3	Horizontal	139	2.64	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	67.88	74.00	-6.12	61.94	3	Vertical	0	2.15	-	33.99	6.80	34.85			
AV	5.15G	51.87	54.00	-2.13	45.92	3	Vertical	0	2.15	-	34.00	6.80	34.85			
PK	5.174G	119.11	Inf	-Inf	113.12	3	Vertical	0	2.15	-	34.00	6.84	34.85			
AV	5.1764G	106.18	Inf	-Inf	100.18	3	Vertical	0	2.15	-	34.00	6.85	34.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	68.33	74.00	-5.67	62.39	3	Horizontal	360	2.21	-	33.99	6.80	34.85			
AV	5.15G	52.10	54.00	-1.90	46.15	3	Horizontal	360	2.21	-	34.00	6.80	34.85			
PK	5.1872G	118.56	Inf	-Inf	112.55	3	Horizontal	360	2.21	-	34.00	6.87	34.86			
AV	5.1872G	104.77	Inf	-Inf	98.76	3	Horizontal	360	2.21	-	34.00	6.87	34.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.53988G	56.87	74.00	-17.13	47.62	3	Vertical	56	2.43	-	37.98	12.68	41.41			
AV	15.53692G	42.76	54.00	-11.24	33.48	3	Vertical	56	2.43	-	38.00	12.68	41.40			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.53778G	56.78	74.00	-17.22	47.50	3	Horizontal	357	1.29	-	38.00	12.68	41.40			
AV	15.53762G	42.70	54.00	-11.30	33.42	3	Horizontal	357	1.29	-	38.00	12.68	41.40			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 21
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	67.63	74.00	-6.37	61.68	3	Vertical	356	2.25	-	34.00	6.80	34.85			
AV	5.1496G	53.52	54.00	-0.48	47.57	3	Vertical	356	2.25	-	34.00	6.80	34.85			
PK	5.1944G	121.35	Inf	-Inf	115.33	3	Vertical	356	2.25	-	34.00	6.88	34.86			
AV	5.1952G	108.63	Inf	-Inf	102.61	3	Vertical	356	2.25	-	34.00	6.88	34.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 21
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	68.25	74.00	-5.75	62.31	3	Horizontal	355	2.87	-	33.99	6.80	34.85			
AV	5.1496G	52.94	54.00	-1.06	46.99	3	Horizontal	355	2.87	-	34.00	6.80	34.85			
PK	5.2076G	119.74	Inf	-Inf	113.68	3	Horizontal	355	2.87	-	34.02	6.90	34.86			
AV	5.2072G	106.30	Inf	-Inf	100.25	3	Horizontal	355	2.87	-	34.01	6.90	34.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 21
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.5984G	55.72	74.00	-18.28	46.74	3	Vertical	107	2.64	-	37.80	12.70	41.52			
AV	15.59754G	42.27	54.00	-11.73	33.29	3	Vertical	107	2.64	-	37.80	12.70	41.52			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 21
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.60044G	56.05	74.00	-17.95	47.08	3	Horizontal	327	1.64	-	37.80	12.70	41.53			
AV	15.59614G	42.25	54.00	-11.75	33.27	3	Horizontal	327	1.64	-	37.81	12.69	41.52			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1368G	59.88	74.00	-14.12	54.03	3	Vertical	360	2.05	-	33.92	6.78	34.85				
AV	5.117G	46.55	54.00	-7.45	40.86	3	Vertical	360	2.05	-	33.80	6.74	34.85				
PK	5.2364G	124.30	Inf	-Inf	118.15	3	Vertical	360	2.05	-	34.07	6.94	34.86				
AV	5.2358G	111.00	Inf	-Inf	104.85	3	Vertical	360	2.05	-	34.07	6.94	34.86				
PK	5.3558G	61.49	74.00	-12.51	54.85	3	Vertical	360	2.05	-	34.41	7.11	34.88				
AV	5.3552G	47.89	54.00	-6.11	41.25	3	Vertical	360	2.05	-	34.41	7.11	34.88				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	59.38	74.00	-14.62	53.44	3	Horizontal	358	2.76	-	33.99	6.80	34.85			
AV	5.1254G	46.37	54.00	-7.63	40.61	3	Horizontal	358	2.76	-	33.85	6.76	34.85			
PK	5.2466G	121.88	Inf	-Inf	115.69	3	Horizontal	358	2.76	-	34.09	6.96	34.86			
AV	5.2472G	109.39	Inf	-Inf	103.20	3	Horizontal	358	2.76	-	34.09	6.96	34.86			
PK	5.369G	60.61	74.00	-13.39	53.92	3	Horizontal	358	2.76	-	34.44	7.13	34.88			
AV	5.3684G	47.66	54.00	-6.34	40.97	3	Horizontal	358	2.76	-	34.44	7.13	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.7173G	56.40	74.00	-17.60	47.46	3	Vertical	74	1.55	-	37.97	12.73	41.76			
AV	15.71598G	42.76	54.00	-11.24	33.82	3	Vertical	74	1.55	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.71718G	55.98	74.00	-18.02	47.04	3	Horizontal	341	2.24	-	37.97	12.73	41.76			
AV	15.71566G	42.76	54.00	-11.24	33.82	3	Horizontal	341	2.24	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 18.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1408G	67.37	74.00	-6.63	61.49	3	Vertical	359	2.23	-	33.94	6.79	34.85			
AV	5.15G	51.79	54.00	-2.21	45.84	3	Vertical	359	2.23	-	34.00	6.80	34.85			
PK	5.1848G	115.48	Inf	-Inf	109.48	3	Vertical	359	2.23	-	34.00	6.86	34.86			
AV	5.1864G	102.71	Inf	-Inf	96.70	3	Vertical	359	2.23	-	34.00	6.87	34.86			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 18.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	67.02	74.00	-6.98	61.14	3	Horizontal	10	1.31	-	33.94	6.79	34.85			
AV	5.1484G	52.97	54.00	-1.03	47.03	3	Horizontal	10	1.31	-	33.99	6.80	34.85			
PK	5.1772G	113.75	Inf	-Inf	107.75	3	Horizontal	10	1.31	-	34.00	6.85	34.85			
AV	5.1768G	101.21	Inf	-Inf	95.21	3	Horizontal	10	1.31	-	34.00	6.85	34.85			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 18.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.56972G	56.34	74.00	-17.66	47.26	3	Vertical	196	2.54	-	37.86	12.69	41.47			
AV	15.57196G	42.70	54.00	-11.30	33.62	3	Vertical	196	2.54	-	37.86	12.69	41.47			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 18.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.56788G	56.11	74.00	-17.89	47.02	3	Horizontal	59	1.59	-	37.86	12.69	41.46			
AV	15.57064G	42.83	54.00	-11.17	33.75	3	Horizontal	59	1.59	-	37.86	12.69	41.47			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 22.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	72.89	74.00	-1.11	66.95	3	Vertical	360	2.17	-	33.99	6.80	34.85			
AV	5.15G	52.80	54.00	-1.20	46.85	3	Vertical	360	2.17	-	34.00	6.80	34.85			
PK	5.2252G	119.08	Inf	-Inf	112.96	3	Vertical	360	2.17	-	34.05	6.93	34.86			
AV	5.2252G	106.27	Inf	-Inf	100.15	3	Vertical	360	2.17	-	34.05	6.93	34.86			
PK	5.3506G	61.24	74.00	-12.76	54.62	3	Vertical	360	2.17	-	34.40	7.10	34.88			
AV	5.35G	47.75	54.00	-6.25	41.13	3	Vertical	360	2.17	-	34.40	7.10	34.88			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 22.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	66.47	74.00	-7.53	60.57	3	Horizontal	352	2.84	-	33.96	6.79	34.85			
AV	5.1376G	48.73	54.00	-5.27	42.87	3	Horizontal	352	2.84	-	33.93	6.78	34.85			
PK	5.2162G	117.91	Inf	-Inf	111.83	3	Horizontal	352	2.84	-	34.03	6.91	34.86			
AV	5.2162G	104.80	Inf	-Inf	98.72	3	Horizontal	352	2.84	-	34.03	6.91	34.86			
PK	5.359G	60.41	74.00	-13.59	53.76	3	Horizontal	352	2.84	-	34.42	7.11	34.88			
AV	5.356G	47.54	54.00	-6.46	40.90	3	Horizontal	352	2.84	-	34.41	7.11	34.88			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 22.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.68884G	55.46	74.00	-18.54	46.46	3	Vertical	62	2.29	-	37.98	12.72	41.70			
AV	15.68534G	42.26	54.00	-11.74	33.27	3	Vertical	62	2.29	-	37.97	12.72	41.70			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 22.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.69468G	56.29	74.00	-17.71	47.29	3	Horizontal	197	1.33	-	37.99	12.73	41.72			
AV	15.69368G	42.23	54.00	-11.77	33.22	3	Horizontal	197	1.33	-	37.99	12.73	41.71			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT Y_2TX
Setting 18
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.139G	69.82	74.00	-4.18	63.96	3	Vertical	0	2.23	-	33.93	6.78	34.85			
AV	5.143G	53.51	54.00	-0.49	47.61	3	Vertical	0	2.23	-	33.96	6.79	34.85			
PK	5.187G	111.43	Inf	-Inf	105.42	3	Vertical	0	2.23	-	34.00	6.87	34.86			
AV	5.186G	99.90	Inf	-Inf	93.89	3	Vertical	0	2.23	-	34.00	6.87	34.86			
PK	5.447G	60.28	74.00	-13.72	53.44	3	Vertical	0	2.23	-	34.50	7.23	34.89			
AV	5.35G	47.18	54.00	-6.82	40.56	3	Vertical	0	2.23	-	34.40	7.10	34.88			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.135G	70.25	74.00	-3.75	64.41	3	Horizontal	2	1.03	-	33.91	6.78	34.85			
AV	5.15G	53.58	54.00	-0.42	47.63	3	Horizontal	2	1.03	-	34.00	6.80	34.85			
PK	5.177G	111.69	Inf	-Inf	105.69	3	Horizontal	2	1.03	-	34.00	6.85	34.85			
AV	5.176G	98.57	Inf	-Inf	92.57	3	Horizontal	2	1.03	-	34.00	6.85	34.85			
PK	5.353G	60.56	74.00	-13.44	53.93	3	Horizontal	2	1.03	-	34.41	7.10	34.88			
AV	5.355G	46.94	54.00	-7.06	40.30	3	Horizontal	2	1.03	-	34.41	7.11	34.88			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.6319G	55.93	74.00	-18.07	46.95	3	Vertical	4	2.10	-	37.86	12.71	41.59			
AV	15.62826G	42.25	54.00	-11.75	33.27	3	Vertical	4	2.10	-	37.86	12.70	41.58			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.62994G	55.47	74.00	-18.53	46.49	3	Horizontal	305	1.96	-	37.86	12.71	41.59			
AV	15.63356G	42.20	54.00	-11.80	33.21	3	Horizontal	305	1.96	-	37.87	12.71	41.59			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
Setting 19
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	67.92	74.00	-6.08	62.01	3	Vertical	6	1.80	-	33.97	6.79	34.85			
AV	5.15G	53.56	54.00	-0.44	47.61	3	Vertical	6	1.80	-	34.00	6.80	34.85			
PK	5.1728G	120.78	Inf	-Inf	114.79	3	Vertical	6	1.80	-	34.00	6.84	34.85			
AV	5.1728G	110.37	Inf	-Inf	104.38	3	Vertical	6	1.80	-	34.00	6.84	34.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
Setting 19
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	65.44	74.00	-8.56	59.50	3	Horizontal	353	1.88	-	33.99	6.80	34.85			
AV	5.1472G	53.38	54.00	-0.62	47.45	3	Horizontal	353	1.88	-	33.98	6.80	34.85			
PK	5.1824G	120.35	Inf	-Inf	114.35	3	Horizontal	353	1.88	-	34.00	6.86	34.86			
AV	5.1828G	112.35	Inf	-Inf	106.35	3	Horizontal	353	1.88	-	34.00	6.86	34.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
Setting 19
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.54094G	56.52	74.00	-17.48	47.28	3	Vertical	113	1.06	-	37.97	12.68	41.41			
AV	15.53538G	42.32	54.00	-11.68	33.02	3	Vertical	113	1.06	-	38.02	12.68	41.40			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_X_4TX
Setting 19
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.54228G	56.74	74.00	-17.26	47.51	3	Horizontal	9	2.84	-	37.96	12.68	41.41			
AV	15.5353G	42.32	54.00	-11.68	33.02	3	Horizontal	9	2.84	-	38.02	12.68	41.40			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT X_4TX
Setting 26
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	70.66	74.00	-3.34	64.73	3	Vertical	353	1.88	-	33.98	6.80	34.85			
AV	5.1452G	52.72	54.00	-1.28	46.81	3	Vertical	353	1.88	-	33.97	6.79	34.85			
PK	5.1936G	122.94	Inf	-Inf	116.92	3	Vertical	353	1.88	-	34.00	6.88	34.86			
AV	5.1928G	112.19	Inf	-Inf	106.17	3	Vertical	353	1.88	-	34.00	6.88	34.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_X_4TX
Setting 26
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	69.99	74.00	-4.01	64.06	3	Horizontal	352	1.80	-	33.98	6.80	34.85			
AV	5.1452G	53.59	54.00	-0.41	47.68	3	Horizontal	352	1.80	-	33.97	6.79	34.85			
PK	5.2032G	125.52	Inf	-Inf	119.48	3	Horizontal	352	1.80	-	34.01	6.89	34.86			
AV	5.2028G	114.94	Inf	-Inf	108.90	3	Horizontal	352	1.80	-	34.01	6.89	34.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.59984G	56.21	74.00	-17.79	47.24	3	Vertical	81	1.15	-	37.80	12.70	41.53			
AV	15.59556G	41.94	54.00	-12.06	32.96	3	Vertical	81	1.15	-	37.81	12.69	41.52			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.60004G	55.92	74.00	-18.08	46.95	3	Horizontal	284	1.28	-	37.80	12.70	41.53			
AV	15.59556G	41.91	54.00	-12.09	32.93	3	Horizontal	284	1.28	-	37.81	12.69	41.52			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1224G	60.88	74.00	-13.12	55.15	3	Vertical	6	1.82	-	33.83	6.75	34.85			
AV	5.1272G	48.25	54.00	-5.75	42.48	3	Vertical	6	1.82	-	33.86	6.76	34.85			
PK	5.232G	124.14	Inf	-Inf	118.01	3	Vertical	6	1.82	-	34.06	6.93	34.86			
AV	5.2328G	113.79	Inf	-Inf	107.64	3	Vertical	6	1.82	-	34.07	6.94	34.86			
PK	5.3672G	61.84	74.00	-12.16	55.17	3	Vertical	6	1.82	-	34.43	7.12	34.88			
AV	5.3672G	49.21	54.00	-4.79	42.54	3	Vertical	6	1.82	-	34.43	7.12	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1128G	60.84	74.00	-13.16	55.17	3	Horizontal	350	1.80	-	33.78	6.74	34.85				
AV	5.1168G	48.45	54.00	-5.55	42.76	3	Horizontal	350	1.80	-	33.80	6.74	34.85				
PK	5.2432G	125.24	Inf	-Inf	119.06	3	Horizontal	350	1.80	-	34.09	6.95	34.86				
AV	5.2432G	114.62	Inf	-Inf	108.44	3	Horizontal	350	1.80	-	34.09	6.95	34.86				
PK	5.3552G	63.04	74.00	-10.96	56.40	3	Horizontal	350	1.80	-	34.41	7.11	34.88				
AV	5.3536G	50.02	54.00	-3.98	43.38	3	Horizontal	350	1.80	-	34.41	7.11	34.88				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.7189G	56.60	74.00	-17.40	47.67	3	Vertical	221	2.37	-	37.96	12.73	41.76			
AV	15.71538G	42.62	54.00	-11.38	33.68	3	Vertical	221	2.37	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.71924G	56.24	74.00	-17.76	47.31	3	Horizontal	312	1.24	-	37.96	12.73	41.76			
AV	15.71548G	42.52	54.00	-11.48	33.58	3	Horizontal	312	1.24	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_X_4TX
Setting 18.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	68.62	74.00	-5.38	62.69	3	Vertical	3	1.80	-	33.98	6.80	34.85			
AV	5.1444G	52.97	54.00	-1.03	47.06	3	Vertical	3	1.80	-	33.97	6.79	34.85			
PK	5.1724G	120.88	Inf	-Inf	114.89	3	Vertical	3	1.80	-	34.00	6.84	34.85			
AV	5.1724G	109.53	Inf	-Inf	103.54	3	Vertical	3	1.80	-	34.00	6.84	34.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT X_4TX
Setting 18.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	68.31	74.00	-5.69	62.40	3	Horizontal	352	1.83	-	33.97	6.79	34.85			
AV	5.146G	53.69	54.00	-0.31	47.76	3	Horizontal	352	1.83	-	33.98	6.80	34.85			
PK	5.1832G	121.73	Inf	-Inf	115.73	3	Horizontal	352	1.83	-	34.00	6.86	34.86			
AV	5.1828G	109.78	Inf	-Inf	103.78	3	Horizontal	352	1.83	-	34.00	6.86	34.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_X_4TX
Setting 18.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.53868G	56.28	74.00	-17.72	47.02	3	Vertical	145	2.06	-	37.99	12.68	41.41			
AV	15.5363G	43.19	54.00	-10.81	33.90	3	Vertical	145	2.06	-	38.01	12.68	41.40			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_X_4TX
Setting 18.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.53798G	56.61	74.00	-17.39	47.34	3	Horizontal	213	2.35	-	38.00	12.68	41.41			
AV	15.5418G	43.28	54.00	-10.72	34.04	3	Horizontal	213	2.35	-	37.97	12.68	41.41			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT X_4TX
Setting 22.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	70.08	74.00	-3.92	64.17	3	Vertical	7	1.78	-	33.97	6.79	34.85			
AV	5.15G	52.62	54.00	-1.38	46.67	3	Vertical	7	1.78	-	34.00	6.80	34.85			
PK	5.1932G	125.65	Inf	-Inf	119.63	3	Vertical	7	1.78	-	34.00	6.88	34.86			
AV	5.192G	112.82	Inf	-Inf	106.80	3	Vertical	7	1.78	-	34.00	6.88	34.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_X_4TX
Setting 22.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	70.17	74.00	-3.83	64.24	3	Horizontal	351	1.80	-	33.98	6.80	34.85			
AV	5.144G	52.51	54.00	-1.49	46.61	3	Horizontal	351	1.80	-	33.96	6.79	34.85			
PK	5.2036G	125.79	Inf	-Inf	119.74	3	Horizontal	351	1.80	-	34.01	6.90	34.86			
AV	5.2028G	113.26	Inf	-Inf	107.22	3	Horizontal	351	1.80	-	34.01	6.89	34.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_X_4TX
Setting 22.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.59768G	56.11	74.00	-17.89	47.13	3	Vertical	360	1.36	-	37.80	12.70	41.52			
AV	15.59556G	41.93	54.00	-12.07	32.95	3	Vertical	360	1.36	-	37.81	12.69	41.52			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT X_4TX
Setting 22.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.59664G	55.89	74.00	-18.11	46.91	3	Horizontal	4	1.98	-	37.81	12.69	41.52			
AV	15.59552G	41.95	54.00	-12.05	32.97	3	Horizontal	4	1.98	-	37.81	12.69	41.52			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_X_4TX
Setting 26
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1248G	61.15	74.00	-12.85	55.39	3	Vertical	22	2.07	-	33.85	6.76	34.85			
AV	5.128G	48.06	54.00	-5.94	42.28	3	Vertical	22	2.07	-	33.87	6.76	34.85			
PK	5.2328G	125.38	Inf	-Inf	119.23	3	Vertical	22	2.07	-	34.07	6.94	34.86			
AV	5.232G	113.86	Inf	-Inf	107.73	3	Vertical	22	2.07	-	34.06	6.93	34.86			
PK	5.352G	61.71	74.00	-12.29	55.09	3	Vertical	22	2.07	-	34.40	7.10	34.88			
AV	5.3688G	49.09	54.00	-4.91	42.40	3	Vertical	22	2.07	-	34.44	7.13	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_X_4TX
Setting 26
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1168G	61.66	74.00	-12.34	55.97	3	Horizontal	351	1.80	-	33.80	6.74	34.85			
AV	5.1168G	48.25	54.00	-5.75	42.56	3	Horizontal	351	1.80	-	33.80	6.74	34.85			
PK	5.2432G	125.55	Inf	-Inf	119.37	3	Horizontal	351	1.80	-	34.09	6.95	34.86			
AV	5.2424G	113.91	Inf	-Inf	107.74	3	Horizontal	351	1.80	-	34.08	6.95	34.86			
PK	5.3576G	63.23	74.00	-10.77	56.58	3	Horizontal	351	1.80	-	34.42	7.11	34.88			
AV	5.3584G	49.81	54.00	-4.19	43.16	3	Horizontal	351	1.80	-	34.42	7.11	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT X_4TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.71522G	56.53	74.00	-17.47	47.59	3	Vertical	138	2.17	-	37.97	12.73	41.76			
AV	15.71598G	42.55	54.00	-11.45	33.61	3	Vertical	138	2.17	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.7154G	56.74	74.00	-17.26	47.80	3	Horizontal	348	2.94	-	37.97	12.73	41.76			
AV	15.71558G	42.55	54.00	-11.45	33.61	3	Horizontal	348	2.94	-	37.97	12.73	41.76			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
Setting 16.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	70.37	74.00	-3.63	64.46	3	Vertical	6	1.80	-	33.97	6.79	34.85			
AV	5.1452G	53.61	54.00	-0.39	47.70	3	Vertical	6	1.80	-	33.97	6.79	34.85			
PK	5.1824G	117.12	Inf	-Inf	111.12	3	Vertical	6	1.80	-	34.00	6.86	34.86			
AV	5.1824G	103.92	Inf	-Inf	97.92	3	Vertical	6	1.80	-	34.00	6.86	34.86			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
Setting 16.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	60.44	74.00	-13.56	54.51	3	Horizontal	350	1.84	-	33.98	6.80	34.85			
AV	5.1452G	46.99	54.00	-7.01	41.08	3	Horizontal	350	1.84	-	33.97	6.79	34.85			
PK	5.1924G	117.19	Inf	-Inf	111.17	3	Horizontal	350	1.84	-	34.00	6.88	34.86			
AV	5.1932G	103.22	Inf	-Inf	97.20	3	Horizontal	350	1.84	-	34.00	6.88	34.86			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
Setting 16.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.57102G	56.03	74.00	-17.97	46.95	3	Vertical	281	1.34	-	37.86	12.69	41.47			
AV	15.57178G	42.46	54.00	-11.54	33.38	3	Vertical	281	1.34	-	37.86	12.69	41.47			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_X_4TX
Setting 16.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.56826G	56.40	74.00	-17.60	47.32	3	Horizontal	197	2.68	-	37.86	12.69	41.47			
AV	15.573G	42.58	54.00	-11.42	33.51	3	Horizontal	197	2.68	-	37.85	12.69	41.47			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT X_4TX
Setting 22
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	69.01	74.00	-4.99	63.11	3	Vertical	7	1.84	-	33.96	6.79	34.85			
AV	5.1436G	51.14	54.00	-2.86	45.24	3	Vertical	7	1.84	-	33.96	6.79	34.85			
PK	5.222G	122.60	Inf	-Inf	116.50	3	Vertical	7	1.84	-	34.04	6.92	34.86			
AV	5.2228G	108.98	Inf	-Inf	102.87	3	Vertical	7	1.84	-	34.05	6.92	34.86			
PK	5.3554G	61.76	74.00	-12.24	55.12	3	Vertical	7	1.84	-	34.41	7.11	34.88			
AV	5.374G	48.60	54.00	-5.40	41.90	3	Vertical	7	1.84	-	34.45	7.13	34.88			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_X_4TX
Setting 22
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	67.87	74.00	-6.13	61.94	3	Horizontal	350	1.82	-	33.98	6.80	34.85			
AV	5.15G	52.71	54.00	-1.29	46.76	3	Horizontal	350	1.82	-	34.00	6.80	34.85			
PK	5.2126G	122.91	Inf	-Inf	116.83	3	Horizontal	350	1.82	-	34.03	6.91	34.86			
AV	5.2126G	110.43	Inf	-Inf	104.35	3	Horizontal	350	1.82	-	34.03	6.91	34.86			
PK	5.365G	62.62	74.00	-11.38	55.95	3	Horizontal	350	1.82	-	34.43	7.12	34.88			
AV	5.3518G	49.15	54.00	-4.85	42.53	3	Horizontal	350	1.82	-	34.40	7.10	34.88			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT X_4TX
Setting 22
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.68734G	55.61	74.00	-18.39	46.62	3	Vertical	350	2.99	-	37.97	12.72	41.70			
AV	15.68626G	42.01	54.00	-11.99	33.02	3	Vertical	350	2.99	-	37.97	12.72	41.70			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_X_4TX
Setting 22
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.68656G	55.94	74.00	-18.06	46.95	3	Horizontal	45	2.77	-	37.97	12.72	41.70			
AV	15.68532G	42.04	54.00	-11.96	33.05	3	Horizontal	45	2.77	-	37.97	12.72	41.70			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_X_4TX
Setting 15.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	67.68	74.00	-6.32	61.75	3	Vertical	6	1.80	-	33.98	6.80	34.85			
AV	5.144G	52.56	54.00	-1.44	46.66	3	Vertical	6	1.80	-	33.96	6.79	34.85			
PK	5.183G	112.80	Inf	-Inf	106.80	3	Vertical	6	1.80	-	34.00	6.86	34.86			
AV	5.182G	100.61	Inf	-Inf	94.61	3	Vertical	6	1.80	-	34.00	6.86	34.86			
PK	5.375G	60.02	74.00	-13.98	53.32	3	Vertical	6	1.80	-	34.45	7.13	34.88			
AV	5.395G	47.44	54.00	-6.56	40.68	3	Vertical	6	1.80	-	34.49	7.16	34.89			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_X_4TX
Setting 15.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.133G	66.63	74.00	-7.37	60.81	3	Horizontal	348	2.36	-	33.90	6.77	34.85			
AV	5.134G	51.52	54.00	-2.48	45.70	3	Horizontal	348	2.36	-	33.90	6.77	34.85			
PK	5.172G	112.26	Inf	-Inf	106.27	3	Horizontal	348	2.36	-	34.00	6.84	34.85			
AV	5.192G	100.68	Inf	-Inf	94.66	3	Horizontal	348	2.36	-	34.00	6.88	34.86			
PK	5.387G	60.61	74.00	-13.39	53.87	3	Horizontal	348	2.36	-	34.47	7.15	34.88			
AV	5.36G	47.29	54.00	-6.71	40.64	3	Horizontal	348	2.36	-	34.42	7.11	34.88			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_X_4TX
Setting 15.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.63264G	55.87	74.00	-18.13	46.88	3	Vertical	291	2.36	-	37.87	12.71	41.59			
AV	15.63292G	41.77	54.00	-12.23	32.78	3	Vertical	291	2.36	-	37.87	12.71	41.59			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX



EUT_X_4TX
Setting 15.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.63344G	56.10	74.00	-17.90	47.11	3	Horizontal	38	1.46	-	37.87	12.71	41.59			
AV	15.63008G	41.79	54.00	-12.21	32.81	3	Horizontal	38	1.46	-	37.86	12.71	41.59			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.14978G	53.76	54.00	-0.24	3	Vertical	32	1.60	25

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 19.5
15\21.5\18.5\20\19.5
6.63\ -7.06\3.97\ -1.73\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1495G	67.80	74.00	-6.20	59.57	3	Vertical	33	1.78	19.5	33.60	5.31	30.68			
AV	5.15G	53.65	54.00	-0.35	45.41	3	Vertical	33	1.78	19.5	33.60	5.32	30.68			
PK	5.1821G	110.93	Inf	-Inf	102.63	3	Vertical	33	1.78	19.5	33.66	5.35	30.71			
AV	5.1825G	101.30	Inf	-Inf	92.99	3	Vertical	33	1.78	19.5	33.67	5.35	30.71			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 19.5
19.5
2.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	65.21	74.00	-8.79	56.98	3	Horizontal	351	2.29	19.5	33.60	5.31	30.68			
AV	5.15G	51.77	54.00	-2.23	43.53	3	Horizontal	351	2.29	19.5	33.60	5.32	30.68			
PK	5.1822G	108.69	Inf	-Inf	100.39	3	Horizontal	351	2.29	19.5	33.66	5.35	30.71			
AV	5.1824G	98.90	Inf	-Inf	90.60	3	Horizontal	351	2.29	19.5	33.66	5.35	30.71			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
Setting 19.5
02-C-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.3568G	53.92	68.20	-14.28	38.93	3	Vertical	202	1.80	19.5	38.59	8.18	31.78			
PK	15.52744G	60.16	74.00	-13.84	43.92	3	Vertical	181	1.80	19.5	38.05	10.14	31.95			
AV	15.55992G	46.69	54.00	-7.31	30.51	3	Vertical	181	1.80	19.5	37.98	10.15	31.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 19.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36952G	53.65	68.20	-14.55	38.68	3	Horizontal	1	1.80	19.5	38.56	8.19	31.78			
PK	15.55992G	59.53	74.00	-14.47	43.35	3	Horizontal	68	1.06	19.5	37.98	10.15	31.95			
AV	15.5544G	46.62	54.00	-7.38	30.44	3	Horizontal	68	1.06	19.5	37.99	10.14	31.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET 22
15\21.5\24.5\23\22.5\22
6.65\3.12\11.02\2.62\0.17\2.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14988G	65.58	74.00	-8.42	57.35	3	Vertical	34	1.65	22	33.60	5.31	30.68			
AV	5.1496G	51.57	54.00	-2.43	43.34	3	Vertical	34	1.65	22	33.60	5.31	30.68			
PK	5.19566G	114.57	Inf	-Inf	106.23	3	Vertical	34	1.65	22	33.69	5.37	30.72			
AV	5.20224G	104.71	Inf	-Inf	96.36	3	Vertical	34	1.65	22	33.70	5.37	30.72			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET 22
22
3.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14946G	65.38	74.00	-8.62	57.15	3	Horizontal	360	2.83	22	33.60	5.31	30.68			
AV	5.15G	50.86	54.00	-3.14	42.62	3	Horizontal	360	2.83	22	33.60	5.32	30.68			
PK	5.20224G	114.44	Inf	-Inf	106.09	3	Horizontal	360	2.83	22	33.70	5.37	30.72			
AV	5.20252G	104.54	Inf	-Inf	96.18	3	Horizontal	360	2.83	22	33.71	5.37	30.72			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40876G	54.02	68.20	-14.18	39.13	3	Vertical	1	1.80	22	38.48	8.20	31.79			
PK	15.58732G	60.07	74.00	-13.93	43.95	3	Vertical	84	1.72	22	37.93	10.15	31.96			
AV	15.61988G	46.82	54.00	-7.18	30.80	3	Vertical	84	1.72	22	37.82	10.16	31.96			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39784G	54.71	68.20	-13.49	39.80	3	Horizontal	276	1.80	22	38.50	8.20	31.79			
PK	15.60852G	60.11	74.00	-13.89	44.04	3	Horizontal	176	1.80	22	37.87	10.16	31.96			
AV	15.6178G	46.84	54.00	-7.16	30.81	3	Horizontal	176	1.80	22	37.83	10.16	31.96			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 25
15\21\24\25
6.21\6.29\5.10\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14536G	69.82	74.00	-4.18	61.59	3	Vertical	32	1.60	25	33.60	5.31	30.68			
AV	5.14978G	53.76	54.00	-0.24	45.53	3	Vertical	32	1.60	25	33.60	5.31	30.68			
PK	5.24728G	118.01	Inf	-Inf	109.60	3	Vertical	32	1.60	25	33.79	5.38	30.76			
AV	5.2426G	107.71	Inf	-Inf	99.29	3	Vertical	32	1.60	25	33.79	5.38	30.75			
PK	5.35882G	65.65	74.00	-8.35	57.18	3	Vertical	32	1.60	25	33.92	5.40	30.85			
AV	5.3531G	50.41	54.00	-3.59	41.94	3	Vertical	32	1.60	25	33.91	5.40	30.84			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 25
25
2.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14978G	67.00	74.00	-7.00	58.77	3	Horizontal	349	2.25	25	33.60	5.31	30.68				
AV	5.14822G	51.14	54.00	-2.86	42.91	3	Horizontal	349	2.25	25	33.60	5.31	30.68				
PK	5.23714G	114.47	Inf	-Inf	106.07	3	Horizontal	349	2.25	25	33.77	5.38	30.75				
AV	5.23688G	104.73	Inf	-Inf	96.33	3	Horizontal	349	2.25	25	33.77	5.38	30.75				
PK	5.3583G	64.14	74.00	-9.86	55.67	3	Horizontal	349	2.25	25	33.92	5.40	30.85				
AV	5.35908G	49.46	54.00	-4.54	40.99	3	Horizontal	349	2.25	25	33.92	5.40	30.85				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46932G	54.32	68.20	-13.88	39.46	3	Vertical	26	1.80	25	38.44	8.22	31.80			
PK	15.71364G	59.39	74.00	-14.61	43.60	3	Vertical	262	1.20	25	37.57	10.19	31.97			
AV	15.70652G	45.93	54.00	-8.07	30.12	3	Vertical	262	1.20	25	37.59	10.19	31.97			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46288G	53.02	68.20	-15.18	38.17	3	Horizontal	325	1.80	25	38.43	8.22	31.80			
PK	15.70204G	59.15	74.00	-14.85	43.33	3	Horizontal	214	1.80	25	37.60	10.19	31.97			
AV	15.7008G	46.06	54.00	-7.94	30.24	3	Horizontal	214	1.80	25	37.60	10.19	31.97			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT Y_1TX
SET 19
15\22\18.5\20\19.5\19
7.06\8.16\3.82\2.60\0.39\1.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1495G	69.96	74.00	-4.04	61.73	3	Vertical	33	2.25	19	33.60	5.31	30.68			
AV	5.15G	52.52	54.00	-1.48	44.28	3	Vertical	33	2.25	19	33.60	5.32	30.68			
PK	5.1824G	112.04	Inf	-Inf	103.74	3	Vertical	33	2.25	19	33.66	5.35	30.71			
AV	5.1787G	98.50	Inf	-Inf	90.19	3	Vertical	33	2.25	19	33.66	5.35	30.70			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT Y_1TX
SET 19
19
2.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1495G	68.20	74.00	-5.80	59.97	3	Horizontal	351	2.30	19	33.60	5.31	30.68			
AV	5.1497G	51.53	54.00	-2.47	43.30	3	Horizontal	351	2.30	19	33.60	5.31	30.68			
PK	5.1777G	110.67	Inf	-Inf	102.36	3	Horizontal	351	2.30	19	33.66	5.35	30.70			
AV	5.1831G	97.27	Inf	-Inf	88.96	3	Horizontal	351	2.30	19	33.67	5.35	30.71			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 19
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.37656G	53.80	68.20	-14.40	38.85	3	Vertical	36	1.80	19	38.55	8.19	31.79				
PK	15.55864G	59.83	74.00	-14.17	43.65	3	Vertical	161	2.92	19	37.98	10.15	31.95				
AV	15.55928G	46.12	54.00	-7.88	29.94	3	Vertical	161	2.92	19	37.98	10.15	31.95				

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT Y_1TX
Setting 19
02-C-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.36268G	53.85	68.20	-14.35	38.88	3	Horizontal	200	1.80	19	38.57	8.18	31.78			
PK	15.55836G	60.27	74.00	-13.73	44.09	3	Horizontal	145	1.05	19	37.98	10.15	31.95			
AV	15.55024G	46.17	54.00	-7.83	29.98	3	Horizontal	145	1.05	19	38.00	10.14	31.95			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 22
15\22\25\23.5\23\17\20\21.5\22
7.05\0.88\13.88\6.39\3.75\7.07\5.82\2.37\1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14946G	69.87	74.00	-4.13	61.64	3	Vertical	35	1.66	22	33.60	5.31	30.68			
AV	5.15G	52.90	54.00	-1.10	44.66	3	Vertical	35	1.66	22	33.60	5.32	30.68			
PK	5.20504G	116.54	Inf	-Inf	108.18	3	Vertical	35	1.66	22	33.71	5.37	30.72			
AV	5.20196G	103.74	Inf	-Inf	95.39	3	Vertical	35	1.66	22	33.70	5.37	30.72			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 22
22
1.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14918G	66.96	74.00	-7.04	58.73	3	Horizontal	360	2.83	22	33.60	5.31	30.68			
AV	5.15G	52.26	54.00	-1.74	44.02	3	Horizontal	360	2.83	22	33.60	5.32	30.68			
PK	5.19916G	116.87	Inf	-Inf	108.52	3	Horizontal	360	2.83	22	33.70	5.37	30.72			
AV	5.20168G	103.62	Inf	-Inf	95.27	3	Horizontal	360	2.83	22	33.70	5.37	30.72			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41856G	53.89	68.20	-14.31	39.02	3	Vertical	126	1.80	22	38.46	8.20	31.79			
PK	15.59596G	60.26	74.00	-13.74	44.15	3	Vertical	236	1.80	22	37.91	10.16	31.96			
AV	15.61876G	46.39	54.00	-7.61	30.37	3	Vertical	236	1.80	22	37.82	10.16	31.96			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3994G	53.35	68.20	-14.85	38.44	3	Horizontal	62	1.80	22	38.50	8.20	31.79			
PK	15.60996G	60.62	74.00	-13.38	44.56	3	Horizontal	196	2.77	22	37.86	10.16	31.96			
AV	15.61612G	46.39	54.00	-7.61	30.35	3	Horizontal	196	2.77	22	37.84	10.16	31.96			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
SET 24.5
15\21.5\24.5
6.71\6.69\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14614G	69.16	74.00	-4.84	60.93	3	Vertical	32	1.85	24.5	33.60	5.31	30.68			
AV	5.14978G	53.75	54.00	-0.25	45.52	3	Vertical	32	1.85	24.5	33.60	5.31	30.68			
PK	5.24104G	118.36	Inf	-Inf	109.95	3	Vertical	32	1.85	24.5	33.78	5.38	30.75			
AV	5.24364G	105.82	Inf	-Inf	97.40	3	Vertical	32	1.85	24.5	33.79	5.38	30.75			
PK	5.35466G	67.10	74.00	-6.90	58.63	3	Vertical	32	1.85	24.5	33.91	5.40	30.84			
AV	5.35024G	51.51	54.00	-2.49	43.05	3	Vertical	32	1.85	24.5	33.90	5.40	30.84			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
SET 24.5
24.5
1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14276G	67.77	74.00	-6.23	59.53	3	Horizontal	356	2.25	24.5	33.60	5.31	30.67			
AV	5.14952G	52.70	54.00	-1.30	44.47	3	Horizontal	356	2.25	24.5	33.60	5.31	30.68			
PK	5.2374G	117.50	Inf	-Inf	109.10	3	Horizontal	356	2.25	24.5	33.77	5.38	30.75			
AV	5.23636G	104.79	Inf	-Inf	96.39	3	Horizontal	356	2.25	24.5	33.77	5.38	30.75			
PK	5.35492G	67.10	74.00	-6.90	58.63	3	Horizontal	356	2.25	24.5	33.91	5.40	30.84			
AV	5.35726G	51.32	54.00	-2.68	42.86	3	Horizontal	356	2.25	24.5	33.91	5.40	30.85			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 24.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48976G	53.40	68.20	-14.80	38.50	3	Vertical	150	1.80	24.5	38.48	8.23	31.81			
PK	15.71016G	58.80	74.00	-15.20	43.00	3	Vertical	55	1.80	24.5	37.58	10.19	31.97			
AV	15.70112G	45.48	54.00	-8.52	29.66	3	Vertical	55	1.80	24.5	37.60	10.19	31.97			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 24.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4886G	54.25	68.20	-13.95	39.35	3	Horizontal	9	1.80	24.5	38.48	8.23	31.81			
PK	15.7014G	58.61	74.00	-15.39	42.79	3	Horizontal	340	1.12	24.5	37.60	10.19	31.97			
AV	15.70536G	45.41	54.00	-8.59	29.60	3	Horizontal	340	1.12	24.5	37.59	10.19	31.97			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 17.5
15\20.5\18\17\17.5
5.96\15.38\0.61\3.58\2.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	68.73	74.00	-5.27	60.49	3	Vertical	33	1.66	17.5	33.60	5.32	30.68			
AV	5.15G	51.85	54.00	-2.15	43.61	3	Vertical	33	1.66	17.5	33.60	5.32	30.68			
PK	5.18832G	109.93	Inf	-Inf	101.60	3	Vertical	33	1.66	17.5	33.68	5.36	30.71			
AV	5.18904G	96.68	Inf	-Inf	88.35	3	Vertical	33	1.66	17.5	33.68	5.36	30.71			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 17.5
17.5
3.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14848G	66.56	74.00	-7.44	58.33	3	Horizontal	351	2.30	17.5	33.60	5.31	30.68			
AV	5.14992G	50.34	54.00	-3.66	42.11	3	Horizontal	351	2.30	17.5	33.60	5.31	30.68			
PK	5.18508G	106.83	Inf	-Inf	98.52	3	Horizontal	351	2.30	17.5	33.67	5.35	30.71			
AV	5.19276G	93.33	Inf	-Inf	84.99	3	Horizontal	351	2.30	17.5	33.69	5.36	30.71			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 17.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38344G	53.30	68.20	-14.90	38.37	3	Vertical	209	1.80	17.5	38.53	8.19	31.79			
PK	15.59824G	60.40	74.00	-13.60	44.30	3	Vertical	268	1.74	17.5	37.90	10.16	31.96			
AV	15.60072G	46.47	54.00	-7.53	30.37	3	Vertical	268	1.74	17.5	37.90	10.16	31.96			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 17.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.404G	53.40	68.20	-14.80	38.50	3	Horizontal	123	1.41	17.5	38.49	8.20	31.79			
PK	15.5944G	60.01	74.00	-13.99	43.90	3	Horizontal	71	1.20	17.5	37.91	10.16	31.96			
AV	15.606G	46.38	54.00	-7.62	30.30	3	Horizontal	71	1.20	17.5	37.88	10.16	31.96			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 20.5
15\21.5\18.5\20\20.5\25\23\22\20.5
6.88\1.39\6.67\4.74\3.21\13.64\5.85\2.65\3.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14992G	64.96	74.00	-9.04	56.73	3	Vertical	32	1.85	20.5	33.60	5.31	30.68			
AV	5.14992G	50.91	54.00	-3.09	42.68	3	Vertical	32	1.85	20.5	33.60	5.31	30.68			
PK	5.23078G	111.45	Inf	-Inf	103.05	3	Vertical	32	1.85	20.5	33.76	5.38	30.74			
AV	5.22688G	99.22	Inf	-Inf	90.83	3	Vertical	32	1.85	20.5	33.75	5.38	30.74			
PK	5.35948G	59.67	74.00	-14.33	51.20	3	Vertical	32	1.85	20.5	33.92	5.40	30.85			
AV	5.3535G	47.42	54.00	-6.58	38.95	3	Vertical	32	1.85	20.5	33.91	5.40	30.84			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 20.5
20.5
3.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14992G	64.48	74.00	-9.52	56.25	3	Horizontal	357	2.36	20.5	33.60	5.31	30.68			
AV	5.14992G	50.81	54.00	-3.19	42.58	3	Horizontal	357	2.36	20.5	33.60	5.31	30.68			
PK	5.23364G	111.41	Inf	-Inf	103.01	3	Horizontal	357	2.36	20.5	33.77	5.38	30.75			
AV	5.2326G	98.53	Inf	-Inf	90.13	3	Horizontal	357	2.36	20.5	33.77	5.38	30.75			
PK	5.35922G	59.70	74.00	-14.30	51.23	3	Horizontal	357	2.36	20.5	33.92	5.40	30.85			
AV	5.36G	47.57	54.00	-6.43	39.10	3	Horizontal	357	2.36	20.5	33.92	5.40	30.85			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 20.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45784G	53.45	68.20	-14.75	38.61	3	Vertical	156	1.80	20.5	38.42	8.22	31.80			
PK	15.66448G	59.07	74.00	-14.93	43.18	3	Vertical	281	1.80	20.5	37.67	10.18	31.96			
AV	15.65272G	45.87	54.00	-8.13	29.97	3	Vertical	281	1.80	20.5	37.69	10.17	31.96			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 20.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48992G	53.49	68.20	-14.71	38.59	3	Horizontal	1	1.80	20.5	38.48	8.23	31.81			
PK	15.70816G	59.48	74.00	-14.52	43.68	3	Horizontal	228	1.28	20.5	37.58	10.19	31.97			
AV	15.66144G	45.94	54.00	-8.06	30.04	3	Horizontal	228	1.28	20.5	37.68	10.18	31.96			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
SET 17.5
15\20\17.5\18.5\18\17.5
5.10\12.58\1.15\3.40\1.47\1.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14664G	69.14	74.00	-4.86	60.91	3	Vertical	29	1.61	17.5	33.60	5.31	30.68			
AV	5.14984G	52.96	54.00	-1.04	44.73	3	Vertical	29	1.61	17.5	33.60	5.31	30.68			
PK	5.21096G	106.17	Inf	-Inf	97.81	3	Vertical	29	1.61	17.5	33.72	5.37	30.73			
AV	5.2148G	93.53	Inf	-Inf	85.16	3	Vertical	29	1.61	17.5	33.73	5.37	30.73			
PK	5.3668G	60.33	74.00	-13.67	51.85	3	Vertical	29	1.61	17.5	33.93	5.40	30.85			
AV	5.37G	47.49	54.00	-6.51	39.01	3	Vertical	29	1.61	17.5	33.94	5.40	30.86			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT Y_1TX
SET 17.5
17.5
1.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	67.76	74.00	-6.24	59.53	3	Horizontal	356	2.84	17.5	33.60	5.31	30.68			
AV	5.14984G	52.48	54.00	-1.52	44.25	3	Horizontal	356	2.84	17.5	33.60	5.31	30.68			
PK	5.19336G	105.63	Inf	-Inf	97.29	3	Horizontal	356	2.84	17.5	33.69	5.36	30.71			
AV	5.20168G	92.67	Inf	-Inf	84.32	3	Horizontal	356	2.84	17.5	33.70	5.37	30.72			
PK	5.36776G	60.25	74.00	-13.75	51.76	3	Horizontal	356	2.84	17.5	33.94	5.40	30.85			
AV	5.36488G	47.44	54.00	-6.56	38.96	3	Horizontal	356	2.84	17.5	33.93	5.40	30.85			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 17.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49168G	53.65	68.20	-14.55	38.75	3	Vertical	303	1.80	17.5	38.48	8.23	31.81			
PK	15.60152G	60.17	74.00	-13.83	44.08	3	Vertical	229	1.78	17.5	37.89	10.16	31.96			
AV	15.63112G	46.32	54.00	-7.68	30.33	3	Vertical	229	1.78	17.5	37.78	10.17	31.96			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX



EUT_Y_1TX
Setting 17.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35584G	53.65	68.20	-14.55	38.66	3	Horizontal	10	1.80	17.5	38.59	8.18	31.78			
PK	15.61576G	60.36	74.00	-13.64	44.32	3	Horizontal	304	1.76	17.5	37.84	10.16	31.96			
AV	15.60952G	46.31	54.00	-7.69	30.25	3	Horizontal	304	1.76	17.5	37.86	10.16	31.96			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.15G	53.99	54.00	-0.01	3	Horizontal	357	1.80	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_X_1TX
Setting 11.25/17.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	71.55	74.00	-2.45	66.39	3	Vertical	346	1.80	-	33.28	7.40	35.52			
AV	5.149G	51.39	54.00	-2.61	46.21	3	Vertical	346	1.80	-	33.30	7.40	35.52			
PK	5.2G	111.12	Inf	-Inf	106.07	3	Vertical	346	1.80	-	33.10	7.45	35.50			
AV	5.173G	97.93	Inf	-Inf	92.81	3	Vertical	346	1.80	-	33.21	7.42	35.51			
PK	5.352G	60.47	74.00	-13.53	55.40	3	Vertical	346	1.80	-	33.00	7.53	35.46			
AV	5.356G	47.58	54.00	-6.42	42.51	3	Vertical	346	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_X_1TX
Setting 11.25/17.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	71.78	74.00	-2.22	66.60	3	Horizontal	360	1.80	-	33.30	7.40	35.52			
AV	5.149G	50.83	54.00	-3.17	45.65	3	Horizontal	360	1.80	-	33.30	7.40	35.52			
PK	5.187G	110.77	Inf	-Inf	105.69	3	Horizontal	360	1.80	-	33.15	7.44	35.51			
AV	5.242G	97.70	Inf	-Inf	92.62	3	Horizontal	360	1.80	-	33.10	7.47	35.49			
PK	5.362G	61.42	74.00	-12.58	56.35	3	Horizontal	360	1.80	-	33.00	7.53	35.46			
AV	5.355G	47.78	54.00	-6.22	42.71	3	Horizontal	360	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_X_1TX
Setting 11.25/17.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42672G	56.72	68.20	-11.48	41.16	3	Vertical	331	1.13	-	38.90	10.38	33.72			
PK	15.6405G	59.50	74.00	-14.50	42.61	3	Vertical	314	1.04	-	37.96	12.31	33.38			
AV	15.63828G	47.21	54.00	-6.79	30.31	3	Vertical	314	1.04	-	37.97	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_X_1TX
Setting 11.25/17.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4098G	57.32	68.20	-10.88	41.74	3	Horizontal	56	1.49	-	38.90	10.37	33.69			
PK	15.63414G	59.43	74.00	-14.57	42.51	3	Horizontal	318	2.17	-	38.00	12.31	33.39			
AV	15.62952G	47.21	54.00	-6.79	30.27	3	Horizontal	318	2.17	-	38.02	12.31	33.39			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_X_1TX
Setting 9.25/17.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	71.80	74.00	-2.20	66.76	3	Vertical	346	1.80	-	33.19	7.38	35.53			
AV	5.127G	51.42	54.00	-2.58	46.35	3	Vertical	346	1.80	-	33.21	7.38	35.52			
PK	5.243G	112.79	Inf	-Inf	107.71	3	Vertical	346	1.80	-	33.10	7.47	35.49			
AV	5.24G	99.66	Inf	-Inf	94.58	3	Vertical	346	1.80	-	33.10	7.47	35.49			
PK	5.358G	64.09	74.00	-9.91	59.02	3	Vertical	346	1.80	-	33.00	7.53	35.46			
AV	5.355G	47.88	54.00	-6.12	42.81	3	Vertical	346	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5210MHz_TX

EUT_X_1TX
Setting 9.25/17.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.121G	71.79	74.00	-2.21	66.77	3	Horizontal	360	1.80	-	33.18	7.37	35.53			
AV	5.119G	51.76	54.00	-2.24	46.74	3	Horizontal	360	1.80	-	33.18	7.37	35.53			
PK	5.248G	112.06	Inf	-Inf	106.98	3	Horizontal	360	1.80	-	33.10	7.47	35.49			
AV	5.241G	99.15	Inf	-Inf	94.07	3	Horizontal	360	1.80	-	33.10	7.47	35.49			
PK	5.358G	62.93	74.00	-11.07	57.86	3	Horizontal	360	1.80	-	33.00	7.53	35.46			
AV	5.355G	47.86	54.00	-6.14	42.79	3	Horizontal	360	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_X_1TX
Setting 9.25/17.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43128G	57.95	68.20	-10.25	42.40	3	Vertical	8	1.80	-	38.90	10.38	33.73			
PK	15.62526G	58.58	74.00	-15.42	41.63	3	Vertical	15	1.91	-	38.05	12.30	33.40			
AV	15.63402G	47.43	54.00	-6.57	30.51	3	Vertical	15	1.91	-	38.00	12.31	33.39			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_X_1TX
Setting 9.25/17.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.432666G	56.88	68.20	-11.32	41.33	3	Horizontal	12	2.36	-	38.90	10.38	33.73			
PK	15.63702G	58.92	74.00	-15.08	42.01	3	Horizontal	356	1.04	-	37.98	12.31	33.38			
AV	15.6381G	47.30	54.00	-6.70	30.40	3	Horizontal	356	1.04	-	37.97	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 8.75/17.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	71.10	74.00	-2.90	65.95	3	Vertical	339	1.80	-	33.27	7.40	35.52			
AV	5.143G	52.29	54.00	-1.71	47.14	3	Vertical	339	1.80	-	33.27	7.40	35.52			
PK	5.242G	114.09	Inf	-Inf	109.01	3	Vertical	339	1.80	-	33.10	7.47	35.49			
AV	5.242G	101.74	Inf	-Inf	96.66	3	Vertical	339	1.80	-	33.10	7.47	35.49			
PK	5.358G	61.99	74.00	-12.01	56.92	3	Vertical	339	1.80	-	33.00	7.53	35.46			
AV	5.356G	48.06	54.00	-5.94	42.99	3	Vertical	339	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 8.75/17.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.132G	71.82	74.00	-2.18	66.72	3	Horizontal	357	1.80	-	33.23	7.39	35.52			
AV	5.15G	53.99	54.00	-0.01	48.81	3	Horizontal	357	1.80	-	33.30	7.40	35.52			
PK	5.172G	115.24	Inf	-Inf	110.12	3	Horizontal	357	1.80	-	33.21	7.42	35.51			
AV	5.173G	102.53	Inf	-Inf	97.41	3	Horizontal	357	1.80	-	33.21	7.42	35.51			
PK	5.38G	61.63	74.00	-12.37	56.54	3	Horizontal	357	1.80	-	33.00	7.54	35.45			
AV	5.372G	47.84	54.00	-6.16	42.76	3	Horizontal	357	1.80	-	33.00	7.54	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 8.75/17.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42474G	57.13	68.20	-11.07	41.57	3	Vertical	231	1.00	-	38.90	10.38	33.72			
PK	15.63306G	59.00	74.00	-15.00	42.08	3	Vertical	357	2.66	-	38.00	12.31	33.39			
AV	15.63456G	47.24	54.00	-6.76	30.33	3	Vertical	357	2.66	-	37.99	12.31	33.39			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_X_2TX
Setting 8.75/17.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40842G	56.89	68.20	-11.31	41.31	3	Horizontal	147	1.53	-	38.90	10.37	33.69			
PK	15.64116G	58.78	74.00	-15.22	41.90	3	Horizontal	324	2.44	-	37.95	12.31	33.38			
AV	15.6333G	47.35	54.00	-6.65	30.43	3	Horizontal	324	2.44	-	38.00	12.31	33.39			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
Setting 7.75/16.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.124G	70.34	74.00	-3.66	65.29	3	Vertical	339	1.80	-	33.20	7.38	35.53			
AV	5.114G	52.73	54.00	-1.27	47.73	3	Vertical	339	1.80	-	33.16	7.37	35.53			
PK	5.241G	115.65	Inf	-Inf	110.57	3	Vertical	339	1.80	-	33.10	7.47	35.49			
AV	5.241G	102.54	Inf	-Inf	97.46	3	Vertical	339	1.80	-	33.10	7.47	35.49			
PK	5.362G	61.54	74.00	-12.46	56.47	3	Vertical	339	1.80	-	33.00	7.53	35.46			
AV	5.356G	47.78	54.00	-6.22	42.71	3	Vertical	339	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
Setting 7.75/16.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.114G	72.42	74.00	-1.58	67.42	3	Horizontal	358	1.80	-	33.16	7.37	35.53			
AV	5.121G	53.82	54.00	-0.18	48.80	3	Horizontal	358	1.80	-	33.18	7.37	35.53			
PK	5.173G	115.67	Inf	-Inf	110.55	3	Horizontal	358	1.80	-	33.21	7.42	35.51			
AV	5.173G	103.28	Inf	-Inf	98.16	3	Horizontal	358	1.80	-	33.21	7.42	35.51			
PK	5.368G	62.06	74.00	-11.94	56.99	3	Horizontal	358	1.80	-	33.00	7.53	35.46			
AV	5.37G	47.80	54.00	-6.20	42.72	3	Horizontal	358	1.80	-	33.00	7.54	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
Setting 7.75/16.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41436G	57.10	68.20	-11.10	41.53	3	Vertical	50	2.03	-	38.90	10.37	33.70			
PK	15.63282G	59.04	74.00	-14.96	42.12	3	Vertical	11	1.95	-	38.00	12.31	33.39			
AV	15.62202G	47.37	54.00	-6.63	30.40	3	Vertical	11	1.95	-	38.07	12.30	33.40			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_X_2TX
Setting 7.75/16.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41544G	56.82	68.20	-11.38	41.25	3	Horizontal	8	1.09	-	38.90	10.37	33.70			
PK	15.64032G	59.71	74.00	-14.29	42.82	3	Horizontal	155	2.84	-	37.96	12.31	33.38			
AV	15.64302G	47.51	54.00	-6.49	30.63	3	Horizontal	155	2.84	-	37.94	12.31	33.37			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT Y_4TX
Setting 8.5/14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	73.63	74.00	-0.37	68.47	3	Vertical	360	1.80	-	33.28	7.40	35.52			
AV	5.142G	53.48	54.00	-0.52	48.34	3	Vertical	360	1.80	-	33.27	7.39	35.52			
PK	5.247G	115.62	Inf	-Inf	110.54	3	Vertical	360	1.80	-	33.10	7.47	35.49			
AV	5.247G	103.91	Inf	-Inf	98.83	3	Vertical	360	1.80	-	33.10	7.47	35.49			
PK	5.35G	60.89	74.00	-13.11	55.82	3	Vertical	360	1.80	-	33.00	7.53	35.46			
AV	5.353G	48.94	54.00	-5.06	43.87	3	Vertical	360	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 8.5/14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	70.46	74.00	-3.54	65.28	3	Horizontal	0	1.00	-	33.30	7.40	35.52			
AV	5.15G	53.55	54.00	-0.45	48.37	3	Horizontal	0	1.00	-	33.30	7.40	35.52			
PK	5.237G	115.02	Inf	-Inf	109.94	3	Horizontal	0	1.00	-	33.10	7.47	35.49			
AV	5.235G	104.12	Inf	-Inf	99.04	3	Horizontal	0	1.00	-	33.10	7.47	35.49			
PK	5.354G	61.90	74.00	-12.10	56.83	3	Horizontal	0	1.00	-	33.00	7.53	35.46			
AV	5.354G	48.78	54.00	-5.22	43.71	3	Horizontal	0	1.00	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 8.5/14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4287G	57.06	68.20	-11.14	41.50	3	Vertical	149	1.51	-	38.90	10.38	33.72			
PK	15.62982G	58.94	74.00	-15.06	42.00	3	Vertical	153	2.92	-	38.02	12.31	33.39			
AV	15.6228G	47.53	54.00	-6.47	30.57	3	Vertical	153	2.92	-	38.06	12.30	33.40			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 8.5/14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43488G	56.96	68.20	-11.24	41.42	3	Horizontal	23	2.38	-	38.90	10.38	33.74			
PK	15.61962G	60.30	74.00	-13.70	43.33	3	Horizontal	40	2.61	-	38.08	12.30	33.41			
AV	15.6273G	47.41	54.00	-6.59	30.46	3	Horizontal	40	2.61	-	38.04	12.31	33.40			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_Y_4TX
Setting 7/14
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.113G	72.87	74.00	-1.13	67.88	3	Vertical	360	1.80	-	33.15	7.37	35.53			
AV	5.128G	52.38	54.00	-1.62	47.31	3	Vertical	360	1.80	-	33.21	7.38	35.52			
PK	5.247G	115.75	Inf	-Inf	110.67	3	Vertical	360	1.80	-	33.10	7.47	35.49			
AV	5.248G	104.25	Inf	-Inf	99.17	3	Vertical	360	1.80	-	33.10	7.47	35.49			
PK	5.351G	63.70	74.00	-10.30	58.63	3	Vertical	360	1.80	-	33.00	7.53	35.46			
AV	5.354G	48.78	54.00	-5.22	43.71	3	Vertical	360	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_Y_4TX
Setting 7/14
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.112G	71.08	74.00	-2.92	66.09	3	Horizontal	0	1.01	-	33.15	7.37	35.53			
AV	5.13G	52.85	54.00	-1.15	47.77	3	Horizontal	0	1.01	-	33.22	7.38	35.52			
PK	5.235G	116.93	Inf	-Inf	111.85	3	Horizontal	0	1.01	-	33.10	7.47	35.49			
AV	5.235G	105.12	Inf	-Inf	100.04	3	Horizontal	0	1.01	-	33.10	7.47	35.49			
PK	5.365G	60.60	74.00	-13.40	55.53	3	Horizontal	0	1.01	-	33.00	7.53	35.46			
AV	5.364G	48.46	54.00	-5.54	43.39	3	Horizontal	0	1.01	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5210MHz_TX

EUT_Y_4TX
Setting 7/14
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43434G	57.00	68.20	-11.20	41.45	3	Vertical	126	3.00	-	38.90	10.38	33.73			
PK	15.6405G	59.83	74.00	-14.17	42.94	3	Vertical	146	2.30	-	37.96	12.31	33.38			
AV	15.64488G	47.32	54.00	-6.68	30.45	3	Vertical	146	2.30	-	37.93	12.31	33.37			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX

EUT_Y_4TX
Setting 7/14
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4122G	57.05	68.20	-11.15	41.48	3	Horizontal	166	1.18	-	38.90	10.37	33.70			
PK	15.6297G	58.90	74.00	-15.10	41.96	3	Horizontal	103	1.82	-	38.02	12.31	33.39			
AV	15.63846G	47.39	54.00	-6.61	30.49	3	Horizontal	103	1.82	-	37.97	12.31	33.38			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	PK	5.1172G	73.89	74.00	-0.11	3	Horizontal	6	1.80	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 10.5/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	73.76	74.00	-0.24	68.59	3	Vertical	342	1.80	-	33.29	7.40	35.52			
AV	5.1476G	52.96	54.00	-1.04	47.79	3	Vertical	342	1.80	-	33.29	7.40	35.52			
PK	5.1756G	109.38	Inf	-Inf	104.26	3	Vertical	342	1.80	-	33.20	7.43	35.51			
AV	5.2412G	97.48	Inf	-Inf	92.40	3	Vertical	342	1.80	-	33.10	7.47	35.49			
PK	5.362G	61.72	74.00	-12.28	56.65	3	Vertical	342	1.80	-	33.00	7.53	35.46			
AV	5.35G	48.79	54.00	-5.21	43.72	3	Vertical	342	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 10.5/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	70.50	74.00	-3.50	65.34	3	Horizontal	347	1.80	-	33.28	7.40	35.52			
AV	5.15G	53.29	54.00	-0.71	48.11	3	Horizontal	347	1.80	-	33.30	7.40	35.52			
PK	5.182G	109.99	Inf	-Inf	104.90	3	Horizontal	347	1.80	-	33.17	7.43	35.51			
AV	5.1772G	97.40	Inf	-Inf	92.29	3	Horizontal	347	1.80	-	33.19	7.43	35.51			
PK	5.35G	60.30	74.00	-13.70	55.23	3	Horizontal	347	1.80	-	33.00	7.53	35.46			
AV	5.35G	48.12	54.00	-5.88	43.05	3	Horizontal	347	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 10.5/18.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41742G	56.48	68.20	-11.72	40.91	3	Vertical	47	2.68	-	38.90	10.37	33.70			
PK	15.62184G	59.85	74.00	-14.15	42.88	3	Vertical	125	2.86	-	38.07	12.30	33.40			
AV	15.6228G	47.26	54.00	-6.74	30.30	3	Vertical	125	2.86	-	38.06	12.30	33.40			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT Y_1TX
Setting 10.5/18.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40614G	56.59	68.20	-11.61	41.00	3	Horizontal	113	2.49	-	38.90	10.37	33.68			
PK	15.61932G	59.90	74.00	-14.10	42.93	3	Horizontal	84	2.04	-	38.08	12.30	33.41			
AV	15.6357G	47.23	54.00	-6.77	30.31	3	Horizontal	84	2.04	-	37.99	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Y_1TX
Setting 9/18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1292G	72.69	74.00	-1.31	67.61	3	Vertical	336	1.80	-	33.22	7.38	35.52			
AV	5.118G	52.16	54.00	-1.84	47.15	3	Vertical	336	1.80	-	33.17	7.37	35.53			
PK	5.1764G	110.75	Inf	-Inf	105.64	3	Vertical	336	1.80	-	33.19	7.43	35.51			
AV	5.2444G	98.85	Inf	-Inf	93.77	3	Vertical	336	1.80	-	33.10	7.47	35.49			
PK	5.3716G	65.95	74.00	-8.05	60.87	3	Vertical	336	1.80	-	33.00	7.54	35.46			
AV	5.3588G	49.14	54.00	-4.86	44.07	3	Vertical	336	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Y_1TX
Setting 9/18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1212G	73.73	74.00	-0.27	68.70	3	Horizontal	344	1.80	-	33.18	7.38	35.53			
AV	5.1228G	51.26	54.00	-2.74	46.22	3	Horizontal	344	1.80	-	33.19	7.38	35.53			
PK	5.1716G	110.25	Inf	-Inf	105.13	3	Horizontal	344	1.80	-	33.21	7.42	35.51			
AV	5.1764G	98.64	Inf	-Inf	93.53	3	Horizontal	344	1.80	-	33.19	7.43	35.51			
PK	5.3644G	63.55	74.00	-10.45	58.48	3	Horizontal	344	1.80	-	33.00	7.53	35.46			
AV	5.354G	48.48	54.00	-5.52	43.41	3	Horizontal	344	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5210MHz_TX

EUT Y_1TX
Setting 9/18
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4299G	56.57	68.20	-11.63	41.02	3	Vertical	14	1.20	-	38.90	10.38	33.73			
PK	15.61944G	59.20	74.00	-14.80	42.23	3	Vertical	119	2.75	-	38.08	12.30	33.41			
AV	15.63456G	47.23	54.00	-6.77	30.32	3	Vertical	119	2.75	-	37.99	12.31	33.39			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Y_1TX
Setting 9/18
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41436G	56.49	68.20	-11.71	40.92	3	Horizontal	63	1.15	-	38.90	10.37	33.70			
PK	15.6423G	59.68	74.00	-14.32	42.79	3	Horizontal	3	1.83	-	37.95	12.31	33.37			
AV	15.63066G	47.19	54.00	-6.81	30.25	3	Horizontal	3	1.83	-	38.02	12.31	33.39			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Y_2TX
Setting 9/17
05-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	71.37	74.00	-2.63	66.21	3	Vertical	344	1.80	-	33.28	7.40	35.52			
AV	5.1492G	53.08	54.00	-0.92	47.90	3	Vertical	344	1.80	-	33.30	7.40	35.52			
PK	5.1868G	113.59	Inf	-Inf	108.51	3	Vertical	344	1.80	-	33.15	7.44	35.51			
AV	5.1876G	101.34	Inf	-Inf	96.26	3	Vertical	344	1.80	-	33.15	7.44	35.51			
PK	5.3828G	60.56	74.00	-13.44	55.47	3	Vertical	344	1.80	-	33.00	7.54	35.45			
AV	5.3676G	48.36	54.00	-5.64	43.29	3	Vertical	344	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Y_2TX
Setting 9/17
05-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	69.36	74.00	-4.64	64.24	3	Horizontal	348	2.85	-	33.25	7.39	35.52			
AV	5.1388G	52.35	54.00	-1.65	47.22	3	Horizontal	348	2.85	-	33.26	7.39	35.52			
PK	5.1764G	113.57	Inf	-Inf	108.46	3	Horizontal	348	2.85	-	33.19	7.43	35.51			
AV	5.1772G	102.36	Inf	-Inf	97.25	3	Horizontal	348	2.85	-	33.19	7.43	35.51			
PK	5.3548G	61.58	74.00	-12.42	56.51	3	Horizontal	348	2.85	-	33.00	7.53	35.46			
AV	5.3572G	48.15	54.00	-5.85	43.08	3	Horizontal	348	2.85	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Y_2TX
Setting 9/17
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41934G	56.92	68.20	-11.28	41.36	3	Vertical	192	2.60	-	38.90	10.37	33.71			
PK	15.63096G	58.64	74.00	-15.36	41.71	3	Vertical	226	2.17	-	38.01	12.31	33.39			
AV	15.62004G	47.11	54.00	-6.89	30.14	3	Vertical	226	2.17	-	38.08	12.30	33.41			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Y_2TX
Setting 9/17
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.417G	56.49	68.20	-11.71	40.92	3	Horizontal	159	2.91	-	38.90	10.37	33.70			
PK	15.62208G	58.46	74.00	-15.54	41.49	3	Horizontal	102	2.33	-	38.07	12.30	33.40			
AV	15.63462G	47.06	54.00	-6.94	30.15	3	Horizontal	102	2.33	-	37.99	12.31	33.39			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5210MHz_TX

EUT_Y_2TX
Setting 7/17
05-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1084G	72.13	74.00	-1.87	67.17	3	Vertical	2	1.25	-	33.13	7.36	35.53			
AV	5.1284G	53.00	54.00	-1.00	47.93	3	Vertical	2	1.25	-	33.21	7.38	35.52			
PK	5.1868G	116.02	Inf	-Inf	110.94	3	Vertical	2	1.25	-	33.15	7.44	35.51			
AV	5.246G	103.62	Inf	-Inf	98.54	3	Vertical	2	1.25	-	33.10	7.47	35.49			
PK	5.3668G	63.85	74.00	-10.15	58.78	3	Vertical	2	1.25	-	33.00	7.53	35.46			
AV	5.3676G	48.85	54.00	-5.15	43.78	3	Vertical	2	1.25	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Y_2TX
Setting 7/17
05-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.118G	69.44	74.00	-4.56	64.43	3	Horizontal	348	1.80	-	33.17	7.37	35.53			
AV	5.118G	51.47	54.00	-2.53	46.45	3	Horizontal	348	1.80	-	33.18	7.37	35.53			
PK	5.1772G	114.05	Inf	-Inf	108.94	3	Horizontal	348	1.80	-	33.19	7.43	35.51			
AV	5.1772G	102.47	Inf	-Inf	97.36	3	Horizontal	348	1.80	-	33.19	7.43	35.51			
PK	5.3572G	63.93	74.00	-10.07	58.86	3	Horizontal	348	1.80	-	33.00	7.53	35.46			
AV	5.3564G	48.32	54.00	-5.68	43.25	3	Horizontal	348	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5210MHz_TX

EUT_Y_2TX
Setting 7/17
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41712G	56.43	68.20	-11.77	40.86	3	Vertical	66	2.84	-	38.90	10.37	33.70			
PK	15.6375G	59.15	74.00	-14.85	42.24	3	Vertical	288	2.75	-	37.98	12.31	33.38			
AV	15.64152G	47.17	54.00	-6.83	30.28	3	Vertical	288	2.75	-	37.95	12.31	33.37			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Y_2TX
Setting 7/17
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43308G	56.59	68.20	-11.61	41.04	3	Horizontal	44	2.71	-	38.90	10.38	33.73			
PK	15.615G	58.58	74.00	-15.42	41.59	3	Horizontal	129	1.47	-	38.11	12.30	33.42			
AV	15.62064G	47.19	54.00	-6.81	30.22	3	Horizontal	129	1.47	-	38.08	12.30	33.41			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 7.5/15.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	70.28	74.00	-3.72	65.11	3	Vertical	13	1.80	-	33.29	7.40	35.52			
AV	5.1444G	53.83	54.00	-0.17	48.67	3	Vertical	13	1.80	-	33.28	7.40	35.52			
PK	5.182G	117.27	Inf	-Inf	112.18	3	Vertical	13	1.80	-	33.17	7.43	35.51			
AV	5.182G	105.05	Inf	-Inf	99.96	3	Vertical	13	1.80	-	33.17	7.43	35.51			
PK	5.3596G	60.71	74.00	-13.29	55.64	3	Vertical	13	1.80	-	33.00	7.53	35.46			
AV	5.3532G	49.27	54.00	-4.73	44.20	3	Vertical	13	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 7.5/15.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1148G	70.04	74.00	-3.96	65.04	3	Horizontal	3	1.80	-	33.16	7.37	35.53			
AV	5.1356G	53.17	54.00	-0.83	48.06	3	Horizontal	3	1.80	-	33.24	7.39	35.52			
PK	5.1716G	117.97	Inf	-Inf	112.85	3	Horizontal	3	1.80	-	33.21	7.42	35.51			
AV	5.1724G	106.10	Inf	-Inf	100.98	3	Horizontal	3	1.80	-	33.21	7.42	35.51			
PK	5.3564G	62.49	74.00	-11.51	57.42	3	Horizontal	3	1.80	-	33.00	7.53	35.46			
AV	5.3612G	49.45	54.00	-4.55	44.38	3	Horizontal	3	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 7.5/15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42444G	57.09	68.20	-11.11	41.53	3	Vertical	223	1.61	-	38.90	10.38	33.72			
PK	15.64032G	58.75	74.00	-15.25	41.86	3	Vertical	101	1.88	-	37.96	12.31	33.38			
AV	15.6378G	46.90	54.00	-7.10	30.00	3	Vertical	101	1.88	-	37.97	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_X_4TX
Setting 7.5/15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41298G	57.61	68.20	-10.59	42.04	3	Horizontal	13	1.18	-	38.90	10.37	33.70			
PK	15.64092G	59.47	74.00	-14.53	42.59	3	Horizontal	349	1.91	-	37.95	12.31	33.38			
AV	15.63732G	46.82	54.00	-7.18	29.91	3	Horizontal	349	1.91	-	37.98	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_X_4TX
Setting 7.5/13.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1236G	72.55	74.00	-1.45	67.51	3	Vertical	14	1.80	-	33.19	7.38	35.53			
AV	5.1228G	52.95	54.00	-1.05	47.91	3	Vertical	14	1.80	-	33.19	7.38	35.53			
PK	5.1828G	115.77	Inf	-Inf	110.68	3	Vertical	14	1.80	-	33.17	7.43	35.51			
AV	5.182G	104.55	Inf	-Inf	99.46	3	Vertical	14	1.80	-	33.17	7.43	35.51			
PK	5.3684G	66.96	74.00	-7.04	61.89	3	Vertical	14	1.80	-	33.00	7.53	35.46			
AV	5.3692G	48.86	54.00	-5.14	43.79	3	Vertical	14	1.80	-	33.00	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_X_4TX
Setting 7.5/13.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1172G	73.89	74.00	-0.11	68.88	3	Horizontal	6	1.80	-	33.17	7.37	35.53
AV	5.114G	52.98	54.00	-1.02	47.98	3	Horizontal	6	1.80	-	33.16	7.37	35.53
PK	5.1724G	117.28	Inf	-Inf	112.16	3	Horizontal	6	1.80	-	33.21	7.42	35.51
AV	5.1724G	105.74	Inf	-Inf	100.62	3	Horizontal	6	1.80	-	33.21	7.42	35.51
PK	5.3532G	71.36	74.00	-2.64	66.29	3	Horizontal	6	1.80	-	33.00	7.53	35.46
AV	5.3516G	49.56	54.00	-4.44	44.49	3	Horizontal	6	1.80	-	33.00	7.53	35.46

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5210MHz_TX

EUT_X_4TX
Setting 7.5/13.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41514G	56.93	68.20	-11.27	41.36	3	Vertical	4	1.09	-	38.90	10.37	33.70			
PK	15.6156G	58.79	74.00	-15.21	41.79	3	Vertical	248	1.99	-	38.11	12.30	33.41			
AV	15.63822G	46.98	54.00	-7.02	30.08	3	Vertical	248	1.99	-	37.97	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX



EUT_X_4TX
Setting 7.5/13.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41976G	56.62	68.20	-11.58	41.06	3	Horizontal	88	2.29	-	38.90	10.37	33.71			
PK	15.62166G	59.81	74.00	-14.19	42.85	3	Horizontal	278	2.91	-	38.07	12.30	33.41			
AV	15.63204G	47.04	54.00	-6.96	30.11	3	Horizontal	278	2.91	-	38.01	12.31	33.39			




Test Mode: Mode 6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX	Pass	AV	5.15G	53.96	54.00	-0.04	3	Vertical	10	1.80	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX

5210MHz_TX




EUT_X_1TX
Setting 18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	72.62	74.00	-1.38	68.03	3	Vertical	330	1.80	-	32.71	7.40	35.52			
AV	5.15G	52.56	54.00	-1.44	47.98	3	Vertical	330	1.80	-	32.70	7.40	35.52			
PK	5.178G	109.42	Inf	-Inf	104.74	3	Vertical	330	1.80	-	32.76	7.43	35.51			
AV	5.173G	97.75	Inf	-Inf	93.09	3	Vertical	330	1.80	-	32.75	7.42	35.51			
PK	5.456G	60.89	74.00	-13.11	56.13	3	Vertical	330	1.80	-	32.60	7.59	35.43			
AV	5.459G	48.17	54.00	-5.83	43.40	3	Vertical	330	1.80	-	32.60	7.60	35.43			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX

5210MHz_TX




EUT_X_1TX
Setting 18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	73.09	74.00	-0.91	68.51	3	Horizontal	4	1.80	-	32.70	7.40	35.52			
AV	5.15G	53.34	54.00	-0.66	48.76	3	Horizontal	4	1.80	-	32.70	7.40	35.52			
PK	5.188G	110.32	Inf	-Inf	105.61	3	Horizontal	4	1.80	-	32.78	7.44	35.51			
AV	5.174G	98.11	Inf	-Inf	93.44	3	Horizontal	4	1.80	-	32.75	7.43	35.51			
PK	5.367G	60.32	74.00	-13.68	55.62	3	Horizontal	4	1.80	-	32.63	7.53	35.46			
AV	5.42G	48.27	54.00	-5.73	43.48	3	Horizontal	4	1.80	-	32.66	7.57	35.44			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX


5210MHz_TX

EUT_X_1TX
Setting 18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4104G	57.65	68.20	-10.55	42.47	3	Vertical	187	1.29	-	38.50	10.37	33.69			
PK	15.62856G	58.74	74.00	-15.26	42.05	3	Vertical	80	1.83	-	37.77	12.31	33.39			
AV	15.64242G	47.18	54.00	-6.82	30.48	3	Vertical	80	1.83	-	37.76	12.31	33.37			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX


5210MHz_TX

EUT_X_1TX
Setting 18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42936G	57.08	68.20	-11.12	41.93	3	Horizontal	258	2.33	-	38.50	10.38	33.73			
PK	15.64176G	59.35	74.00	-14.65	42.65	3	Horizontal	296	2.81	-	37.76	12.31	33.37			
AV	15.64014G	47.27	54.00	-6.73	30.58	3	Horizontal	296	2.81	-	37.76	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX

5210MHz_TX




EUT X_2TX
Setting 15
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	73.72	74.00	-0.28	69.12	3	Vertical	346	1.80	-	32.73	7.39	35.52			
AV	5.14G	51.00	54.00	-3.00	46.41	3	Vertical	346	1.80	-	32.72	7.39	35.52			
PK	5.176G	112.24	Inf	-Inf	107.57	3	Vertical	346	1.80	-	32.75	7.43	35.51			
AV	5.178G	100.58	Inf	-Inf	95.90	3	Vertical	346	1.80	-	32.76	7.43	35.51			
PK	5.359G	60.18	74.00	-13.82	55.49	3	Vertical	346	1.80	-	32.62	7.53	35.46			
AV	5.351G	48.18	54.00	-5.82	43.51	3	Vertical	346	1.80	-	32.60	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX

5210MHz_TX




EUT_X_2TX
Setting 15
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	73.89	74.00	-0.11	69.30	3	Horizontal	352.1	1.80	-	32.71	7.40	35.52			
AV	5.149G	51.95	54.00	-2.05	47.37	3	Horizontal	352.1	1.80	-	32.70	7.40	35.52			
PK	5.187G	113.75	Inf	-Inf	109.05	3	Horizontal	352.1	1.80	-	32.77	7.44	35.51			
AV	5.188G	100.68	Inf	-Inf	95.97	3	Horizontal	352.1	1.80	-	32.78	7.44	35.51			
PK	5.359G	60.46	74.00	-13.54	55.77	3	Horizontal	352.1	1.80	-	32.62	7.53	35.46			
AV	5.35G	48.18	54.00	-5.82	43.51	3	Horizontal	352.1	1.80	-	32.60	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX


5210MHz_TX

EUT_X_2TX
Setting 15
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41406G	57.79	68.20	-10.41	42.62	3	Vertical	247	1.62	-	38.50	10.37	33.70			
PK	15.63576G	59.66	74.00	-14.34	42.97	3	Vertical	278	2.34	-	37.76	12.31	33.38			
AV	15.63918G	47.00	54.00	-7.00	30.31	3	Vertical	278	2.34	-	37.76	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX

5210MHz_TX




EUT_X_2TX
Setting 15
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42774G	57.22	68.20	-10.98	42.06	3	Horizontal	129	1.02	-	38.50	10.38	33.72			
PK	15.64176G	58.92	74.00	-15.08	42.22	3	Horizontal	85	2.55	-	37.76	12.31	33.37			
AV	15.63534G	47.02	54.00	-6.98	30.33	3	Horizontal	85	2.55	-	37.76	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX




EUT_Y_4TX
Setting 15.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	70.10	74.00	-3.90	65.51	3	Vertical	10	1.80	-	32.71	7.40	35.52			
AV	5.15G	53.96	54.00	-0.04	49.38	3	Vertical	10	1.80	-	32.70	7.40	35.52			
PK	5.173G	117.34	Inf	-Inf	112.68	3	Vertical	10	1.80	-	32.75	7.42	35.51			
AV	5.172G	106.46	Inf	-Inf	101.81	3	Vertical	10	1.80	-	32.74	7.42	35.51			
PK	5.437G	61.65	74.00	-12.35	56.88	3	Vertical	10	1.80	-	32.63	7.58	35.44			
AV	5.36G	49.30	54.00	-4.70	44.61	3	Vertical	10	1.80	-	32.62	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX




EUT_Y_4TX
Setting 15.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	71.19	74.00	-2.81	66.60	3	Horizontal	5	1.00	-	32.71	7.40	35.52			
AV	5.144G	53.85	54.00	-0.15	49.26	3	Horizontal	5	1.00	-	32.71	7.40	35.52			
PK	5.182G	116.85	Inf	-Inf	112.17	3	Horizontal	5	1.00	-	32.76	7.43	35.51			
AV	5.182G	105.22	Inf	-Inf	100.54	3	Horizontal	5	1.00	-	32.76	7.43	35.51			
PK	5.371G	61.70	74.00	-12.30	56.98	3	Horizontal	5	1.00	-	32.64	7.54	35.46			
AV	5.357G	48.93	54.00	-5.07	44.25	3	Horizontal	5	1.00	-	32.61	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX




EUT_Y_4TX
Setting 15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42636G	57.20	68.20	-11.00	42.04	3	Vertical	243	2.39	-	38.50	10.38	33.72			
PK	15.63108G	59.46	74.00	-14.54	42.77	3	Vertical	354	2.83	-	37.77	12.31	33.39			
AV	15.64296G	47.17	54.00	-6.83	30.47	3	Vertical	354	2.83	-	37.76	12.31	33.37			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX

EUT_Y_4TX
Setting 15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42648G	57.78	68.20	-10.42	42.62	3	Horizontal	334	2.47	-	38.50	10.38	33.72			
PK	15.61584G	59.88	74.00	-14.12	43.21	3	Horizontal	228	2.18	-	37.78	12.30	33.41			
AV	15.64308G	47.17	54.00	-6.83	30.47	3	Horizontal	228	2.18	-	37.76	12.31	33.37			




Test Mode: Mode 7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX	Pass	PK	5.149G	73.91	74.00	-0.09	3	Vertical	350	1.80	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX

5210MHz_TX




EUT_Y_1TX
Setting 18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	71.27	74.00	-2.73	66.68	3	Vertical	341	1.80	-	32.72	7.39	35.52			
AV	5.15G	51.95	54.00	-2.05	47.37	3	Vertical	341	1.80	-	32.70	7.40	35.52			
PK	5.184G	110.88	Inf	-Inf	106.19	3	Vertical	341	1.80	-	32.77	7.43	35.51			
AV	5.177G	98.55	Inf	-Inf	93.88	3	Vertical	341	1.80	-	32.75	7.43	35.51			
PK	5.362G	60.48	74.00	-13.52	55.79	3	Vertical	341	1.80	-	32.62	7.53	35.46			
AV	5.368G	48.28	54.00	-5.72	43.57	3	Vertical	341	1.80	-	32.64	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX

5210MHz_TX




EUT Y_1TX
Setting 18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.137G	73.68	74.00	-0.32	69.08	3	Horizontal	339	1.80	-	32.73	7.39	35.52			
AV	5.149G	52.56	54.00	-1.44	47.98	3	Horizontal	339	1.80	-	32.70	7.40	35.52			
PK	5.187G	109.29	Inf	-Inf	104.59	3	Horizontal	339	1.80	-	32.77	7.44	35.51			
AV	5.174G	97.12	Inf	-Inf	92.45	3	Horizontal	339	1.80	-	32.75	7.43	35.51			
PK	5.379G	60.22	74.00	-13.78	55.47	3	Horizontal	339	1.80	-	32.66	7.54	35.45			
AV	5.456G	47.93	54.00	-6.07	43.17	3	Horizontal	339	1.80	-	32.60	7.59	35.43			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX

5210MHz_TX




EUT_Y_1TX
Setting 18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43272G	57.29	68.20	-10.91	42.14	3	Vertical	116	1.16	-	38.50	10.38	33.73			
PK	15.63984G	58.75	74.00	-15.25	42.06	3	Vertical	279	1.88	-	37.76	12.31	33.38			
AV	15.64014G	46.89	54.00	-7.11	30.20	3	Vertical	279	1.88	-	37.76	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_1TX


5210MHz_TX

EUT_Y_1TX
Setting 18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40806G	58.17	68.20	-10.03	42.99	3	Horizontal	299	1.12	-	38.50	10.37	33.69			
PK	15.63996G	59.23	74.00	-14.77	42.54	3	Horizontal	96	1.45	-	37.76	12.31	33.38			
AV	15.64008G	46.89	54.00	-7.11	30.20	3	Horizontal	96	1.45	-	37.76	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX

5210MHz_TX




EUT Y_2TX
Setting 17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	73.91	74.00	-0.09	69.33	3	Vertical	350	1.80	-	32.70	7.40	35.52			
AV	5.15G	52.68	54.00	-1.32	48.10	3	Vertical	350	1.80	-	32.70	7.40	35.52			
PK	5.186G	115.10	Inf	-Inf	110.40	3	Vertical	350	1.80	-	32.77	7.44	35.51			
AV	5.187G	102.73	Inf	-Inf	98.03	3	Vertical	350	1.80	-	32.77	7.44	35.51			
PK	5.353G	60.93	74.00	-13.07	56.25	3	Vertical	350	1.80	-	32.61	7.53	35.46			
AV	5.362G	48.42	54.00	-5.58	43.73	3	Vertical	350	1.80	-	32.62	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX

5210MHz_TX




EUT Y_2TX
Setting 17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	70.20	74.00	-3.80	65.61	3	Horizontal	339	1.80	-	32.72	7.39	35.52			
AV	5.15G	51.30	54.00	-2.70	46.72	3	Horizontal	339	1.80	-	32.70	7.40	35.52			
PK	5.178G	113.01	Inf	-Inf	108.33	3	Horizontal	339	1.80	-	32.76	7.43	35.51			
AV	5.177G	101.06	Inf	-Inf	96.39	3	Horizontal	339	1.80	-	32.75	7.43	35.51			
PK	5.353G	60.57	74.00	-13.43	55.89	3	Horizontal	339	1.80	-	32.61	7.53	35.46			
AV	5.454G	48.13	54.00	-5.87	43.37	3	Horizontal	339	1.80	-	32.60	7.59	35.43			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX


5210MHz_TX

EUT_Y_2TX
Setting 17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4173G	57.29	68.20	-10.91	42.12	3	Vertical	345	2.18	-	38.50	10.37	33.70			
PK	15.63372G	59.40	74.00	-14.60	42.71	3	Vertical	341	1.63	-	37.77	12.31	33.39			
AV	15.63918G	47.00	54.00	-7.00	30.31	3	Vertical	341	1.63	-	37.76	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_2TX


5210MHz_TX

EUT_Y_2TX
Setting 17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41604G	57.55	68.20	-10.65	42.38	3	Horizontal	194	2.96	-	38.50	10.37	33.70			
PK	15.64164G	59.37	74.00	-14.63	42.67	3	Horizontal	265	1.08	-	37.76	12.31	33.37			
AV	15.64002G	46.99	54.00	-7.01	30.30	3	Horizontal	265	1.08	-	37.76	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX




EUT X_4TX
Setting 15.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	70.62	74.00	-3.38	66.03	3	Vertical	9	1.80	-	32.71	7.40	35.52			
AV	5.145G	53.86	54.00	-0.14	49.27	3	Vertical	9	1.80	-	32.71	7.40	35.52			
PK	5.183G	116.40	Inf	-Inf	111.71	3	Vertical	9	1.80	-	32.77	7.43	35.51			
AV	5.182G	105.36	Inf	-Inf	100.68	3	Vertical	9	1.80	-	32.76	7.43	35.51			
PK	5.367G	64.69	74.00	-9.31	59.99	3	Vertical	9	1.80	-	32.63	7.53	35.46			
AV	5.356G	48.93	54.00	-5.07	44.25	3	Vertical	9	1.80	-	32.61	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX




EUT X_4TX
Setting 15.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.135G	70.84	74.00	-3.16	66.24	3	Horizontal	355	1.80	-	32.73	7.39	35.52			
AV	5.15G	53.66	54.00	-0.34	49.08	3	Horizontal	355	1.80	-	32.70	7.40	35.52			
PK	5.173G	117.58	Inf	-Inf	112.92	3	Horizontal	355	1.80	-	32.75	7.42	35.51			
AV	5.173G	106.05	Inf	-Inf	101.39	3	Horizontal	355	1.80	-	32.75	7.42	35.51			
PK	5.398G	61.42	74.00	-12.58	56.62	3	Horizontal	355	1.80	-	32.70	7.55	35.45			
AV	5.36G	49.13	54.00	-4.87	44.44	3	Horizontal	355	1.80	-	32.62	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX




EUT X_4TX
Setting 15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42792G	57.56	68.20	-10.64	42.40	3	Vertical	43	1.16	-	38.50	10.38	33.72			
PK	15.63378G	59.38	74.00	-14.62	42.69	3	Vertical	185	1.98	-	37.77	12.31	33.39			
AV	15.64002G	47.18	54.00	-6.82	30.49	3	Vertical	185	1.98	-	37.76	12.31	33.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 4_4TX

5210MHz_TX

EUT X_4TX
Setting 15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43122G	57.79	68.20	-10.41	42.64	3	Horizontal	163	2.85	-	38.50	10.38	33.73			
PK	15.63144G	58.82	74.00	-15.18	42.13	3	Horizontal	267	2.53	-	37.77	12.31	33.39			
AV	15.63594G	47.20	54.00	-6.80	30.51	3	Horizontal	267	2.53	-	37.76	12.31	33.38			