


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

PSD

5290MHz

02/07/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/07/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/07/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

02/07/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

02/07/2024





Test Mode: Mode 13

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_1TX	-4.24
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX	0.11
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_1TX	-3.63

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX	-	-	-	-	-
5290MHz	Pass	5.73	0.11	0.11	11.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.21	-4.24	-4.24	16.79
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.21	-4.93	-4.93	16.79
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_1TX	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	5.73	-3.63	-3.63	11.00
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	5.73	-3.96	-3.96	11.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

PSD

5290MHz

02/07/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/07/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/07/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

02/07/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

02/07/2024



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.96	-3.96	-3.96

Test Mode: Mode 14

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX	-3.07
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX	1.52
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX	-2.35

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX	-	-	-	-	-	-
5290MHz	Pass	6.34	-1.16	-1.50	1.52	10.66
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.66	-6.34	-5.96	-3.32	16.34
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.66	-6.35	-5.68	-3.07	16.34
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	6.34	-5.59	-5.54	-2.67	10.66
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	6.34	-5.29	-5.26	-2.35	10.66

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

PSD

5290MHz

02/07/2024

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.52	1.52	-1.16	-1.50

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/07/2024

CF (Hz)
5.17G


Span (Hz)
320M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.32	-3.32	-6.34	-5.96

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/07/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

02/07/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

02/07/2024



Test Mode: Mode 15

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX	-2.34
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX	1.73
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX	-1.83

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	8.73	-3.70	-4.25	-4.93	-3.91	1.73	8.27
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	8.67	-8.78	-8.51	-9.25	-8.95	-3.01	14.33
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	8.67	-8.43	-7.85	-8.71	-8.24	-2.34	14.33
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8.73	-8.10	-8.08	-8.97	-8.54	-2.48	8.27
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8.73	-7.39	-7.49	-8.29	-7.85	-1.83	8.27


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

PSD

5290MHz

02/07/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/07/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/07/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

02/07/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

02/07/2024






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 10	Pass	PK	42.61M	35.38	40.00	-4.62	Vertical

Mode 10



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
PK	42.61M	35.38	40.00	-4.62	-13.05	3	Vertical	360	1.00	"Worst"	48.43	17.18	0.43	30.66		
PK	65.89M	29.30	40.00	-10.70	-17.97	3	Vertical	130	1.00	-	47.27	12.34	0.63	30.94		
PK	101.78M	27.59	43.50	-15.91	-12.49	3	Vertical	358	1.50	-	40.08	17.39	0.83	30.71		
PK	141.55M	24.77	43.50	-18.73	-12.86	3	Vertical	21	1.25	-	37.63	17.41	1.09	31.36		
PK	918.52M	29.05	46.00	-16.95	-2.15	3	Vertical	351	2.00	-	31.20	26.77	3.12	32.04		
PK	933.07M	29.60	46.00	-16.40	-2.35	3	Vertical	315	1.00	-	31.95	26.66	3.16	32.17		

Mode 10



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
PK	34.85M	30.62	40.00	-9.38	-9.00	3	Horizontal	124	1.00	"Worst"	39.62	21.32	0.37	30.69		
PK	101.78M	31.79	43.50	-11.71	-12.49	3	Horizontal	296	2.00	-	44.28	17.39	0.83	30.71		
PK	323.91M	27.63	46.00	-18.37	-10.16	3	Horizontal	76	1.00	-	37.79	19.43	1.73	31.32		
PK	767.2M	29.71	46.00	-16.29	-3.68	3	Horizontal	325	1.25	-	33.39	25.60	2.78	32.06		
PK	805.03M	30.14	46.00	-15.86	-3.09	3	Horizontal	307	1.00	-	33.23	25.95	2.92	31.96		
PK	854.5M	30.24	46.00	-15.76	-2.67	3	Horizontal	333	1.50	-	32.91	26.28	2.94	31.89		




Test Mode: Mode 1

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_2TX	Pass	AV	5.3525G	53.98	54.00	-0.02	3	Vertical	352	1.62	22

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_X_1TX
SET 28
20\27.5\28
7.97\2.56\2.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.11	74.00	-8.89	59.16	3	Vertical	346	1.56	28	34.00	6.80	34.85			
AV	5.15G	47.74	54.00	-6.26	41.79	3	Vertical	346	1.56	28	34.00	6.80	34.85			
PK	5.26728G	120.86	Inf	-Inf	114.58	3	Vertical	346	1.56	28	34.17	6.98	34.87			
AV	5.25688G	109.32	Inf	-Inf	103.09	3	Vertical	346	1.56	28	34.13	6.97	34.87			
PK	5.35204G	71.63	74.00	-2.37	65.01	3	Vertical	346	1.56	28	34.40	7.10	34.88			
AV	5.35G	51.46	54.00	-2.54	44.84	3	Vertical	346	1.56	28	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_X_1TX
SET 28
28
2.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1495G	64.11	74.00	-9.89	58.16	3	Horizontal	356	1.73	28	34.00	6.80	34.85			
AV	5.15G	47.69	54.00	-6.31	41.74	3	Horizontal	356	1.73	28	34.00	6.80	34.85			
PK	5.25662G	120.87	Inf	-Inf	114.64	3	Horizontal	356	1.73	28	34.13	6.97	34.87			
AV	5.25324G	109.38	Inf	-Inf	103.18	3	Horizontal	356	1.73	28	34.11	6.96	34.87			
PK	5.35204G	70.34	74.00	-3.66	63.72	3	Horizontal	356	1.73	28	34.40	7.10	34.88			
AV	5.35022G	51.23	54.00	-2.77	44.61	3	Horizontal	356	1.73	28	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_X_1TX
SET28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51433G	60.22	68.20	-7.98	46.51	3	Vertical	48	1.95	28	38.00	10.70	34.99			
PK	15.79063G	60.90	74.00	-13.10	43.86	3	Vertical	126	2.11	28	37.66	12.76	33.38			
AV	15.79974G	46.70	54.00	-7.30	29.72	3	Vertical	126	2.11	28	37.60	12.76	33.38			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_X_1TX
SET28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52076G	60.70	68.20	-7.50	46.98	3	Horizontal	48	1.80	28	38.00	10.70	34.98			
PK	15.79674G	61.60	74.00	-12.40	44.60	3	Horizontal	184	1.12	28	37.62	12.76	33.38			
AV	15.79023G	46.67	54.00	-7.33	29.64	3	Horizontal	184	1.12	28	37.66	12.75	33.38			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_X_1TX
SET 25
20\27.5\24\25.5\25
7.65\5.26\4.88\0.12\1.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29328G	117.50	Inf	-Inf	111.08	3	Vertical	0	1.59	25	34.27	7.02	34.87			
AV	5.293G	106.74	Inf	-Inf	100.32	3	Vertical	0	1.59	25	34.27	7.02	34.87			
PK	5.35236G	69.14	74.00	-4.86	62.52	3	Vertical	0	1.59	25	34.40	7.10	34.88			
AV	5.35G	52.23	54.00	-1.77	45.61	3	Vertical	0	1.59	25	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_X_1TX
SET 25
25
1.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29636G	117.45	Inf	-Inf	111.01	3	Horizontal	356	1.52	25	34.29	7.02	34.87			
AV	5.29286G	107.06	Inf	-Inf	100.64	3	Horizontal	356	1.52	25	34.27	7.02	34.87			
PK	5.35082G	69.35	74.00	-4.65	62.73	3	Horizontal	356	1.52	25	34.40	7.10	34.88			
AV	5.35G	52.11	54.00	-1.89	45.49	3	Horizontal	356	1.52	25	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX

EUT_X_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6028G	56.23	74.00	-17.77	42.20	3	Vertical	326	2.03	25	38.20	10.74	34.91			
PK	15.8817G	61.44	74.00	-12.56	44.49	3	Vertical	360	1.80	25	37.50	12.78	33.33			
AV	15.9193G	47.29	54.00	-6.71	30.31	3	Vertical	360	1.80	25	37.50	12.79	33.31			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_X_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60252G	56.98	74.00	-17.02	42.95	3	Horizontal	57	2.32	25	38.20	10.74	34.91			
PK	15.90064G	61.23	74.00	-12.77	44.26	3	Horizontal	1	1.80	25	37.50	12.79	33.32			
AV	15.91638G	47.26	54.00	-6.74	30.28	3	Horizontal	1	1.80	25	37.50	12.79	33.31			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_X_1TX
SET 22.5
20\27\23.5\22\22.5\23\22.5
7.21\13.17\2.65\2.44\1.28\0.86\1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3258G	113.97	Inf	-Inf	107.43	3	Vertical	348	1.80	22.5	34.35	7.07	34.88			
AV	5.3272G	103.36	Inf	-Inf	96.82	3	Vertical	348	1.80	22.5	34.35	7.07	34.88			
PK	5.3525G	69.35	74.00	-4.65	62.72	3	Vertical	348	1.80	22.5	34.41	7.10	34.88			
AV	5.35G	52.84	54.00	-1.16	46.22	3	Vertical	348	1.80	22.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_X_1TX
SET 22.5
22.5
1.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3133G	114.17	Inf	-Inf	107.66	3	Horizontal	356	1.51	22.5	34.33	7.05	34.87			
AV	5.3266G	103.51	Inf	-Inf	96.97	3	Horizontal	356	1.51	22.5	34.35	7.07	34.88			
PK	5.3524G	69.50	74.00	-4.50	62.88	3	Horizontal	356	1.51	22.5	34.40	7.10	34.88			
AV	5.3501G	52.62	54.00	-1.38	46.00	3	Horizontal	356	1.51	22.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_X_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.62797G	56.16	74.00	-17.84	42.09	3	Vertical	313	2.30	22.5	38.20	10.76	34.89				
AV	10.62933G	42.28	54.00	-11.72	28.21	3	Vertical	313	2.30	22.5	38.20	10.76	34.89				
PK	15.97527G	60.93	74.00	-13.07	43.84	3	Vertical	360	1.80	22.5	37.55	12.81	33.27				
AV	15.94034G	47.31	54.00	-6.69	30.30	3	Vertical	360	1.80	22.5	37.50	12.80	33.29				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_X_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6239G	56.17	74.00	-17.83	42.11	3	Horizontal	27	1.80	22.5	38.20	10.76	34.90			
AV	10.62973G	42.23	54.00	-11.77	28.16	3	Horizontal	27	1.80	22.5	38.20	10.76	34.89			
PK	15.95433G	61.40	74.00	-12.60	44.37	3	Horizontal	65	1.80	22.5	37.51	12.81	33.29			
AV	15.94022G	47.33	54.00	-6.67	30.32	3	Horizontal	65	1.80	22.5	37.50	12.80	33.29			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_X_1TX
SET 28
20\28
8.03\0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13832G	65.11	74.00	-8.89	59.25	3	Vertical	-0	1.59	28	33.93	6.78	34.85			
AV	5.15G	49.18	54.00	-4.82	43.23	3	Vertical	-0	1.59	28	34.00	6.80	34.85			
PK	5.26468G	121.95	Inf	-Inf	115.68	3	Vertical	-0	1.59	28	34.16	6.98	34.87			
AV	5.26338G	108.09	Inf	-Inf	101.83	3	Vertical	-0	1.59	28	34.15	6.98	34.87			
PK	5.35646G	69.20	74.00	-4.80	62.56	3	Vertical	-0	1.59	28	34.41	7.11	34.88			
AV	5.35022G	53.21	54.00	-0.79	46.59	3	Vertical	-0	1.59	28	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_X_1TX
SET 28
28
1.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14326G	66.33	74.00	-7.67	60.43	3	Horizontal	354	1.73	28	33.96	6.79	34.85			
AV	5.1495G	49.26	54.00	-4.74	43.31	3	Horizontal	354	1.73	28	34.00	6.80	34.85			
PK	5.2548G	122.15	Inf	-Inf	115.93	3	Horizontal	354	1.73	28	34.12	6.97	34.87			
AV	5.25402G	108.50	Inf	-Inf	102.28	3	Horizontal	354	1.73	28	34.12	6.97	34.87			
PK	5.35646G	68.56	74.00	-5.44	61.92	3	Horizontal	354	1.73	28	34.41	7.11	34.88			
AV	5.35G	52.86	54.00	-1.14	46.24	3	Horizontal	354	1.73	28	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_X_1TX
SET28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51437G	60.55	68.20	-7.65	46.84	3	Vertical	47	1.89	28	38.00	10.70	34.99			
PK	15.77808G	60.51	74.00	-13.49	43.42	3	Vertical	352	2.29	28	37.73	12.75	33.39			
AV	15.79163G	46.70	54.00	-7.30	29.67	3	Vertical	352	2.29	28	37.65	12.76	33.38			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_X_1TX
SET28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51397G	60.90	68.20	-7.30	47.19	3	Horizontal	322	1.88	28	38.00	10.70	34.99			
PK	15.77632G	61.26	74.00	-12.74	44.16	3	Horizontal	354	1.80	28	37.74	12.75	33.39			
AV	15.79479G	46.63	54.00	-7.37	29.62	3	Horizontal	354	1.80	28	37.63	12.76	33.38			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_X_1TX
SET 24.5
20\27.5\24\25.5\25\24.5
7.60\ -8.08\2.39\ -2.45\ -0.96\0.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30308G	119.38	Inf	-Inf	112.91	3	Vertical	-0	1.59	24.5	34.31	7.03	34.87			
AV	5.29132G	106.06	Inf	-Inf	99.64	3	Vertical	-0	1.59	24.5	34.27	7.02	34.87			
PK	5.35G	70.87	74.00	-3.13	64.25	3	Vertical	-0	1.59	24.5	34.40	7.10	34.88			
AV	5.35G	53.06	54.00	-0.94	46.44	3	Vertical	-0	1.59	24.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT X_1TX
SET 24.5
24.5
0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30602G	119.06	Inf	-Inf	112.58	3	Horizontal	356	1.54	24.5	34.31	7.04	34.87			
AV	5.29132G	106.05	Inf	-Inf	99.63	3	Horizontal	356	1.54	24.5	34.27	7.02	34.87			
PK	5.35222G	73.08	74.00	-0.92	66.46	3	Horizontal	356	1.54	24.5	34.40	7.10	34.88			
AV	5.35G	52.96	54.00	-1.04	46.34	3	Horizontal	356	1.54	24.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_X_1TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6163G	56.20	74.00	-17.80	42.15	3	Vertical	1	1.41	24.5	38.20	10.75	34.90			
PK	15.90288G	61.76	74.00	-12.24	44.79	3	Vertical	1	1.80	24.5	37.50	12.79	33.32			
AV	15.91854G	47.26	54.00	-6.74	30.28	3	Vertical	1	1.80	24.5	37.50	12.79	33.31			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT_X_1TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58989G	56.94	68.20	-11.26	42.96	3	Horizontal	39	1.53	24.5	38.16	10.74	34.92			
PK	15.89321G	60.99	74.00	-13.01	44.02	3	Horizontal	1	1.80	24.5	37.50	12.79	33.32			
AV	15.91882G	47.18	54.00	-6.82	30.20	3	Horizontal	1	1.80	24.5	37.50	12.79	33.31			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_X_1TX
SET 22
20\27\23.5\22
7.09\15.43\5.40\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.325G	116.35	Inf	-Inf	109.82	3	Vertical	352	1.72	22	34.35	7.06	34.88			
AV	5.3285G	103.03	Inf	-Inf	96.48	3	Vertical	352	1.72	22	34.36	7.07	34.88			
PK	5.3508G	69.87	74.00	-4.13	63.25	3	Vertical	352	1.72	22	34.40	7.10	34.88			
AV	5.35G	53.85	54.00	-0.15	47.23	3	Vertical	352	1.72	22	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_X_1TX
SET 22
22
0.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3176G	116.79	Inf	-Inf	110.27	3	Horizontal	360	1.62	22	34.34	7.05	34.87			
AV	5.3114G	102.75	Inf	-Inf	96.25	3	Horizontal	360	1.62	22	34.32	7.05	34.87			
PK	5.3555G	68.77	74.00	-5.23	62.13	3	Horizontal	360	1.62	22	34.41	7.11	34.88			
AV	5.3502G	53.04	54.00	-0.96	46.42	3	Horizontal	360	1.62	22	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_X_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.64727G	56.10	74.00	-17.90	42.01	3	Vertical	315	1.80	22	38.20	10.77	34.88				
AV	10.65507G	42.22	54.00	-11.78	28.13	3	Vertical	315	1.80	22	38.19	10.77	34.87				
PK	15.96723G	61.26	74.00	-12.74	44.20	3	Vertical	360	1.80	22	37.53	12.81	33.28				
AV	15.94621G	47.25	54.00	-6.75	30.24	3	Vertical	360	1.80	22	37.50	12.80	33.29				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_X_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64104G	56.54	74.00	-17.46	42.45	3	Horizontal	48	1.80	22	38.20	10.77	34.88			
AV	10.65682G	42.27	54.00	-11.73	28.18	3	Horizontal	48	1.80	22	38.19	10.77	34.87			
PK	15.94941G	61.09	74.00	-12.91	44.08	3	Horizontal	1	1.80	22	37.50	12.80	33.29			
AV	15.94733G	47.29	54.00	-6.71	30.28	3	Horizontal	1	1.80	22	37.50	12.80	33.29			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_X_1TX
SET 22.5
20\27.5\24\22.5
7.50\14.75\5.37\0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14512G	60.45	74.00	-13.55	54.54	3	Vertical	345	1.68	22.5	33.97	6.79	34.85			
AV	5.14988G	46.77	54.00	-7.23	40.82	3	Vertical	345	1.68	22.5	34.00	6.80	34.85			
PK	5.26356G	116.24	Inf	-Inf	109.98	3	Vertical	345	1.68	22.5	34.15	6.98	34.87			
AV	5.26356G	102.40	Inf	-Inf	96.14	3	Vertical	345	1.68	22.5	34.15	6.98	34.87			
PK	5.35596G	69.37	74.00	-4.63	62.73	3	Vertical	345	1.68	22.5	34.41	7.11	34.88			
AV	5.35G	53.86	54.00	-0.14	47.24	3	Vertical	345	1.68	22.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_X_1TX
SET 22.5
22.5
0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14372G	60.16	74.00	-13.84	54.26	3	Horizontal	355	1.69	22.5	33.96	6.79	34.85			
AV	5.1496G	46.80	54.00	-7.20	40.85	3	Horizontal	355	1.69	22.5	34.00	6.80	34.85			
PK	5.27588G	116.27	Inf	-Inf	109.94	3	Horizontal	355	1.69	22.5	34.20	7.00	34.87			
AV	5.26524G	102.59	Inf	-Inf	96.32	3	Horizontal	355	1.69	22.5	34.16	6.98	34.87			
PK	5.35G	68.37	74.00	-5.63	61.75	3	Horizontal	355	1.69	22.5	34.40	7.10	34.88			
AV	5.35G	53.79	54.00	-0.21	47.17	3	Horizontal	355	1.69	22.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_X_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.5213G	55.87	68.20	-12.33	42.15	3	Vertical	49	1.95	22.5	38.00	10.70	34.98				
PK	15.84485G	60.61	74.00	-13.39	43.68	3	Vertical	1	1.80	22.5	37.51	12.77	33.35				
AV	15.83605G	46.90	54.00	-7.10	29.96	3	Vertical	1	1.80	22.5	37.53	12.77	33.36				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_X_1TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55103G	56.40	68.20	-11.80	42.64	3	Horizontal	49	2.45	22.5	38.00	10.72	34.96			
PK	15.83358G	60.77	74.00	-13.23	43.83	3	Horizontal	1	1.80	22.5	37.53	12.77	33.36			
AV	15.83709G	46.84	54.00	-7.16	29.89	3	Horizontal	1	1.80	22.5	37.53	12.77	33.35			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX



EUT_X_1TX
SET 20.5
20\24\22\21\20.5
4.02\ -20.49\ -8.27\ -1.33\ 2.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2998G	112.72	Inf	-Inf	106.26	3	Vertical	1	1.58	20.5	34.30	7.03	34.87			
AV	5.29164G	99.61	Inf	-Inf	93.19	3	Vertical	1	1.58	20.5	34.27	7.02	34.87			
PK	5.3502G	68.84	74.00	-5.16	62.22	3	Vertical	1	1.58	20.5	34.40	7.10	34.88			
AV	5.35008G	51.81	54.00	-2.19	45.19	3	Vertical	1	1.58	20.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_X_1TX
SET 20.5
20.5
2.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30484G	112.71	Inf	-Inf	106.23	3	Horizontal	356	1.54	20.5	34.31	7.04	34.87			
AV	5.29188G	99.64	Inf	-Inf	93.22	3	Horizontal	356	1.54	20.5	34.27	7.02	34.87			
PK	5.3526G	67.03	74.00	-6.97	60.40	3	Horizontal	356	1.54	20.5	34.41	7.10	34.88			
AV	5.35G	51.83	54.00	-2.17	45.21	3	Horizontal	356	1.54	20.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT_X_1TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63095G	56.13	74.00	-17.87	42.06	3	Vertical	32	2.34	20.5	38.20	10.76	34.89			
PK	15.90794G	60.86	74.00	-13.14	43.88	3	Vertical	1	1.80	20.5	37.50	12.79	33.31			
AV	15.89763G	47.05	54.00	-6.95	30.08	3	Vertical	1	1.80	20.5	37.50	12.79	33.32			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_X_1TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65556G	56.10	74.00	-17.90	42.01	3	Horizontal	330	1.80	20.5	38.19	10.77	34.87			
PK	15.89587G	60.82	74.00	-13.18	43.85	3	Horizontal	360	1.80	20.5	37.50	12.79	33.32			
AV	15.92137G	47.06	54.00	-6.94	30.07	3	Horizontal	360	1.80	20.5	37.50	12.80	33.31			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_X_1TX
SET 18.5
20\16\18\19\18.5
-3.70\5.41\2.15\0.40\0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14632G	59.37	74.00	-14.63	53.44	3	Vertical	-0	1.68	-	33.98	6.80	34.85			
PK	5.35016G	68.14	74.00	-5.86	61.52	3	Vertical	-0	1.68	-	34.40	7.10	34.88			
AV	5.14984G	45.82	54.00	-8.18	39.87	3	Vertical	-0	1.68	-	34.00	6.80	34.85			
AV	5.35048G	53.37	54.00	-0.63	46.75	3	Vertical	-0	1.68	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_X_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14792G	59.43	74.00	-14.57	53.49	3	Horizontal	354	1.67	-	33.99	6.80	34.85			
AV	5.14984G	46.38	54.00	-7.62	40.43	3	Horizontal	354	1.67	-	34.00	6.80	34.85			
PK	5.27464G	110.41	Inf	-Inf	104.09	3	Horizontal	354	1.67	-	34.20	6.99	34.87			
AV	5.2724G	96.43	Inf	-Inf	90.12	3	Horizontal	354	1.67	-	34.19	6.99	34.87			
PK	5.35272G	69.67	74.00	-4.33	63.04	3	Horizontal	354	1.67	-	34.41	7.10	34.88			
AV	5.35048G	53.71	54.00	-0.29	47.09	3	Horizontal	354	1.67	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_X_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61229G	56.29	74.00	-17.71	42.25	3	Vertical	154	2.90	18.5	38.20	10.75	34.91			
PK	15.86073G	60.92	74.00	-13.08	43.98	3	Vertical	2	1.80	18.5	37.50	12.78	33.34			
AV	15.89813G	46.84	54.00	-7.16	29.87	3	Vertical	2	1.80	18.5	37.50	12.79	33.32			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_X_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5983G	55.43	68.20	-12.77	41.42	3	Horizontal	131	1.38	18.5	38.19	10.74	34.92			
AV	10.59864G	42.20	Inf	-Inf	28.19	3	Horizontal	131	1.38	18.5	38.19	10.74	34.92			
PK	15.90537G	60.60	74.00	-13.40	43.62	3	Horizontal	4	1.80	18.5	37.50	12.79	33.31			
AV	15.87352G	46.82	54.00	-7.18	29.87	3	Horizontal	4	1.80	18.5	37.50	12.78	33.33			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
SET 18.5
20\14.5\17\18\18.5\19\18.5
-5.18\7.41\4.46\2.26\0.76\1.10\0.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14248G	68.53	74.00	-5.47	62.64	3	Vertical	343	1.58	18.5	33.95	6.79	34.85			
AV	5.14992G	53.20	54.00	-0.80	47.25	3	Vertical	343	1.58	18.5	34.00	6.80	34.85			
PK	5.19168G	105.73	Inf	-Inf	99.71	3	Vertical	343	1.58	18.5	34.00	6.88	34.86			
AV	5.25624G	91.82	Inf	-Inf	85.60	3	Vertical	343	1.58	18.5	34.12	6.97	34.87			
PK	5.35512G	71.56	74.00	-2.44	64.92	3	Vertical	343	1.58	18.5	34.41	7.11	34.88			
AV	5.35368G	52.64	54.00	-1.36	46.00	3	Vertical	343	1.58	18.5	34.41	7.11	34.88			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
SET 18.5
18.5
0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	69.25	74.00	-4.75	63.34	3	Horizontal	358	1.69	18.5	33.97	6.79	34.85			
AV	5.14992G	53.50	54.00	-0.50	47.55	3	Horizontal	358	1.69	18.5	34.00	6.80	34.85			
PK	5.25672G	105.96	Inf	-Inf	99.73	3	Horizontal	358	1.69	18.5	34.13	6.97	34.87			
AV	5.268G	91.90	Inf	-Inf	85.61	3	Horizontal	358	1.69	18.5	34.17	6.99	34.87			
PK	5.36808G	70.05	74.00	-3.95	63.36	3	Horizontal	358	1.69	18.5	34.44	7.13	34.88			
AV	5.35G	52.64	54.00	-1.36	46.02	3	Horizontal	358	1.69	18.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55499G	55.91	68.20	-12.29	42.12	3	Vertical	119	1.70	18.5	38.02	10.72	34.95			
PK	15.81585G	61.07	74.00	-12.93	44.11	3	Vertical	1	1.80	18.5	37.57	12.76	33.37			
AV	15.87084G	46.90	54.00	-7.10	29.95	3	Vertical	1	1.80	18.5	37.50	12.78	33.33			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38012G	55.97	68.20	-12.23	42.46	3	Horizontal	66	2.09	18.5	37.94	10.62	35.05			
PK	15.83503G	61.26	74.00	-12.74	44.32	3	Horizontal	1	1.80	18.5	37.53	12.77	33.36			
AV	15.87308G	46.87	54.00	-7.13	29.92	3	Horizontal	1	1.80	18.5	37.50	12.78	33.33			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
SET 26
20\27\23.5\25\25.5\26\26.5\26
7.44\ -0.39\7.19\5.77\2.36\2.18\ -0.25\2.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14976G	64.69	74.00	-9.31	58.74	3	Vertical	2	1.63	26	34.00	6.80	34.85			
AV	5.1495G	48.72	54.00	-5.28	42.77	3	Vertical	2	1.63	26	34.00	6.80	34.85			
PK	5.26728G	124.82	Inf	-Inf	118.54	3	Vertical	2	1.63	26	34.17	6.98	34.87			
AV	5.2626G	113.12	Inf	-Inf	106.86	3	Vertical	2	1.63	26	34.15	6.98	34.87			
PK	5.35178G	70.70	74.00	-3.30	64.08	3	Vertical	2	1.63	26	34.40	7.10	34.88			
AV	5.35178G	51.71	54.00	-2.29	45.09	3	Vertical	2	1.63	26	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
SET 26
26
0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14742G	65.90	74.00	-8.10	59.97	3	Horizontal	354	1.84	26	33.98	6.80	34.85				
AV	5.14768G	48.97	54.00	-5.03	43.03	3	Horizontal	354	1.84	26	33.99	6.80	34.85				
PK	5.26078G	124.71	Inf	-Inf	118.46	3	Horizontal	354	1.84	26	34.14	6.98	34.87				
AV	5.25532G	113.58	Inf	-Inf	107.36	3	Horizontal	354	1.84	26	34.12	6.97	34.87				
PK	5.35204G	72.14	74.00	-1.86	65.52	3	Horizontal	354	1.84	26	34.40	7.10	34.88				
AV	5.35048G	53.19	54.00	-0.81	46.57	3	Horizontal	354	1.84	26	34.40	7.10	34.88				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX

EUT_X_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51445G	59.54	68.20	-8.66	45.83	3	Vertical	49	1.91	26	38.00	10.70	34.99			
PK	15.78671G	60.67	74.00	-13.33	43.62	3	Vertical	77	2.45	26	37.68	12.75	33.38			
AV	15.78599G	46.65	54.00	-7.35	29.60	3	Vertical	77	2.45	26	37.68	12.75	33.38			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_X_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.51828G	61.50	68.20	-6.70	47.78	3	Horizontal	322	1.91	26	38.00	10.70	34.98				
PK	15.77696G	60.84	74.00	-13.16	43.74	3	Horizontal	360	1.98	26	37.74	12.75	33.39				
AV	15.79878G	46.63	54.00	-7.37	29.64	3	Horizontal	360	1.98	26	37.61	12.76	33.38				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
SET 24.5
20\27\23.5\25\24.5
7.35\9.21\3.98\0.46\1.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29244G	121.85	Inf	-Inf	115.43	3	Vertical	6	1.76	24.5	34.27	7.02	34.87			
AV	5.30266G	111.16	Inf	-Inf	104.69	3	Vertical	6	1.76	24.5	34.31	7.03	34.87			
PK	5.35222G	68.13	74.00	-5.87	61.51	3	Vertical	6	1.76	24.5	34.40	7.10	34.88			
AV	5.35264G	52.05	54.00	-1.95	45.42	3	Vertical	6	1.76	24.5	34.41	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
SET 24.5
24.5
0.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29566G	121.94	Inf	-Inf	115.51	3	Horizontal	354	1.91	24.5	34.28	7.02	34.87			
AV	5.29538G	111.46	Inf	-Inf	105.03	3	Horizontal	354	1.91	24.5	34.28	7.02	34.87			
PK	5.35G	69.28	74.00	-4.72	62.66	3	Horizontal	354	1.91	24.5	34.40	7.10	34.88			
AV	5.35026G	53.35	54.00	-0.65	46.73	3	Horizontal	354	1.91	24.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60695G	56.41	74.00	-17.59	42.37	3	Vertical	224	1.05	24.5	38.20	10.75	34.91				
AV	10.60116G	42.25	54.00	-11.75	28.23	3	Vertical	224	1.05	24.5	38.20	10.74	34.92				
PK	15.88042G	61.19	74.00	-12.81	44.24	3	Vertical	360	1.80	24.5	37.50	12.78	33.33				
AV	15.91071G	47.23	54.00	-6.77	30.25	3	Vertical	360	1.80	24.5	37.50	12.79	33.31				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_X_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58494G	56.59	68.20	-11.61	42.65	3	Horizontal	59	1.80	24.5	38.14	10.73	34.93			
PK	15.88482G	61.30	74.00	-12.70	44.35	3	Horizontal	1	1.80	24.5	37.50	12.78	33.33			
AV	15.90999G	47.25	54.00	-6.75	30.27	3	Horizontal	1	1.80	24.5	37.50	12.79	33.31			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
SET 22
20\26\23\21.5\22
6.28\ -14.13\ -3.63\ 1.65\ 0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3273G	119.04	Inf	-Inf	112.50	3	Vertical	352	1.62	22	34.35	7.07	34.88			
AV	5.3272G	108.88	Inf	-Inf	102.34	3	Vertical	352	1.62	22	34.35	7.07	34.88			
PK	5.3526G	73.07	74.00	-0.93	66.44	3	Vertical	352	1.62	22	34.41	7.10	34.88			
AV	5.3525G	53.98	54.00	-0.02	47.35	3	Vertical	352	1.62	22	34.41	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
SET 21
22\19.5\20.5\21\21.5\21
-2.44\5.93\4.51\2.34\0.29\2.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3256G	118.23	Inf	-Inf	111.69	3	Horizontal	354	1.89	21	34.35	7.07	34.88			
AV	5.3153G	107.82	Inf	-Inf	101.31	3	Horizontal	354	1.89	21	34.33	7.05	34.87			
PK	5.3512G	66.01	74.00	-7.99	59.39	3	Horizontal	354	1.89	21	34.40	7.10	34.88			
AV	5.3504G	51.87	54.00	-2.13	45.25	3	Horizontal	354	1.89	21	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6569G	56.57	74.00	-17.43	42.48	3	Vertical	358	1.08	21	38.19	10.77	34.87			
AV	10.65359G	42.26	54.00	-11.74	28.17	3	Vertical	358	1.08	21	38.19	10.77	34.87			
PK	15.94869G	61.37	74.00	-12.63	44.36	3	Vertical	360	1.80	21	37.50	12.80	33.29			
AV	15.94845G	47.27	54.00	-6.73	30.26	3	Vertical	360	1.80	21	37.50	12.80	33.29			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_X_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65507G	56.02	74.00	-17.98	41.93	3	Horizontal	1	1.80	21	38.19	10.77	34.87			
AV	10.62334G	42.20	54.00	-11.80	28.14	3	Horizontal	1	1.80	21	38.20	10.76	34.90			
PK	15.94034G	60.93	74.00	-13.07	43.92	3	Horizontal	1	1.80	21	37.50	12.80	33.29			
AV	15.94146G	47.31	54.00	-6.69	30.30	3	Horizontal	1	1.80	21	37.50	12.80	33.29			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
SET 25.5
20\27.5\24\25.5\26\25.5
7.50\3.47\6.68\2.25\1.10\2.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1417G	64.52	74.00	-9.48	58.63	3	Vertical	3	1.70	25.5	33.95	6.79	34.85				
AV	5.14508G	48.85	54.00	-5.15	42.94	3	Vertical	3	1.70	25.5	33.97	6.79	34.85				
PK	5.25246G	126.08	Inf	-Inf	119.88	3	Vertical	3	1.70	25.5	34.11	6.96	34.87				
AV	5.25116G	112.48	Inf	-Inf	106.29	3	Vertical	3	1.70	25.5	34.10	6.96	34.87				
PK	5.35074G	68.96	74.00	-5.04	62.34	3	Vertical	3	1.70	25.5	34.40	7.10	34.88				
AV	5.35776G	51.92	54.00	-2.08	45.27	3	Vertical	3	1.70	25.5	34.42	7.11	34.88				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
SET 25
25.5\25
-0.49\3.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14872G	64.29	74.00	-9.71	58.35	3	Horizontal	353	1.92	25	33.99	6.80	34.85				
AV	5.15G	47.43	54.00	-6.57	41.48	3	Horizontal	353	1.92	25	34.00	6.80	34.85				
PK	5.26442G	125.82	Inf	-Inf	119.55	3	Horizontal	353	1.92	25	34.16	6.98	34.87				
AV	5.26234G	112.52	Inf	-Inf	106.26	3	Horizontal	353	1.92	25	34.15	6.98	34.87				
PK	5.35308G	66.27	74.00	-7.73	59.64	3	Horizontal	353	1.92	25	34.41	7.10	34.88				
AV	5.35022G	50.08	54.00	-3.92	43.46	3	Horizontal	353	1.92	25	34.40	7.10	34.88				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_X_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5178G	57.89	68.20	-10.31	44.18	3	Vertical	49	1.80	25	38.00	10.70	34.99			
PK	15.79982G	60.70	74.00	-13.30	43.72	3	Vertical	44	1.80	25	37.60	12.76	33.38			
AV	15.7961G	46.69	54.00	-7.31	29.69	3	Vertical	44	1.80	25	37.62	12.76	33.38			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5260MHz_TX

EUT_X_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51245G	59.13	68.20	-9.07	45.43	3	Horizontal	47	1.79	25	38.00	10.69	34.99			
PK	15.78571G	60.79	74.00	-13.21	43.73	3	Horizontal	337	1.80	25	37.69	12.75	33.38			
AV	15.7796G	46.69	54.00	-7.31	29.61	3	Horizontal	337	1.80	25	37.72	12.75	33.39			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
SET 23.5
20\26.5\23.5
6.65\9.78\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29258G	122.95	Inf	-Inf	116.53	3	Vertical	4	1.66	23.5	34.27	7.02	34.87			
AV	5.29146G	110.24	Inf	-Inf	103.82	3	Vertical	4	1.66	23.5	34.27	7.02	34.87			
PK	5.35012G	71.54	74.00	-2.46	64.92	3	Vertical	4	1.66	23.5	34.40	7.10	34.88			
AV	5.35G	53.58	54.00	-0.42	46.96	3	Vertical	4	1.66	23.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
SET 23.5
23.5
4.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30112G	122.75	Inf	-Inf	116.29	3	Horizontal	356	1.94	23.5	34.30	7.03	34.87			
AV	5.30154G	110.04	Inf	-Inf	103.58	3	Horizontal	356	1.94	23.5	34.30	7.03	34.87			
PK	5.35936G	69.28	74.00	-4.72	62.63	3	Horizontal	356	1.94	23.5	34.42	7.11	34.88			
AV	5.35894G	49.82	54.00	-4.18	43.17	3	Horizontal	356	1.94	23.5	34.42	7.11	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60296G	56.79	74.00	-17.21	42.76	3	Vertical	1	1.16	23.5	38.20	10.74	34.91				
PK	15.8829G	61.19	74.00	-12.81	44.24	3	Vertical	360	2.41	23.5	37.50	12.78	33.33				
AV	15.89065G	47.14	54.00	-6.86	30.17	3	Vertical	360	2.41	23.5	37.50	12.79	33.32				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_X_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60655G	56.22	74.00	-17.78	42.18	3	Horizontal	346	1.80	23.5	38.20	10.75	34.91			
PK	15.89796G	60.71	74.00	-13.29	43.74	3	Horizontal	360	1.80	23.5	37.50	12.79	33.32			
AV	15.88829G	47.08	54.00	-6.92	30.11	3	Horizontal	360	1.80	23.5	37.50	12.79	33.32			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
SET 20.5
20\25\22.5\21.5\21\20.5
5.00\14.72\7.51\3.44\0.65\3.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3288G	120.09	Inf	-Inf	113.54	3	Vertical	349	1.62	20.5	34.36	7.07	34.88			
AV	5.3289G	107.26	Inf	-Inf	100.71	3	Vertical	349	1.62	20.5	34.36	7.07	34.88			
PK	5.3511G	66.79	74.00	-7.21	60.17	3	Vertical	349	1.62	20.5	34.40	7.10	34.88			
AV	5.35G	50.99	54.00	-3.01	44.37	3	Vertical	349	1.62	20.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
SET 20.5
20.5
4.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3242G	120.19	Inf	-Inf	113.66	3	Horizontal	352	1.91	20.5	34.35	7.06	34.88			
AV	5.3218G	107.09	Inf	-Inf	100.57	3	Horizontal	352	1.91	20.5	34.34	7.06	34.88			
PK	5.3504G	64.29	74.00	-9.71	57.67	3	Horizontal	352	1.91	20.5	34.40	7.10	34.88			
AV	5.35G	49.04	54.00	-4.96	42.42	3	Horizontal	352	1.91	20.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX

EUT_X_2TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.64595G	56.55	74.00	-17.45	42.46	3	Vertical	1	1.19	20.5	38.20	10.77	34.88				
AV	10.62098G	42.18	54.00	-11.82	28.13	3	Vertical	1	1.19	20.5	38.20	10.75	34.90				
PK	15.94538G	61.00	74.00	-13.00	43.99	3	Vertical	1	1.80	20.5	37.50	12.80	33.29				
AV	15.94677G	47.18	54.00	-6.82	30.17	3	Vertical	1	1.80	20.5	37.50	12.80	33.29				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_X_2TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62042G	56.39	74.00	-17.61	42.34	3	Horizontal	166	2.14	20.5	38.20	10.75	34.90			
AV	10.6585G	42.23	54.00	-11.77	28.14	3	Horizontal	166	2.14	20.5	38.18	10.78	34.87			
PK	15.94126G	60.93	74.00	-13.07	43.92	3	Horizontal	1	1.80	20.5	37.50	12.80	33.29			
AV	15.94474G	47.13	54.00	-6.87	30.12	3	Horizontal	1	1.80	20.5	37.50	12.80	33.29			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
SET 22
20\27\23.5\22\22.5\22
7.16\16.10\6.06\1.02\1.90\0.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14624G	60.60	74.00	-13.40	54.67	3	Vertical	2	1.64	22	33.98	6.80	34.85			
AV	5.14484G	46.80	54.00	-7.20	40.89	3	Vertical	2	1.64	22	33.97	6.79	34.85			
PK	5.2602G	119.98	Inf	-Inf	113.74	3	Vertical	2	1.64	22	34.14	6.97	34.87			
AV	5.26048G	106.69	Inf	-Inf	100.45	3	Vertical	2	1.64	22	34.14	6.97	34.87			
PK	5.35204G	69.71	74.00	-4.29	63.09	3	Vertical	2	1.64	22	34.40	7.10	34.88			
AV	5.35848G	53.02	54.00	-0.98	46.37	3	Vertical	2	1.64	22	34.42	7.11	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
SET 21.5
22\20\21\21.5
-1.62\6.16\3.46\1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13364G	59.63	74.00	-14.37	53.81	3	Horizontal	357	1.74	21.5	33.90	6.77	34.85			
AV	5.14988G	46.47	54.00	-7.53	40.52	3	Horizontal	357	1.74	21.5	34.00	6.80	34.85			
PK	5.25208G	119.99	Inf	-Inf	113.79	3	Horizontal	357	1.74	21.5	34.11	6.96	34.87			
AV	5.25208G	106.80	Inf	-Inf	100.60	3	Horizontal	357	1.74	21.5	34.11	6.96	34.87			
PK	5.35064G	73.00	74.00	-1.00	66.38	3	Horizontal	357	1.74	21.5	34.40	7.10	34.88			
AV	5.35036G	52.78	54.00	-1.22	46.16	3	Horizontal	357	1.74	21.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50723G	56.04	68.20	-12.16	42.34	3	Vertical	35	1.05	21.5	38.00	10.69	34.99			
PK	15.80784G	60.98	74.00	-13.02	44.01	3	Vertical	1	1.80	21.5	37.58	12.76	33.37			
AV	15.83869G	46.74	54.00	-7.26	29.80	3	Vertical	1	1.80	21.5	37.52	12.77	33.35			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT X_2TX
SET 21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.55622G	56.48	68.20	-11.72	42.69	3	Horizontal	65	1.92	21.5	38.02	10.72	34.95				
PK	15.77635G	61.62	74.00	-12.38	44.52	3	Horizontal	1	1.80	21.5	37.74	12.75	33.39				
AV	15.83741G	46.75	54.00	-7.25	29.80	3	Horizontal	1	1.80	21.5	37.53	12.77	33.35				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
SET 20
20\20.5\20
0.81\1.11\0.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29848G	116.95	Inf	-Inf	110.50	3	Vertical	4	1.57	20	34.29	7.03	34.87			
AV	5.29956G	103.74	Inf	-Inf	97.28	3	Vertical	4	1.57	20	34.30	7.03	34.87			
PK	5.35896G	71.67	74.00	-2.33	65.02	3	Vertical	4	1.57	20	34.42	7.11	34.88			
AV	5.35584G	53.20	54.00	-0.80	46.56	3	Vertical	4	1.57	20	34.41	7.11	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
SET 18.5
20\16\18\19\18.5
-3.70\5.41\2.15\0.40\0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29284G	116.06	Inf	-Inf	109.64	3	Horizontal	353	1.92	18.5	34.27	7.02	34.87			
AV	5.29212G	102.79	Inf	-Inf	96.37	3	Horizontal	353	1.92	18.5	34.27	7.02	34.87			
PK	5.35236G	67.23	74.00	-6.77	60.61	3	Horizontal	353	1.92	18.5	34.40	7.10	34.88			
AV	5.35G	53.19	54.00	-0.81	46.57	3	Horizontal	353	1.92	18.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.64318G	56.46	74.00	-17.54	42.37	3	Vertical	1	1.78	18.5	38.20	10.77	34.88				
AV	10.60066G	42.38	54.00	-11.62	28.36	3	Vertical	1	1.78	18.5	38.20	10.74	34.92				
PK	15.89244G	62.55	74.00	-11.45	45.58	3	Vertical	1	1.80	18.5	37.50	12.79	33.32				
AV	15.92033G	47.52	54.00	-6.48	30.53	3	Vertical	1	1.80	18.5	37.50	12.80	33.31				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64741G	56.47	74.00	-17.53	42.38	3	Horizontal	137	1.80	18.5	38.20	10.77	34.88			
AV	10.60921G	42.37	54.00	-11.63	28.33	3	Horizontal	137	1.80	18.5	38.20	10.75	34.91			
PK	15.93567G	61.89	74.00	-12.11	44.89	3	Horizontal	1	1.80	18.5	37.50	12.80	33.30			
AV	15.93288G	47.41	54.00	-6.59	30.41	3	Horizontal	1	1.80	18.5	37.50	12.80	33.30			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX


5290MHz_TX

EUT_X_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14696G	59.76	74.00	-14.24	53.83	3	Vertical	-0	1.80	-	33.98	6.80	34.85			
AV	5.14568G	46.70	54.00	-7.30	40.79	3	Vertical	-0	1.80	-	33.97	6.79	34.85			
PK	5.25896G	113.34	Inf	-Inf	107.10	3	Vertical	-0	1.80	-	34.14	6.97	34.87			
AV	5.25992G	99.99	Inf	-Inf	93.75	3	Vertical	-0	1.80	-	34.14	6.97	34.87			
PK	5.35688G	69.00	74.00	-5.00	62.36	3	Vertical	-0	1.80	-	34.41	7.11	34.88			
AV	5.3556G	53.31	54.00	-0.69	46.67	3	Vertical	-0	1.80	-	34.41	7.11	34.88			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_X_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14952G	60.16	74.00	-13.84	54.21	3	Horizontal	353	1.80	-	34.00	6.80	34.85			
AV	5.14984G	46.87	54.00	-7.13	40.92	3	Horizontal	353	1.80	-	34.00	6.80	34.85			
PK	5.26888G	112.57	Inf	-Inf	106.27	3	Horizontal	353	1.80	-	34.18	6.99	34.87			
AV	5.2516G	100.40	Inf	-Inf	94.20	3	Horizontal	353	1.80	-	34.11	6.96	34.87			
PK	5.35G	68.43	74.00	-5.57	61.81	3	Horizontal	353	1.80	-	34.40	7.10	34.88			
AV	5.35G	53.90	54.00	-0.10	47.28	3	Horizontal	353	1.80	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX


5290MHz_TX

EUT_X_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.58176G	55.87	68.20	-12.33	41.94	3	Vertical	10	2.95	17.5	38.13	10.73	34.93				
AV	10.60525G	42.14	54.00	-11.86	28.10	3	Vertical	10	2.95	17.5	38.20	10.75	34.91				
PK	15.8724G	61.44	74.00	-12.56	44.49	3	Vertical	5	1.80	17.5	37.50	12.78	33.33				
AV	15.88934G	46.87	54.00	-7.13	29.90	3	Vertical	5	1.80	17.5	37.50	12.79	33.32				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_X_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.72208G	57.24	74.00	-16.76	43.14	3	Horizontal	96	1.66	-	38.10	10.81	34.81			
AV	10.72496G	43.01	54.00	-10.99	28.91	3	Horizontal	96	1.66	-	38.10	10.81	34.81			
PK	15.88824G	61.44	74.00	-12.56	44.47	3	Horizontal	227	2.26	-	37.50	12.79	33.32			
AV	15.9164G	47.52	54.00	-6.48	30.54	3	Horizontal	227	2.26	-	37.50	12.79	33.31			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
SET 17
20\12\16\18\17\17.5\17
-9.34\7.32\3.07\1.33\0.90\0.23\0.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14824G	68.31	74.00	-5.69	62.37	3	Vertical	-0	1.64	17	33.99	6.80	34.85			
AV	5.142G	53.07	54.00	-0.93	47.18	3	Vertical	-0	1.64	17	33.95	6.79	34.85			
PK	5.26152G	108.85	Inf	-Inf	102.59	3	Vertical	-0	1.64	17	34.15	6.98	34.87			
AV	5.25936G	95.35	Inf	-Inf	89.11	3	Vertical	-0	1.64	17	34.14	6.97	34.87			
PK	5.35608G	68.55	74.00	-5.45	61.91	3	Vertical	-0	1.64	17	34.41	7.11	34.88			
AV	5.358G	51.98	54.00	-2.02	45.33	3	Vertical	-0	1.64	17	34.42	7.11	34.88			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
SET 17
17
0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14128G	69.28	74.00	-4.72	63.39	3	Horizontal	353	1.75	17	33.95	6.79	34.85			
AV	5.14992G	53.67	54.00	-0.33	47.72	3	Horizontal	353	1.75	17	34.00	6.80	34.85			
PK	5.17224G	110.68	Inf	-Inf	104.69	3	Horizontal	353	1.75	17	34.00	6.84	34.85			
AV	5.23152G	95.94	Inf	-Inf	89.81	3	Horizontal	353	1.75	17	34.06	6.93	34.86			
PK	5.35296G	67.16	74.00	-6.84	60.53	3	Horizontal	353	1.75	17	34.41	7.10	34.88			
AV	5.35G	52.70	54.00	-1.30	46.08	3	Horizontal	353	1.75	17	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_X_2TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39514G	56.47	68.20	-11.73	42.97	3	Vertical	1	1.76	17	37.91	10.63	35.04			
PK	15.85677G	60.71	74.00	-13.29	43.77	3	Vertical	1	1.80	17	37.50	12.78	33.34			
AV	15.86413G	46.86	54.00	-7.14	29.92	3	Vertical	1	1.80	17	37.50	12.78	33.34			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_X_2TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37149G	56.17	68.20	-12.03	42.64	3	Horizontal	9	1.80	17	37.96	10.62	35.05			
PK	15.82435G	60.71	74.00	-13.29	43.75	3	Horizontal	1	1.80	17	37.55	12.77	33.36			
AV	15.85664G	46.90	54.00	-7.10	29.96	3	Horizontal	1	1.80	17	37.50	12.78	33.34			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 26
20\26
6.39\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14248G	68.39	74.00	-5.61	62.50	3	Vertical	5	1.58	26	33.95	6.79	34.85			
AV	5.14092G	51.58	54.00	-2.42	45.69	3	Vertical	5	1.58	26	33.95	6.79	34.85			
PK	5.26286G	127.41	Inf	-Inf	121.15	3	Vertical	5	1.58	26	34.15	6.98	34.87			
AV	5.26208G	116.48	Inf	-Inf	110.22	3	Vertical	5	1.58	26	34.15	6.98	34.87			
PK	5.35178G	71.36	74.00	-2.64	64.74	3	Vertical	5	1.58	26	34.40	7.10	34.88			
AV	5.35022G	53.77	54.00	-0.23	47.15	3	Vertical	5	1.58	26	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 25.5
26\25.5
-0.19\1.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.13728G	65.82	74.00	-8.18	59.97	3	Horizontal	357	1.81	25.5	33.92	6.78	34.85				
AV	5.13598G	49.49	54.00	-4.51	43.64	3	Horizontal	357	1.81	25.5	33.92	6.78	34.85				
PK	5.2626G	126.43	Inf	-Inf	120.17	3	Horizontal	357	1.81	25.5	34.15	6.98	34.87				
AV	5.26286G	115.41	Inf	-Inf	109.15	3	Horizontal	357	1.81	25.5	34.15	6.98	34.87				
PK	5.3523G	71.14	74.00	-2.86	64.52	3	Horizontal	357	1.81	25.5	34.40	7.10	34.88				
AV	5.35334G	52.79	54.00	-1.21	46.16	3	Horizontal	357	1.81	25.5	34.41	7.10	34.88				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52279G	59.17	68.20	-9.03	45.45	3	Vertical	42	2.18	-	38.00	10.70	34.98			
PK	15.77433G	60.20	74.00	-13.80	43.09	3	Vertical	21	1.15	-	37.75	12.75	33.39			
AV	15.76872G	46.62	54.00	-7.38	29.47	3	Vertical	21	1.15	-	37.79	12.75	33.39			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX

EUT_Y_4TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52081G	59.07	68.20	-9.13	45.35	3	Horizontal	56	1.80	-	38.00	10.70	34.98			
PK	15.7887G	59.42	74.00	-14.58	42.38	3	Horizontal	-0	2.15	-	37.67	12.75	33.38			
AV	15.77244G	46.59	54.00	-7.41	29.46	3	Horizontal	-0	2.15	-	37.77	12.75	33.39			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 23.5
20\26\23\24.5\24\23.5
6.08\ -9.49\2.81\ -1.79\ -0.60\1.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29664G	124.80	Inf	-Inf	118.35	3	Vertical	351	1.85	23.5	34.29	7.03	34.87			
AV	5.29678G	114.02	Inf	-Inf	107.57	3	Vertical	351	1.85	23.5	34.29	7.03	34.87			
PK	5.35824G	68.82	74.00	-5.18	62.17	3	Vertical	351	1.85	23.5	34.42	7.11	34.88			
AV	5.35G	52.73	54.00	-1.27	46.11	3	Vertical	351	1.85	23.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 23.5
23.5
0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30294G	124.61	Inf	-Inf	118.14	3	Horizontal	357	1.63	23.5	34.31	7.03	34.87			
AV	5.3028G	114.14	Inf	-Inf	107.67	3	Horizontal	357	1.63	23.5	34.31	7.03	34.87			
PK	5.35236G	70.09	74.00	-3.91	63.47	3	Horizontal	357	1.63	23.5	34.40	7.10	34.88			
AV	5.35G	53.87	54.00	-0.13	47.25	3	Horizontal	357	1.63	23.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX

EUT_Y_4TX
SET23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59154G	54.75	68.20	-13.45	40.76	3	Vertical	213	1.47	-	38.17	10.74	34.92			
AV	10.60084G	41.79	54.00	-12.21	27.77	3	Vertical	213	1.47	-	38.20	10.74	34.92			
PK	15.91122G	60.37	74.00	-13.63	43.39	3	Vertical	69	1.71	-	37.50	12.79	33.31			
AV	15.91047G	47.02	54.00	-6.98	30.04	3	Vertical	69	1.71	-	37.50	12.79	33.31			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6G	54.89	74.00	-19.11	40.87	3	Horizontal	42	1.89	-	38.20	10.74	34.92			
PK	15.90795G	60.28	74.00	-13.72	43.30	3	Horizontal	346	2.91	-	37.50	12.79	33.31			
AV	15.89112G	47.01	54.00	-6.99	30.04	3	Horizontal	346	2.91	-	37.50	12.79	33.32			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 21
20\24\22\21\21.5\21
4.35\11.68\3.79\1.08\1.14\1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3166G	121.68	Inf	-Inf	115.17	3	Vertical	347	1.94	21	34.33	7.05	34.87			
AV	5.3171G	110.77	Inf	-Inf	104.26	3	Vertical	347	1.94	21	34.33	7.05	34.87			
PK	5.3528G	68.48	74.00	-5.52	61.85	3	Vertical	347	1.94	21	34.41	7.10	34.88			
AV	5.3503G	52.95	54.00	-1.05	46.33	3	Vertical	347	1.94	21	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 20.5
21\19\20\20.5
-1.54\5.19\3.94\1.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3226G	120.93	Inf	-Inf	114.40	3	Horizontal	357	1.62	20.5	34.35	7.06	34.88			
AV	5.3226G	110.65	Inf	-Inf	104.12	3	Horizontal	357	1.62	20.5	34.35	7.06	34.88			
PK	5.3501G	65.97	74.00	-8.03	59.35	3	Horizontal	357	1.62	20.5	34.40	7.10	34.88			
AV	5.3501G	52.34	54.00	-1.66	45.72	3	Horizontal	357	1.62	20.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64423G	54.28	74.00	-19.72	40.19	3	Vertical	5	2.76	-	38.20	10.77	34.88			
AV	10.62857G	41.68	54.00	-12.32	27.61	3	Vertical	5	2.76	-	38.20	10.76	34.89			
PK	15.9654G	59.33	74.00	-14.67	42.27	3	Vertical	246	1.21	-	37.53	12.81	33.28			
AV	15.95475G	46.95	54.00	-7.05	29.92	3	Vertical	246	1.21	-	37.51	12.81	33.29			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63472G	55.23	74.00	-18.77	41.16	3	Horizontal	104	2.64	-	38.20	10.76	34.89			
AV	10.64573G	41.72	54.00	-12.28	27.63	3	Horizontal	104	2.64	-	38.20	10.77	34.88			
PK	15.96477G	59.70	74.00	-14.30	42.64	3	Horizontal	10	2.16	-	37.53	12.81	33.28			
AV	15.94725G	47.02	54.00	-6.98	30.01	3	Horizontal	10	2.16	-	37.50	12.80	33.29			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 25
20\26\23\24.5\25\25.5\25
6.47\ -2.31\5.97\3.53\1.12\ -0.72\0.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14352G	68.08	74.00	-5.92	62.18	3	Vertical	6	1.61	25	33.96	6.79	34.85			
AV	5.14326G	50.07	54.00	-3.93	44.17	3	Vertical	6	1.61	25	33.96	6.79	34.85			
PK	5.26286G	128.72	Inf	-Inf	122.46	3	Vertical	6	1.61	25	34.15	6.98	34.87			
AV	5.26156G	115.64	Inf	-Inf	109.38	3	Vertical	6	1.61	25	34.15	6.98	34.87			
PK	5.36322G	69.31	74.00	-4.69	62.64	3	Vertical	6	1.61	25	34.43	7.12	34.88			
AV	5.35G	53.07	54.00	-0.93	46.45	3	Vertical	6	1.61	25	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
SET 25
25
0.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13832G	66.33	74.00	-7.67	60.47	3	Horizontal	360	2.22	25	33.93	6.78	34.85			
AV	5.14924G	49.92	54.00	-4.08	43.97	3	Horizontal	360	2.22	25	34.00	6.80	34.85			
PK	5.26754G	127.12	Inf	-Inf	120.84	3	Horizontal	360	2.22	25	34.17	6.98	34.87			
AV	5.2548G	114.63	Inf	-Inf	108.41	3	Horizontal	360	2.22	25	34.12	6.97	34.87			
PK	5.35178G	70.82	74.00	-3.18	64.20	3	Horizontal	360	2.22	25	34.40	7.10	34.88			
AV	5.35516G	53.01	54.00	-0.99	46.37	3	Horizontal	360	2.22	25	34.41	7.11	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53491G	54.30	68.20	-13.90	40.56	3	Vertical	354	1.80	-	38.00	10.71	34.97			
PK	15.78441G	59.65	74.00	-14.35	42.60	3	Vertical	46	1.80	-	37.69	12.75	33.39			
AV	15.78387G	47.14	54.00	-6.86	30.08	3	Vertical	46	1.80	-	37.70	12.75	33.39			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52762G	54.40	68.20	-13.80	40.68	3	Horizontal	350	1.14	-	38.00	10.70	34.98			
PK	15.76731G	60.11	74.00	-13.89	42.95	3	Horizontal	66	1.80	-	37.80	12.75	33.39			
AV	15.78033G	47.22	54.00	-6.78	30.14	3	Horizontal	66	1.80	-	37.72	12.75	33.39			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 23
20\25.5\23
5.64\ -10.52\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2979G	125.15	Inf	-Inf	118.70	3	Vertical	348	1.71	23	34.29	7.03	34.87			
AV	5.2972G	113.26	Inf	-Inf	106.81	3	Vertical	348	1.71	23	34.29	7.03	34.87			
PK	5.35684G	73.37	74.00	-0.63	66.73	3	Vertical	348	1.71	23	34.41	7.11	34.88			
AV	5.35054G	53.70	54.00	-0.30	47.08	3	Vertical	348	1.71	23	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 22.5
23\21.5\22\22.5
-1.34\3.80\1.93\0.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3035G	125.09	Inf	-Inf	118.62	3	Horizontal	360	1.70	22.5	34.31	7.03	34.87			
AV	5.3021G	112.31	Inf	-Inf	105.85	3	Horizontal	360	1.70	22.5	34.30	7.03	34.87			
PK	5.35026G	70.39	74.00	-3.61	63.77	3	Horizontal	360	1.70	22.5	34.40	7.10	34.88			
AV	5.35G	53.28	54.00	-0.72	46.66	3	Horizontal	360	1.70	22.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60217G	55.32	74.00	-18.68	41.29	3	Vertical	70	2.80	-	38.20	10.74	34.91			
AV	10.60007G	41.74	54.00	-12.26	27.72	3	Vertical	70	2.80	-	38.20	10.74	34.92			
PK	15.89685G	59.62	74.00	-14.38	42.65	3	Vertical	183	2.12	-	37.50	12.79	33.32			
AV	15.90006G	46.93	54.00	-7.07	29.96	3	Vertical	183	2.12	-	37.50	12.79	33.32			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Y_4TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60466G	54.87	74.00	-19.13	40.83	3	Horizontal	49	2.51	-	38.20	10.75	34.91			
AV	10.60014G	41.72	54.00	-12.28	27.70	3	Horizontal	49	2.51	-	38.20	10.74	34.92			
PK	15.90234G	60.47	74.00	-13.53	43.50	3	Horizontal	313	2.80	-	37.50	12.79	33.32			
AV	15.89904G	46.95	54.00	-7.05	29.98	3	Horizontal	313	2.80	-	37.50	12.79	33.32			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




09/05/2024

EUT_Y_4TX
SET 20.5
20\23\21.5\21\20.5
3.22\10.26\3.89\1.18\1.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3179G	124.13	Inf	-Inf	117.60	3	Vertical	349	1.83	20.5	34.34	7.06	34.87			
AV	5.3166G	110.11	Inf	-Inf	103.60	3	Vertical	349	1.83	20.5	34.33	7.05	34.87			
PK	5.3539G	68.68	74.00	-5.32	62.04	3	Vertical	349	1.83	20.5	34.41	7.11	34.88			
AV	5.3516G	52.51	54.00	-1.49	45.89	3	Vertical	349	1.83	20.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 20
20.5\19.5\20
-0.51\4.44\2.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3288G	123.04	Inf	-Inf	116.49	3	Horizontal	352	2.11	20	34.36	7.07	34.88			
AV	5.3288G	110.50	Inf	-Inf	103.95	3	Horizontal	352	2.11	20	34.36	7.07	34.88			
PK	5.3502G	66.92	74.00	-7.08	60.30	3	Horizontal	352	2.11	20	34.40	7.10	34.88			
AV	5.3501G	51.63	54.00	-2.37	45.01	3	Horizontal	352	2.11	20	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63771G	55.66	74.00	-18.34	41.58	3	Vertical	152	2.46	-	38.20	10.76	34.88			
AV	10.64165G	41.67	54.00	-12.33	27.58	3	Vertical	152	2.46	-	38.20	10.77	34.88			
PK	15.95877G	59.83	74.00	-14.17	42.78	3	Vertical	323	1.61	-	37.52	12.81	33.28			
AV	15.96004G	46.93	54.00	-7.07	29.88	3	Vertical	323	1.61	-	37.52	12.81	33.28			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63991G	55.49	74.00	-18.51	41.40	3	Horizontal	2	2.31	-	38.20	10.77	34.88			
AV	10.64027G	41.67	54.00	-12.33	27.58	3	Horizontal	2	2.31	-	38.20	10.77	34.88			
PK	15.96226G	60.36	74.00	-13.64	43.31	3	Horizontal	77	2.90	-	37.52	12.81	33.28			
AV	15.9575G	46.92	54.00	-7.08	29.87	3	Horizontal	77	2.90	-	37.52	12.81	33.28			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 21
20\23.5\22\21.5\21
3.91\ -12.29\ -6.15\ -2.92\ 0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13336G	61.48	74.00	-12.52	55.66	3	Vertical	4	1.67	21	33.90	6.77	34.85			
AV	5.13336G	47.77	54.00	-6.23	41.95	3	Vertical	4	1.67	21	33.90	6.77	34.85			
PK	5.27112G	122.22	Inf	-Inf	115.92	3	Vertical	4	1.67	21	34.18	6.99	34.87			
AV	5.2518G	109.67	Inf	-Inf	103.47	3	Vertical	4	1.67	21	34.11	6.96	34.87			
PK	5.35204G	71.54	74.00	-2.46	64.92	3	Vertical	4	1.67	21	34.40	7.10	34.88			
AV	5.35036G	53.75	54.00	-0.25	47.13	3	Vertical	4	1.67	21	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 21
21
1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	61.37	74.00	-12.63	55.44	3	Horizontal	360	1.84	21	33.98	6.80	34.85			
AV	5.14568G	48.04	54.00	-5.96	42.13	3	Horizontal	360	1.84	21	33.97	6.79	34.85			
PK	5.27196G	121.40	Inf	-Inf	115.09	3	Horizontal	360	1.84	21	34.19	6.99	34.87			
AV	5.25208G	108.92	Inf	-Inf	102.72	3	Horizontal	360	1.84	21	34.11	6.96	34.87			
PK	5.35176G	70.87	74.00	-3.13	64.25	3	Horizontal	360	1.84	21	34.40	7.10	34.88			
AV	5.3512G	52.70	54.00	-1.30	46.08	3	Horizontal	360	1.84	21	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
SET21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53906G	55.14	68.20	-13.06	41.40	3	Vertical	82	2.42	-	38.00	10.71	34.97			
PK	15.80817G	59.81	74.00	-14.19	42.84	3	Vertical	163	2.51	-	37.58	12.76	33.37			
AV	15.80753G	46.54	54.00	-7.46	29.57	3	Vertical	163	2.51	-	37.58	12.76	33.37			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54255G	54.55	68.20	-13.65	40.80	3	Horizontal	266	2.86	-	38.00	10.71	34.96			
PK	15.80943G	59.89	74.00	-14.11	42.92	3	Horizontal	322	2.05	-	37.58	12.76	33.37			
AV	15.81299G	46.52	54.00	-7.48	29.56	3	Horizontal	322	2.05	-	37.57	12.76	33.37			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 18
20\15.5\17.5\18.5\18
-4.49\5.02\1.73\0.31\0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30652G	118.45	Inf	-Inf	111.97	3	Vertical	352	1.93	18	34.31	7.04	34.87			
AV	5.3064G	105.14	Inf	-Inf	98.66	3	Vertical	352	1.93	18	34.31	7.04	34.87			
PK	5.35404G	66.87	74.00	-7.13	60.23	3	Vertical	352	1.93	18	34.41	7.11	34.88			
AV	5.35G	53.27	54.00	-0.73	46.65	3	Vertical	352	1.93	18	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 17.5
18\17\17.5
-0.97\1.53\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29284G	118.04	Inf	-Inf	111.62	3	Horizontal	356	1.69	17.5	34.27	7.02	34.87			
AV	5.29248G	104.98	Inf	-Inf	98.56	3	Horizontal	356	1.69	17.5	34.27	7.02	34.87			
PK	5.35344G	68.00	74.00	-6.00	61.37	3	Horizontal	356	1.69	17.5	34.41	7.10	34.88			
AV	5.3526G	53.75	54.00	-0.25	47.12	3	Horizontal	356	1.69	17.5	34.41	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61673G	54.94	74.00	-19.06	40.89	3	Vertical	10	1.76	-	38.20	10.75	34.90			
AV	10.61711G	41.65	54.00	-12.35	27.60	3	Vertical	10	1.76	-	38.20	10.75	34.90			
PK	15.92612G	60.10	74.00	-13.90	43.10	3	Vertical	343	2.99	-	37.50	12.80	33.30			
AV	15.92746G	46.98	54.00	-7.02	29.98	3	Vertical	343	2.99	-	37.50	12.80	33.30			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61706G	54.71	74.00	-19.29	40.66	3	Horizontal	273	2.42	-	38.20	10.75	34.90			
AV	10.61973G	41.66	54.00	-12.34	27.61	3	Horizontal	273	2.42	-	38.20	10.75	34.90			
PK	15.92597G	61.10	74.00	-12.90	44.10	3	Horizontal	198	2.10	-	37.50	12.80	33.30			
AV	15.9278G	46.98	54.00	-7.02	29.98	3	Horizontal	198	2.10	-	37.50	12.80	33.30			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_Y_4TX
SET 16
20\12\16\18\17\16.5\16
-16.18\5.86\0.65\5.51\1.73\0.66\0.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14696G	60.97	74.00	-13.03	55.04	3	Vertical	4	1.66	16	33.98	6.80	34.85			
AV	5.14984G	46.72	54.00	-7.28	40.77	3	Vertical	4	1.66	16	34.00	6.80	34.85			
PK	5.25224G	114.83	Inf	-Inf	108.63	3	Vertical	4	1.66	16	34.11	6.96	34.87			
AV	5.25224G	101.83	Inf	-Inf	95.63	3	Vertical	4	1.66	16	34.11	6.96	34.87			
PK	5.3588G	68.28	74.00	-5.72	61.63	3	Vertical	4	1.66	16	34.42	7.11	34.88			
AV	5.35048G	53.36	54.00	-0.64	46.74	3	Vertical	4	1.66	16	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_Y_4TX
SET 15.5
16\15\15.5
-0.62\1.38\0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14216G	60.08	74.00	-13.92	54.19	3	Horizontal	360	1.76	15.5	33.95	6.79	34.85			
AV	5.146G	46.64	54.00	-7.36	40.71	3	Horizontal	360	1.76	15.5	33.98	6.80	34.85			
PK	5.25288G	113.73	Inf	-Inf	107.53	3	Horizontal	360	1.76	15.5	34.11	6.96	34.87			
AV	5.25256G	100.54	Inf	-Inf	94.34	3	Horizontal	360	1.76	15.5	34.11	6.96	34.87			
PK	5.35176G	67.46	74.00	-6.54	60.84	3	Horizontal	360	1.76	15.5	34.40	7.10	34.88			
AV	5.35208G	53.39	54.00	-0.61	46.77	3	Horizontal	360	1.76	15.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX


5290MHz_TX

EUT Y_4TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57686G	54.96	68.20	-13.24	41.06	3	Vertical	156	1.46	-	38.11	10.73	34.94			
PK	15.86931G	59.86	74.00	-14.14	42.92	3	Vertical	71	1.37	-	37.50	12.78	33.34			
AV	15.87154G	46.76	54.00	-7.24	29.81	3	Vertical	71	1.37	-	37.50	12.78	33.33			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX


5290MHz_TX

EUT Y_4TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5762G	54.58	68.20	-13.62	40.69	3	Horizontal	211	1.65	-	38.10	10.73	34.94			
PK	15.87038G	59.54	74.00	-14.46	42.60	3	Horizontal	64	2.60	-	37.50	12.78	33.34			
AV	15.87203G	46.76	54.00	-7.24	29.81	3	Horizontal	64	2.60	-	37.50	12.78	33.33			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
SET 16
15.5\17\16.5\16
1.53\2.10\0.89\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14824G	68.38	74.00	-5.62	62.44	3	Vertical	350	1.80	16	33.99	6.80	34.85				
AV	5.148G	53.68	54.00	-0.32	47.74	3	Vertical	350	1.80	16	33.99	6.80	34.85				
PK	5.28672G	110.70	Inf	-Inf	104.31	3	Vertical	350	1.80	16	34.25	7.01	34.87				
AV	5.24712G	97.89	Inf	-Inf	91.70	3	Vertical	350	1.80	16	34.09	6.96	34.86				
PK	5.3676G	67.76	74.00	-6.24	61.08	3	Vertical	350	1.80	16	34.44	7.12	34.88				
AV	5.36712G	52.98	54.00	-1.02	46.31	3	Vertical	350	1.80	16	34.43	7.12	34.88				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 15.5
16\15.5
-0.15\0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	67.77	74.00	-6.23	61.86	3	Horizontal	360	1.80	15.5	33.97	6.79	34.85			
AV	5.14584G	53.05	54.00	-0.95	47.12	3	Horizontal	360	1.80	15.5	33.98	6.80	34.85			
PK	5.27232G	110.44	Inf	-Inf	104.13	3	Horizontal	360	1.80	15.5	34.19	6.99	34.87			
AV	5.23248G	97.16	Inf	-Inf	91.02	3	Horizontal	360	1.80	15.5	34.06	6.94	34.86			
PK	5.352G	66.89	74.00	-7.11	60.27	3	Horizontal	360	1.80	15.5	34.40	7.10	34.88			
AV	5.35176G	52.42	54.00	-1.58	45.80	3	Horizontal	360	1.80	15.5	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_4TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4982G	54.84	68.20	-13.36	41.15	3	Vertical	250	1.97	-	38.00	10.69	35.00			
PK	15.7501G	58.94	74.00	-15.06	41.70	3	Vertical	180	1.40	-	37.90	12.74	33.40			
AV	15.74736G	46.52	54.00	-7.48	29.28	3	Vertical	180	1.40	-	37.91	12.74	33.41			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT Y_4TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50369G	54.81	68.20	-13.39	41.12	3	Horizontal	123	2.07	-	38.00	10.69	35.00			
PK	15.75043G	59.47	74.00	-14.53	42.23	3	Horizontal	57	1.86	-	37.90	12.74	33.40			
AV	15.74779G	46.48	54.00	-7.52	29.25	3	Horizontal	57	1.86	-	37.90	12.74	33.41			




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.95	54.00	-0.05	3	Vertical	360	2.86	-

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1334G	58.85	74.00	-15.15	53.03	3	Vertical	345	1.95	-	33.90	6.77	34.85			
AV	5.143G	45.62	54.00	-8.38	39.72	3	Vertical	345	1.95	-	33.96	6.79	34.85			
PK	5.2666G	116.06	Inf	-Inf	109.78	3	Vertical	345	1.95	-	34.17	6.98	34.87			
AV	5.2666G	105.79	Inf	-Inf	99.51	3	Vertical	345	1.95	-	34.17	6.98	34.87			
PK	5.3746G	60.35	74.00	-13.65	53.65	3	Vertical	345	1.95	-	34.45	7.13	34.88			
AV	5.3752G	46.64	54.00	-7.36	39.93	3	Vertical	345	1.95	-	34.45	7.14	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	58.52	74.00	-15.48	52.62	3	Horizontal	26	1.25	-	33.96	6.79	34.85			
AV	5.1454G	45.48	54.00	-8.52	39.57	3	Horizontal	26	1.25	-	33.97	6.79	34.85			
PK	5.263G	115.39	Inf	-Inf	109.13	3	Horizontal	26	1.25	-	34.15	6.98	34.87			
AV	5.263G	105.01	Inf	-Inf	98.75	3	Horizontal	26	1.25	-	34.15	6.98	34.87			
PK	5.395G	61.05	74.00	-12.95	54.29	3	Horizontal	26	1.25	-	34.49	7.16	34.89			
AV	5.3776G	46.58	54.00	-7.42	39.86	3	Horizontal	26	1.25	-	34.46	7.14	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.7788G	56.11	74.00	-17.89	47.51	3	Vertical	329	1.04	-	37.73	12.75	41.88			
AV	15.78022G	42.13	54.00	-11.87	33.54	3	Vertical	329	1.04	-	37.72	12.75	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.78472G	55.54	74.00	-18.46	46.99	3	Horizontal	183	2.68	-	37.69	12.75	41.89			
AV	15.77646G	42.09	54.00	-11.91	33.48	3	Horizontal	183	2.68	-	37.74	12.75	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2932G	117.41	Inf	-Inf	110.99	3	Vertical	341	2.16	-	34.27	7.02	34.87			
AV	5.3028G	106.69	Inf	-Inf	100.22	3	Vertical	341	2.16	-	34.31	7.03	34.87			
PK	5.354G	68.41	74.00	-5.59	61.77	3	Vertical	341	2.16	-	34.41	7.11	34.88			
AV	5.35G	51.92	54.00	-2.08	45.30	3	Vertical	341	2.16	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3064G	115.50	Inf	-Inf	109.02	3	Horizontal	33	1.51	-	34.31	7.04	34.87			
AV	5.3064G	104.99	Inf	-Inf	98.51	3	Horizontal	33	1.51	-	34.31	7.04	34.87			
PK	5.3504G	67.21	74.00	-6.79	60.59	3	Horizontal	33	1.51	-	34.40	7.10	34.88			
AV	5.35G	51.29	54.00	-2.71	44.67	3	Horizontal	33	1.51	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.8963G	55.29	74.00	-18.71	47.11	3	Vertical	89	2.88	-	37.50	12.79	42.11			
AV	15.90106G	41.90	54.00	-12.10	33.73	3	Vertical	89	2.88	-	37.50	12.79	42.12			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.903G	55.89	74.00	-18.11	47.73	3	Horizontal	173	1.24	-	37.50	12.79	42.13			
AV	15.9016G	41.78	54.00	-12.22	33.62	3	Horizontal	173	1.24	-	37.50	12.79	42.13			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 21.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3134G	114.02	Inf	-Inf	107.51	3	Vertical	349	3.00	-	34.33	7.05	34.87			
AV	5.313G	103.26	Inf	-Inf	96.75	3	Vertical	349	3.00	-	34.33	7.05	34.87			
PK	5.353G	68.89	74.00	-5.11	62.26	3	Vertical	349	3.00	-	34.41	7.10	34.88			
AV	5.35G	52.04	54.00	-1.96	45.42	3	Vertical	349	3.00	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 21.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3134G	112.28	Inf	-Inf	105.77	3	Horizontal	31	1.40	-	34.33	7.05	34.87			
AV	5.3272G	102.01	Inf	-Inf	95.47	3	Horizontal	31	1.40	-	34.35	7.07	34.88			
PK	5.3528G	68.42	74.00	-5.58	61.79	3	Horizontal	31	1.40	-	34.41	7.10	34.88			
AV	5.35G	51.74	54.00	-2.26	45.12	3	Horizontal	31	1.40	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 21.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.95916G	54.66	74.00	-19.34	46.57	3	Vertical	190	2.98	-	37.52	12.81	42.24			
AV	15.95938G	41.38	54.00	-12.62	33.29	3	Vertical	190	2.98	-	37.52	12.81	42.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_V_1TX
Setting 21.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.95894G	55.37	74.00	-18.63	47.28	3	Horizontal	68	2.73	-	37.52	12.81	42.24			
AV	15.95946G	41.36	54.00	-12.64	33.27	3	Horizontal	68	2.73	-	37.52	12.81	42.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1466G	58.92	74.00	-15.08	52.99	3	Vertical	342	2.20	-	33.98	6.80	34.85			
AV	5.1478G	45.85	54.00	-8.15	39.91	3	Vertical	342	2.20	-	33.99	6.80	34.85			
PK	5.2648G	118.93	Inf	-Inf	112.66	3	Vertical	342	2.20	-	34.16	6.98	34.87			
AV	5.2546G	105.83	Inf	-Inf	99.61	3	Vertical	342	2.20	-	34.12	6.97	34.87			
PK	5.3578G	60.01	74.00	-13.99	53.36	3	Vertical	342	2.20	-	34.42	7.11	34.88			
AV	5.35G	46.88	54.00	-7.12	40.26	3	Vertical	342	2.20	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT Y_1TX
Setting 26
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	58.49	74.00	-15.51	52.56	3	Horizontal	27	1.18	-	33.98	6.80	34.85			
AV	5.1484G	45.60	54.00	-8.40	39.66	3	Horizontal	27	1.18	-	33.99	6.80	34.85			
PK	5.2588G	117.42	Inf	-Inf	111.18	3	Horizontal	27	1.18	-	34.14	6.97	34.87			
AV	5.2678G	104.68	Inf	-Inf	98.40	3	Horizontal	27	1.18	-	34.17	6.98	34.87			
PK	5.3908G	60.14	74.00	-13.86	53.38	3	Horizontal	27	1.18	-	34.48	7.16	34.88			
AV	5.374G	46.69	54.00	-7.31	39.99	3	Horizontal	27	1.18	-	34.45	7.13	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.7802G	55.97	74.00	-18.03	47.38	3	Vertical	13	1.81	-	37.72	12.75	41.88			
AV	15.7751G	42.36	54.00	-11.64	33.73	3	Vertical	13	1.81	-	37.75	12.75	41.87			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_V_1TX
Setting 26
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.7753G	56.68	74.00	-17.32	48.06	3	Horizontal	280	1.51	-	37.75	12.75	41.88			
AV	15.78086G	42.31	54.00	-11.69	33.74	3	Horizontal	280	1.51	-	37.71	12.75	41.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 25
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3048G	118.51	Inf	-Inf	112.03	3	Vertical	360	2.86	-	34.31	7.04	34.87			
AV	5.3088G	106.11	Inf	-Inf	99.62	3	Vertical	360	2.86	-	34.32	7.04	34.87			
PK	5.35G	71.39	74.00	-2.61	64.77	3	Vertical	360	2.86	-	34.40	7.10	34.88			
AV	5.35G	53.95	54.00	-0.05	47.33	3	Vertical	360	2.86	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 25
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.304G	117.12	Inf	-Inf	110.64	3	Horizontal	29	1.47	-	34.31	7.04	34.87			
AV	5.3076G	104.20	Inf	-Inf	97.71	3	Horizontal	29	1.47	-	34.32	7.04	34.87			
PK	5.3532G	73.40	74.00	-0.60	66.77	3	Horizontal	29	1.47	-	34.41	7.10	34.88			
AV	5.35G	53.55	54.00	-0.45	46.93	3	Horizontal	29	1.47	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_V_1TX
Setting 25
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.89736G	55.42	74.00	-18.58	47.25	3	Vertical	62	1.77	-	37.50	12.79	42.12			
AV	15.8955G	42.00	54.00	-12.00	33.82	3	Vertical	62	1.77	-	37.50	12.79	42.11			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 25
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.9012G	55.89	74.00	-18.11	47.72	3	Horizontal	125	1.57	-	37.50	12.79	42.12			
AV	15.90214G	42.10	54.00	-11.90	33.94	3	Horizontal	125	1.57	-	37.50	12.79	42.13			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 21
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3168G	115.66	Inf	-Inf	109.15	3	Vertical	350	3.00	-	34.33	7.05	34.87			
AV	5.3128G	102.71	Inf	-Inf	96.20	3	Vertical	350	3.00	-	34.33	7.05	34.87			
PK	5.3526G	67.31	74.00	-6.69	60.68	3	Vertical	350	3.00	-	34.41	7.10	34.88			
AV	5.3502G	52.21	54.00	-1.79	45.59	3	Vertical	350	3.00	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 21
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3268G	114.40	Inf	-Inf	107.86	3	Horizontal	29	1.39	-	34.35	7.07	34.88			
AV	5.3282G	101.25	Inf	-Inf	94.70	3	Horizontal	29	1.39	-	34.36	7.07	34.88			
PK	5.3562G	67.47	74.00	-6.53	60.83	3	Horizontal	29	1.39	-	34.41	7.11	34.88			
AV	5.35G	51.81	54.00	-2.19	45.19	3	Horizontal	29	1.39	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_V_1TX
Setting 21
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.9599G	55.60	74.00	-18.40	47.51	3	Vertical	346	2.55	-	37.52	12.81	42.24			
AV	15.9587G	41.50	54.00	-12.50	33.41	3	Vertical	346	2.55	-	37.52	12.81	42.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_V_1TX
Setting 21
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.9624G	55.46	74.00	-18.54	47.38	3	Horizontal	115	2.61	-	37.52	12.81	42.25			
AV	15.95564G	41.64	54.00	-12.36	33.55	3	Horizontal	115	2.61	-	37.51	12.81	42.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 23.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	59.65	74.00	-14.35	53.72	3	Vertical	342	2.12	-	33.98	6.80	34.85			
AV	5.1494G	46.67	54.00	-7.33	40.72	3	Vertical	342	2.12	-	34.00	6.80	34.85			
PK	5.2586G	115.43	Inf	-Inf	109.20	3	Vertical	342	2.12	-	34.13	6.97	34.87			
AV	5.2874G	102.59	Inf	-Inf	96.20	3	Vertical	342	2.12	-	34.25	7.01	34.87			
PK	5.3516G	69.24	74.00	-4.76	62.62	3	Vertical	342	2.12	-	34.40	7.10	34.88			
AV	5.35G	53.40	54.00	-0.60	46.78	3	Vertical	342	2.12	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Y_1TX
Setting 23.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	59.31	74.00	-14.69	53.37	3	Horizontal	28	1.24	-	33.99	6.80	34.85			
AV	5.15G	46.51	54.00	-7.49	40.56	3	Horizontal	28	1.24	-	34.00	6.80	34.85			
PK	5.2658G	113.24	Inf	-Inf	106.97	3	Horizontal	28	1.24	-	34.16	6.98	34.87			
AV	5.255G	100.71	Inf	-Inf	94.49	3	Horizontal	28	1.24	-	34.12	6.97	34.87			
PK	5.3516G	68.42	74.00	-5.58	61.80	3	Horizontal	28	1.24	-	34.40	7.10	34.88			
AV	5.35G	52.26	54.00	-1.74	45.64	3	Horizontal	28	1.24	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_V_1TX
Setting 23.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.80636G	55.87	74.00	-18.13	47.46	3	Vertical	81	1.23	-	37.59	12.76	41.94			
AV	15.8122G	42.19	54.00	-11.81	33.80	3	Vertical	81	1.23	-	37.58	12.76	41.95			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 23.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.80812G	56.24	74.00	-17.76	47.84	3	Horizontal	353	2.93	-	37.58	12.76	41.94			
AV	15.80564G	42.21	54.00	-11.79	33.80	3	Horizontal	353	2.93	-	37.59	12.76	41.94			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
Setting 21
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3272G	112.56	Inf	-Inf	106.02	3	Vertical	351	3.00	-	34.35	7.07	34.88			
AV	5.3144G	99.69	Inf	-Inf	93.18	3	Vertical	351	3.00	-	34.33	7.05	34.87			
PK	5.3572G	69.05	74.00	-4.95	62.41	3	Vertical	351	3.00	-	34.41	7.11	34.88			
AV	5.35G	53.11	54.00	-0.89	46.49	3	Vertical	351	3.00	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
Setting 21
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3264G	112.17	Inf	-Inf	105.63	3	Horizontal	30	1.39	-	34.35	7.07	34.88			
AV	5.3276G	98.37	Inf	-Inf	91.82	3	Horizontal	30	1.39	-	34.36	7.07	34.88			
PK	5.3588G	70.13	74.00	-3.87	63.48	3	Horizontal	30	1.39	-	34.42	7.11	34.88			
AV	5.35G	52.69	54.00	-1.31	46.07	3	Horizontal	30	1.39	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_V_1TX
Setting 21
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.92654G	55.92	74.00	-18.08	47.79	3	Vertical	295	1.83	-	37.50	12.80	42.17			
AV	15.92584G	42.02	54.00	-11.98	33.89	3	Vertical	295	1.83	-	37.50	12.80	42.17			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_V_1TX
Setting 21
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.92638G	55.76	74.00	-18.24	47.63	3	Horizontal	189	2.20	-	37.50	12.80	42.17			
AV	15.9259G	42.00	54.00	-12.00	33.87	3	Horizontal	189	2.20	-	37.50	12.80	42.17			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_Y_1TX
Setting 19.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	58.88	74.00	-15.12	53.07	3	Vertical	348	3.00	-	33.89	6.77	34.85			
AV	5.138G	46.06	54.00	-7.94	40.20	3	Vertical	348	3.00	-	33.93	6.78	34.85			
PK	5.3188G	108.60	Inf	-Inf	102.07	3	Vertical	348	3.00	-	34.34	7.06	34.87			
AV	5.3148G	95.60	Inf	-Inf	89.09	3	Vertical	348	3.00	-	34.33	7.05	34.87			
PK	5.3708G	68.70	74.00	-5.30	62.01	3	Vertical	348	3.00	-	34.44	7.13	34.88			
AV	5.3604G	51.52	54.00	-2.48	44.87	3	Vertical	348	3.00	-	34.42	7.11	34.88			
PK	5.462G	59.31	68.20	-8.89	52.43	3	Vertical	348	3.00	-	34.52	7.25	34.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_Y_1TX
Setting 19.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1348G	59.30	74.00	-14.70	53.46	3	Horizontal	31	1.49	-	33.91	6.78	34.85			
AV	5.146G	46.16	54.00	-7.84	40.23	3	Horizontal	31	1.49	-	33.98	6.80	34.85			
PK	5.3164G	107.77	Inf	-Inf	101.26	3	Horizontal	31	1.49	-	34.33	7.05	34.87			
AV	5.3284G	94.18	Inf	-Inf	87.63	3	Horizontal	31	1.49	-	34.36	7.07	34.88			
PK	5.35G	68.17	74.00	-5.83	61.55	3	Horizontal	31	1.49	-	34.40	7.10	34.88			
AV	5.358G	51.43	54.00	-2.57	44.78	3	Horizontal	31	1.49	-	34.42	7.11	34.88			
PK	5.4716G	60.24	68.20	-7.96	53.33	3	Horizontal	31	1.49	-	34.54	7.27	34.90			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT Y_1TX
Setting 19.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.86572G	55.59	74.00	-18.41	47.36	3	Vertical	117	2.26	-	37.50	12.78	42.05			
AV	15.87096G	42.05	54.00	-11.95	33.83	3	Vertical	117	2.26	-	37.50	12.78	42.06			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX


5290MHz_TX

EUT_Y_1TX
Setting 19.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.86734G	55.90	74.00	-18.10	47.68	3	Horizontal	25	2.66	-	37.50	12.78	42.06			
AV	15.86544G	41.96	54.00	-12.04	33.73	3	Horizontal	25	2.66	-	37.50	12.78	42.05			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 18.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1156G	63.02	74.00	-10.98	57.34	3	Vertical	348	3.00	-	33.79	6.74	34.85			
AV	5.1396G	49.06	54.00	-4.94	43.19	3	Vertical	348	3.00	-	33.94	6.78	34.85			
PK	5.3188G	104.89	Inf	-Inf	98.36	3	Vertical	348	3.00	-	34.34	7.06	34.87			
AV	5.314G	91.95	Inf	-Inf	85.44	3	Vertical	348	3.00	-	34.33	7.05	34.87			
PK	5.4068G	72.15	74.00	-1.85	65.36	3	Vertical	348	3.00	-	34.50	7.18	34.89			
AV	5.3972G	51.07	54.00	-2.93	44.30	3	Vertical	348	3.00	-	34.49	7.17	34.89			
PK	5.4868G	65.04	68.20	-3.16	58.08	3	Vertical	348	3.00	-	34.57	7.29	34.90			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 18.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	64.12	74.00	-9.88	58.39	3	Horizontal	3	2.76	-	33.83	6.75	34.85			
AV	5.1492G	48.67	54.00	-5.33	42.72	3	Horizontal	3	2.76	-	34.00	6.80	34.85			
PK	5.3236G	104.26	Inf	-Inf	97.73	3	Horizontal	3	2.76	-	34.35	7.06	34.88			
AV	5.3284G	91.22	Inf	-Inf	84.67	3	Horizontal	3	2.76	-	34.36	7.07	34.88			
PK	5.4036G	71.47	74.00	-2.53	64.69	3	Horizontal	3	2.76	-	34.50	7.17	34.89			
AV	5.4068G	51.50	54.00	-2.50	44.71	3	Horizontal	3	2.76	-	34.50	7.18	34.89			
PK	5.4868G	66.93	68.20	-1.27	59.97	3	Horizontal	3	2.76	-	34.57	7.29	34.90			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_1TX
Setting 18.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.74646G	56.45	74.00	-17.55	47.62	3	Vertical	4	2.26	-	37.91	12.74	41.82			
AV	15.75258G	42.51	54.00	-11.49	33.72	3	Vertical	4	2.26	-	37.88	12.74	41.83			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_1TX
Setting 18.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.75392G	55.99	74.00	-18.01	47.20	3	Horizontal	131	1.97	-	37.88	12.74	41.83			
AV	15.74552G	42.60	54.00	-11.40	33.77	3	Horizontal	131	1.97	-	37.91	12.74	41.82			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
Setting 26
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	60.18	74.00	-13.82	54.24	3	Vertical	353	2.02	-	33.99	6.80	34.85			
AV	5.1388G	47.03	54.00	-6.97	41.17	3	Vertical	353	2.02	-	33.93	6.78	34.85			
PK	5.2636G	121.11	Inf	-Inf	114.85	3	Vertical	353	2.02	-	34.15	6.98	34.87			
AV	5.2642G	110.42	Inf	-Inf	104.15	3	Vertical	353	2.02	-	34.16	6.98	34.87			
PK	5.3746G	60.36	74.00	-13.64	53.66	3	Vertical	353	2.02	-	34.45	7.13	34.88			
AV	5.3788G	47.77	54.00	-6.23	41.05	3	Vertical	353	2.02	-	34.46	7.14	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	59.95	74.00	-14.05	54.08	3	Horizontal	357	2.20	-	33.94	6.78	34.85			
AV	5.1412G	46.89	54.00	-7.11	41.00	3	Horizontal	357	2.20	-	33.95	6.79	34.85			
PK	5.2666G	120.10	Inf	-Inf	113.82	3	Horizontal	357	2.20	-	34.17	6.98	34.87			
AV	5.2666G	109.70	Inf	-Inf	103.42	3	Horizontal	357	2.20	-	34.17	6.98	34.87			
PK	5.3782G	61.26	74.00	-12.74	54.54	3	Horizontal	357	2.20	-	34.46	7.14	34.88			
AV	5.377G	48.30	54.00	-5.70	41.59	3	Horizontal	357	2.20	-	34.45	7.14	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.78248G	56.04	74.00	-17.96	47.47	3	Vertical	163	2.84	-	37.71	12.75	41.89			
AV	15.77662G	41.93	54.00	-12.07	33.32	3	Vertical	163	2.84	-	37.74	12.75	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.77774G	56.38	74.00	-17.62	47.78	3	Horizontal	159	2.06	-	37.73	12.75	41.88			
AV	15.77796G	41.92	54.00	-12.08	33.32	3	Horizontal	159	2.06	-	37.73	12.75	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 24.5
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.304G	121.36	Inf	-Inf	114.88	3	Vertical	359	1.63	-	34.31	7.04	34.87			
AV	5.304G	110.96	Inf	-Inf	104.48	3	Vertical	359	1.63	-	34.31	7.04	34.87			
PK	5.3508G	69.48	74.00	-4.52	62.86	3	Vertical	359	1.63	-	34.40	7.10	34.88			
AV	5.35G	53.49	54.00	-0.51	46.87	3	Vertical	359	1.63	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 24.5
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3064G	121.13	Inf	-Inf	114.65	3	Horizontal	359	2.11	-	34.31	7.04	34.87			
AV	5.3068G	110.69	Inf	-Inf	104.21	3	Horizontal	359	2.11	-	34.31	7.04	34.87			
PK	5.3516G	67.99	74.00	-6.01	61.37	3	Horizontal	359	2.11	-	34.40	7.10	34.88			
AV	5.3516G	52.48	54.00	-1.52	45.86	3	Horizontal	359	2.11	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 24.5
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.90476G	56.12	74.00	-17.88	47.96	3	Vertical	76	2.07	-	37.50	12.79	42.13			
AV	15.90434G	41.65	54.00	-12.35	33.49	3	Vertical	76	2.07	-	37.50	12.79	42.13			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 24.5
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.9011G	55.40	74.00	-18.60	47.23	3	Horizontal	74	2.52	-	37.50	12.79	42.12			
AV	15.90194G	41.63	54.00	-12.37	33.47	3	Horizontal	74	2.52	-	37.50	12.79	42.13			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20.5
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3242G	118.32	Inf	-Inf	111.79	3	Vertical	0	1.52	-	34.35	7.06	34.88			
AV	5.3242G	107.65	Inf	-Inf	101.12	3	Vertical	0	1.52	-	34.35	7.06	34.88			
PK	5.35G	68.52	74.00	-5.48	61.90	3	Vertical	0	1.52	-	34.40	7.10	34.88			
AV	5.35G	53.02	54.00	-0.98	46.40	3	Vertical	0	1.52	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20.5
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3268G	117.25	Inf	-Inf	110.71	3	Horizontal	0	2.46	-	34.35	7.07	34.88			
AV	5.3266G	106.93	Inf	-Inf	100.39	3	Horizontal	0	2.46	-	34.35	7.07	34.88			
PK	5.3612G	63.87	74.00	-10.13	57.21	3	Horizontal	0	2.46	-	34.42	7.12	34.88			
AV	5.351G	48.80	54.00	-5.20	42.18	3	Horizontal	0	2.46	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20.5
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.95914G	54.98	74.00	-19.02	46.89	3	Vertical	25	2.36	-	37.52	12.81	42.24			
AV	15.96076G	41.20	54.00	-12.80	33.11	3	Vertical	25	2.36	-	37.52	12.81	42.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20.5
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.9617G	55.98	74.00	-18.02	47.89	3	Horizontal	108	2.93	-	37.52	12.81	42.24			
AV	15.95962G	41.22	54.00	-12.78	33.13	3	Horizontal	108	2.93	-	37.52	12.81	42.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.137G	60.93	74.00	-13.07	55.08	3	Vertical	355	2.19	-	33.92	6.78	34.85			
AV	5.1364G	47.04	54.00	-6.96	41.19	3	Vertical	355	2.19	-	33.92	6.78	34.85			
PK	5.2552G	122.99	Inf	-Inf	116.77	3	Vertical	355	2.19	-	34.12	6.97	34.87			
AV	5.2546G	110.77	Inf	-Inf	104.55	3	Vertical	355	2.19	-	34.12	6.97	34.87			
PK	5.3536G	61.27	74.00	-12.73	54.63	3	Vertical	355	2.19	-	34.41	7.11	34.88			
AV	5.3758G	48.05	54.00	-5.95	41.34	3	Vertical	355	2.19	-	34.45	7.14	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1466G	59.38	74.00	-14.62	53.45	3	Horizontal	2	2.10	-	33.98	6.80	34.85			
AV	5.1442G	46.81	54.00	-7.19	40.90	3	Horizontal	2	2.10	-	33.97	6.79	34.85			
PK	5.2654G	122.49	Inf	-Inf	116.22	3	Horizontal	2	2.10	-	34.16	6.98	34.87			
AV	5.2654G	109.82	Inf	-Inf	103.55	3	Horizontal	2	2.10	-	34.16	6.98	34.87			
PK	5.3506G	60.86	74.00	-13.14	54.24	3	Horizontal	2	2.10	-	34.40	7.10	34.88			
AV	5.3854G	47.88	54.00	-6.12	41.14	3	Horizontal	2	2.10	-	34.47	7.15	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.77678G	55.83	74.00	-18.17	47.22	3	Vertical	114	1.34	-	37.74	12.75	41.88			
AV	15.77566G	42.43	54.00	-11.57	33.81	3	Vertical	114	1.34	-	37.75	12.75	41.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.77604G	56.66	74.00	-17.34	48.05	3	Horizontal	143	2.40	-	37.74	12.75	41.88			
AV	15.7785G	42.34	54.00	-11.66	33.74	3	Horizontal	143	2.40	-	37.73	12.75	41.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2968G	123.28	Inf	-Inf	116.83	3	Vertical	2	1.70	-	34.29	7.03	34.87			
AV	5.2976G	109.60	Inf	-Inf	103.15	3	Vertical	2	1.70	-	34.29	7.03	34.87			
PK	5.3548G	69.65	74.00	-4.35	63.01	3	Vertical	2	1.70	-	34.41	7.11	34.88			
AV	5.352G	51.48	54.00	-2.52	44.86	3	Vertical	2	1.70	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3072G	122.11	Inf	-Inf	115.63	3	Horizontal	360	2.14	-	34.31	7.04	34.87			
AV	5.3064G	109.45	Inf	-Inf	102.97	3	Horizontal	360	2.14	-	34.31	7.04	34.87			
PK	5.35G	71.22	74.00	-2.78	64.60	3	Horizontal	360	2.14	-	34.40	7.10	34.88			
AV	5.35G	53.49	54.00	-0.51	46.87	3	Horizontal	360	2.14	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.89504G	55.17	74.00	-18.83	46.99	3	Vertical	331	1.77	-	37.50	12.79	42.11			
AV	15.89576G	42.09	54.00	-11.91	33.91	3	Vertical	331	1.77	-	37.50	12.79	42.11			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.90024G	56.18	74.00	-17.82	48.01	3	Horizontal	100	1.94	-	37.50	12.79	42.12			
AV	15.89712G	42.06	54.00	-11.94	33.89	3	Horizontal	100	1.94	-	37.50	12.79	42.12			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3164G	119.26	Inf	-Inf	112.75	3	Vertical	0	1.58	-	34.33	7.05	34.87			
AV	5.3156G	106.89	Inf	-Inf	100.38	3	Vertical	0	1.58	-	34.33	7.05	34.87			
PK	5.35G	66.15	74.00	-7.85	59.53	3	Vertical	0	1.58	-	34.40	7.10	34.88			
AV	5.35G	50.50	54.00	-3.50	43.88	3	Vertical	0	1.58	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3288G	119.40	Inf	-Inf	112.85	3	Horizontal	360	2.09	-	34.36	7.07	34.88			
AV	5.3272G	106.90	Inf	-Inf	100.36	3	Horizontal	360	2.09	-	34.35	7.07	34.88			
PK	5.35G	66.81	74.00	-7.19	60.19	3	Horizontal	360	2.09	-	34.40	7.10	34.88			
AV	5.3504G	50.86	54.00	-3.14	44.24	3	Horizontal	360	2.09	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.96072G	55.95	74.00	-18.05	47.86	3	Vertical	14	1.81	-	37.52	12.81	42.24			
AV	15.96168G	41.55	54.00	-12.45	33.46	3	Vertical	14	1.81	-	37.52	12.81	42.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.956G	55.04	74.00	-18.96	46.95	3	Horizontal	209	1.81	-	37.51	12.81	42.23			
AV	15.95506G	41.54	54.00	-12.46	33.45	3	Horizontal	209	1.81	-	37.51	12.81	42.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 23
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	61.54	74.00	-12.46	55.62	3	Vertical	2	1.64	-	33.97	6.80	34.85			
AV	5.1482G	47.75	54.00	-6.25	41.81	3	Vertical	2	1.64	-	33.99	6.80	34.85			
PK	5.2682G	119.05	Inf	-Inf	112.76	3	Vertical	2	1.64	-	34.17	6.99	34.87			
AV	5.2688G	106.61	Inf	-Inf	100.22	3	Vertical	2	1.64	-	34.25	7.01	34.87			
PK	5.35G	72.58	74.00	-1.42	65.96	3	Vertical	2	1.64	-	34.40	7.10	34.88			
AV	5.35G	53.68	54.00	-0.32	47.06	3	Vertical	2	1.64	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 23
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1434G	59.51	74.00	-14.49	53.61	3	Horizontal	360	2.79	-	33.96	6.79	34.85			
AV	5.138G	46.30	54.00	-7.70	40.44	3	Horizontal	360	2.79	-	33.93	6.78	34.85			
PK	5.2742G	118.82	Inf	-Inf	112.50	3	Horizontal	360	2.79	-	34.20	6.99	34.87			
AV	5.2568G	105.33	Inf	-Inf	99.10	3	Horizontal	360	2.79	-	34.13	6.97	34.87			
PK	5.3546G	69.06	74.00	-4.94	62.42	3	Horizontal	360	2.79	-	34.41	7.11	34.88			
AV	5.354G	52.41	54.00	-1.59	45.77	3	Horizontal	360	2.79	-	34.41	7.11	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 23
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.80648G	55.92	74.00	-18.08	47.51	3	Vertical	293	2.66	-	37.59	12.76	41.94			
AV	15.80872G	42.27	54.00	-11.73	33.87	3	Vertical	293	2.66	-	37.58	12.76	41.94			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 23
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.81284G	55.99	74.00	-18.01	47.61	3	Horizontal	341	1.70	-	37.57	12.76	41.95			
AV	15.81134G	42.19	54.00	-11.81	33.80	3	Horizontal	341	1.70	-	37.58	12.76	41.95			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 20
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3248G	117.68	Inf	-Inf	111.15	3	Vertical	3	1.53	-	34.35	7.06	34.88			
AV	5.328G	104.52	Inf	-Inf	97.97	3	Vertical	3	1.53	-	34.36	7.07	34.88			
PK	5.3556G	70.73	74.00	-3.27	64.09	3	Vertical	3	1.53	-	34.41	7.11	34.88			
AV	5.35G	53.86	54.00	-0.14	47.24	3	Vertical	3	1.53	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 20
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3176G	115.74	Inf	-Inf	109.22	3	Horizontal	353	2.13	-	34.34	7.05	34.87			
AV	5.3164G	103.28	Inf	-Inf	96.77	3	Horizontal	353	2.13	-	34.33	7.05	34.87			
PK	5.3608G	69.09	74.00	-4.91	62.43	3	Horizontal	353	2.13	-	34.42	7.12	34.88			
AV	5.3548G	51.21	54.00	-2.79	44.57	3	Horizontal	353	2.13	-	34.41	7.11	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 20
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.92758G	55.35	74.00	-18.65	47.23	3	Vertical	145	1.56	-	37.50	12.80	42.18			
AV	15.93076G	41.97	54.00	-12.03	33.85	3	Vertical	145	1.56	-	37.50	12.80	42.18			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 20
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.92826G	55.31	74.00	-18.69	47.19	3	Horizontal	343	1.64	-	37.50	12.80	42.18			
AV	15.92918G	41.93	54.00	-12.07	33.81	3	Horizontal	343	1.64	-	37.50	12.80	42.18			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.118G	59.03	74.00	-14.97	53.32	3	Vertical	0	1.51	-	33.81	6.75	34.85			
AV	5.147G	46.04	54.00	-7.96	40.11	3	Vertical	0	1.51	-	33.98	6.80	34.85			
PK	5.323G	112.02	Inf	-Inf	105.49	3	Vertical	0	1.51	-	34.35	7.06	34.88			
AV	5.325G	99.75	Inf	-Inf	93.22	3	Vertical	0	1.51	-	34.35	7.06	34.88			
PK	5.368G	66.90	74.00	-7.10	60.21	3	Vertical	0	1.51	-	34.44	7.13	34.88			
AV	5.367G	52.60	54.00	-1.40	45.93	3	Vertical	0	1.51	-	34.43	7.12	34.88			
PK	5.514G	60.40	68.20	-7.80	53.45	3	Vertical	0	1.51	-	34.54	7.32	34.91			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	58.47	74.00	-15.53	52.58	3	Horizontal	355	2.11	-	33.95	6.79	34.85			
AV	5.15G	45.84	54.00	-8.16	39.89	3	Horizontal	355	2.11	-	34.00	6.80	34.85			
PK	5.297G	111.31	Inf	-Inf	104.86	3	Horizontal	355	2.11	-	34.29	7.03	34.87			
AV	5.316G	98.92	Inf	-Inf	92.41	3	Horizontal	355	2.11	-	34.33	7.05	34.87			
PK	5.359G	68.38	74.00	-5.62	61.73	3	Horizontal	355	2.11	-	34.42	7.11	34.88			
AV	5.357G	52.87	54.00	-1.13	46.23	3	Horizontal	355	2.11	-	34.41	7.11	34.88			
PK	5.478G	60.20	68.20	-8.00	53.26	3	Horizontal	355	2.11	-	34.56	7.28	34.90			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.87482G	55.10	74.00	-18.90	46.89	3	Vertical	26	1.29	-	37.50	12.78	42.07			
AV	15.86928G	42.08	54.00	-11.92	33.86	3	Vertical	26	1.29	-	37.50	12.78	42.06			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.87202G	55.63	74.00	-18.37	47.42	3	Horizontal	150	1.01	-	37.50	12.78	42.07			
AV	15.86982G	42.06	54.00	-11.94	33.84	3	Horizontal	150	1.01	-	37.50	12.78	42.06			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 17
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	65.88	74.00	-8.12	59.98	3	Vertical	354	2.04	-	33.96	6.79	34.85			
AV	5.1444G	52.97	54.00	-1.03	47.06	3	Vertical	354	2.04	-	33.97	6.79	34.85			
PK	5.2036G	107.65	Inf	-Inf	101.60	3	Vertical	354	2.04	-	34.01	6.90	34.86			
AV	5.186G	95.97	Inf	-Inf	89.96	3	Vertical	354	2.04	-	34.00	6.87	34.86			
PK	5.4004G	69.19	74.00	-4.81	62.41	3	Vertical	354	2.04	-	34.50	7.17	34.89			
AV	5.35G	53.55	54.00	-0.45	46.93	3	Vertical	354	2.04	-	34.40	7.10	34.88			
PK	5.4612G	63.20	68.20	-5.00	56.32	3	Vertical	354	2.04	-	34.52	7.25	34.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 17
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1316G	64.53	74.00	-9.47	58.72	3	Horizontal	357	2.09	-	33.89	6.77	34.85			
AV	5.1348G	51.92	54.00	-2.08	46.08	3	Horizontal	357	2.09	-	33.91	6.78	34.85			
PK	5.3172G	107.77	Inf	-Inf	101.26	3	Horizontal	357	2.09	-	34.33	7.05	34.87			
AV	5.3172G	95.86	Inf	-Inf	89.35	3	Horizontal	357	2.09	-	34.33	7.05	34.87			
PK	5.3972G	69.48	74.00	-4.52	62.71	3	Horizontal	357	2.09	-	34.49	7.17	34.89			
AV	5.3972G	53.75	54.00	-0.25	46.98	3	Horizontal	357	2.09	-	34.49	7.17	34.89			
PK	5.4868G	63.63	68.20	-4.57	56.67	3	Horizontal	357	2.09	-	34.57	7.29	34.90			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 17
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.7503G	56.26	74.00	-17.74	47.45	3	Vertical	183	2.28	-	37.90	12.74	41.83			
AV	15.74604G	42.16	54.00	-11.84	33.33	3	Vertical	183	2.28	-	37.91	12.74	41.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 17
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.75356G	56.86	74.00	-17.14	48.07	3	Horizontal	347	2.59	-	37.88	12.74	41.83			
AV	15.74616G	42.19	54.00	-11.81	33.36	3	Horizontal	347	2.59	-	37.91	12.74	41.82			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	61.55	74.00	-12.45	55.62	3	Vertical	6	1.75	-	33.98	6.80	34.85			
AV	5.1472G	49.32	54.00	-4.68	43.39	3	Vertical	6	1.75	-	33.98	6.80	34.85			
PK	5.2528G	124.20	Inf	-Inf	118.00	3	Vertical	6	1.75	-	34.11	6.96	34.87			
AV	5.2528G	113.86	Inf	-Inf	107.66	3	Vertical	6	1.75	-	34.11	6.96	34.87			
PK	5.3712G	62.28	74.00	-11.72	55.59	3	Vertical	6	1.75	-	34.44	7.13	34.88			
AV	5.3832G	49.38	54.00	-4.62	42.64	3	Vertical	6	1.75	-	34.47	7.15	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1336G	61.68	74.00	-12.32	55.86	3	Horizontal	355	1.98	-	33.90	6.77	34.85			
AV	5.1368G	49.17	54.00	-4.83	43.32	3	Horizontal	355	1.98	-	33.92	6.78	34.85			
PK	5.2632G	124.90	Inf	-Inf	118.64	3	Horizontal	355	1.98	-	34.15	6.98	34.87			
AV	5.2624G	114.55	Inf	-Inf	108.29	3	Horizontal	355	1.98	-	34.15	6.98	34.87			
PK	5.3768G	63.29	74.00	-10.71	56.58	3	Horizontal	355	1.98	-	34.45	7.14	34.88			
AV	5.3776G	50.71	54.00	-3.29	43.99	3	Horizontal	355	1.98	-	34.46	7.14	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.77914G	55.76	74.00	-18.24	47.16	3	Vertical	333	1.39	-	37.73	12.75	41.88			
AV	15.77544G	42.14	54.00	-11.86	33.52	3	Vertical	333	1.39	-	37.75	12.75	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.78088G	56.40	74.00	-17.60	47.83	3	Horizontal	147	2.07	-	37.71	12.75	41.89			
AV	15.77872G	42.16	54.00	-11.84	33.56	3	Horizontal	147	2.07	-	37.73	12.75	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT X_4TX
Setting 23.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2928G	123.37	Inf	-Inf	116.95	3	Vertical	8	1.72	-	34.27	7.02	34.87			
AV	5.2928G	113.17	Inf	-Inf	106.75	3	Vertical	8	1.72	-	34.27	7.02	34.87			
PK	5.3516G	69.29	74.00	-4.71	62.67	3	Vertical	8	1.72	-	34.40	7.10	34.88			
AV	5.3512G	52.67	54.00	-1.33	46.05	3	Vertical	8	1.72	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT X_4TX
Setting 23.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3032G	124.92	Inf	-Inf	118.45	3	Horizontal	354	1.80	-	34.31	7.03	34.87			
AV	5.3028G	114.56	Inf	-Inf	108.09	3	Horizontal	354	1.80	-	34.31	7.03	34.87			
PK	5.35G	71.04	74.00	-2.96	64.42	3	Horizontal	354	1.80	-	34.40	7.10	34.88			
AV	5.35G	53.00	54.00	-1.00	46.38	3	Horizontal	354	1.80	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
Setting 23.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.90126G	56.07	74.00	-17.93	47.90	3	Vertical	169	1.56	-	37.50	12.79	42.12			
AV	15.90294G	41.82	54.00	-12.18	33.66	3	Vertical	169	1.56	-	37.50	12.79	42.13			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_X_4TX
Setting 23.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.90092G	55.14	74.00	-18.86	46.97	3	Horizontal	123	2.14	-	37.50	12.79	42.12			
AV	15.89632G	41.88	54.00	-12.12	33.70	3	Horizontal	123	2.14	-	37.50	12.79	42.11			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT X_4TX
Setting 20
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3124G	120.45	Inf	-Inf	113.95	3	Vertical	8	1.80	-	34.32	7.05	34.87			
AV	5.3128G	111.63	Inf	-Inf	105.12	3	Vertical	8	1.80	-	34.33	7.05	34.87			
PK	5.3524G	66.99	74.00	-7.01	60.37	3	Vertical	8	1.80	-	34.40	7.10	34.88			
AV	5.3504G	53.56	54.00	-0.44	46.94	3	Vertical	8	1.80	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT X_4TX
Setting 20
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3232G	121.63	Inf	-Inf	115.10	3	Horizontal	356	1.83	-	34.35	7.06	34.88			
AV	5.3232G	112.39	Inf	-Inf	105.86	3	Horizontal	356	1.83	-	34.35	7.06	34.88			
PK	5.3504G	66.69	74.00	-7.31	60.07	3	Horizontal	356	1.83	-	34.40	7.10	34.88			
AV	5.35G	53.61	54.00	-0.39	46.99	3	Horizontal	356	1.83	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
Setting 20
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.95754G	54.81	74.00	-19.19	46.72	3	Vertical	253	1.28	-	37.52	12.81	42.24			
AV	15.95752G	42.92	54.00	-11.08	34.83	3	Vertical	253	1.28	-	37.52	12.81	42.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_X_4TX
Setting 20
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.95836G	55.96	74.00	-18.04	47.87	3	Horizontal	291	1.13	-	37.52	12.81	42.24			
AV	15.96224G	42.97	54.00	-11.03	34.89	3	Horizontal	291	1.13	-	37.52	12.81	42.25			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
Setting 26
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	61.11	74.00	-12.89	55.17	3	Vertical	9	1.97	-	33.99	6.80	34.85			
AV	5.1464G	48.43	54.00	-5.57	42.50	3	Vertical	9	1.97	-	33.98	6.80	34.85			
PK	5.2536G	124.89	Inf	-Inf	118.68	3	Vertical	9	1.97	-	34.11	6.97	34.87			
AV	5.252G	113.23	Inf	-Inf	107.03	3	Vertical	9	1.97	-	34.11	6.96	34.87			
PK	5.3712G	61.92	74.00	-12.08	55.23	3	Vertical	9	1.97	-	34.44	7.13	34.88			
AV	5.388G	49.34	54.00	-4.66	42.59	3	Vertical	9	1.97	-	34.48	7.15	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
Setting 26
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1336G	62.42	74.00	-11.58	56.60	3	Horizontal	353	1.79	-	33.90	6.77	34.85			
AV	5.1376G	48.88	54.00	-5.12	43.02	3	Horizontal	353	1.79	-	33.93	6.78	34.85			
PK	5.2624G	126.68	Inf	-Inf	120.42	3	Horizontal	353	1.79	-	34.15	6.98	34.87			
AV	5.2632G	113.95	Inf	-Inf	107.69	3	Horizontal	353	1.79	-	34.15	6.98	34.87			
PK	5.3784G	63.05	74.00	-10.95	56.33	3	Horizontal	353	1.79	-	34.46	7.14	34.88			
AV	5.3784G	50.07	54.00	-3.93	43.35	3	Horizontal	353	1.79	-	34.46	7.14	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.7792G	55.67	74.00	-18.33	47.08	3	Vertical	355	2.76	-	37.72	12.75	41.88			
AV	15.77634G	42.15	54.00	-11.85	33.54	3	Vertical	355	2.76	-	37.74	12.75	41.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.78016G	56.16	74.00	-17.84	47.57	3	Horizontal	228	2.11	-	37.72	12.75	41.88			
AV	15.78202G	42.13	54.00	-11.87	33.56	3	Horizontal	228	2.11	-	37.71	12.75	41.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT X_4TX
Setting 22.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2924G	124.86	Inf	-Inf	118.44	3	Vertical	7	1.74	-	34.27	7.02	34.87			
AV	5.2916G	112.16	Inf	-Inf	105.74	3	Vertical	7	1.74	-	34.27	7.02	34.87			
PK	5.3536G	68.79	74.00	-5.21	62.15	3	Vertical	7	1.74	-	34.41	7.11	34.88			
AV	5.3508G	53.54	54.00	-0.46	46.92	3	Vertical	7	1.74	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT X_4TX
Setting 22.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3012G	126.11	Inf	-Inf	119.65	3	Horizontal	355	2.02	-	34.30	7.03	34.87			
AV	5.302G	113.44	Inf	-Inf	106.98	3	Horizontal	355	2.02	-	34.30	7.03	34.87			
PK	5.3512G	67.85	74.00	-6.15	61.23	3	Horizontal	355	2.02	-	34.40	7.10	34.88			
AV	5.35G	52.26	54.00	-1.74	45.64	3	Horizontal	355	2.02	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT X_4TX
Setting 22.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.89714G	55.08	74.00	-18.92	46.91	3	Vertical	303	1.19	-	37.50	12.79	42.12			
AV	15.90282G	41.80	54.00	-12.20	33.64	3	Vertical	303	1.19	-	37.50	12.79	42.13			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_X_4TX
Setting 22.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.89976G	55.48	74.00	-18.52	47.31	3	Horizontal	42	1.49	-	37.50	12.79	42.12			
AV	15.90398G	41.84	54.00	-12.16	33.68	3	Horizontal	42	1.49	-	37.50	12.79	42.13			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT X_4TX
Setting 19.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3124G	122.44	Inf	-Inf	115.94	3	Vertical	7	1.80	-	34.32	7.05	34.87			
AV	5.3124G	110.76	Inf	-Inf	104.26	3	Vertical	7	1.80	-	34.32	7.05	34.87			
PK	5.3528G	67.60	74.00	-6.40	60.97	3	Vertical	7	1.80	-	34.41	7.10	34.88			
AV	5.3504G	53.01	54.00	-0.99	46.39	3	Vertical	7	1.80	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT X_4TX
Setting 19.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.322G	123.41	Inf	-Inf	116.89	3	Horizontal	356	2.00	-	34.34	7.06	34.88			
AV	5.3216G	111.52	Inf	-Inf	105.00	3	Horizontal	356	2.00	-	34.34	7.06	34.88			
PK	5.3604G	67.58	74.00	-6.42	60.93	3	Horizontal	356	2.00	-	34.42	7.11	34.88			
AV	5.3504G	53.17	54.00	-0.83	46.55	3	Horizontal	356	2.00	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
Setting 19.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.96282G	55.57	74.00	-18.43	47.48	3	Vertical	229	2.80	-	37.53	12.81	42.25			
AV	15.9576G	42.76	54.00	-11.24	34.67	3	Vertical	229	2.80	-	37.52	12.81	42.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_X_4TX
Setting 19.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.9583G	54.90	74.00	-19.10	46.81	3	Horizontal	355	2.83	-	37.52	12.81	42.24			
AV	15.96256G	42.70	54.00	-11.30	34.61	3	Horizontal	355	2.83	-	37.53	12.81	42.25			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
Setting 21.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1434G	61.68	74.00	-12.32	55.78	3	Vertical	22	2.06	-	33.96	6.79	34.85			
AV	5.1326G	47.61	54.00	-6.39	41.79	3	Vertical	22	2.06	-	33.90	6.77	34.85			
PK	5.261G	121.08	Inf	-Inf	114.83	3	Vertical	22	2.06	-	34.14	6.98	34.87			
AV	5.2814G	108.69	Inf	-Inf	102.33	3	Vertical	22	2.06	-	34.23	7.00	34.87			
PK	5.3576G	67.55	74.00	-6.45	60.90	3	Vertical	22	2.06	-	34.42	7.11	34.88			
AV	5.35G	50.77	54.00	-3.23	44.15	3	Vertical	22	2.06	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
Setting 21.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1284G	60.87	74.00	-13.13	55.09	3	Horizontal	353	2.00	-	33.87	6.76	34.85			
AV	5.1236G	47.80	54.00	-6.20	42.05	3	Horizontal	353	2.00	-	33.84	6.76	34.85			
PK	5.252G	121.41	Inf	-Inf	115.21	3	Horizontal	353	2.00	-	34.11	6.96	34.87			
AV	5.252G	108.69	Inf	-Inf	102.49	3	Horizontal	353	2.00	-	34.11	6.96	34.87			
PK	5.351G	70.27	74.00	-3.73	63.65	3	Horizontal	353	2.00	-	34.40	7.10	34.88			
AV	5.35G	52.74	54.00	-1.26	46.12	3	Horizontal	353	2.00	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
Setting 21.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.81186G	55.58	74.00	-18.42	47.19	3	Vertical	175	1.19	-	37.58	12.76	41.95			
AV	15.81032G	42.04	54.00	-11.96	33.64	3	Vertical	175	1.19	-	37.58	12.76	41.94			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_X_4TX
Setting 21.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.81234G	55.68	74.00	-18.32	47.29	3	Horizontal	188	2.38	-	37.58	12.76	41.95			
AV	15.80522G	42.07	54.00	-11.93	33.65	3	Horizontal	188	2.38	-	37.59	12.76	41.93			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
Setting 16.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.322G	116.79	Inf	-Inf	110.27	3	Vertical	8	1.80	-	34.34	7.06	34.88			
AV	5.322G	103.42	Inf	-Inf	96.90	3	Vertical	8	1.80	-	34.34	7.06	34.88			
PK	5.3636G	63.06	74.00	-10.94	56.39	3	Vertical	8	1.80	-	34.43	7.12	34.88			
AV	5.3548G	49.36	54.00	-4.64	42.72	3	Vertical	8	1.80	-	34.41	7.11	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
Setting 16.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.312G	117.32	Inf	-Inf	110.82	3	Horizontal	356	1.96	-	34.32	7.05	34.87			
AV	5.312G	104.63	Inf	-Inf	98.13	3	Horizontal	356	1.96	-	34.32	7.05	34.87			
PK	5.352G	66.84	74.00	-7.16	60.21	3	Horizontal	356	1.96	-	34.41	7.10	34.88			
AV	5.352G	52.97	54.00	-1.03	46.35	3	Horizontal	356	1.96	-	34.40	7.10	34.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
Setting 16.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.93256G	55.57	74.00	-18.43	47.46	3	Vertical	303	2.44	-	37.50	12.80	42.19			
AV	15.9265G	41.88	54.00	-12.12	33.75	3	Vertical	303	2.44	-	37.50	12.80	42.17			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_X_4TX
Setting 16.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.9303G	55.81	74.00	-18.19	47.69	3	Horizontal	261	2.62	-	37.50	12.80	42.18			
AV	15.92868G	41.75	54.00	-12.25	33.63	3	Horizontal	261	2.62	-	37.50	12.80	42.18			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_X_4TX
Setting 15.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	60.35	74.00	-13.65	54.48	3	Vertical	8	1.80	-	33.94	6.78	34.85			
AV	5.15G	46.25	54.00	-7.75	40.30	3	Vertical	8	1.80	-	34.00	6.80	34.85			
PK	5.323G	111.80	Inf	-Inf	105.27	3	Vertical	8	1.80	-	34.35	7.06	34.88			
AV	5.322G	100.20	Inf	-Inf	93.68	3	Vertical	8	1.80	-	34.34	7.06	34.88			
PK	5.362G	65.71	74.00	-8.29	59.05	3	Vertical	8	1.80	-	34.42	7.12	34.88			
AV	5.362G	52.24	54.00	-1.76	45.58	3	Vertical	8	1.80	-	34.42	7.12	34.88			
PK	5.523G	60.46	68.20	-7.74	53.52	3	Vertical	8	1.80	-	34.51	7.34	34.91			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_X_4TX
Setting 15.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.118G	59.67	74.00	-14.33	53.96	3	Horizontal	353	1.97	-	33.81	6.75	34.85			
AV	5.143G	46.66	54.00	-7.34	40.76	3	Horizontal	353	1.97	-	33.96	6.79	34.85			
PK	5.311G	112.37	Inf	-Inf	105.87	3	Horizontal	353	1.97	-	34.32	7.05	34.87			
AV	5.312G	101.04	Inf	-Inf	94.54	3	Horizontal	353	1.97	-	34.32	7.05	34.87			
PK	5.352G	68.58	74.00	-5.42	61.96	3	Horizontal	353	1.97	-	34.40	7.10	34.88			
AV	5.352G	53.91	54.00	-0.09	47.29	3	Horizontal	353	1.97	-	34.40	7.10	34.88			
PK	5.525G	61.04	68.20	-7.16	54.11	3	Horizontal	353	1.97	-	34.50	7.34	34.91			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_X_4TX
Setting 15.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.86944G	55.43	74.00	-18.57	47.21	3	Vertical	131	2.47	-	37.50	12.78	42.06			
AV	15.87264G	42.04	54.00	-11.96	33.83	3	Vertical	131	2.47	-	37.50	12.78	42.07			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT X_4TX
Setting 15.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.8747G	55.71	74.00	-18.29	47.50	3	Horizontal	143	1.41	-	37.50	12.78	42.07			
AV	15.8695G	42.06	54.00	-11.94	33.84	3	Horizontal	143	1.41	-	37.50	12.78	42.06			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 14.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	64.15	74.00	-9.85	58.26	3	Vertical	6	1.80	-	33.95	6.79	34.85			
AV	5.1428G	51.99	54.00	-2.01	46.09	3	Vertical	6	1.80	-	33.96	6.79	34.85			
PK	5.2228G	109.66	Inf	-Inf	103.55	3	Vertical	6	1.80	-	34.05	6.92	34.86			
AV	5.1828G	96.81	Inf	-Inf	90.81	3	Vertical	6	1.80	-	34.00	6.86	34.86			
PK	5.4084G	67.80	74.00	-6.20	61.01	3	Vertical	6	1.80	-	34.50	7.18	34.89			
AV	5.362G	52.14	54.00	-1.86	45.48	3	Vertical	6	1.80	-	34.42	7.12	34.88			
PK	5.586G	61.64	68.20	-6.56	54.83	3	Vertical	6	1.80	-	34.33	7.42	34.94			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 14.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1332G	65.47	74.00	-8.53	59.65	3	Horizontal	351	1.82	-	33.90	6.77	34.85			
AV	5.1332G	51.52	54.00	-2.48	45.70	3	Horizontal	351	1.82	-	33.90	6.77	34.85			
PK	5.2132G	110.45	Inf	-Inf	104.37	3	Horizontal	351	1.82	-	34.03	6.91	34.86			
AV	5.2132G	97.06	Inf	-Inf	90.98	3	Horizontal	351	1.82	-	34.03	6.91	34.86			
PK	5.3524G	66.22	74.00	-7.78	59.60	3	Horizontal	351	1.82	-	34.40	7.10	34.88			
AV	5.3524G	53.08	54.00	-0.92	46.46	3	Horizontal	351	1.82	-	34.40	7.10	34.88			
PK	5.5572G	61.42	68.20	-6.78	54.58	3	Horizontal	351	1.82	-	34.39	7.38	34.93			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 14.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.75308G	55.85	74.00	-18.15	47.06	3	Vertical	87	2.27	-	37.88	12.74	41.83			
AV	15.7461G	42.58	54.00	-11.42	33.75	3	Vertical	87	2.27	-	37.91	12.74	41.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_X_4TX
Setting 14.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.74712G	57.85	74.00	-16.15	49.02	3	Horizontal	216	1.31	-	37.91	12.74	41.82			
AV	15.74522G	42.52	54.00	-11.48	33.69	3	Horizontal	216	1.31	-	37.91	12.74	41.82			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	5.36112G	53.74	54.00	-0.26	3	Horizontal	15	2.05	18

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 25
15\21\24\25
6.01\6.02\5.05\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14482G	65.28	74.00	-8.72	57.05	3	Vertical	33	1.76	25	33.60	5.31	30.68				
AV	5.15G	50.03	54.00	-3.97	41.79	3	Vertical	33	1.76	25	33.60	5.32	30.68				
PK	5.26312G	117.88	Inf	-Inf	109.44	3	Vertical	33	1.76	25	33.83	5.38	30.77				
AV	5.26338G	107.75	Inf	-Inf	99.31	3	Vertical	33	1.76	25	33.83	5.38	30.77				
PK	5.35152G	68.65	74.00	-5.35	60.19	3	Vertical	33	1.76	25	33.90	5.40	30.84				
AV	5.35204G	53.51	54.00	-0.49	45.05	3	Vertical	33	1.76	25	33.90	5.40	30.84				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 25
2.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1495G	62.14	74.00	-11.86	53.91	3	Horizontal	354	2.12	25	33.60	5.31	30.68				
AV	5.14872G	48.98	54.00	-5.02	40.75	3	Horizontal	354	2.12	25	33.60	5.31	30.68				
PK	5.25844G	117.17	Inf	-Inf	108.74	3	Horizontal	354	2.12	25	33.82	5.38	30.77				
AV	5.2626G	106.49	Inf	-Inf	98.05	3	Horizontal	354	2.12	25	33.83	5.38	30.77				
PK	5.35204G	68.00	74.00	-6.00	59.54	3	Horizontal	354	2.12	25	33.90	5.40	30.84				
AV	5.35542G	51.92	54.00	-2.08	43.45	3	Horizontal	354	2.12	25	33.91	5.40	30.84				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5167G	53.22	68.20	-14.98	38.27	3	Vertical	8	1.12	-	38.53	8.24	31.82			
PK	15.77517G	57.79	74.00	-16.21	42.10	3	Vertical	345	2.88	-	37.45	10.21	31.97			
AV	15.7674G	45.13	54.00	-8.87	29.42	3	Vertical	345	2.88	-	37.47	10.21	31.97			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52633G	53.20	68.20	-15.00	38.23	3	Horizontal	328	2.92	-	38.55	8.24	31.82			
PK	15.77127G	58.02	74.00	-15.98	42.32	3	Horizontal	358	1.95	-	37.46	10.21	31.97			
AV	15.76677G	44.88	54.00	-9.12	29.17	3	Horizontal	358	1.95	-	37.47	10.21	31.97			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 22.5
15\21\24\22.5\23\22.5
6.21\4.93\5.32\1.57\0.38\1.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30182G	115.56	Inf	-Inf	107.07	3	Vertical	35	1.62	22.5	33.90	5.39	30.80			
AV	5.30266G	105.74	Inf	-Inf	97.25	3	Vertical	35	1.62	22.5	33.90	5.39	30.80			
PK	5.35068G	66.77	74.00	-7.23	58.31	3	Vertical	35	1.62	22.5	33.90	5.40	30.84			
AV	5.35068G	52.48	54.00	-1.52	44.02	3	Vertical	35	1.62	22.5	33.90	5.40	30.84			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 22.5
22.5
2.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30294G	114.28	Inf	-Inf	105.79	3	Horizontal	19	2.11	22.5	33.90	5.39	30.80			
AV	5.30336G	104.40	Inf	-Inf	95.91	3	Horizontal	19	2.11	22.5	33.90	5.39	30.80			
PK	5.35G	65.29	74.00	-8.71	56.83	3	Horizontal	19	2.11	22.5	33.90	5.40	30.84			
AV	5.35012G	51.37	54.00	-2.63	42.91	3	Horizontal	19	2.11	22.5	33.90	5.40	30.84			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 22.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58932G	52.64	68.20	-15.56	37.62	3	Vertical	118	1.73	-	38.60	8.26	31.84			
PK	15.89925G	56.83	74.00	-17.17	40.86	3	Vertical	283	1.32	-	37.70	10.25	31.98			
AV	15.89163G	44.71	54.00	-9.29	28.77	3	Vertical	283	1.32	-	37.67	10.25	31.98			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 22.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58518G	52.65	68.20	-15.55	37.63	3	Horizontal	225	2.27	-	38.60	8.26	31.84			
PK	15.89757G	56.96	74.00	-17.04	41.00	3	Horizontal	276	1.89	-	37.69	10.25	31.98			
AV	15.88524G	44.47	54.00	-9.53	28.57	3	Horizontal	276	1.89	-	37.64	10.24	31.98			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 19.5
15\21\18\19.5\20\19.5
6.18\5.35\5.22\0.72\1.42\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3164G	113.06	Inf	-Inf	104.58	3	Vertical	12	2.17	19.5	33.90	5.39	30.81			
AV	5.3168G	102.90	Inf	-Inf	94.42	3	Vertical	12	2.17	19.5	33.90	5.39	30.81			
PK	5.35G	68.58	74.00	-5.42	60.12	3	Vertical	12	2.17	19.5	33.90	5.40	30.84			
AV	5.35G	53.57	54.00	-0.43	45.11	3	Vertical	12	2.17	19.5	33.90	5.40	30.84			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 19.5
19.5
1.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3162G	112.07	Inf	-Inf	103.59	3	Horizontal	16	1.76	19.5	33.90	5.39	30.81			
AV	5.3176G	100.97	Inf	-Inf	92.49	3	Horizontal	16	1.76	19.5	33.90	5.39	30.81			
PK	5.35G	66.68	74.00	-7.32	58.22	3	Horizontal	16	1.76	19.5	33.90	5.40	30.84			
AV	5.35G	52.76	54.00	-1.24	44.30	3	Horizontal	16	1.76	19.5	33.90	5.40	30.84			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 19.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63403G	53.23	74.00	-20.77	38.28	3	Vertical	124	1.50	-	38.53	8.28	31.86			
AV	10.63742G	40.14	54.00	-13.86	25.19	3	Vertical	124	1.50	-	38.53	8.28	31.86			
PK	15.96567G	56.24	74.00	-17.76	40.46	3	Vertical	284	2.21	-	37.50	10.27	31.99			
AV	15.95622G	44.33	54.00	-9.67	28.55	3	Vertical	284	2.21	-	37.50	10.27	31.99			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 19.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63763G	52.65	74.00	-21.35	37.71	3	Horizontal	106	2.00	-	38.52	8.28	31.86			
AV	10.63721G	40.24	54.00	-13.76	25.29	3	Horizontal	106	2.00	-	38.53	8.28	31.86			
PK	15.94698G	57.21	74.00	-16.79	41.43	3	Horizontal	241	2.24	-	37.51	10.26	31.99			
AV	15.96282G	44.49	54.00	-9.51	28.71	3	Horizontal	241	2.24	-	37.50	10.27	31.99			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET 24
15\21\24\25\24.5\24
6.46\6.38\4.60\1.27\1.23\4.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13806G	60.43	74.00	-13.57	52.20	3	Vertical	15	2.11	24	33.60	5.30	30.67			
AV	5.14716G	47.44	54.00	-6.56	39.21	3	Vertical	15	2.11	24	33.60	5.31	30.68			
PK	5.25766G	118.23	Inf	-Inf	109.80	3	Vertical	15	2.11	24	33.82	5.38	30.77			
AV	5.26234G	105.44	Inf	-Inf	97.01	3	Vertical	15	2.11	24	33.82	5.38	30.77			
PK	5.35594G	62.95	74.00	-11.05	54.48	3	Vertical	15	2.11	24	33.91	5.40	30.84			
AV	5.35152G	49.52	54.00	-4.48	41.06	3	Vertical	15	2.11	24	33.90	5.40	30.84			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_Y_1TX
SET 24
24
5.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1417G	60.25	74.00	-13.75	52.01	3	Horizontal	355	2.11	24	33.60	5.31	30.67				
AV	5.14768G	47.23	54.00	-6.77	39.00	3	Horizontal	355	2.11	24	33.60	5.31	30.68				
PK	5.26078G	116.88	Inf	-Inf	108.45	3	Horizontal	355	2.11	24	33.82	5.38	30.77				
AV	5.2587G	104.51	Inf	-Inf	96.08	3	Horizontal	355	2.11	24	33.82	5.38	30.77				
PK	5.35074G	62.35	74.00	-11.65	53.89	3	Horizontal	355	2.11	24	33.90	5.40	30.84				
AV	5.35386G	48.59	54.00	-5.41	40.12	3	Horizontal	355	2.11	24	33.91	5.40	30.84				

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_Y_1TX
Setting 24
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53059G	52.61	68.20	-15.59	37.63	3	Vertical	248	2.74	-	38.56	8.24	31.82			
PK	15.76683G	58.11	74.00	-15.89	42.40	3	Vertical	49	2.70	-	37.47	10.21	31.97			
AV	15.77028G	44.57	54.00	-9.43	28.87	3	Vertical	49	2.70	-	37.46	10.21	31.97			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 24
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53293G	53.46	68.20	-14.74	38.47	3	Horizontal	171	1.31	-	38.57	8.24	31.82			
PK	15.79134G	57.20	74.00	-16.80	41.53	3	Horizontal	32	2.49	-	37.42	10.22	31.97			
AV	15.77319G	44.80	54.00	-9.20	29.11	3	Horizontal	32	2.49	-	37.45	10.21	31.97			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX



EUT_Y_1TX
SET 22
15\21.5\24.5\23\22.5\22
6.77\3.22\ -13.00\ -2.19\ -0.20\ 1.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30532G	116.86	Inf	-Inf	108.37	3	Vertical	36	1.70	22	33.90	5.39	30.80			
AV	5.30112G	104.01	Inf	-Inf	95.52	3	Vertical	36	1.70	22	33.90	5.39	30.80			
PK	5.35082G	66.59	74.00	-7.41	58.13	3	Vertical	36	1.70	22	33.90	5.40	30.84			
AV	5.35G	52.08	54.00	-1.92	43.62	3	Vertical	36	1.70	22	33.90	5.40	30.84			