


5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 22
2.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30476G	115.29	Inf	-Inf	106.80	3	Horizontal	15	1.80	22	33.90	5.39	30.80			
AV	5.30448G	102.05	Inf	-Inf	93.56	3	Horizontal	15	1.80	22	33.90	5.39	30.80			
PK	5.35G	66.57	74.00	-7.43	58.11	3	Horizontal	15	1.80	22	33.90	5.40	30.84			
AV	5.35G	51.13	54.00	-2.87	42.67	3	Horizontal	15	1.80	22	33.90	5.40	30.84			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT_Y_1TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58656G	52.65	68.20	-15.55	37.63	3	Vertical	225	2.55	-	38.60	8.26	31.84			
PK	15.89289G	56.99	74.00	-17.01	41.05	3	Vertical	89	2.81	-	37.67	10.25	31.98			
AV	15.888G	44.12	54.00	-9.88	28.20	3	Vertical	89	2.81	-	37.65	10.25	31.98			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58644G	53.44	68.20	-14.76	38.42	3	Horizontal	200	2.18	-	38.60	8.26	31.84			
PK	15.88743G	56.96	74.00	-17.04	41.04	3	Horizontal	59	2.94	-	37.65	10.25	31.98			
AV	15.90738G	44.03	54.00	-9.97	28.09	3	Horizontal	59	2.94	-	37.67	10.25	31.98			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 19.5
15\21.5\18.5\20\19.5
6.62\6.98\4.10\1.89\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3177G	114.97	Inf	-Inf	106.49	3	Vertical	14	2.17	19.5	33.90	5.39	30.81			
AV	5.3158G	101.42	Inf	-Inf	92.94	3	Vertical	14	2.17	19.5	33.90	5.39	30.81			
PK	5.35G	70.50	74.00	-3.50	62.04	3	Vertical	14	2.17	19.5	33.90	5.40	30.84			
AV	5.35G	53.50	54.00	-0.50	45.04	3	Vertical	14	2.17	19.5	33.90	5.40	30.84			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 19.5
19.5
1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3159G	113.17	Inf	-Inf	104.69	3	Horizontal	16	2.10	19.5	33.90	5.39	30.81			
AV	5.3158G	100.07	Inf	-Inf	91.59	3	Horizontal	16	2.10	19.5	33.90	5.39	30.81			
PK	5.3514G	69.46	74.00	-4.54	61.00	3	Horizontal	16	2.10	19.5	33.90	5.40	30.84			
AV	5.35G	52.72	54.00	-1.28	44.26	3	Horizontal	16	2.10	19.5	33.90	5.40	30.84			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 19.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63139G	52.36	74.00	-21.64	37.41	3	Vertical	199	1.59	-	38.54	8.27	31.86			
AV	10.63133G	39.84	54.00	-14.16	24.89	3	Vertical	199	1.59	-	38.54	8.27	31.86			
PK	15.95241G	57.28	74.00	-16.72	41.50	3	Vertical	137	2.87	-	37.50	10.27	31.99			
AV	15.9726G	43.96	54.00	-10.04	28.18	3	Vertical	137	2.87	-	37.50	10.27	31.99			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 19.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63736G	52.80	74.00	-21.20	37.85	3	Horizontal	202	1.39	-	38.53	8.28	31.86			
AV	10.63508G	39.80	54.00	-14.20	24.85	3	Horizontal	202	1.39	-	38.53	8.28	31.86			
PK	15.94692G	57.77	74.00	-16.23	41.99	3	Horizontal	314	2.00	-	37.51	10.26	31.99			
AV	15.95892G	44.00	54.00	-10.00	28.22	3	Horizontal	314	2.00	-	37.50	10.27	31.99			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 21
15\21\24\22.5\22\21.5\21
6.36\1.54\12.88\3.79\1.95\0.54\1.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	59.94	74.00	-14.06	51.71	3	Vertical	34	1.92	21	33.60	5.31	30.68			
AV	5.1468G	47.79	54.00	-6.21	39.56	3	Vertical	34	1.92	21	33.60	5.31	30.68			
PK	5.26076G	113.29	Inf	-Inf	104.86	3	Vertical	34	1.92	21	33.82	5.38	30.77			
AV	5.26636G	100.71	Inf	-Inf	92.27	3	Vertical	34	1.92	21	33.83	5.38	30.77			
PK	5.35092G	65.99	74.00	-8.01	57.53	3	Vertical	34	1.92	21	33.90	5.40	30.84			
AV	5.35G	52.40	54.00	-1.60	43.94	3	Vertical	34	1.92	21	33.90	5.40	30.84			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 21
21
2.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1342G	59.39	74.00	-14.61	51.16	3	Horizontal	350	2.13	21	33.60	5.30	30.67			
AV	5.13784G	47.19	54.00	-6.81	38.96	3	Horizontal	350	2.13	21	33.60	5.30	30.67			
PK	5.26468G	111.46	Inf	-Inf	103.02	3	Horizontal	350	2.13	21	33.83	5.38	30.77			
AV	5.26356G	98.71	Inf	-Inf	90.27	3	Horizontal	350	2.13	21	33.83	5.38	30.77			
PK	5.35484G	65.54	74.00	-8.46	57.07	3	Horizontal	350	2.13	21	33.91	5.40	30.84			
AV	5.35036G	51.59	54.00	-2.41	43.13	3	Horizontal	350	2.13	21	33.90	5.40	30.84			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_Y_1TX
Setting 21
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53283G	52.63	68.20	-15.57	37.64	3	Vertical	40	2.87	-	38.57	8.24	31.82			
PK	15.80889G	56.88	74.00	-17.12	41.21	3	Vertical	179	2.40	-	37.42	10.22	31.97			
AV	15.80457G	44.23	54.00	-9.77	28.57	3	Vertical	179	2.40	-	37.41	10.22	31.97			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 21
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5328G	52.95	68.20	-15.25	37.96	3	Horizontal	120	2.11	-	38.57	8.24	31.82			
PK	15.79887G	57.10	74.00	-16.90	41.45	3	Horizontal	281	1.04	-	37.40	10.22	31.97			
AV	15.80202G	44.26	54.00	-9.74	28.61	3	Horizontal	281	1.04	-	37.40	10.22	31.97			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 17.5
15\20.5\18\17\17.5
5.62\13.70\0.51\2.93\1.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.31552G	110.64	Inf	-Inf	102.16	3	Vertical	10	2.16	17.5	33.90	5.39	30.81			
AV	5.31156G	97.63	Inf	-Inf	89.15	3	Vertical	10	2.16	17.5	33.90	5.39	30.81			
PK	5.3592G	68.93	74.00	-5.07	60.46	3	Vertical	10	2.16	17.5	33.92	5.40	30.85			
AV	5.35044G	52.42	54.00	-1.58	43.96	3	Vertical	10	2.16	17.5	33.90	5.40	30.84			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 17.5
17.5
3.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3064G	109.31	Inf	-Inf	100.83	3	Horizontal	16	2.12	17.5	33.90	5.39	30.81			
AV	5.30892G	95.83	Inf	-Inf	87.35	3	Horizontal	16	2.12	17.5	33.90	5.39	30.81			
PK	5.35824G	67.34	74.00	-6.66	58.87	3	Horizontal	16	2.12	17.5	33.92	5.40	30.85			
AV	5.35116G	50.69	54.00	-3.31	42.23	3	Horizontal	16	2.12	17.5	33.90	5.40	30.84			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
Setting 17.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62741G	51.93	74.00	-22.07	36.97	3	Vertical	308	2.36	-	38.55	8.27	31.86			
AV	10.61127G	39.83	54.00	-14.17	24.83	3	Vertical	308	2.36	-	38.58	8.27	31.85			
PK	15.92304G	56.88	74.00	-17.12	40.99	3	Vertical	36	2.44	-	37.61	10.26	31.98			
AV	15.91701G	43.79	54.00	-10.21	27.89	3	Vertical	36	2.44	-	37.63	10.25	31.98			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
Setting 17.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60746G	53.28	74.00	-20.72	38.27	3	Horizontal	176	2.10	-	38.59	8.27	31.85			
AV	10.60683G	39.69	54.00	-14.31	24.68	3	Horizontal	176	2.10	-	38.59	8.27	31.85			
PK	15.93936G	56.99	74.00	-17.01	41.18	3	Horizontal	102	1.35	-	37.54	10.26	31.99			
AV	15.91821G	43.85	54.00	-10.15	27.94	3	Horizontal	102	1.35	-	37.63	10.26	31.98			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 17
15\19.5\17.5\16.5\17
4.62\10.84\0.44\2.98\1.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14152G	59.60	74.00	-14.40	51.36	3	Vertical	0	2.38	17	33.60	5.31	30.67			
AV	5.14152G	47.11	54.00	-6.89	38.87	3	Vertical	0	2.38	17	33.60	5.31	30.67			
PK	5.26824G	107.17	Inf	-Inf	98.72	3	Vertical	0	2.38	17	33.84	5.38	30.77			
AV	5.26848G	94.22	Inf	-Inf	85.75	3	Vertical	0	2.38	17	33.87	5.39	30.79			
PK	5.35368G	69.09	74.00	-4.91	60.62	3	Vertical	0	2.38	17	33.91	5.40	30.84			
AV	5.35G	52.52	54.00	-1.48	44.06	3	Vertical	0	2.38	17	33.90	5.40	30.84			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 17
17
3.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14984G	59.79	74.00	-14.21	51.56	3	Horizontal	16	2.14	17	33.60	5.31	30.68			
AV	5.14824G	46.96	54.00	-7.04	38.73	3	Horizontal	16	2.14	17	33.60	5.31	30.68			
PK	5.28456G	105.31	Inf	-Inf	96.84	3	Horizontal	16	2.14	17	33.87	5.39	30.79			
AV	5.27816G	92.00	Inf	-Inf	83.53	3	Horizontal	16	2.14	17	33.86	5.39	30.78			
PK	5.35G	66.76	74.00	-7.24	58.30	3	Horizontal	16	2.14	17	33.90	5.40	30.84			
AV	5.36008G	50.78	54.00	-3.22	42.31	3	Horizontal	16	2.14	17	33.92	5.40	30.85			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Y_1TX
Setting 17
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57826G	53.24	68.20	-14.96	38.22	3	Vertical	268	2.87	-	38.60	8.26	31.84			
PK	15.86706G	56.65	74.00	-17.35	40.82	3	Vertical	52	2.02	-	37.57	10.24	31.98			
AV	15.87268G	43.84	54.00	-10.16	27.99	3	Vertical	52	2.02	-	37.59	10.24	31.98			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
Setting 17
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57136G	52.93	68.20	-15.27	37.92	3	Horizontal	212	2.32	-	38.60	8.25	31.84			
PK	15.86638G	57.13	74.00	-16.87	41.30	3	Horizontal	159	2.39	-	37.57	10.24	31.98			
AV	15.86948G	43.79	54.00	-10.21	27.95	3	Horizontal	159	2.39	-	37.58	10.24	31.98			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_1TX
SET 18
15\19.5\17.5\18.5\18
4.73\ -9.18\2.55\ -2.24\0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13192G	66.78	74.00	-7.22	58.55	3	Vertical	33	1.94	18	33.60	5.30	30.67			
AV	5.14728G	52.87	54.00	-1.13	44.64	3	Vertical	33	1.94	18	33.60	5.31	30.68			
PK	5.20584G	104.25	Inf	-Inf	95.89	3	Vertical	33	1.94	18	33.71	5.37	30.72			
AV	5.23032G	91.16	Inf	-Inf	82.76	3	Vertical	33	1.94	18	33.76	5.38	30.74			
PK	5.36256G	68.94	74.00	-5.06	60.46	3	Vertical	33	1.94	18	33.93	5.40	30.85			
AV	5.35704G	53.11	54.00	-0.89	44.65	3	Vertical	33	1.94	18	33.91	5.40	30.85			

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 18
18
0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13216G	63.18	74.00	-10.82	54.95	3	Horizontal	15	2.05	18	33.60	5.30	30.67			
AV	5.14752G	50.59	54.00	-3.41	42.36	3	Horizontal	15	2.05	18	33.60	5.31	30.68			
PK	5.26248G	103.52	Inf	-Inf	95.09	3	Horizontal	15	2.05	18	33.82	5.38	30.77			
AV	5.2692G	90.48	Inf	-Inf	82.04	3	Horizontal	15	2.05	18	33.84	5.38	30.78			
PK	5.3568G	68.01	74.00	-5.99	59.55	3	Horizontal	15	2.05	18	33.91	5.40	30.85			
AV	5.36112G	53.74	54.00	-0.26	45.27	3	Horizontal	15	2.05	18	33.92	5.40	30.85			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 18
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49601G	53.39	68.20	-14.81	38.48	3	Vertical	291	2.37	-	38.49	8.23	31.81			
PK	15.75426G	58.15	74.00	-15.85	42.42	3	Vertical	70	2.24	-	37.49	10.21	31.97			
AV	15.74571G	44.65	54.00	-9.35	28.91	3	Vertical	70	2.24	-	37.51	10.20	31.97			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_Y_1TX
Setting 18
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49067G	52.48	68.20	-15.72	37.58	3	Horizontal	155	1.91	-	38.48	8.23	31.81			
PK	15.74675G	57.81	74.00	-16.19	42.07	3	Horizontal	311	1.29	-	37.51	10.20	31.97			
AV	15.74574G	44.74	54.00	-9.26	29.00	3	Horizontal	311	1.29	-	37.51	10.20	31.97			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1((MCS0),RU484+RU484 MRU 1_1TX	Pass	PK	5.1268G	73.97	74.00	-0.03	3	Vertical	10	1.80	-

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_X_1TX
Setting 4.5/18.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	64.85	74.00	-9.15	59.67	3	Vertical	343	1.80	-	33.30	7.40	35.52			
AV	5.149G	49.65	54.00	-4.35	44.47	3	Vertical	343	1.80	-	33.30	7.40	35.52			
PK	5.265G	112.02	Inf	-Inf	106.96	3	Vertical	343	1.80	-	33.07	7.48	35.49			
AV	5.265G	98.98	Inf	-Inf	93.90	3	Vertical	343	1.80	-	33.09	7.48	35.49			
PK	5.351G	72.84	74.00	-1.16	67.77	3	Vertical	343	1.80	-	33.00	7.53	35.46			
AV	5.351G	53.32	54.00	-0.68	48.25	3	Vertical	343	1.80	-	33.00	7.53	35.46			
PK	5.498G	60.16	68.20	-8.04	54.95	3	Vertical	343	1.80	-	33.00	7.63	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_X_1TX
Setting 4.5/18.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.10	74.00	-8.90	59.92	3	Horizontal	358	1.80	-	33.30	7.40	35.52			
AV	5.149G	49.10	54.00	-4.90	43.92	3	Horizontal	358	1.80	-	33.30	7.40	35.52			
PK	5.255G	111.58	Inf	-Inf	106.50	3	Horizontal	358	1.80	-	33.09	7.48	35.49			
AV	5.259G	98.87	Inf	-Inf	93.80	3	Horizontal	358	1.80	-	33.08	7.48	35.49			
PK	5.35G	72.28	74.00	-1.72	67.21	3	Horizontal	358	1.80	-	33.00	7.53	35.46			
AV	5.35G	53.28	54.00	-0.72	48.21	3	Horizontal	358	1.80	-	33.00	7.53	35.46			
PK	5.477G	61.17	68.20	-7.03	55.99	3	Horizontal	358	1.80	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_X_1TX
Setting 4.5/18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59482G	58.50	68.20	-9.70	42.66	3	Vertical	189	1.47	-	39.17	10.45	33.78			
PK	15.87858G	58.89	74.00	-15.11	41.60	3	Vertical	338	1.17	-	37.91	12.39	33.01			
AV	15.87144G	47.58	54.00	-6.42	30.33	3	Vertical	338	1.17	-	37.89	12.39	33.03			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5290MHz_TX

EUT_X_1TX
Setting 4.5/18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58582G	58.33	68.20	-9.87	42.55	3	Horizontal	29	1.47	-	39.11	10.45	33.78			
PK	15.88302G	58.46	74.00	-15.54	41.15	3	Horizontal	360	1.53	-	37.93	12.39	33.01			
AV	15.88494G	47.58	54.00	-6.42	30.25	3	Horizontal	360	1.53	-	37.94	12.39	33.00			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_X_1TX
Setting 2.5/18.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.127G	69.91	74.00	-4.09	64.84	3	Vertical	343	1.80	-	33.21	7.38	35.52			
AV	5.15G	50.87	54.00	-3.13	45.69	3	Vertical	343	1.80	-	33.30	7.40	35.52			
PK	5.261G	113.43	Inf	-Inf	108.36	3	Vertical	343	1.80	-	33.08	7.48	35.49			
AV	5.264G	100.77	Inf	-Inf	95.71	3	Vertical	343	1.80	-	33.07	7.48	35.49			
PK	5.375G	73.01	74.00	-0.99	67.92	3	Vertical	343	1.80	-	33.00	7.54	35.45			
AV	5.376G	53.65	54.00	-0.35	48.56	3	Vertical	343	1.80	-	33.00	7.54	35.45			
PK	5.467G	60.01	68.20	-8.19	54.84	3	Vertical	343	1.80	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_X_1TX
Setting 2.5/18.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	68.41	74.00	-5.59	63.23	3	Horizontal	360	1.80	-	33.30	7.40	35.52			
AV	5.148G	50.71	54.00	-3.29	45.54	3	Horizontal	360	1.80	-	33.29	7.40	35.52			
PK	5.262G	113.92	Inf	-Inf	108.85	3	Horizontal	360	1.80	-	33.08	7.48	35.49			
AV	5.261G	101.00	Inf	-Inf	95.93	3	Horizontal	360	1.80	-	33.08	7.48	35.49			
PK	5.379G	73.22	74.00	-0.78	68.13	3	Horizontal	360	1.80	-	33.00	7.54	35.45			
AV	5.378G	53.91	54.00	-0.09	48.82	3	Horizontal	360	1.80	-	33.00	7.54	35.45			
PK	5.49G	60.06	68.20	-8.14	54.86	3	Horizontal	360	1.80	-	33.00	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5290MHz_TX

EUT_X_1TX
Setting 2.5/18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57016G	57.41	68.20	-10.79	41.75	3	Vertical	260	1.89	-	39.02	10.44	33.80			
PK	15.88368G	59.18	74.00	-14.82	41.87	3	Vertical	69	2.69	-	37.93	12.39	33.01			
AV	15.88068G	47.52	54.00	-6.48	30.22	3	Vertical	69	2.69	-	37.92	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5290MHz_TX

EUT_X_1TX
Setting 2.5/18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57622G	57.70	68.20	-10.50	41.99	3	Horizontal	63	1.56	-	39.06	10.44	33.79			
PK	15.86448G	58.83	74.00	-15.17	41.63	3	Horizontal	125	1.23	-	37.86	12.38	33.04			
AV	15.8808G	47.52	54.00	-6.48	30.22	3	Horizontal	125	1.23	-	37.92	12.39	33.01			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 6.25/16.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1268G	73.42	74.00	-0.58	68.35	3	Vertical	8	1.80	-	33.21	7.38	35.52			
AV	5.1444G	49.85	54.00	-4.15	44.69	3	Vertical	8	1.80	-	33.28	7.40	35.52			
PK	5.1988G	106.67	Inf	-Inf	101.62	3	Vertical	8	1.80	-	33.10	7.45	35.50			
AV	5.1924G	93.78	Inf	-Inf	88.72	3	Vertical	8	1.80	-	33.13	7.44	35.51			
PK	5.35G	69.09	74.00	-4.91	64.02	3	Vertical	8	1.80	-	33.00	7.53	35.46			
AV	5.35G	49.70	54.00	-4.30	44.63	3	Vertical	8	1.80	-	33.00	7.53	35.46			
PK	5.5428G	60.61	68.20	-7.59	55.39	3	Vertical	8	1.80	-	33.00	7.66	35.44			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 6.25/16.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	73.49	74.00	-0.51	68.33	3	Horizontal	360	1.80	-	33.28	7.40	35.52			
AV	5.138G	49.57	54.00	-4.43	44.45	3	Horizontal	360	1.80	-	33.25	7.39	35.52			
PK	5.266G	107.39	Inf	-Inf	102.33	3	Horizontal	360	1.80	-	33.07	7.48	35.49			
AV	5.2612G	94.33	Inf	-Inf	89.26	3	Horizontal	360	1.80	-	33.08	7.48	35.49			
PK	5.35G	70.92	74.00	-3.08	65.85	3	Horizontal	360	1.80	-	33.00	7.53	35.46			
AV	5.3812G	52.31	54.00	-1.69	47.22	3	Horizontal	360	1.80	-	33.00	7.54	35.45			
PK	5.5892G	60.51	68.20	-7.69	55.34	3	Horizontal	360	1.80	-	32.92	7.70	35.45			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 6.25/16.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51416G	58.35	68.20	-9.85	42.94	3	Vertical	101	1.26	-	38.83	10.42	33.84			
PK	15.76134G	60.23	74.00	-13.77	42.94	3	Vertical	346	2.42	-	38.13	12.35	33.19			
AV	15.75018G	47.75	54.00	-6.25	30.41	3	Vertical	346	2.42	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 6.25/16.75
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5135G	57.54	68.20	-10.66	42.13	3	Horizontal	357	2.01	-	38.83	10.42	33.84			
PK	15.74634G	60.37	74.00	-13.63	43.05	3	Horizontal	178	1.78	-	38.19	12.35	33.22			
AV	15.74214G	47.89	54.00	-6.11	30.59	3	Horizontal	178	1.78	-	38.18	12.34	33.22			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 5.25/16.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.114G	72.27	74.00	-1.73	67.27	3	Vertical	346	1.80	-	33.16	7.37	35.53			
AV	5.1476G	50.65	54.00	-3.35	45.48	3	Vertical	346	1.80	-	33.29	7.40	35.52			
PK	5.202G	108.17	Inf	-Inf	103.12	3	Vertical	346	1.80	-	33.10	7.45	35.50			
AV	5.2644G	95.25	Inf	-Inf	90.19	3	Vertical	346	1.80	-	33.07	7.48	35.49			
PK	5.3524G	69.91	74.00	-4.09	64.84	3	Vertical	346	1.80	-	33.00	7.53	35.46			
AV	5.35G	49.71	54.00	-4.29	44.64	3	Vertical	346	1.80	-	33.00	7.53	35.46			
PK	5.5716G	60.79	68.20	-7.41	55.59	3	Vertical	346	1.80	-	32.96	7.69	35.45			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 5.25/16.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.114G	71.82	74.00	-2.18	66.82	3	Horizontal	360	1.80	-	33.16	7.37	35.53			
AV	5.1092G	50.23	54.00	-3.77	45.26	3	Horizontal	360	1.80	-	33.14	7.36	35.53			
PK	5.2628G	108.11	Inf	-Inf	103.05	3	Horizontal	360	1.80	-	33.07	7.48	35.49			
AV	5.2596G	95.08	Inf	-Inf	90.01	3	Horizontal	360	1.80	-	33.08	7.48	35.49			
PK	5.3524G	69.75	74.00	-4.25	64.68	3	Horizontal	360	1.80	-	33.00	7.53	35.46			
AV	5.35G	49.81	54.00	-4.19	44.74	3	Horizontal	360	1.80	-	33.00	7.53	35.46			
PK	5.5204G	60.60	68.20	-7.60	55.38	3	Horizontal	360	1.80	-	33.00	7.65	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 5.25/16.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5057G	57.91	68.20	-10.29	42.54	3	Vertical	243	2.82	-	38.81	10.41	33.85			
PK	15.74814G	58.97	74.00	-15.03	41.63	3	Vertical	169	2.39	-	38.20	12.35	33.21			
AV	15.7389G	47.64	54.00	-6.36	30.35	3	Vertical	169	2.39	-	38.18	12.34	33.23			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 5.25/16.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50984G	57.34	68.20	-10.86	41.95	3	Horizontal	303	2.96	-	38.82	10.41	33.84			
PK	15.7359G	59.13	74.00	-14.87	41.85	3	Horizontal	245	2.85	-	38.17	12.34	33.23			
AV	15.7506G	47.67	54.00	-6.33	30.33	3	Horizontal	245	2.85	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 4.25/16.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1268G	73.97	74.00	-0.03	68.90	3	Vertical	10	1.80	-	33.21	7.38	35.52			
AV	5.0772G	50.62	54.00	-3.38	45.68	3	Vertical	10	1.80	-	33.15	7.33	35.54			
PK	5.186G	109.39	Inf	-Inf	104.30	3	Vertical	10	1.80	-	33.16	7.44	35.51			
AV	5.1892G	95.90	Inf	-Inf	90.83	3	Vertical	10	1.80	-	33.14	7.44	35.51			
PK	5.35G	69.84	74.00	-4.16	64.77	3	Vertical	10	1.80	-	33.00	7.53	35.46			
AV	5.35G	49.01	54.00	-4.99	43.94	3	Vertical	10	1.80	-	33.00	7.53	35.46			
PK	5.5556G	60.53	68.20	-7.67	55.31	3	Vertical	10	1.80	-	32.99	7.67	35.44			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 4.25/16.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1268G	72.60	74.00	-1.40	67.53	3	Horizontal	360	1.80	-	33.21	7.38	35.52			
AV	5.0804G	50.17	54.00	-3.83	45.23	3	Horizontal	360	1.80	-	33.14	7.34	35.54			
PK	5.1908G	107.92	Inf	-Inf	102.85	3	Horizontal	360	1.80	-	33.14	7.44	35.51			
AV	5.1844G	95.11	Inf	-Inf	90.02	3	Horizontal	360	1.80	-	33.16	7.44	35.51			
PK	5.35G	68.81	74.00	-5.19	63.74	3	Horizontal	360	1.80	-	33.00	7.53	35.46			
AV	5.35G	48.99	54.00	-5.01	43.92	3	Horizontal	360	1.80	-	33.00	7.53	35.46			
PK	5.49G	60.31	68.20	-7.89	55.11	3	Horizontal	360	1.80	-	33.00	7.62	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 4.25/16.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50522G	57.62	68.20	-10.58	42.25	3	Vertical	89	2.35	-	38.81	10.41	33.85			
PK	15.7386G	59.85	74.00	-14.15	42.56	3	Vertical	20	2.82	-	38.18	12.34	33.23			
AV	15.7515G	47.82	54.00	-6.18	30.49	3	Vertical	20	2.82	-	38.19	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 4.25/16.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50972G	57.45	68.20	-10.75	42.06	3	Horizontal	360	1.50	-	38.82	10.41	33.84			
PK	15.76254G	59.46	74.00	-14.54	42.18	3	Horizontal	96	2.68	-	38.12	12.35	33.19			
AV	15.74886G	47.67	54.00	-6.33	30.33	3	Horizontal	96	2.68	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
Setting 2.25/17.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	66.20	74.00	-7.80	61.05	3	Vertical	343	1.80	-	33.27	7.40	35.52			
AV	5.147G	49.65	54.00	-4.35	44.48	3	Vertical	343	1.80	-	33.29	7.40	35.52			
PK	5.261G	115.18	Inf	-Inf	110.11	3	Vertical	343	1.80	-	33.08	7.48	35.49			
AV	5.261G	103.16	Inf	-Inf	98.09	3	Vertical	343	1.80	-	33.08	7.48	35.49			
PK	5.357G	73.57	74.00	-0.43	68.50	3	Vertical	343	1.80	-	33.00	7.53	35.46			
AV	5.359G	52.70	54.00	-1.30	47.63	3	Vertical	343	1.80	-	33.00	7.53	35.46			
PK	5.514G	59.94	68.20	-8.26	54.73	3	Vertical	343	1.80	-	33.00	7.64	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
Setting 2.25/17.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	66.87	74.00	-7.13	61.69	3	Horizontal	357	1.80	-	33.30	7.40	35.52			
AV	5.15G	50.49	54.00	-3.51	45.31	3	Horizontal	357	1.80	-	33.30	7.40	35.52			
PK	5.251G	116.03	Inf	-Inf	110.94	3	Horizontal	357	1.80	-	33.10	7.48	35.49			
AV	5.251G	102.93	Inf	-Inf	97.84	3	Horizontal	357	1.80	-	33.10	7.48	35.49			
PK	5.367G	73.70	74.00	-0.30	68.63	3	Horizontal	357	1.80	-	33.00	7.53	35.46			
AV	5.35G	53.88	54.00	-0.12	48.81	3	Horizontal	357	1.80	-	33.00	7.53	35.46			
PK	5.503G	60.32	68.20	-7.88	55.11	3	Horizontal	357	1.80	-	33.00	7.63	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
Setting 2.25/17.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57046G	57.78	68.20	-10.42	42.12	3	Vertical	48	2.88	-	39.02	10.44	33.80			
PK	15.86634G	59.15	74.00	-14.85	41.92	3	Vertical	125	3.00	-	37.87	12.39	33.03			
AV	15.88032G	47.52	54.00	-6.48	30.22	3	Vertical	125	3.00	-	37.92	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_X_2TX
Setting 2.25/17.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58756G	57.81	68.20	-10.39	42.01	3	Horizontal	77	2.44	-	39.13	10.45	33.78			
PK	15.88062G	58.96	74.00	-15.04	41.66	3	Horizontal	202	1.64	-	37.92	12.39	33.01			
AV	15.88164G	47.45	54.00	-6.55	30.14	3	Horizontal	202	1.64	-	37.93	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 0.75/17.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.125G	67.78	74.00	-6.22	62.73	3	Vertical	341	1.80	-	33.20	7.38	35.53			
AV	5.144G	52.36	54.00	-1.64	47.20	3	Vertical	341	1.80	-	33.28	7.40	35.52			
PK	5.261G	117.79	Inf	-Inf	112.72	3	Vertical	341	1.80	-	33.08	7.48	35.49			
AV	5.261G	104.26	Inf	-Inf	99.19	3	Vertical	341	1.80	-	33.08	7.48	35.49			
PK	5.374G	69.60	74.00	-4.40	64.52	3	Vertical	341	1.80	-	33.00	7.54	35.46			
AV	5.378G	53.82	54.00	-0.18	48.73	3	Vertical	341	1.80	-	33.00	7.54	35.45			
PK	5.498G	61.18	68.20	-7.02	55.97	3	Vertical	341	1.80	-	33.00	7.63	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 0.75/17.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	67.68	74.00	-6.32	62.51	3	Horizontal	358	1.80	-	33.29	7.40	35.52			
AV	5.149G	50.64	54.00	-3.36	45.46	3	Horizontal	358	1.80	-	33.30	7.40	35.52			
PK	5.252G	117.43	Inf	-Inf	112.34	3	Horizontal	358	1.80	-	33.10	7.48	35.49			
AV	5.251G	104.49	Inf	-Inf	99.40	3	Horizontal	358	1.80	-	33.10	7.48	35.49			
PK	5.369G	70.09	74.00	-3.91	65.02	3	Horizontal	358	1.80	-	33.00	7.53	35.46			
AV	5.383G	53.23	54.00	-0.77	48.14	3	Horizontal	358	1.80	-	33.00	7.54	35.45			
PK	5.491G	60.06	68.20	-8.14	54.86	3	Horizontal	358	1.80	-	33.00	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 0.75/17.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58846G	57.27	68.20	-10.93	41.47	3	Vertical	336	2.26	-	39.13	10.45	33.78			
PK	15.87432G	58.82	74.00	-15.18	41.55	3	Vertical	331	2.70	-	37.90	12.39	33.02			
AV	15.88476G	47.65	54.00	-6.35	30.33	3	Vertical	331	2.70	-	37.94	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 0.75/17.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58348G	57.90	68.20	-10.30	42.13	3	Horizontal	10	1.86	-	39.10	10.45	33.78			
PK	15.8775G	59.46	74.00	-14.54	42.18	3	Horizontal	94	2.74	-	37.91	12.39	33.02			
AV	15.87834G	47.67	54.00	-6.33	30.38	3	Horizontal	94	2.74	-	37.91	12.39	33.01			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 4.25/15.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	71.98	74.00	-2.02	66.83	3	Vertical	340	1.80	-	33.27	7.40	35.52			
AV	5.0836G	51.41	54.00	-2.59	46.48	3	Vertical	340	1.80	-	33.13	7.34	35.54			
PK	5.2596G	110.15	Inf	-Inf	105.08	3	Vertical	340	1.80	-	33.08	7.48	35.49			
AV	5.2596G	98.05	Inf	-Inf	92.98	3	Vertical	340	1.80	-	33.08	7.48	35.49			
PK	5.35G	70.94	74.00	-3.06	65.87	3	Vertical	340	1.80	-	33.00	7.53	35.46			
AV	5.3796G	50.07	54.00	-3.93	44.98	3	Vertical	340	1.80	-	33.00	7.54	35.45			
PK	5.6468G	60.47	68.20	-7.73	55.08	3	Vertical	340	1.80	-	33.09	7.78	35.48			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 4.25/15.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	71.06	74.00	-2.94	65.90	3	Horizontal	357	1.80	-	33.28	7.40	35.52			
AV	5.0916G	52.13	54.00	-1.87	47.19	3	Horizontal	357	1.80	-	33.12	7.35	35.53			
PK	5.1732G	111.45	Inf	-Inf	106.33	3	Horizontal	357	1.80	-	33.21	7.42	35.51			
AV	5.1716G	98.37	Inf	-Inf	93.25	3	Horizontal	357	1.80	-	33.21	7.42	35.51			
PK	5.35G	69.49	74.00	-4.51	64.42	3	Horizontal	357	1.80	-	33.00	7.53	35.46			
AV	5.3508G	50.91	54.00	-3.09	45.84	3	Horizontal	357	1.80	-	33.00	7.53	35.46			
PK	5.5892G	60.42	68.20	-7.78	55.25	3	Horizontal	357	1.80	-	32.92	7.70	35.45			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 4.25/15.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51086G	57.26	68.20	-10.94	41.87	3	Vertical	236	1.39	-	38.82	10.41	33.84			
PK	15.75246G	59.31	74.00	-14.69	41.98	3	Vertical	161	2.64	-	38.19	12.35	33.21			
AV	15.75786G	47.73	54.00	-6.27	30.43	3	Vertical	161	2.64	-	38.15	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 4.25/15.75
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49952G	57.20	68.20	-11.00	41.84	3	Horizontal	263	2.97	-	38.80	10.41	33.85			
PK	15.73962G	59.92	74.00	-14.08	42.63	3	Horizontal	58	2.82	-	38.18	12.34	33.23			
AV	15.74892G	47.75	54.00	-6.25	30.41	3	Horizontal	58	2.82	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 3.25/15.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1284G	71.63	74.00	-2.37	66.56	3	Vertical	342	1.80	-	33.21	7.38	35.52			
AV	5.1044G	52.81	54.00	-1.19	47.86	3	Vertical	342	1.80	-	33.12	7.36	35.53			
PK	5.2596G	111.77	Inf	-Inf	106.70	3	Vertical	342	1.80	-	33.08	7.48	35.49			
AV	5.2612G	98.76	Inf	-Inf	93.69	3	Vertical	342	1.80	-	33.08	7.48	35.49			
PK	5.3524G	69.41	74.00	-4.59	64.34	3	Vertical	342	1.80	-	33.00	7.53	35.46			
AV	5.35G	49.21	54.00	-4.79	44.14	3	Vertical	342	1.80	-	33.00	7.53	35.46			
PK	5.5204G	60.84	68.20	-7.36	55.62	3	Vertical	342	1.80	-	33.00	7.65	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 3.25/15.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	71.65	74.00	-2.35	66.57	3	Horizontal	358	1.80	-	33.22	7.38	35.52			
AV	5.1108G	53.95	54.00	-0.05	48.97	3	Horizontal	358	1.80	-	33.14	7.37	35.53			
PK	5.1716G	111.85	Inf	-Inf	106.73	3	Horizontal	358	1.80	-	33.21	7.42	35.51			
AV	5.1716G	99.37	Inf	-Inf	94.25	3	Horizontal	358	1.80	-	33.21	7.42	35.51			
PK	5.3508G	70.51	74.00	-3.49	65.44	3	Horizontal	358	1.80	-	33.00	7.53	35.46			
AV	5.35G	50.87	54.00	-3.13	45.80	3	Horizontal	358	1.80	-	33.00	7.53	35.46			
PK	5.4932G	60.18	68.20	-8.02	54.98	3	Horizontal	358	1.80	-	33.00	7.62	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 3.25/15.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51002G	57.30	68.20	-10.90	41.91	3	Vertical	310	2.42	-	38.82	10.41	33.84			
PK	15.7389G	59.64	74.00	-14.36	42.35	3	Vertical	226	1.94	-	38.18	12.34	33.23			
AV	15.74814G	47.59	54.00	-6.41	30.25	3	Vertical	226	1.94	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 3.25/15.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49022G	57.19	68.20	-11.01	41.79	3	Horizontal	232	2.54	-	38.82	10.41	33.83			
PK	15.75426G	59.29	74.00	-14.71	41.97	3	Horizontal	41	2.98	-	38.17	12.35	33.20			
AV	15.7485G	47.75	54.00	-6.25	30.41	3	Horizontal	41	2.98	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 3.25/14.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0836G	67.50	74.00	-6.50	62.57	3	Vertical	343	1.80	-	33.13	7.34	35.54			
AV	5.0836G	53.60	54.00	-0.40	48.67	3	Vertical	343	1.80	-	33.13	7.34	35.54			
PK	5.2004G	110.50	Inf	-Inf	105.45	3	Vertical	343	1.80	-	33.10	7.45	35.50			
AV	5.1812G	97.95	Inf	-Inf	92.85	3	Vertical	343	1.80	-	33.18	7.43	35.51			
PK	5.3524G	65.76	74.00	-8.24	60.69	3	Vertical	343	1.80	-	33.00	7.53	35.46			
AV	5.35G	48.02	54.00	-5.98	42.95	3	Vertical	343	1.80	-	33.00	7.53	35.46			
PK	5.514G	60.25	68.20	-7.95	55.04	3	Vertical	343	1.80	-	33.00	7.64	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 3.25/14.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0932G	67.11	74.00	-6.89	62.18	3	Horizontal	357	1.80	-	33.11	7.35	35.53			
AV	5.0916G	53.66	54.00	-0.34	48.72	3	Horizontal	357	1.80	-	33.12	7.35	35.53			
PK	5.1924G	112.60	Inf	-Inf	107.54	3	Horizontal	357	1.80	-	33.13	7.44	35.51			
AV	5.1716G	99.43	Inf	-Inf	94.31	3	Horizontal	357	1.80	-	33.21	7.42	35.51			
PK	5.35G	64.92	74.00	-9.08	59.85	3	Horizontal	357	1.80	-	33.00	7.53	35.46			
AV	5.35G	48.97	54.00	-5.03	43.90	3	Horizontal	357	1.80	-	33.00	7.53	35.46			
PK	5.6452G	60.70	68.20	-7.50	55.32	3	Horizontal	357	1.80	-	33.08	7.78	35.48			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 3.25/14.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50636G	57.23	68.20	-10.97	41.86	3	Vertical	354	2.93	-	38.81	10.41	33.85			
PK	15.7467G	60.02	74.00	-13.98	42.70	3	Vertical	228	1.61	-	38.19	12.35	33.22			
AV	15.7587G	47.74	54.00	-6.26	30.44	3	Vertical	228	1.61	-	38.15	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 3.25/14.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51488G	56.96	68.20	-11.24	41.55	3	Horizontal	5	1.25	-	38.83	10.42	33.84			
PK	15.7563G	59.72	74.00	-14.28	42.41	3	Horizontal	82	1.68	-	38.16	12.35	33.20			
AV	15.75726G	47.82	54.00	-6.18	30.51	3	Horizontal	82	1.68	-	38.16	12.35	33.20			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 2/15
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	66.73	74.00	-7.27	61.57	3	Vertical	360	1.80	-	33.28	7.40	35.52			
AV	5.146G	50.45	54.00	-3.55	45.29	3	Vertical	360	1.80	-	33.28	7.40	35.52			
PK	5.267G	115.79	Inf	-Inf	110.73	3	Vertical	360	1.80	-	33.07	7.48	35.49			
AV	5.267G	104.20	Inf	-Inf	99.14	3	Vertical	360	1.80	-	33.07	7.48	35.49			
PK	5.35G	73.79	74.00	-0.21	68.72	3	Vertical	360	1.80	-	33.00	7.53	35.46			
AV	5.35G	53.89	54.00	-0.11	48.82	3	Vertical	360	1.80	-	33.00	7.53	35.46			
PK	5.511G	60.66	68.20	-7.54	55.44	3	Vertical	360	1.80	-	33.00	7.64	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 2/15
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	66.20	74.00	-7.80	61.02	3	Horizontal	6	1.00	-	33.30	7.40	35.52			
AV	5.149G	50.18	54.00	-3.82	45.00	3	Horizontal	6	1.00	-	33.30	7.40	35.52			
PK	5.254G	116.67	Inf	-Inf	111.59	3	Horizontal	6	1.00	-	33.09	7.48	35.49			
AV	5.255G	104.28	Inf	-Inf	99.20	3	Horizontal	6	1.00	-	33.09	7.48	35.49			
PK	5.353G	73.36	74.00	-0.64	68.29	3	Horizontal	6	1.00	-	33.00	7.53	35.46			
AV	5.356G	52.25	54.00	-1.75	47.18	3	Horizontal	6	1.00	-	33.00	7.53	35.46			
PK	5.528G	61.42	68.20	-6.78	56.20	3	Horizontal	6	1.00	-	33.00	7.65	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 2/15
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59398G	57.93	68.20	-10.27	42.10	3	Vertical	349	1.96	-	39.16	10.45	33.78			
PK	15.88116G	59.53	74.00	-14.47	42.23	3	Vertical	112	1.38	-	37.92	12.39	33.01			
AV	15.8811G	47.61	54.00	-6.39	30.31	3	Vertical	112	1.38	-	37.92	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 2/15
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59032G	57.84	68.20	-10.36	42.03	3	Horizontal	328	2.25	-	39.14	10.45	33.78			
PK	15.8685G	59.36	74.00	-14.64	42.13	3	Horizontal	251	2.28	-	37.87	12.39	33.03			
AV	15.88188G	47.54	54.00	-6.46	30.23	3	Horizontal	251	2.28	-	37.93	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.25/14.75
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.131G	67.67	74.00	-6.33	62.59	3	Vertical	360	1.80	-	33.22	7.38	35.52			
AV	5.146G	52.06	54.00	-1.94	46.90	3	Vertical	360	1.80	-	33.28	7.40	35.52			
PK	5.267G	117.11	Inf	-Inf	112.05	3	Vertical	360	1.80	-	33.07	7.48	35.49			
AV	5.267G	105.67	Inf	-Inf	100.61	3	Vertical	360	1.80	-	33.07	7.48	35.49			
PK	5.369G	70.68	74.00	-3.32	65.61	3	Vertical	360	1.80	-	33.00	7.53	35.46			
AV	5.38G	51.88	54.00	-2.12	46.79	3	Vertical	360	1.80	-	33.00	7.54	35.45			
PK	5.528G	60.29	68.20	-7.91	55.07	3	Vertical	360	1.80	-	33.00	7.65	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 0.25/14.75
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	68.10	74.00	-5.90	62.93	3	Horizontal	3	1.00	-	33.29	7.40	35.52			
AV	5.148G	50.32	54.00	-3.68	45.15	3	Horizontal	3	1.00	-	33.29	7.40	35.52			
PK	5.256G	117.05	Inf	-Inf	111.97	3	Horizontal	3	1.00	-	33.09	7.48	35.49			
AV	5.255G	105.92	Inf	-Inf	100.84	3	Horizontal	3	1.00	-	33.09	7.48	35.49			
PK	5.374G	71.81	74.00	-2.19	66.73	3	Horizontal	3	1.00	-	33.00	7.54	35.46			
AV	5.375G	52.22	54.00	-1.78	47.13	3	Horizontal	3	1.00	-	33.00	7.54	35.45			
PK	5.49G	60.75	68.20	-7.45	55.55	3	Horizontal	3	1.00	-	33.00	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.25/14.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57154G	57.72	68.20	-10.48	42.04	3	Vertical	129	1.93	-	39.03	10.44	33.79			
PK	15.87066G	59.32	74.00	-14.68	42.08	3	Vertical	255	2.42	-	37.88	12.39	33.03			
AV	15.88038G	47.60	54.00	-6.40	30.30	3	Vertical	255	2.42	-	37.92	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.25/14.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58498G	57.12	68.20	-11.08	41.34	3	Horizontal	235	2.83	-	39.11	10.45	33.78			
PK	15.88038G	59.37	74.00	-14.63	42.07	3	Horizontal	230	1.11	-	37.92	12.39	33.01			
AV	15.88188G	47.62	54.00	-6.38	30.31	3	Horizontal	230	1.11	-	37.93	12.39	33.01			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 5/12
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1316G	72.55	74.00	-1.45	67.45	3	Vertical	360	1.80	-	33.23	7.39	35.52			
AV	5.1492G	50.77	54.00	-3.23	45.59	3	Vertical	360	1.80	-	33.30	7.40	35.52			
PK	5.2676G	110.14	Inf	-Inf	105.09	3	Vertical	360	1.80	-	33.06	7.48	35.49			
AV	5.2676G	98.56	Inf	-Inf	93.51	3	Vertical	360	1.80	-	33.06	7.48	35.49			
PK	5.35G	68.76	74.00	-5.24	63.69	3	Vertical	360	1.80	-	33.00	7.53	35.46			
AV	5.3684G	51.33	54.00	-2.67	46.26	3	Vertical	360	1.80	-	33.00	7.53	35.46			
PK	5.5332G	60.24	68.20	-7.96	55.01	3	Vertical	360	1.80	-	33.00	7.66	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 5/12
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	72.49	74.00	-1.51	67.34	3	Horizontal	0	1.00	-	33.27	7.40	35.52			
AV	5.1492G	51.19	54.00	-2.81	46.01	3	Horizontal	0	1.00	-	33.30	7.40	35.52			
PK	5.1956G	109.99	Inf	-Inf	104.93	3	Horizontal	0	1.00	-	33.12	7.45	35.51			
AV	5.2548G	98.64	Inf	-Inf	93.56	3	Horizontal	0	1.00	-	33.09	7.48	35.49			
PK	5.362G	66.55	74.00	-7.45	61.48	3	Horizontal	0	1.00	-	33.00	7.53	35.46			
AV	5.3764G	50.98	54.00	-3.02	45.89	3	Horizontal	0	1.00	-	33.00	7.54	35.45			
PK	5.5156G	60.84	68.20	-7.36	55.63	3	Horizontal	0	1.00	-	33.00	7.64	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 5/12
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.51194G	57.45	68.20	-10.75	42.05	3	Vertical	163	2.43	-	38.82	10.42	33.84				
PK	15.76488G	59.31	74.00	-14.69	42.04	3	Vertical	74	2.17	-	38.11	12.35	33.19				
AV	15.75522G	47.75	54.00	-6.25	30.43	3	Vertical	74	2.17	-	38.17	12.35	33.20				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 5/12
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51404G	57.64	68.20	-10.56	42.23	3	Horizontal	113	2.79	-	38.83	10.42	33.84			
PK	15.74316G	59.59	74.00	-14.41	42.28	3	Horizontal	16	2.25	-	38.19	12.34	33.22			
AV	15.75174G	47.90	54.00	-6.10	30.57	3	Horizontal	16	2.25	-	38.19	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 6.5/9.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	73.34	74.00	-0.66	68.30	3	Vertical	360	1.80	-	33.19	7.38	35.53			
AV	5.1268G	51.13	54.00	-2.87	46.06	3	Vertical	360	1.80	-	33.21	7.38	35.52			
PK	5.2068G	108.47	Inf	-Inf	103.42	3	Vertical	360	1.80	-	33.10	7.45	35.50			
AV	5.2676G	96.98	Inf	-Inf	91.93	3	Vertical	360	1.80	-	33.06	7.48	35.49			
PK	5.3684G	70.39	74.00	-3.61	65.32	3	Vertical	360	1.80	-	33.00	7.53	35.46			
AV	5.35G	52.11	54.00	-1.89	47.04	3	Vertical	360	1.80	-	33.00	7.53	35.46			
PK	5.4964G	60.70	68.20	-7.50	55.49	3	Vertical	360	1.80	-	33.00	7.63	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 6.5/9.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1284G	71.56	74.00	-2.44	66.49	3	Horizontal	3	1.00	-	33.21	7.38	35.52			
AV	5.1476G	51.83	54.00	-2.17	46.66	3	Horizontal	3	1.00	-	33.29	7.40	35.52			
PK	5.2548G	108.88	Inf	-Inf	103.80	3	Horizontal	3	1.00	-	33.09	7.48	35.49			
AV	5.2548G	97.38	Inf	-Inf	92.30	3	Horizontal	3	1.00	-	33.09	7.48	35.49			
PK	5.354G	71.59	74.00	-2.41	66.52	3	Horizontal	3	1.00	-	33.00	7.53	35.46			
AV	5.354G	50.75	54.00	-3.25	45.68	3	Horizontal	3	1.00	-	33.00	7.53	35.46			
PK	5.5604G	60.01	68.20	-8.19	54.79	3	Horizontal	3	1.00	-	32.98	7.68	35.44			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 6.5/9.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48662G	57.94	68.20	-10.26	42.54	3	Vertical	264	1.82	-	38.83	10.40	33.83			
PK	15.74136G	59.81	74.00	-14.19	42.51	3	Vertical	346	2.04	-	38.18	12.34	33.22			
AV	15.7647G	47.73	54.00	-6.27	30.46	3	Vertical	346	2.04	-	38.11	12.35	33.19			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 6.5/9.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50492G	57.33	68.20	-10.87	41.96	3	Horizontal	118	2.70	-	38.81	10.41	33.85			
PK	15.75726G	59.44	74.00	-14.56	42.13	3	Horizontal	163	2.33	-	38.16	12.35	33.20			
AV	15.75174G	47.82	54.00	-6.18	30.49	3	Horizontal	163	2.33	-	38.19	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 6/9
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1316G	72.86	74.00	-1.14	67.76	3	Vertical	13	1.80	-	33.23	7.39	35.52			
AV	5.0724G	50.46	54.00	-3.54	45.51	3	Vertical	13	1.80	-	33.16	7.33	35.54			
PK	5.1732G	107.93	Inf	-Inf	102.81	3	Vertical	13	1.80	-	33.21	7.42	35.51			
AV	5.1716G	97.47	Inf	-Inf	92.35	3	Vertical	13	1.80	-	33.21	7.42	35.51			
PK	5.3572G	65.33	74.00	-8.67	60.26	3	Vertical	13	1.80	-	33.00	7.53	35.46			
AV	5.3572G	49.12	54.00	-4.88	44.05	3	Vertical	13	1.80	-	33.00	7.53	35.46			
PK	5.4724G	60.35	68.20	-7.85	55.17	3	Vertical	13	1.80	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 6/9
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1316G	71.25	74.00	-2.75	66.15	3	Horizontal	8	1.80	-	33.23	7.39	35.52			
AV	5.1348G	50.36	54.00	-3.64	45.25	3	Horizontal	8	1.80	-	33.24	7.39	35.52			
PK	5.1732G	107.34	Inf	-Inf	102.22	3	Horizontal	8	1.80	-	33.21	7.42	35.51			
AV	5.1732G	96.32	Inf	-Inf	91.20	3	Horizontal	8	1.80	-	33.21	7.42	35.51			
PK	5.3524G	67.86	74.00	-6.14	62.79	3	Horizontal	8	1.80	-	33.00	7.53	35.46			
AV	5.3524G	49.58	54.00	-4.42	44.51	3	Horizontal	8	1.80	-	33.00	7.53	35.46			
PK	5.5492G	60.70	68.20	-7.50	55.47	3	Horizontal	8	1.80	-	33.00	7.67	35.44			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 6/9
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51188G	57.51	68.20	-10.69	42.11	3	Vertical	142	2.03	-	38.82	10.42	33.84			
PK	15.75126G	59.58	74.00	-14.42	42.25	3	Vertical	150	2.57	-	38.19	12.35	33.21			
AV	15.7581G	47.82	54.00	-6.18	30.52	3	Vertical	150	2.57	-	38.15	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 6/9
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50678G	56.99	68.20	-11.21	41.61	3	Horizontal	74	1.13	-	38.81	10.41	33.84			
PK	15.74328G	59.96	74.00	-14.04	42.65	3	Horizontal	129	1.49	-	38.19	12.34	33.22			
AV	15.76032G	47.82	54.00	-6.18	30.52	3	Horizontal	129	1.49	-	38.14	12.35	33.19			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)RU484+RU484 MRU 1_1TX	Pass	AV	5.0784G	53.94	54.00	-0.06	3	Horizontal	351	2.86	-

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 5/18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	61.07	74.00	-12.93	55.90	3	Vertical	346	1.80	-	33.29	7.40	35.52			
AV	5.1484G	48.56	54.00	-5.44	43.39	3	Vertical	346	1.80	-	33.29	7.40	35.52			
PK	5.2596G	108.88	Inf	-Inf	103.81	3	Vertical	346	1.80	-	33.08	7.48	35.49			
PK	5.362G	69.81	74.00	-4.19	64.74	3	Vertical	346	1.80	-	33.00	7.53	35.46			
AV	5.3244G	97.00	Inf	-Inf	91.96	3	Vertical	346	1.80	-	33.00	7.51	35.47			
AV	5.3508G	51.76	54.00	-2.24	46.69	3	Vertical	346	1.80	-	33.00	7.53	35.46			
PK	5.4636G	60.44	68.20	-7.76	55.27	3	Vertical	346	1.80	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 5/18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	60.13	74.00	-13.87	54.95	3	Horizontal	4	2.18	-	33.30	7.40	35.52			
AV	5.15G	48.40	54.00	-5.60	43.22	3	Horizontal	4	2.18	-	33.30	7.40	35.52			
PK	5.2532G	109.86	Inf	-Inf	104.78	3	Horizontal	4	2.18	-	33.09	7.48	35.49			
AV	5.2572G	97.36	Inf	-Inf	92.28	3	Horizontal	4	2.18	-	33.09	7.48	35.49			
PK	5.362G	72.02	74.00	-1.98	66.95	3	Horizontal	4	2.18	-	33.00	7.53	35.46			
AV	5.35G	51.41	54.00	-2.59	46.34	3	Horizontal	4	2.18	-	33.00	7.53	35.46			
PK	5.4788G	60.11	68.20	-8.09	54.93	3	Horizontal	4	2.18	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 5/18
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57682G	57.57	68.20	-10.63	41.86	3	Vertical	6	2.03	-	39.06	10.44	33.79			
PK	15.8742G	59.56	74.00	-14.44	42.29	3	Vertical	153	2.29	-	37.90	12.39	33.02			
AV	15.8724G	47.57	54.00	-6.43	30.31	3	Vertical	153	2.29	-	37.89	12.39	33.02			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5290MHz_TX

EUT_Y_1TX
Setting 5/18
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5839G	57.07	68.20	-11.13	41.30	3	Horizontal	72	1.07	-	39.10	10.45	33.78			
PK	15.87882G	59.07	74.00	-14.93	41.77	3	Horizontal	295	2.02	-	37.92	12.39	33.01			
AV	15.8763G	47.45	54.00	-6.55	30.17	3	Horizontal	295	2.02	-	37.91	12.39	33.02			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 3/18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	64.11	74.00	-9.89	58.96	3	Vertical	344	1.80	-	33.27	7.40	35.52			
AV	5.15G	49.24	54.00	-4.76	44.06	3	Vertical	344	1.80	-	33.30	7.40	35.52			
PK	5.3228G	110.93	Inf	-Inf	105.89	3	Vertical	344	1.80	-	33.00	7.51	35.47			
AV	5.3244G	98.71	Inf	-Inf	93.67	3	Vertical	344	1.80	-	33.00	7.51	35.47			
PK	5.3748G	72.95	74.00	-1.05	67.87	3	Vertical	344	1.80	-	33.00	7.54	35.46			
AV	5.378G	52.32	54.00	-1.68	47.23	3	Vertical	344	1.80	-	33.00	7.54	35.45			
PK	5.4636G	64.54	68.20	-3.66	59.37	3	Vertical	344	1.80	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 3/18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1284G	62.64	74.00	-11.36	57.57	3	Horizontal	4	2.20	-	33.21	7.38	35.52			
AV	5.15G	48.92	54.00	-5.08	43.74	3	Horizontal	4	2.20	-	33.30	7.40	35.52			
PK	5.2548G	110.82	Inf	-Inf	105.74	3	Horizontal	4	2.20	-	33.09	7.48	35.49			
AV	5.2572G	98.72	Inf	-Inf	93.64	3	Horizontal	4	2.20	-	33.09	7.48	35.49			
PK	5.3788G	73.49	74.00	-0.51	68.40	3	Horizontal	4	2.20	-	33.00	7.54	35.45			
AV	5.374G	51.85	54.00	-2.15	46.77	3	Horizontal	4	2.20	-	33.00	7.54	35.46			
PK	5.4636G	60.02	68.20	-8.18	54.85	3	Horizontal	4	2.20	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 3/18
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57298G	57.28	68.20	-10.92	41.59	3	Vertical	306	1.59	-	39.04	10.44	33.79			
PK	15.88212G	59.48	74.00	-14.52	42.17	3	Vertical	324	2.18	-	37.93	12.39	33.01			
AV	15.88464G	47.54	54.00	-6.46	30.22	3	Vertical	324	2.18	-	37.94	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 3/18
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57436G	57.37	68.20	-10.83	41.67	3	Horizontal	122	1.64	-	39.05	10.44	33.79			
PK	15.87486G	58.70	74.00	-15.30	41.43	3	Horizontal	345	2.91	-	37.90	12.39	33.02			
AV	15.88164G	47.51	54.00	-6.49	30.20	3	Horizontal	345	2.91	-	37.93	12.39	33.01			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 6.5/16.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	71.67	74.00	-2.33	66.57	3	Vertical	349	1.80	-	33.23	7.39	35.52			
AV	5.0796G	50.70	54.00	-3.30	45.76	3	Vertical	349	1.80	-	33.14	7.34	35.54			
PK	5.322G	105.50	Inf	-Inf	100.46	3	Vertical	349	1.80	-	33.00	7.51	35.47			
AV	5.3244G	93.54	Inf	-Inf	88.50	3	Vertical	349	1.80	-	33.00	7.51	35.47			
PK	5.4024G	73.67	74.00	-0.33	68.57	3	Vertical	349	1.80	-	33.00	7.55	35.45			
AV	5.3796G	51.17	54.00	-2.83	46.08	3	Vertical	349	1.80	-	33.00	7.54	35.45			
PK	5.484G	64.65	68.20	-3.55	59.45	3	Vertical	349	1.80	-	33.00	7.62	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 6.5/16.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	70.01	74.00	-3.99	64.91	3	Horizontal	349	1.80	-	33.23	7.39	35.52			
AV	5.15G	50.01	54.00	-3.99	44.83	3	Horizontal	349	1.80	-	33.30	7.40	35.52			
PK	5.1816G	105.29	Inf	-Inf	100.20	3	Horizontal	349	1.80	-	33.17	7.43	35.51			
AV	5.178G	93.05	Inf	-Inf	87.94	3	Horizontal	349	1.80	-	33.19	7.43	35.51			
PK	5.4024G	71.89	74.00	-2.11	66.79	3	Horizontal	349	1.80	-	33.00	7.55	35.45			
AV	5.3784G	50.25	54.00	-3.75	45.16	3	Horizontal	349	1.80	-	33.00	7.54	35.45			
PK	5.4876G	63.57	68.20	-4.63	58.37	3	Horizontal	349	1.80	-	33.00	7.62	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 6.5/16.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51116G	57.19	68.20	-11.01	41.80	3	Vertical	122	2.67	-	38.82	10.41	33.84			
PK	15.75684G	59.50	74.00	-14.50	42.19	3	Vertical	307	2.60	-	38.16	12.35	33.20			
AV	15.74856G	47.63	54.00	-6.37	30.29	3	Vertical	307	2.60	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 6.5/16.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.515G	56.72	68.20	-11.48	41.31	3	Horizontal	274	2.59	-	38.83	10.42	33.84			
PK	15.75228G	60.12	74.00	-13.88	42.79	3	Horizontal	110	1.06	-	38.19	12.35	33.21			
AV	15.7491G	47.70	54.00	-6.30	30.36	3	Horizontal	110	1.06	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 5.5/16.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1252G	70.13	74.00	-3.87	65.07	3	Vertical	344	1.80	-	33.20	7.38	35.52			
AV	5.1408G	51.04	54.00	-2.96	45.91	3	Vertical	344	1.80	-	33.26	7.39	35.52			
PK	5.2584G	106.56	Inf	-Inf	101.49	3	Vertical	344	1.80	-	33.08	7.48	35.49			
AV	5.3244G	94.57	Inf	-Inf	89.53	3	Vertical	344	1.80	-	33.00	7.51	35.47			
PK	5.3952G	73.89	74.00	-0.11	68.79	3	Vertical	344	1.80	-	33.00	7.55	35.45			
AV	5.3964G	50.99	54.00	-3.01	45.89	3	Vertical	344	1.80	-	33.00	7.55	35.45			
PK	5.4744G	64.95	68.20	-3.25	59.77	3	Vertical	344	1.80	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 5.5/16.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1156G	68.33	74.00	-5.67	63.33	3	Horizontal	350	1.80	-	33.16	7.37	35.53			
AV	5.0856G	50.34	54.00	-3.66	45.41	3	Horizontal	350	1.80	-	33.13	7.34	35.54			
PK	5.1804G	106.40	Inf	-Inf	101.30	3	Horizontal	350	1.80	-	33.18	7.43	35.51			
AV	5.178G	94.26	Inf	-Inf	89.15	3	Horizontal	350	1.80	-	33.19	7.43	35.51			
PK	5.3952G	72.26	74.00	-1.74	67.16	3	Horizontal	350	1.80	-	33.00	7.55	35.45			
AV	5.3568G	50.15	54.00	-3.85	45.08	3	Horizontal	350	1.80	-	33.00	7.53	35.46			
PK	5.472G	63.47	68.20	-4.73	58.29	3	Horizontal	350	1.80	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 5.5/16.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5129G	57.13	68.20	-11.07	41.72	3	Vertical	354	1.65	-	38.83	10.42	33.84			
PK	15.76182G	58.82	74.00	-15.18	41.53	3	Vertical	62	2.55	-	38.13	12.35	33.19			
AV	15.74844G	47.70	54.00	-6.30	30.36	3	Vertical	62	2.55	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 5.5/16.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50486G	57.18	68.20	-11.02	41.81	3	Horizontal	316	1.80	-	38.81	10.41	33.85			
PK	15.747G	59.56	74.00	-14.44	42.23	3	Horizontal	90	1.37	-	38.19	12.35	33.21			
AV	15.75234G	47.78	54.00	-6.22	30.45	3	Horizontal	90	1.37	-	38.19	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 5/16
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	68.08	74.00	-5.92	62.98	3	Vertical	340	1.80	-	33.23	7.39	35.52			
AV	5.0832G	52.55	54.00	-1.45	47.62	3	Vertical	340	1.80	-	33.13	7.34	35.54			
PK	5.3268G	106.57	Inf	-Inf	101.53	3	Vertical	340	1.80	-	33.00	7.51	35.47			
AV	5.3052G	94.65	Inf	-Inf	89.62	3	Vertical	340	1.80	-	33.00	7.50	35.47			
PK	5.3928G	71.37	74.00	-2.63	66.27	3	Vertical	340	1.80	-	33.00	7.55	35.45			
AV	5.4276G	51.90	54.00	-2.10	46.77	3	Vertical	340	1.80	-	33.00	7.57	35.44			
PK	5.4888G	64.79	68.20	-3.41	59.59	3	Vertical	340	1.80	-	33.00	7.62	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 5/16
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1276G	69.37	74.00	-4.63	64.30	3	Horizontal	351	2.86	-	33.21	7.38	35.52			
AV	5.0784G	53.94	54.00	-0.06	49.01	3	Horizontal	351	2.86	-	33.14	7.33	35.54			
PK	5.1768G	107.69	Inf	-Inf	102.58	3	Horizontal	351	2.86	-	33.19	7.43	35.51			
AV	5.1756G	95.64	Inf	-Inf	90.52	3	Horizontal	351	2.86	-	33.20	7.43	35.51			
PK	5.4036G	69.92	74.00	-4.08	64.82	3	Horizontal	351	2.86	-	33.00	7.55	35.45			
AV	5.4336G	51.60	54.00	-2.40	46.46	3	Horizontal	351	2.86	-	33.00	7.58	35.44			
PK	5.4696G	63.39	68.20	-4.81	58.21	3	Horizontal	351	2.86	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
Setting 5/16
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51326G	56.61	68.20	-11.59	41.20	3	Vertical	266	2.13	-	38.83	10.42	33.84			
PK	15.74676G	59.39	74.00	-14.61	42.06	3	Vertical	163	2.71	-	38.19	12.35	33.21			
AV	15.74832G	47.78	54.00	-6.22	30.44	3	Vertical	163	2.71	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 5/16
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50444G	56.62	68.20	-11.58	41.25	3	Horizontal	26	1.07	-	38.81	10.41	33.85			
PK	15.75102G	59.72	74.00	-14.28	42.39	3	Horizontal	159	1.91	-	38.19	12.35	33.21			
AV	15.74964G	47.78	54.00	-6.22	30.44	3	Horizontal	159	1.91	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Y_2TX
Setting 3/17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	60.52	74.00	-13.48	55.35	3	Vertical	0	1.80	-	33.29	7.40	35.52			
AV	5.1468G	48.73	54.00	-5.27	43.56	3	Vertical	0	1.80	-	33.29	7.40	35.52			
PK	5.3276G	113.45	Inf	-Inf	108.41	3	Vertical	0	1.80	-	33.00	7.51	35.47			
AV	5.3252G	101.66	Inf	-Inf	96.62	3	Vertical	0	1.80	-	33.00	7.51	35.47			
PK	5.37G	70.03	74.00	-3.97	64.95	3	Vertical	0	1.80	-	33.00	7.54	35.46			
AV	5.3652G	51.81	54.00	-2.19	46.74	3	Vertical	0	1.80	-	33.00	7.53	35.46			
PK	5.47G	60.35	68.20	-7.85	55.17	3	Vertical	0	1.80	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5290MHz_TX

EUT_Y_2TX
Setting 3/17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	59.81	74.00	-14.19	54.63	3	Horizontal	360	2.15	-	33.30	7.40	35.52			
AV	5.1468G	48.56	54.00	-5.44	43.39	3	Horizontal	360	2.15	-	33.29	7.40	35.52			
PK	5.3148G	112.97	Inf	-Inf	107.93	3	Horizontal	360	2.15	-	33.00	7.51	35.47			
AV	5.3156G	101.00	Inf	-Inf	95.96	3	Horizontal	360	2.15	-	33.00	7.51	35.47			
PK	5.3548G	69.93	74.00	-4.07	64.86	3	Horizontal	360	2.15	-	33.00	7.53	35.46			
AV	5.3548G	51.89	54.00	-2.11	46.82	3	Horizontal	360	2.15	-	33.00	7.53	35.46			
PK	5.4644G	60.40	68.20	-7.80	55.23	3	Horizontal	360	2.15	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5290MHz_TX

EUT_Y_2TX
Setting 3/17
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58528G	56.77	68.20	-11.43	40.99	3	Vertical	266	2.63	-	39.11	10.45	33.78			
PK	15.87096G	59.53	74.00	-14.47	42.29	3	Vertical	322	1.42	-	37.88	12.39	33.03			
AV	15.86646G	47.34	54.00	-6.66	30.11	3	Vertical	322	1.42	-	37.87	12.39	33.03			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5290MHz_TX

EUT_Y_2TX
Setting 3/17
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57232G	57.47	68.20	-10.73	41.79	3	Horizontal	354	2.14	-	39.03	10.44	33.79			
PK	15.86772G	58.99	74.00	-15.01	41.76	3	Horizontal	162	1.31	-	37.87	12.39	33.03			
AV	15.87882G	47.40	54.00	-6.60	30.10	3	Horizontal	162	1.31	-	37.92	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 2/16
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	64.82	74.00	-9.18	59.64	3	Vertical	0	1.80	-	33.30	7.40	35.52			
AV	5.1444G	49.37	54.00	-4.63	44.21	3	Vertical	0	1.80	-	33.28	7.40	35.52			
PK	5.326G	114.32	Inf	-Inf	109.28	3	Vertical	0	1.80	-	33.00	7.51	35.47			
AV	5.3244G	102.05	Inf	-Inf	97.01	3	Vertical	0	1.80	-	33.00	7.51	35.47			
PK	5.386G	72.37	74.00	-1.63	67.28	3	Vertical	0	1.80	-	33.00	7.54	35.45			
AV	5.386G	53.75	54.00	-0.25	48.66	3	Vertical	0	1.80	-	33.00	7.54	35.45			
PK	5.47G	61.84	68.20	-6.36	56.66	3	Vertical	0	1.80	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 2/16
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1148G	65.90	74.00	-8.10	60.90	3	Horizontal	360	2.17	-	33.16	7.37	35.53			
AV	5.1412G	48.84	54.00	-5.16	43.71	3	Horizontal	360	2.17	-	33.26	7.39	35.52			
PK	5.3164G	114.03	Inf	-Inf	108.99	3	Horizontal	360	2.17	-	33.00	7.51	35.47			
AV	5.3164G	101.65	Inf	-Inf	96.61	3	Horizontal	360	2.17	-	33.00	7.51	35.47			
PK	5.3764G	73.59	74.00	-0.41	68.50	3	Horizontal	360	2.17	-	33.00	7.54	35.45			
AV	5.378G	53.54	54.00	-0.46	48.45	3	Horizontal	360	2.17	-	33.00	7.54	35.45			
PK	5.4836G	60.53	68.20	-7.67	55.33	3	Horizontal	360	2.17	-	33.00	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5290MHz_TX

EUT_Y_2TX
Setting 2/16
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5929G	57.29	68.20	-10.91	41.46	3	Vertical	88	2.02	-	39.16	10.45	33.78			
PK	15.87702G	58.86	74.00	-15.14	41.58	3	Vertical	335	2.64	-	37.91	12.39	33.02			
AV	15.8808G	47.33	54.00	-6.67	30.03	3	Vertical	335	2.64	-	37.92	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5290MHz_TX

EUT_Y_2TX
Setting 2/16
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57994G	57.19	68.20	-11.01	41.45	3	Horizontal	116	1.55	-	39.08	10.45	33.79			
PK	15.87228G	59.93	74.00	-14.07	42.67	3	Horizontal	215	1.75	-	37.89	12.39	33.02			
AV	15.8676G	47.35	54.00	-6.65	30.12	3	Horizontal	215	1.75	-	37.87	12.39	33.03			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 6/12
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1276G	71.25	74.00	-2.75	66.18	3	Vertical	0	1.80	-	33.21	7.38	35.52			
AV	5.1456G	52.73	54.00	-1.27	47.57	3	Vertical	0	1.80	-	33.28	7.40	35.52			
PK	5.3052G	108.71	Inf	-Inf	103.68	3	Vertical	0	1.80	-	33.00	7.50	35.47			
AV	5.3256G	96.97	Inf	-Inf	91.93	3	Vertical	0	1.80	-	33.00	7.51	35.47			
PK	5.4036G	72.46	74.00	-1.54	67.36	3	Vertical	0	1.80	-	33.00	7.55	35.45			
AV	5.406G	52.36	54.00	-1.64	47.26	3	Vertical	0	1.80	-	33.00	7.55	35.45			
PK	5.466G	64.95	68.20	-3.25	59.78	3	Vertical	0	1.80	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 6/12
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	72.85	74.00	-1.15	67.68	3	Horizontal	350	1.80	-	33.29	7.40	35.52			
AV	5.1384G	50.62	54.00	-3.38	45.50	3	Horizontal	350	1.80	-	33.25	7.39	35.52			
AV	5.1768G	96.01	Inf	-Inf	90.90	3	Horizontal	350	1.80	-	33.19	7.43	35.51			
PK	5.2548G	107.80	Inf	-Inf	102.72	3	Horizontal	350	1.80	-	33.09	7.48	35.49			
PK	5.4012G	70.60	74.00	-3.40	65.50	3	Horizontal	350	1.80	-	33.00	7.55	35.45			
AV	5.4156G	52.35	54.00	-1.65	47.23	3	Horizontal	350	1.80	-	33.00	7.56	35.44			
PK	5.4612G	64.12	68.20	-4.08	58.95	3	Horizontal	350	1.80	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 6/12
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50804G	56.71	68.20	-11.49	41.32	3	Vertical	122	1.83	-	38.82	10.41	33.84			
PK	15.7521G	59.49	74.00	-14.51	42.16	3	Vertical	303	1.22	-	38.19	12.35	33.21			
AV	15.75276G	47.69	54.00	-6.31	30.37	3	Vertical	303	1.22	-	38.18	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 6/12
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49922G	56.95	68.20	-11.25	41.59	3	Horizontal	252	1.54	-	38.80	10.41	33.85			
PK	15.75696G	58.97	74.00	-15.03	41.66	3	Horizontal	311	1.13	-	38.16	12.35	33.20			
AV	15.74646G	47.61	54.00	-6.39	30.29	3	Horizontal	311	1.13	-	38.19	12.35	33.22			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 5/14
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1192G	72.09	74.00	-1.91	67.07	3	Vertical	0	1.80	-	33.18	7.37	35.53			
AV	5.1444G	53.25	54.00	-0.75	48.09	3	Vertical	0	1.80	-	33.28	7.40	35.52			
PK	5.1876G	109.27	Inf	-Inf	104.19	3	Vertical	0	1.80	-	33.15	7.44	35.51			
PK	5.3928G	72.20	74.00	-1.80	67.10	3	Vertical	0	1.80	-	33.00	7.55	35.45			
AV	5.3256G	97.82	Inf	-Inf	92.78	3	Vertical	0	1.80	-	33.00	7.51	35.47			
AV	5.3844G	52.77	54.00	-1.23	47.68	3	Vertical	0	1.80	-	33.00	7.54	35.45			
PK	5.4624G	65.09	68.20	-3.11	59.92	3	Vertical	0	1.80	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 5/14
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1228G	72.52	74.00	-1.48	67.48	3	Horizontal	352	2.88	-	33.19	7.38	35.53			
AV	5.136G	53.56	54.00	-0.44	48.45	3	Horizontal	352	2.88	-	33.24	7.39	35.52			
PK	5.1768G	109.43	Inf	-Inf	104.32	3	Horizontal	352	2.88	-	33.19	7.43	35.51			
AV	5.1768G	98.16	Inf	-Inf	93.05	3	Horizontal	352	2.88	-	33.19	7.43	35.51			
PK	5.4168G	72.37	74.00	-1.63	67.25	3	Horizontal	352	2.88	-	33.00	7.56	35.44			
AV	5.3544G	51.78	54.00	-2.22	46.71	3	Horizontal	352	2.88	-	33.00	7.53	35.46			
PK	5.4816G	63.19	68.20	-5.01	58.00	3	Horizontal	352	2.88	-	33.00	7.62	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 5/14
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49934G	57.43	68.20	-10.77	42.07	3	Vertical	271	1.33	-	38.80	10.41	33.85			
PK	15.7512G	59.54	74.00	-14.46	42.21	3	Vertical	163	2.11	-	38.19	12.35	33.21			
AV	15.75498G	47.77	54.00	-6.23	30.45	3	Vertical	163	2.11	-	38.17	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 5/14
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50726G	57.21	68.20	-10.99	41.83	3	Horizontal	84	2.87	-	38.81	10.41	33.84			
PK	15.75444G	59.06	74.00	-14.94	41.74	3	Horizontal	105	1.10	-	38.17	12.35	33.20			
AV	15.74928G	47.78	54.00	-6.22	30.44	3	Horizontal	105	1.10	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 6.5/11.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.088G	69.19	74.00	-4.81	64.27	3	Vertical	3	1.80	-	33.12	7.34	35.54			
AV	5.07G	51.61	54.00	-2.39	46.66	3	Vertical	3	1.80	-	33.16	7.33	35.54			
PK	5.3244G	108.51	Inf	-Inf	103.47	3	Vertical	3	1.80	-	33.00	7.51	35.47			
AV	5.3268G	96.25	Inf	-Inf	91.21	3	Vertical	3	1.80	-	33.00	7.51	35.47			
PK	5.4036G	69.62	74.00	-4.38	64.52	3	Vertical	3	1.80	-	33.00	7.55	35.45			
AV	5.4252G	52.11	54.00	-1.89	46.98	3	Vertical	3	1.80	-	33.00	7.57	35.44			
PK	5.4636G	64.88	68.20	-3.32	59.71	3	Vertical	3	1.80	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 6.5/11.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	71.59	74.00	-2.41	66.42	3	Horizontal	353	2.86	-	33.29	7.40	35.52			
AV	5.0772G	51.53	54.00	-2.47	46.59	3	Horizontal	353	2.86	-	33.15	7.33	35.54			
PK	5.178G	107.76	Inf	-Inf	102.65	3	Horizontal	353	2.86	-	33.19	7.43	35.51			
AV	5.1768G	96.97	Inf	-Inf	91.86	3	Horizontal	353	2.86	-	33.19	7.43	35.51			
PK	5.4336G	70.12	74.00	-3.88	64.98	3	Horizontal	353	2.86	-	33.00	7.58	35.44			
AV	5.4348G	53.52	54.00	-0.48	48.38	3	Horizontal	353	2.86	-	33.00	7.58	35.44			
PK	5.466G	63.46	68.20	-4.74	58.29	3	Horizontal	353	2.86	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 6.5/11.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51146G	56.70	68.20	-11.50	41.30	3	Vertical	121	2.58	-	38.82	10.42	33.84			
PK	15.75378G	59.23	74.00	-14.77	41.90	3	Vertical	247	1.97	-	38.18	12.35	33.20			
AV	15.7479G	47.70	54.00	-6.30	30.36	3	Vertical	247	1.97	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 6.5/11.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51002G	56.79	68.20	-11.41	41.40	3	Horizontal	341	1.92	-	38.82	10.41	33.84			
PK	15.74664G	59.52	74.00	-14.48	42.20	3	Horizontal	59	1.95	-	38.19	12.35	33.22			
AV	15.74934G	47.78	54.00	-6.22	30.44	3	Horizontal	59	1.95	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT X_4TX
Setting 2.75/14.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	63.17	74.00	-10.83	58.04	3	Vertical	28	1.80	-	33.26	7.39	35.52			
AV	5.1412G	49.16	54.00	-4.84	44.03	3	Vertical	28	1.80	-	33.26	7.39	35.52			
PK	5.2612G	113.89	Inf	-Inf	108.82	3	Vertical	28	1.80	-	33.08	7.48	35.49			
PK	5.3604G	71.55	74.00	-2.45	66.48	3	Vertical	28	1.80	-	33.00	7.53	35.46			
AV	5.3212G	102.03	Inf	-Inf	96.99	3	Vertical	28	1.80	-	33.00	7.51	35.47			
AV	5.3612G	52.46	54.00	-1.54	47.39	3	Vertical	28	1.80	-	33.00	7.53	35.46			
PK	5.4692G	60.93	68.20	-7.27	55.75	3	Vertical	28	1.80	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_X_4TX
Setting 2.75/14.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1308G	62.79	74.00	-11.21	57.71	3	Horizontal	350	1.80	-	33.22	7.38	35.52			
AV	5.1452G	49.21	54.00	-4.79	44.05	3	Horizontal	350	1.80	-	33.28	7.40	35.52			
PK	5.3124G	115.26	Inf	-Inf	110.22	3	Horizontal	350	1.80	-	33.00	7.51	35.47			
AV	5.3124G	102.83	Inf	-Inf	97.79	3	Horizontal	350	1.80	-	33.00	7.51	35.47			
PK	5.354G	70.85	74.00	-3.15	65.78	3	Horizontal	350	1.80	-	33.00	7.53	35.46			
AV	5.3524G	53.61	54.00	-0.39	48.54	3	Horizontal	350	1.80	-	33.00	7.53	35.46			
PK	5.4876G	61.31	68.20	-6.89	56.11	3	Horizontal	350	1.80	-	33.00	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_X_4TX
Setting 2.75/14.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57208G	57.65	68.20	-10.55	41.97	3	Vertical	20	1.84	-	39.03	10.44	33.79			
PK	15.86382G	59.17	74.00	-14.83	41.97	3	Vertical	252	2.31	-	37.86	12.38	33.04			
AV	15.88338G	47.22	54.00	-6.78	29.91	3	Vertical	252	2.31	-	37.93	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT X_4TX
Setting 2.75/14.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57964G	57.95	68.20	-10.25	42.21	3	Horizontal	337	2.18	-	39.08	10.45	33.79			
PK	15.87414G	59.26	74.00	-14.74	41.99	3	Horizontal	324	1.19	-	37.90	12.39	33.02			
AV	15.8802G	47.36	54.00	-6.64	30.06	3	Horizontal	324	1.19	-	37.92	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 1.5/13.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	64.81	74.00	-9.19	59.67	3	Vertical	30	1.80	-	33.27	7.39	35.52			
AV	5.1412G	49.32	54.00	-4.68	44.19	3	Vertical	30	1.80	-	33.26	7.39	35.52			
PK	5.3204G	114.95	Inf	-Inf	109.91	3	Vertical	30	1.80	-	33.00	7.51	35.47			
AV	5.3212G	103.23	Inf	-Inf	98.19	3	Vertical	30	1.80	-	33.00	7.51	35.47			
PK	5.3868G	69.48	74.00	-4.52	64.39	3	Vertical	30	1.80	-	33.00	7.54	35.45			
AV	5.3812G	53.55	54.00	-0.45	48.46	3	Vertical	30	1.80	-	33.00	7.54	35.45			
PK	5.4732G	60.86	68.20	-7.34	55.68	3	Vertical	30	1.80	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 1.5/13.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1316G	63.60	74.00	-10.40	58.50	3	Horizontal	352	1.80	-	33.23	7.39	35.52			
AV	5.1444G	49.52	54.00	-4.48	44.36	3	Horizontal	352	1.80	-	33.28	7.40	35.52			
PK	5.3124G	114.59	Inf	-Inf	109.55	3	Horizontal	352	1.80	-	33.00	7.51	35.47			
AV	5.3124G	103.86	Inf	-Inf	98.82	3	Horizontal	352	1.80	-	33.00	7.51	35.47			
PK	5.3756G	71.20	74.00	-2.80	66.11	3	Horizontal	352	1.80	-	33.00	7.54	35.45			
AV	5.3732G	53.88	54.00	-0.12	48.80	3	Horizontal	352	1.80	-	33.00	7.54	35.46			
PK	5.4804G	60.59	68.20	-7.61	55.41	3	Horizontal	352	1.80	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX

EUT_X_4TX
Setting 1.5/13.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58666G	57.66	68.20	-10.54	41.87	3	Vertical	319	1.73	-	39.12	10.45	33.78			
PK	15.88224G	59.29	74.00	-14.71	41.98	3	Vertical	185	1.79	-	37.93	12.39	33.01			
AV	15.8772G	47.24	54.00	-6.76	29.96	3	Vertical	185	1.79	-	37.91	12.39	33.02			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX

EUT_X_4TX
Setting 1.5/13.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58762G	57.45	68.20	-10.75	41.65	3	Horizontal	110	1.74	-	39.13	10.45	33.78			
PK	15.86964G	58.92	74.00	-15.08	41.68	3	Horizontal	312	2.00	-	37.88	12.39	33.03			
AV	15.87828G	47.33	54.00	-6.67	30.05	3	Horizontal	312	2.00	-	37.91	12.39	33.02			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 6.5/10.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1012G	69.79	74.00	-4.21	64.86	3	Vertical	354	1.00	-	33.10	7.36	35.53			
PK	5.1812G	108.00	Inf	-Inf	102.90	3	Vertical	354	1.00	-	33.18	7.43	35.51			
AV	5.1428G	50.20	54.00	-3.80	45.05	3	Vertical	354	1.00	-	33.27	7.40	35.52			
AV	5.1812G	96.62	Inf	-Inf	91.52	3	Vertical	354	1.00	-	33.18	7.43	35.51			
PK	5.402G	67.84	74.00	-6.16	62.74	3	Vertical	354	1.00	-	33.00	7.55	35.45			
AV	5.4244G	49.68	54.00	-4.32	44.55	3	Vertical	354	1.00	-	33.00	7.57	35.44			
PK	5.4788G	62.19	68.20	-6.01	57.01	3	Vertical	354	1.00	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 6.5/10.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1332G	68.07	74.00	-5.93	62.97	3	Horizontal	6	1.80	-	33.23	7.39	35.52			
AV	5.0724G	50.08	54.00	-3.92	45.13	3	Horizontal	6	1.80	-	33.16	7.33	35.54			
PK	5.1924G	108.83	Inf	-Inf	103.77	3	Horizontal	6	1.80	-	33.13	7.44	35.51			
AV	5.1732G	97.48	Inf	-Inf	92.36	3	Horizontal	6	1.80	-	33.21	7.42	35.51			
PK	5.3988G	68.78	74.00	-5.22	63.68	3	Horizontal	6	1.80	-	33.00	7.55	35.45			
AV	5.378G	52.60	54.00	-1.40	47.51	3	Horizontal	6	1.80	-	33.00	7.54	35.45			
PK	5.4692G	63.69	68.20	-4.51	58.51	3	Horizontal	6	1.80	-	33.00	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_X_4TX
Setting 6.5/10.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50702G	57.18	68.20	-11.02	41.80	3	Vertical	70	1.97	-	38.81	10.41	33.84			
PK	15.74214G	59.28	74.00	-14.72	41.98	3	Vertical	295	2.44	-	38.18	12.34	33.22			
AV	15.74472G	47.55	54.00	-6.45	30.24	3	Vertical	295	2.44	-	38.19	12.34	33.22			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 6.5/10.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49034G	56.62	68.20	-11.58	41.22	3	Horizontal	176	1.46	-	38.82	10.41	33.83			
PK	15.75798G	59.22	74.00	-14.78	41.92	3	Horizontal	111	1.44	-	38.15	12.35	33.20			
AV	15.73578G	47.70	54.00	-6.30	30.42	3	Horizontal	111	1.44	-	38.17	12.34	33.23			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 4/12
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1252G	71.10	74.00	-2.90	66.04	3	Vertical	354	1.00	-	33.20	7.38	35.52			
AV	5.1428G	51.64	54.00	-2.36	46.49	3	Vertical	354	1.00	-	33.27	7.40	35.52			
PK	5.1796G	110.13	Inf	-Inf	105.03	3	Vertical	354	1.00	-	33.18	7.43	35.51			
AV	5.1828G	99.09	Inf	-Inf	94.00	3	Vertical	354	1.00	-	33.17	7.43	35.51			
PK	5.402G	71.40	74.00	-2.60	66.30	3	Vertical	354	1.00	-	33.00	7.55	35.45			
AV	5.4244G	52.06	54.00	-1.94	46.93	3	Vertical	354	1.00	-	33.00	7.57	35.44			
PK	5.4644G	65.50	68.20	-2.70	60.33	3	Vertical	354	1.00	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 4/12
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	72.14	74.00	-1.86	66.98	3	Horizontal	6	1.80	-	33.28	7.40	35.52			
AV	5.0852G	52.30	54.00	-1.70	47.37	3	Horizontal	6	1.80	-	33.13	7.34	35.54			
PK	5.1748G	110.98	Inf	-Inf	105.86	3	Horizontal	6	1.80	-	33.20	7.43	35.51			
AV	5.1732G	99.82	Inf	-Inf	94.70	3	Horizontal	6	1.80	-	33.21	7.42	35.51			
PK	5.394G	73.70	74.00	-0.30	68.60	3	Horizontal	6	1.80	-	33.00	7.55	35.45			
AV	5.354G	53.20	54.00	-0.80	48.13	3	Horizontal	6	1.80	-	33.00	7.53	35.46			
PK	5.4644G	64.97	68.20	-3.23	59.80	3	Horizontal	6	1.80	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 4/12
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50426G	57.03	68.20	-11.17	41.66	3	Vertical	247	2.05	-	38.81	10.41	33.85			
PK	15.7614G	59.02	74.00	-14.98	41.73	3	Vertical	65	1.66	-	38.13	12.35	33.19			
AV	15.7488G	47.58	54.00	-6.42	30.24	3	Vertical	65	1.66	-	38.20	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 4/12
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51332G	56.93	68.20	-11.27	41.52	3	Horizontal	322	2.47	-	38.83	10.42	33.84			
PK	15.76272G	59.46	74.00	-14.54	42.18	3	Horizontal	32	1.67	-	38.12	12.35	33.19			
AV	15.75486G	47.57	54.00	-6.43	30.25	3	Horizontal	32	1.67	-	38.17	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 4.5/10.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	67.80	74.00	-6.20	62.67	3	Vertical	354	1.00	-	33.26	7.39	35.52			
AV	5.0612G	51.39	54.00	-2.61	46.43	3	Vertical	354	1.00	-	33.18	7.32	35.54			
PK	5.2004G	109.02	Inf	-Inf	103.97	3	Vertical	354	1.00	-	33.10	7.45	35.50			
AV	5.1812G	98.48	Inf	-Inf	93.38	3	Vertical	354	1.00	-	33.18	7.43	35.51			
PK	5.402G	67.75	74.00	-6.25	62.65	3	Vertical	354	1.00	-	33.00	7.55	35.45			
AV	5.4228G	51.93	54.00	-2.07	46.80	3	Vertical	354	1.00	-	33.00	7.57	35.44			
PK	5.4628G	63.26	68.20	-4.94	58.09	3	Vertical	354	1.00	-	33.00	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 4.5/10.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1332G	67.07	74.00	-6.93	61.97	3	Horizontal	6	1.80	-	33.23	7.39	35.52			
AV	5.0852G	52.51	54.00	-1.49	47.58	3	Horizontal	6	1.80	-	33.13	7.34	35.54			
PK	5.1716G	112.11	Inf	-Inf	106.99	3	Horizontal	6	1.80	-	33.21	7.42	35.51			
AV	5.1732G	99.25	Inf	-Inf	94.13	3	Horizontal	6	1.80	-	33.21	7.42	35.51			
PK	5.402G	68.46	74.00	-5.54	63.36	3	Horizontal	6	1.80	-	33.00	7.55	35.45			
PK	5.4612G	64.34	68.20	-3.86	59.17	3	Horizontal	6	1.80	-	33.00	7.60	35.43			
AV	5.434G	53.55	54.00	-0.45	48.41	3	Horizontal	6	1.80	-	33.00	7.58	35.44			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 4.5/10.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4928G	57.20	68.20	-11.00	41.82	3	Vertical	267	2.42	-	38.81	10.41	33.84			
PK	15.7479G	59.04	74.00	-14.96	41.70	3	Vertical	27	2.70	-	38.20	12.35	33.21			
AV	15.7552G	47.49	54.00	-6.51	30.17	3	Vertical	27	2.70	-	38.17	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_X_4TX
Setting 4.5/10.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51302G	57.05	68.20	-11.15	41.64	3	Horizontal	11	2.74	-	38.83	10.42	33.84			
PK	15.7629G	59.12	74.00	-14.88	41.84	3	Horizontal	311	1.99	-	38.12	12.35	33.19			
AV	15.7521G	47.41	54.00	-6.59	30.08	3	Horizontal	311	1.99	-	38.19	12.35	33.21			




Test Mode: Mode 6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX	Pass	PK	5.112G	73.96	74.00	-0.04	3	Vertical	9	1.80	-

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUT_X_1TX
Setting 18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.135G	60.40	74.00	-13.60	55.80	3	Vertical	326	1.80	-	32.73	7.39	35.52			
AV	5.145G	48.04	54.00	-5.96	43.45	3	Vertical	326	1.80	-	32.71	7.40	35.52			
PK	5.308G	109.56	Inf	-Inf	104.85	3	Vertical	326	1.80	-	32.68	7.50	35.47			
AV	5.301G	97.80	Inf	-Inf	93.08	3	Vertical	326	1.80	-	32.70	7.50	35.48			
PK	5.353G	73.93	74.00	-0.07	69.25	3	Vertical	326	1.80	-	32.61	7.53	35.46			
AV	5.35G	52.42	54.00	-1.58	47.75	3	Vertical	326	1.80	-	32.60	7.53	35.46			
PK	5.529G	60.54	68.20	-7.66	55.72	3	Vertical	326	1.80	-	32.60	7.65	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUT_X_1TX
Setting 18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.095G	60.48	74.00	-13.52	55.84	3	Horizontal	342	1.80	-	32.82	7.35	35.53			
AV	5.145G	48.04	54.00	-5.96	43.45	3	Horizontal	342	1.80	-	32.71	7.40	35.52			
PK	5.322G	111.67	Inf	-Inf	106.97	3	Horizontal	342	1.80	-	32.66	7.51	35.47			
AV	5.323G	99.02	Inf	-Inf	94.33	3	Horizontal	342	1.80	-	32.65	7.51	35.47			
PK	5.362G	72.48	74.00	-1.52	67.79	3	Horizontal	342	1.80	-	32.62	7.53	35.46			
AV	5.35G	53.61	54.00	-0.39	48.94	3	Horizontal	342	1.80	-	32.60	7.53	35.46			
PK	5.491G	60.78	68.20	-7.42	55.98	3	Horizontal	342	1.80	-	32.60	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX


5290MHz_TX

EUT_X_1TX
Setting 18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57586G	58.05	68.20	-10.15	42.60	3	Vertical	16	2.28	-	38.80	10.44	33.79			
PK	15.8772G	59.08	74.00	-14.92	42.04	3	Vertical	299	2.49	-	37.67	12.39	33.02			
AV	15.87978G	47.07	54.00	-6.93	30.03	3	Vertical	299	2.49	-	37.66	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX


5290MHz_TX

EUT_X_1TX
Setting 18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57052G	58.08	68.20	-10.12	42.65	3	Horizontal	269	2.39	-	38.78	10.44	33.79			
PK	15.87024G	59.61	74.00	-14.39	42.56	3	Horizontal	97	2.49	-	37.69	12.39	33.03			
AV	15.87648G	47.05	54.00	-6.95	30.01	3	Horizontal	97	2.49	-	37.67	12.39	33.02			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 16.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	72.65	74.00	-1.35	68.06	3	Vertical	329	1.80	-	32.71	7.40	35.52			
AV	5.142G	50.43	54.00	-3.57	45.84	3	Vertical	329	1.80	-	32.72	7.39	35.52			
PK	5.313G	104.96	Inf	-Inf	100.25	3	Vertical	329	1.80	-	32.67	7.51	35.47			
AV	5.313G	92.95	Inf	-Inf	88.24	3	Vertical	329	1.80	-	32.67	7.51	35.47			
PK	5.362G	72.49	74.00	-1.51	67.80	3	Vertical	329	1.80	-	32.62	7.53	35.46			
AV	5.363G	50.41	54.00	-3.59	45.71	3	Vertical	329	1.80	-	32.63	7.53	35.46			
PK	5.463G	63.51	68.20	-4.69	58.74	3	Vertical	329	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 16.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.133G	71.89	74.00	-2.11	67.29	3	Horizontal	343	1.80	-	32.73	7.39	35.52			
AV	5.122G	50.53	54.00	-3.47	45.92	3	Horizontal	343	1.80	-	32.76	7.38	35.53			
PK	5.317G	106.41	Inf	-Inf	101.70	3	Horizontal	343	1.80	-	32.67	7.51	35.47			
AV	5.32G	94.07	Inf	-Inf	89.37	3	Horizontal	343	1.80	-	32.66	7.51	35.47			
PK	5.353G	73.12	74.00	-0.88	68.44	3	Horizontal	343	1.80	-	32.61	7.53	35.46			
AV	5.351G	50.49	54.00	-3.51	45.82	3	Horizontal	343	1.80	-	32.60	7.53	35.46			
PK	5.466G	66.13	68.20	-2.07	61.36	3	Horizontal	343	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 16.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50912G	58.10	68.20	-10.10	42.99	3	Vertical	260	1.40	-	38.54	10.41	33.84			
PK	15.75288G	59.32	74.00	-14.68	42.37	3	Vertical	257	1.71	-	37.81	12.35	33.21			
AV	15.76032G	47.48	54.00	-6.52	30.50	3	Vertical	257	1.71	-	37.82	12.35	33.19			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 16.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51038G	57.36	68.20	-10.84	42.25	3	Horizontal	318	1.11	-	38.54	10.41	33.84			
PK	15.7602G	59.57	74.00	-14.43	42.59	3	Horizontal	62	2.05	-	37.82	12.35	33.19			
AV	15.7602G	47.56	54.00	-6.44	30.58	3	Horizontal	62	2.05	-	37.82	12.35	33.19			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.097G	69.99	74.00	-4.01	65.36	3	Vertical	323	1.80	-	32.81	7.35	35.53			
AV	5.145G	50.29	54.00	-3.71	45.70	3	Vertical	323	1.80	-	32.71	7.40	35.52			
PK	5.288G	106.04	Inf	-Inf	101.31	3	Vertical	323	1.80	-	32.72	7.49	35.48			
AV	5.284G	93.91	Inf	-Inf	89.17	3	Vertical	323	1.80	-	32.73	7.49	35.48			
PK	5.359G	69.95	74.00	-4.05	65.26	3	Vertical	323	1.80	-	32.62	7.53	35.46			
AV	5.35G	49.57	54.00	-4.43	44.90	3	Vertical	323	1.80	-	32.60	7.53	35.46			
PK	5.466G	61.72	68.20	-6.48	56.95	3	Vertical	323	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.098G	70.89	74.00	-3.11	66.26	3	Horizontal	-0	1.80	-	32.81	7.35	35.53			
AV	5.15G	50.59	54.00	-3.41	46.01	3	Horizontal	-0	1.80	-	32.70	7.40	35.52			
PK	5.28G	107.38	Inf	-Inf	102.63	3	Horizontal	-0	1.80	-	32.74	7.49	35.48			
AV	5.268G	95.06	Inf	-Inf	90.30	3	Horizontal	-0	1.80	-	32.76	7.48	35.48			
PK	5.357G	72.15	74.00	-1.85	67.47	3	Horizontal	-0	1.80	-	32.61	7.53	35.46			
AV	5.357G	50.37	54.00	-3.63	45.69	3	Horizontal	-0	1.80	-	32.61	7.53	35.46			
PK	5.47G	63.01	68.20	-5.19	58.23	3	Horizontal	-0	1.80	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_X_1TX
Setting 17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49292G	57.56	68.20	-10.64	42.49	3	Vertical	222	1.44	-	38.50	10.41	33.84			
PK	15.76398G	59.70	74.00	-14.30	42.71	3	Vertical	202	2.24	-	37.83	12.35	33.19			
AV	15.7506G	47.58	54.00	-6.42	30.64	3	Vertical	202	2.24	-	37.80	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_1TX
Setting 17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50432G	58.31	68.20	-9.89	43.23	3	Horizontal	33	2.87	-	38.52	10.41	33.85			
PK	15.73776G	60.24	74.00	-13.76	43.35	3	Horizontal	315	1.06	-	37.78	12.34	33.23			
AV	15.75486G	47.53	54.00	-6.47	30.57	3	Horizontal	315	1.06	-	37.81	12.35	33.20			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 16.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.114G	61.57	74.00	-12.43	56.96	3	Vertical	327	1.80	-	32.77	7.37	35.53			
AV	5.147G	48.62	54.00	-5.38	44.03	3	Vertical	327	1.80	-	32.71	7.40	35.52			
PK	5.315G	112.75	Inf	-Inf	108.04	3	Vertical	327	1.80	-	32.67	7.51	35.47			
AV	5.316G	101.56	Inf	-Inf	96.85	3	Vertical	327	1.80	-	32.67	7.51	35.47			
PK	5.352G	69.18	74.00	-4.82	64.51	3	Vertical	327	1.80	-	32.60	7.53	35.46			
AV	5.35G	52.31	54.00	-1.69	47.64	3	Vertical	327	1.80	-	32.60	7.53	35.46			
PK	5.504G	60.88	68.20	-7.32	56.07	3	Vertical	327	1.80	-	32.60	7.63	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 16.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.099G	60.98	74.00	-13.02	56.36	3	Horizontal	0	1.80	-	32.80	7.35	35.53			
AV	5.149G	48.62	54.00	-5.38	44.04	3	Horizontal	0	1.80	-	32.70	7.40	35.52			
PK	5.305G	114.02	Inf	-Inf	109.30	3	Horizontal	0	1.80	-	32.69	7.50	35.47			
AV	5.325G	102.93	Inf	-Inf	98.24	3	Horizontal	0	1.80	-	32.65	7.51	35.47			
PK	5.366G	70.48	74.00	-3.52	65.78	3	Horizontal	0	1.80	-	32.63	7.53	35.46			
AV	5.35G	52.76	54.00	-1.24	48.09	3	Horizontal	0	1.80	-	32.60	7.53	35.46			
PK	5.513G	61.26	68.20	-6.94	56.44	3	Horizontal	0	1.80	-	32.60	7.64	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_X_2TX
Setting 16.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57964G	58.04	68.20	-10.16	42.56	3	Vertical	231	1.57	-	38.82	10.45	33.79			
PK	15.88482G	59.54	74.00	-14.46	42.51	3	Vertical	259	2.51	-	37.65	12.39	33.01			
AV	15.87684G	47.05	54.00	-6.95	30.01	3	Vertical	259	2.51	-	37.67	12.39	33.02			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT X_2TX
Setting 16.5
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.58G	58.78	68.20	-9.42	43.30	3	Horizontal	32	1.34	-	38.82	10.45	33.79			
PK	15.87294G	58.89	74.00	-15.11	41.84	3	Horizontal	0	3.00	-	37.68	12.39	33.02			
AV	15.88296G	46.98	54.00	-7.02	29.95	3	Horizontal	0	3.00	-	37.65	12.39	33.01			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 13.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.126G	73.18	74.00	-0.82	68.57	3	Vertical	345	1.80	-	32.75	7.38	35.52			
AV	5.116G	51.61	54.00	-2.39	47.00	3	Vertical	345	1.80	-	32.77	7.37	35.53			
AV	5.178G	95.83	Inf	-Inf	91.15	3	Vertical	345	1.80	-	32.76	7.43	35.51			
PK	5.318G	107.38	Inf	-Inf	102.68	3	Vertical	345	1.80	-	32.66	7.51	35.47			
PK	5.352G	72.94	74.00	-1.06	68.27	3	Vertical	345	1.80	-	32.60	7.53	35.46			
AV	5.354G	51.34	54.00	-2.66	46.66	3	Vertical	345	1.80	-	32.61	7.53	35.46			
PK	5.467G	63.91	68.20	-4.29	59.14	3	Vertical	345	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 13.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.129G	70.86	74.00	-3.14	66.26	3	Horizontal	356	1.80	-	32.74	7.38	35.52			
AV	5.147G	52.08	54.00	-1.92	47.49	3	Horizontal	356	1.80	-	32.71	7.40	35.52			
PK	5.325G	108.14	Inf	-Inf	103.45	3	Horizontal	356	1.80	-	32.65	7.51	35.47			
AV	5.325G	96.99	Inf	-Inf	92.30	3	Horizontal	356	1.80	-	32.65	7.51	35.47			
PK	5.353G	71.93	74.00	-2.07	67.25	3	Horizontal	356	1.80	-	32.61	7.53	35.46			
AV	5.364G	51.90	54.00	-2.10	47.20	3	Horizontal	356	1.80	-	32.63	7.53	35.46			
PK	5.466G	64.68	68.20	-3.52	59.91	3	Horizontal	356	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_X_2TX
Setting 13.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51086G	57.61	68.20	-10.59	42.50	3	Vertical	219	1.44	-	38.54	10.41	33.84			
PK	15.75588G	59.25	74.00	-14.75	42.29	3	Vertical	356	2.22	-	37.81	12.35	33.20			
AV	15.75606G	47.53	54.00	-6.47	30.57	3	Vertical	356	2.22	-	37.81	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_X_2TX
Setting 13.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.515G	57.37	68.20	-10.83	42.23	3	Horizontal	42	2.14	-	38.56	10.42	33.84			
PK	15.74934G	59.21	74.00	-14.79	42.27	3	Horizontal	306	1.04	-	37.80	12.35	33.21			
AV	15.75372G	47.52	54.00	-6.48	30.56	3	Horizontal	306	1.04	-	37.81	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 14
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.097G	70.11	74.00	-3.89	65.48	3	Vertical	346	1.80	-	32.81	7.35	35.53			
AV	5.137G	51.00	54.00	-3.00	46.40	3	Vertical	346	1.80	-	32.73	7.39	35.52			
PK	5.177G	108.91	Inf	-Inf	104.24	3	Vertical	346	1.80	-	32.75	7.43	35.51			
AV	5.178G	96.97	Inf	-Inf	92.29	3	Vertical	346	1.80	-	32.76	7.43	35.51			
PK	5.366G	71.12	74.00	-2.88	66.42	3	Vertical	346	1.80	-	32.63	7.53	35.46			
AV	5.355G	50.07	54.00	-3.93	45.39	3	Vertical	346	1.80	-	32.61	7.53	35.46			
PK	5.471G	68.04	68.20	-0.16	63.26	3	Vertical	346	1.80	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 14
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	72.79	74.00	-1.21	68.19	3	Horizontal	-0	1.80	-	32.74	7.38	35.52			
AV	5.148G	51.69	54.00	-2.31	47.11	3	Horizontal	-0	1.80	-	32.70	7.40	35.52			
PK	5.287G	109.62	Inf	-Inf	104.88	3	Horizontal	-0	1.80	-	32.73	7.49	35.48			
AV	5.266G	97.15	Inf	-Inf	92.39	3	Horizontal	-0	1.80	-	32.77	7.48	35.49			
PK	5.364G	72.45	74.00	-1.55	67.75	3	Horizontal	-0	1.80	-	32.63	7.53	35.46			
AV	5.364G	50.42	54.00	-3.58	45.72	3	Horizontal	-0	1.80	-	32.63	7.53	35.46			
PK	5.47G	67.82	68.20	-0.38	63.04	3	Horizontal	-0	1.80	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 14
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51422G	57.41	68.20	-10.79	42.27	3	Vertical	223	1.21	-	38.56	10.42	33.84			
PK	15.74418G	59.34	74.00	-14.66	42.43	3	Vertical	288	1.57	-	37.79	12.34	33.22			
AV	15.7473G	47.49	54.00	-6.51	30.56	3	Vertical	288	1.57	-	37.79	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_X_2TX
Setting 14
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50732G	57.49	68.20	-10.71	42.39	3	Horizontal	215	1.49	-	38.53	10.41	33.84			
PK	15.76488G	59.19	74.00	-14.81	42.20	3	Horizontal	347	1.70	-	37.83	12.35	33.19			
AV	15.75894G	47.55	54.00	-6.45	30.58	3	Horizontal	347	1.70	-	37.82	12.35	33.20			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_Y_4TX
Setting 14
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.132G	62.71	74.00	-11.29	58.10	3	Vertical	6	1.80	-	32.74	7.39	35.52			
AV	5.147G	49.16	54.00	-4.84	44.57	3	Vertical	6	1.80	-	32.71	7.40	35.52			
PK	5.311G	114.30	Inf	-Inf	109.58	3	Vertical	6	1.80	-	32.68	7.51	35.47			
AV	5.311G	102.97	Inf	-Inf	98.25	3	Vertical	6	1.80	-	32.68	7.51	35.47			
PK	5.351G	73.20	74.00	-0.80	68.53	3	Vertical	6	1.80	-	32.60	7.53	35.46			
AV	5.353G	53.43	54.00	-0.57	48.75	3	Vertical	6	1.80	-	32.61	7.53	35.46			
PK	5.481G	61.04	68.20	-7.16	56.26	3	Vertical	6	1.80	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT Y_4TX
Setting 14
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	60.80	74.00	-13.20	56.22	3	Horizontal	15	1.38	-	32.70	7.40	35.52			
AV	5.15G	48.80	54.00	-5.20	44.22	3	Horizontal	15	1.38	-	32.70	7.40	35.52			
PK	5.32G	113.86	Inf	-Inf	109.16	3	Horizontal	15	1.38	-	32.66	7.51	35.47			
AV	5.32G	101.93	Inf	-Inf	97.23	3	Horizontal	15	1.38	-	32.66	7.51	35.47			
PK	5.365G	69.25	74.00	-4.75	64.55	3	Horizontal	15	1.38	-	32.63	7.53	35.46			
AV	5.36G	51.63	54.00	-2.37	46.94	3	Horizontal	15	1.38	-	32.62	7.53	35.46			
PK	5.488G	60.96	68.20	-7.24	56.16	3	Horizontal	15	1.38	-	32.60	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_Y_4TX
Setting 14
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58882G	58.04	68.20	-10.16	42.51	3	Vertical	139	1.86	-	38.86	10.45	33.78			
PK	15.86202G	59.14	74.00	-14.86	42.09	3	Vertical	98	2.98	-	37.71	12.38	33.04			
AV	15.88308G	46.88	54.00	-7.12	29.85	3	Vertical	98	2.98	-	37.65	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 14
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58756G	58.01	68.20	-10.19	42.49	3	Horizontal	292	2.90	-	38.85	10.45	33.78			
PK	15.8661G	58.66	74.00	-15.34	41.60	3	Horizontal	83	2.93	-	37.70	12.39	33.03			
AV	15.88008G	46.97	54.00	-7.03	29.93	3	Horizontal	83	2.93	-	37.66	12.39	33.01			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 12.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.112G	73.96	74.00	-0.04	69.34	3	Vertical	9	1.80	-	32.78	7.37	35.53			
AV	5.131G	52.15	54.00	-1.85	47.55	3	Vertical	9	1.80	-	32.74	7.38	35.52			
PK	5.172G	111.55	Inf	-Inf	106.90	3	Vertical	9	1.80	-	32.74	7.42	35.51			
AV	5.172G	99.96	Inf	-Inf	95.31	3	Vertical	9	1.80	-	32.74	7.42	35.51			
PK	5.352G	73.62	74.00	-0.38	68.95	3	Vertical	9	1.80	-	32.60	7.53	35.46			
AV	5.351G	53.51	54.00	-0.49	48.84	3	Vertical	9	1.80	-	32.60	7.53	35.46			
PK	5.468G	62.68	68.20	-5.52	57.91	3	Vertical	9	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 12.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	71.81	74.00	-2.19	67.22	3	Horizontal	9	1.00	-	32.72	7.39	35.52			
AV	5.142G	52.42	54.00	-1.58	47.83	3	Horizontal	9	1.00	-	32.72	7.39	35.52			
PK	5.181G	109.55	Inf	-Inf	104.87	3	Horizontal	9	1.00	-	32.76	7.43	35.51			
AV	5.181G	98.69	Inf	-Inf	94.01	3	Horizontal	9	1.00	-	32.76	7.43	35.51			
PK	5.367G	72.04	74.00	-1.96	67.34	3	Horizontal	9	1.00	-	32.63	7.53	35.46			
AV	5.361G	52.13	54.00	-1.87	47.44	3	Horizontal	9	1.00	-	32.62	7.53	35.46			
PK	5.467G	64.27	68.20	-3.93	59.50	3	Horizontal	9	1.00	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 12.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50774G	57.42	68.20	-10.78	42.32	3	Vertical	335	2.44	-	38.53	10.41	33.84			
PK	15.7557G	59.77	74.00	-14.23	42.81	3	Vertical	346	1.02	-	37.81	12.35	33.20			
AV	15.75564G	47.44	54.00	-6.56	30.48	3	Vertical	346	1.02	-	37.81	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 12.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5147G	57.35	68.20	-10.85	42.21	3	Horizontal	312	2.70	-	38.56	10.42	33.84			
PK	15.74058G	59.05	74.00	-14.95	42.15	3	Horizontal	216	2.87	-	37.78	12.34	33.22			
AV	15.76344G	47.50	54.00	-6.50	30.51	3	Horizontal	216	2.87	-	37.83	12.35	33.19			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 13.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.093G	73.65	74.00	-0.35	69.00	3	Vertical	6	1.80	-	32.83	7.35	35.53			
PK	5.192G	112.54	Inf	-Inf	107.83	3	Vertical	6	1.80	-	32.78	7.44	35.51			
AV	5.15G	52.79	54.00	-1.21	48.21	3	Vertical	6	1.80	-	32.70	7.40	35.52			
AV	5.172G	101.49	Inf	-Inf	96.84	3	Vertical	6	1.80	-	32.74	7.42	35.51			
PK	5.359G	73.68	74.00	-0.32	68.99	3	Vertical	6	1.80	-	32.62	7.53	35.46			
AV	5.352G	52.43	54.00	-1.57	47.76	3	Vertical	6	1.80	-	32.60	7.53	35.46			
PK	5.492G	67.43	68.20	-0.77	62.63	3	Vertical	6	1.80	-	32.60	7.62	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 13.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	72.59	74.00	-1.41	68.00	3	Horizontal	10	1.00	-	32.72	7.39	35.52			
AV	5.141G	52.77	54.00	-1.23	48.18	3	Horizontal	10	1.00	-	32.72	7.39	35.52			
PK	5.182G	110.59	Inf	-Inf	105.91	3	Horizontal	10	1.00	-	32.76	7.43	35.51			
AV	5.181G	100.28	Inf	-Inf	95.60	3	Horizontal	10	1.00	-	32.76	7.43	35.51			
PK	5.366G	72.88	74.00	-1.12	68.18	3	Horizontal	10	1.00	-	32.63	7.53	35.46			
AV	5.361G	51.63	54.00	-2.37	46.94	3	Horizontal	10	1.00	-	32.62	7.53	35.46			
PK	5.466G	67.16	68.20	-1.04	62.39	3	Horizontal	10	1.00	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 13.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51242G	57.14	68.20	-11.06	42.01	3	Vertical	145	1.53	-	38.55	10.42	33.84			
PK	15.74706G	59.36	74.00	-14.64	42.43	3	Vertical	328	2.86	-	37.79	12.35	33.21			
AV	15.75654G	47.27	54.00	-6.73	30.31	3	Vertical	328	2.86	-	37.81	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_Y_4TX
Setting 13.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5144G	57.24	68.20	-10.96	42.10	3	Horizontal	173	2.30	-	38.56	10.42	33.84			
PK	15.75828G	59.11	74.00	-14.89	42.14	3	Horizontal	332	2.55	-	37.82	12.35	33.20			
AV	15.76326G	47.32	54.00	-6.68	30.33	3	Horizontal	332	2.55	-	37.83	12.35	33.19			




Test Mode: Mode 7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_1TX	Pass	AV	5.363G	53.79	54.00	-0.21	3	Vertical	340	1.80	-

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 17.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.072G	61.04	74.00	-12.96	56.34	3	Vertical	338	1.80	-	32.91	7.33	35.54			
AV	5.145G	48.04	54.00	-5.96	43.45	3	Vertical	338	1.80	-	32.71	7.40	35.52			
PK	5.322G	109.29	Inf	-Inf	104.59	3	Vertical	338	1.80	-	32.66	7.51	35.47			
AV	5.326G	97.49	Inf	-Inf	92.80	3	Vertical	338	1.80	-	32.65	7.51	35.47			
PK	5.35G	71.42	74.00	-2.58	66.75	3	Vertical	338	1.80	-	32.60	7.53	35.46			
AV	5.35G	51.04	54.00	-2.96	46.37	3	Vertical	338	1.80	-	32.60	7.53	35.46			
PK	5.528G	61.23	68.20	-6.97	56.41	3	Vertical	338	1.80	-	32.60	7.65	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 17.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.093G	60.19	74.00	-13.81	55.54	3	Horizontal	356	2.96	-	32.83	7.35	35.53			
AV	5.145G	48.04	54.00	-5.96	43.45	3	Horizontal	356	2.96	-	32.71	7.40	35.52			
PK	5.322G	109.11	Inf	-Inf	104.41	3	Horizontal	356	2.96	-	32.66	7.51	35.47			
AV	5.323G	96.27	Inf	-Inf	91.58	3	Horizontal	356	2.96	-	32.65	7.51	35.47			
PK	5.35G	70.20	74.00	-3.80	65.53	3	Horizontal	356	2.96	-	32.60	7.53	35.46			
AV	5.351G	49.89	54.00	-4.11	45.22	3	Horizontal	356	2.96	-	32.60	7.53	35.46			
PK	5.537G	61.08	68.20	-7.12	56.25	3	Horizontal	356	2.96	-	32.60	7.66	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 17.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57604G	58.35	68.20	-9.85	42.90	3	Vertical	38	1.87	-	38.80	10.44	33.79			
PK	15.8679G	58.92	74.00	-15.08	41.86	3	Vertical	62	1.36	-	37.70	12.39	33.03			
AV	15.88008G	46.68	54.00	-7.32	29.64	3	Vertical	62	1.36	-	37.66	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 17.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58612G	57.86	68.20	-10.34	42.35	3	Horizontal	256	2.19	-	38.84	10.45	33.78			
PK	15.8838G	58.67	74.00	-15.33	41.64	3	Horizontal	356	1.90	-	37.65	12.39	33.01			
AV	15.88314G	46.78	54.00	-7.22	29.75	3	Horizontal	356	1.90	-	37.65	12.39	33.01			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 17.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.106G	72.86	74.00	-1.14	68.24	3	Vertical	340	1.80	-	32.79	7.36	35.53			
AV	5.147G	52.08	54.00	-1.92	47.49	3	Vertical	340	1.80	-	32.71	7.40	35.52			
PK	5.297G	106.66	Inf	-Inf	101.93	3	Vertical	340	1.80	-	32.71	7.50	35.48			
AV	5.264G	94.37	Inf	-Inf	89.61	3	Vertical	340	1.80	-	32.77	7.48	35.49			
PK	5.366G	73.36	74.00	-0.64	68.66	3	Vertical	340	1.80	-	32.63	7.53	35.46			
AV	5.363G	53.79	54.00	-0.21	49.09	3	Vertical	340	1.80	-	32.63	7.53	35.46			
PK	5.486G	65.38	68.20	-2.82	60.58	3	Vertical	340	1.80	-	32.60	7.62	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 17.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	70.77	74.00	-3.23	66.18	3	Horizontal	339	1.80	-	32.71	7.40	35.52			
AV	5.145G	50.59	54.00	-3.41	46.00	3	Horizontal	339	1.80	-	32.71	7.40	35.52			
PK	5.186G	104.94	Inf	-Inf	100.24	3	Horizontal	339	1.80	-	32.77	7.44	35.51			
AV	5.177G	92.27	Inf	-Inf	87.60	3	Horizontal	339	1.80	-	32.75	7.43	35.51			
PK	5.359G	70.23	74.00	-3.77	65.54	3	Horizontal	339	1.80	-	32.62	7.53	35.46			
AV	5.358G	51.36	54.00	-2.64	46.67	3	Horizontal	339	1.80	-	32.62	7.53	35.46			
PK	5.461G	63.53	68.20	-4.67	58.76	3	Horizontal	339	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 17.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5108G	56.63	68.20	-11.57	41.52	3	Vertical	154	1.54	-	38.54	10.41	33.84			
PK	15.75282G	60.02	74.00	-13.98	43.07	3	Vertical	299	2.09	-	37.81	12.35	33.21			
AV	15.76302G	47.49	54.00	-6.51	30.50	3	Vertical	299	2.09	-	37.83	12.35	33.19			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 17.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51014G	57.89	68.20	-10.31	42.78	3	Horizontal	177	1.97	-	38.54	10.41	33.84			
PK	15.7419G	59.51	74.00	-14.49	42.61	3	Horizontal	352	1.67	-	37.78	12.34	33.22			
AV	15.75678G	47.53	54.00	-6.47	30.57	3	Horizontal	352	1.67	-	37.81	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 16.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.118G	70.36	74.00	-3.64	65.76	3	Vertical	2	1.80	-	32.76	7.37	35.53			
AV	5.081G	51.10	54.00	-2.90	46.42	3	Vertical	2	1.80	-	32.88	7.34	35.54			
PK	5.317G	106.49	Inf	-Inf	101.78	3	Vertical	2	1.80	-	32.67	7.51	35.47			
AV	5.261G	94.07	Inf	-Inf	89.30	3	Vertical	2	1.80	-	32.78	7.48	35.49			
PK	5.398G	67.97	74.00	-6.03	63.17	3	Vertical	2	1.80	-	32.70	7.55	35.45			
AV	5.39G	49.97	54.00	-4.03	45.20	3	Vertical	2	1.80	-	32.68	7.54	35.45			
PK	5.474G	63.82	68.20	-4.38	59.04	3	Vertical	2	1.80	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 16.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.118G	68.67	74.00	-5.33	64.07	3	Horizontal	345	2.80	-	32.76	7.37	35.53			
AV	5.15G	50.44	54.00	-3.56	45.86	3	Horizontal	345	2.80	-	32.70	7.40	35.52			
PK	5.184G	105.39	Inf	-Inf	100.70	3	Horizontal	345	2.80	-	32.77	7.43	35.51			
PK	5.398G	67.95	74.00	-6.05	63.15	3	Horizontal	345	2.80	-	32.70	7.55	35.45			
AV	5.326G	92.86	Inf	-Inf	88.17	3	Horizontal	345	2.80	-	32.65	7.51	35.47			
AV	5.387G	49.95	54.00	-4.05	45.19	3	Horizontal	345	2.80	-	32.67	7.54	35.45			
PK	5.479G	62.47	68.20	-5.73	57.69	3	Horizontal	345	2.80	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 16.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5129G	57.51	68.20	-10.69	42.38	3	Vertical	125	1.68	-	38.55	10.42	33.84			
PK	15.74286G	59.19	74.00	-14.81	42.28	3	Vertical	220	1.22	-	37.79	12.34	33.22			
AV	15.75678G	47.27	54.00	-6.73	30.31	3	Vertical	220	1.22	-	37.81	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 16.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50612G	57.23	68.20	-10.97	42.15	3	Horizontal	200	2.66	-	38.52	10.41	33.85			
PK	15.7563G	59.64	74.00	-14.36	42.68	3	Horizontal	35	2.58	-	37.81	12.35	33.20			
AV	15.75618G	47.27	54.00	-6.73	30.31	3	Horizontal	35	2.58	-	37.81	12.35	33.20			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUTY_2TX
Setting 16.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.053G	61.22	74.00	-12.78	56.47	3	Vertical	0	1.80	-	32.99	7.31	35.55			
AV	5.146G	48.43	54.00	-5.57	43.84	3	Vertical	0	1.80	-	32.71	7.40	35.52			
PK	5.286G	114.23	Inf	-Inf	109.49	3	Vertical	0	1.80	-	32.73	7.49	35.48			
PK	5.35G	70.86	74.00	-3.14	66.19	3	Vertical	0	1.80	-	32.60	7.53	35.46			
AV	5.326G	102.15	Inf	-Inf	97.46	3	Vertical	0	1.80	-	32.65	7.51	35.47			
AV	5.35G	52.31	54.00	-1.69	47.64	3	Vertical	0	1.80	-	32.60	7.53	35.46			
PK	5.489G	61.15	68.20	-7.05	56.35	3	Vertical	0	1.80	-	32.60	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 16.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.091G	60.56	74.00	-13.44	55.90	3	Horizontal	356	1.80	-	32.84	7.35	35.53			
AV	5.145G	48.23	54.00	-5.77	43.64	3	Horizontal	356	1.80	-	32.71	7.40	35.52			
PK	5.296G	112.21	Inf	-Inf	107.48	3	Horizontal	356	1.80	-	32.71	7.50	35.48			
AV	5.316G	100.41	Inf	-Inf	95.70	3	Horizontal	356	1.80	-	32.67	7.51	35.47			
PK	5.356G	69.75	74.00	-4.25	65.07	3	Horizontal	356	1.80	-	32.61	7.53	35.46			
AV	5.351G	52.31	54.00	-1.69	47.64	3	Horizontal	356	1.80	-	32.60	7.53	35.46			
PK	5.487G	61.05	68.20	-7.15	56.25	3	Horizontal	356	1.80	-	32.60	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 16.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58396G	58.09	68.20	-10.11	42.58	3	Vertical	285	2.32	-	38.84	10.45	33.78			
PK	15.87324G	59.56	74.00	-14.44	42.51	3	Vertical	193	1.90	-	37.68	12.39	33.02			
AV	15.88338G	46.98	54.00	-7.02	29.95	3	Vertical	193	1.90	-	37.65	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX


5290MHz_TX

EUT_Y_2TX
Setting 16.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57076G	57.81	68.20	-10.39	42.38	3	Horizontal	286	2.28	-	38.78	10.44	33.79			
PK	15.87396G	59.49	74.00	-14.51	42.44	3	Horizontal	199	2.17	-	37.68	12.39	33.02			
AV	15.88338G	46.89	54.00	-7.11	29.86	3	Horizontal	199	2.17	-	37.65	12.39	33.01			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 15.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	70.97	74.00	-3.03	66.38	3	Vertical	0	1.80	-	32.71	7.40	35.52			
AV	5.147G	53.02	54.00	-0.98	48.43	3	Vertical	0	1.80	-	32.71	7.40	35.52			
PK	5.325G	110.30	Inf	-Inf	105.61	3	Vertical	0	1.80	-	32.65	7.51	35.47			
AV	5.325G	97.85	Inf	-Inf	93.16	3	Vertical	0	1.80	-	32.65	7.51	35.47			
PK	5.353G	72.36	74.00	-1.64	67.68	3	Vertical	0	1.80	-	32.61	7.53	35.46			
AV	5.366G	53.28	54.00	-0.72	48.58	3	Vertical	0	1.80	-	32.63	7.53	35.46			
PK	5.468G	64.99	68.20	-3.21	60.22	3	Vertical	0	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 15.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	71.16	74.00	-2.84	66.57	3	Horizontal	358	2.96	-	32.72	7.39	35.52			
AV	5.137G	52.53	54.00	-1.47	47.93	3	Horizontal	358	2.96	-	32.73	7.39	35.52			
PK	5.179G	108.70	Inf	-Inf	104.02	3	Horizontal	358	2.96	-	32.76	7.43	35.51			
AV	5.178G	97.29	Inf	-Inf	92.61	3	Horizontal	358	2.96	-	32.76	7.43	35.51			
PK	5.447G	71.91	74.00	-2.09	67.14	3	Horizontal	358	2.96	-	32.61	7.59	35.43			
AV	5.356G	52.10	54.00	-1.90	47.42	3	Horizontal	358	2.96	-	32.61	7.53	35.46			
PK	5.471G	65.11	68.20	-3.09	60.33	3	Horizontal	358	2.96	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5102G	57.19	68.20	-11.01	42.08	3	Vertical	26	1.61	-	38.54	10.41	33.84			
PK	15.74022G	59.25	74.00	-14.75	42.35	3	Vertical	24	1.73	-	37.78	12.34	33.22			
AV	15.75354G	47.35	54.00	-6.65	30.39	3	Vertical	24	1.73	-	37.81	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49832G	57.91	68.20	-10.29	42.85	3	Horizontal	295	1.66	-	38.50	10.41	33.85			
PK	15.74082G	59.12	74.00	-14.88	42.22	3	Horizontal	343	2.27	-	37.78	12.34	33.22			
AV	15.76302G	47.32	54.00	-6.68	30.33	3	Horizontal	343	2.27	-	37.83	12.35	33.19			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 15
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.119G	71.34	74.00	-2.66	66.74	3	Vertical	0	1.80	-	32.76	7.37	35.53			
AV	5.147G	52.79	54.00	-1.21	48.20	3	Vertical	0	1.80	-	32.71	7.40	35.52			
PK	5.327G	109.86	Inf	-Inf	105.17	3	Vertical	0	1.80	-	32.65	7.51	35.47			
AV	5.326G	98.08	Inf	-Inf	93.39	3	Vertical	0	1.80	-	32.65	7.51	35.47			
PK	5.35G	70.86	74.00	-3.14	66.19	3	Vertical	0	1.80	-	32.60	7.53	35.46			
AV	5.406G	53.00	54.00	-1.00	48.21	3	Vertical	0	1.80	-	32.69	7.55	35.45			
PK	5.47G	64.98	68.20	-3.22	60.20	3	Vertical	0	1.80	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 15
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.116G	72.29	74.00	-1.71	67.68	3	Horizontal	360	2.74	-	32.77	7.37	35.53			
AV	5.077G	52.56	54.00	-1.44	47.88	3	Horizontal	360	2.74	-	32.89	7.33	35.54			
PK	5.176G	109.54	Inf	-Inf	104.87	3	Horizontal	360	2.74	-	32.75	7.43	35.51			
AV	5.177G	97.40	Inf	-Inf	92.73	3	Horizontal	360	2.74	-	32.75	7.43	35.51			
PK	5.397G	70.59	74.00	-3.41	65.80	3	Horizontal	360	2.74	-	32.69	7.55	35.45			
AV	5.417G	53.65	54.00	-0.35	48.86	3	Horizontal	360	2.74	-	32.67	7.56	35.44			
PK	5.466G	64.77	68.20	-3.43	60.00	3	Horizontal	360	2.74	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 15
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50792G	58.35	68.20	-9.85	43.25	3	Vertical	264	2.66	-	38.53	10.41	33.84			
PK	15.74106G	59.34	74.00	-14.66	42.44	3	Vertical	8	1.24	-	37.78	12.34	33.22			
AV	15.7626G	47.32	54.00	-6.68	30.33	3	Vertical	8	1.24	-	37.83	12.35	33.19			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 15
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49292G	57.94	68.20	-10.26	42.87	3	Horizontal	51	1.83	-	38.50	10.41	33.84			
PK	15.7374G	59.63	74.00	-14.37	42.75	3	Horizontal	310	1.06	-	37.77	12.34	33.23			
AV	15.75354G	47.35	54.00	-6.65	30.39	3	Horizontal	310	1.06	-	37.81	12.35	33.20			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 13.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	61.21	74.00	-12.79	56.62	3	Vertical	24.9	1.80	-	32.72	7.39	35.52			
AV	5.15G	48.62	54.00	-5.38	44.04	3	Vertical	24.9	1.80	-	32.70	7.40	35.52			
PK	5.3G	113.11	Inf	-Inf	108.39	3	Vertical	24.9	1.80	-	32.70	7.50	35.48			
AV	5.321G	101.75	Inf	-Inf	97.05	3	Vertical	24.9	1.80	-	32.66	7.51	35.47			
PK	5.363G	68.90	74.00	-5.10	64.20	3	Vertical	24.9	1.80	-	32.63	7.53	35.46			
AV	5.361G	51.50	54.00	-2.50	46.81	3	Vertical	24.9	1.80	-	32.62	7.53	35.46			
PK	5.498G	61.21	68.20	-6.99	56.40	3	Vertical	24.9	1.80	-	32.60	7.63	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_X_4TX
Setting 13.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.083G	61.26	74.00	-12.74	56.59	3	Horizontal	343	1.80	-	32.87	7.34	35.54			
AV	5.146G	48.98	54.00	-5.02	44.39	3	Horizontal	343	1.80	-	32.71	7.40	35.52			
PK	5.292G	114.98	Inf	-Inf	110.24	3	Horizontal	343	1.80	-	32.72	7.50	35.48			
AV	5.312G	102.96	Inf	-Inf	98.24	3	Horizontal	343	1.80	-	32.68	7.51	35.47			
PK	5.373G	70.82	74.00	-3.18	66.09	3	Horizontal	343	1.80	-	32.65	7.54	35.46			
AV	5.352G	53.62	54.00	-0.38	48.95	3	Horizontal	343	1.80	-	32.60	7.53	35.46			
PK	5.481G	61.68	68.20	-6.52	56.90	3	Horizontal	343	1.80	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX


5290MHz_TX

EUT_X_4TX
Setting 13.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5692G	58.42	68.20	-9.78	43.00	3	Vertical	88	1.40	-	38.78	10.44	33.80			
PK	15.87108G	59.38	74.00	-14.62	42.33	3	Vertical	209	1.44	-	37.69	12.39	33.03			
AV	15.87996G	47.26	54.00	-6.74	30.22	3	Vertical	209	1.44	-	37.66	12.39	33.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX


5290MHz_TX

EUT X_4TX
Setting 13.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59494G	57.96	68.20	-10.24	42.41	3	Horizontal	150	2.47	-	38.88	10.45	33.78			
PK	15.87222G	58.91	74.00	-15.09	41.86	3	Horizontal	102	2.91	-	37.68	12.39	33.02			
AV	15.8769G	47.34	54.00	-6.66	30.30	3	Horizontal	102	2.91	-	37.67	12.39	33.02			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz TX




EUT_X_4TX
Setting 12.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	70.43	74.00	-3.57	65.82	3	Vertical	8.9	1.80	-	32.76	7.38	35.53			
AV	5.142G	52.54	54.00	-1.46	47.95	3	Vertical	8.9	1.80	-	32.72	7.39	35.52			
PK	5.183G	110.99	Inf	-Inf	106.30	3	Vertical	8.9	1.80	-	32.77	7.43	35.51			
AV	5.182G	99.25	Inf	-Inf	94.57	3	Vertical	8.9	1.80	-	32.76	7.43	35.51			
PK	5.362G	70.67	74.00	-3.33	65.98	3	Vertical	8.9	1.80	-	32.62	7.53	35.46			
PK	5.467G	63.91	68.20	-4.29	59.14	3	Vertical	8.9	1.80	-	32.60	7.60	35.43			
AV	5.415G	52.26	54.00	-1.74	47.47	3	Vertical	8.9	1.80	-	32.67	7.56	35.44			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz TX




EUT_X_4TX
Setting 12.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.113G	71.38	74.00	-2.62	66.77	3	Horizontal	356	1.80	-	32.77	7.37	35.53			
AV	5.073G	52.32	54.00	-1.68	47.62	3	Horizontal	356	1.80	-	32.91	7.33	35.54			
PK	5.192G	112.23	Inf	-Inf	107.52	3	Horizontal	356	1.80	-	32.78	7.44	35.51			
AV	5.173G	100.32	Inf	-Inf	95.66	3	Horizontal	356	1.80	-	32.75	7.42	35.51			
PK	5.379G	70.09	74.00	-3.91	65.34	3	Horizontal	356	1.80	-	32.66	7.54	35.45			
AV	5.392G	53.45	54.00	-0.55	48.67	3	Horizontal	356	1.80	-	32.68	7.55	35.45			
PK	5.479G	65.30	68.20	-2.90	60.52	3	Horizontal	356	1.80	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT X_4TX
Setting 12.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51272G	58.01	68.20	-10.19	42.88	3	Vertical	188	2.35	-	38.55	10.42	33.84			
PK	15.74298G	60.05	74.00	-13.95	43.14	3	Vertical	291	2.19	-	37.79	12.34	33.22			
AV	15.74916G	47.49	54.00	-6.51	30.55	3	Vertical	291	2.19	-	37.80	12.35	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 12.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51248G	57.89	68.20	-10.31	42.76	3	Horizontal	151	2.71	-	38.55	10.42	33.84			
PK	15.74448G	59.41	74.00	-14.59	42.50	3	Horizontal	348	1.60	-	37.79	12.34	33.22			
AV	15.75342G	47.52	54.00	-6.48	30.56	3	Horizontal	348	1.60	-	37.81	12.35	33.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz TX




EUT_X_4TX
Setting 12.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.121G	70.58	74.00	-3.42	65.98	3	Vertical	9.9	1.80	-	32.76	7.37	35.53			
AV	5.142G	53.22	54.00	-0.78	48.63	3	Vertical	9.9	1.80	-	32.72	7.39	35.52			
PK	5.181G	110.62	Inf	-Inf	105.94	3	Vertical	9.9	1.80	-	32.76	7.43	35.51			
AV	5.182G	99.45	Inf	-Inf	94.77	3	Vertical	9.9	1.80	-	32.76	7.43	35.51			
PK	5.35G	68.88	74.00	-5.12	64.21	3	Vertical	9.9	1.80	-	32.60	7.53	35.46			
AV	5.382G	52.38	54.00	-1.62	47.63	3	Vertical	9.9	1.80	-	32.66	7.54	35.45			
PK	5.466G	63.87	68.20	-4.33	59.10	3	Vertical	9.9	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz TX




EUT_X_4TX
Setting 12.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.113G	72.35	74.00	-1.65	67.74	3	Horizontal	355	1.80	-	32.77	7.37	35.53			
AV	5.145G	53.12	54.00	-0.88	48.53	3	Horizontal	355	1.80	-	32.71	7.40	35.52			
PK	5.193G	111.37	Inf	-Inf	106.65	3	Horizontal	355	1.80	-	32.79	7.44	35.51			
AV	5.172G	100.47	Inf	-Inf	95.82	3	Horizontal	355	1.80	-	32.74	7.42	35.51			
PK	5.352G	69.01	74.00	-4.99	64.34	3	Horizontal	355	1.80	-	32.60	7.53	35.46			
AV	5.392G	53.45	54.00	-0.55	48.67	3	Horizontal	355	1.80	-	32.68	7.55	35.45			
PK	5.492G	62.72	68.20	-5.48	57.92	3	Horizontal	355	1.80	-	32.60	7.62	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 12.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50594G	58.44	68.20	-9.76	43.36	3	Vertical	79	1.29	-	38.52	10.41	33.85			
PK	15.7536G	59.57	74.00	-14.43	42.61	3	Vertical	25	2.77	-	37.81	12.35	33.20			
AV	15.76326G	47.67	54.00	-6.33	30.68	3	Vertical	25	2.77	-	37.83	12.35	33.19			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX

EUT X_4TX
Setting 12.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48656G	58.41	68.20	-9.79	43.34	3	Horizontal	145	2.42	-	38.50	10.40	33.83			
PK	15.74028G	59.16	74.00	-14.84	42.26	3	Horizontal	84	1.15	-	37.78	12.34	33.22			
AV	15.75564G	47.70	54.00	-6.30	30.74	3	Horizontal	84	1.15	-	37.81	12.35	33.20			