


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

06/07/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

06/07/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

06/07/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

06/07/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5570MHz

06/07/2024

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
16.617
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.12	-7.12	-12.93	-12.83	-13.56	-12.72

Sum
Port 1
Port 2
Port 3
Port 4


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

PSD

5570MHz

06/07/2024

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
30.396
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.63	-4.63	-10.54	-10.24	-10.99	-10.14


Sum
Port 1
Port 2
Port 3
Port 4

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

PSD

5570MHz

06/07/2024



Test Mode: Mode 6

Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX	1.52
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX	-5.80
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX	-0.05

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX	-	-	-	-	-
5530MHz	Pass	7.11	-2.16	-2.16	9.89
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX	-	-	-	-	-
5610MHz	Pass	7.11	-0.01	-0.01	9.89
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	7.11	1.52	1.52	9.89
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	6.39	-0.05	-0.05	29.61
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_1TX	-	-	-	-	-
5570MHz	Pass	7.11	-7.34	-7.34	9.89
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX	-	-	-	-	-
5570MHz	Pass	7.11	-5.80	-5.80	9.89

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

PSD

5530MHz

02/07/2024

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.16	-2.16	-2.16

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

PSD

5610MHz

02/07/2024

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
32.1m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.01	-0.01	-0.01

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

02/07/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

02/07/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_1TX

PSD

5570MHz

02/07/2024

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
32.1m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.34	-7.34	-7.34


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

PSD

5570MHz

02/07/2024

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.80	-5.80	-5.80

Test Mode: Mode 7

Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX	2.32
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX	-4.14
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX	0.69

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX	-	-	-	-	-	-
5530MHz	Pass	7.27	-3.28	-3.16	-0.27	9.73
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX	-	-	-	-	-	-
5610MHz	Pass	7.27	-0.74	-0.92	2.10	9.73
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	7.27	-1.05	-0.25	2.32	9.73
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	6.78	-2.69	-1.93	0.69	29.22
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-
5570MHz	Pass	7.27	-8.19	-8.00	-5.14	9.73
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX	-	-	-	-	-	-
5570MHz	Pass	7.27	-7.12	-7.02	-4.14	9.73

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

PSD

5530MHz

02/07/2024

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-0.27	-0.27	-3.28	-3.16

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

PSD

5610MHz

02/07/2024

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
2.10	2.10	-0.74	-0.92

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

02/07/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

02/07/2024



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_2TX

PSD

5570MHz

02/07/2024

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.14	-5.14	-8.19	-8.00

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

PSD

5570MHz

02/07/2024

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.14	-4.14	-7.12	-7.02

Test Mode: Mode 8

Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	2.82
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX	-5.72
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	0.85

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	9.22	-5.62	-5.38	-6.25	-5.31	0.32	7.78
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	9.22	-2.84	-3.44	-3.57	-2.63	2.82	7.78
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	9.22	-3.45	-3.50	-3.82	-3.08	2.48	7.78
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	9.47	-5.15	-5.05	-5.41	-4.70	0.85	26.53
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	9.22	-12.16	-12.02	-12.87	-12.07	-6.34	7.78
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	9.22	-11.60	-11.38	-12.38	-11.41	-5.72	7.78


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

PSD

5530MHz

02/07/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

PSD

5610MHz

02/07/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

02/07/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

02/07/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_4TX

PSD

5570MHz

02/07/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

PSD

5570MHz

02/07/2024






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 10	Pass	PK	42.61M	35.38	40.00	-4.62	Vertical

Mode 10



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
PK	42.61M	35.38	40.00	-4.62	-13.05	3	Vertical	360	1.00	"Worst"	48.43	17.18	0.43	30.66		
PK	65.89M	29.30	40.00	-10.70	-17.97	3	Vertical	130	1.00	-	47.27	12.34	0.63	30.94		
PK	101.78M	27.59	43.50	-15.91	-12.49	3	Vertical	358	1.50	-	40.08	17.39	0.83	30.71		
PK	141.55M	24.77	43.50	-18.73	-12.86	3	Vertical	21	1.25	-	37.63	17.41	1.09	31.36		
PK	918.52M	29.05	46.00	-16.95	-2.15	3	Vertical	351	2.00	-	31.20	26.77	3.12	32.04		
PK	933.07M	29.60	46.00	-16.40	-2.35	3	Vertical	315	1.00	-	31.95	26.66	3.16	32.17		

Mode 10



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
PK	34.85M	30.62	40.00	-9.38	-9.00	3	Horizontal	124	1.00	"Worst"	39.62	21.32	0.37	30.69		
PK	101.78M	31.79	43.50	-11.71	-12.49	3	Horizontal	296	2.00	-	44.28	17.39	0.83	30.71		
PK	323.91M	27.63	46.00	-18.37	-10.16	3	Horizontal	76	1.00	-	37.79	19.43	1.73	31.32		
PK	767.2M	29.71	46.00	-16.29	-3.68	3	Horizontal	325	1.25	-	33.39	25.60	2.78	32.06		
PK	805.03M	30.14	46.00	-15.86	-3.09	3	Horizontal	307	1.00	-	33.23	25.95	2.92	31.96		
PK	854.5M	30.24	46.00	-15.76	-2.67	3	Horizontal	333	1.50	-	32.91	26.28	2.94	31.89		




Test Mode: Mode 1

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.4642G	68.16	68.20	-0.04	3	Vertical	348	1.75	-

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
Setting 20
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	64.92	74.00	-9.08	58.04	3	Vertical	347	1.68	-	34.52	7.25	34.89			
AV	5.4598G	49.99	54.00	-4.01	43.11	3	Vertical	347	1.68	-	34.52	7.25	34.89			
PK	5.4666G	68.15	68.20	-0.05	61.26	3	Vertical	347	1.68	-	34.53	7.26	34.90			
PK	5.4934G	114.28	Inf	-Inf	107.29	3	Vertical	347	1.68	-	34.59	7.30	34.90			
AV	5.4976G	103.55	Inf	-Inf	96.55	3	Vertical	347	1.68	-	34.60	7.30	34.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
Setting 20
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	64.68	74.00	-9.32	57.80	3	Horizontal	355	1.99	-	34.52	7.25	34.89			
AV	5.46G	49.68	54.00	-4.32	42.80	3	Horizontal	355	1.99	-	34.52	7.25	34.89			
PK	5.4672G	67.24	68.20	-0.96	60.35	3	Horizontal	355	1.99	-	34.53	7.26	34.90			
PK	5.4934G	113.34	Inf	-Inf	106.35	3	Horizontal	355	1.99	-	34.59	7.30	34.90			
AV	5.4936G	102.59	Inf	-Inf	95.60	3	Horizontal	355	1.99	-	34.59	7.30	34.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_V_1TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99546G	55.76	74.00	-18.24	48.73	3	Vertical	345	1.60	-	38.30	10.96	42.23			
AV	10.99878G	41.67	54.00	-12.33	34.63	3	Vertical	345	1.60	-	38.30	10.96	42.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_V_1TX
Setting 20
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.99776G	55.70	74.00	-18.30	48.66	3	Horizontal	15	2.04	-	38.30	10.96	42.22			
AV	10.99604G	41.68	54.00	-12.32	34.65	3	Horizontal	15	2.04	-	38.30	10.96	42.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4438G	60.14	74.00	-13.86	53.30	3	Vertical	355	2.10	-	34.50	7.23	34.89			
PK	5.463G	60.65	68.20	-7.55	53.75	3	Vertical	355	2.10	-	34.53	7.26	34.89			
AV	5.4588G	46.67	54.00	-7.33	39.79	3	Vertical	355	2.10	-	34.52	7.25	34.89			
PK	5.5746G	118.14	Inf	-Inf	111.32	3	Vertical	355	2.10	-	34.35	7.41	34.94			
AV	5.5734G	107.65	Inf	-Inf	100.84	3	Vertical	355	2.10	-	34.35	7.40	34.94			
PK	5.73G	60.27	68.20	-7.93	53.62	3	Vertical	355	2.10	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4504G	60.28	74.00	-13.72	53.43	3	Horizontal	6	2.10	-	34.50	7.24	34.89			
PK	5.4612G	59.45	68.20	-8.75	52.57	3	Horizontal	6	2.10	-	34.52	7.25	34.89			
AV	5.4576G	46.41	54.00	-7.59	39.53	3	Horizontal	6	2.10	-	34.52	7.25	34.89			
PK	5.5734G	117.65	Inf	-Inf	110.84	3	Horizontal	6	2.10	-	34.35	7.40	34.94			
AV	5.583G	106.96	Inf	-Inf	100.15	3	Horizontal	6	2.10	-	34.33	7.42	34.94			
PK	5.7264G	60.02	68.20	-8.18	53.38	3	Horizontal	6	2.10	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15894G	55.63	74.00	-18.37	48.79	3	Vertical	120	2.70	-	38.32	11.05	42.53			
AV	11.16204G	41.41	54.00	-12.59	34.58	3	Vertical	120	2.70	-	38.32	11.05	42.54			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_V_1TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15624G	55.98	74.00	-18.02	49.15	3	Horizontal	129	1.32	-	38.31	11.05	42.53			
AV	11.16314G	41.41	54.00	-12.59	34.56	3	Horizontal	129	1.32	-	38.33	11.06	42.54			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 20
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6932G	114.81	Inf	-Inf	108.21	3	Vertical	358	2.22	-	34.11	7.48	34.99			
AV	5.6928G	104.04	Inf	-Inf	97.44	3	Vertical	358	2.22	-	34.11	7.48	34.99			
PK	5.7256G	67.97	68.20	-0.23	61.33	3	Vertical	358	2.22	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 20
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7064G	113.31	Inf	-Inf	106.71	3	Horizontal	2	1.80	-	34.11	7.49	35.00			
AV	5.6932G	102.37	Inf	-Inf	95.77	3	Horizontal	2	1.80	-	34.11	7.48	34.99			
PK	5.7392G	63.90	68.20	-4.30	57.23	3	Horizontal	2	1.80	-	34.18	7.50	35.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_V_1TX
Setting 20
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39926G	55.21	74.00	-18.79	48.32	3	Vertical	69	2.67	-	38.70	11.19	43.00			
AV	11.3969G	41.57	54.00	-12.43	34.69	3	Vertical	69	2.67	-	38.69	11.19	43.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX

EUT_Y_1TX
Setting 20
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.40028G	55.44	74.00	-18.56	48.55	3	Horizontal	43	1.87	-	38.70	11.19	43.00			
AV	11.3977G	41.62	54.00	-12.38	34.73	3	Horizontal	43	1.87	-	38.70	11.19	43.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	59.73	74.00	-14.27	52.85	3	Vertical	360	2.08	-	34.52	7.25	34.89			
AV	5.4572G	47.26	54.00	-6.74	40.39	3	Vertical	360	2.08	-	34.51	7.25	34.89			
PK	5.468G	60.10	68.20	-8.10	53.20	3	Vertical	360	2.08	-	34.54	7.26	34.90			
PK	5.7152G	117.97	Inf	-Inf	111.35	3	Vertical	360	2.08	-	34.13	7.49	35.00			
AV	5.7128G	108.14	Inf	-Inf	101.52	3	Vertical	360	2.08	-	34.13	7.49	35.00			
PK	5.96G	61.19	68.20	-7.01	54.05	3	Vertical	360	2.08	-	34.60	7.66	35.12			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.42G	60.14	74.00	-13.86	53.33	3	Horizontal	5	1.80	-	34.50	7.20	34.89			
PK	5.4644G	60.31	68.20	-7.89	53.42	3	Horizontal	5	1.80	-	34.53	7.26	34.90			
AV	5.4524G	46.77	54.00	-7.23	39.92	3	Horizontal	5	1.80	-	34.50	7.24	34.89			
PK	5.7164G	116.64	Inf	-Inf	110.02	3	Horizontal	5	1.80	-	34.13	7.49	35.00			
AV	5.7128G	106.70	Inf	-Inf	100.08	3	Horizontal	5	1.80	-	34.13	7.49	35.00			
PK	5.9228G	60.43	68.20	-7.77	53.35	3	Horizontal	5	1.80	-	34.55	7.63	35.10			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43568G	55.30	74.00	-18.70	48.46	3	Vertical	280	2.05	-	38.70	11.21	43.07			
AV	11.43686G	42.40	54.00	-11.60	35.57	3	Vertical	280	2.05	-	38.70	11.21	43.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4372G	56.07	74.00	-17.93	49.24	3	Horizontal	72	1.99	-	38.70	11.21	43.08			
AV	11.44034G	42.17	54.00	-11.83	35.34	3	Horizontal	72	1.99	-	38.70	11.21	43.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 19.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	65.13	74.00	-8.87	58.25	3	Vertical	356	2.07	-	34.52	7.25	34.89			
AV	5.46G	50.24	54.00	-3.76	43.36	3	Vertical	356	2.07	-	34.52	7.25	34.89			
PK	5.4692G	67.97	68.20	-0.23	61.07	3	Vertical	356	2.07	-	34.54	7.26	34.90			
PK	5.4952G	116.29	Inf	-Inf	109.30	3	Vertical	356	2.07	-	34.59	7.30	34.90			
AV	5.492G	102.87	Inf	-Inf	95.90	3	Vertical	356	2.07	-	34.58	7.29	34.90			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 19.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	65.12	74.00	-8.88	58.24	3	Horizontal	355	2.00	-	34.52	7.25	34.89			
AV	5.4596G	49.78	54.00	-4.22	42.90	3	Horizontal	355	2.00	-	34.52	7.25	34.89			
PK	5.4664G	67.60	68.20	-0.60	60.71	3	Horizontal	355	2.00	-	34.53	7.26	34.90			
PK	5.506G	114.99	Inf	-Inf	108.00	3	Horizontal	355	2.00	-	34.58	7.31	34.90			
AV	5.4928G	101.71	Inf	-Inf	94.72	3	Horizontal	355	2.00	-	34.59	7.30	34.90			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 19.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0025G	55.86	74.00	-18.14	48.81	3	Vertical	357	1.74	-	38.30	10.97	42.22			
AV	10.99956G	41.97	54.00	-12.03	34.93	3	Vertical	357	1.74	-	38.30	10.96	42.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5500MHz_TX

EUT_Y_1TX
Setting 19.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99876G	56.03	74.00	-17.97	48.99	3	Horizontal	267	2.58	-	38.30	10.96	42.22			
AV	11.00006G	41.91	54.00	-12.09	34.86	3	Horizontal	267	2.58	-	38.30	10.97	42.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	60.80	74.00	-13.20	53.92	3	Vertical	358	2.12	-	34.52	7.25	34.89			
AV	5.4552G	46.85	54.00	-7.15	39.99	3	Vertical	358	2.12	-	34.51	7.24	34.89			
PK	5.4696G	60.44	68.20	-7.76	53.54	3	Vertical	358	2.12	-	34.54	7.26	34.90			
PK	5.5736G	120.00	Inf	-Inf	113.19	3	Vertical	358	2.12	-	34.35	7.40	34.94			
AV	5.5736G	107.24	Inf	-Inf	100.43	3	Vertical	358	2.12	-	34.35	7.40	34.94			
PK	5.7408G	59.82	68.20	-8.38	53.16	3	Vertical	358	2.12	-	34.18	7.50	35.02			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4336G	60.70	74.00	-13.30	53.87	3	Horizontal	4	2.08	-	34.50	7.22	34.89			
PK	5.4616G	59.58	68.20	-8.62	52.70	3	Horizontal	4	2.08	-	34.52	7.25	34.89			
AV	5.46G	46.64	54.00	-7.36	39.76	3	Horizontal	4	2.08	-	34.52	7.25	34.89			
PK	5.5864G	119.61	Inf	-Inf	112.80	3	Horizontal	4	2.08	-	34.33	7.42	34.94			
AV	5.5824G	106.76	Inf	-Inf	99.94	3	Horizontal	4	2.08	-	34.34	7.42	34.94			
PK	5.76G	60.37	68.20	-7.83	53.68	3	Horizontal	4	2.08	-	34.20	7.51	35.02			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15642G	55.33	74.00	-18.67	48.50	3	Vertical	281	2.99	-	38.31	11.05	42.53			
AV	11.1613G	41.75	54.00	-12.25	34.92	3	Vertical	281	2.99	-	38.32	11.05	42.54			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT_Y_1TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1573G	55.71	74.00	-18.29	48.88	3	Horizontal	318	2.27	-	38.31	11.05	42.53			
AV	11.15926G	41.65	54.00	-12.35	34.81	3	Horizontal	318	2.27	-	38.32	11.05	42.53			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 19.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6932G	116.24	Inf	-Inf	109.64	3	Vertical	355	1.42	-	34.11	7.48	34.99			
AV	5.6924G	102.74	Inf	-Inf	96.13	3	Vertical	355	1.42	-	34.12	7.48	34.99			
PK	5.726G	68.02	68.20	-0.18	61.38	3	Vertical	355	1.42	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 19.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7076G	114.67	Inf	-Inf	108.06	3	Horizontal	0	1.86	-	34.12	7.49	35.00			
AV	5.6916G	101.70	Inf	-Inf	95.09	3	Horizontal	0	1.86	-	34.12	7.48	34.99			
PK	5.7256G	63.63	68.20	-4.57	56.99	3	Horizontal	0	1.86	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 19.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39626G	55.46	74.00	-18.54	48.59	3	Vertical	78	2.40	-	38.69	11.18	43.00			
AV	11.40218G	41.86	54.00	-12.14	34.98	3	Vertical	78	2.40	-	38.70	11.19	43.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT_Y_1TX
Setting 19.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39594G	55.92	74.00	-18.08	49.05	3	Horizontal	161	1.46	-	38.69	11.18	43.00			
AV	11.39682G	41.75	54.00	-12.25	34.87	3	Horizontal	161	1.46	-	38.69	11.19	43.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4344G	59.69	74.00	-14.31	52.86	3	Vertical	360	2.09	-	34.50	7.22	34.89			
PK	5.4632G	59.41	68.20	-8.79	52.51	3	Vertical	360	2.09	-	34.53	7.26	34.89			
AV	5.45G	46.45	54.00	-7.55	39.60	3	Vertical	360	2.09	-	34.50	7.24	34.89			
PK	5.7128G	119.38	Inf	-Inf	112.76	3	Vertical	360	2.09	-	34.13	7.49	35.00			
AV	5.7128G	106.88	Inf	-Inf	100.26	3	Vertical	360	2.09	-	34.13	7.49	35.00			
PK	5.8808G	60.90	68.20	-7.30	53.97	3	Vertical	360	2.09	-	34.42	7.59	35.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.444G	59.83	74.00	-14.17	52.99	3	Horizontal	0	1.80	-	34.50	7.23	34.89			
PK	5.4644G	59.06	68.20	-9.14	52.17	3	Horizontal	0	1.80	-	34.53	7.26	34.90			
AV	5.4548G	46.33	54.00	-7.67	39.47	3	Horizontal	0	1.80	-	34.51	7.24	34.89			
PK	5.714G	118.00	Inf	-Inf	111.38	3	Horizontal	0	1.80	-	34.13	7.49	35.00			
AV	5.7116G	105.79	Inf	-Inf	99.18	3	Horizontal	0	1.80	-	34.12	7.49	35.00			
PK	5.9228G	60.89	68.20	-7.31	53.81	3	Horizontal	0	1.80	-	34.55	7.63	35.10			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44086G	55.43	74.00	-18.57	48.60	3	Vertical	319	1.67	-	38.70	11.21	43.08			
AV	11.4385G	41.73	54.00	-12.27	34.90	3	Vertical	319	1.67	-	38.70	11.21	43.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43732G	55.99	74.00	-18.01	49.16	3	Horizontal	28	2.51	-	38.70	11.21	43.08			
AV	11.4368G	41.75	54.00	-12.25	34.92	3	Horizontal	28	2.51	-	38.70	11.21	43.08			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
Setting 19.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.454G	68.01	74.00	-5.99	61.15	3	Vertical	352	2.44	-	34.51	7.24	34.89			
PK	5.4656G	68.10	68.20	-0.10	61.21	3	Vertical	352	2.44	-	34.53	7.26	34.90			
AV	5.46G	48.44	54.00	-5.56	41.56	3	Vertical	352	2.44	-	34.52	7.25	34.89			
PK	5.5192G	113.60	Inf	-Inf	106.66	3	Vertical	352	2.44	-	34.52	7.33	34.91			
AV	5.528G	100.23	Inf	-Inf	93.31	3	Vertical	352	2.44	-	34.49	7.34	34.91			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
Setting 19.5
03-H-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	65.64	74.00	-8.36	58.76	3	Horizontal	355	2.01	-	34.52	7.25	34.89			
AV	5.46G	48.23	54.00	-5.77	41.35	3	Horizontal	355	2.01	-	34.52	7.25	34.89			
PK	5.4656G	67.28	68.20	-0.92	60.39	3	Horizontal	355	2.01	-	34.53	7.26	34.90			
PK	5.4956G	112.69	Inf	-Inf	105.70	3	Horizontal	355	2.01	-	34.59	7.30	34.90			
AV	5.492G	98.53	Inf	-Inf	91.56	3	Horizontal	355	2.01	-	34.58	7.29	34.90			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_V_1TX
Setting 19.5
03-H-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02404G	56.31	74.00	-17.69	49.25	3	Vertical	55	2.25	-	38.35	10.98	42.27			
AV	11.02038G	41.97	54.00	-12.03	34.91	3	Vertical	55	2.25	-	38.34	10.98	42.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_V_1TX
Setting 19.5
03-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0224G	56.41	74.00	-17.59	49.35	3	Horizontal	118	1.92	-	38.34	10.98	42.26			
AV	11.023G	42.01	54.00	-11.99	34.95	3	Horizontal	118	1.92	-	38.35	10.98	42.27			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
Setting 21
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4528G	62.57	74.00	-11.43	55.71	3	Vertical	356	2.02	-	34.51	7.24	34.89			
AV	5.46G	48.97	54.00	-5.03	42.09	3	Vertical	356	2.02	-	34.52	7.25	34.89			
PK	5.4696G	67.98	68.20	-0.22	61.08	3	Vertical	356	2.02	-	34.54	7.26	34.90			
PK	5.5584G	115.69	Inf	-Inf	108.86	3	Vertical	356	2.02	-	34.38	7.38	34.93			
AV	5.5542G	102.27	Inf	-Inf	95.43	3	Vertical	356	2.02	-	34.39	7.38	34.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
Setting 21
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	62.02	74.00	-11.98	55.14	3	Horizontal	5	2.09	-	34.52	7.25	34.89			
AV	5.4594G	48.35	54.00	-5.65	41.47	3	Horizontal	5	2.09	-	34.52	7.25	34.89			
PK	5.4696G	65.84	68.20	-2.36	58.94	3	Horizontal	5	2.09	-	34.54	7.26	34.90			
PK	5.5638G	114.86	Inf	-Inf	108.03	3	Horizontal	5	2.09	-	34.37	7.39	34.93			
AV	5.559G	102.01	Inf	-Inf	95.18	3	Horizontal	5	2.09	-	34.38	7.38	34.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
Setting 21
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.10246G	56.07	74.00	-17.93	49.07	3	Vertical	80	1.38	-	38.40	11.02	42.42			
AV	11.10312G	41.91	54.00	-12.09	34.92	3	Vertical	80	1.38	-	38.39	11.02	42.42			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_V_1TX
Setting 21
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1047G	55.30	74.00	-18.70	48.32	3	Horizontal	17	1.67	-	38.39	11.02	42.43			
AV	11.1043G	41.89	54.00	-12.11	34.90	3	Horizontal	17	1.67	-	38.39	11.02	42.42			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
Setting 19.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.688G	112.95	Inf	-Inf	106.30	3	Vertical	354	1.44	-	34.16	7.47	34.98			
AV	5.688G	99.67	Inf	-Inf	93.05	3	Vertical	354	1.44	-	34.13	7.48	34.99			
PK	5.7282G	68.02	68.20	-0.18	61.37	3	Vertical	354	1.44	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
Setting 19.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6538G	111.99	Inf	-Inf	105.31	3	Horizontal	1	1.96	-	34.19	7.46	34.97			
AV	5.6796G	98.78	Inf	-Inf	92.15	3	Horizontal	1	1.96	-	34.14	7.48	34.99			
PK	5.7264G	65.03	68.20	-3.17	58.39	3	Horizontal	1	1.96	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT_Y_1TX
Setting 19.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.34102G	55.68	74.00	-18.32	48.84	3	Vertical	65	1.40	-	38.58	11.15	42.89			
AV	11.3402G	42.00	54.00	-12.00	35.16	3	Vertical	65	1.40	-	38.58	11.15	42.89			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT_Y_1TX
Setting 19.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.33978G	55.51	74.00	-18.49	48.67	3	Horizontal	117	2.72	-	38.58	11.15	42.89			
AV	11.33518G	42.02	54.00	-11.98	35.18	3	Horizontal	117	2.72	-	38.57	11.15	42.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4268G	60.71	74.00	-13.29	53.89	3	Vertical	353	1.49	-	34.50	7.21	34.89			
PK	5.4664G	60.45	68.20	-7.75	53.56	3	Vertical	353	1.49	-	34.53	7.26	34.90			
AV	5.46G	46.41	54.00	-7.59	39.53	3	Vertical	353	1.49	-	34.52	7.25	34.89			
PK	5.728G	116.74	Inf	-Inf	110.09	3	Vertical	353	1.49	-	34.16	7.50	35.01			
AV	5.692G	103.72	Inf	-Inf	97.11	3	Vertical	353	1.49	-	34.12	7.48	34.99			
PK	5.8552G	61.38	68.20	-6.82	54.56	3	Vertical	353	1.49	-	34.32	7.57	35.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4424G	59.84	74.00	-14.16	53.00	3	Horizontal	4	1.80	-	34.50	7.23	34.89			
AV	5.4532G	46.35	54.00	-7.65	39.49	3	Horizontal	4	1.80	-	34.51	7.24	34.89			
PK	5.47G	59.33	68.20	-8.87	52.43	3	Horizontal	4	1.80	-	34.54	7.26	34.90			
PK	5.7208G	116.13	Inf	-Inf	109.51	3	Horizontal	4	1.80	-	34.14	7.49	35.01			
AV	5.7148G	102.70	Inf	-Inf	96.08	3	Horizontal	4	1.80	-	34.13	7.49	35.00			
PK	5.98G	60.65	68.20	-7.55	53.51	3	Horizontal	4	1.80	-	34.60	7.67	35.13			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.42116G	55.34	74.00	-18.66	48.49	3	Vertical	316	1.08	-	38.70	11.20	43.05			
AV	11.42158G	41.59	54.00	-12.41	34.74	3	Vertical	316	1.08	-	38.70	11.20	43.05			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.424G	55.26	74.00	-18.74	48.41	3	Horizontal	5	1.89	-	38.70	11.20	43.05			
AV	11.41622G	41.51	54.00	-12.49	34.65	3	Horizontal	5	1.89	-	38.70	11.20	43.04			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5530MHz_TX




EUT_Y_1TX
Setting 18
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.336G	59.48	68.20	-8.72	52.91	3	Vertical	356	2.02	-	34.37	7.08	34.88			
PK	5.458G	67.13	74.00	-6.87	60.25	3	Vertical	356	2.02	-	34.52	7.25	34.89			
AV	5.46G	50.29	54.00	-3.71	43.41	3	Vertical	356	2.02	-	34.52	7.25	34.89			
PK	5.469G	67.98	68.20	-0.22	61.08	3	Vertical	356	2.02	-	34.54	7.26	34.90			
PK	5.541G	109.24	Inf	-Inf	102.36	3	Vertical	356	2.02	-	34.44	7.36	34.92			
AV	5.559G	96.11	Inf	-Inf	89.28	3	Vertical	356	2.02	-	34.38	7.38	34.93			
PK	5.751G	61.18	68.20	-7.02	54.49	3	Vertical	356	2.02	-	34.20	7.51	35.02			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5530MHz_TX




EUT_Y_1TX
Setting 18
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.327G	59.39	68.20	-8.81	52.85	3	Horizontal	4	2.16	-	34.35	7.07	34.88			
PK	5.459G	65.59	74.00	-8.41	58.71	3	Horizontal	4	2.16	-	34.52	7.25	34.89			
AV	5.459G	49.20	54.00	-4.80	42.32	3	Horizontal	4	2.16	-	34.52	7.25	34.89			
PK	5.469G	66.67	68.20	-1.53	59.77	3	Horizontal	4	2.16	-	34.54	7.26	34.90			
PK	5.558G	108.42	Inf	-Inf	101.59	3	Horizontal	4	2.16	-	34.38	7.38	34.93			
AV	5.557G	95.56	Inf	-Inf	88.72	3	Horizontal	4	2.16	-	34.39	7.38	34.93			
PK	5.747G	60.79	68.20	-7.41	54.11	3	Horizontal	4	2.16	-	34.19	7.51	35.02			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX


5530MHz_TX

EUT_Y_1TX
Setting 18
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.05656G	55.76	74.00	-18.24	48.69	3	Vertical	132	2.87	-	38.40	11.00	42.33			
AV	11.05856G	42.15	54.00	-11.85	35.08	3	Vertical	132	2.87	-	38.40	11.00	42.33			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX


5530MHz_TX

EUT_Y_1TX
Setting 18
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05566G	55.56	74.00	-18.44	48.49	3	Horizontal	39	1.41	-	38.40	11.00	42.33			
AV	11.05644G	42.13	54.00	-11.87	35.06	3	Horizontal	39	1.41	-	38.40	11.00	42.33			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5610MHz_TX




EUT_Y_1TX
Setting 19.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	62.11	74.00	-11.89	55.23	3	Vertical	358	2.11	-	34.52	7.25	34.89			
AV	5.46G	47.80	54.00	-6.20	40.92	3	Vertical	358	2.11	-	34.52	7.25	34.89			
PK	5.47G	62.36	68.20	-5.84	55.46	3	Vertical	358	2.11	-	34.54	7.26	34.90			
PK	5.572G	110.40	Inf	-Inf	103.57	3	Vertical	358	2.11	-	34.36	7.40	34.93			
AV	5.574G	97.14	Inf	-Inf	90.33	3	Vertical	358	2.11	-	34.35	7.40	34.94			
PK	5.725G	67.97	68.20	-0.23	61.33	3	Vertical	358	2.11	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5610MHz_TX




EUT Y_1TX
Setting 19.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.40	74.00	-12.60	54.52	3	Horizontal	4	2.07	-	34.52	7.25	34.89			
AV	5.46G	47.39	54.00	-6.61	40.51	3	Horizontal	4	2.07	-	34.52	7.25	34.89			
PK	5.47G	63.64	68.20	-4.56	56.74	3	Horizontal	4	2.07	-	34.54	7.26	34.90			
PK	5.584G	110.40	Inf	-Inf	103.59	3	Horizontal	4	2.07	-	34.33	7.42	34.94			
AV	5.58G	97.05	Inf	-Inf	90.24	3	Horizontal	4	2.07	-	34.34	7.41	34.94			
PK	5.727G	67.32	68.20	-0.88	60.68	3	Horizontal	4	2.07	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5610MHz_TX




EUT_Y_1TX
Setting 19.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22372G	56.01	74.00	-17.99	49.13	3	Vertical	100	1.75	-	38.45	11.09	42.66			
AV	11.21964G	41.92	54.00	-12.08	35.04	3	Vertical	100	1.75	-	38.44	11.09	42.65			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX


5610MHz_TX

EUT_Y_1TX
Setting 19.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21968G	55.67	74.00	-18.33	48.79	3	Horizontal	238	1.54	-	38.44	11.09	42.65			
AV	11.2166G	41.91	54.00	-12.09	35.03	3	Horizontal	238	1.54	-	38.43	11.09	42.64			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	62.36	74.00	-11.64	55.48	3	Vertical	354	1.44	-	34.52	7.25	34.89			
AV	5.459G	48.69	54.00	-5.31	41.81	3	Vertical	354	1.44	-	34.52	7.25	34.89			
PK	5.47G	63.77	68.20	-4.43	56.87	3	Vertical	354	1.44	-	34.54	7.26	34.90			
PK	5.693G	113.66	Inf	-Inf	107.06	3	Vertical	354	1.44	-	34.11	7.48	34.99			
AV	5.684G	100.70	Inf	-Inf	94.08	3	Vertical	354	1.44	-	34.13	7.48	34.99			
PK	5.854G	67.74	68.20	-0.46	60.92	3	Vertical	354	1.44	-	34.32	7.57	35.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	62.06	74.00	-11.94	55.18	3	Horizontal	3	2.01	-	34.52	7.25	34.89			
AV	5.458G	48.47	54.00	-5.53	41.59	3	Horizontal	3	2.01	-	34.52	7.25	34.89			
PK	5.463G	63.17	68.20	-5.03	56.27	3	Horizontal	3	2.01	-	34.53	7.26	34.89			
PK	5.692G	112.74	Inf	-Inf	106.13	3	Horizontal	3	2.01	-	34.12	7.48	34.99			
AV	5.681G	99.76	Inf	-Inf	93.13	3	Horizontal	3	2.01	-	34.14	7.48	34.99			
PK	5.853G	67.97	68.20	-0.23	61.16	3	Horizontal	3	2.01	-	34.31	7.57	35.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37866G	56.03	74.00	-17.97	49.15	3	Vertical	204	1.77	-	38.66	11.18	42.96			
AV	11.38128G	41.62	54.00	-12.38	34.75	3	Vertical	204	1.77	-	38.66	11.18	42.97			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_1TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_1TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38016G	55.17	74.00	-18.83	48.30	3	Horizontal	174	1.61	-	38.66	11.18	42.97			
AV	11.38404G	41.71	54.00	-12.29	34.83	3	Horizontal	174	1.61	-	38.67	11.18	42.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5570MHz_TX




EUTY_1TX
Setting 16.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3412G	60.01	68.20	-8.19	53.42	3	Vertical	353	2.11	-	34.38	7.09	34.88			
PK	5.4532G	61.57	74.00	-12.43	54.71	3	Vertical	353	2.11	-	34.51	7.24	34.89			
AV	5.458G	48.29	54.00	-5.71	41.41	3	Vertical	353	2.11	-	34.52	7.25	34.89			
PK	5.4692G	61.60	68.20	-6.60	54.70	3	Vertical	353	2.11	-	34.54	7.26	34.90			
PK	5.5636G	104.86	Inf	-Inf	98.03	3	Vertical	353	2.11	-	34.37	7.39	34.93			
AV	5.5588G	91.52	Inf	-Inf	84.69	3	Vertical	353	2.11	-	34.38	7.38	34.93			
PK	5.7268G	67.66	68.20	-0.54	61.02	3	Vertical	353	2.11	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 16.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2612G	59.43	68.20	-8.77	53.18	3	Horizontal	0	2.00	-	34.14	6.98	34.87			
PK	5.4596G	61.04	74.00	-12.96	54.16	3	Horizontal	0	2.00	-	34.52	7.25	34.89			
AV	5.4596G	47.65	54.00	-6.35	40.77	3	Horizontal	0	2.00	-	34.52	7.25	34.89			
PK	5.4692G	61.08	68.20	-7.12	54.18	3	Horizontal	0	2.00	-	34.54	7.26	34.90			
PK	5.6084G	104.09	Inf	-Inf	97.32	3	Horizontal	0	2.00	-	34.28	7.44	34.95			
AV	5.5764G	90.63	Inf	-Inf	83.81	3	Horizontal	0	2.00	-	34.35	7.41	34.94			
PK	5.7268G	67.00	68.20	-1.20	60.36	3	Horizontal	0	2.00	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 16.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1436G	56.13	74.00	-17.87	49.28	3	Vertical	297	1.15	-	38.31	11.04	42.50			
AV	11.13538G	41.91	54.00	-12.09	35.03	3	Vertical	297	1.15	-	38.33	11.04	42.49			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 16.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.13758G	56.20	74.00	-17.80	49.33	3	Horizontal	176	2.82	-	38.32	11.04	42.49			
AV	11.13724G	41.91	54.00	-12.09	35.03	3	Horizontal	176	2.82	-	38.33	11.04	42.49			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 19
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	63.57	74.00	-10.43	56.69	3	Vertical	0	2.03	-	34.52	7.25	34.89			
AV	5.4598G	48.51	54.00	-5.49	41.63	3	Vertical	0	2.03	-	34.52	7.25	34.89			
PK	5.469G	66.79	68.20	-1.41	59.89	3	Vertical	0	2.03	-	34.54	7.26	34.90			
PK	5.4946G	117.45	Inf	-Inf	110.46	3	Vertical	0	2.03	-	34.59	7.30	34.90			
AV	5.5042G	107.40	Inf	-Inf	100.41	3	Vertical	0	2.03	-	34.58	7.31	34.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 19
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	62.70	74.00	-11.30	55.82	3	Horizontal	356	2.03	-	34.52	7.25	34.89			
AV	5.46G	48.51	54.00	-5.49	41.63	3	Horizontal	356	2.03	-	34.52	7.25	34.89			
PK	5.4688G	67.39	68.20	-0.81	60.49	3	Horizontal	356	2.03	-	34.54	7.26	34.90			
PK	5.5066G	117.49	Inf	-Inf	110.51	3	Horizontal	356	2.03	-	34.57	7.31	34.90			
AV	5.5068G	107.17	Inf	-Inf	100.19	3	Horizontal	356	2.03	-	34.57	7.31	34.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 19
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00374G	55.94	74.00	-18.06	48.89	3	Vertical	80	1.04	-	38.31	10.97	42.23			
AV	10.9991G	41.46	54.00	-12.54	34.42	3	Vertical	80	1.04	-	38.30	10.96	42.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 19
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9971G	55.68	74.00	-18.32	48.64	3	Horizontal	269	2.63	-	38.30	10.96	42.22			
AV	11.00014G	41.47	54.00	-12.53	34.42	3	Horizontal	269	2.63	-	38.30	10.97	42.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 26
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	59.87	74.00	-14.13	52.99	3	Vertical	360	1.48	-	34.52	7.25	34.89			
AV	5.4544G	47.25	54.00	-6.75	40.39	3	Vertical	360	1.48	-	34.51	7.24	34.89			
PK	5.464G	60.61	68.20	-7.59	53.71	3	Vertical	360	1.48	-	34.53	7.26	34.89			
PK	5.5736G	122.30	Inf	-Inf	115.49	3	Vertical	360	1.48	-	34.35	7.40	34.94			
AV	5.5792G	111.64	Inf	-Inf	104.83	3	Vertical	360	1.48	-	34.34	7.41	34.94			
PK	5.768G	60.38	68.20	-7.82	53.69	3	Vertical	360	1.48	-	34.20	7.52	35.03			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.4368G	59.69	74.00	-14.31	52.86	3	Horizontal	360	2.05	-	34.50	7.22	34.89				
PK	5.4624G	59.76	68.20	-8.44	52.88	3	Horizontal	360	2.05	-	34.52	7.25	34.89				
AV	5.4568G	47.41	54.00	-6.59	40.54	3	Horizontal	360	2.05	-	34.51	7.25	34.89				
PK	5.5864G	122.38	Inf	-Inf	115.57	3	Horizontal	360	2.05	-	34.33	7.42	34.94				
AV	5.5864G	111.92	Inf	-Inf	105.11	3	Horizontal	360	2.05	-	34.33	7.42	34.94				
PK	5.7752G	60.18	68.20	-8.02	53.49	3	Horizontal	360	2.05	-	34.20	7.52	35.03				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 26
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1603G	55.81	74.00	-18.19	48.97	3	Vertical	262	2.66	-	38.32	11.05	42.53			
AV	11.15992G	41.23	54.00	-12.77	34.39	3	Vertical	262	2.66	-	38.32	11.05	42.53			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 26
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1616G	55.75	74.00	-18.25	48.92	3	Horizontal	179	1.46	-	38.32	11.05	42.54			
AV	11.15942G	41.24	54.00	-12.76	34.40	3	Horizontal	179	1.46	-	38.32	11.05	42.53			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 19
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6938G	117.13	Inf	-Inf	110.53	3	Vertical	0	1.51	-	34.11	7.48	34.99			
AV	5.694G	106.71	Inf	-Inf	100.11	3	Vertical	0	1.51	-	34.11	7.48	34.99			
PK	5.7258G	67.74	68.20	-0.46	61.10	3	Vertical	0	1.51	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 19
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7068G	118.31	Inf	-Inf	111.71	3	Horizontal	360	1.97	-	34.11	7.49	35.00			
AV	5.7068G	107.03	Inf	-Inf	100.43	3	Horizontal	360	1.97	-	34.11	7.49	35.00			
PK	5.729G	67.93	68.20	-0.27	61.28	3	Horizontal	360	1.97	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 19
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3954G	55.79	74.00	-18.21	48.91	3	Vertical	15	1.96	-	38.69	11.18	42.99			
AV	11.39766G	41.36	54.00	-12.64	34.47	3	Vertical	15	1.96	-	38.70	11.19	43.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX


EUT_Y_2TX
Setting 19
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39946G	55.59	74.00	-18.41	48.70	3	Horizontal	296	2.68	-	38.70	11.19	43.00			
AV	11.39756G	41.40	54.00	-12.60	34.51	3	Horizontal	296	2.68	-	38.70	11.19	43.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.724G	122.00	Inf	-Inf	115.36	3	Vertical	2	1.25	-	34.15	7.50	35.01			
AV	5.7136G	111.31	Inf	-Inf	104.69	3	Vertical	2	1.25	-	34.13	7.49	35.00			
PK	5.8976G	59.72	68.20	-8.48	52.71	3	Vertical	2	1.25	-	34.49	7.61	35.09			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7216G	121.44	Inf	-Inf	114.82	3	Horizontal	0	2.03	-	34.14	7.49	35.01			
AV	5.7264G	111.03	Inf	-Inf	104.39	3	Horizontal	0	2.03	-	34.15	7.50	35.01			
PK	5.8888G	59.91	68.20	-8.29	52.94	3	Horizontal	0	2.03	-	34.46	7.60	35.09			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4381G	55.62	74.00	-18.38	48.79	3	Vertical	105	2.14	-	38.70	11.21	43.08			
AV	11.43644G	41.49	54.00	-12.51	34.66	3	Vertical	105	2.14	-	38.70	11.21	43.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43554G	55.70	74.00	-18.30	48.86	3	Horizontal	192	1.41	-	38.70	11.21	43.07			
AV	11.43666G	41.44	54.00	-12.56	34.61	3	Horizontal	192	1.41	-	38.70	11.21	43.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 18.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4568G	68.33	74.00	-5.67	61.46	3	Vertical	354	1.95	-	34.51	7.25	34.89			
AV	5.4584G	52.21	54.00	-1.79	45.33	3	Vertical	354	1.95	-	34.52	7.25	34.89			
PK	5.4616G	67.96	68.20	-0.24	61.08	3	Vertical	354	1.95	-	34.52	7.25	34.89			
PK	5.4964G	120.04	Inf	-Inf	113.05	3	Vertical	354	1.95	-	34.59	7.30	34.90			
AV	5.4964G	107.59	Inf	-Inf	100.60	3	Vertical	354	1.95	-	34.59	7.30	34.90			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 18.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	63.09	74.00	-10.91	56.21	3	Horizontal	360	2.05	-	34.52	7.25	34.89			
AV	5.46G	49.20	54.00	-4.80	42.32	3	Horizontal	360	2.05	-	34.52	7.25	34.89			
PK	5.468G	66.04	68.20	-2.16	59.14	3	Horizontal	360	2.05	-	34.54	7.26	34.90			
PK	5.5076G	120.50	Inf	-Inf	113.51	3	Horizontal	360	2.05	-	34.57	7.32	34.90			
AV	5.5068G	106.81	Inf	-Inf	99.83	3	Horizontal	360	2.05	-	34.57	7.31	34.90			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 18.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00442G	56.38	74.00	-17.62	49.33	3	Vertical	7	1.43	-	38.31	10.97	42.23			
AV	10.9983G	41.94	54.00	-12.06	34.90	3	Vertical	7	1.43	-	38.30	10.96	42.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 18.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99782G	55.79	74.00	-18.21	48.75	3	Horizontal	253	1.41	-	38.30	10.96	42.22			
AV	10.9983G	41.98	54.00	-12.02	34.94	3	Horizontal	253	1.41	-	38.30	10.96	42.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	60.56	74.00	-13.44	53.68	3	Vertical	357	2.11	-	34.52	7.25	34.89			
AV	5.4592G	47.78	54.00	-6.22	40.90	3	Vertical	357	2.11	-	34.52	7.25	34.89			
PK	5.4608G	60.54	68.20	-7.66	53.66	3	Vertical	357	2.11	-	34.52	7.25	34.89			
PK	5.5784G	123.87	Inf	-Inf	117.06	3	Vertical	357	2.11	-	34.34	7.41	34.94			
AV	5.576G	111.68	Inf	-Inf	104.86	3	Vertical	357	2.11	-	34.35	7.41	34.94			
PK	5.7664G	60.45	68.20	-7.75	53.77	3	Vertical	357	2.11	-	34.20	7.51	35.03			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3864G	60.21	74.00	-13.79	53.47	3	Horizontal	0	2.03	-	34.47	7.15	34.88			
PK	5.468G	61.27	68.20	-6.93	54.37	3	Horizontal	0	2.03	-	34.54	7.26	34.90			
AV	5.4512G	47.16	54.00	-6.84	40.31	3	Horizontal	0	2.03	-	34.50	7.24	34.89			
PK	5.588G	124.61	Inf	-Inf	117.81	3	Horizontal	0	2.03	-	34.32	7.42	34.94			
AV	5.5872G	111.93	Inf	-Inf	105.12	3	Horizontal	0	2.03	-	34.33	7.42	34.94			
PK	5.776G	60.58	68.20	-7.62	53.89	3	Horizontal	0	2.03	-	34.20	7.52	35.03			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16144G	55.05	74.00	-18.95	48.22	3	Vertical	158	2.28	-	38.32	11.05	42.54			
AV	11.15544G	41.78	54.00	-12.22	34.94	3	Vertical	158	2.28	-	38.31	11.05	42.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16208G	55.64	74.00	-18.36	48.81	3	Horizontal	203	2.80	-	38.32	11.05	42.54			
AV	11.1552G	41.68	54.00	-12.32	34.84	3	Horizontal	203	2.80	-	38.31	11.05	42.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 18
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6964G	119.79	Inf	-Inf	113.19	3	Vertical	0	1.40	-	34.11	7.48	34.99			
AV	5.696G	106.55	Inf	-Inf	99.95	3	Vertical	0	1.40	-	34.11	7.48	34.99			
PK	5.7364G	65.84	68.20	-2.36	59.18	3	Vertical	0	1.40	-	34.17	7.50	35.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 18
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7076G	119.10	Inf	-Inf	112.49	3	Horizontal	0	1.96	-	34.12	7.49	35.00			
AV	5.7064G	105.88	Inf	-Inf	99.28	3	Horizontal	0	1.96	-	34.11	7.49	35.00			
PK	5.7256G	67.97	68.20	-0.23	61.33	3	Horizontal	0	1.96	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 18
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.397G	55.29	74.00	-18.71	48.41	3	Vertical	1	1.77	-	38.69	11.19	43.00			
AV	11.39854G	41.77	54.00	-12.23	34.88	3	Vertical	1	1.77	-	38.70	11.19	43.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 18
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40086G	55.22	74.00	-18.78	48.34	3	Horizontal	186	2.99	-	38.70	11.19	43.01			
AV	11.39642G	41.79	54.00	-12.21	34.91	3	Horizontal	186	2.99	-	38.69	11.19	43.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4476G	59.66	74.00	-14.34	52.82	3	Vertical	4	1.18	-	34.50	7.23	34.89			
AV	5.4416G	46.59	54.00	-7.41	39.75	3	Vertical	4	1.18	-	34.50	7.23	34.89			
PK	5.4692G	59.43	68.20	-8.77	52.53	3	Vertical	4	1.18	-	34.54	7.26	34.90			
PK	5.714G	123.14	Inf	-Inf	116.52	3	Vertical	4	1.18	-	34.13	7.49	35.00			
AV	5.7164G	111.56	Inf	-Inf	104.94	3	Vertical	4	1.18	-	34.13	7.49	35.00			
PK	5.9324G	60.84	68.20	-7.36	53.75	3	Vertical	4	1.18	-	34.56	7.64	35.11			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4464G	60.65	74.00	-13.35	53.81	3	Horizontal	0	1.95	-	34.50	7.23	34.89			
AV	5.4452G	46.57	54.00	-7.43	39.73	3	Horizontal	0	1.95	-	34.50	7.23	34.89			
PK	5.4656G	59.69	68.20	-8.51	52.80	3	Horizontal	0	1.95	-	34.53	7.26	34.90			
PK	5.726G	122.93	Inf	-Inf	116.29	3	Horizontal	0	1.95	-	34.15	7.50	35.01			
AV	5.7248G	110.77	Inf	-Inf	104.13	3	Horizontal	0	1.95	-	34.15	7.50	35.01			
PK	5.8772G	60.49	68.20	-7.71	53.57	3	Horizontal	0	1.95	-	34.41	7.59	35.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44414G	55.44	74.00	-18.56	48.62	3	Vertical	350	1.88	-	38.70	11.21	43.09			
AV	11.43974G	41.68	54.00	-12.32	34.85	3	Vertical	350	1.88	-	38.70	11.21	43.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43908G	55.30	74.00	-18.70	48.47	3	Horizontal	255	2.94	-	38.70	11.21	43.08			
AV	11.44406G	41.60	54.00	-12.40	34.78	3	Horizontal	255	2.94	-	38.70	11.21	43.09			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 18
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	66.90	74.00	-7.10	60.02	3	Vertical	360	2.09	-	34.52	7.25	34.89			
AV	5.46G	50.84	54.00	-3.16	43.96	3	Vertical	360	2.09	-	34.52	7.25	34.89			
PK	5.468G	67.97	68.20	-0.23	61.07	3	Vertical	360	2.09	-	34.54	7.26	34.90			
PK	5.526G	116.98	Inf	-Inf	110.05	3	Vertical	360	2.09	-	34.50	7.34	34.91			
AV	5.5276G	104.01	Inf	-Inf	97.09	3	Vertical	360	2.09	-	34.49	7.34	34.91			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4524G	62.95	74.00	-11.05	56.10	3	Horizontal	357	2.02	-	34.50	7.24	34.89			
AV	5.4592G	48.29	54.00	-5.71	41.41	3	Horizontal	357	2.02	-	34.52	7.25	34.89			
PK	5.47G	66.74	68.20	-1.46	59.84	3	Horizontal	357	2.02	-	34.54	7.26	34.90			
PK	5.4972G	116.04	Inf	-Inf	109.05	3	Horizontal	357	2.02	-	34.59	7.30	34.90			
AV	5.4968G	102.84	Inf	-Inf	95.85	3	Horizontal	357	2.02	-	34.59	7.30	34.90			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Y_2TX
Setting 18
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02182G	55.82	74.00	-18.18	48.76	3	Vertical	339	2.69	-	38.34	10.98	42.26			
AV	11.02062G	42.09	54.00	-11.91	35.03	3	Vertical	339	2.69	-	38.34	10.98	42.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0167G	56.04	74.00	-17.96	48.99	3	Horizontal	169	2.53	-	38.33	10.97	42.25			
AV	11.01906G	42.06	54.00	-11.94	35.00	3	Horizontal	169	2.53	-	38.34	10.98	42.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 20.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4576G	64.19	74.00	-9.81	57.31	3	Vertical	0	1.30	-	34.52	7.25	34.89			
AV	5.4576G	50.68	54.00	-3.32	43.80	3	Vertical	0	1.30	-	34.52	7.25	34.89			
PK	5.4672G	67.96	68.20	-0.24	61.07	3	Vertical	0	1.30	-	34.53	7.26	34.90			
PK	5.568G	119.35	Inf	-Inf	112.52	3	Vertical	0	1.30	-	34.36	7.40	34.93			
AV	5.5662G	106.25	Inf	-Inf	99.42	3	Vertical	0	1.30	-	34.37	7.39	34.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 20.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	64.38	74.00	-9.62	57.50	3	Horizontal	357	2.15	-	34.52	7.25	34.89			
AV	5.46G	50.02	54.00	-3.98	43.14	3	Horizontal	357	2.15	-	34.52	7.25	34.89			
PK	5.47G	66.08	68.20	-2.12	59.18	3	Horizontal	357	2.15	-	34.54	7.26	34.90			
PK	5.556G	118.55	Inf	-Inf	111.71	3	Horizontal	357	2.15	-	34.39	7.38	34.93			
AV	5.556G	105.60	Inf	-Inf	98.76	3	Horizontal	357	2.15	-	34.39	7.38	34.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 20.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.09658G	55.47	74.00	-18.53	48.46	3	Vertical	64	1.62	-	38.40	11.02	42.41			
AV	11.10462G	41.83	54.00	-12.17	34.85	3	Vertical	64	1.62	-	38.39	11.02	42.43			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 20.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.10224G	55.55	74.00	-18.45	48.55	3	Horizontal	0	1.21	-	38.40	11.02	42.42			
AV	11.10234G	41.84	54.00	-12.16	34.84	3	Horizontal	0	1.21	-	38.40	11.02	42.42			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 19
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6874G	116.13	Inf	-Inf	109.51	3	Vertical	0	1.11	-	34.13	7.48	34.99			
AV	5.6856G	104.23	Inf	-Inf	97.61	3	Vertical	0	1.11	-	34.13	7.48	34.99			
PK	5.7282G	67.13	68.20	-1.07	60.48	3	Vertical	0	1.11	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 19
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6784G	116.77	Inf	-Inf	110.14	3	Horizontal	360	1.94	-	34.14	7.48	34.99			
AV	5.6754G	104.28	Inf	-Inf	97.64	3	Horizontal	360	1.94	-	34.15	7.47	34.98			
PK	5.7258G	66.95	68.20	-1.25	60.31	3	Horizontal	360	1.94	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 19
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.34326G	55.68	74.00	-18.32	48.82	3	Vertical	187	2.40	-	38.59	11.16	42.89			
AV	11.33844G	41.89	54.00	-12.11	35.04	3	Vertical	187	2.40	-	38.58	11.15	42.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 19
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34172G	56.45	74.00	-17.55	49.61	3	Horizontal	240	2.09	-	38.58	11.15	42.89			
AV	11.34024G	42.00	54.00	-12.00	35.16	3	Horizontal	240	2.09	-	38.58	11.15	42.89			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4436G	60.15	74.00	-13.85	53.31	3	Vertical	0	1.22	-	34.50	7.23	34.89			
AV	5.4352G	46.81	54.00	-7.19	39.98	3	Vertical	0	1.22	-	34.50	7.22	34.89			
PK	5.4628G	59.39	68.20	-8.81	52.50	3	Vertical	0	1.22	-	34.53	7.25	34.89			
PK	5.7076G	121.55	Inf	-Inf	114.94	3	Vertical	0	1.22	-	34.12	7.49	35.00			
AV	5.7064G	108.86	Inf	-Inf	102.26	3	Vertical	0	1.22	-	34.11	7.49	35.00			
PK	5.8516G	62.77	68.20	-5.43	55.96	3	Vertical	0	1.22	-	34.31	7.57	35.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 26
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	60.11	74.00	-13.89	53.23	3	Horizontal	358	1.95	-	34.52	7.25	34.89			
AV	5.4328G	46.71	54.00	-7.29	39.89	3	Horizontal	358	1.95	-	34.50	7.21	34.89			
PK	5.464G	60.11	68.20	-8.09	53.21	3	Horizontal	358	1.95	-	34.53	7.26	34.89			
PK	5.6944G	120.32	Inf	-Inf	113.72	3	Horizontal	358	1.95	-	34.11	7.48	34.99			
AV	5.716G	108.18	Inf	-Inf	101.56	3	Horizontal	358	1.95	-	34.13	7.49	35.00			
PK	5.8624G	61.70	68.20	-6.50	54.84	3	Horizontal	358	1.95	-	34.35	7.58	35.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41924G	55.02	74.00	-18.98	48.16	3	Vertical	144	1.85	-	38.70	11.20	43.04			
AV	11.41572G	41.46	54.00	-12.54	34.59	3	Vertical	144	1.85	-	38.70	11.20	43.03			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42404G	55.78	74.00	-18.22	48.93	3	Horizontal	50	1.04	-	38.70	11.20	43.05			
AV	11.42238G	41.38	54.00	-12.62	34.53	3	Horizontal	50	1.04	-	38.70	11.20	43.05			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 17
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.31G	59.33	68.20	-8.87	52.84	3	Vertical	358	2.14	-	34.32	7.04	34.87			
PK	5.453G	65.02	74.00	-8.98	58.16	3	Vertical	358	2.14	-	34.51	7.24	34.89			
AV	5.451G	49.20	54.00	-4.80	42.35	3	Vertical	358	2.14	-	34.50	7.24	34.89			
PK	5.468G	67.87	68.20	-0.33	60.97	3	Vertical	358	2.14	-	34.54	7.26	34.90			
PK	5.547G	112.17	Inf	-Inf	105.31	3	Vertical	358	2.14	-	34.41	7.37	34.92			
AV	5.547G	99.51	Inf	-Inf	92.65	3	Vertical	358	2.14	-	34.41	7.37	34.92			
PK	5.752G	60.13	68.20	-8.07	53.44	3	Vertical	358	2.14	-	34.20	7.51	35.02			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 17
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.328G	59.15	68.20	-9.05	52.60	3	Horizontal	357	2.06	-	34.36	7.07	34.88			
PK	5.455G	69.38	74.00	-4.62	62.52	3	Horizontal	357	2.06	-	34.51	7.24	34.89			
PK	5.461G	65.39	68.20	-2.81	58.51	3	Horizontal	357	2.06	-	34.52	7.25	34.89			
AV	5.459G	50.55	54.00	-3.45	43.67	3	Horizontal	357	2.06	-	34.52	7.25	34.89			
PK	5.537G	111.52	Inf	-Inf	104.64	3	Horizontal	357	2.06	-	34.45	7.35	34.92			
AV	5.556G	98.73	Inf	-Inf	91.89	3	Horizontal	357	2.06	-	34.39	7.38	34.93			
PK	5.748G	60.60	68.20	-7.60	53.91	3	Horizontal	357	2.06	-	34.20	7.51	35.02			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 17
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.05794G	55.68	74.00	-18.32	48.61	3	Vertical	327	1.89	-	38.40	11.00	42.33			
AV	11.0562G	42.15	54.00	-11.85	35.08	3	Vertical	327	1.89	-	38.40	11.00	42.33			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 17
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05986G	55.82	74.00	-18.18	48.76	3	Horizontal	341	2.78	-	38.40	11.00	42.34			
AV	11.05586G	42.13	54.00	-11.87	35.06	3	Horizontal	341	2.78	-	38.40	11.00	42.33			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.346G	59.26	68.20	-8.94	52.66	3	Vertical	360	1.34	-	34.39	7.09	34.88			
PK	5.4408G	59.88	74.00	-14.12	53.04	3	Vertical	360	1.34	-	34.50	7.23	34.89			
PK	5.4684G	63.04	68.20	-5.16	56.14	3	Vertical	360	1.34	-	34.54	7.26	34.90			
AV	5.46G	47.11	54.00	-6.89	40.23	3	Vertical	360	1.34	-	34.52	7.25	34.89			
PK	5.6448G	113.33	Inf	-Inf	106.63	3	Vertical	360	1.34	-	34.21	7.46	34.97			
AV	5.5872G	100.56	Inf	-Inf	93.75	3	Vertical	360	1.34	-	34.33	7.42	34.94			
PK	5.7252G	67.96	68.20	-0.24	61.32	3	Vertical	360	1.34	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3412G	59.03	68.20	-9.17	52.44	3	Horizontal	360	2.04	-	34.38	7.09	34.88			
PK	5.4588G	61.37	74.00	-12.63	54.49	3	Horizontal	360	2.04	-	34.52	7.25	34.89			
AV	5.46G	47.80	54.00	-6.20	40.92	3	Horizontal	360	2.04	-	34.52	7.25	34.89			
PK	5.4612G	60.94	68.20	-7.26	54.06	3	Horizontal	360	2.04	-	34.52	7.25	34.89			
PK	5.598G	112.86	Inf	-Inf	106.07	3	Horizontal	360	2.04	-	34.30	7.44	34.95			
AV	5.5764G	100.63	Inf	-Inf	93.81	3	Horizontal	360	2.04	-	34.35	7.41	34.94			
PK	5.7384G	66.12	68.20	-2.08	59.45	3	Horizontal	360	2.04	-	34.18	7.50	35.01			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 18
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.2182G	56.29	74.00	-17.71	49.41	3	Vertical	95	2.74	-	38.44	11.09	42.65			
AV	11.21642G	41.86	54.00	-12.14	34.98	3	Vertical	95	2.74	-	38.43	11.09	42.64			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 18
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21688G	56.67	74.00	-17.33	49.80	3	Horizontal	286	2.14	-	38.43	11.09	42.65			
AV	11.21656G	41.96	54.00	-12.04	35.08	3	Horizontal	286	2.14	-	38.43	11.09	42.64			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 20
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4488G	63.41	74.00	-10.59	56.56	3	Vertical	360	1.27	-	34.50	7.24	34.89			
AV	5.4476G	49.63	54.00	-4.37	42.79	3	Vertical	360	1.27	-	34.50	7.23	34.89			
PK	5.4692G	66.61	68.20	-1.59	59.71	3	Vertical	360	1.27	-	34.54	7.26	34.90			
PK	5.6672G	115.14	Inf	-Inf	108.48	3	Vertical	360	1.27	-	34.17	7.47	34.98			
AV	5.666G	102.34	Inf	-Inf	95.68	3	Vertical	360	1.27	-	34.17	7.47	34.98			
PK	5.85G	67.89	68.20	-0.31	61.09	3	Vertical	360	1.27	-	34.30	7.57	35.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 20
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	66.00	74.00	-8.00	59.13	3	Horizontal	360	1.95	-	34.51	7.25	34.89			
AV	5.4584G	50.39	54.00	-3.61	43.51	3	Horizontal	360	1.95	-	34.52	7.25	34.89			
PK	5.4644G	63.92	68.20	-4.28	57.03	3	Horizontal	360	1.95	-	34.53	7.26	34.90			
PK	5.678G	115.61	Inf	-Inf	108.98	3	Horizontal	360	1.95	-	34.14	7.48	34.99			
AV	5.6756G	102.15	Inf	-Inf	95.51	3	Horizontal	360	1.95	-	34.15	7.47	34.98			
PK	5.8544G	67.71	68.20	-0.49	60.89	3	Horizontal	360	1.95	-	34.32	7.57	35.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37914G	56.12	74.00	-17.88	49.24	3	Vertical	356	1.92	-	38.66	11.18	42.96			
AV	11.37898G	41.74	54.00	-12.26	34.86	3	Vertical	356	1.92	-	38.66	11.18	42.96			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38002G	55.96	74.00	-18.04	49.08	3	Horizontal	337	1.45	-	38.66	11.18	42.96			
AV	11.3765G	41.57	54.00	-12.43	34.71	3	Horizontal	337	1.45	-	38.65	11.17	42.96			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 15.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.33G	59.56	68.20	-8.64	53.01	3	Vertical	1	1.45	-	34.36	7.07	34.88			
PK	5.4468G	62.52	74.00	-11.48	55.68	3	Vertical	1	1.45	-	34.50	7.23	34.89			
AV	5.4468G	50.00	54.00	-4.00	43.16	3	Vertical	1	1.45	-	34.50	7.23	34.89			
PK	5.466G	63.31	68.20	-4.89	56.42	3	Vertical	1	1.45	-	34.53	7.26	34.90			
PK	5.6068G	109.22	Inf	-Inf	102.44	3	Vertical	1	1.45	-	34.29	7.44	34.95			
AV	5.5876G	95.95	Inf	-Inf	89.15	3	Vertical	1	1.45	-	34.32	7.42	34.94			
PK	5.7284G	67.93	68.20	-0.27	61.28	3	Vertical	1	1.45	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 15.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.346G	59.79	68.20	-8.41	53.19	3	Horizontal	0	1.98	-	34.39	7.09	34.88			
PK	5.458G	61.54	74.00	-12.46	54.66	3	Horizontal	0	1.98	-	34.52	7.25	34.89			
AV	5.458G	49.05	54.00	-4.95	42.17	3	Horizontal	0	1.98	-	34.52	7.25	34.89			
PK	5.4644G	61.16	68.20	-7.04	54.27	3	Horizontal	0	1.98	-	34.53	7.26	34.90			
PK	5.5764G	108.63	Inf	-Inf	101.81	3	Horizontal	0	1.98	-	34.35	7.41	34.94			
AV	5.5956G	95.58	Inf	-Inf	88.79	3	Horizontal	0	1.98	-	34.31	7.43	34.95			
PK	5.7364G	63.11	68.20	-5.09	56.45	3	Horizontal	0	1.98	-	34.17	7.50	35.01			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 15.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.13588G	55.97	74.00	-18.03	49.09	3	Vertical	156	2.91	-	38.33	11.04	42.49			
AV	11.14334G	42.44	54.00	-11.56	35.59	3	Vertical	156	2.91	-	38.31	11.04	42.50			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 15.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13694G	55.56	74.00	-18.44	48.68	3	Horizontal	344	2.71	-	38.33	11.04	42.49			
AV	11.13974G	42.52	54.00	-11.48	35.65	3	Horizontal	344	2.71	-	38.32	11.04	42.49			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT X_4TX
Setting 18.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4568G	63.19	74.00	-10.81	56.32	3	Vertical	347	1.75	-	34.51	7.25	34.89			
AV	5.46G	49.50	54.00	-4.50	42.62	3	Vertical	347	1.75	-	34.52	7.25	34.89			
PK	5.4698G	65.21	68.20	-2.99	58.31	3	Vertical	347	1.75	-	34.54	7.26	34.90			
PK	5.4928G	120.88	Inf	-Inf	113.89	3	Vertical	347	1.75	-	34.59	7.30	34.90			
AV	5.493G	111.10	Inf	-Inf	104.11	3	Vertical	347	1.75	-	34.59	7.30	34.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT X_4TX
Setting 18.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	62.86	74.00	-11.14	56.00	3	Horizontal	360	1.96	-	34.51	7.24	34.89			
AV	5.4598G	49.34	54.00	-4.66	42.46	3	Horizontal	360	1.96	-	34.52	7.25	34.89			
PK	5.4694G	67.37	68.20	-0.83	60.47	3	Horizontal	360	1.96	-	34.54	7.26	34.90			
PK	5.501G	121.80	Inf	-Inf	114.79	3	Horizontal	360	1.96	-	34.60	7.31	34.90			
AV	5.5014G	112.07	Inf	-Inf	105.07	3	Horizontal	360	1.96	-	34.59	7.31	34.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_X_4TX
Setting 18.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00334G	55.21	74.00	-18.79	48.16	3	Vertical	181	2.66	-	38.31	10.97	42.23			
AV	11.00016G	41.45	54.00	-12.55	34.40	3	Vertical	181	2.66	-	38.30	10.97	42.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_X_4TX
Setting 18.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.99584G	56.76	74.00	-17.24	49.73	3	Horizontal	342	1.12	-	38.30	10.96	42.23			
AV	10.99806G	41.48	54.00	-12.52	34.44	3	Horizontal	342	1.12	-	38.30	10.96	42.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_X_4TX
Setting 26
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4536G	60.57	74.00	-13.43	53.71	3	Vertical	351	1.84	-	34.51	7.24	34.89			
AV	5.4528G	48.40	54.00	-5.60	41.54	3	Vertical	351	1.84	-	34.51	7.24	34.89			
PK	5.4648G	61.07	68.20	-7.13	54.18	3	Vertical	351	1.84	-	34.53	7.26	34.90			
PK	5.5728G	125.23	Inf	-Inf	118.41	3	Vertical	351	1.84	-	34.35	7.40	34.93			
AV	5.5728G	115.14	Inf	-Inf	108.32	3	Vertical	351	1.84	-	34.35	7.40	34.93			
PK	5.7408G	61.65	68.20	-6.55	54.99	3	Vertical	351	1.84	-	34.18	7.50	35.02			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_X_4TX
Setting 26
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4528G	62.16	74.00	-11.84	55.30	3	Horizontal	345	1.80	-	34.51	7.24	34.89			
PK	5.4608G	61.19	68.20	-7.01	54.31	3	Horizontal	345	1.80	-	34.52	7.25	34.89			
AV	5.4592G	49.40	54.00	-4.60	42.52	3	Horizontal	345	1.80	-	34.52	7.25	34.89			
PK	5.5832G	125.74	Inf	-Inf	118.93	3	Horizontal	345	1.80	-	34.33	7.42	34.94			
AV	5.5816G	115.91	Inf	-Inf	109.09	3	Horizontal	345	1.80	-	34.34	7.42	34.94			
PK	5.7336G	61.86	68.20	-6.34	55.20	3	Horizontal	345	1.80	-	34.17	7.50	35.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT X_4TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16108G	55.10	74.00	-18.90	48.27	3	Vertical	132	2.64	-	38.32	11.05	42.54			
AV	11.15188G	41.63	54.00	-12.37	34.80	3	Vertical	132	2.64	-	38.30	11.05	42.52			
PK	16.74584G	57.32	68.20	-10.88	46.67	3	Vertical	216	2.40	-	39.09	13.33	41.77			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	11.15756G	41.41	54.00	-12.59	34.57	3	Horizontal	156	2.57	-	38.32	11.05	42.53			
PK	11.16156G	55.77	74.00	-18.23	48.94	3	Horizontal	156	2.57	-	38.32	11.05	42.54			
PK	16.73772G	60.36	68.20	-7.84	49.71	3	Horizontal	58	1.73	-	39.08	13.32	41.75			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT X_4TX
Setting 18
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6926G	119.18	Inf	-Inf	112.58	3	Vertical	350	1.70	-	34.11	7.48	34.99			
AV	5.6928G	109.10	Inf	-Inf	102.50	3	Vertical	350	1.70	-	34.11	7.48	34.99			
PK	5.7324G	65.81	68.20	-2.39	59.16	3	Vertical	350	1.70	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_X_4TX
Setting 18
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7018G	120.70	Inf	-Inf	114.11	3	Horizontal	347	1.92	-	34.10	7.49	35.00			
AV	5.7014G	110.59	Inf	-Inf	104.00	3	Horizontal	347	1.92	-	34.10	7.49	35.00			
PK	5.725G	65.52	68.20	-2.68	58.88	3	Horizontal	347	1.92	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_X_4TX
Setting 18
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.40298G	55.23	74.00	-18.77	48.35	3	Vertical	266	1.55	-	38.70	11.19	43.01			
AV	11.3953G	41.83	54.00	-12.17	34.95	3	Vertical	266	1.55	-	38.69	11.18	42.99			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_X_4TX
Setting 18
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.39822G	55.70	74.00	-18.30	48.81	3	Horizontal	81	2.10	-	38.70	11.19	43.00				
AV	11.39616G	41.74	54.00	-12.26	34.87	3	Horizontal	81	2.10	-	38.69	11.18	43.00				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 26
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7128G	124.55	Inf	-Inf	117.93	3	Vertical	349	1.59	-	34.13	7.49	35.00			
AV	5.7128G	114.58	Inf	-Inf	107.96	3	Vertical	349	1.59	-	34.13	7.49	35.00			
PK	5.852G	60.50	68.20	-7.70	53.69	3	Vertical	349	1.59	-	34.31	7.57	35.07			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 26
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7208G	125.00	Inf	-Inf	118.38	3	Horizontal	346	1.80	-	34.14	7.49	35.01			
AV	5.7208G	115.33	Inf	-Inf	108.71	3	Horizontal	346	1.80	-	34.14	7.49	35.01			
PK	5.8616G	60.48	68.20	-7.72	53.62	3	Horizontal	346	1.80	-	34.35	7.58	35.07			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 26
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44442G	54.84	74.00	-19.16	48.02	3	Vertical	23	2.77	-	38.70	11.21	43.09			
AV	11.4366G	41.68	54.00	-12.32	34.85	3	Vertical	23	2.77	-	38.70	11.21	43.08			
PK	17.15496G	61.39	68.20	-6.81	49.69	3	Vertical	9	1.78	-	40.42	13.56	42.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 26
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44446G	55.62	74.00	-18.38	48.80	3	Horizontal	95	2.38	-	38.70	11.21	43.09			
AV	11.44608G	41.80	54.00	-12.20	34.98	3	Horizontal	95	2.38	-	38.70	11.21	43.09			
PK	17.158G	66.25	68.20	-1.95	54.54	3	Horizontal	296	1.79	-	40.43	13.56	42.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_X_4TX
Setting 18
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4548G	62.84	74.00	-11.16	55.98	3	Vertical	348	1.75	-	34.51	7.24	34.89			
AV	5.4534G	48.96	54.00	-5.04	42.10	3	Vertical	348	1.75	-	34.51	7.24	34.89			
PK	5.4642G	68.16	68.20	-0.04	61.26	3	Vertical	348	1.75	-	34.53	7.26	34.89			
PK	5.4934G	122.63	Inf	-Inf	115.64	3	Vertical	348	1.75	-	34.59	7.30	34.90			
AV	5.4926G	110.02	Inf	-Inf	103.03	3	Vertical	348	1.75	-	34.59	7.30	34.90			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_X_4TX
Setting 18
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4598G	63.67	74.00	-10.33	56.79	3	Horizontal	360	1.97	-	34.52	7.25	34.89			
AV	5.46G	49.79	54.00	-4.21	42.91	3	Horizontal	360	1.97	-	34.52	7.25	34.89			
PK	5.463G	66.38	68.20	-1.82	59.48	3	Horizontal	360	1.97	-	34.53	7.26	34.89			
PK	5.501G	123.54	Inf	-Inf	116.53	3	Horizontal	360	1.97	-	34.60	7.31	34.90			
AV	5.5014G	110.90	Inf	-Inf	103.90	3	Horizontal	360	1.97	-	34.59	7.31	34.90			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_X_4TX
Setting 18
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00378G	56.91	74.00	-17.09	49.86	3	Vertical	295	1.77	-	38.31	10.97	42.23			
AV	10.99652G	41.69	54.00	-12.31	34.65	3	Vertical	295	1.77	-	38.30	10.96	42.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_X_4TX
Setting 18
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99948G	55.96	74.00	-18.04	48.92	3	Horizontal	17	2.21	-	38.30	10.96	42.22			
AV	10.9982G	41.72	54.00	-12.28	34.68	3	Horizontal	17	2.21	-	38.30	10.96	42.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
Setting 26
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4264G	60.53	74.00	-13.47	53.71	3	Vertical	8	1.82	-	34.50	7.21	34.89			
PK	5.4688G	61.89	68.20	-6.31	54.99	3	Vertical	8	1.82	-	34.54	7.26	34.90			
AV	5.4512G	47.81	54.00	-6.19	40.96	3	Vertical	8	1.82	-	34.50	7.24	34.89			
PK	5.5712G	127.29	Inf	-Inf	120.46	3	Vertical	8	1.82	-	34.36	7.40	34.93			
AV	5.5712G	114.82	Inf	-Inf	107.99	3	Vertical	8	1.82	-	34.36	7.40	34.93			
PK	5.7432G	61.46	68.20	-6.74	54.79	3	Vertical	8	1.82	-	34.19	7.50	35.02			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
Setting 26
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.70	74.00	-12.30	54.82	3	Horizontal	343	1.80	-	34.52	7.25	34.89			
AV	5.4584G	49.16	54.00	-4.84	42.28	3	Horizontal	343	1.80	-	34.52	7.25	34.89			
PK	5.4616G	62.07	68.20	-6.13	55.19	3	Horizontal	343	1.80	-	34.52	7.25	34.89			
PK	5.5816G	127.62	Inf	-Inf	120.80	3	Horizontal	343	1.80	-	34.34	7.42	34.94			
AV	5.5824G	115.36	Inf	-Inf	108.54	3	Horizontal	343	1.80	-	34.34	7.42	34.94			
PK	5.7312G	61.83	68.20	-6.37	55.18	3	Horizontal	343	1.80	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1652G	55.24	74.00	-18.76	48.39	3	Vertical	159	1.16	-	38.33	11.06	42.54			
AV	11.16234G	41.46	54.00	-12.54	34.62	3	Vertical	159	1.16	-	38.32	11.06	42.54			
PK	16.73332G	56.80	68.20	-11.40	46.15	3	Vertical	184	2.82	-	39.07	13.32	41.74			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_X_4TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	11.15518G	41.40	54.00	-12.60	34.56	3	Horizontal	59	2.36	-	38.31	11.05	42.52			
PK	11.1642G	55.28	74.00	-18.72	48.43	3	Horizontal	59	2.36	-	38.33	11.06	42.54			
PK	16.73388G	58.11	68.20	-10.09	47.46	3	Horizontal	279	2.94	-	39.07	13.32	41.74			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_X_4TX
Setting 17.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6918G	121.37	Inf	-Inf	114.76	3	Vertical	354	1.98	-	34.12	7.48	34.99			
AV	5.6912G	108.75	Inf	-Inf	102.14	3	Vertical	354	1.98	-	34.12	7.48	34.99			
PK	5.731G	66.02	68.20	-2.18	59.37	3	Vertical	354	1.98	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_X_4TX
Setting 17.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.701G	123.13	Inf	-Inf	116.54	3	Horizontal	345	1.93	-	34.10	7.49	35.00			
AV	5.7016G	109.52	Inf	-Inf	102.93	3	Horizontal	345	1.93	-	34.10	7.49	35.00			
PK	5.7252G	67.30	68.20	-0.90	60.66	3	Horizontal	345	1.93	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_X_4TX
Setting 17.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39712G	55.35	74.00	-18.65	48.47	3	Vertical	33	1.54	-	38.69	11.19	43.00			
AV	11.39662G	41.80	54.00	-12.20	34.92	3	Vertical	33	1.54	-	38.69	11.19	43.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_X_4TX
Setting 17.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40364G	55.38	74.00	-18.62	48.50	3	Horizontal	306	1.24	-	38.70	11.19	43.01			
AV	11.39796G	41.78	54.00	-12.22	34.89	3	Horizontal	306	1.24	-	38.70	11.19	43.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 26
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.712G	125.74	Inf	-Inf	119.13	3	Vertical	352	1.85	-	34.12	7.49	35.00			
AV	5.712G	114.13	Inf	-Inf	107.52	3	Vertical	352	1.85	-	34.12	7.49	35.00			
PK	5.8616G	60.60	68.20	-7.60	53.74	3	Vertical	352	1.85	-	34.35	7.58	35.07			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 26
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7216G	127.01	Inf	-Inf	120.39	3	Horizontal	345	1.94	-	34.14	7.49	35.01			
AV	5.7208G	114.69	Inf	-Inf	108.07	3	Horizontal	345	1.94	-	34.14	7.49	35.01			
PK	5.8952G	59.94	68.20	-8.26	52.94	3	Horizontal	345	1.94	-	34.48	7.61	35.09			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 26
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44336G	55.10	74.00	-18.90	48.28	3	Vertical	321	1.37	-	38.70	11.21	43.09			
AV	11.4458G	41.27	54.00	-12.73	34.45	3	Vertical	321	1.37	-	38.70	11.21	43.09			
PK	17.16788G	58.72	68.20	-9.48	46.96	3	Vertical	118	1.57	-	40.47	13.57	42.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 26
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4446G	55.54	74.00	-18.46	48.72	3	Horizontal	300	1.48	-	38.70	11.21	43.09			
AV	11.44832G	41.33	54.00	-12.67	34.52	3	Horizontal	300	1.48	-	38.70	11.21	43.10			
PK	17.159G	64.77	68.20	-3.43	53.05	3	Horizontal	297	1.79	-	40.44	13.56	42.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_X_4TX
Setting 17.5
03-S-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	64.25	74.00	-9.75	57.37	3	Vertical	8	1.90	-	34.52	7.25	34.89			
AV	5.46G	49.05	54.00	-4.95	42.17	3	Vertical	8	1.90	-	34.52	7.25	34.89			
PK	5.4612G	64.62	68.20	-3.58	57.74	3	Vertical	8	1.90	-	34.52	7.25	34.89			
PK	5.5012G	119.86	Inf	-Inf	112.85	3	Vertical	8	1.90	-	34.60	7.31	34.90			
AV	5.5016G	106.64	Inf	-Inf	99.64	3	Vertical	8	1.90	-	34.59	7.31	34.90			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_X_4TX
Setting 17.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4536G	64.38	74.00	-9.62	57.52	3	Horizontal	0	1.80	-	34.51	7.24	34.89			
AV	5.4516G	48.37	54.00	-5.63	41.52	3	Horizontal	0	1.80	-	34.50	7.24	34.89			
PK	5.4696G	66.86	68.20	-1.34	59.96	3	Horizontal	0	1.80	-	34.54	7.26	34.90			
PK	5.5108G	120.41	Inf	-Inf	113.44	3	Horizontal	0	1.80	-	34.56	7.32	34.91			
AV	5.492G	107.19	Inf	-Inf	100.22	3	Horizontal	0	1.80	-	34.58	7.29	34.90			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_X_4TX
Setting 17.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0155G	56.41	74.00	-17.59	49.36	3	Vertical	222	2.74	-	38.33	10.97	42.25			
AV	11.01848G	41.95	54.00	-12.05	34.89	3	Vertical	222	2.74	-	38.34	10.98	42.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_X_4TX
Setting 17.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01842G	56.07	74.00	-17.93	49.01	3	Horizontal	341	1.22	-	38.34	10.98	42.26			
AV	11.01812G	41.98	54.00	-12.02	34.92	3	Horizontal	341	1.22	-	38.34	10.98	42.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_X_4TX
Setting 19.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4432G	62.81	74.00	-11.19	55.97	3	Vertical	350	1.80	-	34.50	7.23	34.89			
PK	5.4618G	65.64	68.20	-2.56	58.76	3	Vertical	350	1.80	-	34.52	7.25	34.89			
AV	5.46G	49.35	54.00	-4.65	42.47	3	Vertical	350	1.80	-	34.52	7.25	34.89			
PK	5.5422G	121.60	Inf	-Inf	114.73	3	Vertical	350	1.80	-	34.43	7.36	34.92			
AV	5.562G	108.50	Inf	-Inf	101.66	3	Vertical	350	1.80	-	34.38	7.39	34.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_X_4TX
Setting 19.5
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4516G	63.68	74.00	-10.32	56.83	3	Horizontal	347	1.80	-	34.50	7.24	34.89			
AV	5.4534G	49.81	54.00	-4.19	42.95	3	Horizontal	347	1.80	-	34.51	7.24	34.89			
PK	5.47G	67.34	68.20	-0.86	60.44	3	Horizontal	347	1.80	-	34.54	7.26	34.90			
PK	5.5314G	121.75	Inf	-Inf	114.85	3	Horizontal	347	1.80	-	34.47	7.35	34.92			
AV	5.5518G	109.41	Inf	-Inf	102.56	3	Horizontal	347	1.80	-	34.40	7.37	34.92			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_X_4TX
Setting 19.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09974G	55.67	74.00	-18.33	48.67	3	Vertical	165	1.80	-	38.40	11.02	42.42			
AV	11.10462G	41.91	54.00	-12.09	34.93	3	Vertical	165	1.80	-	38.39	11.02	42.43			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_X_4TX
Setting 19.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10288G	55.69	74.00	-18.31	48.70	3	Horizontal	232	2.66	-	38.39	11.02	42.42			
AV	11.10334G	41.93	54.00	-12.07	34.94	3	Horizontal	232	2.66	-	38.39	11.02	42.42			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT X_4TX
Setting 19
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.661G	119.60	Inf	-Inf	112.93	3	Vertical	356	1.89	-	34.18	7.47	34.98			
AV	5.6814G	107.03	Inf	-Inf	100.40	3	Vertical	356	1.89	-	34.14	7.48	34.99			
PK	5.727G	67.62	68.20	-0.58	60.98	3	Vertical	356	1.89	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_X_4TX
Setting 19
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6712G	122.28	Inf	-Inf	115.63	3	Horizontal	344	1.80	-	34.16	7.47	34.98			
AV	5.6712G	108.36	Inf	-Inf	101.71	3	Horizontal	344	1.80	-	34.16	7.47	34.98			
PK	5.7252G	67.32	68.20	-0.88	60.68	3	Horizontal	344	1.80	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_X_4TX
Setting 19
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33776G	56.03	74.00	-17.97	49.18	3	Vertical	67	1.99	-	38.58	11.15	42.88			
AV	11.33926G	41.72	54.00	-12.28	34.87	3	Vertical	67	1.99	-	38.58	11.15	42.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_X_4TX
Setting 19
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34092G	55.71	74.00	-18.29	48.87	3	Horizontal	44	2.09	-	38.58	11.15	42.89			
AV	11.33902G	41.78	54.00	-12.22	34.93	3	Horizontal	44	2.09	-	38.58	11.15	42.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 26
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7012G	123.50	Inf	-Inf	116.91	3	Vertical	358	1.92	-	34.10	7.49	35.00			
AV	5.7012G	111.19	Inf	-Inf	104.60	3	Vertical	358	1.92	-	34.10	7.49	35.00			
PK	5.8628G	63.61	68.20	-4.59	56.75	3	Vertical	358	1.92	-	34.35	7.58	35.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 26
03-S-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6916G	123.81	Inf	-Inf	117.20	3	Horizontal	350	1.80	-	34.12	7.48	34.99			
AV	5.7108G	112.47	Inf	-Inf	105.86	3	Horizontal	350	1.80	-	34.12	7.49	35.00			
PK	5.8516G	65.96	68.20	-2.24	59.15	3	Horizontal	350	1.80	-	34.31	7.57	35.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT X_4TX
Setting 26
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42194G	54.75	74.00	-19.25	47.90	3	Vertical	297	2.10	-	38.70	11.20	43.05			
AV	11.4156G	41.79	54.00	-12.21	34.92	3	Vertical	297	2.10	-	38.70	11.20	43.03			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 26
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4188G	55.27	74.00	-18.73	48.41	3	Horizontal	60	1.62	-	38.70	11.20	43.04			
AV	11.42032G	41.75	54.00	-12.25	34.89	3	Horizontal	60	1.62	-	38.70	11.20	43.04			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_X_4TX
Setting 16.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.301G	59.38	68.20	-8.82	52.92	3	Vertical	350	1.80	-	34.30	7.03	34.87			
PK	5.454G	64.70	74.00	-9.30	57.84	3	Vertical	350	1.80	-	34.51	7.24	34.89			
AV	5.453G	49.74	54.00	-4.26	42.88	3	Vertical	350	1.80	-	34.51	7.24	34.89			
PK	5.463G	66.15	68.20	-2.05	59.25	3	Vertical	350	1.80	-	34.53	7.26	34.89			
PK	5.502G	114.40	Inf	-Inf	107.40	3	Vertical	350	1.80	-	34.59	7.31	34.90			
AV	5.562G	102.18	Inf	-Inf	95.34	3	Vertical	350	1.80	-	34.38	7.39	34.93			
PK	5.739G	60.82	68.20	-7.38	54.15	3	Vertical	350	1.80	-	34.18	7.50	35.01			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_X_4TX
Setting 16.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.308G	59.04	68.20	-9.16	52.55	3	Horizontal	2	1.78	-	34.32	7.04	34.87			
PK	5.452G	65.02	74.00	-8.98	58.17	3	Horizontal	2	1.78	-	34.50	7.24	34.89			
AV	5.451G	50.11	54.00	-3.89	43.26	3	Horizontal	2	1.78	-	34.50	7.24	34.89			
PK	5.47G	67.97	68.20	-0.23	61.07	3	Horizontal	2	1.78	-	34.54	7.26	34.90			
AV	5.492G	102.66	Inf	-Inf	95.69	3	Horizontal	2	1.78	-	34.58	7.29	34.90			
PK	5.532G	115.35	Inf	-Inf	108.45	3	Horizontal	2	1.78	-	34.47	7.35	34.92			
PK	5.731G	61.01	68.20	-7.19	54.36	3	Horizontal	2	1.78	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_X_4TX
Setting 16.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.05782G	55.92	74.00	-18.08	48.85	3	Vertical	5	2.14	-	38.40	11.00	42.33			
AV	11.05542G	41.89	54.00	-12.11	34.82	3	Vertical	5	2.14	-	38.40	11.00	42.33			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_X_4TX
Setting 16.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.06194G	55.88	74.00	-18.12	48.82	3	Horizontal	105	1.00	-	38.40	11.00	42.34			
AV	11.05812G	41.93	54.00	-12.07	34.86	3	Horizontal	105	1.00	-	38.40	11.00	42.33			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5610MHz_TX




EUT_X_4TX
Setting 17.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3472G	59.33	68.20	-8.87	52.72	3	Vertical	354	1.87	-	34.39	7.10	34.88			
PK	5.46G	62.94	74.00	-11.06	56.06	3	Vertical	354	1.87	-	34.52	7.25	34.89			
AV	5.46G	48.29	54.00	-5.71	41.41	3	Vertical	354	1.87	-	34.52	7.25	34.89			
PK	5.4612G	62.65	68.20	-5.55	55.77	3	Vertical	354	1.87	-	34.52	7.25	34.89			
PK	5.64G	116.19	Inf	-Inf	109.48	3	Vertical	354	1.87	-	34.22	7.46	34.97			
AV	5.622G	104.09	Inf	-Inf	97.34	3	Vertical	354	1.87	-	34.26	7.45	34.96			
PK	5.7264G	67.96	68.20	-0.24	61.32	3	Vertical	354	1.87	-	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5610MHz_TX




EUT_X_4TX
Setting 17.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3304G	58.95	68.20	-9.25	52.40	3	Horizontal	360	1.80	-	34.36	7.07	34.88			
PK	5.4516G	61.08	74.00	-12.92	54.23	3	Horizontal	360	1.80	-	34.50	7.24	34.89			
AV	5.4516G	48.38	54.00	-5.62	41.53	3	Horizontal	360	1.80	-	34.50	7.24	34.89			
PK	5.4696G	63.33	68.20	-4.87	56.43	3	Horizontal	360	1.80	-	34.54	7.26	34.90			
PK	5.6316G	116.55	Inf	-Inf	109.82	3	Horizontal	360	1.80	-	34.24	7.45	34.96			
AV	5.5908G	104.94	Inf	-Inf	98.13	3	Horizontal	360	1.80	-	34.32	7.43	34.94			
PK	5.7288G	66.96	68.20	-1.24	60.31	3	Horizontal	360	1.80	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5610MHz_TX




EUT_X_4TX
Setting 17.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.21772G	55.65	74.00	-18.35	48.77	3	Vertical	102	2.17	-	38.44	11.09	42.65			
AV	11.2175G	42.42	54.00	-11.58	35.54	3	Vertical	102	2.17	-	38.44	11.09	42.65			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5610MHz_TX




EUT_X_4TX
Setting 17.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.21858G	56.26	74.00	-17.74	49.38	3	Horizontal	66	2.08	-	38.44	11.09	42.65			
AV	11.21618G	42.43	54.00	-11.57	35.56	3	Horizontal	66	2.08	-	38.43	11.08	42.64			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 19.5
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4548G	62.00	74.00	-12.00	55.14	3	Vertical	357	1.75	-	34.51	7.24	34.89			
AV	5.4536G	49.48	54.00	-4.52	42.62	3	Vertical	357	1.75	-	34.51	7.24	34.89			
PK	5.4644G	63.79	68.20	-4.41	56.90	3	Vertical	357	1.75	-	34.53	7.26	34.90			
PK	5.6624G	117.31	Inf	-Inf	110.64	3	Vertical	357	1.75	-	34.18	7.47	34.98			
AV	5.6612G	105.47	Inf	-Inf	98.80	3	Vertical	357	1.75	-	34.18	7.47	34.98			
PK	5.8604G	66.56	68.20	-1.64	59.71	3	Vertical	357	1.75	-	34.34	7.58	35.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 19.5
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4536G	63.07	74.00	-10.93	56.21	3	Horizontal	347	1.83	-	34.51	7.24	34.89			
AV	5.4536G	49.68	54.00	-4.32	42.82	3	Horizontal	347	1.83	-	34.51	7.24	34.89			
PK	5.47G	63.84	68.20	-4.36	56.94	3	Horizontal	347	1.83	-	34.54	7.26	34.90			
PK	5.7116G	119.56	Inf	-Inf	112.95	3	Horizontal	347	1.83	-	34.12	7.49	35.00			
AV	5.6708G	106.37	Inf	-Inf	99.72	3	Horizontal	347	1.83	-	34.16	7.47	34.98			
PK	5.852G	67.74	68.20	-0.46	60.93	3	Horizontal	347	1.83	-	34.31	7.57	35.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 19.5
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37636G	55.95	74.00	-18.05	49.09	3	Vertical	241	2.51	-	38.65	11.17	42.96			
AV	11.38352G	42.21	54.00	-11.79	35.33	3	Vertical	241	2.51	-	38.67	11.18	42.97			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 19.5
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38192G	55.53	74.00	-18.47	48.66	3	Horizontal	145	1.74	-	38.66	11.18	42.97			
AV	11.37838G	42.03	54.00	-11.97	35.15	3	Horizontal	145	1.74	-	38.66	11.18	42.96			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5570MHz_TX




EUT_X_4TX
Setting 15
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2436G	59.38	68.20	-8.82	53.20	3	Vertical	356	1.79	-	34.09	6.95	34.86			
PK	5.4436G	63.79	74.00	-10.21	56.95	3	Vertical	356	1.79	-	34.50	7.23	34.89			
AV	5.442G	50.47	54.00	-3.53	43.63	3	Vertical	356	1.79	-	34.50	7.23	34.89			
PK	5.4628G	63.76	68.20	-4.44	56.87	3	Vertical	356	1.79	-	34.53	7.25	34.89			
PK	5.5428G	110.40	Inf	-Inf	103.53	3	Vertical	356	1.79	-	34.43	7.36	34.92			
AV	5.602G	98.38	Inf	-Inf	91.59	3	Vertical	356	1.79	-	34.30	7.44	34.95			
PK	5.7284G	67.98	68.20	-0.22	61.33	3	Vertical	356	1.79	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5570MHz_TX




EUT_X_4TX
Setting 15
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2996G	59.25	68.20	-8.95	52.79	3	Horizontal	0	2.13	-	34.30	7.03	34.87			
PK	5.4516G	63.46	74.00	-10.54	56.61	3	Horizontal	0	2.13	-	34.50	7.24	34.89			
AV	5.4516G	51.60	54.00	-2.40	44.75	3	Horizontal	0	2.13	-	34.50	7.24	34.89			
PK	5.4692G	64.09	68.20	-4.11	57.19	3	Horizontal	0	2.13	-	34.54	7.26	34.90			
PK	5.5908G	112.49	Inf	-Inf	105.68	3	Horizontal	0	2.13	-	34.32	7.43	34.94			
AV	5.5908G	99.45	Inf	-Inf	92.64	3	Horizontal	0	2.13	-	34.32	7.43	34.94			
PK	5.7316G	64.77	68.20	-3.43	58.12	3	Horizontal	0	2.13	-	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX


5570MHz_TX

EUT_X_4TX
Setting 15
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1362G	56.18	74.00	-17.82	49.30	3	Vertical	314	1.58	-	38.33	11.04	42.49			
AV	11.13506G	42.45	54.00	-11.55	35.56	3	Vertical	314	1.58	-	38.33	11.04	42.48			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5570MHz_TX

EUT_X_4TX
Setting 15
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1442G	55.74	74.00	-18.26	48.88	3	Horizontal	222	2.06	-	38.31	11.05	42.50			
AV	11.1377G	42.38	54.00	-11.62	35.51	3	Horizontal	222	2.06	-	38.32	11.04	42.49			




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_1TX	Pass	PK	5.46188G	68.00	68.20	-0.20	3	Vertical	22	1.78	17.5

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 19.5
15\21\18\19.5\20\19.5
6.33\6.93\6.24\1.15\0.27\1.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4557G	60.11	74.00	-13.89	51.57	3	Vertical	20	2.16	19.5	34.01	5.45	30.92			
AV	5.46G	48.16	54.00	-5.84	39.61	3	Vertical	20	2.16	19.5	34.02	5.46	30.93			
PK	5.4698G	66.24	68.20	-1.96	57.67	3	Vertical	20	2.16	19.5	34.04	5.47	30.94			
PK	5.496G	111.37	Inf	-Inf	102.75	3	Vertical	20	2.16	19.5	34.09	5.49	30.96			
AV	5.4938G	100.67	Inf	-Inf	92.05	3	Vertical	20	2.16	19.5	34.09	5.49	30.96			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 19.5
19.5
3.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4559G	60.37	74.00	-13.63	51.83	3	Horizontal	17	1.76	19.5	34.01	5.45	30.92			
AV	5.4588G	48.01	54.00	-5.99	39.46	3	Horizontal	17	1.76	19.5	34.02	5.46	30.93			
PK	5.47G	65.07	68.20	-3.13	56.50	3	Horizontal	17	1.76	19.5	34.04	5.47	30.94			
PK	5.5023G	110.34	Inf	-Inf	101.71	3	Horizontal	17	1.76	19.5	34.10	5.49	30.96			
AV	5.4973G	100.72	Inf	-Inf	92.10	3	Horizontal	17	1.76	19.5	34.09	5.49	30.96			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 19.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99844G	53.51	74.00	-20.49	38.50	3	Vertical	262	1.10	-	38.60	8.40	31.99			
AV	11.01317G	41.01	54.00	-12.99	26.00	3	Vertical	262	1.10	-	38.60	8.40	31.99			
PK	16.5123G	59.63	68.20	-8.57	42.43	3	Vertical	176	2.67	-	38.90	10.64	32.34			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 19.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00153G	54.24	74.00	-19.76	39.23	3	Horizontal	341	1.94	-	38.60	8.40	31.99			
AV	10.99331G	42.01	54.00	-11.99	27.00	3	Horizontal	341	1.94	-	38.60	8.40	31.99			
PK	16.50525G	59.36	68.20	-8.84	42.24	3	Horizontal	337	1.24	-	38.84	10.63	32.35			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
SET 25
15\21\24\25
6.16\6.25\6.23\5.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.44816G	60.54	74.00	-13.46	52.01	3	Vertical	2	2.22	25	34.00	5.45	30.92			
AV	5.452G	48.40	54.00	-5.60	39.87	3	Vertical	2	2.22	25	34.00	5.45	30.92			
PK	5.46992G	61.91	68.20	-6.29	53.34	3	Vertical	2	2.22	25	34.04	5.47	30.94			
PK	5.58736G	117.45	Inf	-Inf	108.89	3	Vertical	2	2.22	25	34.00	5.56	31.00			
AV	5.5832G	106.92	Inf	-Inf	98.36	3	Vertical	2	2.22	25	34.00	5.56	31.00			
PK	5.72848G	60.45	68.20	-7.75	51.91	3	Vertical	2	2.22	25	34.00	5.61	31.07			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
SET 25
25
5.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45424G	60.00	74.00	-14.00	51.46	3	Horizontal	24	1.72	25	34.01	5.45	30.92			
PK	5.46512G	61.61	68.20	-6.59	53.05	3	Horizontal	24	1.72	25	34.03	5.46	30.93			
AV	5.46G	48.01	54.00	-5.99	39.46	3	Horizontal	24	1.72	25	34.02	5.46	30.93			
PK	5.5832G	117.09	Inf	-Inf	108.53	3	Horizontal	24	1.72	25	34.00	5.56	31.00			
AV	5.58256G	106.84	Inf	-Inf	98.28	3	Horizontal	24	1.72	25	34.00	5.56	31.00			
PK	5.73136G	60.49	68.20	-7.71	51.95	3	Horizontal	24	1.72	25	34.00	5.61	31.07			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15679G	52.98	74.00	-21.02	37.97	3	Vertical	16	2.81	-	38.60	8.45	32.04			
AV	11.16801G	40.59	54.00	-13.41	25.58	3	Vertical	16	2.81	-	38.60	8.46	32.05			
PK	16.73307G	60.65	68.20	-7.55	42.14	3	Vertical	100	1.60	-	39.97	10.79	32.25			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14893G	53.19	74.00	-20.81	38.18	3	Horizontal	302	1.55	-	38.60	8.45	32.04			
AV	11.16441G	40.42	54.00	-13.58	25.41	3	Horizontal	302	1.55	-	38.60	8.46	32.05			
PK	16.755G	60.50	68.20	-7.70	41.91	3	Horizontal	239	1.57	-	40.03	10.80	32.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
SET 18
15\22.5\19\17.5\18\18.5\18
7.95\12.77\3.38\6.04\2.30\1.03\2.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7035G	110.78	Inf	-Inf	102.23	3	Vertical	7	1.68	18	34.00	5.60	31.05			
AV	5.6975G	100.83	Inf	-Inf	92.28	3	Vertical	7	1.68	18	34.00	5.60	31.05			
PK	5.7263G	65.67	68.20	-2.53	57.12	3	Vertical	7	1.68	18	34.00	5.61	31.06			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
SET 18
18
3.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.7041G	109.40	Inf	-Inf	100.85	3	Horizontal	360	1.72	18	34.00	5.60	31.05				
AV	5.702G	99.16	Inf	-Inf	90.61	3	Horizontal	360	1.72	18	34.00	5.60	31.05				
PK	5.7258G	64.23	68.20	-3.97	55.68	3	Horizontal	360	1.72	18	34.00	5.61	31.06				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 18
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3931G	54.20	74.00	-19.80	39.00	3	Vertical	95	1.80	-	38.79	8.53	32.12			
AV	11.39535G	41.75	54.00	-12.25	26.55	3	Vertical	95	1.80	-	38.79	8.53	32.12			
PK	17.10366G	62.49	68.20	-5.71	42.12	3	Vertical	94	2.69	-	41.52	11.05	32.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 18
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39124G	54.14	74.00	-19.86	38.95	3	Horizontal	328	2.08	-	38.78	8.53	32.12			
AV	11.39223G	41.73	54.00	-12.27	26.54	3	Horizontal	328	2.08	-	38.78	8.53	32.12			
PK	17.09331G	62.68	68.20	-5.52	42.34	3	Horizontal	204	1.96	-	41.49	11.04	32.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 25
15\21.5\24.5\25
6.70\6.55\6.50\6.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45594G	59.16	74.00	-14.84	50.62	3	Vertical	8	1.76	25	34.01	5.45	30.92			
AV	5.45756G	47.35	54.00	-6.65	38.80	3	Vertical	8	1.76	25	34.02	5.46	30.93			
PK	5.46242G	60.45	68.20	-7.75	51.90	3	Vertical	8	1.76	25	34.02	5.46	30.93			
PK	5.72378G	118.88	Inf	-Inf	110.33	3	Vertical	8	1.76	25	34.00	5.61	31.06			
AV	5.7227G	108.82	Inf	-Inf	100.27	3	Vertical	8	1.76	25	34.00	5.61	31.06			
PK	5.85068G	60.92	68.20	-7.28	52.35	3	Vertical	8	1.76	25	34.00	5.69	31.12			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 25
25
6.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45378G	58.96	74.00	-15.04	50.42	3	Horizontal	360	1.70	25	34.01	5.45	30.92			
PK	5.4608G	58.95	68.20	-9.25	50.40	3	Horizontal	360	1.70	25	34.02	5.46	30.93			
AV	5.4581G	47.37	54.00	-6.63	38.82	3	Horizontal	360	1.70	25	34.02	5.46	30.93			
PK	5.72756G	117.08	Inf	-Inf	108.53	3	Horizontal	360	1.70	25	34.00	5.61	31.06			
AV	5.72324G	106.57	Inf	-Inf	98.02	3	Horizontal	360	1.70	25	34.00	5.61	31.06			
PK	5.96192G	61.42	68.20	-6.78	52.56	3	Horizontal	360	1.70	25	34.22	5.81	31.17			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43268G	53.93	74.00	-20.07	38.65	3	Vertical	224	1.44	-	38.87	8.55	32.14			
AV	11.42824G	41.52	54.00	-12.48	26.25	3	Vertical	224	1.44	-	38.86	8.55	32.14			
PK	17.15079G	63.03	68.20	-5.17	42.38	3	Vertical	34	2.89	-	41.80	11.08	32.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44561G	54.29	74.00	-19.71	38.99	3	Horizontal	334	2.13	-	38.89	8.55	32.14			
AV	11.434G	41.48	54.00	-12.52	26.20	3	Horizontal	334	2.13	-	38.87	8.55	32.14			
PK	17.15187G	62.99	68.20	-5.21	42.33	3	Horizontal	48	2.56	-	41.81	11.08	32.23			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
SET 19
15\22\18.5\20\19.5\19
7.05\10.84\3.21\3.59\1.61\1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	60.40	74.00	-13.60	51.85	3	Vertical	23	1.80	19	34.02	5.46	30.93			
AV	5.4594G	47.60	54.00	-6.40	39.05	3	Vertical	23	1.80	19	34.02	5.46	30.93			
PK	5.4694G	66.70	68.20	-1.50	58.13	3	Vertical	23	1.80	19	34.04	5.47	30.94			
PK	5.4949G	113.88	Inf	-Inf	105.26	3	Vertical	23	1.80	19	34.09	5.49	30.96			
AV	5.4957G	100.43	Inf	-Inf	91.81	3	Vertical	23	1.80	19	34.09	5.49	30.96			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX

EUT_Y_1TX
SET 19
19
3.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4567G	60.26	74.00	-13.74	51.72	3	Horizontal	18	1.67	19	34.01	5.46	30.93			
AV	5.4598G	47.46	54.00	-6.54	38.91	3	Horizontal	18	1.67	19	34.02	5.46	30.93			
PK	5.469G	64.59	68.20	-3.61	56.02	3	Horizontal	18	1.67	19	34.04	5.47	30.94			
PK	5.4978G	112.07	Inf	-Inf	103.44	3	Horizontal	18	1.67	19	34.10	5.49	30.96			
AV	5.4979G	98.74	Inf	-Inf	90.11	3	Horizontal	18	1.67	19	34.10	5.49	30.96			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX

EUT_Y_1TX
Setting 19
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99136G	54.27	74.00	-19.73	39.26	3	Vertical	65	1.61	-	38.60	8.40	31.99			
AV	11.01377G	40.54	54.00	-13.46	25.53	3	Vertical	65	1.61	-	38.60	8.40	31.99			
PK	16.51182G	60.11	68.20	-8.09	42.92	3	Vertical	102	1.42	-	38.89	10.64	32.34			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX

EUT_Y_1TX
Setting 19
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01335G	53.32	74.00	-20.68	38.31	3	Horizontal	325	2.65	-	38.60	8.40	31.99			
AV	11.01059G	40.55	54.00	-13.45	25.54	3	Horizontal	325	2.65	-	38.60	8.40	31.99			
PK	16.5015G	59.84	68.20	-8.36	42.75	3	Horizontal	292	2.55	-	38.81	10.63	32.35			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 25
15\21.5\24.5\25
6.91\6.95\6.68\3.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45904G	62.20	74.00	-11.80	53.65	3	Vertical	3	1.77	25	34.02	5.46	30.93			
AV	5.46G	48.43	54.00	-5.57	39.88	3	Vertical	3	1.77	25	34.02	5.46	30.93			
PK	5.46704G	64.68	68.20	-3.52	56.12	3	Vertical	3	1.77	25	34.03	5.46	30.93			
PK	5.58288G	119.12	Inf	-Inf	110.56	3	Vertical	3	1.77	25	34.00	5.56	31.00			
AV	5.5816G	106.77	Inf	-Inf	98.21	3	Vertical	3	1.77	25	34.00	5.56	31.00			
PK	5.73136G	60.63	68.20	-7.57	52.09	3	Vertical	3	1.77	25	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 25
2.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45904G	61.31	74.00	-12.69	52.76	3	Horizontal	26	1.79	25	34.02	5.46	30.93			
AV	5.46G	48.59	54.00	-5.41	40.04	3	Horizontal	26	1.79	25	34.02	5.46	30.93			
PK	5.4664G	65.29	68.20	-2.91	56.73	3	Horizontal	26	1.79	25	34.03	5.46	30.93			
PK	5.58256G	118.59	Inf	-Inf	110.03	3	Horizontal	26	1.79	25	34.00	5.56	31.00			
AV	5.58128G	105.67	Inf	-Inf	97.11	3	Horizontal	26	1.79	25	34.00	5.56	31.00			
PK	5.73104G	60.19	68.20	-8.01	51.65	3	Horizontal	26	1.79	25	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16585G	53.51	74.00	-20.49	38.50	3	Vertical	14	1.42	-	38.60	8.46	32.05			
AV	11.1684G	40.15	54.00	-13.85	25.14	3	Vertical	14	1.42	-	38.60	8.46	32.05			
PK	16.72569G	60.68	68.20	-7.52	42.20	3	Vertical	170	1.69	-	39.95	10.78	32.25			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15616G	53.17	74.00	-20.83	38.16	3	Horizontal	219	2.67	-	38.60	8.45	32.04			
AV	11.16393G	40.09	54.00	-13.91	25.08	3	Horizontal	219	2.67	-	38.60	8.46	32.05			
PK	16.72881G	60.19	68.20	-8.01	41.69	3	Horizontal	108	1.47	-	39.96	10.79	32.25			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
SET 18
15\22.5\19\17.5\18
7.86\16.29\5.36\2.87\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6947G	112.96	Inf	-Inf	104.41	3	Vertical	4	1.68	18	34.00	5.60	31.05			
AV	5.6979G	99.54	Inf	-Inf	90.99	3	Vertical	4	1.68	18	34.00	5.60	31.05			
PK	5.7259G	67.79	68.20	-0.41	59.24	3	Vertical	4	1.68	18	34.00	5.61	31.06			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
SET 18
18
1.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6979G	111.49	Inf	-Inf	102.94	3	Horizontal	1	1.71	18	34.00	5.60	31.05			
AV	5.7015G	98.18	Inf	-Inf	89.63	3	Horizontal	1	1.71	18	34.00	5.60	31.05			
PK	5.7251G	66.98	68.20	-1.22	58.43	3	Horizontal	1	1.71	18	34.00	5.61	31.06			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 18
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40507G	54.19	74.00	-19.81	38.97	3	Vertical	95	2.10	-	38.81	8.54	32.13			
AV	11.39676G	41.34	54.00	-12.66	26.14	3	Vertical	95	2.10	-	38.79	8.53	32.12			
PK	17.10534G	62.72	68.20	-5.48	42.34	3	Vertical	180	1.23	-	41.53	11.05	32.20			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 18
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4057G	54.62	74.00	-19.38	39.40	3	Horizontal	352	2.94	-	38.81	8.54	32.13			
AV	11.3982G	41.33	54.00	-12.67	26.12	3	Horizontal	352	2.94	-	38.80	8.54	32.13			
PK	17.10972G	62.28	68.20	-5.92	41.87	3	Horizontal	50	1.44	-	41.56	11.05	32.20			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 25
15\22\25
7.06\7.10\4.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45918G	58.81	74.00	-15.19	50.26	3	Vertical	8	1.76	25	34.02	5.46	30.93			
AV	5.45918G	46.98	54.00	-7.02	38.43	3	Vertical	8	1.76	25	34.02	5.46	30.93			
PK	5.46458G	59.05	68.20	-9.15	50.49	3	Vertical	8	1.76	25	34.03	5.46	30.93			
PK	5.72162G	118.94	Inf	-Inf	110.39	3	Vertical	8	1.76	25	34.00	5.61	31.06			
AV	5.72162G	107.20	Inf	-Inf	98.65	3	Vertical	8	1.76	25	34.00	5.61	31.06			
PK	5.86148G	63.80	68.20	-4.40	55.18	3	Vertical	8	1.76	25	34.05	5.70	31.13			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 25
25
3.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45216G	58.97	74.00	-15.03	50.44	3	Horizontal	0	1.71	25	34.00	5.45	30.92			
AV	5.45G	46.85	54.00	-7.15	38.32	3	Horizontal	0	1.71	25	34.00	5.45	30.92			
PK	5.46566G	59.08	68.20	-9.12	50.52	3	Horizontal	0	1.71	25	34.03	5.46	30.93			
PK	5.7254G	117.21	Inf	-Inf	108.66	3	Horizontal	0	1.71	25	34.00	5.61	31.06			
AV	5.7227G	105.34	Inf	-Inf	96.79	3	Horizontal	0	1.71	25	34.00	5.61	31.06			
PK	5.85608G	64.92	68.20	-3.28	56.33	3	Horizontal	0	1.71	25	34.02	5.69	31.12			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4523G	54.17	74.00	-19.83	38.86	3	Vertical	277	1.07	-	38.90	8.55	32.14			
AV	11.43589G	41.09	54.00	-12.91	25.81	3	Vertical	277	1.07	-	38.87	8.55	32.14			
PK	17.16129G	62.92	68.20	-5.28	42.22	3	Vertical	191	1.88	-	41.85	11.09	32.24			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44255G	54.61	74.00	-19.39	39.31	3	Horizontal	228	2.42	-	38.89	8.55	32.14			
AV	11.43517G	41.03	54.00	-12.97	25.75	3	Horizontal	228	2.42	-	38.87	8.55	32.14			
PK	17.16285G	62.40	68.20	-5.80	41.70	3	Horizontal	98	1.78	-	41.85	11.09	32.24			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 17.5
15\21.5\18.5\17\17.5
6.59\17.75\2.54\2.05\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45984G	65.60	74.00	-8.40	57.05	3	Vertical	22	1.78	17.5	34.02	5.46	30.93			
AV	5.45948G	48.80	54.00	-5.20	40.25	3	Vertical	22	1.78	17.5	34.02	5.46	30.93			
PK	5.46188G	68.00	68.20	-0.20	59.45	3	Vertical	22	1.78	17.5	34.02	5.46	30.93			
PK	5.50928G	109.05	Inf	-Inf	100.43	3	Vertical	22	1.78	17.5	34.08	5.50	30.96			
AV	5.50832G	95.76	Inf	-Inf	87.14	3	Vertical	22	1.78	17.5	34.08	5.50	30.96			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 17.5
17.5
2.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45816G	65.04	74.00	-8.96	56.49	3	Horizontal	23	1.72	17.5	34.02	5.46	30.93			
AV	5.45996G	48.39	54.00	-5.61	39.84	3	Horizontal	23	1.72	17.5	34.02	5.46	30.93			
PK	5.46512G	65.86	68.20	-2.34	57.30	3	Horizontal	23	1.72	17.5	34.03	5.46	30.93			
PK	5.51444G	108.14	Inf	-Inf	99.54	3	Horizontal	23	1.72	17.5	34.07	5.50	30.97			
AV	5.51228G	94.75	Inf	-Inf	86.14	3	Horizontal	23	1.72	17.5	34.08	5.50	30.97			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX

EUT_Y_1TX
Setting 17.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0062G	53.70	74.00	-20.30	38.69	3	Vertical	119	1.72	-	38.60	8.40	31.99			
AV	11.02588G	40.59	54.00	-13.41	25.58	3	Vertical	119	1.72	-	38.60	8.41	32.00			
PK	16.53285G	59.09	68.20	-9.11	41.72	3	Vertical	55	1.35	-	39.06	10.65	32.34			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
Setting 17.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.03239G	53.00	74.00	-21.00	37.99	3	Horizontal	102	2.79	-	38.60	8.41	32.00			
AV	11.01292G	40.47	54.00	-13.53	25.46	3	Horizontal	102	2.79	-	38.60	8.40	31.99			
PK	16.51713G	60.45	68.20	-7.75	43.21	3	Horizontal	256	1.32	-	38.94	10.64	32.34			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 21.5
15\21.5\24.5\23\22.5\22\21.5
6.83\1.21\11.85\2.93\2.05\1.89\2.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	57.59	74.00	-16.41	49.13	3	Vertical	0	1.78	21.5	33.90	5.40	30.84			
AV	5.35G	46.53	54.00	-7.47	38.07	3	Vertical	0	1.78	21.5	33.90	5.40	30.84			
PK	5.4588G	65.57	74.00	-8.43	57.02	3	Vertical	0	1.78	21.5	34.02	5.46	30.93			
AV	5.46G	50.96	54.00	-3.04	42.41	3	Vertical	0	1.78	21.5	34.02	5.46	30.93			
PK	5.4668G	66.12	68.20	-2.08	57.56	3	Vertical	0	1.78	21.5	34.03	5.46	30.93			
PK	5.5612G	112.37	Inf	-Inf	103.82	3	Vertical	0	1.78	21.5	34.00	5.54	30.99			
AV	5.546G	100.15	Inf	-Inf	91.59	3	Vertical	0	1.78	21.5	34.01	5.53	30.98			
PK	5.7304G	59.81	68.20	-8.39	51.27	3	Vertical	0	1.78	21.5	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 21.5
21.5
1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	58.07	74.00	-15.93	49.61	3	Horizontal	25	1.84	21.5	33.90	5.40	30.84			
AV	5.35G	46.36	54.00	-7.64	37.90	3	Horizontal	25	1.84	21.5	33.90	5.40	30.84			
PK	5.4568G	63.42	74.00	-10.58	54.88	3	Horizontal	25	1.84	21.5	34.01	5.46	30.93			
AV	5.46G	50.40	54.00	-3.60	41.85	3	Horizontal	25	1.84	21.5	34.02	5.46	30.93			
PK	5.47G	66.90	68.20	-1.30	58.33	3	Horizontal	25	1.84	21.5	34.04	5.47	30.94			
PK	5.5636G	109.89	Inf	-Inf	101.34	3	Horizontal	25	1.84	21.5	34.00	5.54	30.99			
AV	5.552G	97.78	Inf	-Inf	89.23	3	Horizontal	25	1.84	21.5	34.00	5.53	30.98			
PK	5.7476G	59.64	68.20	-8.56	51.10	3	Horizontal	25	1.84	21.5	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX

EUT_Y_1TX
Setting 21.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08809G	53.10	74.00	-20.90	38.09	3	Vertical	110	1.62	-	38.60	8.43	32.02			
AV	11.08977G	40.19	54.00	-13.81	25.18	3	Vertical	110	1.62	-	38.60	8.43	32.02			
PK	16.6554G	60.49	68.20	-7.71	42.22	3	Vertical	277	2.56	-	39.81	10.74	32.28			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
Setting 21.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08731G	53.40	74.00	-20.60	38.39	3	Horizontal	167	1.86	-	38.60	8.43	32.02			
AV	11.09814G	40.25	54.00	-13.75	25.24	3	Horizontal	167	1.86	-	38.60	8.43	32.02			
PK	16.66293G	60.47	68.20	-7.73	42.18	3	Horizontal	287	1.94	-	39.83	10.74	32.28			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 18.5
15\23\19\17\18\18.5
8.04\11.37\1.90\6.34\1.94\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.674G	110.37	Inf	-Inf	101.82	3	Vertical	6	1.71	18.5	34.00	5.59	31.04			
AV	5.67304G	97.39	Inf	-Inf	88.84	3	Vertical	6	1.71	18.5	34.00	5.59	31.04			
PK	5.72824G	67.80	68.20	-0.40	59.25	3	Vertical	6	1.71	18.5	34.00	5.61	31.06			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
SET 18.5
18.5
3.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.67752G	107.46	Inf	-Inf	98.91	3	Horizontal	360	1.80	18.5	34.00	5.59	31.04			
AV	5.67608G	94.24	Inf	-Inf	85.69	3	Horizontal	360	1.80	18.5	34.00	5.59	31.04			
PK	5.72744G	65.10	68.20	-3.10	56.55	3	Horizontal	360	1.80	18.5	34.00	5.61	31.06			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT_Y_1TX
Setting 21.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34324G	54.41	74.00	-19.59	39.30	3	Vertical	230	2.28	-	38.70	8.52	32.11			
AV	11.35146G	41.03	54.00	-12.97	25.92	3	Vertical	230	2.28	-	38.70	8.52	32.11			
PK	17.00076G	62.41	68.20	-5.79	42.16	3	Vertical	87	2.86	-	41.40	10.98	32.13			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
Setting 21.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33319G	53.76	74.00	-20.24	38.65	3	Horizontal	327	2.23	-	38.70	8.51	32.10			
AV	11.34522G	41.09	54.00	-12.91	25.98	3	Horizontal	327	2.23	-	38.70	8.52	32.11			
PK	17.00952G	62.44	68.20	-5.76	42.20	3	Horizontal	316	2.47	-	41.40	10.98	32.14			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 25
15\22\25
7.19\7.09\0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	59.41	74.00	-14.59	50.88	3	Vertical	5	1.65	25	34.00	5.45	30.92			
PK	5.46352G	59.69	68.20	-8.51	51.13	3	Vertical	5	1.65	25	34.03	5.46	30.93			
AV	5.4578G	47.41	54.00	-6.59	38.86	3	Vertical	5	1.65	25	34.02	5.46	30.93			
PK	5.7022G	114.97	Inf	-Inf	106.42	3	Vertical	5	1.65	25	34.00	5.60	31.05			
AV	5.71832G	103.26	Inf	-Inf	94.71	3	Vertical	5	1.65	25	34.00	5.61	31.06			
PK	5.85248G	67.65	68.20	-0.55	59.07	3	Vertical	5	1.65	25	34.01	5.69	31.12			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 25
25
0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45104G	59.92	74.00	-14.08	51.39	3	Horizontal	359	1.70	25	34.00	5.45	30.92			
PK	5.46196G	62.01	68.20	-6.19	53.46	3	Horizontal	359	1.70	25	34.02	5.46	30.93			
AV	5.4578G	47.40	54.00	-6.60	38.85	3	Horizontal	359	1.70	25	34.02	5.46	30.93			
PK	5.71572G	114.26	Inf	-Inf	105.72	3	Horizontal	359	1.70	25	34.00	5.60	31.06			
AV	5.7178G	102.22	Inf	-Inf	93.67	3	Horizontal	359	1.70	25	34.00	5.61	31.06			
PK	5.85976G	68.00	68.20	-0.20	59.39	3	Horizontal	359	1.70	25	34.04	5.70	31.13			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40602G	54.07	74.00	-19.93	38.85	3	Vertical	324	1.51	-	38.81	8.54	32.13			
AV	11.4053G	41.16	54.00	-12.84	25.94	3	Vertical	324	1.51	-	38.81	8.54	32.13			
PK	17.13247G	62.44	68.20	-5.76	41.90	3	Vertical	129	1.30	-	41.69	11.07	32.22			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42228G	54.82	74.00	-19.18	39.57	3	Horizontal	226	1.00	-	38.84	8.54	32.13			
AV	11.40548G	41.18	54.00	-12.82	25.96	3	Horizontal	226	1.00	-	38.81	8.54	32.13			
PK	17.12872G	63.21	68.20	-4.99	42.70	3	Horizontal	318	1.47	-	41.67	11.06	32.22			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
SET 17
15\20.5\18\17\17.5\17
5.63\14.65\2.23\2.07\0.48\1.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45912G	65.52	74.00	-8.48	56.97	3	Vertical	24	1.78	17	34.02	5.46	30.93			
AV	5.45896G	50.38	54.00	-3.62	41.83	3	Vertical	24	1.78	17	34.02	5.46	30.93			
PK	5.46696G	66.35	68.20	-1.85	57.79	3	Vertical	24	1.78	17	34.03	5.46	30.93			
PK	5.51944G	105.98	Inf	-Inf	97.38	3	Vertical	24	1.78	17	34.06	5.51	30.97			
AV	5.51672G	92.07	Inf	-Inf	83.47	3	Vertical	24	1.78	17	34.07	5.50	30.97			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
SET 17
17
4.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	64.42	74.00	-9.58	55.87	3	Horizontal	24	1.73	17	34.02	5.46	30.93			
AV	5.4596G	49.67	54.00	-4.33	41.12	3	Horizontal	24	1.73	17	34.02	5.46	30.93			
PK	5.46936G	63.97	68.20	-4.23	55.40	3	Horizontal	24	1.73	17	34.04	5.47	30.94			
PK	5.52456G	105.23	Inf	-Inf	96.64	3	Horizontal	24	1.73	17	34.05	5.51	30.97			
AV	5.51896G	91.75	Inf	-Inf	83.15	3	Horizontal	24	1.73	17	34.06	5.51	30.97			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
Setting 17
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06486G	53.87	74.00	-20.13	38.86	3	Vertical	106	2.92	-	38.60	8.42	32.01			
AV	11.04512G	40.57	54.00	-13.43	25.56	3	Vertical	106	2.92	-	38.60	8.42	32.01			
PK	16.59463G	60.43	68.20	-7.77	42.49	3	Vertical	39	1.01	-	39.56	10.69	32.31			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
Setting 17
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07125G	53.63	74.00	-20.37	38.62	3	Horizontal	63	1.07	-	38.60	8.42	32.01			
AV	11.04791G	40.50	54.00	-13.50	25.49	3	Horizontal	63	1.07	-	38.60	8.42	32.01			
PK	16.58502G	60.12	68.20	-8.08	42.26	3	Horizontal	30	1.71	-	39.48	10.69	32.31			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
SET 20.5
15\22\18.5\20\20.5\21\20.5
7.23\ -3.26\5.20\1.26\0.86\ -0.50\0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	62.67	74.00	-11.33	54.12	3	Vertical	6	1.93	20.5	34.02	5.46	30.93			
AV	5.4596G	49.59	54.00	-4.41	41.04	3	Vertical	6	1.93	20.5	34.02	5.46	30.93			
PK	5.466G	64.73	68.20	-3.47	56.17	3	Vertical	6	1.93	20.5	34.03	5.46	30.93			
PK	5.60232G	108.46	Inf	-Inf	99.90	3	Vertical	6	1.93	20.5	34.00	5.57	31.01			
AV	5.59976G	95.98	Inf	-Inf	87.42	3	Vertical	6	1.93	20.5	34.00	5.57	31.01			
PK	5.72584G	67.63	68.20	-0.57	59.08	3	Vertical	6	1.93	20.5	34.00	5.61	31.06			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT Y_1TX
SET 20.5
20.5
2.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45352G	62.65	74.00	-11.35	54.11	3	Horizontal	27	1.80	20.5	34.01	5.45	30.92			
PK	5.46536G	64.20	68.20	-4.00	55.64	3	Horizontal	27	1.80	20.5	34.03	5.46	30.93			
AV	5.45992G	49.68	54.00	-4.32	41.13	3	Horizontal	27	1.80	20.5	34.02	5.46	30.93			
PK	5.57832G	108.56	Inf	-Inf	100.01	3	Horizontal	27	1.80	20.5	34.00	5.55	31.00			
AV	5.58568G	94.98	Inf	-Inf	86.42	3	Horizontal	27	1.80	20.5	34.00	5.56	31.00			
PK	5.73G	65.79	68.20	-2.41	57.25	3	Horizontal	27	1.80	20.5	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
Setting 20.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2317G	52.94	74.00	-21.06	37.87	3	Vertical	327	2.71	-	38.66	8.48	32.07			
AV	11.22885G	40.52	54.00	-13.48	25.45	3	Vertical	327	2.71	-	38.66	8.48	32.07			
PK	16.83268G	60.63	68.20	-7.57	41.47	3	Vertical	265	2.47	-	40.50	10.86	32.20			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX

EUT_Y_1TX
Setting 20.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22087G	53.43	74.00	-20.57	38.38	3	Horizontal	222	1.44	-	38.64	8.48	32.07			
AV	11.23305G	40.40	54.00	-13.60	25.32	3	Horizontal	222	1.44	-	38.67	8.48	32.07			
PK	16.82873G	61.92	68.20	-6.28	42.80	3	Horizontal	346	2.31	-	40.47	10.86	32.21			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 22
15\22\25\23.5\23\22.5\22
7.22\1.67\9.92\2.41\0.41\0.05\1.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	59.58	74.00	-14.42	51.03	3	Vertical	10	1.65	22	34.02	5.46	30.93			
AV	5.45528G	47.90	54.00	-6.10	39.36	3	Vertical	10	1.65	22	34.01	5.45	30.92			
PK	5.46728G	60.33	68.20	-7.87	51.77	3	Vertical	10	1.65	22	34.03	5.46	30.93			
PK	5.71784G	110.22	Inf	-Inf	101.67	3	Vertical	10	1.65	22	34.00	5.61	31.06			
AV	5.71688G	96.90	Inf	-Inf	88.35	3	Vertical	10	1.65	22	34.00	5.61	31.06			
PK	5.85176G	66.51	68.20	-1.69	57.93	3	Vertical	10	1.65	22	34.01	5.69	31.12			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
SET 22
2.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45432G	59.96	74.00	-14.04	51.42	3	Horizontal	360	1.83	22	34.01	5.45	30.92			
AV	5.4596G	47.67	54.00	-6.33	39.12	3	Horizontal	360	1.83	22	34.02	5.46	30.93			
PK	5.46872G	60.15	68.20	-8.05	51.58	3	Horizontal	360	1.83	22	34.04	5.46	30.93			
PK	5.70056G	109.59	Inf	-Inf	101.04	3	Horizontal	360	1.83	22	34.00	5.60	31.05			
AV	5.70152G	96.09	Inf	-Inf	87.54	3	Horizontal	360	1.83	22	34.00	5.60	31.05			
PK	5.8508G	65.82	68.20	-2.38	57.25	3	Horizontal	360	1.83	22	34.00	5.69	31.12			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_1TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38381G	53.95	74.00	-20.05	38.77	3	Vertical	59	2.79	-	38.77	8.53	32.12			
AV	11.38915G	41.24	54.00	-12.76	26.05	3	Vertical	59	2.79	-	38.78	8.53	32.12			
PK	17.07027G	63.62	68.20	-4.58	43.34	3	Vertical	28	2.04	-	41.44	11.02	32.18			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_1TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38312G	54.28	74.00	-19.72	39.10	3	Horizontal	257	1.47	-	38.77	8.53	32.12			
AV	11.3938G	41.36	54.00	-12.64	26.16	3	Horizontal	257	1.47	-	38.79	8.53	32.12			
PK	17.06662G	63.43	68.20	-4.77	43.16	3	Horizontal	323	1.80	-	41.43	11.02	32.18			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 18.5
15\20.5\18\19\18.5
5.77\12.21\3.41\2.19\1.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4026G	67.71	74.00	-6.29	59.18	3	Vertical	3	1.96	18.5	34.00	5.41	30.88			
PK	5.4602G	66.26	68.20	-1.94	57.71	3	Vertical	3	1.96	18.5	34.02	5.46	30.93			
AV	5.43212G	52.64	54.00	-1.36	44.11	3	Vertical	3	1.96	18.5	34.00	5.44	30.91			
PK	5.55596G	103.67	Inf	-Inf	95.13	3	Vertical	3	1.96	18.5	34.00	5.53	30.99			
AV	5.56208G	90.92	Inf	-Inf	82.37	3	Vertical	3	1.96	18.5	34.00	5.54	30.99			
PK	5.7374G	63.17	68.20	-5.03	54.63	3	Vertical	3	1.96	18.5	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 18.5
18.5
1.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.39144G	65.60	74.00	-8.40	57.08	3	Horizontal	28	2.18	18.5	33.98	5.41	30.87			
PK	5.46632G	66.41	68.20	-1.79	57.85	3	Horizontal	28	2.18	18.5	34.03	5.46	30.93			
AV	5.45948G	51.53	54.00	-2.47	42.98	3	Horizontal	28	2.18	18.5	34.02	5.46	30.93			
PK	5.561G	102.08	Inf	-Inf	93.53	3	Horizontal	28	2.18	18.5	34.00	5.54	30.99			
AV	5.56712G	89.58	Inf	-Inf	81.03	3	Horizontal	28	2.18	18.5	34.00	5.54	30.99			
PK	5.732G	61.37	68.20	-6.83	52.83	3	Horizontal	28	2.18	18.5	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 18.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14747G	53.23	74.00	-20.77	38.22	3	Vertical	172	1.80	-	38.60	8.45	32.04			
AV	11.13535G	39.99	54.00	-14.01	24.98	3	Vertical	172	1.80	-	38.60	8.45	32.04			
PK	16.70527G	60.76	68.20	-7.44	42.34	3	Vertical	162	2.15	-	39.91	10.77	32.26			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX



EUT_Y_1TX
Setting 18.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12881G	52.92	74.00	-21.08	37.91	3	Horizontal	153	2.86	-	38.60	8.44	32.03			
AV	11.13262G	40.04	54.00	-13.96	25.03	3	Horizontal	153	2.86	-	38.60	8.45	32.04			
PK	16.70901G	60.65	68.20	-7.55	42.22	3	Horizontal	356	2.59	-	39.92	10.77	32.26			



Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.732G	68.18	68.20	-0.02	3	Horizontal	8	1.80	-