


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 6/17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3404G	59.65	68.20	-8.55	54.59	3	Vertical	348	1.80	-	33.00	7.52	35.46			
PK	5.4524G	64.03	74.00	-9.97	58.87	3	Vertical	348	1.80	-	33.00	7.59	35.43			
AV	5.4572G	49.56	54.00	-4.44	44.39	3	Vertical	348	1.80	-	33.00	7.60	35.43			
PK	5.466G	64.78	68.20	-3.42	59.61	3	Vertical	348	1.80	-	33.00	7.60	35.43			
PK	5.5204G	107.64	Inf	-Inf	102.42	3	Vertical	348	1.80	-	33.00	7.65	35.43			
AV	5.5204G	95.24	Inf	-Inf	90.02	3	Vertical	348	1.80	-	33.00	7.65	35.43			
PK	5.7292G	60.13	68.20	-8.07	54.16	3	Vertical	348	1.80	-	33.56	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 6/17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3364G	59.13	68.20	-9.07	54.08	3	Horizontal	360	1.80	-	33.00	7.52	35.47			
PK	5.458G	64.19	74.00	-9.81	59.02	3	Horizontal	360	1.80	-	33.00	7.60	35.43			
AV	5.4588G	49.08	54.00	-4.92	43.91	3	Horizontal	360	1.80	-	33.00	7.60	35.43			
PK	5.4652G	65.16	68.20	-3.04	59.99	3	Horizontal	360	1.80	-	33.00	7.60	35.43			
PK	5.562G	107.53	Inf	-Inf	102.31	3	Horizontal	360	1.80	-	32.98	7.68	35.44			
AV	5.5628G	95.46	Inf	-Inf	90.25	3	Horizontal	360	1.80	-	32.97	7.68	35.44			
PK	5.7284G	60.68	68.20	-7.52	54.71	3	Horizontal	360	1.80	-	33.56	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 6/17
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04578G	57.04	74.00	-16.96	40.82	3	Vertical	37	2.80	-	38.99	10.65	33.42			
AV	11.0633G	45.12	54.00	-8.88	28.86	3	Vertical	37	2.80	-	39.00	10.66	33.40			
PK	16.58346G	58.15	68.20	-10.05	40.30	3	Vertical	219	1.61	-	38.23	12.70	33.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 6/17
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0624G	56.58	74.00	-17.42	40.32	3	Horizontal	154	1.27	-	39.00	10.66	33.40			
AV	11.07218G	45.09	54.00	-8.91	28.83	3	Horizontal	154	1.27	-	39.00	10.66	33.40			
PK	16.57572G	58.85	68.20	-9.35	40.99	3	Horizontal	181	2.24	-	38.25	12.70	33.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5530MHz_TX




EUT_Y_1TX
Setting 3/18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3492G	61.10	68.20	-7.10	56.04	3	Vertical	354	1.80	-	33.00	7.52	35.46			
AV	5.35G	47.77	54.00	-6.23	42.70	3	Vertical	354	1.80	-	33.00	7.53	35.46			
PK	5.446G	72.56	74.00	-1.44	67.41	3	Vertical	354	1.80	-	33.00	7.59	35.44			
AV	5.4436G	52.18	54.00	-1.82	47.04	3	Vertical	354	1.80	-	33.00	7.58	35.44			
PK	5.4628G	67.48	68.20	-0.72	62.31	3	Vertical	354	1.80	-	33.00	7.60	35.43			
PK	5.4948G	109.85	Inf	-Inf	104.64	3	Vertical	354	1.80	-	33.00	7.63	35.42			
AV	5.5004G	97.95	Inf	-Inf	92.74	3	Vertical	354	1.80	-	33.00	7.63	35.42			
PK	5.7268G	61.32	68.20	-6.88	55.37	3	Vertical	354	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5530MHz_TX




EUT_V_1TX
Setting 3/18
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3484G	60.03	68.20	-8.17	54.97	3	Horizontal	2	2.03	-	33.00	7.52	35.46			
AV	5.35G	47.77	54.00	-6.23	42.70	3	Horizontal	2	2.03	-	33.00	7.53	35.46			
PK	5.4508G	71.42	74.00	-2.58	66.26	3	Horizontal	2	2.03	-	33.00	7.59	35.43			
AV	5.4444G	51.83	54.00	-2.17	46.68	3	Horizontal	2	2.03	-	33.00	7.59	35.44			
PK	5.4628G	67.76	68.20	-0.44	62.59	3	Horizontal	2	2.03	-	33.00	7.60	35.43			
PK	5.558G	111.23	Inf	-Inf	106.01	3	Horizontal	2	2.03	-	32.98	7.68	35.44			
AV	5.5676G	99.53	Inf	-Inf	94.34	3	Horizontal	2	2.03	-	32.96	7.68	35.45			
PK	5.726G	60.85	68.20	-7.35	54.90	3	Horizontal	2	2.03	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5530MHz_TX

EUT_Y_1TX
Setting 3/18
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04998G	56.92	74.00	-17.08	40.69	3	Vertical	162	1.67	-	39.00	10.65	33.42			
AV	11.06222G	45.49	54.00	-8.51	29.23	3	Vertical	162	1.67	-	39.00	10.66	33.40			
PK	16.58466G	58.45	68.20	-9.75	40.60	3	Vertical	128	2.42	-	38.23	12.70	33.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5530MHz_TX




EUT_Y_1TX
Setting 3/18
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07224G	57.05	74.00	-16.95	40.78	3	Horizontal	75	2.89	-	39.00	10.66	33.39			
AV	11.04632G	45.11	54.00	-8.89	28.89	3	Horizontal	75	2.89	-	38.99	10.65	33.42			
PK	16.5795G	58.55	68.20	-9.65	40.69	3	Horizontal	231	1.36	-	38.24	12.70	33.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 3.5/19.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4492G	61.11	74.00	-12.89	55.95	3	Vertical	353	1.80	-	33.00	7.59	35.43			
PK	5.4644G	63.19	68.20	-5.01	58.02	3	Vertical	353	1.80	-	33.00	7.60	35.43			
AV	5.4596G	48.55	54.00	-5.45	43.38	3	Vertical	353	1.80	-	33.00	7.60	35.43			
PK	5.602G	110.13	Inf	-Inf	104.97	3	Vertical	353	1.80	-	32.91	7.71	35.46			
AV	5.5724G	98.01	Inf	-Inf	92.81	3	Vertical	353	1.80	-	32.96	7.69	35.45			
PK	5.726G	67.72	68.20	-0.48	61.77	3	Vertical	353	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 3.5/19.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4548G	60.75	74.00	-13.25	55.59	3	Horizontal	2	1.80	-	33.00	7.59	35.43			
AV	5.4588G	48.37	54.00	-5.63	43.20	3	Horizontal	2	1.80	-	33.00	7.60	35.43			
PK	5.47G	61.11	68.20	-7.09	55.93	3	Horizontal	2	1.80	-	33.00	7.61	35.43			
PK	5.6036G	111.16	Inf	-Inf	105.99	3	Horizontal	2	1.80	-	32.91	7.72	35.46			
AV	5.5732G	98.93	Inf	-Inf	93.74	3	Horizontal	2	1.80	-	32.95	7.69	35.45			
PK	5.7284G	67.17	68.20	-1.03	61.20	3	Horizontal	2	1.80	-	33.56	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 3.5/19.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23284G	57.27	74.00	-16.73	40.82	3	Vertical	212	1.71	-	38.97	10.73	33.25			
AV	11.23302G	45.59	54.00	-8.41	29.14	3	Vertical	212	1.71	-	38.97	10.73	33.25			
PK	16.82916G	60.19	68.20	-8.01	42.15	3	Vertical	269	1.90	-	38.10	12.82	32.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 3.5/19.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23212G	57.25	74.00	-16.75	40.81	3	Horizontal	298	2.03	-	38.96	10.73	33.25			
AV	11.22732G	45.76	54.00	-8.24	29.34	3	Horizontal	298	2.03	-	38.95	10.73	33.26			
PK	16.83162G	60.11	68.20	-8.09	42.07	3	Horizontal	223	2.79	-	38.10	12.82	32.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUT_Y_1TX
Setting 2.5/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	63.49	74.00	-10.51	58.32	3	Vertical	356	1.80	-	33.00	7.60	35.43			
AV	5.4588G	49.08	54.00	-4.92	43.91	3	Vertical	356	1.80	-	33.00	7.60	35.43			
PK	5.4644G	64.80	68.20	-3.40	59.63	3	Vertical	356	1.80	-	33.00	7.60	35.43			
PK	5.5828G	111.12	Inf	-Inf	105.94	3	Vertical	356	1.80	-	32.93	7.70	35.45			
AV	5.5812G	99.05	Inf	-Inf	93.87	3	Vertical	356	1.80	-	32.94	7.69	35.45			
PK	5.7508G	64.57	68.20	-3.63	58.54	3	Vertical	356	1.80	-	33.60	7.95	35.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUT_Y_1TX
Setting 2.5/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	65.34	74.00	-8.66	60.17	3	Horizontal	2	2.08	-	33.00	7.60	35.43			
AV	5.4596G	49.25	54.00	-4.75	44.08	3	Horizontal	2	2.08	-	33.00	7.60	35.43			
PK	5.4684G	65.62	68.20	-2.58	60.45	3	Horizontal	2	2.08	-	33.00	7.60	35.43			
PK	5.5724G	112.65	Inf	-Inf	107.45	3	Horizontal	2	2.08	-	32.96	7.69	35.45			
AV	5.5724G	100.91	Inf	-Inf	95.71	3	Horizontal	2	2.08	-	32.96	7.69	35.45			
PK	5.726G	65.87	68.20	-2.33	59.92	3	Horizontal	2	2.08	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUT_Y_1TX
Setting 2.5/18.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22054G	57.63	74.00	-16.37	41.22	3	Vertical	327	1.80	-	38.94	10.73	33.26			
AV	11.2269G	45.58	54.00	-8.42	29.16	3	Vertical	327	1.80	-	38.95	10.73	33.26			
PK	16.83678G	60.90	68.20	-7.30	42.85	3	Vertical	329	1.72	-	38.10	12.82	32.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUT_Y_1TX
Setting 2.5/18.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23008G	57.51	74.00	-16.49	41.07	3	Horizontal	26	2.03	-	38.96	10.73	33.25			
AV	11.22444G	45.55	54.00	-8.45	29.13	3	Horizontal	26	2.03	-	38.95	10.73	33.26			
PK	16.83198G	60.65	68.20	-7.55	42.61	3	Horizontal	225	2.71	-	38.10	12.82	32.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 1/22
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.678G	113.53	Inf	-Inf	107.87	3	Vertical	356	1.80	-	33.32	7.83	35.49			
AV	5.6868G	101.52	Inf	-Inf	95.77	3	Vertical	356	1.80	-	33.39	7.85	35.49			
PK	5.8516G	67.59	68.20	-0.61	60.97	3	Vertical	356	1.80	-	34.11	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 1/22
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6796G	113.98	Inf	-Inf	108.29	3	Horizontal	0	1.80	-	33.34	7.84	35.49			
AV	5.6876G	102.44	Inf	-Inf	96.68	3	Horizontal	0	1.80	-	33.40	7.85	35.49			
PK	5.8516G	67.88	68.20	-0.32	61.26	3	Horizontal	0	1.80	-	34.11	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 1/22
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39086G	59.21	74.00	-14.79	42.32	3	Vertical	138	1.81	-	39.20	10.80	33.11			
AV	11.38846G	47.11	54.00	-6.89	30.22	3	Vertical	138	1.81	-	39.20	10.80	33.11			
PK	17.0769G	59.21	68.20	-8.99	40.75	3	Vertical	37	2.62	-	38.35	12.93	32.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 1/22
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38882G	59.39	74.00	-14.61	42.50	3	Horizontal	351	2.90	-	39.20	10.80	33.11			
AV	11.38948G	47.12	54.00	-6.88	30.23	3	Horizontal	351	2.90	-	39.20	10.80	33.11			
PK	17.07516G	59.83	68.20	-8.37	41.37	3	Horizontal	98	2.31	-	38.35	12.93	32.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 1.5/19.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7132G	112.70	Inf	-Inf	106.78	3	Vertical	352	1.80	-	33.53	7.89	35.50			
AV	5.7172G	100.65	Inf	-Inf	94.72	3	Vertical	352	1.80	-	33.53	7.90	35.50			
PK	5.8516G	67.48	68.20	-0.72	60.86	3	Vertical	352	1.80	-	34.11	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 1.5/19.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7284G	113.70	Inf	-Inf	107.73	3	Horizontal	360	1.80	-	33.56	7.92	35.51			
AV	5.7236G	101.24	Inf	-Inf	95.28	3	Horizontal	360	1.80	-	33.55	7.91	35.50			
PK	5.8532G	67.91	68.20	-0.29	61.29	3	Horizontal	360	1.80	-	34.11	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTY_1TX
Setting 1.5/19.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38408G	59.07	74.00	-14.93	42.18	3	Vertical	299	2.17	-	39.20	10.80	33.11			
AV	11.38696G	47.03	54.00	-6.97	30.14	3	Vertical	299	2.17	-	39.20	10.80	33.11			
PK	17.06778G	60.01	68.20	-8.19	41.53	3	Vertical	226	1.38	-	38.36	12.93	32.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 1.5/19.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37694G	58.56	74.00	-15.44	41.68	3	Horizontal	301	2.74	-	39.20	10.80	33.12			
AV	11.39164G	46.97	54.00	-7.03	30.08	3	Horizontal	301	2.74	-	39.20	10.80	33.11			
PK	17.0778G	59.32	68.20	-8.88	40.87	3	Horizontal	124	1.15	-	38.34	12.93	32.82			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUT_Y_1TX
Setting 10.5/12.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3228G	60.76	68.20	-7.44	55.72	3	Vertical	357	1.80	-	33.00	7.51	35.47			
PK	5.4572G	66.01	74.00	-7.99	60.84	3	Vertical	357	1.80	-	33.00	7.60	35.43			
AV	5.4368G	50.15	54.00	-3.85	45.01	3	Vertical	357	1.80	-	33.00	7.58	35.44			
PK	5.4668G	67.00	68.20	-1.20	61.83	3	Vertical	357	1.80	-	33.00	7.60	35.43			
PK	5.5928G	101.51	Inf	-Inf	96.36	3	Vertical	357	1.80	-	32.91	7.70	35.46			
AV	5.582G	89.04	Inf	-Inf	83.85	3	Vertical	357	1.80	-	32.94	7.70	35.45			
PK	5.7272G	67.32	68.20	-0.88	61.37	3	Vertical	357	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUT_Y_1TX
Setting 10.5/12.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3324G	62.12	68.20	-6.08	57.07	3	Horizontal	360	2.03	-	33.00	7.52	35.47			
PK	5.4524G	67.60	74.00	-6.40	62.44	3	Horizontal	360	2.03	-	33.00	7.59	35.43			
AV	5.4572G	48.72	54.00	-5.28	43.55	3	Horizontal	360	2.03	-	33.00	7.60	35.43			
PK	5.4668G	67.10	68.20	-1.10	61.93	3	Horizontal	360	2.03	-	33.00	7.60	35.43			
PK	5.5724G	102.67	Inf	-Inf	97.47	3	Horizontal	360	2.03	-	32.96	7.69	35.45			
AV	5.5736G	90.82	Inf	-Inf	85.63	3	Horizontal	360	2.03	-	32.95	7.69	35.45			
PK	5.7284G	67.73	68.20	-0.47	61.76	3	Horizontal	360	2.03	-	33.56	7.92	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUT_Y_1TX
Setting 10.5/12.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14054G	56.72	74.00	-17.28	40.44	3	Vertical	215	1.66	-	38.92	10.69	33.33			
AV	11.1532G	45.27	54.00	-8.73	28.99	3	Vertical	215	1.66	-	38.90	10.70	33.32			
PK	16.72164G	59.98	68.20	-8.22	41.87	3	Vertical	263	2.92	-	38.31	12.77	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUT_Y_1TX
Setting 10.5/12.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15338G	56.47	74.00	-17.53	40.19	3	Horizontal	2	2.79	-	38.90	10.70	33.32			
AV	11.15158G	45.40	54.00	-8.60	29.12	3	Horizontal	2	2.79	-	38.90	10.70	33.32			
PK	16.725G	60.48	68.20	-7.72	42.38	3	Horizontal	331	2.34	-	38.30	12.77	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 7.5/14.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.342G	63.03	68.20	-5.17	57.97	3	Vertical	358	1.80	-	33.00	7.52	35.46			
PK	5.4572G	63.70	74.00	-10.30	58.53	3	Vertical	358	1.80	-	33.00	7.60	35.43			
AV	5.4596G	48.74	54.00	-5.26	43.57	3	Vertical	358	1.80	-	33.00	7.60	35.43			
PK	5.4632G	63.64	68.20	-4.56	58.47	3	Vertical	358	1.80	-	33.00	7.60	35.43			
PK	5.5844G	104.66	Inf	-Inf	99.48	3	Vertical	358	1.80	-	32.93	7.70	35.45			
AV	5.5844G	92.13	Inf	-Inf	86.95	3	Vertical	358	1.80	-	32.93	7.70	35.45			
PK	5.726G	65.16	68.20	-3.04	59.21	3	Vertical	358	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 7.5/14.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3384G	61.39	68.20	-6.81	56.34	3	Horizontal	0	1.80	-	33.00	7.52	35.47			
PK	5.4428G	65.58	74.00	-8.42	60.44	3	Horizontal	0	1.80	-	33.00	7.58	35.44			
AV	5.4344G	49.20	54.00	-4.80	44.06	3	Horizontal	0	1.80	-	33.00	7.58	35.44			
PK	5.4608G	64.33	68.20	-3.87	59.16	3	Horizontal	0	1.80	-	33.00	7.60	35.43			
PK	5.5808G	105.22	Inf	-Inf	100.04	3	Horizontal	0	1.80	-	32.94	7.69	35.45			
AV	5.582G	92.83	Inf	-Inf	87.64	3	Horizontal	0	1.80	-	32.94	7.70	35.45			
PK	5.7272G	67.99	68.20	-0.21	62.04	3	Horizontal	0	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 7.5/14.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15062G	57.31	74.00	-16.69	41.03	3	Vertical	327	1.34	-	38.90	10.70	33.32			
AV	11.1529G	45.34	54.00	-8.66	29.06	3	Vertical	327	1.34	-	38.90	10.70	33.32			
PK	16.70202G	59.88	68.20	-8.32	41.71	3	Vertical	45	1.89	-	38.39	12.76	32.98			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 7.5/14.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1307G	57.72	74.00	-16.28	41.43	3	Horizontal	59	2.85	-	38.94	10.69	33.34			
AV	11.15218G	45.25	54.00	-8.75	28.97	3	Horizontal	59	2.85	-	38.90	10.70	33.32			
PK	16.71144G	59.98	68.20	-8.22	41.85	3	Horizontal	304	2.90	-	38.35	12.76	32.98			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 7/14
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3084G	62.10	68.20	-6.10	57.07	3	Vertical	354	1.80	-	33.00	7.50	35.47			
PK	5.3864G	66.03	74.00	-7.97	60.94	3	Vertical	354	1.80	-	33.00	7.54	35.45			
AV	5.378G	49.07	54.00	-4.93	43.98	3	Vertical	354	1.80	-	33.00	7.54	35.45			
PK	5.4668G	66.55	68.20	-1.65	61.38	3	Vertical	354	1.80	-	33.00	7.60	35.43			
PK	5.5124G	104.61	Inf	-Inf	99.39	3	Vertical	354	1.80	-	33.00	7.64	35.42			
AV	5.5184G	92.51	Inf	-Inf	87.30	3	Vertical	354	1.80	-	33.00	7.64	35.43			
PK	5.7632G	66.95	68.20	-1.25	60.82	3	Vertical	354	1.80	-	33.68	7.97	35.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 7/14
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3444G	61.15	68.20	-7.05	56.09	3	Horizontal	0	1.80	-	33.00	7.52	35.46			
PK	5.3888G	65.84	74.00	-8.16	60.75	3	Horizontal	0	1.80	-	33.00	7.54	35.45			
AV	5.3804G	48.76	54.00	-5.24	43.67	3	Horizontal	0	1.80	-	33.00	7.54	35.45			
PK	5.462G	64.73	68.20	-3.47	59.56	3	Horizontal	0	1.80	-	33.00	7.60	35.43			
PK	5.6132G	105.09	Inf	-Inf	99.87	3	Horizontal	0	1.80	-	32.95	7.73	35.46			
AV	5.612G	93.26	Inf	-Inf	88.04	3	Horizontal	0	1.80	-	32.95	7.73	35.46			
PK	5.7284G	67.77	68.20	-0.43	61.80	3	Horizontal	0	1.80	-	33.56	7.92	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX


5570MHz_TX

EUT_Y_1TX
Setting 7/14
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14672G	56.88	74.00	-17.12	40.61	3	Vertical	226	1.73	-	38.91	10.69	33.33			
AV	11.15164G	45.32	54.00	-8.68	29.04	3	Vertical	226	1.73	-	38.90	10.70	33.32			
PK	16.7178G	58.92	68.20	-9.28	40.80	3	Vertical	320	2.82	-	38.33	12.76	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 7/14
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1307G	57.55	74.00	-16.45	41.26	3	Horizontal	286	2.05	-	38.94	10.69	33.34			
AV	11.15422G	45.45	54.00	-8.55	29.17	3	Horizontal	286	2.05	-	38.90	10.70	33.32			
PK	16.6986G	59.51	68.20	-8.69	41.35	3	Horizontal	214	2.73	-	38.40	12.75	32.99			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 4/16
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.334G	59.88	68.20	-8.32	54.83	3	Vertical	360	1.31	-	33.00	7.52	35.47			
PK	5.4476G	64.50	74.00	-9.50	59.34	3	Vertical	360	1.31	-	33.00	7.59	35.43			
AV	5.4484G	50.27	54.00	-3.73	45.11	3	Vertical	360	1.31	-	33.00	7.59	35.43			
PK	5.47G	66.32	68.20	-1.88	61.14	3	Vertical	360	1.31	-	33.00	7.61	35.43			
PK	5.5244G	113.07	Inf	-Inf	107.85	3	Vertical	360	1.31	-	33.00	7.65	35.43			
AV	5.5244G	101.05	Inf	-Inf	95.83	3	Vertical	360	1.31	-	33.00	7.65	35.43			
PK	5.7268G	60.26	68.20	-7.94	54.31	3	Vertical	360	1.31	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 4/16
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3452G	59.50	68.20	-8.70	54.44	3	Horizontal	353.9	1.80	-	33.00	7.52	35.46			
PK	5.458G	65.96	74.00	-8.04	60.79	3	Horizontal	353.9	1.80	-	33.00	7.60	35.43			
AV	5.4564G	50.03	54.00	-3.97	44.86	3	Horizontal	353.9	1.80	-	33.00	7.60	35.43			
PK	5.4628G	63.11	68.20	-5.09	57.94	3	Horizontal	353.9	1.80	-	33.00	7.60	35.43			
PK	5.5156G	111.25	Inf	-Inf	106.04	3	Horizontal	353.9	1.80	-	33.00	7.64	35.43			
AV	5.4956G	99.83	Inf	-Inf	94.62	3	Horizontal	353.9	1.80	-	33.00	7.63	35.42			
PK	5.7292G	61.06	68.20	-7.14	55.09	3	Horizontal	353.9	1.80	-	33.56	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 4/16
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07428G	56.60	74.00	-17.40	40.33	3	Vertical	195	1.31	-	39.00	10.66	33.39			
AV	11.06522G	45.13	54.00	-8.87	28.87	3	Vertical	195	1.31	-	39.00	10.66	33.40			
PK	16.6014G	58.31	68.20	-9.89	40.46	3	Vertical	167	2.06	-	38.21	12.71	33.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 4/16
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0627G	56.96	74.00	-17.04	40.70	3	Horizontal	73	1.48	-	39.00	10.66	33.40			
AV	11.06564G	45.13	54.00	-8.87	28.87	3	Horizontal	73	1.48	-	39.00	10.66	33.40			
PK	16.59894G	58.64	68.20	-9.56	40.80	3	Horizontal	41	2.40	-	38.20	12.71	33.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Y_2TX
Setting 3/15
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3468G	62.83	68.20	-5.37	57.77	3	Vertical	355	1.80	-	33.00	7.52	35.46			
PK	5.4292G	73.82	74.00	-0.18	68.69	3	Vertical	355	1.80	-	33.00	7.57	35.44			
PK	5.4644G	65.60	68.20	-2.60	60.43	3	Vertical	355	1.80	-	33.00	7.60	35.43			
AV	5.4476G	50.83	54.00	-3.17	45.67	3	Vertical	355	1.80	-	33.00	7.59	35.43			
AV	5.506G	101.03	Inf	-Inf	95.82	3	Vertical	355	1.80	-	33.00	7.63	35.42			
PK	5.5644G	112.47	Inf	-Inf	107.26	3	Vertical	355	1.80	-	32.97	7.68	35.44			
PK	5.7276G	60.44	68.20	-7.76	54.48	3	Vertical	355	1.80	-	33.56	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Y_2TX
Setting 3/15
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	60.12	68.20	-8.08	55.06	3	Horizontal	354	1.80	-	33.00	7.52	35.46			
PK	5.4372G	70.94	74.00	-3.06	65.80	3	Horizontal	354	1.80	-	33.00	7.58	35.44			
AV	5.4364G	51.38	54.00	-2.62	46.24	3	Horizontal	354	1.80	-	33.00	7.58	35.44			
PK	5.4612G	63.91	68.20	-4.29	58.74	3	Horizontal	354	1.80	-	33.00	7.60	35.43			
PK	5.4972G	111.56	Inf	-Inf	106.35	3	Horizontal	354	1.80	-	33.00	7.63	35.42			
AV	5.4964G	100.76	Inf	-Inf	95.55	3	Horizontal	354	1.80	-	33.00	7.63	35.42			
PK	5.726G	60.74	68.20	-7.46	54.79	3	Horizontal	354	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Y_2TX
Setting 3/15
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06762G	58.12	74.00	-15.88	41.86	3	Vertical	207	2.79	-	39.00	10.66	33.40			
AV	11.04512G	45.04	54.00	-8.96	28.82	3	Vertical	207	2.79	-	38.99	10.65	33.42			
PK	16.57578G	58.09	68.20	-10.11	40.23	3	Vertical	319	2.02	-	38.25	12.70	33.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Y_2TX
Setting 3/15
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05106G	56.45	74.00	-17.55	40.21	3	Horizontal	70	2.20	-	39.00	10.65	33.41			
AV	11.04524G	45.04	54.00	-8.96	28.82	3	Horizontal	70	2.20	-	38.99	10.65	33.42			
PK	16.58286G	58.43	68.20	-9.77	40.58	3	Horizontal	136	1.20	-	38.23	12.70	33.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Y_2TX
Setting 1.5/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4452G	64.09	74.00	-9.91	58.94	3	Vertical	360	1.80	-	33.00	7.59	35.44			
AV	5.4468G	48.47	54.00	-5.53	43.31	3	Vertical	360	1.80	-	33.00	7.59	35.43			
PK	5.4636G	64.60	68.20	-3.60	59.43	3	Vertical	360	1.80	-	33.00	7.60	35.43			
PK	5.586G	113.64	Inf	-Inf	108.46	3	Vertical	360	1.80	-	32.93	7.70	35.45			
AV	5.5852G	102.08	Inf	-Inf	96.90	3	Vertical	360	1.80	-	32.93	7.70	35.45			
PK	5.7276G	67.38	68.20	-0.82	61.42	3	Vertical	360	1.80	-	33.56	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT Y_2TX
Setting 1.5/18.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	61.25	74.00	-12.75	56.08	3	Horizontal	0	1.80	-	33.00	7.60	35.43			
AV	5.4564G	49.06	54.00	-4.94	43.89	3	Horizontal	0	1.80	-	33.00	7.60	35.43			
PK	5.4692G	62.11	68.20	-6.09	56.93	3	Horizontal	0	1.80	-	33.00	7.61	35.43			
PK	5.5772G	113.43	Inf	-Inf	108.24	3	Horizontal	0	1.80	-	32.95	7.69	35.45			
AV	5.5756G	102.04	Inf	-Inf	96.85	3	Horizontal	0	1.80	-	32.95	7.69	35.45			
PK	5.7356G	67.79	68.20	-0.41	61.80	3	Horizontal	0	1.80	-	33.57	7.93	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Y_2TX
Setting 1.5/18.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22414G	56.92	74.00	-17.08	40.50	3	Vertical	34	2.63	-	38.95	10.73	33.26			
AV	11.22894G	45.35	54.00	-8.65	28.91	3	Vertical	34	2.63	-	38.96	10.73	33.25			
PK	16.83738G	60.19	68.20	-8.01	42.14	3	Vertical	267	2.12	-	38.10	12.82	32.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Y_2TX
Setting 1.5/18.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22678G	56.97	74.00	-17.03	40.55	3	Horizontal	97	2.46	-	38.95	10.73	33.26			
AV	11.2284G	45.43	54.00	-8.57	28.99	3	Horizontal	97	2.46	-	38.96	10.73	33.25			
PK	16.82352G	60.28	68.20	-7.92	42.25	3	Horizontal	183	1.55	-	38.10	12.81	32.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_Y_2TX
Setting 0.5/17.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.446G	62.43	74.00	-11.57	57.28	3	Vertical	0	1.80	-	33.00	7.59	35.44			
PK	5.4644G	65.24	68.20	-2.96	60.07	3	Vertical	0	1.80	-	33.00	7.60	35.43			
AV	5.4596G	49.08	54.00	-4.92	43.91	3	Vertical	0	1.80	-	33.00	7.60	35.43			
PK	5.5844G	115.05	Inf	-Inf	109.87	3	Vertical	0	1.80	-	32.93	7.70	35.45			
AV	5.5852G	103.11	Inf	-Inf	97.93	3	Vertical	0	1.80	-	32.93	7.70	35.45			
PK	5.7684G	65.19	68.20	-3.01	59.02	3	Vertical	0	1.80	-	33.71	7.98	35.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_Y_2TX
Setting 0.5/17.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4548G	65.76	74.00	-8.24	60.60	3	Horizontal	358	2.07	-	33.00	7.59	35.43			
AV	5.4564G	49.72	54.00	-4.28	44.55	3	Horizontal	358	2.07	-	33.00	7.60	35.43			
PK	5.4692G	61.88	68.20	-6.32	56.70	3	Horizontal	358	2.07	-	33.00	7.61	35.43			
PK	5.5748G	116.51	Inf	-Inf	111.32	3	Horizontal	358	2.07	-	32.95	7.69	35.45			
AV	5.5748G	104.61	Inf	-Inf	99.42	3	Horizontal	358	2.07	-	32.95	7.69	35.45			
PK	5.758G	66.89	68.20	-1.31	60.80	3	Horizontal	358	2.07	-	33.65	7.96	35.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_Y_2TX
Setting 0.5/17.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20596G	57.12	74.00	-16.88	40.76	3	Vertical	307	1.53	-	38.91	10.72	33.27			
AV	11.23416G	45.51	54.00	-8.49	29.06	3	Vertical	307	1.53	-	38.97	10.73	33.25			
PK	16.83384G	60.23	68.20	-7.97	42.19	3	Vertical	26	1.93	-	38.10	12.82	32.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_Y_2TX
Setting 0.5/17.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22354G	57.01	74.00	-16.99	40.59	3	Horizontal	71	2.22	-	38.95	10.73	33.26			
AV	11.22648G	45.39	54.00	-8.61	28.97	3	Horizontal	71	2.22	-	38.95	10.73	33.26			
PK	16.83834G	60.14	68.20	-8.06	42.09	3	Horizontal	173	1.65	-	38.10	12.82	32.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 0.5/19.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4128G	60.74	74.00	-13.26	55.62	3	Vertical	360	1.21	-	33.00	7.56	35.44			
AV	5.414G	49.15	54.00	-4.85	44.03	3	Vertical	360	1.21	-	33.00	7.56	35.44			
PK	5.468G	61.95	68.20	-6.25	56.78	3	Vertical	360	1.21	-	33.00	7.60	35.43			
PK	5.6852G	117.54	Inf	-Inf	111.80	3	Vertical	360	1.21	-	33.38	7.85	35.49			
AV	5.6648G	105.80	Inf	-Inf	100.25	3	Vertical	360	1.21	-	33.22	7.81	35.48			
PK	5.8592G	66.78	68.20	-1.42	60.13	3	Vertical	360	1.21	-	34.14	8.07	35.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 0.5/19.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	62.24	74.00	-11.76	57.07	3	Horizontal	353	1.80	-	33.00	7.60	35.43			
AV	5.4596G	48.91	54.00	-5.09	43.74	3	Horizontal	353	1.80	-	33.00	7.60	35.43			
PK	5.4632G	60.26	68.20	-7.94	55.09	3	Horizontal	353	1.80	-	33.00	7.60	35.43			
PK	5.7128G	117.28	Inf	-Inf	111.36	3	Horizontal	353	1.80	-	33.53	7.89	35.50			
AV	5.714G	104.88	Inf	-Inf	98.96	3	Horizontal	353	1.80	-	33.53	7.89	35.50			
PK	5.85G	67.35	68.20	-0.85	60.74	3	Horizontal	353	1.80	-	34.10	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 0.5/19.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38462G	58.24	74.00	-15.76	41.35	3	Vertical	149	2.47	-	39.20	10.80	33.11			
AV	11.38948G	47.04	54.00	-6.96	30.15	3	Vertical	149	2.47	-	39.20	10.80	33.11			
PK	17.06592G	59.19	68.20	-9.01	40.70	3	Vertical	336	2.77	-	38.37	12.93	32.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 0.5/19.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38666G	58.58	74.00	-15.42	41.69	3	Horizontal	294	1.45	-	39.20	10.80	33.11			
AV	11.3923G	47.13	54.00	-6.87	30.24	3	Horizontal	294	1.45	-	39.20	10.80	33.11			
PK	17.06124G	59.41	68.20	-8.79	40.91	3	Horizontal	37	2.48	-	38.38	12.92	32.80			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 1/17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6652G	116.20	Inf	-Inf	110.65	3	Vertical	1.9	1.20	-	33.22	7.81	35.48			
AV	5.666G	104.81	Inf	-Inf	99.24	3	Vertical	1.9	1.20	-	33.23	7.82	35.48			
PK	5.8612G	65.61	68.20	-2.59	58.96	3	Vertical	1.9	1.20	-	34.14	8.07	35.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 1/17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.714G	116.33	Inf	-Inf	110.41	3	Horizontal	355	1.80	-	33.53	7.89	35.50			
AV	5.7148G	104.55	Inf	-Inf	98.63	3	Horizontal	355	1.80	-	33.53	7.89	35.50			
PK	5.854G	67.19	68.20	-1.01	60.55	3	Horizontal	355	1.80	-	34.12	8.07	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 1/17
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38876G	58.53	74.00	-15.47	41.64	3	Vertical	42	2.05	-	39.20	10.80	33.11			
AV	11.37838G	46.91	54.00	-7.09	30.03	3	Vertical	42	2.05	-	39.20	10.80	33.12			
PK	17.08266G	59.11	68.20	-9.09	40.68	3	Vertical	2	2.67	-	38.33	12.93	32.83			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 1/17
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39134G	59.27	74.00	-14.73	42.38	3	Horizontal	111	1.32	-	39.20	10.80	33.11			
AV	11.39476G	46.99	54.00	-7.01	30.09	3	Horizontal	111	1.32	-	39.20	10.80	33.10			
PK	17.06802G	59.80	68.20	-8.40	41.32	3	Horizontal	353	2.34	-	38.36	12.93	32.81			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_Y_2TX
Setting 11/9
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3456G	61.41	68.20	-6.79	56.35	3	Vertical	357	1.80	-	33.00	7.52	35.46			
PK	5.4476G	64.39	74.00	-9.61	59.23	3	Vertical	357	1.80	-	33.00	7.59	35.43			
AV	5.4476G	48.29	54.00	-5.71	43.13	3	Vertical	357	1.80	-	33.00	7.59	35.43			
PK	5.4692G	67.75	68.20	-0.45	62.57	3	Vertical	357	1.80	-	33.00	7.61	35.43			
PK	5.5244G	102.19	Inf	-Inf	96.97	3	Vertical	357	1.80	-	33.00	7.65	35.43			
AV	5.5256G	91.00	Inf	-Inf	85.78	3	Vertical	357	1.80	-	33.00	7.65	35.43			
PK	5.7272G	65.01	68.20	-3.19	59.06	3	Vertical	357	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_Y_2TX
Setting 11/9
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3348G	60.97	68.20	-7.23	55.92	3	Horizontal	5	2.11	-	33.00	7.52	35.47			
PK	5.4572G	66.79	74.00	-7.21	61.62	3	Horizontal	5	2.11	-	33.00	7.60	35.43			
AV	5.4596G	50.92	54.00	-3.08	45.75	3	Horizontal	5	2.11	-	33.00	7.60	35.43			
PK	5.4668G	67.32	68.20	-0.88	62.15	3	Horizontal	5	2.11	-	33.00	7.60	35.43			
PK	5.5772G	104.52	Inf	-Inf	99.33	3	Horizontal	5	2.11	-	32.95	7.69	35.45			
AV	5.5748G	92.03	Inf	-Inf	86.84	3	Horizontal	5	2.11	-	32.95	7.69	35.45			
PK	5.726G	64.77	68.20	-3.43	58.82	3	Horizontal	5	2.11	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_Y_2TX
Setting 11/9
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12764G	56.56	74.00	-17.44	40.28	3	Vertical	32	1.99	-	38.94	10.69	33.35			
AV	11.1505G	45.38	54.00	-8.62	29.10	3	Vertical	32	1.99	-	38.90	10.70	33.32			
PK	16.71444G	59.12	68.20	-9.08	40.99	3	Vertical	227	1.59	-	38.34	12.76	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5570MHz_TX

EUT_Y_2TX
Setting 11/9
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15458G	57.03	74.00	-16.97	40.75	3	Horizontal	23	2.30	-	38.90	10.70	33.32			
AV	11.15194G	45.56	54.00	-8.44	29.28	3	Horizontal	23	2.30	-	38.90	10.70	33.32			
PK	16.71714G	59.23	68.20	-8.97	41.11	3	Horizontal	125	2.94	-	38.33	12.76	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 7/12
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3444G	64.07	68.20	-4.13	59.01	3	Vertical	358	1.80	-	33.00	7.52	35.46			
PK	5.4584G	69.34	74.00	-4.66	64.17	3	Vertical	358	1.80	-	33.00	7.60	35.43			
AV	5.4488G	50.13	54.00	-3.87	44.97	3	Vertical	358	1.80	-	33.00	7.59	35.43			
PK	5.4644G	67.07	68.20	-1.13	61.90	3	Vertical	358	1.80	-	33.00	7.60	35.43			
PK	5.5844G	107.74	Inf	-Inf	102.56	3	Vertical	358	1.80	-	32.93	7.70	35.45			
AV	5.5256G	95.95	Inf	-Inf	90.73	3	Vertical	358	1.80	-	33.00	7.65	35.43			
PK	5.7284G	67.65	68.20	-0.55	61.68	3	Vertical	358	1.80	-	33.56	7.92	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 7/12
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	64.88	74.00	-9.12	59.81	3	Horizontal	0	1.80	-	33.00	7.53	35.46			
PK	5.4404G	66.73	74.00	-7.27	61.59	3	Horizontal	0	1.80	-	33.00	7.58	35.44			
PK	5.462G	67.72	68.20	-0.48	62.55	3	Horizontal	0	1.80	-	33.00	7.60	35.43			
AV	5.4548G	49.54	54.00	-4.46	44.38	3	Horizontal	0	1.80	-	33.00	7.59	35.43			
PK	5.5748G	107.02	Inf	-Inf	101.83	3	Horizontal	0	1.80	-	32.95	7.69	35.45			
AV	5.5748G	95.33	Inf	-Inf	90.14	3	Horizontal	0	1.80	-	32.95	7.69	35.45			
PK	5.7272G	66.11	68.20	-2.09	60.16	3	Horizontal	0	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 7/12
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13388G	56.50	74.00	-17.50	40.22	3	Vertical	131	2.94	-	38.93	10.69	33.34			
AV	11.15152G	45.32	54.00	-8.68	29.04	3	Vertical	131	2.94	-	38.90	10.70	33.32			
PK	16.71732G	59.86	68.20	-8.34	41.74	3	Vertical	352	1.91	-	38.33	12.76	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 7/12
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15242G	57.90	74.00	-16.10	41.62	3	Horizontal	329	2.83	-	38.90	10.70	33.32			
AV	11.15494G	45.30	54.00	-8.70	29.02	3	Horizontal	329	2.83	-	38.90	10.70	33.32			
PK	16.70724G	59.73	68.20	-8.47	41.58	3	Horizontal	219	1.63	-	38.37	12.76	32.98			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 4.75/13.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.342G	63.18	68.20	-5.02	58.12	3	Vertical	354	1.80	-	33.00	7.52	35.46			
PK	5.384G	63.76	74.00	-10.24	58.67	3	Vertical	354	1.80	-	33.00	7.54	35.45			
AV	5.3828G	50.93	54.00	-3.07	45.84	3	Vertical	354	1.80	-	33.00	7.54	35.45			
PK	5.4644G	60.40	68.20	-7.80	55.23	3	Vertical	354	1.80	-	33.00	7.60	35.43			
PK	5.5232G	108.88	Inf	-Inf	103.66	3	Vertical	354	1.80	-	33.00	7.65	35.43			
AV	5.5256G	97.40	Inf	-Inf	92.18	3	Vertical	354	1.80	-	33.00	7.65	35.43			
PK	5.7596G	65.42	68.20	-2.78	59.31	3	Vertical	354	1.80	-	33.66	7.97	35.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 4.75/13.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	60.03	68.20	-8.17	54.97	3	Horizontal	357	1.80	-	33.00	7.52	35.46			
PK	5.3948G	62.50	74.00	-11.50	57.40	3	Horizontal	357	1.80	-	33.00	7.55	35.45			
AV	5.3924G	50.03	54.00	-3.97	44.93	3	Horizontal	357	1.80	-	33.00	7.55	35.45			
PK	5.4644G	61.11	68.20	-7.09	55.94	3	Horizontal	357	1.80	-	33.00	7.60	35.43			
PK	5.516G	108.05	Inf	-Inf	102.84	3	Horizontal	357	1.80	-	33.00	7.64	35.43			
AV	5.4956G	96.48	Inf	-Inf	91.27	3	Horizontal	357	1.80	-	33.00	7.63	35.42			
PK	5.7752G	66.55	68.20	-1.65	60.33	3	Horizontal	357	1.80	-	33.75	7.99	35.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 4.75/13.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14546G	57.22	74.00	-16.78	40.95	3	Vertical	75	1.60	-	38.91	10.69	33.33			
AV	11.1547G	45.61	54.00	-8.39	29.33	3	Vertical	75	1.60	-	38.90	10.70	33.32			
PK	16.71222G	59.78	68.20	-8.42	41.65	3	Vertical	143	2.49	-	38.35	12.76	32.98			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 4.75/13.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13346G	56.94	74.00	-17.06	40.66	3	Horizontal	197	2.62	-	38.93	10.69	33.34			
AV	11.1541G	45.36	54.00	-8.64	29.08	3	Horizontal	197	2.62	-	38.90	10.70	33.32			
PK	16.72446G	59.58	68.20	-8.62	41.48	3	Horizontal	39	2.56	-	38.30	12.77	32.97			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_X_4TX
Setting 3/14
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3436G	60.22	68.20	-7.98	55.16	3	Vertical	356	1.80	-	33.00	7.52	35.46			
PK	5.454G	67.46	74.00	-6.54	62.30	3	Vertical	356	1.80	-	33.00	7.59	35.43			
AV	5.4556G	51.16	54.00	-2.84	46.00	3	Vertical	356	1.80	-	33.00	7.59	35.43			
PK	5.4636G	67.66	68.20	-0.54	62.49	3	Vertical	356	1.80	-	33.00	7.60	35.43			
PK	5.5012G	114.71	Inf	-Inf	109.50	3	Vertical	356	1.80	-	33.00	7.63	35.42			
AV	5.522G	102.67	Inf	-Inf	97.45	3	Vertical	356	1.80	-	33.00	7.65	35.43			
PK	5.7252G	61.05	68.20	-7.15	55.10	3	Vertical	356	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_X_4TX
Setting 3/14
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	60.33	68.20	-7.87	55.27	3	Horizontal	7	1.80	-	33.00	7.52	35.46			
PK	5.4508G	70.31	74.00	-3.69	65.15	3	Horizontal	7	1.80	-	33.00	7.59	35.43			
AV	5.4524G	50.73	54.00	-3.27	45.57	3	Horizontal	7	1.80	-	33.00	7.59	35.43			
PK	5.47G	67.63	68.20	-0.57	62.45	3	Horizontal	7	1.80	-	33.00	7.61	35.43			
PK	5.5108G	114.44	Inf	-Inf	109.22	3	Horizontal	7	1.80	-	33.00	7.64	35.42			
AV	5.5108G	103.12	Inf	-Inf	97.90	3	Horizontal	7	1.80	-	33.00	7.64	35.42			
PK	5.7276G	61.13	68.20	-7.07	55.17	3	Horizontal	7	1.80	-	33.56	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_X_4TX
Setting 3/14
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07404G	56.93	74.00	-17.07	40.66	3	Vertical	40	2.41	-	39.00	10.66	33.39			
AV	11.06672G	45.31	54.00	-8.69	29.05	3	Vertical	40	2.41	-	39.00	10.66	33.40			
PK	16.58664G	58.38	68.20	-9.82	40.53	3	Vertical	280	2.48	-	38.23	12.70	33.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_X_4TX
Setting 3/14
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07308G	57.55	74.00	-16.45	41.28	3	Horizontal	313	2.78	-	39.00	10.66	33.39			
AV	11.0708G	45.19	54.00	-8.81	28.93	3	Horizontal	313	2.78	-	39.00	10.66	33.40			
PK	16.59912G	58.49	68.20	-9.71	40.65	3	Horizontal	359	2.39	-	38.20	12.71	33.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5530MHz_TX




EUT_X_4TX
Setting 0.75/14.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3484G	61.02	68.20	-7.18	55.96	3	Vertical	16	1.80	-	33.00	7.52	35.46			
PK	5.434G	71.36	74.00	-2.64	66.22	3	Vertical	16	1.80	-	33.00	7.58	35.44			
AV	5.4348G	51.98	54.00	-2.02	46.84	3	Vertical	16	1.80	-	33.00	7.58	35.44			
PK	5.4628G	67.96	68.20	-0.24	62.79	3	Vertical	16	1.80	-	33.00	7.60	35.43			
PK	5.5004G	116.41	Inf	-Inf	111.20	3	Vertical	16	1.80	-	33.00	7.63	35.42			
AV	5.5004G	104.78	Inf	-Inf	99.57	3	Vertical	16	1.80	-	33.00	7.63	35.42			
PK	5.726G	61.01	68.20	-7.19	55.06	3	Vertical	16	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5530MHz_TX




EUT_X_4TX
Setting 0.75/14.25
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3444G	61.15	68.20	-7.05	56.09	3	Horizontal	5	1.80	-	33.00	7.52	35.46			
PK	5.4436G	70.14	74.00	-3.86	65.00	3	Horizontal	5	1.80	-	33.00	7.58	35.44			
AV	5.4452G	52.20	54.00	-1.80	47.05	3	Horizontal	5	1.80	-	33.00	7.59	35.44			
PK	5.462G	66.95	68.20	-1.25	61.78	3	Horizontal	5	1.80	-	33.00	7.60	35.43			
PK	5.4916G	117.50	Inf	-Inf	112.30	3	Horizontal	5	1.80	-	33.00	7.62	35.42			
AV	5.5508G	105.01	Inf	-Inf	99.78	3	Horizontal	5	1.80	-	33.00	7.67	35.44			
PK	5.7252G	62.20	68.20	-6.00	56.25	3	Horizontal	5	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5530MHz_TX

EUT_X_4TX
Setting 0.75/14.25
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04518G	56.42	74.00	-17.58	40.20	3	Vertical	35	2.41	-	38.99	10.65	33.42			
AV	11.04698G	45.28	54.00	-8.72	29.06	3	Vertical	35	2.41	-	38.99	10.65	33.42			
PK	16.58112G	58.02	68.20	-10.18	40.16	3	Vertical	205	1.52	-	38.24	12.70	33.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5530MHz_TX




EUT_X_4TX
Setting 0.75/14.25
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0735G	57.02	74.00	-16.98	40.75	3	Horizontal	110	2.22	-	39.00	10.66	33.39			
AV	11.06978G	45.26	54.00	-8.74	29.00	3	Horizontal	110	2.22	-	39.00	10.66	33.40			
PK	16.57812G	58.12	68.20	-10.08	40.27	3	Horizontal	126	1.79	-	38.24	12.70	33.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_X_4TX
Setting -0.5/17.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	61.69	74.00	-12.31	56.52	3	Vertical	351	1.80	-	33.00	7.60	35.43			
AV	5.454G	48.30	54.00	-5.70	43.14	3	Vertical	351	1.80	-	33.00	7.59	35.43			
PK	5.462G	64.29	68.20	-3.91	59.12	3	Vertical	351	1.80	-	33.00	7.60	35.43			
PK	5.58G	115.84	Inf	-Inf	110.66	3	Vertical	351	1.80	-	32.94	7.69	35.45			
AV	5.582G	104.07	Inf	-Inf	98.88	3	Vertical	351	1.80	-	32.94	7.70	35.45			
PK	5.748G	67.74	68.20	-0.46	61.70	3	Vertical	351	1.80	-	33.60	7.95	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_X_4TX
Setting -0.5/17.5
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	61.69	74.00	-12.31	56.53	3	Horizontal	8	1.80	-	33.00	7.59	35.43			
AV	5.453G	48.79	54.00	-5.21	43.63	3	Horizontal	8	1.80	-	33.00	7.59	35.43			
PK	5.47G	63.11	68.20	-5.09	57.93	3	Horizontal	8	1.80	-	33.00	7.61	35.43			
PK	5.592G	117.27	Inf	-Inf	112.10	3	Horizontal	8	1.80	-	32.92	7.70	35.45			
AV	5.591G	104.98	Inf	-Inf	99.81	3	Horizontal	8	1.80	-	32.92	7.70	35.45			
PK	5.732G	68.18	68.20	-0.02	62.21	3	Horizontal	8	1.80	-	33.56	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_X_4TX
Setting -0.5/17.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21388G	57.59	74.00	-16.41	41.21	3	Vertical	303	2.93	-	38.93	10.72	33.27			
AV	11.22948G	45.76	54.00	-8.24	29.32	3	Vertical	303	2.93	-	38.96	10.73	33.25			
PK	16.83828G	59.99	68.20	-8.21	41.94	3	Vertical	124	2.01	-	38.10	12.82	32.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_X_4TX
Setting -0.5/17.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21076G	57.06	74.00	-16.94	40.69	3	Horizontal	180	1.41	-	38.92	10.72	33.27			
AV	11.23482G	45.74	54.00	-8.26	29.29	3	Horizontal	180	1.41	-	38.97	10.73	33.25			
PK	16.82922G	59.75	68.20	-8.45	41.71	3	Horizontal	89	1.98	-	38.10	12.82	32.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_X_4TX
Setting -2/17
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	65.88	74.00	-8.12	60.71	3	Vertical	352	1.80	-	33.00	7.60	35.43			
AV	5.46G	49.25	54.00	-4.75	44.08	3	Vertical	352	1.80	-	33.00	7.60	35.43			
PK	5.463G	66.95	68.20	-1.25	61.78	3	Vertical	352	1.80	-	33.00	7.60	35.43			
PK	5.58G	116.32	Inf	-Inf	111.14	3	Vertical	352	1.80	-	32.94	7.69	35.45			
AV	5.581G	104.91	Inf	-Inf	99.73	3	Vertical	352	1.80	-	32.94	7.69	35.45			
PK	5.744G	67.90	68.20	-0.30	61.88	3	Vertical	352	1.80	-	33.59	7.94	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_X_4TX
Setting -2/17
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	65.55	74.00	-8.45	60.39	3	Horizontal	2	1.80	-	33.00	7.59	35.43			
AV	5.452G	49.36	54.00	-4.64	44.20	3	Horizontal	2	1.80	-	33.00	7.59	35.43			
PK	5.462G	65.67	68.20	-2.53	60.50	3	Horizontal	2	1.80	-	33.00	7.60	35.43			
PK	5.631G	117.35	Inf	-Inf	112.04	3	Horizontal	2	1.80	-	33.02	7.76	35.47			
AV	5.571G	105.54	Inf	-Inf	100.34	3	Horizontal	2	1.80	-	32.96	7.69	35.45			
PK	5.769G	67.30	68.20	-0.90	61.13	3	Horizontal	2	1.80	-	33.71	7.98	35.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_X_4TX
Setting -2/17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21784G	57.77	74.00	-16.23	41.36	3	Vertical	311	1.66	-	38.94	10.73	33.26			
AV	11.23482G	45.83	54.00	-8.17	29.38	3	Vertical	311	1.66	-	38.97	10.73	33.25			
PK	16.83108G	59.96	68.20	-8.24	41.92	3	Vertical	0	2.88	-	38.10	12.82	32.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_X_4TX
Setting -2/17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2272G	58.23	74.00	-15.77	41.81	3	Horizontal	152	1.22	-	38.95	10.73	33.26			
AV	11.2254G	45.78	54.00	-8.22	29.36	3	Horizontal	152	1.22	-	38.95	10.73	33.26			
PK	16.82238G	59.98	68.20	-8.22	41.96	3	Horizontal	59	2.14	-	38.10	12.81	32.89			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -0.75/17.75
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.449G	61.14	74.00	-12.86	55.98	3	Vertical	10	1.80	-	33.00	7.59	35.43			
PK	5.462G	60.53	68.20	-7.67	55.36	3	Vertical	10	1.80	-	33.00	7.60	35.43			
AV	5.457G	48.02	54.00	-5.98	42.85	3	Vertical	10	1.80	-	33.00	7.60	35.43			
PK	5.721G	117.16	Inf	-Inf	111.22	3	Vertical	10	1.80	-	33.54	7.90	35.50			
AV	5.682G	104.68	Inf	-Inf	98.97	3	Vertical	10	1.80	-	33.36	7.84	35.49			
PK	5.853G	65.55	68.20	-2.65	58.93	3	Vertical	10	1.80	-	34.11	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -0.75/17.75
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.445G	59.45	74.00	-14.55	54.30	3	Horizontal	0	1.80	-	33.00	7.59	35.44			
PK	5.464G	59.98	68.20	-8.22	54.81	3	Horizontal	0	1.80	-	33.00	7.60	35.43			
AV	5.455G	47.70	54.00	-6.30	42.54	3	Horizontal	0	1.80	-	33.00	7.59	35.43			
PK	5.671G	118.29	Inf	-Inf	112.68	3	Horizontal	0	1.80	-	33.27	7.82	35.48			
AV	5.671G	105.90	Inf	-Inf	100.29	3	Horizontal	0	1.80	-	33.27	7.82	35.48			
PK	5.857G	68.01	68.20	-0.19	61.37	3	Horizontal	0	1.80	-	34.13	8.07	35.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting -0.75/17.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3884G	59.40	74.00	-14.60	42.51	3	Vertical	174	2.89	-	39.20	10.80	33.11			
AV	11.39086G	47.15	54.00	-6.85	30.26	3	Vertical	174	2.89	-	39.20	10.80	33.11			
PK	17.05884G	58.99	68.20	-9.21	40.49	3	Vertical	24	1.58	-	38.38	12.92	32.80			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -0.75/17.75
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39362G	58.32	74.00	-15.68	41.43	3	Horizontal	162	2.67	-	39.20	10.80	33.11			
AV	11.39056G	47.31	54.00	-6.69	30.42	3	Horizontal	162	2.67	-	39.20	10.80	33.11			
PK	17.06334G	58.99	68.20	-9.21	40.51	3	Horizontal	179	2.83	-	38.37	12.92	32.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -0.5/15.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.452G	60.19	74.00	-13.81	55.03	3	Vertical	8	1.80	-	33.00	7.59	35.43			
AV	5.453G	48.46	54.00	-5.54	43.30	3	Vertical	8	1.80	-	33.00	7.59	35.43			
PK	5.466G	59.34	68.20	-8.86	54.17	3	Vertical	8	1.80	-	33.00	7.60	35.43			
PK	5.722G	117.08	Inf	-Inf	111.13	3	Vertical	8	1.80	-	33.54	7.91	35.50			
AV	5.722G	105.10	Inf	-Inf	99.15	3	Vertical	8	1.80	-	33.54	7.91	35.50			
PK	5.853G	63.38	68.20	-4.82	56.76	3	Vertical	8	1.80	-	34.11	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -0.5/15.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	60.12	74.00	-13.88	54.96	3	Horizontal	360	1.80	-	33.00	7.59	35.43			
AV	5.454G	48.47	54.00	-5.53	43.31	3	Horizontal	360	1.80	-	33.00	7.59	35.43			
PK	5.467G	59.99	68.20	-8.21	54.82	3	Horizontal	360	1.80	-	33.00	7.60	35.43			
PK	5.711G	116.61	Inf	-Inf	110.70	3	Horizontal	360	1.80	-	33.52	7.89	35.50			
AV	5.711G	105.93	Inf	-Inf	100.02	3	Horizontal	360	1.80	-	33.52	7.89	35.50			
PK	5.857G	65.52	68.20	-2.68	58.88	3	Horizontal	360	1.80	-	34.13	8.07	35.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -0.5/15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3704G	59.00	74.00	-15.00	42.14	3	Vertical	126	2.04	-	39.20	10.79	33.13			
AV	11.3929G	47.08	54.00	-6.92	30.19	3	Vertical	126	2.04	-	39.20	10.80	33.11			
PK	17.0712G	59.76	68.20	-8.44	41.28	3	Vertical	2	2.42	-	38.36	12.93	32.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting -0.5/15.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3806G	58.88	74.00	-15.12	42.00	3	Horizontal	301	2.61	-	39.20	10.80	33.12			
AV	11.39164G	47.15	54.00	-6.85	30.26	3	Horizontal	301	2.61	-	39.20	10.80	33.11			
PK	17.06616G	59.05	68.20	-9.15	40.56	3	Horizontal	184	2.78	-	38.37	12.93	32.81			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT_X_4TX
Setting 9/8
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1972G	60.33	68.20	-7.87	55.27	3	Vertical	351	1.80	-	33.11	7.45	35.50			
PK	5.442G	64.33	74.00	-9.67	59.19	3	Vertical	351	1.80	-	33.00	7.58	35.44			
AV	5.442G	48.54	54.00	-5.46	43.40	3	Vertical	351	1.80	-	33.00	7.58	35.44			
PK	5.4628G	64.41	68.20	-3.79	59.24	3	Vertical	351	1.80	-	33.00	7.60	35.43			
PK	5.5204G	105.81	Inf	-Inf	100.59	3	Vertical	351	1.80	-	33.00	7.65	35.43			
AV	5.522G	94.15	Inf	-Inf	88.93	3	Vertical	351	1.80	-	33.00	7.65	35.43			
PK	5.7268G	65.35	68.20	-2.85	59.40	3	Vertical	351	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT_X_4TX
Setting 9/8
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3284G	60.81	68.20	-7.39	55.77	3	Horizontal	2.9	1.80	-	33.00	7.51	35.47			
PK	5.4516G	64.07	74.00	-9.93	58.91	3	Horizontal	2.9	1.80	-	33.00	7.59	35.43			
AV	5.4292G	49.57	54.00	-4.43	44.44	3	Horizontal	2.9	1.80	-	33.00	7.57	35.44			
PK	5.4628G	63.00	68.20	-5.20	57.83	3	Horizontal	2.9	1.80	-	33.00	7.60	35.43			
AV	5.5108G	93.74	Inf	-Inf	88.52	3	Horizontal	2.9	1.80	-	33.00	7.64	35.42			
PK	5.5716G	105.09	Inf	-Inf	99.89	3	Horizontal	2.9	1.80	-	32.96	7.69	35.45			
PK	5.738G	63.75	68.20	-4.45	57.75	3	Horizontal	2.9	1.80	-	33.58	7.93	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_X_4TX
Setting 9/8
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14756G	57.23	74.00	-16.77	40.97	3	Vertical	199	1.21	-	38.90	10.69	33.33			
AV	11.1547G	45.64	54.00	-8.36	29.36	3	Vertical	199	1.21	-	38.90	10.70	33.32			
PK	16.70292G	59.89	68.20	-8.31	41.72	3	Vertical	321	2.90	-	38.39	12.76	32.98			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_X_4TX
Setting 9/8
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14012G	57.48	74.00	-16.52	41.20	3	Horizontal	122	1.13	-	38.92	10.69	33.33			
AV	11.1532G	45.61	54.00	-8.39	29.33	3	Horizontal	122	1.13	-	38.90	10.70	33.32			
PK	16.69872G	60.33	68.20	-7.87	42.17	3	Horizontal	178	2.23	-	38.40	12.75	32.99			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 7/9
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3332G	61.32	68.20	-6.88	56.27	3	Vertical	351	1.80	-	33.00	7.52	35.47			
PK	5.442G	68.59	74.00	-5.41	63.45	3	Vertical	351	1.80	-	33.00	7.58	35.44			
AV	5.4436G	49.87	54.00	-4.13	44.73	3	Vertical	351	1.80	-	33.00	7.58	35.44			
PK	5.4612G	67.43	68.20	-0.77	62.26	3	Vertical	351	1.80	-	33.00	7.60	35.43			
PK	5.5412G	107.12	Inf	-Inf	101.90	3	Vertical	351	1.80	-	33.00	7.66	35.44			
AV	5.522G	95.49	Inf	-Inf	90.27	3	Vertical	351	1.80	-	33.00	7.65	35.43			
PK	5.7268G	65.89	68.20	-2.31	59.94	3	Vertical	351	1.80	-	33.55	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 7/9
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3412G	63.95	68.20	-4.25	58.89	3	Horizontal	0	1.80	-	33.00	7.52	35.46			
AV	5.3508G	52.69	54.00	-1.31	47.62	3	Horizontal	0	1.80	-	33.00	7.53	35.46			
PK	5.4324G	69.73	74.00	-4.27	64.59	3	Horizontal	0	1.80	-	33.00	7.58	35.44			
PK	5.4692G	66.27	68.20	-1.93	61.09	3	Horizontal	0	1.80	-	33.00	7.61	35.43			
PK	5.4916G	106.51	Inf	-Inf	101.31	3	Horizontal	0	1.80	-	33.00	7.62	35.42			
AV	5.5108G	95.80	Inf	-Inf	90.58	3	Horizontal	0	1.80	-	33.00	7.64	35.42			
PK	5.7284G	67.18	68.20	-1.02	61.21	3	Horizontal	0	1.80	-	33.56	7.92	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX


5570MHz_TX

EUT_X_4TX
Setting 7/9
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.152G	57.40	74.00	-16.60	41.12	3	Vertical	74	2.98	-	38.90	10.70	33.32			
AV	11.15494G	45.57	54.00	-8.43	29.29	3	Vertical	74	2.98	-	38.90	10.70	33.32			
PK	16.71228G	59.28	68.20	-8.92	41.15	3	Vertical	259	2.16	-	38.35	12.76	32.98			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX


5570MHz_TX

EUT_X_4TX
Setting 7/9
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1508G	57.06	74.00	-16.94	40.78	3	Horizontal	231	1.25	-	38.90	10.70	33.32			
AV	11.15368G	45.70	54.00	-8.30	29.42	3	Horizontal	231	1.25	-	38.90	10.70	33.32			
PK	16.72338G	60.32	68.20	-7.88	42.21	3	Horizontal	65	2.12	-	38.31	12.77	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 7/8
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3412G	62.37	68.20	-5.83	57.31	3	Vertical	349	1.80	-	33.00	7.52	35.46			
PK	5.3812G	67.04	74.00	-6.96	61.95	3	Vertical	349	1.80	-	33.00	7.54	35.45			
AV	5.3812G	48.71	54.00	-5.29	43.62	3	Vertical	349	1.80	-	33.00	7.54	35.45			
PK	5.4628G	65.60	68.20	-2.60	60.43	3	Vertical	349	1.80	-	33.00	7.60	35.43			
PK	5.522G	106.82	Inf	-Inf	101.60	3	Vertical	349	1.80	-	33.00	7.65	35.43			
AV	5.522G	95.94	Inf	-Inf	90.72	3	Vertical	349	1.80	-	33.00	7.65	35.43			
PK	5.746G	65.70	68.20	-2.50	59.68	3	Vertical	349	1.80	-	33.59	7.94	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 7/8
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2084G	60.61	68.20	-7.59	55.56	3	Horizontal	0	1.80	-	33.10	7.45	35.50			
PK	5.4516G	65.99	74.00	-8.01	60.83	3	Horizontal	0	1.80	-	33.00	7.59	35.43			
AV	5.37G	48.99	54.00	-5.01	43.91	3	Horizontal	0	1.80	-	33.00	7.54	35.46			
PK	5.4628G	62.10	68.20	-6.10	56.93	3	Horizontal	0	1.80	-	33.00	7.60	35.43			
PK	5.5124G	107.03	Inf	-Inf	101.81	3	Horizontal	0	1.80	-	33.00	7.64	35.42			
AV	5.5108G	95.76	Inf	-Inf	90.54	3	Horizontal	0	1.80	-	33.00	7.64	35.42			
PK	5.7716G	68.02	68.20	-0.18	61.83	3	Horizontal	0	1.80	-	33.73	7.98	35.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 7/8
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1472G	57.04	74.00	-16.96	40.77	3	Vertical	4	1.21	-	38.91	10.69	33.33			
AV	11.15476G	45.72	54.00	-8.28	29.44	3	Vertical	4	1.21	-	38.90	10.70	33.32			
PK	16.69554G	59.49	68.20	-8.71	41.32	3	Vertical	193	2.65	-	38.41	12.75	32.99			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX

EUT_X_4TX
Setting 7/8
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14876G	56.69	74.00	-17.31	40.42	3	Horizontal	302	1.03	-	38.90	10.70	33.33			
AV	11.15458G	45.64	54.00	-8.36	29.36	3	Horizontal	302	1.03	-	38.90	10.70	33.32			
PK	16.70286G	59.28	68.20	-8.92	41.11	3	Horizontal	184	1.42	-	38.39	12.76	32.98			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX	Pass	PK	5.861G	68.18	68.20	-0.02	3	Vertical	360	1.00	-

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 16.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3452G	59.76	68.20	-8.44	55.09	3	Vertical	353	1.80	-	32.61	7.52	35.46			
AV	5.35G	47.18	54.00	-6.82	42.51	3	Vertical	353	1.80	-	32.60	7.53	35.46			
PK	5.458G	64.91	74.00	-9.09	60.14	3	Vertical	353	1.80	-	32.60	7.60	35.43			
AV	5.4588G	48.96	54.00	-5.04	44.19	3	Vertical	353	1.80	-	32.60	7.60	35.43			
PK	5.4692G	66.00	68.20	-2.20	61.22	3	Vertical	353	1.80	-	32.60	7.61	35.43			
AV	5.5068G	96.61	Inf	-Inf	91.79	3	Vertical	353	1.80	-	32.60	7.64	35.42			
PK	5.562G	108.90	Inf	-Inf	104.06	3	Vertical	353	1.80	-	32.60	7.68	35.44			
PK	5.73G	61.33	68.20	-6.87	55.68	3	Vertical	353	1.80	-	33.24	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 16.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3324G	59.66	68.20	-8.54	54.97	3	Horizontal	0	1.80	-	32.64	7.52	35.47			
AV	5.35G	47.39	54.00	-6.61	42.72	3	Horizontal	0	1.80	-	32.60	7.53	35.46			
PK	5.4556G	63.70	74.00	-10.30	58.94	3	Horizontal	0	1.80	-	32.60	7.59	35.43			
AV	5.4524G	48.53	54.00	-5.47	43.77	3	Horizontal	0	1.80	-	32.60	7.59	35.43			
PK	5.4652G	64.13	68.20	-4.07	59.36	3	Horizontal	0	1.80	-	32.60	7.60	35.43			
PK	5.5556G	107.62	Inf	-Inf	102.79	3	Horizontal	0	1.80	-	32.60	7.67	35.44			
AV	5.5604G	95.37	Inf	-Inf	90.53	3	Horizontal	0	1.80	-	32.60	7.68	35.44			
PK	5.7284G	61.31	68.20	-6.89	55.67	3	Horizontal	0	1.80	-	33.23	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 16.5
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06846G	57.85	74.00	-16.15	41.93	3	Vertical	254	2.08	-	38.66	10.66	33.40			
AV	11.04536G	45.54	54.00	-8.46	29.60	3	Vertical	254	2.08	-	38.71	10.65	33.42			
PK	16.5918G	59.52	68.20	-8.68	41.73	3	Vertical	233	2.94	-	38.15	12.71	33.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 16.5
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04758G	57.29	74.00	-16.71	41.36	3	Horizontal	194	2.10	-	38.70	10.65	33.42			
AV	11.0648G	45.49	54.00	-8.51	29.56	3	Horizontal	194	2.10	-	38.67	10.66	33.40			
PK	16.57638G	58.48	68.20	-9.72	40.63	3	Horizontal	140	2.16	-	38.24	12.70	33.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 18.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.454G	61.52	74.00	-12.48	56.76	3	Vertical	353	1.80	-	32.60	7.59	35.43			
AV	5.4596G	48.58	54.00	-5.42	43.81	3	Vertical	353	1.80	-	32.60	7.60	35.43			
PK	5.4692G	62.30	68.20	-5.90	57.52	3	Vertical	353	1.80	-	32.60	7.61	35.43			
PK	5.6012G	110.87	Inf	-Inf	106.02	3	Vertical	353	1.80	-	32.60	7.71	35.46			
AV	5.586G	98.29	Inf	-Inf	93.44	3	Vertical	353	1.80	-	32.60	7.70	35.45			
PK	5.7276G	67.14	68.20	-1.06	61.52	3	Vertical	353	1.80	-	33.22	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 18.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4204G	60.95	74.00	-13.05	56.16	3	Horizontal	0	1.80	-	32.66	7.57	35.44
PK	5.4628G	60.75	68.20	-7.45	55.98	3	Horizontal	0	1.80	-	32.60	7.60	35.43
AV	5.4588G	48.17	54.00	-5.83	43.40	3	Horizontal	0	1.80	-	32.60	7.60	35.43
PK	5.582G	110.01	Inf	-Inf	105.16	3	Horizontal	0	1.80	-	32.60	7.70	35.45
AV	5.6316G	97.03	Inf	-Inf	92.14	3	Horizontal	0	1.80	-	32.60	7.76	35.47
PK	5.7332G	66.42	68.20	-1.78	60.74	3	Horizontal	0	1.80	-	33.27	7.92	35.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 18.5
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22996G	58.83	74.00	-15.17	42.42	3	Vertical	95	2.54	-	38.93	10.73	33.25			
AV	11.2272G	46.18	54.00	-7.82	29.78	3	Vertical	95	2.54	-	38.93	10.73	33.26			
PK	16.82346G	60.72	68.20	-7.48	42.56	3	Vertical	15	2.57	-	38.23	12.81	32.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 18.5
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22894G	59.69	74.00	-14.31	43.28	3	Horizontal	230	1.11	-	38.93	10.73	33.25			
AV	11.23362G	46.17	54.00	-7.83	29.76	3	Horizontal	230	1.11	-	38.93	10.73	33.25			
PK	16.83792G	61.34	68.20	-6.86	43.20	3	Horizontal	207	2.69	-	38.19	12.82	32.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 21
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.83	74.00	-12.17	57.06	3	Vertical	355	1.80	-	32.60	7.60	35.43			
AV	5.46G	48.97	54.00	-5.03	44.20	3	Vertical	355	1.80	-	32.60	7.60	35.43			
PK	5.47G	64.11	68.20	-4.09	59.33	3	Vertical	355	1.80	-	32.60	7.61	35.43			
PK	5.704G	115.21	Inf	-Inf	109.80	3	Vertical	355	1.80	-	33.03	7.88	35.50			
AV	5.703G	102.57	Inf	-Inf	97.18	3	Vertical	355	1.80	-	33.02	7.87	35.50			
PK	5.85G	68.07	68.20	-0.13	61.86	3	Vertical	355	1.80	-	33.70	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 21
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.452G	61.20	74.00	-12.80	56.44	3	Horizontal	0	1.80	-	32.60	7.59	35.43			
AV	5.459G	48.38	54.00	-5.62	43.61	3	Horizontal	0	1.80	-	32.60	7.60	35.43			
PK	5.469G	61.71	68.20	-6.49	56.93	3	Horizontal	0	1.80	-	32.60	7.61	35.43			
PK	5.716G	113.51	Inf	-Inf	107.98	3	Horizontal	0	1.80	-	33.13	7.90	35.50			
AV	5.715G	101.24	Inf	-Inf	95.73	3	Horizontal	0	1.80	-	33.12	7.89	35.50			
PK	5.852G	66.52	68.20	-1.68	60.30	3	Horizontal	0	1.80	-	33.71	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 21
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3908G	59.35	74.00	-14.65	42.75	3	Vertical	99	2.29	-	38.91	10.80	33.11			
AV	11.39176G	47.61	54.00	-6.39	31.01	3	Vertical	99	2.29	-	38.91	10.80	33.11			
PK	17.0811G	59.11	68.20	-9.09	40.76	3	Vertical	329	1.84	-	38.24	12.93	32.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 21
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38984G	59.67	74.00	-14.33	43.07	3	Horizontal	308	1.04	-	38.91	10.80	33.11			
AV	11.39254G	47.61	54.00	-6.39	31.01	3	Horizontal	308	1.04	-	38.91	10.80	33.11			
PK	17.06898G	59.18	68.20	-9.02	40.85	3	Horizontal	360	1.82	-	38.21	12.93	32.81			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 14.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3204G	58.36	68.20	-9.84	53.66	3	Vertical	357	1.80	-	32.66	7.51	35.47			
PK	5.4532G	66.08	74.00	-7.92	61.32	3	Vertical	357	1.80	-	32.60	7.59	35.43			
AV	5.4516G	47.15	54.00	-6.85	42.39	3	Vertical	357	1.80	-	32.60	7.59	35.43			
PK	5.4692G	64.49	68.20	-3.71	59.71	3	Vertical	357	1.80	-	32.60	7.61	35.43			
PK	5.6292G	103.52	Inf	-Inf	98.63	3	Vertical	357	1.80	-	32.60	7.76	35.47			
AV	5.6068G	91.15	Inf	-Inf	86.29	3	Vertical	357	1.80	-	32.60	7.72	35.46			
PK	5.7252G	67.78	68.20	-0.42	62.18	3	Vertical	357	1.80	-	33.20	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 14.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2644G	58.77	68.20	-9.43	54.01	3	Horizontal	360	1.80	-	32.77	7.48	35.49			
PK	5.4484G	63.13	74.00	-10.87	58.37	3	Horizontal	360	1.80	-	32.60	7.59	35.43			
AV	5.4548G	46.75	54.00	-7.25	41.99	3	Horizontal	360	1.80	-	32.60	7.59	35.43			
PK	5.4644G	63.61	68.20	-4.59	58.84	3	Horizontal	360	1.80	-	32.60	7.60	35.43			
PK	5.6308G	101.92	Inf	-Inf	97.03	3	Horizontal	360	1.80	-	32.60	7.76	35.47			
AV	5.6276G	89.79	Inf	-Inf	84.91	3	Horizontal	360	1.80	-	32.60	7.75	35.47			
PK	5.7316G	65.87	68.20	-2.33	60.21	3	Horizontal	360	1.80	-	33.25	7.92	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_1TX


5570MHz_TX

EUT_Y_1TX
Setting 14.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12992G	56.28	74.00	-17.72	40.24	3	Vertical	233	1.23	-	38.69	10.69	33.34			
AV	11.13322G	43.47	54.00	-10.53	27.42	3	Vertical	233	1.23	-	38.70	10.69	33.34			
PK	16.7193G	60.88	68.20	-7.32	43.03	3	Vertical	242	1.65	-	38.06	12.76	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_1TX


5570MHz_TX

EUT_Y_1TX
Setting 14.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1376G	56.44	74.00	-17.56	40.38	3	Horizontal	323	2.75	-	38.71	10.69	33.34			
AV	11.12764G	43.22	54.00	-10.78	27.20	3	Horizontal	323	2.75	-	38.68	10.69	33.35			
PK	16.72182G	61.53	68.20	-6.67	43.66	3	Horizontal	187	1.66	-	38.07	12.77	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5570MHz_TX




EUT_Y_1TX
Setting 15.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3492G	62.15	68.20	-6.05	57.49	3	Vertical	357	1.80	-	32.60	7.52	35.46			
PK	5.4324G	66.64	74.00	-7.36	61.86	3	Vertical	357	1.80	-	32.64	7.58	35.44			
AV	5.3956G	48.37	54.00	-5.63	43.58	3	Vertical	357	1.80	-	32.69	7.55	35.45			
PK	5.4628G	63.45	68.20	-4.75	58.68	3	Vertical	357	1.80	-	32.60	7.60	35.43			
PK	5.506G	105.48	Inf	-Inf	100.67	3	Vertical	357	1.80	-	32.60	7.63	35.42			
AV	5.5076G	92.87	Inf	-Inf	88.05	3	Vertical	357	1.80	-	32.60	7.64	35.42			
PK	5.7332G	65.60	68.20	-2.60	59.92	3	Vertical	357	1.80	-	33.27	7.92	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5570MHz_TX




EUT_Y_1TX
Setting 15.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3476G	60.83	68.20	-7.37	56.17	3	Horizontal	5	2.65	-	32.60	7.52	35.46			
PK	5.4468G	66.55	74.00	-7.45	61.78	3	Horizontal	5	2.65	-	32.61	7.59	35.43			
AV	5.402G	48.15	54.00	-5.85	43.35	3	Horizontal	5	2.65	-	32.70	7.55	35.45			
PK	5.4676G	62.43	68.20	-5.77	57.66	3	Horizontal	5	2.65	-	32.60	7.60	35.43			
PK	5.5204G	104.83	Inf	-Inf	100.01	3	Horizontal	5	2.65	-	32.60	7.65	35.43			
AV	5.5252G	92.73	Inf	-Inf	87.91	3	Horizontal	5	2.65	-	32.60	7.65	35.43			
PK	5.7348G	66.12	68.20	-2.08	60.42	3	Horizontal	5	2.65	-	33.28	7.93	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5570MHz_TX




EUTY_1TX
Setting 15.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14018G	58.22	74.00	-15.78	42.14	3	Vertical	247	2.11	-	38.72	10.69	33.33			
AV	11.13952G	44.64	54.00	-9.36	28.56	3	Vertical	247	2.11	-	38.72	10.69	33.33			
PK	16.7136G	61.68	68.20	-6.52	43.85	3	Vertical	156	1.38	-	38.04	12.76	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5570MHz_TX




EUT_Y_1TX
Setting 15.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1346G	58.36	74.00	-15.64	42.31	3	Horizontal	201	2.90	-	38.70	10.69	33.34			
AV	11.1322G	44.65	54.00	-9.35	28.60	3	Horizontal	201	2.90	-	38.70	10.69	33.34			
PK	16.69728G	62.03	68.20	-6.17	44.27	3	Horizontal	106	2.93	-	38.00	12.75	32.99			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 15
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3364G	59.74	68.20	-8.46	55.06	3	Vertical	352	1.80	-	32.63	7.52	35.47			
PK	5.4484G	66.07	74.00	-7.93	61.31	3	Vertical	352	1.80	-	32.60	7.59	35.43			
AV	5.45G	49.09	54.00	-4.91	44.33	3	Vertical	352	1.80	-	32.60	7.59	35.43			
PK	5.4676G	66.57	68.20	-1.63	61.80	3	Vertical	352	1.80	-	32.60	7.60	35.43			
PK	5.5268G	112.33	Inf	-Inf	107.51	3	Vertical	352	1.80	-	32.60	7.65	35.43			
AV	5.5052G	100.66	Inf	-Inf	95.85	3	Vertical	352	1.80	-	32.60	7.63	35.42			
PK	5.7268G	60.92	68.20	-7.28	55.31	3	Vertical	352	1.80	-	33.21	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 15
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.33G	60.52	68.20	-7.68	55.84	3	Horizontal	348	1.80	-	32.64	7.51	35.47			
PK	5.4556G	65.44	74.00	-8.56	60.68	3	Horizontal	348	1.80	-	32.60	7.59	35.43			
AV	5.4588G	48.96	54.00	-5.04	44.19	3	Horizontal	348	1.80	-	32.60	7.60	35.43			
PK	5.466G	64.98	68.20	-3.22	60.21	3	Horizontal	348	1.80	-	32.60	7.60	35.43			
PK	5.4964G	111.53	Inf	-Inf	106.72	3	Horizontal	348	1.80	-	32.60	7.63	35.42			
AV	5.4964G	99.62	Inf	-Inf	94.81	3	Horizontal	348	1.80	-	32.60	7.63	35.42			
PK	5.726G	62.15	68.20	-6.05	56.54	3	Horizontal	348	1.80	-	33.21	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX


5530MHz_TX

EUT_Y_2TX
Setting 15
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05886G	57.76	74.00	-16.24	41.83	3	Vertical	308	1.55	-	38.68	10.66	33.41			
AV	11.04506G	45.63	54.00	-8.37	29.69	3	Vertical	308	1.55	-	38.71	10.65	33.42			
PK	16.59606G	58.94	68.20	-9.26	41.18	3	Vertical	221	1.99	-	38.12	12.71	33.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 15
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06684G	58.42	74.00	-15.58	42.49	3	Horizontal	42	2.16	-	38.67	10.66	33.40			
AV	11.04536G	45.62	54.00	-8.38	29.68	3	Horizontal	42	2.16	-	38.71	10.65	33.42			
PK	16.57512G	59.06	68.20	-9.14	41.20	3	Horizontal	257	2.59	-	38.25	12.70	33.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5610MHz_TX




EUT_Y_2TX
Setting 17.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4524G	60.78	74.00	-13.22	56.02	3	Vertical	-0	1.01	-	32.60	7.59	35.43			
AV	5.4596G	48.38	54.00	-5.62	43.61	3	Vertical	-0	1.01	-	32.60	7.60	35.43			
PK	5.4668G	63.46	68.20	-4.74	58.69	3	Vertical	-0	1.01	-	32.60	7.60	35.43			
PK	5.6044G	114.99	Inf	-Inf	110.13	3	Vertical	-0	1.01	-	32.60	7.72	35.46			
AV	5.5844G	102.18	Inf	-Inf	97.33	3	Vertical	-0	1.01	-	32.60	7.70	35.45			
PK	5.7428G	66.55	68.20	-1.65	60.78	3	Vertical	-0	1.01	-	33.34	7.94	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5610MHz_TX




EUT_Y_2TX
Setting 17.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4556G	61.22	74.00	-12.78	56.46	3	Horizontal	360	1.80	-	32.60	7.59	35.43			
AV	5.4564G	48.56	54.00	-5.44	43.79	3	Horizontal	360	1.80	-	32.60	7.60	35.43			
PK	5.47G	61.80	68.20	-6.40	57.02	3	Horizontal	360	1.80	-	32.60	7.61	35.43			
PK	5.5748G	114.03	Inf	-Inf	109.19	3	Horizontal	360	1.80	-	32.60	7.69	35.45			
AV	5.5756G	101.52	Inf	-Inf	96.68	3	Horizontal	360	1.80	-	32.60	7.69	35.45			
PK	5.734G	67.86	68.20	-0.34	62.18	3	Horizontal	360	1.80	-	33.27	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX


5610MHz_TX

EUT_Y_2TX
Setting 17.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21154G	58.69	74.00	-15.31	42.33	3	Vertical	185	1.84	-	38.91	10.72	33.27			
AV	11.22726G	46.46	54.00	-7.54	30.06	3	Vertical	185	1.84	-	38.93	10.73	33.26			
PK	16.83804G	61.59	68.20	-6.61	43.45	3	Vertical	260	1.11	-	38.19	12.82	32.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX


5610MHz_TX

EUT_Y_2TX
Setting 17.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22156G	58.50	74.00	-15.50	42.11	3	Horizontal	211	1.26	-	38.92	10.73	33.26			
AV	11.22438G	46.42	54.00	-7.58	30.03	3	Horizontal	211	1.26	-	38.92	10.73	33.26			
PK	16.83342G	61.76	68.20	-6.44	43.62	3	Horizontal	323	2.38	-	38.20	12.82	32.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 18.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.447G	64.26	74.00	-9.74	59.49	3	Vertical	360	1.00	-	32.61	7.59	35.43			
AV	5.449G	49.96	54.00	-4.04	45.20	3	Vertical	360	1.00	-	32.60	7.59	35.43			
PK	5.465G	67.00	68.20	-1.20	62.23	3	Vertical	360	1.00	-	32.60	7.60	35.43			
PK	5.706G	119.07	Inf	-Inf	113.64	3	Vertical	360	1.00	-	33.05	7.88	35.50			
AV	5.705G	107.02	Inf	-Inf	101.60	3	Vertical	360	1.00	-	33.04	7.88	35.50			
PK	5.861G	68.18	68.20	-0.02	61.90	3	Vertical	360	1.00	-	33.77	8.07	35.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 18.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	61.14	74.00	-12.86	56.38	3	Horizontal	0	1.80	-	32.60	7.59	35.43			
PK	5.465G	60.26	68.20	-7.94	55.49	3	Horizontal	0	1.80	-	32.60	7.60	35.43			
AV	5.459G	48.58	54.00	-5.42	43.81	3	Horizontal	0	1.80	-	32.60	7.60	35.43			
PK	5.714G	116.75	Inf	-Inf	111.25	3	Horizontal	0	1.80	-	33.11	7.89	35.50			
AV	5.715G	104.81	Inf	-Inf	99.30	3	Horizontal	0	1.80	-	33.12	7.89	35.50			
PK	5.854G	68.15	68.20	-0.05	61.91	3	Horizontal	0	1.80	-	33.72	8.07	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3764G	59.24	74.00	-14.76	42.64	3	Vertical	27	1.80	-	38.92	10.80	33.12			
AV	11.39398G	47.53	54.00	-6.47	30.93	3	Vertical	27	1.80	-	38.91	10.80	33.11			
PK	17.05524G	59.63	68.20	-8.57	41.34	3	Vertical	237	2.26	-	38.17	12.92	32.80			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 18.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39008G	60.20	74.00	-13.80	43.60	3	Horizontal	274	2.80	-	38.91	10.80	33.11			
AV	11.39002G	47.52	54.00	-6.48	30.92	3	Horizontal	274	2.80	-	38.91	10.80	33.11			
PK	17.07174G	59.47	68.20	-8.73	41.13	3	Horizontal	227	2.40	-	38.22	12.93	32.81			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 13.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1764G	58.86	68.20	-9.34	54.19	3	Vertical	360	1.33	-	32.75	7.43	35.51			
PK	5.4548G	63.51	74.00	-10.49	58.75	3	Vertical	360	1.33	-	32.60	7.59	35.43			
AV	5.4468G	47.73	54.00	-6.27	42.96	3	Vertical	360	1.33	-	32.61	7.59	35.43			
PK	5.4644G	64.48	68.20	-3.72	59.71	3	Vertical	360	1.33	-	32.60	7.60	35.43			
PK	5.602G	107.92	Inf	-Inf	103.07	3	Vertical	360	1.33	-	32.60	7.71	35.46			
AV	5.626G	95.79	Inf	-Inf	90.91	3	Vertical	360	1.33	-	32.60	7.75	35.47			
PK	5.73G	67.52	68.20	-0.68	61.87	3	Vertical	360	1.33	-	33.24	7.92	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 13.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1748G	58.69	68.20	-9.51	54.02	3	Horizontal	1	2.11	-	32.75	7.43	35.51			
PK	5.4516G	63.28	74.00	-10.72	58.52	3	Horizontal	1	2.11	-	32.60	7.59	35.43			
AV	5.4532G	47.84	54.00	-6.16	43.08	3	Horizontal	1	2.11	-	32.60	7.59	35.43			
PK	5.466G	63.71	68.20	-4.49	58.94	3	Horizontal	1	2.11	-	32.60	7.60	35.43			
PK	5.6356G	108.20	Inf	-Inf	103.30	3	Horizontal	1	2.11	-	32.60	7.77	35.47			
AV	5.6164G	95.61	Inf	-Inf	90.73	3	Horizontal	1	2.11	-	32.60	7.74	35.46			
PK	5.7476G	66.60	68.20	-1.60	60.78	3	Horizontal	1	2.11	-	33.38	7.95	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 13.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12842G	56.65	74.00	-17.35	40.61	3	Vertical	75	1.94	-	38.69	10.69	33.34			
AV	11.12746G	43.48	54.00	-10.52	27.46	3	Vertical	75	1.94	-	38.68	10.69	33.35			
PK	16.7127G	61.18	68.20	-7.02	43.36	3	Vertical	93	1.97	-	38.04	12.76	32.98			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 13.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14846G	56.29	74.00	-17.71	40.17	3	Horizontal	76	2.84	-	38.75	10.70	33.33			
AV	11.13562G	43.54	54.00	-10.46	27.48	3	Horizontal	76	2.84	-	38.71	10.69	33.34			
PK	16.71684G	61.36	68.20	-6.84	43.52	3	Horizontal	259	2.03	-	38.05	12.76	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5570MHz_TX




EUT_Y_2TX
Setting 14
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1908G	58.62	68.20	-9.58	53.91	3	Vertical	360	1.29	-	32.78	7.44	35.51			
PK	5.4468G	61.26	74.00	-12.74	56.49	3	Vertical	360	1.29	-	32.61	7.59	35.43			
PK	5.466G	60.87	68.20	-7.33	56.10	3	Vertical	360	1.29	-	32.60	7.60	35.43			
AV	5.4596G	47.71	54.00	-6.29	42.94	3	Vertical	360	1.29	-	32.60	7.60	35.43			
PK	5.6228G	109.33	Inf	-Inf	104.45	3	Vertical	360	1.29	-	32.60	7.75	35.47			
AV	5.626G	97.15	Inf	-Inf	92.27	3	Vertical	360	1.29	-	32.60	7.75	35.47			
PK	5.7476G	64.90	68.20	-3.30	59.08	3	Vertical	360	1.29	-	33.38	7.95	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5570MHz_TX




EUT_Y_2TX
Setting 14
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3316G	58.71	68.20	-9.49	54.02	3	Horizontal	-0	2.13	-	32.64	7.52	35.47				
PK	5.4372G	63.10	74.00	-10.90	58.33	3	Horizontal	-0	2.13	-	32.63	7.58	35.44				
PK	5.4612G	64.21	68.20	-3.99	59.44	3	Horizontal	-0	2.13	-	32.60	7.60	35.43				
AV	5.4564G	48.30	54.00	-5.70	43.53	3	Horizontal	-0	2.13	-	32.60	7.60	35.43				
PK	5.5748G	109.59	Inf	-Inf	104.75	3	Horizontal	-0	2.13	-	32.60	7.69	35.45				
AV	5.6148G	96.82	Inf	-Inf	91.95	3	Horizontal	-0	2.13	-	32.60	7.73	35.46				
PK	5.746G	64.88	68.20	-3.32	59.08	3	Horizontal	-0	2.13	-	33.37	7.94	35.51				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5570MHz_TX




EUT_Y_2TX
Setting 14
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13082G	56.50	74.00	-17.50	40.46	3	Vertical	308	2.09	-	38.69	10.69	33.34			
AV	11.13928G	43.41	54.00	-10.59	27.33	3	Vertical	308	2.09	-	38.72	10.69	33.33			
PK	16.7223G	61.30	68.20	-6.90	43.43	3	Vertical	314	2.96	-	38.07	12.77	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5570MHz_TX




EUT_Y_2TX
Setting 14
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14834G	56.06	74.00	-17.94	39.94	3	Horizontal	20	2.10	-	38.75	10.70	33.33			
AV	11.1367G	43.44	54.00	-10.56	27.38	3	Horizontal	20	2.10	-	38.71	10.69	33.34			
PK	16.70616G	60.97	68.20	-7.23	43.17	3	Horizontal	169	2.24	-	38.02	12.76	32.98			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5530MHz_TX




EUT_X_4TX
Setting 12.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.291G	58.72	68.20	-9.48	53.98	3	Vertical	352	1.80	-	32.72	7.50	35.48			
PK	5.447G	64.12	74.00	-9.88	59.35	3	Vertical	352	1.80	-	32.61	7.59	35.43			
PK	5.461G	65.40	68.20	-2.80	60.63	3	Vertical	352	1.80	-	32.60	7.60	35.43			
AV	5.46G	48.12	54.00	-5.88	43.35	3	Vertical	352	1.80	-	32.60	7.60	35.43			
PK	5.503G	115.13	Inf	-Inf	110.32	3	Vertical	352	1.80	-	32.60	7.63	35.42			
AV	5.502G	101.59	Inf	-Inf	96.78	3	Vertical	352	1.80	-	32.60	7.63	35.42			
PK	5.75G	60.82	68.20	-7.38	54.99	3	Vertical	352	1.80	-	33.40	7.95	35.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5530MHz_TX




EUT_X_4TX
Setting 12.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.31G	59.33	68.20	-8.87	54.62	3	Horizontal	358	1.80	-	32.68	7.50	35.47			
PK	5.451G	65.55	74.00	-8.45	60.79	3	Horizontal	358	1.80	-	32.60	7.59	35.43			
AV	5.458G	48.07	54.00	-5.93	43.30	3	Horizontal	358	1.80	-	32.60	7.60	35.43			
PK	5.47G	62.40	68.20	-5.80	57.62	3	Horizontal	358	1.80	-	32.60	7.61	35.43			
PK	5.512G	114.46	Inf	-Inf	109.64	3	Horizontal	358	1.80	-	32.60	7.64	35.42			
AV	5.511G	101.71	Inf	-Inf	96.89	3	Horizontal	358	1.80	-	32.60	7.64	35.42			
PK	5.727G	60.82	68.20	-7.38	55.20	3	Horizontal	358	1.80	-	33.22	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX


5530MHz_TX

EUT X_4TX
Setting 12.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0691G	57.39	74.00	-16.61	41.47	3	Vertical	307	2.83	-	38.66	10.66	33.40			
AV	11.0772G	43.69	54.00	-10.31	27.77	3	Vertical	307	2.83	-	38.65	10.66	33.39			
PK	16.5724G	61.25	68.20	-6.95	43.37	3	Vertical	191	1.05	-	38.27	12.70	33.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5530MHz_TX




EUT_X_4TX
Setting 12.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0607G	56.81	74.00	-17.19	40.88	3	Horizontal	55	1.15	-	38.68	10.66	33.41			
AV	11.0689G	43.49	54.00	-10.51	27.57	3	Horizontal	55	1.15	-	38.66	10.66	33.40			
PK	16.5766G	62.06	68.20	-6.14	44.21	3	Horizontal	171	1.95	-	38.24	12.70	33.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5610MHz_TX




EUT X_4TX
Setting 16
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.455G	59.52	74.00	-14.48	54.76	3	Vertical	352	1.80	-	32.60	7.59	35.43			
AV	5.453G	47.49	54.00	-6.51	42.73	3	Vertical	352	1.80	-	32.60	7.59	35.43			
PK	5.461G	60.81	68.20	-7.39	56.04	3	Vertical	352	1.80	-	32.60	7.60	35.43			
PK	5.602G	114.88	Inf	-Inf	110.03	3	Vertical	352	1.80	-	32.60	7.71	35.46			
AV	5.601G	103.85	Inf	-Inf	99.00	3	Vertical	352	1.80	-	32.60	7.71	35.46			
PK	5.741G	65.49	68.20	-2.71	59.73	3	Vertical	352	1.80	-	33.33	7.94	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5610MHz_TX




EUT X_4TX
Setting 16
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	60.49	74.00	-13.51	55.72	3	Horizontal	357	1.80	-	32.60	7.60	35.43			
AV	5.451G	47.42	54.00	-6.58	42.66	3	Horizontal	357	1.80	-	32.60	7.59	35.43			
PK	5.47G	59.96	68.20	-8.24	55.18	3	Horizontal	357	1.80	-	32.60	7.61	35.43			
PK	5.591G	116.45	Inf	-Inf	111.60	3	Horizontal	357	1.80	-	32.60	7.70	35.45			
AV	5.631G	104.26	Inf	-Inf	99.37	3	Horizontal	357	1.80	-	32.60	7.76	35.47			
PK	5.731G	64.60	68.20	-3.60	58.94	3	Horizontal	357	1.80	-	33.25	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX


5610MHz_TX

EUT_X_4TX
Setting 16
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2006G	57.17	74.00	-16.83	40.83	3	Vertical	294	1.56	-	38.90	10.72	33.28			
AV	11.1965G	43.79	54.00	-10.21	27.46	3	Vertical	294	1.56	-	38.89	10.72	33.28			
PK	16.8528G	61.94	68.20	-6.26	43.83	3	Vertical	110	1.26	-	38.14	12.83	32.86			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX


5610MHz_TX

EUT X_4TX
Setting 16
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1953G	56.96	74.00	-17.04	40.63	3	Horizontal	351	1.22	-	38.89	10.72	33.28			
AV	11.2001G	44.03	54.00	-9.97	27.69	3	Horizontal	351	1.22	-	38.90	10.72	33.28			
PK	16.8184G	61.16	68.20	-7.04	43.00	3	Horizontal	171	1.86	-	38.24	12.81	32.89			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.448G	60.99	74.00	-13.01	56.23	3	Vertical	358	1.80	-	32.60	7.59	35.43			
PK	5.467G	60.17	68.20	-8.03	55.40	3	Vertical	358	1.80	-	32.60	7.60	35.43			
AV	5.46G	48.58	54.00	-5.42	43.81	3	Vertical	358	1.80	-	32.60	7.60	35.43			
PK	5.722G	117.70	Inf	-Inf	112.11	3	Vertical	358	1.80	-	33.18	7.91	35.50			
AV	5.702G	105.66	Inf	-Inf	100.27	3	Vertical	358	1.80	-	33.02	7.87	35.50			
PK	5.853G	66.42	68.20	-1.78	60.19	3	Vertical	358	1.80	-	33.72	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 17
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	60.88	74.00	-13.12	56.12	3	Horizontal	348	1.80	-	32.60	7.59	35.43			
PK	5.463G	61.36	68.20	-6.84	56.59	3	Horizontal	348	1.80	-	32.60	7.60	35.43			
AV	5.459G	48.58	54.00	-5.42	43.81	3	Horizontal	348	1.80	-	32.60	7.60	35.43			
PK	5.712G	118.21	Inf	-Inf	112.72	3	Horizontal	348	1.80	-	33.10	7.89	35.50			
AV	5.711G	107.08	Inf	-Inf	101.60	3	Horizontal	348	1.80	-	33.09	7.89	35.50			
PK	5.85G	65.80	68.20	-2.40	59.59	3	Horizontal	348	1.80	-	33.70	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.36878G	60.11	74.00	-13.89	43.52	3	Vertical	157	2.07	-	38.93	10.79	33.13			
AV	11.3917G	47.69	54.00	-6.31	31.09	3	Vertical	157	2.07	-	38.91	10.80	33.11			
PK	17.05662G	59.54	68.20	-8.66	41.25	3	Vertical	129	1.33	-	38.17	12.92	32.80			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX
Setting 17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39098G	59.25	74.00	-14.75	42.65	3	Horizontal	95	2.01	-	38.91	10.80	33.11			
AV	11.3917G	47.69	54.00	-6.31	31.09	3	Horizontal	95	2.01	-	38.91	10.80	33.11			
PK	17.0715G	59.49	68.20	-8.71	41.16	3	Horizontal	296	2.43	-	38.21	12.93	32.81			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 9.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.234G	59.55	68.20	-8.65	54.77	3	Vertical	14	1.80	-	32.80	7.47	35.49			
PK	5.4548G	66.05	74.00	-7.95	61.29	3	Vertical	14	1.80	-	32.60	7.59	35.43			
PK	5.4628G	67.09	68.20	-1.11	62.32	3	Vertical	14	1.80	-	32.60	7.60	35.43			
AV	5.4596G	47.76	54.00	-6.24	42.99	3	Vertical	14	1.80	-	32.60	7.60	35.43			
PK	5.6004G	108.04	Inf	-Inf	103.19	3	Vertical	14	1.80	-	32.60	7.71	35.46			
AV	5.6004G	95.06	Inf	-Inf	90.21	3	Vertical	14	1.80	-	32.60	7.71	35.46			
PK	5.7396G	64.99	68.20	-3.21	59.25	3	Vertical	14	1.80	-	33.32	7.93	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_4TX

5570MHz_TX




EUT_X_4TX
Setting 9.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2404G	58.79	68.20	-9.41	54.01	3	Horizontal	2	1.80	-	32.80	7.47	35.49			
PK	5.4516G	67.92	74.00	-6.08	63.16	3	Horizontal	2	1.80	-	32.60	7.59	35.43			
AV	5.4516G	48.09	54.00	-5.91	43.33	3	Horizontal	2	1.80	-	32.60	7.59	35.43			
PK	5.4692G	66.26	68.20	-1.94	61.48	3	Horizontal	2	1.80	-	32.60	7.61	35.43			
PK	5.5124G	106.91	Inf	-Inf	102.09	3	Horizontal	2	1.80	-	32.60	7.64	35.42			
PK	5.7316G	68.03	68.20	-0.17	62.37	3	Horizontal	2	1.80	-	33.25	7.92	35.51			
AV	5.6308G	95.73	Inf	-Inf	90.84	3	Horizontal	2	1.80	-	32.60	7.76	35.47			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_4TX


5570MHz_TX

EUT X_4TX
Setting 9.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1299G	56.52	74.00	-17.48	40.48	3	Vertical	312	2.48	-	38.69	10.69	33.34			
AV	11.1283G	43.68	54.00	-10.32	27.65	3	Vertical	312	2.48	-	38.68	10.69	33.34			
PK	16.6948G	60.49	68.20	-7.71	42.72	3	Vertical	53	2.96	-	38.01	12.75	32.99			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 1_4TX


5570MHz_TX

EUT_X_4TX
Setting 9.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1327G	56.83	74.00	-17.17	40.78	3	Horizontal	113	2.48	-	38.70	10.69	33.34			
AV	11.1306G	43.52	54.00	-10.48	27.48	3	Horizontal	113	2.48	-	38.69	10.69	33.34			
PK	16.7204G	61.42	68.20	-6.78	43.57	3	Horizontal	85	2.15	-	38.06	12.76	32.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5570MHz_TX




EUT_X_4TX
Setting 9.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1924G	58.72	68.20	-9.48	54.01	3	Vertical	357	1.80	-	32.78	7.44	35.51			
PK	5.4468G	64.08	74.00	-9.92	59.31	3	Vertical	357	1.80	-	32.61	7.59	35.43			
PK	5.4628G	65.13	68.20	-3.07	60.36	3	Vertical	357	1.80	-	32.60	7.60	35.43			
AV	5.4596G	47.68	54.00	-6.32	42.91	3	Vertical	357	1.80	-	32.60	7.60	35.43			
PK	5.5828G	107.67	Inf	-Inf	102.82	3	Vertical	357	1.80	-	32.60	7.70	35.45			
AV	5.602G	95.55	Inf	-Inf	90.70	3	Vertical	357	1.80	-	32.60	7.71	35.46			
PK	5.754G	66.60	68.20	-1.60	60.75	3	Vertical	357	1.80	-	33.41	7.96	35.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5570MHz_TX




EUT_X_4TX
Setting 9.5
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.17G	58.59	68.20	-9.61	53.94	3	Horizontal	360	1.80	-	32.74	7.42	35.51			
PK	5.434G	65.40	74.00	-8.60	60.63	3	Horizontal	360	1.80	-	32.63	7.58	35.44			
AV	5.4516G	48.04	54.00	-5.96	43.28	3	Horizontal	360	1.80	-	32.60	7.59	35.43			
PK	5.4692G	66.72	68.20	-1.48	61.94	3	Horizontal	360	1.80	-	32.60	7.61	35.43			
PK	5.6116G	107.95	Inf	-Inf	103.08	3	Horizontal	360	1.80	-	32.60	7.73	35.46			
AV	5.6308G	96.14	Inf	-Inf	91.25	3	Horizontal	360	1.80	-	32.60	7.76	35.47			
PK	5.7508G	67.00	68.20	-1.20	61.17	3	Horizontal	360	1.80	-	33.40	7.95	35.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP_2_4TX

5570MHz_TX




EUT_X_4TX
Setting 9.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1499G	56.48	74.00	-17.52	40.36	3	Vertical	324	1.65	-	38.75	10.70	33.33			
AV	11.1326G	43.41	54.00	-10.59	27.36	3	Vertical	324	1.65	-	38.70	10.69	33.34			
PK	16.6963G	60.92	68.20	-7.28	43.16	3	Vertical	288	2.45	-	38.00	12.75	32.99			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5570MHz_TX

EUT X_4TX
Setting 9.5
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1367G	57.04	74.00	-16.96	40.98	3	Horizontal	316	2.90	-	38.71	10.69	33.34			
AV	11.1275G	43.44	54.00	-10.56	27.42	3	Horizontal	316	2.90	-	38.68	10.69	33.35			
PK	16.6924G	61.07	68.20	-7.13	43.30	3	Horizontal	109	1.24	-	38.01	12.75	32.99			