


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
SET 25
25
1.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6407G	58.87	68.20	-9.33	50.31	3	Horizontal	3	1.46	25	34.00	5.58	31.02				
PK	5.82766G	118.09	Inf	-Inf	109.50	3	Horizontal	3	1.46	25	34.04	5.66	31.11				
AV	5.82804G	107.35	Inf	-Inf	98.76	3	Horizontal	3	1.46	25	34.04	5.66	31.11				
PK	5.92912G	66.47	68.20	-1.73	57.66	3	Horizontal	3	1.46	25	34.20	5.77	31.16				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65171G	54.34	74.00	-19.66	38.30	3	Vertical	1	1.96	-	39.31	8.62	31.89			
AV	11.6647G	41.64	54.00	-12.36	25.52	3	Vertical	1	1.96	-	39.36	8.63	31.87			
PK	17.46651G	64.51	68.20	-3.69	41.79	3	Vertical	54	1.38	-	43.87	11.30	32.45			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65639G	53.70	74.00	-20.30	37.63	3	Horizontal	258	1.53	-	39.33	8.62	31.88			
AV	11.66044G	41.59	54.00	-12.41	25.51	3	Horizontal	258	1.53	-	39.34	8.62	31.88			
PK	17.48691G	64.60	68.20	-3.60	41.68	3	Horizontal	250	2.32	-	44.07	11.31	32.46			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
SET 25
15\23\25
8.43\8.33\2.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6386G	66.06	68.20	-2.14	57.50	3	Vertical	9	1.53	25	34.00	5.58	31.02			
PK	5.74614G	117.74	Inf	-Inf	109.20	3	Vertical	9	1.53	25	34.00	5.61	31.07			
AV	5.74576G	105.74	Inf	-Inf	97.20	3	Vertical	9	1.53	25	34.00	5.61	31.07			
PK	5.925G	60.13	68.20	-8.07	51.32	3	Vertical	9	1.53	25	34.20	5.77	31.16			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
SET 25
25
1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.65076G	67.26	68.76	-1.50	58.70	3	Horizontal	1	1.69	25	34.00	5.59	31.03				
PK	5.74728G	118.49	Inf	-Inf	109.95	3	Horizontal	1	1.69	25	34.00	5.61	31.07				
AV	5.74652G	106.10	Inf	-Inf	97.56	3	Horizontal	1	1.69	25	34.00	5.61	31.07				
PK	5.92816G	59.46	68.20	-8.74	50.65	3	Horizontal	1	1.69	25	34.20	5.77	31.16				

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX

EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49612G	53.53	74.00	-20.47	38.13	3	Vertical	211	2.95	-	38.99	8.57	32.16			
AV	11.47866G	40.90	54.00	-13.10	25.53	3	Vertical	211	2.95	-	38.96	8.56	32.15			
PK	17.2407G	62.60	68.20	-5.60	41.51	3	Vertical	113	2.37	-	42.24	11.14	32.29			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.47842G	54.95	74.00	-19.05	39.58	3	Horizontal	199	1.51	-	38.96	8.56	32.15			
AV	11.47839G	41.02	54.00	-12.98	25.65	3	Horizontal	199	1.51	-	38.96	8.56	32.15			
PK	17.22177G	62.59	68.20	-5.61	41.61	3	Horizontal	103	1.81	-	42.13	11.13	32.28			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
SET 25
15\23\25
8.15\8.14\4.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6359G	60.50	68.20	-7.70	51.94	3	Vertical	11	1.25	25	34.00	5.58	31.02			
PK	5.7832G	118.45	Inf	-Inf	109.85	3	Vertical	11	1.25	25	34.07	5.62	31.09			
AV	5.7823G	106.06	Inf	-Inf	97.47	3	Vertical	11	1.25	25	34.06	5.62	31.09			
PK	5.9266G	63.68	68.20	-4.52	54.87	3	Vertical	11	1.25	25	34.20	5.77	31.16			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
SET 25
25
6.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6497G	60.79	68.20	-7.41	52.24	3	Horizontal	0	1.68	25	34.00	5.58	31.03			
PK	5.7796G	118.07	Inf	-Inf	109.48	3	Horizontal	0	1.68	25	34.06	5.62	31.09			
AV	5.7868G	105.66	Inf	-Inf	97.05	3	Horizontal	0	1.68	25	34.07	5.63	31.09			
PK	5.9296G	61.58	68.20	-6.62	52.77	3	Horizontal	0	1.68	25	34.20	5.77	31.16			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58278G	54.29	74.00	-19.71	38.47	3	Vertical	139	1.18	-	39.23	8.60	32.01			
AV	11.56067G	41.01	54.00	-12.99	25.33	3	Vertical	139	1.18	-	39.14	8.59	32.05			
PK	17.34855G	62.79	68.20	-5.41	40.95	3	Vertical	231	1.19	-	42.99	11.22	32.37			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56319G	54.03	74.00	-19.97	38.34	3	Horizontal	87	2.28	-	39.15	8.59	32.05			
AV	11.57432G	41.08	54.00	-12.92	25.31	3	Horizontal	87	2.28	-	39.20	8.60	32.03			
PK	17.35452G	63.79	68.20	-4.41	41.91	3	Horizontal	76	2.29	-	43.03	11.22	32.37			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
SET 24.5
15\23\25\24\24.5
8.33\7.67\0.08\6.58\3.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64298G	59.27	68.20	-8.93	50.72	3	Vertical	8	2.08	24.5	34.00	5.58	31.03			
PK	5.82652G	117.89	Inf	-Inf	109.29	3	Vertical	8	2.08	24.5	34.05	5.66	31.11			
AV	5.82614G	105.39	Inf	-Inf	96.79	3	Vertical	8	2.08	24.5	34.05	5.66	31.11			
PK	5.9238G	65.71	69.09	-3.38	56.89	3	Vertical	8	2.08	24.5	34.20	5.77	31.15			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Y_1TX
SET 24.5
24.5
3.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6369G	60.02	68.20	-8.18	51.46	3	Horizontal	3	1.48	24.5	34.00	5.58	31.02			
PK	5.82728G	118.79	Inf	-Inf	110.19	3	Horizontal	3	1.48	24.5	34.05	5.66	31.11			
AV	5.82956G	105.89	Inf	-Inf	97.30	3	Horizontal	3	1.48	24.5	34.04	5.66	31.11			
PK	5.92532G	64.37	68.20	-3.83	55.56	3	Horizontal	3	1.48	24.5	34.20	5.77	31.16			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT_Y_1TX
Setting 24.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6611G	54.09	74.00	-19.91	38.01	3	Vertical	14	1.11	-	39.34	8.62	31.88			
AV	11.65405G	41.04	54.00	-12.96	24.99	3	Vertical	14	1.11	-	39.32	8.62	31.89			
PK	17.48592G	64.51	68.20	-3.69	41.60	3	Vertical	27	1.67	-	44.06	11.31	32.46			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT_Y_1TX
Setting 24.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64688G	53.97	74.00	-20.03	37.95	3	Horizontal	241	1.39	-	39.30	8.62	31.90			
AV	11.63509G	41.02	54.00	-12.98	25.02	3	Horizontal	241	1.39	-	39.30	8.62	31.92			
PK	17.46438G	64.36	68.20	-3.84	41.67	3	Horizontal	273	2.09	-	43.84	11.30	32.45			

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
SET 23
18\25\21.5\23\23.5\23
7.54\10.20\5.81\1.17\1.63\1.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63872G	66.42	68.20	-1.78	57.86	3	Vertical	9	1.66	23	34.00	5.58	31.02			
PK	5.75752G	115.38	Inf	-Inf	106.82	3	Vertical	9	1.66	23	34.02	5.62	31.08			
AV	5.74924G	102.84	Inf	-Inf	94.30	3	Vertical	9	1.66	23	34.00	5.61	31.07			
PK	5.92636G	61.12	68.20	-7.08	52.31	3	Vertical	9	1.66	23	34.20	5.77	31.16			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT Y_1TX
SET 23
2.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65024G	66.20	68.38	-2.18	57.64	3	Horizontal	360	1.80	23	34.00	5.59	31.03			
PK	5.75392G	114.73	Inf	-Inf	106.18	3	Horizontal	360	1.80	23	34.01	5.62	31.08			
AV	5.75896G	102.15	Inf	-Inf	93.59	3	Horizontal	360	1.80	23	34.02	5.62	31.08			
PK	5.93248G	60.89	68.20	-7.31	52.07	3	Horizontal	360	1.80	23	34.20	5.78	31.16			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
Setting 23
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49902G	54.10	74.00	-19.90	38.69	3	Vertical	166	1.94	-	39.00	8.57	32.16			
AV	11.51054G	40.85	54.00	-13.15	25.40	3	Vertical	166	1.94	-	39.02	8.57	32.14			
PK	17.26553G	63.81	68.20	-4.39	42.54	3	Vertical	170	2.77	-	42.42	11.16	32.31			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX

EUT_Y_1TX
Setting 23
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51981G	54.80	74.00	-19.20	39.31	3	Horizontal	63	2.67	-	39.04	8.58	32.13			
AV	11.51405G	40.91	54.00	-13.09	25.45	3	Horizontal	63	2.67	-	39.03	8.57	32.14			
PK	17.26883G	63.60	68.20	-4.60	42.30	3	Horizontal	125	1.08	-	42.45	11.16	32.31			

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
SET 23.5
15\23\25\24\23.5
8.29\2.78\1.88\1.38\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64908G	63.04	68.20	-5.16	54.49	3	Vertical	7	2.26	23.5	34.00	5.58	31.03			
PK	5.8014G	115.33	Inf	-Inf	106.70	3	Vertical	7	2.26	23.5	34.10	5.63	31.10			
AV	5.79788G	102.29	Inf	-Inf	93.66	3	Vertical	7	2.26	23.5	34.10	5.63	31.10			
PK	5.9326G	67.82	68.20	-0.38	59.00	3	Vertical	7	2.26	23.5	34.20	5.78	31.16			

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
SET 23.5
23.5
0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64556G	62.99	68.20	-5.21	54.44	3	Horizontal	360	1.50	23.5	34.00	5.58	31.03			
PK	5.79756G	115.11	Inf	-Inf	106.48	3	Horizontal	360	1.50	23.5	34.10	5.63	31.10			
AV	5.79148G	102.15	Inf	-Inf	93.53	3	Horizontal	360	1.50	23.5	34.08	5.63	31.09			
PK	5.92908G	67.91	68.20	-0.29	59.10	3	Horizontal	360	1.50	23.5	34.20	5.77	31.16			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
Setting 23.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59087G	54.59	74.00	-19.41	38.73	3	Vertical	129	2.36	-	39.26	8.60	32.00			
AV	11.60302G	41.11	54.00	-12.89	25.18	3	Vertical	129	2.36	-	39.30	8.61	31.98			
PK	17.38088G	63.98	68.20	-4.22	41.94	3	Vertical	134	1.84	-	43.19	11.24	32.39			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
Setting 23.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6011G	54.03	74.00	-19.97	38.11	3	Horizontal	17	2.77	-	39.30	8.60	31.98			
AV	11.59639G	41.22	54.00	-12.78	25.32	3	Horizontal	17	2.77	-	39.29	8.60	31.99			
PK	17.38796G	64.25	68.20	-3.95	42.17	3	Horizontal	219	2.59	-	43.23	11.24	32.39			

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
SET 20.5
18\24.5\21.5\20\20.5\21\20.5
6.70\15.04\1.87\2.96\0.83\0.23\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63996G	66.86	68.20	-1.34	58.30	3	Vertical	6	1.72	20.5	34.00	5.58	31.02			
PK	5.77244G	109.75	Inf	-Inf	101.18	3	Vertical	6	1.72	20.5	34.04	5.62	31.09			
AV	5.78844G	96.99	Inf	-Inf	88.37	3	Vertical	6	1.72	20.5	34.08	5.63	31.09			
PK	5.92796G	67.86	68.20	-0.34	59.05	3	Vertical	6	1.72	20.5	34.20	5.77	31.16			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
SET 20.5
20.5
2.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6294G	65.58	68.20	-2.62	57.02	3	Horizontal	360	1.68	20.5	34.00	5.58	31.02			
PK	5.7782G	109.70	Inf	-Inf	101.11	3	Horizontal	360	1.68	20.5	34.06	5.62	31.09			
AV	5.77244G	96.58	Inf	-Inf	88.01	3	Horizontal	360	1.68	20.5	34.04	5.62	31.09			
PK	5.92636G	64.51	68.20	-3.69	55.70	3	Horizontal	360	1.68	20.5	34.20	5.77	31.16			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX

EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55195G	54.57	74.00	-19.43	38.94	3	Vertical	105	2.97	-	39.11	8.59	32.07			
AV	11.5626G	41.80	54.00	-12.20	26.11	3	Vertical	105	2.97	-	39.15	8.59	32.05			
PK	17.3163G	63.78	68.20	-4.42	42.14	3	Vertical	164	2.51	-	42.80	11.19	32.35			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX



EUT_Y_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53827G	54.44	74.00	-19.56	38.87	3	Horizontal	323	1.10	-	39.08	8.58	32.09			
AV	11.56056G	41.67	54.00	-12.33	25.99	3	Horizontal	323	1.10	-	39.14	8.59	32.05			
PK	17.32749G	63.85	68.20	-4.35	42.14	3	Horizontal	170	2.83	-	42.86	11.20	32.35			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	Pass	PK	5.614G	68.02	68.20	-0.18	3	Horizontal	3	1.80	-

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUT_Y_1TX
Setting 10.5/18.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	67.40	68.20	-0.80	61.99	3	Vertical	356	1.80	-	33.10	7.79	35.48			
PK	5.748G	110.86	Inf	-Inf	104.82	3	Vertical	356	1.80	-	33.60	7.95	35.51			
AV	5.746G	99.35	Inf	-Inf	93.33	3	Vertical	356	1.80	-	33.59	7.94	35.51			
PK	6.021G	62.58	68.20	-5.62	55.74	3	Vertical	356	1.80	-	34.24	8.17	35.57			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUT_Y_1TX
Setting 10.5/18.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	67.83	68.20	-0.37	62.42	3	Horizontal	5	1.80	-	33.10	7.79	35.48			
PK	5.746G	112.30	Inf	-Inf	106.28	3	Horizontal	5	1.80	-	33.59	7.94	35.51			
AV	5.743G	99.86	Inf	-Inf	93.84	3	Horizontal	5	1.80	-	33.59	7.94	35.51			
PK	5.948G	62.34	68.20	-5.86	55.50	3	Horizontal	5	1.80	-	34.30	8.13	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUT_Y_1TX
Setting 10.5/18.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5461G	58.26	74.00	-15.74	41.62	3	Vertical	9	2.70	-	38.82	10.87	33.05			
AV	11.5452G	46.12	54.00	-7.88	29.48	3	Vertical	9	2.70	-	38.82	10.87	33.05			
PK	17.3274G	59.90	68.20	-8.30	41.02	3	Vertical	314	2.40	-	38.91	13.05	33.08			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUT_Y_1TX
Setting 10.5/18.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5494G	57.72	74.00	-16.28	41.10	3	Horizontal	21	1.42	-	38.80	10.87	33.05			
AV	11.5449G	46.12	54.00	-7.88	29.48	3	Horizontal	21	1.42	-	38.82	10.87	33.05			
PK	17.31084G	60.03	68.20	-8.17	41.21	3	Horizontal	300	1.69	-	38.84	13.04	33.06			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5775MHz_TX




EUT_Y_1TX
Setting 9/18
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.612G	66.91	68.20	-1.29	61.69	3	Vertical	356	1.80	-	32.95	7.73	35.46			
PK	5.748G	112.77	Inf	-Inf	106.73	3	Vertical	356	1.80	-	33.60	7.95	35.51			
AV	5.744G	100.69	Inf	-Inf	94.67	3	Vertical	356	1.80	-	33.59	7.94	35.51			
PK	5.941G	62.33	68.20	-5.87	55.50	3	Vertical	356	1.80	-	34.30	8.12	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5775MHz_TX




EUT_Y_1TX
Setting 9/18
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.614G	68.02	68.20	-0.18	62.79	3	Horizontal	3	1.80	-	32.96	7.73	35.46			
PK	5.751G	113.85	Inf	-Inf	107.81	3	Horizontal	3	1.80	-	33.61	7.95	35.52			
AV	5.74G	101.38	Inf	-Inf	95.38	3	Horizontal	3	1.80	-	33.58	7.93	35.51			
PK	5.939G	62.14	68.20	-6.06	55.31	3	Horizontal	3	1.80	-	34.30	8.12	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5775MHz_TX




EUT_Y_1TX
Setting 9/18
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55462G	57.87	74.00	-16.13	41.28	3	Vertical	132	2.27	-	38.78	10.87	33.06			
AV	11.5446G	46.12	54.00	-7.88	29.48	3	Vertical	132	2.27	-	38.82	10.87	33.05			
PK	17.31156G	60.24	68.20	-7.96	41.41	3	Vertical	189	1.34	-	38.85	13.04	33.06			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5775MHz_TX




EUT_Y_1TX
Setting 9/18
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53788G	58.02	74.00	-15.98	41.34	3	Horizontal	214	1.15	-	38.85	10.87	33.04			
AV	11.54424G	46.12	54.00	-7.88	29.48	3	Horizontal	214	1.15	-	38.82	10.87	33.05			
PK	17.33346G	59.93	68.20	-8.27	41.04	3	Horizontal	305	1.95	-	38.93	13.05	33.09			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Y_2TX
Setting 9.5/16.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	67.78	68.20	-0.42	62.37	3	Vertical	11	1.80	-	33.10	7.79	35.48			
PK	5.77G	114.70	Inf	-Inf	108.52	3	Vertical	11	1.80	-	33.72	7.98	35.52			
AV	5.77G	102.65	Inf	-Inf	96.47	3	Vertical	11	1.80	-	33.72	7.98	35.52			
PK	6.002G	62.04	68.20	-6.16	55.29	3	Vertical	11	1.80	-	34.20	8.16	35.61			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Y_2TX
Setting 9.5/16.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	65.73	68.20	-2.47	60.34	3	Horizontal	360	1.80	-	33.08	7.78	35.47			
PK	5.739G	116.12	Inf	-Inf	110.12	3	Horizontal	360	1.80	-	33.58	7.93	35.51			
AV	5.739G	102.85	Inf	-Inf	96.85	3	Horizontal	360	1.80	-	33.58	7.93	35.51			
PK	5.933G	62.57	68.20	-5.63	55.73	3	Horizontal	360	1.80	-	34.30	8.12	35.58			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Y_2TX
Setting 9.5/16.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53878G	57.32	74.00	-16.68	40.65	3	Vertical	195	1.52	-	38.84	10.87	33.04			
AV	11.54574G	46.34	54.00	-7.66	29.70	3	Vertical	195	1.52	-	38.82	10.87	33.05			
PK	17.31642G	59.64	68.20	-8.56	40.80	3	Vertical	341	1.51	-	38.87	13.04	33.07			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Y_2TX
Setting 9.5/16.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54742G	57.57	74.00	-16.43	40.94	3	Horizontal	240	1.04	-	38.81	10.87	33.05			
AV	11.54226G	46.06	54.00	-7.94	29.41	3	Horizontal	240	1.04	-	38.83	10.87	33.05			
PK	17.32782G	59.72	68.20	-8.48	40.84	3	Horizontal	169	2.56	-	38.91	13.05	33.08			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_Y_2TX
Setting 8.5/15.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.628G	67.79	68.20	-0.41	62.50	3	Vertical	2	1.80	-	33.01	7.75	35.47			
PK	5.747G	114.58	Inf	-Inf	108.55	3	Vertical	2	1.80	-	33.59	7.95	35.51			
AV	5.749G	103.11	Inf	-Inf	97.07	3	Vertical	2	1.80	-	33.60	7.95	35.51			
PK	5.933G	62.77	68.20	-5.43	55.93	3	Vertical	2	1.80	-	34.30	8.12	35.58			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_Y_2TX
Setting 8.5/15.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.621G	66.90	68.20	-1.30	61.65	3	Horizontal	356	1.80	-	32.98	7.74	35.47			
PK	5.739G	116.25	Inf	-Inf	110.25	3	Horizontal	356	1.80	-	33.58	7.93	35.51			
AV	5.739G	104.22	Inf	-Inf	98.22	3	Horizontal	356	1.80	-	33.58	7.93	35.51			
PK	5.968G	62.66	68.20	-5.54	55.86	3	Horizontal	356	1.80	-	34.26	8.14	35.60			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_Y_2TX
Setting 8.5/15.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53698G	58.16	74.00	-15.84	41.48	3	Vertical	348	1.31	-	38.85	10.87	33.04			
AV	11.5455G	46.27	54.00	-7.73	29.63	3	Vertical	348	1.31	-	38.82	10.87	33.05			
PK	17.33382G	59.92	68.20	-8.28	41.02	3	Vertical	282	1.77	-	38.94	13.05	33.09			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_Y_2TX
Setting 8.5/15.5
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54496G	58.01	74.00	-15.99	41.37	3	Horizontal	58	2.30	-	38.82	10.87	33.05			
AV	11.54472G	46.20	54.00	-7.80	29.56	3	Horizontal	58	2.30	-	38.82	10.87	33.05			
PK	17.3238G	60.01	68.20	-8.19	41.14	3	Horizontal	41	1.83	-	38.90	13.05	33.08			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 8.5/14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	65.22	68.20	-2.98	59.81	3	Vertical	8	1.80	-	33.10	7.79	35.48			
PK	5.746G	115.15	Inf	-Inf	109.13	3	Vertical	8	1.80	-	33.59	7.94	35.51			
AV	5.746G	102.88	Inf	-Inf	96.86	3	Vertical	8	1.80	-	33.59	7.94	35.51			
PK	5.941G	62.18	68.20	-6.02	55.35	3	Vertical	8	1.80	-	34.30	8.12	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 8.5/14.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.637G	66.34	68.20	-1.86	60.99	3	Horizontal	12	1.80	-	33.05	7.77	35.47			
PK	5.737G	115.41	Inf	-Inf	109.42	3	Horizontal	12	1.80	-	33.57	7.93	35.51			
AV	5.736G	104.05	Inf	-Inf	98.06	3	Horizontal	12	1.80	-	33.57	7.93	35.51			
PK	5.933G	62.10	68.20	-6.10	55.26	3	Horizontal	12	1.80	-	34.30	8.12	35.58			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 8.5/14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54436G	58.28	74.00	-15.72	41.64	3	Vertical	208	1.00	-	38.82	10.87	33.05			
AV	11.53746G	46.12	54.00	-7.88	29.44	3	Vertical	208	1.00	-	38.85	10.87	33.04			
PK	17.33628G	59.68	68.20	-8.52	40.77	3	Vertical	187	1.31	-	38.95	13.05	33.09			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 8.5/14.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55684G	57.53	74.00	-16.47	40.94	3	Horizontal	289	1.59	-	38.77	10.88	33.06			
AV	11.55114G	46.19	54.00	-7.81	29.58	3	Horizontal	289	1.59	-	38.80	10.87	33.06			
PK	17.33478G	60.55	68.20	-7.65	41.65	3	Horizontal	279	1.76	-	38.94	13.05	33.09			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX




EUT_X_4TX
Setting 8.5/12.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.619G	66.39	68.20	-1.81	61.14	3	Vertical	6	1.80	-	32.98	7.74	35.47			
PK	5.746G	114.89	Inf	-Inf	108.87	3	Vertical	6	1.80	-	33.59	7.94	35.51			
AV	5.747G	103.18	Inf	-Inf	97.15	3	Vertical	6	1.80	-	33.59	7.95	35.51			
PK	5.951G	62.42	68.20	-5.78	55.58	3	Vertical	6	1.80	-	34.30	8.13	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX




EUT_X_4TX
Setting 8.5/12.5
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.635G	67.10	68.20	-1.10	61.76	3	Horizontal	11	1.80	-	33.04	7.77	35.47			
PK	5.737G	115.68	Inf	-Inf	109.69	3	Horizontal	11	1.80	-	33.57	7.93	35.51			
AV	5.736G	103.92	Inf	-Inf	97.93	3	Horizontal	11	1.80	-	33.57	7.93	35.51			
PK	5.961G	62.50	68.20	-5.70	55.69	3	Horizontal	11	1.80	-	34.28	8.13	35.60			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX




EUT_X_4TX
Setting 8.5/12.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5449G	58.41	74.00	-15.59	41.77	3	Vertical	58	1.14	-	38.82	10.87	33.05			
AV	11.5383G	46.12	54.00	-7.88	29.44	3	Vertical	58	1.14	-	38.85	10.87	33.04			
PK	17.32602G	59.83	68.20	-8.37	40.96	3	Vertical	20	2.60	-	38.90	13.05	33.08			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX



EUT_X_4TX
Setting 8.5/12.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5371G	57.84	74.00	-16.16	41.16	3	Horizontal	86	2.31	-	38.85	10.87	33.04			
AV	11.5431G	46.16	54.00	-7.84	29.51	3	Horizontal	86	2.31	-	38.83	10.87	33.05			
PK	17.33778G	59.65	68.20	-8.55	40.74	3	Horizontal	70	2.11	-	38.95	13.05	33.09			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX	Pass	PK	5.651G	68.79	68.94	-0.15	3	Vertical	356	1.80	-

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5775MHz_TX




EUT_Y_1TX
Setting 17.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	66.88	68.20	-1.32	61.97	3	Vertical	350	1.80	-	32.60	7.79	35.48			
PK	5.74G	111.39	Inf	-Inf	105.65	3	Vertical	350	1.80	-	33.32	7.93	35.51			
AV	5.74G	99.75	Inf	-Inf	94.01	3	Vertical	350	1.80	-	33.32	7.93	35.51			
PK	5.969G	63.08	68.20	-5.12	56.58	3	Vertical	350	1.80	-	33.96	8.14	35.60			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5775MHz_TX




EUT_Y_1TX
Setting 17.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	66.22	68.20	-1.98	61.31	3	Horizontal	0	1.80	-	32.60	7.78	35.47			
PK	5.746G	111.59	Inf	-Inf	105.79	3	Horizontal	0	1.80	-	33.37	7.94	35.51			
AV	5.737G	98.83	Inf	-Inf	93.11	3	Horizontal	0	1.80	-	33.30	7.93	35.51			
PK	5.947G	63.33	68.20	-4.87	56.79	3	Horizontal	0	1.80	-	34.00	8.13	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5775MHz_TX




EUT_Y_1TX
Setting 17.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54034G	57.85	74.00	-16.15	41.35	3	Vertical	203	1.37	-	38.68	10.87	33.05			
AV	11.54526G	46.43	54.00	-7.57	29.95	3	Vertical	203	1.37	-	38.66	10.87	33.05			
PK	17.3376G	61.00	68.20	-7.20	41.91	3	Vertical	134	2.26	-	39.13	13.05	33.09			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5775MHz_TX




EUT_Y_1TX
Setting 17.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5494G	58.72	74.00	-15.28	42.25	3	Horizontal	247	1.16	-	38.65	10.87	33.05			
AV	11.54256G	46.37	54.00	-7.63	29.88	3	Horizontal	247	1.16	-	38.67	10.87	33.05			
PK	17.3355G	61.41	68.20	-6.79	42.34	3	Horizontal	14	1.32	-	39.11	13.05	33.09			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5775MHz_TX




EUT_Y_2TX
Setting 16.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	67.82	68.94	-1.12	62.90	3	Vertical	2	1.00	-	32.61	7.79	35.48			
PK	5.75G	114.63	Inf	-Inf	108.80	3	Vertical	2	1.00	-	33.40	7.95	35.52			
AV	5.75G	102.99	Inf	-Inf	97.16	3	Vertical	2	1.00	-	33.40	7.95	35.52			
PK	5.93G	63.20	68.20	-5.00	56.67	3	Vertical	2	1.00	-	34.00	8.11	35.58			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5775MHz_TX




EUT_Y_2TX
Setting 16.5
05-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.641G	67.92	68.20	-0.28	63.01	3	Horizontal	356	1.80	-	32.60	7.78	35.47			
PK	5.74G	115.86	Inf	-Inf	110.12	3	Horizontal	356	1.80	-	33.32	7.93	35.51			
AV	5.739G	103.21	Inf	-Inf	97.48	3	Horizontal	356	1.80	-	33.31	7.93	35.51			
PK	5.941G	63.00	68.20	-5.20	56.47	3	Horizontal	356	1.80	-	34.00	8.12	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5775MHz_TX




EUT_Y_2TX
Setting 16.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53806G	58.47	74.00	-15.53	41.95	3	Vertical	86	2.13	-	38.69	10.87	33.04			
AV	11.54562G	46.51	54.00	-7.49	30.03	3	Vertical	86	2.13	-	38.66	10.87	33.05			
PK	17.3343G	62.23	68.20	-5.97	43.16	3	Vertical	205	2.06	-	39.11	13.05	33.09			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5775MHz_TX




EUT_Y_2TX
Setting 16.5
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5362G	58.85	74.00	-15.15	42.33	3	Horizontal	218	1.98	-	38.69	10.87	33.04			
AV	11.54184G	46.53	54.00	-7.47	30.04	3	Horizontal	218	1.98	-	38.67	10.87	33.05			
PK	17.31894G	61.42	68.20	-6.78	42.44	3	Horizontal	358	2.25	-	39.01	13.04	33.07			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 15
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	68.79	68.94	-0.15	63.87	3	Vertical	356	1.80	-	32.61	7.79	35.48			
PK	5.746G	116.41	Inf	-Inf	110.61	3	Vertical	356	1.80	-	33.37	7.94	35.51			
AV	5.746G	103.97	Inf	-Inf	98.17	3	Vertical	356	1.80	-	33.37	7.94	35.51			
PK	5.956G	60.28	68.20	-7.92	53.75	3	Vertical	356	1.80	-	33.99	8.13	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 15
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	66.65	68.20	-1.55	61.74	3	Horizontal	350	1.80	-	32.60	7.79	35.48			
PK	5.756G	116.84	Inf	-Inf	110.99	3	Horizontal	350	1.80	-	33.41	7.96	35.52			
AV	5.756G	104.64	Inf	-Inf	98.79	3	Horizontal	350	1.80	-	33.41	7.96	35.52			
PK	5.96G	60.40	68.20	-7.80	53.88	3	Horizontal	350	1.80	-	33.98	8.13	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5775MHz_TX




EUT_X_4TX
Setting 15
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54598G	56.28	74.00	-17.72	39.80	3	Vertical	357	2.74	-	38.66	10.87	33.05			
AV	11.53632G	43.25	54.00	-10.75	26.73	3	Vertical	357	2.74	-	38.69	10.87	33.04			
PK	17.31786G	62.63	68.20	-5.57	43.65	3	Vertical	315	1.83	-	39.01	13.04	33.07			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5775MHz_TX

EUT_X_4TX
Setting 15
05-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54298G	56.18	74.00	-17.82	39.69	3	Horizontal	304	2.96	-	38.67	10.87	33.05			
AV	11.53602G	43.17	54.00	-10.83	26.65	3	Horizontal	304	2.96	-	38.69	10.87	33.04			
PK	17.31336G	62.09	68.20	-6.11	43.14	3	Horizontal	191	1.85	-	38.98	13.04	33.07			