


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	63.35	74.00	-10.65	56.91	3	Horizontal	346	2.97	-	32.10	7.24	32.90			
AV	5.1496G	50.03	54.00	-3.97	43.59	3	Horizontal	346	2.97	-	32.10	7.24	32.90			
PK	5.1934G	113.05	Inf	-Inf	106.83	3	Horizontal	346	2.97	-	31.84	7.27	32.89			
AV	5.207G	104.04	Inf	-Inf	97.91	3	Horizontal	346	2.97	-	31.74	7.28	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39523G	55.33	68.20	-12.87	48.63	3	Vertical	310	2.43	-	39.29	10.24	42.83			
PK	15.59598G	56.61	74.00	-17.39	47.79	3	Vertical	354	2.34	-	37.73	12.61	41.52			
AV	15.58593G	44.17	54.00	-9.83	35.25	3	Vertical	354	2.34	-	37.81	12.61	41.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40819G	54.91	68.20	-13.29	48.19	3	Horizontal	87	1.01	-	39.32	10.24	42.84			
PK	15.60105G	56.82	74.00	-17.18	48.04	3	Horizontal	245	2.48	-	37.69	12.62	41.53			
AV	15.58518G	44.17	54.00	-9.83	35.24	3	Horizontal	245	2.48	-	37.82	12.61	41.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	60.65	74.00	-13.35	54.26	3	Vertical	306	2.94	-	32.06	7.23	32.90			
AV	5.15G	48.96	54.00	-5.04	42.52	3	Vertical	306	2.94	-	32.10	7.24	32.90			
PK	5.2454G	119.10	Inf	-Inf	113.24	3	Vertical	306	2.94	-	31.44	7.30	32.88			
AV	5.2469G	109.52	Inf	-Inf	103.68	3	Vertical	306	2.94	-	31.42	7.30	32.88			
PK	5.3543G	60.65	74.00	-13.35	54.75	3	Vertical	306	2.94	-	31.41	7.35	32.86			
AV	5.3627G	48.33	54.00	-5.67	42.41	3	Vertical	306	2.94	-	31.43	7.35	32.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1395G	61.07	74.00	-12.93	54.68	3	Horizontal	346	2.91	-	32.06	7.23	32.90			
AV	5.1488G	48.17	54.00	-5.83	41.73	3	Horizontal	346	2.91	-	32.10	7.24	32.90			
PK	5.2424G	113.44	Inf	-Inf	107.56	3	Horizontal	346	2.91	-	31.46	7.30	32.88			
AV	5.2466G	104.52	Inf	-Inf	98.67	3	Horizontal	346	2.91	-	31.43	7.30	32.88			
PK	5.3675G	60.18	74.00	-13.82	54.25	3	Horizontal	346	2.91	-	31.43	7.36	32.86			
AV	5.3666G	47.57	54.00	-6.43	41.65	3	Horizontal	346	2.91	-	31.43	7.35	32.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48579G	55.58	68.20	-12.62	48.69	3	Vertical	238	1.81	-	39.47	10.29	42.87			
PK	15.72516G	56.66	74.00	-17.34	47.87	3	Vertical	20	2.39	-	37.90	12.67	41.78			
AV	15.70734G	44.62	54.00	-9.38	35.79	3	Vertical	20	2.39	-	37.90	12.67	41.74			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48723G	55.91	68.20	-12.29	49.02	3	Horizontal	88	2.63	-	39.47	10.29	42.87			
PK	15.7215G	56.77	74.00	-17.23	47.97	3	Horizontal	85	1.02	-	37.90	12.67	41.77			
AV	15.7077G	44.62	54.00	-9.38	35.79	3	Horizontal	85	1.02	-	37.90	12.67	41.74			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUTZ_1TX
Setting 20.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1477G	66.59	74.00	-7.41	60.16	3	Vertical	329	3.00	-	32.09	7.24	32.90			
AV	5.1498G	52.33	54.00	-1.67	45.89	3	Vertical	329	3.00	-	32.10	7.24	32.90			
PK	5.1861G	117.11	Inf	-Inf	110.85	3	Vertical	329	3.00	-	31.88	7.27	32.89			
AV	5.1712G	104.75	Inf	-Inf	98.42	3	Vertical	329	3.00	-	31.97	7.26	32.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
Setting 20.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1443G	62.25	74.00	-11.75	55.84	3	Horizontal	346	3.00	-	32.08	7.23	32.90			
AV	5.1494G	49.61	54.00	-4.39	43.17	3	Horizontal	346	3.00	-	32.10	7.24	32.90			
PK	5.184G	110.92	Inf	-Inf	104.64	3	Horizontal	346	3.00	-	31.90	7.27	32.89			
AV	5.1835G	98.70	Inf	-Inf	92.42	3	Horizontal	346	3.00	-	31.90	7.27	32.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 20.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34659G	55.18	68.20	-13.02	48.60	3	Vertical	15	1.47	-	39.18	10.21	42.81			
PK	15.53043G	56.94	74.00	-17.06	47.53	3	Vertical	154	2.87	-	38.22	12.58	41.39			
AV	15.52707G	45.04	54.00	-8.96	35.60	3	Vertical	154	2.87	-	38.24	12.58	41.38			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 20.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37407G	54.83	68.20	-13.37	48.17	3	Horizontal	270	1.91	-	39.25	10.23	42.82			
PK	15.54102G	57.59	74.00	-16.41	48.26	3	Horizontal	149	1.98	-	38.15	12.59	41.41			
AV	15.53196G	45.08	54.00	-8.92	35.68	3	Horizontal	149	1.98	-	38.21	12.58	41.39			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
Setting 23.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	69.45	74.00	-4.55	63.01	3	Vertical	88	2.83	-	32.10	7.24	32.90			
AV	5.1496G	53.08	54.00	-0.92	46.64	3	Vertical	88	2.83	-	32.10	7.24	32.90			
PK	5.2078G	119.17	Inf	-Inf	113.04	3	Vertical	88	2.83	-	31.74	7.28	32.89			
AV	5.1916G	107.50	Inf	-Inf	101.27	3	Vertical	88	2.83	-	31.85	7.27	32.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
Setting 23.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	62.30	74.00	-11.70	55.86	3	Horizontal	346	3.00	-	32.10	7.24	32.90			
AV	5.1496G	49.44	54.00	-4.56	43.00	3	Horizontal	346	3.00	-	32.10	7.24	32.90			
PK	5.2042G	113.66	Inf	-Inf	107.50	3	Horizontal	346	3.00	-	31.77	7.28	32.89			
AV	5.2088G	101.86	Inf	-Inf	95.74	3	Horizontal	346	3.00	-	31.73	7.28	32.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 23.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40669G	55.18	68.20	-13.02	48.47	3	Vertical	114	1.68	-	39.31	10.24	42.84			
PK	15.59481G	56.90	74.00	-17.10	48.07	3	Vertical	253	1.16	-	37.74	12.61	41.52			
AV	15.59217G	44.48	54.00	-9.52	35.62	3	Vertical	253	1.16	-	37.76	12.61	41.51			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 23.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3877G	55.58	68.20	-12.62	48.90	3	Horizontal	226	2.33	-	39.28	10.23	42.83			
PK	15.58698G	56.66	74.00	-17.34	47.75	3	Horizontal	66	1.76	-	37.80	12.61	41.50			
AV	15.58587G	44.44	54.00	-9.56	35.52	3	Horizontal	66	1.76	-	37.81	12.61	41.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1206G	60.86	74.00	-13.14	54.58	3	Vertical	306	3.00	-	31.98	7.21	32.91			
AV	5.1488G	49.25	54.00	-4.75	42.81	3	Vertical	306	3.00	-	32.10	7.24	32.90			
PK	5.2319G	120.69	Inf	-Inf	114.74	3	Vertical	306	3.00	-	31.54	7.29	32.88			
AV	5.2313G	108.58	Inf	-Inf	102.62	3	Vertical	306	3.00	-	31.55	7.29	32.88			
PK	5.3507G	60.18	74.00	-13.82	54.29	3	Vertical	306	3.00	-	31.40	7.35	32.86			
AV	5.3522G	48.55	54.00	-5.45	42.66	3	Vertical	306	3.00	-	31.40	7.35	32.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1299G	60.76	74.00	-13.24	54.42	3	Horizontal	347	2.96	-	32.02	7.22	32.90			
AV	5.1488G	48.48	54.00	-5.52	42.04	3	Horizontal	347	2.96	-	32.10	7.24	32.90			
PK	5.2448G	115.03	Inf	-Inf	109.17	3	Horizontal	347	2.96	-	31.44	7.30	32.88			
AV	5.2475G	103.78	Inf	-Inf	97.94	3	Horizontal	347	2.96	-	31.42	7.30	32.88			
PK	5.3789G	59.62	74.00	-14.38	53.65	3	Horizontal	347	2.96	-	31.46	7.36	32.85			
AV	5.3855G	47.80	54.00	-6.20	41.82	3	Horizontal	347	2.96	-	31.47	7.36	32.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT Y_1TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47895G	55.91	68.20	-12.29	49.04	3	Vertical	41	2.49	-	39.46	10.28	42.87			
PK	15.71046G	56.98	74.00	-17.02	48.16	3	Vertical	68	1.66	-	37.90	12.67	41.75			
AV	15.70773G	44.82	54.00	-9.18	35.99	3	Vertical	68	1.66	-	37.90	12.67	41.74			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48228G	55.90	68.20	-12.30	49.02	3	Horizontal	263	1.22	-	39.46	10.29	42.87			
PK	15.73212G	57.07	74.00	-16.93	48.28	3	Horizontal	302	2.35	-	37.90	12.68	41.79			
AV	15.71046G	44.84	54.00	-9.16	36.02	3	Horizontal	302	2.35	-	37.90	12.67	41.75			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
Setting 20
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	65.86	74.00	-8.14	59.45	3	Vertical	328	3.00	-	32.08	7.23	32.90			
AV	5.15G	51.94	54.00	-2.06	45.50	3	Vertical	328	3.00	-	32.10	7.24	32.90			
PK	5.1776G	113.95	Inf	-Inf	107.65	3	Vertical	328	3.00	-	31.93	7.26	32.89			
AV	5.1738G	101.46	Inf	-Inf	95.14	3	Vertical	328	3.00	-	31.96	7.26	32.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
Setting 20
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1403G	61.67	74.00	-12.33	55.28	3	Horizontal	346	2.97	-	32.06	7.23	32.90			
AV	5.1489G	49.61	54.00	-4.39	43.17	3	Horizontal	346	2.97	-	32.10	7.24	32.90			
PK	5.1986G	108.40	Inf	-Inf	102.20	3	Horizontal	346	2.97	-	31.81	7.28	32.89			
AV	5.2083G	96.27	Inf	-Inf	90.15	3	Horizontal	346	2.97	-	31.73	7.28	32.89			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 20
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38888G	55.21	68.20	-12.99	48.53	3	Vertical	252	2.27	-	39.28	10.23	42.83			
PK	15.5724G	57.36	74.00	-16.64	48.31	3	Vertical	271	2.19	-	37.92	12.60	41.47			
AV	15.55791G	44.64	54.00	-9.36	35.44	3	Vertical	271	2.19	-	38.04	12.60	41.44			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 20
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38201G	57.92	68.20	-10.28	51.26	3	Horizontal	174	1.31	-	39.26	10.23	42.83			
PK	15.56307G	57.15	74.00	-16.85	48.00	3	Horizontal	160	1.45	-	38.00	12.60	41.45			
AV	15.58335G	44.65	54.00	-9.35	35.71	3	Horizontal	160	1.45	-	37.83	12.61	41.50			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
Setting 23
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	69.12	74.00	-4.88	62.68	3	Vertical	311	3.00	-	32.10	7.24	32.90			
AV	5.1499G	53.31	54.00	-0.69	46.87	3	Vertical	311	3.00	-	32.10	7.24	32.90			
PK	5.2426G	116.00	Inf	-Inf	110.12	3	Vertical	311	3.00	-	31.46	7.30	32.88			
AV	5.2441G	103.94	Inf	-Inf	98.07	3	Vertical	311	3.00	-	31.45	7.30	32.88			
PK	5.3506G	61.03	74.00	-12.97	55.14	3	Vertical	311	3.00	-	31.40	7.35	32.86			
AV	5.3503G	49.24	54.00	-4.76	43.35	3	Vertical	311	3.00	-	31.40	7.35	32.86			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
Setting 23
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	64.09	74.00	-9.91	57.66	3	Horizontal	347	2.97	-	32.09	7.24	32.90			
AV	5.1493G	49.96	54.00	-4.04	43.52	3	Horizontal	347	2.97	-	32.10	7.24	32.90			
PK	5.2123G	110.78	Inf	-Inf	104.68	3	Horizontal	347	2.97	-	31.70	7.29	32.89			
AV	5.2123G	99.09	Inf	-Inf	92.99	3	Horizontal	347	2.97	-	31.70	7.29	32.89			
PK	5.3779G	60.21	74.00	-13.79	54.24	3	Horizontal	347	2.97	-	31.46	7.36	32.85			
AV	5.356G	47.82	54.00	-6.18	41.92	3	Horizontal	347	2.97	-	31.41	7.35	32.86			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 23
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47158G	55.45	68.20	-12.75	48.60	3	Vertical	264	2.20	-	39.44	10.28	42.87			
PK	15.70026G	56.58	74.00	-17.42	47.75	3	Vertical	241	2.16	-	37.90	12.66	41.73			
AV	15.70425G	44.86	54.00	-9.14	36.03	3	Vertical	241	2.16	-	37.90	12.66	41.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 23
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45334G	55.03	68.20	-13.17	48.21	3	Horizontal	124	1.49	-	39.41	10.27	42.86			
PK	15.69309G	57.64	74.00	-16.36	48.86	3	Horizontal	321	2.56	-	37.83	12.66	41.71			
AV	15.70053G	44.91	54.00	-9.09	36.08	3	Horizontal	321	2.56	-	37.90	12.66	41.73			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUT_Z_1TX
Setting 20.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	68.09	74.00	-5.91	61.69	3	Vertical	304	3.00	-	32.07	7.23	32.90			
AV	5.15G	53.54	54.00	-0.46	47.10	3	Vertical	304	3.00	-	32.10	7.24	32.90			
PK	5.1888G	110.57	Inf	-Inf	104.32	3	Vertical	304	3.00	-	31.87	7.27	32.89			
AV	5.214G	98.61	Inf	-Inf	92.52	3	Vertical	304	3.00	-	31.69	7.29	32.89			
PK	5.3596G	61.00	74.00	-13.00	55.09	3	Vertical	304	3.00	-	31.42	7.35	32.86			
AV	5.3504G	48.90	54.00	-5.10	43.01	3	Vertical	304	3.00	-	31.40	7.35	32.86			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUT_Z_1TX
Setting 20.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	62.88	74.00	-11.12	56.47	3	Horizontal	347	2.96	-	32.08	7.23	32.90			
AV	5.1488G	49.96	54.00	-4.04	43.52	3	Horizontal	347	2.96	-	32.10	7.24	32.90			
PK	5.2444G	105.69	Inf	-Inf	99.83	3	Horizontal	347	2.96	-	31.44	7.30	32.88			
AV	5.248G	93.45	Inf	-Inf	87.61	3	Horizontal	347	2.96	-	31.42	7.30	32.88			
PK	5.4028G	60.18	74.00	-13.82	54.15	3	Horizontal	347	2.96	-	31.51	7.37	32.85			
AV	5.3872G	47.81	54.00	-6.19	41.83	3	Horizontal	347	2.96	-	31.47	7.36	32.85			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 20.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41043G	55.46	68.20	-12.74	48.73	3	Vertical	340	2.51	-	39.32	10.25	42.84			
PK	15.62274G	56.58	74.00	-17.42	47.96	3	Vertical	217	2.49	-	37.56	12.63	41.57			
AV	15.62808G	44.07	54.00	-9.93	35.49	3	Vertical	217	2.49	-	37.53	12.63	41.58			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 20.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42267G	54.57	68.20	-13.63	47.82	3	Horizontal	280	2.48	-	39.35	10.25	42.85			
PK	15.62763G	56.20	74.00	-17.80	47.62	3	Horizontal	20	1.40	-	37.53	12.63	41.58			
AV	15.64485G	44.11	54.00	-9.89	35.66	3	Horizontal	20	1.40	-	37.43	12.64	41.62			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 20.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1489G	64.40	74.00	-9.60	57.96	3	Vertical	21	2.60	-	32.10	7.24	32.90			
AV	5.15G	51.52	54.00	-2.48	45.08	3	Vertical	21	2.60	-	32.10	7.24	32.90			
PK	5.1853G	113.71	Inf	-Inf	107.44	3	Vertical	21	2.60	-	31.89	7.27	32.89			
AV	5.1853G	105.21	Inf	-Inf	98.94	3	Vertical	21	2.60	-	31.89	7.27	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 20.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.17	74.00	-8.83	58.73	3	Horizontal	348	3.00	-	32.10	7.24	32.90			
AV	5.15G	52.46	54.00	-1.54	46.02	3	Horizontal	348	3.00	-	32.10	7.24	32.90			
PK	5.1758G	115.77	Inf	-Inf	109.45	3	Horizontal	348	3.00	-	31.95	7.26	32.89			
AV	5.1859G	107.04	Inf	-Inf	100.78	3	Horizontal	348	3.00	-	31.88	7.27	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 20.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36426G	54.58	68.20	-13.62	47.95	3	Vertical	359	1.04	-	39.23	10.22	42.82			
PK	15.53619G	57.95	74.00	-16.05	48.58	3	Vertical	92	2.08	-	38.18	12.59	41.40			
AV	15.5256G	44.70	54.00	-9.30	35.25	3	Vertical	92	2.08	-	38.25	12.58	41.38			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 20.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35892G	54.78	68.20	-13.42	48.16	3	Horizontal	297	2.85	-	39.22	10.22	42.82			
PK	15.54261G	56.77	74.00	-17.23	47.45	3	Horizontal	131	1.81	-	38.14	12.59	41.41			
AV	15.52716G	44.79	54.00	-9.21	35.35	3	Horizontal	131	1.81	-	38.24	12.58	41.38			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 24.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	66.71	74.00	-7.29	60.27	3	Vertical	88	2.79	-	32.10	7.24	32.90			
AV	5.1492G	52.71	54.00	-1.29	46.27	3	Vertical	88	2.79	-	32.10	7.24	32.90			
PK	5.193G	118.99	Inf	-Inf	112.77	3	Vertical	88	2.79	-	31.84	7.27	32.89			
AV	5.193G	110.61	Inf	-Inf	104.39	3	Vertical	88	2.79	-	31.84	7.27	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 24.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	68.20	74.00	-5.80	61.76	3	Horizontal	348	2.98	-	32.10	7.24	32.90			
AV	5.15G	53.76	54.00	-0.24	47.32	3	Horizontal	348	2.98	-	32.10	7.24	32.90			
PK	5.1966G	120.15	Inf	-Inf	113.94	3	Horizontal	348	2.98	-	31.82	7.28	32.89			
AV	5.2062G	111.05	Inf	-Inf	104.91	3	Horizontal	348	2.98	-	31.75	7.28	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 24.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38686G	54.78	68.20	-13.42	48.11	3	Vertical	104	1.96	-	39.27	10.23	42.83			
PK	15.60324G	56.18	74.00	-17.82	47.41	3	Vertical	325	2.18	-	37.68	12.62	41.53			
AV	15.58545G	44.13	54.00	-9.87	35.20	3	Vertical	325	2.18	-	37.82	12.61	41.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 24.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40426G	55.19	68.20	-13.01	48.48	3	Horizontal	108	1.76	-	39.31	10.24	42.84			
PK	15.59799G	56.23	74.00	-17.77	47.41	3	Horizontal	97	1.56	-	37.72	12.62	41.52			
AV	15.58662G	44.13	54.00	-9.87	35.21	3	Horizontal	97	1.56	-	37.81	12.61	41.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1254G	60.96	74.00	-13.04	54.64	3	Vertical	86	2.81	-	32.00	7.22	32.90				
AV	5.1269G	49.25	54.00	-4.75	42.92	3	Vertical	86	2.81	-	32.01	7.22	32.90				
PK	5.243G	118.75	Inf	-Inf	112.87	3	Vertical	86	2.81	-	31.46	7.30	32.88				
AV	5.243G	110.13	Inf	-Inf	104.25	3	Vertical	86	2.81	-	31.46	7.30	32.88				
PK	5.3567G	60.40	74.00	-13.60	54.50	3	Vertical	86	2.81	-	31.41	7.35	32.86				
AV	5.3627G	48.25	54.00	-5.75	42.33	3	Vertical	86	2.81	-	31.43	7.35	32.86				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1218G	61.50	74.00	-12.50	55.21	3	Horizontal	348	2.91	-	31.99	7.21	32.91			
AV	5.1254G	49.05	54.00	-4.95	42.73	3	Horizontal	348	2.91	-	32.00	7.22	32.90			
PK	5.2367G	120.25	Inf	-Inf	114.32	3	Horizontal	348	2.91	-	31.51	7.30	32.88			
AV	5.2409G	111.26	Inf	-Inf	105.37	3	Horizontal	348	2.91	-	31.47	7.30	32.88			
PK	5.3666G	60.31	74.00	-13.69	54.39	3	Horizontal	348	2.91	-	31.43	7.35	32.86			
AV	5.3612G	48.78	54.00	-5.22	42.87	3	Horizontal	348	2.91	-	31.42	7.35	32.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48888G	56.36	68.20	-11.84	49.47	3	Vertical	274	1.74	-	39.48	10.29	42.88			
PK	15.70773G	57.30	74.00	-16.70	48.47	3	Vertical	267	1.38	-	37.90	12.67	41.74			
AV	15.70764G	44.54	54.00	-9.46	35.71	3	Vertical	267	1.38	-	37.90	12.67	41.74			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49431G	55.11	68.20	-13.09	48.21	3	Horizontal	222	1.14	-	39.49	10.29	42.88			
PK	15.71376G	57.23	74.00	-16.77	48.41	3	Horizontal	85	2.19	-	37.90	12.67	41.75			
AV	15.71049G	44.56	54.00	-9.44	35.74	3	Horizontal	85	2.19	-	37.90	12.67	41.75			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_TX
Setting 20
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1467G	65.85	74.00	-8.15	59.43	3	Vertical	88	2.55	-	32.09	7.23	32.90			
AV	5.15G	52.59	54.00	-1.41	46.15	3	Vertical	88	2.55	-	32.10	7.24	32.90			
PK	5.1744G	117.61	Inf	-Inf	111.30	3	Vertical	88	2.55	-	31.95	7.26	32.90			
AV	5.1715G	106.21	Inf	-Inf	99.88	3	Vertical	88	2.55	-	31.97	7.26	32.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 20
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1447G	66.07	74.00	-7.93	59.66	3	Horizontal	346	3.00	-	32.08	7.23	32.90			
AV	5.1448G	50.23	54.00	-3.77	43.82	3	Horizontal	346	3.00	-	32.08	7.23	32.90			
PK	5.182G	118.85	Inf	-Inf	112.57	3	Horizontal	346	3.00	-	31.91	7.26	32.89			
AV	5.1825G	105.28	Inf	-Inf	99.00	3	Horizontal	346	3.00	-	31.90	7.27	32.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 20
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35157G	54.58	68.20	-13.62	47.98	3	Vertical	259	2.27	-	39.20	10.21	42.81			
PK	15.55236G	57.14	74.00	-16.86	47.90	3	Vertical	88	1.97	-	38.08	12.59	41.43			
AV	15.52695G	45.04	54.00	-8.96	35.60	3	Vertical	88	1.97	-	38.24	12.58	41.38			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 20
01-R-M-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.37203G	55.06	68.20	-13.14	48.42	3	Horizontal	74	2.51	-	39.24	10.22	42.82			
PK	15.52644G	57.27	74.00	-16.73	47.83	3	Horizontal	160	1.91	-	38.24	12.58	41.38			
AV	15.53262G	45.04	54.00	-8.96	35.64	3	Horizontal	160	1.91	-	38.20	12.59	41.39			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 23.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	68.29	74.00	-5.71	61.86	3	Vertical	88	2.82	-	32.09	7.24	32.90			
AV	5.1498G	53.54	54.00	-0.46	47.10	3	Vertical	88	2.82	-	32.10	7.24	32.90			
PK	5.1934G	121.04	Inf	-Inf	114.82	3	Vertical	88	2.82	-	31.84	7.27	32.89			
AV	5.1912G	109.19	Inf	-Inf	102.96	3	Vertical	88	2.82	-	31.85	7.27	32.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 23.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1462G	68.48	74.00	-5.52	62.07	3	Horizontal	345	3.00	-	32.08	7.23	32.90			
AV	5.1496G	52.59	54.00	-1.41	46.15	3	Horizontal	345	3.00	-	32.10	7.24	32.90			
PK	5.2042G	121.64	Inf	-Inf	115.48	3	Horizontal	345	3.00	-	31.77	7.28	32.89			
AV	5.2026G	109.71	Inf	-Inf	103.54	3	Horizontal	345	3.00	-	31.78	7.28	32.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 23.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41395G	54.53	68.20	-13.67	47.79	3	Vertical	107	2.39	-	39.33	10.25	42.84			
PK	15.5961G	56.61	74.00	-17.39	47.79	3	Vertical	267	2.94	-	37.73	12.61	41.52			
AV	15.59856G	44.39	54.00	-9.61	35.59	3	Vertical	267	2.94	-	37.71	12.62	41.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 23.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40624G	55.10	68.20	-13.10	48.39	3	Horizontal	131	2.28	-	39.31	10.24	42.84			
PK	15.59244G	57.07	74.00	-16.93	48.21	3	Horizontal	289	2.38	-	37.76	12.61	41.51			
AV	15.58683G	44.31	54.00	-9.69	35.39	3	Horizontal	289	2.38	-	37.81	12.61	41.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.123G	61.42	74.00	-12.58	55.13	3	Vertical	305	3.00	-	31.99	7.21	32.91			
AV	5.1221G	49.19	54.00	-4.81	42.90	3	Vertical	305	3.00	-	31.99	7.21	32.91			
PK	5.2439G	119.64	Inf	-Inf	113.77	3	Vertical	305	3.00	-	31.45	7.30	32.88			
AV	5.243G	108.73	Inf	-Inf	102.85	3	Vertical	305	3.00	-	31.46	7.30	32.88			
PK	5.3663G	61.20	74.00	-12.80	55.28	3	Vertical	305	3.00	-	31.43	7.35	32.86			
AV	5.3639G	48.98	54.00	-5.02	43.06	3	Vertical	305	3.00	-	31.43	7.35	32.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	61.27	74.00	-12.73	54.88	3	Horizontal	346	3.00	-	32.06	7.23	32.90			
AV	5.123G	49.19	54.00	-4.81	42.90	3	Horizontal	346	3.00	-	31.99	7.21	32.91			
PK	5.2442G	121.64	Inf	-Inf	115.77	3	Horizontal	346	3.00	-	31.45	7.30	32.88			
AV	5.2427G	110.19	Inf	-Inf	104.31	3	Horizontal	346	3.00	-	31.46	7.30	32.88			
PK	5.3639G	60.76	74.00	-13.24	54.84	3	Horizontal	346	3.00	-	31.43	7.35	32.86			
AV	5.3651G	48.63	54.00	-5.37	42.71	3	Horizontal	346	3.00	-	31.43	7.35	32.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47511G	55.83	68.20	-12.37	48.97	3	Vertical	150	2.80	-	39.45	10.28	42.87			
PK	15.71625G	57.18	74.00	-16.82	48.37	3	Vertical	99	1.84	-	37.90	12.67	41.76			
AV	15.71064G	44.76	54.00	-9.24	35.94	3	Vertical	99	1.84	-	37.90	12.67	41.75			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49152G	55.28	68.20	-12.92	48.39	3	Horizontal	45	2.69	-	39.48	10.29	42.88			
PK	15.72681G	56.76	74.00	-17.24	47.97	3	Horizontal	158	2.40	-	37.90	12.67	41.78			
AV	15.70764G	44.78	54.00	-9.22	35.95	3	Horizontal	158	2.40	-	37.90	12.67	41.74			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 19
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	63.18	74.00	-10.82	56.75	3	Vertical	300	3.00	-	32.09	7.24	32.90			
AV	5.1496G	50.93	54.00	-3.07	44.49	3	Vertical	300	3.00	-	32.10	7.24	32.90			
PK	5.193G	113.11	Inf	-Inf	106.89	3	Vertical	300	3.00	-	31.84	7.27	32.89			
AV	5.192G	100.96	Inf	-Inf	94.73	3	Vertical	300	3.00	-	31.85	7.27	32.89			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 19
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	66.76	74.00	-7.24	60.33	3	Horizontal	350	3.00	-	32.09	7.24	32.90			
AV	5.15G	52.84	54.00	-1.16	46.40	3	Horizontal	350	3.00	-	32.10	7.24	32.90			
PK	5.1946G	114.61	Inf	-Inf	108.39	3	Horizontal	350	3.00	-	31.83	7.28	32.89			
AV	5.194G	102.33	Inf	-Inf	96.11	3	Horizontal	350	3.00	-	31.84	7.27	32.89			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 19
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38009G	55.29	68.20	-12.91	48.63	3	Vertical	3	2.36	-	39.26	10.23	42.83			
PK	15.56076G	56.51	74.00	-17.49	47.35	3	Vertical	274	2.65	-	38.01	12.60	41.45			
AV	15.57888G	44.62	54.00	-9.38	35.63	3	Vertical	274	2.65	-	37.87	12.61	41.49			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 19
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38162G	54.79	68.20	-13.41	48.13	3	Horizontal	112	1.05	-	39.26	10.23	42.83			
PK	15.56568G	56.63	74.00	-17.37	47.52	3	Horizontal	57	2.73	-	37.97	12.60	41.46			
AV	15.57543G	44.66	54.00	-9.34	35.64	3	Horizontal	57	2.73	-	37.90	12.60	41.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 23
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1481G	71.06	74.00	-2.94	64.63	3	Vertical	304	3.00	-	32.09	7.24	32.90			
AV	5.1499G	53.65	54.00	-0.35	47.21	3	Vertical	304	3.00	-	32.10	7.24	32.90			
PK	5.215G	117.07	Inf	-Inf	110.99	3	Vertical	304	3.00	-	31.68	7.29	32.89			
AV	5.2129G	105.34	Inf	-Inf	99.24	3	Vertical	304	3.00	-	31.70	7.29	32.89			
PK	5.356G	61.36	74.00	-12.64	55.46	3	Vertical	304	3.00	-	31.41	7.35	32.86			
AV	5.3506G	49.41	54.00	-4.59	43.52	3	Vertical	304	3.00	-	31.40	7.35	32.86			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 23
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1481G	66.66	74.00	-7.34	60.23	3	Horizontal	0	3.00	-	32.09	7.24	32.90			
AV	5.1421G	52.14	54.00	-1.86	45.74	3	Horizontal	0	3.00	-	32.07	7.23	32.90			
PK	5.2204G	117.54	Inf	-Inf	111.50	3	Horizontal	0	3.00	-	31.64	7.29	32.89			
AV	5.2204G	105.78	Inf	-Inf	99.74	3	Horizontal	0	3.00	-	31.64	7.29	32.89			
PK	5.3572G	60.76	74.00	-13.24	54.86	3	Horizontal	0	3.00	-	31.41	7.35	32.86			
AV	5.3596G	48.60	54.00	-5.40	42.69	3	Horizontal	0	3.00	-	31.42	7.35	32.86			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 23
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46561G	56.15	68.20	-12.05	49.30	3	Vertical	140	2.34	-	39.43	10.28	42.86			
PK	15.68697G	57.04	74.00	-16.96	48.31	3	Vertical	238	1.25	-	37.77	12.66	41.70			
AV	15.69828G	44.84	54.00	-9.16	36.02	3	Vertical	238	1.25	-	37.88	12.66	41.72			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 23
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46801G	55.51	68.20	-12.69	48.66	3	Horizontal	224	1.80	-	39.44	10.28	42.87			
PK	15.68292G	56.85	74.00	-17.15	48.16	3	Horizontal	72	1.58	-	37.73	12.65	41.69			
AV	15.69789G	44.80	54.00	-9.20	35.98	3	Horizontal	72	1.58	-	37.88	12.66	41.72			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 18.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1396G	66.03	74.00	-7.97	59.64	3	Vertical	88	2.76	-	32.06	7.23	32.90			
AV	5.148G	52.32	54.00	-1.68	45.89	3	Vertical	88	2.76	-	32.09	7.24	32.90			
PK	5.202G	110.01	Inf	-Inf	103.84	3	Vertical	88	2.76	-	31.78	7.28	32.89			
AV	5.1812G	97.94	Inf	-Inf	91.66	3	Vertical	88	2.76	-	31.91	7.26	32.89			
PK	5.3972G	60.56	74.00	-13.44	54.55	3	Vertical	88	2.76	-	31.49	7.37	32.85			
AV	5.3652G	48.07	54.00	-5.93	42.15	3	Vertical	88	2.76	-	31.43	7.35	32.86			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 18.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	69.96	74.00	-4.04	63.61	3	Horizontal	347	3.00	-	32.03	7.22	32.90			
AV	5.1488G	53.76	54.00	-0.24	47.32	3	Horizontal	347	3.00	-	32.10	7.24	32.90			
PK	5.2124G	111.27	Inf	-Inf	105.17	3	Horizontal	347	3.00	-	31.70	7.29	32.89			
AV	5.1936G	99.27	Inf	-Inf	93.05	3	Horizontal	347	3.00	-	31.84	7.27	32.89			
PK	5.3532G	60.34	74.00	-13.66	54.44	3	Horizontal	347	3.00	-	31.41	7.35	32.86			
AV	5.3528G	48.19	54.00	-5.81	42.29	3	Horizontal	347	3.00	-	31.41	7.35	32.86			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 18.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43251G	55.23	68.20	-12.97	48.45	3	Vertical	163	1.45	-	39.37	10.26	42.85			
PK	15.62418G	56.78	74.00	-17.22	48.18	3	Vertical	15	2.55	-	37.55	12.63	41.58			
AV	15.63414G	43.99	54.00	-10.01	35.46	3	Vertical	15	2.55	-	37.50	12.63	41.60			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 18.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43326G	55.49	68.20	-12.71	48.71	3	Horizontal	11	1.00	-	39.37	10.26	42.85			
PK	15.63408G	56.26	74.00	-17.74	47.73	3	Horizontal	177	1.48	-	37.50	12.63	41.60			
AV	15.62784G	43.98	54.00	-10.02	35.40	3	Horizontal	177	1.48	-	37.53	12.63	41.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 20
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	66.04	74.00	-7.96	59.60	3	Vertical	12	2.60	-	32.10	7.24	32.90			
AV	5.1499G	53.98	54.00	-0.02	47.54	3	Vertical	12	2.60	-	32.10	7.24	32.90			
PK	5.1772G	118.68	Inf	-Inf	112.37	3	Vertical	12	2.60	-	31.94	7.26	32.89			
AV	5.1767G	109.71	Inf	-Inf	103.40	3	Vertical	12	2.60	-	31.94	7.26	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 20
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	66.76	74.00	-7.24	60.35	3	Horizontal	349	3.00	-	32.08	7.23	32.90			
AV	5.1455G	52.42	54.00	-1.58	46.01	3	Horizontal	349	3.00	-	32.08	7.23	32.90			
PK	5.1826G	119.43	Inf	-Inf	113.15	3	Horizontal	349	3.00	-	31.90	7.27	32.89			
AV	5.1833G	111.02	Inf	-Inf	104.74	3	Horizontal	349	3.00	-	31.90	7.27	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 20
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35376G	55.18	68.20	-13.02	48.58	3	Vertical	133	1.19	-	39.21	10.21	42.82			
PK	15.52674G	56.91	74.00	-17.09	47.47	3	Vertical	349	2.86	-	38.24	12.58	41.38			
AV	15.52773G	44.74	54.00	-9.26	35.31	3	Vertical	349	2.86	-	38.23	12.58	41.38			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 20
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36846G	54.86	68.20	-13.34	48.22	3	Horizontal	161	1.40	-	39.24	10.22	42.82			
PK	15.53115G	57.40	74.00	-16.60	48.00	3	Horizontal	278	1.63	-	38.21	12.58	41.39			
AV	15.53112G	44.74	54.00	-9.26	35.34	3	Horizontal	278	1.63	-	38.21	12.58	41.39			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	65.24	74.00	-8.76	58.83	3	Vertical	18	3.00	-	32.08	7.23	32.90			
AV	5.15G	51.94	54.00	-2.06	45.50	3	Vertical	18	3.00	-	32.10	7.24	32.90			
PK	5.1982G	120.41	Inf	-Inf	114.21	3	Vertical	18	3.00	-	31.81	7.28	32.89			
AV	5.1978G	112.00	Inf	-Inf	105.80	3	Vertical	18	3.00	-	31.81	7.28	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	67.51	74.00	-6.49	61.11	3	Horizontal	348	3.00	-	32.07	7.23	32.90			
AV	5.1454G	52.42	54.00	-1.58	46.01	3	Horizontal	348	3.00	-	32.08	7.23	32.90			
PK	5.203G	123.43	Inf	-Inf	117.26	3	Horizontal	348	3.00	-	31.78	7.28	32.89			
AV	5.2032G	114.75	Inf	-Inf	108.59	3	Horizontal	348	3.00	-	31.77	7.28	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3919G	54.98	68.20	-13.22	48.29	3	Vertical	137	2.11	-	39.28	10.24	42.83			
PK	15.59574G	56.68	74.00	-17.32	47.86	3	Vertical	353	2.81	-	37.73	12.61	41.52			
AV	15.58575G	44.07	54.00	-9.93	35.15	3	Vertical	353	2.81	-	37.81	12.61	41.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40408G	55.21	68.20	-12.99	48.50	3	Horizontal	222	2.76	-	39.31	10.24	42.84			
PK	15.58719G	56.55	74.00	-17.45	47.64	3	Horizontal	266	2.99	-	37.80	12.61	41.50			
AV	15.58554G	44.04	54.00	-9.96	35.11	3	Horizontal	266	2.99	-	37.82	12.61	41.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	60.70	74.00	-13.30	54.31	3	Vertical	7	2.40	-	32.06	7.23	32.90			
AV	5.1164G	48.97	54.00	-5.03	42.70	3	Vertical	7	2.40	-	31.97	7.21	32.91			
PK	5.2367G	121.24	Inf	-Inf	115.31	3	Vertical	7	2.40	-	31.51	7.30	32.88			
AV	5.2358G	112.30	Inf	-Inf	106.37	3	Vertical	7	2.40	-	31.51	7.30	32.88			
PK	5.3894G	61.06	74.00	-12.94	55.06	3	Vertical	7	2.40	-	31.48	7.37	32.85			
AV	5.3891G	49.32	54.00	-4.68	43.32	3	Vertical	7	2.40	-	31.48	7.37	32.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1245G	61.18	74.00	-12.82	54.87	3	Horizontal	347	2.96	-	32.00	7.22	32.91			
AV	5.1227G	50.05	54.00	-3.95	43.76	3	Horizontal	347	2.96	-	31.99	7.21	32.91			
PK	5.243G	123.72	Inf	-Inf	117.84	3	Horizontal	347	2.96	-	31.46	7.30	32.88			
AV	5.2433G	115.17	Inf	-Inf	109.30	3	Horizontal	347	2.96	-	31.45	7.30	32.88			
PK	5.375G	62.04	74.00	-11.96	56.08	3	Horizontal	347	2.96	-	31.45	7.36	32.85			
AV	5.363G	50.70	54.00	-3.30	44.78	3	Horizontal	347	2.96	-	31.43	7.35	32.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47307G	55.16	68.20	-13.04	48.30	3	Vertical	312	2.33	-	39.45	10.28	42.87			
PK	15.70599G	57.36	74.00	-16.64	48.54	3	Vertical	294	1.08	-	37.90	12.66	41.74			
AV	15.70746G	44.42	54.00	-9.58	35.59	3	Vertical	294	1.08	-	37.90	12.67	41.74			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48456G	55.08	68.20	-13.12	48.19	3	Horizontal	198	2.12	-	39.47	10.29	42.87			
PK	15.70653G	57.96	74.00	-16.04	49.13	3	Horizontal	163	1.87	-	37.90	12.67	41.74			
AV	15.71076G	44.44	54.00	-9.56	35.62	3	Horizontal	163	1.87	-	37.90	12.67	41.75			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 19.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1493G	66.70	74.00	-7.30	60.26	3	Vertical	11	2.58	-	32.10	7.24	32.90			
AV	5.1498G	52.84	54.00	-1.16	46.40	3	Vertical	11	2.58	-	32.10	7.24	32.90			
PK	5.1766G	120.54	Inf	-Inf	114.23	3	Vertical	11	2.58	-	31.94	7.26	32.89			
AV	5.1763G	108.59	Inf	-Inf	102.28	3	Vertical	11	2.58	-	31.94	7.26	32.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 19.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	67.15	74.00	-6.85	60.73	3	Horizontal	347	3.00	-	32.09	7.23	32.90			
AV	5.1449G	52.79	54.00	-1.21	46.38	3	Horizontal	347	3.00	-	32.08	7.23	32.90			
PK	5.1838G	121.93	Inf	-Inf	115.65	3	Horizontal	347	3.00	-	31.90	7.27	32.89			
AV	5.1836G	109.95	Inf	-Inf	103.67	3	Horizontal	347	3.00	-	31.90	7.27	32.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36774G	55.03	68.20	-13.17	48.39	3	Vertical	82	2.09	-	39.24	10.22	42.82			
PK	15.53538G	57.25	74.00	-16.75	47.87	3	Vertical	73	1.96	-	38.19	12.59	41.40			
AV	15.5316G	45.04	54.00	-8.96	35.64	3	Vertical	73	1.96	-	38.21	12.58	41.39			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36819G	55.07	68.20	-13.13	48.43	3	Horizontal	156	2.92	-	39.24	10.22	42.82			
PK	15.53262G	58.01	74.00	-15.99	48.61	3	Horizontal	324	1.12	-	38.20	12.59	41.39			
AV	15.53112G	44.99	54.00	-9.01	35.59	3	Horizontal	324	1.12	-	38.21	12.58	41.39			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 23
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	68.84	74.00	-5.16	62.41	3	Vertical	18	3.00	-	32.09	7.24	32.90			
AV	5.15G	53.31	54.00	-0.69	46.87	3	Vertical	18	3.00	-	32.10	7.24	32.90			
PK	5.206G	121.93	Inf	-Inf	115.79	3	Vertical	18	3.00	-	31.75	7.28	32.89			
AV	5.1978G	110.62	Inf	-Inf	104.42	3	Vertical	18	3.00	-	31.81	7.28	32.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 23
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	70.39	74.00	-3.61	63.98	3	Horizontal	348	3.00	-	32.08	7.23	32.90			
AV	5.1454G	53.27	54.00	-0.73	46.86	3	Horizontal	348	3.00	-	32.08	7.23	32.90			
PK	5.2042G	125.50	Inf	-Inf	119.34	3	Horizontal	348	3.00	-	31.77	7.28	32.89			
AV	5.2038G	113.51	Inf	-Inf	107.35	3	Horizontal	348	3.00	-	31.77	7.28	32.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 23
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39358G	54.95	68.20	-13.25	48.25	3	Vertical	126	1.15	-	39.29	10.24	42.83			
PK	15.58683G	56.56	74.00	-17.44	47.64	3	Vertical	69	1.30	-	37.81	12.61	41.50			
AV	15.58608G	44.44	54.00	-9.56	35.52	3	Vertical	69	1.30	-	37.81	12.61	41.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 23
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38599G	55.44	68.20	-12.76	48.77	3	Horizontal	258	1.57	-	39.27	10.23	42.83			
PK	15.59553G	56.93	74.00	-17.07	48.10	3	Horizontal	186	1.84	-	37.74	12.61	41.52			
AV	15.58806G	44.36	54.00	-9.64	35.45	3	Horizontal	186	1.84	-	37.80	12.61	41.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1329G	60.73	74.00	-13.27	54.38	3	Vertical	158	3.00	-	32.03	7.22	32.90			
AV	5.1224G	48.82	54.00	-5.18	42.53	3	Vertical	158	3.00	-	31.99	7.21	32.91			
PK	5.2409G	121.42	Inf	-Inf	115.53	3	Vertical	158	3.00	-	31.47	7.30	32.88			
AV	5.2415G	110.34	Inf	-Inf	104.45	3	Vertical	158	3.00	-	31.47	7.30	32.88			
PK	5.3867G	60.72	74.00	-13.28	54.74	3	Vertical	158	3.00	-	31.47	7.36	32.85			
AV	5.39G	49.49	54.00	-4.51	43.49	3	Vertical	158	3.00	-	31.48	7.37	32.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1203G	61.53	74.00	-12.47	55.25	3	Horizontal	347	2.97	-	31.98	7.21	32.91			
AV	5.1242G	50.08	54.00	-3.92	43.77	3	Horizontal	347	2.97	-	32.00	7.22	32.91			
PK	5.2439G	125.31	Inf	-Inf	119.44	3	Horizontal	347	2.97	-	31.45	7.30	32.88			
AV	5.2436G	114.22	Inf	-Inf	108.35	3	Horizontal	347	2.97	-	31.45	7.30	32.88			
PK	5.3636G	61.53	74.00	-12.47	55.61	3	Horizontal	347	2.97	-	31.43	7.35	32.86			
AV	5.3627G	50.41	54.00	-3.59	44.49	3	Horizontal	347	2.97	-	31.43	7.35	32.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48948G	55.54	68.20	-12.66	48.65	3	Vertical	259	1.69	-	39.48	10.29	42.88			
PK	15.73026G	56.83	74.00	-17.17	48.04	3	Vertical	171	1.04	-	37.90	12.68	41.79			
AV	15.70731G	44.82	54.00	-9.18	35.99	3	Vertical	171	1.04	-	37.90	12.67	41.74			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47385G	55.19	68.20	-13.01	48.33	3	Horizontal	354	2.51	-	39.45	10.28	42.87			
PK	15.72726G	56.48	74.00	-17.52	47.69	3	Horizontal	165	1.34	-	37.90	12.67	41.78			
AV	15.71049G	44.72	54.00	-9.28	35.90	3	Horizontal	165	1.34	-	37.90	12.67	41.75			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 19
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	65.72	74.00	-8.28	59.31	3	Vertical	10	2.61	-	32.08	7.23	32.90			
AV	5.1472G	52.44	54.00	-1.56	46.01	3	Vertical	10	2.61	-	32.09	7.24	32.90			
PK	5.186G	116.81	Inf	-Inf	110.55	3	Vertical	10	2.61	-	31.88	7.27	32.89			
AV	5.1866G	104.65	Inf	-Inf	98.39	3	Vertical	10	2.61	-	31.88	7.27	32.89			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 19
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	65.98	74.00	-8.02	59.54	3	Horizontal	349	3.00	-	32.10	7.24	32.90			
AV	5.15G	53.43	54.00	-0.57	46.99	3	Horizontal	349	3.00	-	32.10	7.24	32.90			
PK	5.1936G	118.96	Inf	-Inf	112.74	3	Horizontal	349	3.00	-	31.84	7.27	32.89			
AV	5.1934G	106.57	Inf	-Inf	100.35	3	Horizontal	349	3.00	-	31.84	7.27	32.89			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 19
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38765G	54.59	68.20	-13.61	47.91	3	Vertical	196	1.18	-	39.28	10.23	42.83			
PK	15.57513G	56.88	74.00	-17.12	47.86	3	Vertical	25	3.00	-	37.90	12.60	41.48			
AV	15.57753G	44.54	54.00	-9.46	35.53	3	Vertical	25	3.00	-	37.88	12.61	41.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 19
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39092G	55.31	68.20	-12.89	48.62	3	Horizontal	27	1.31	-	39.28	10.24	42.83			
PK	15.56841G	57.44	74.00	-16.56	48.36	3	Horizontal	186	2.52	-	37.95	12.60	41.47			
AV	15.57597G	44.57	54.00	-9.43	35.56	3	Horizontal	186	2.52	-	37.89	12.60	41.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 21.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	66.97	74.00	-7.03	60.53	3	Vertical	89	3.00	-	32.10	7.24	32.90			
AV	5.1424G	52.27	54.00	-1.73	45.87	3	Vertical	89	3.00	-	32.07	7.23	32.90			
PK	5.2144G	119.53	Inf	-Inf	113.45	3	Vertical	89	3.00	-	31.68	7.29	32.89			
AV	5.2222G	108.68	Inf	-Inf	102.66	3	Vertical	89	3.00	-	31.62	7.29	32.89			
PK	5.371G	63.17	74.00	-10.83	57.23	3	Vertical	89	3.00	-	31.44	7.36	32.86			
AV	5.3689G	50.45	54.00	-3.55	44.51	3	Vertical	89	3.00	-	31.44	7.36	32.86			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 21.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	67.35	74.00	-6.65	60.91	3	Horizontal	347	3.00	-	32.10	7.24	32.90			
AV	5.1499G	53.20	54.00	-0.80	46.76	3	Horizontal	347	3.00	-	32.10	7.24	32.90			
PK	5.2141G	121.49	Inf	-Inf	115.40	3	Horizontal	347	3.00	-	31.69	7.29	32.89			
AV	5.2138G	110.66	Inf	-Inf	104.57	3	Horizontal	347	3.00	-	31.69	7.29	32.89			
PK	5.3518G	61.81	74.00	-12.19	55.92	3	Horizontal	347	3.00	-	31.40	7.35	32.86			
AV	5.3527G	49.90	54.00	-4.10	44.00	3	Horizontal	347	3.00	-	31.41	7.35	32.86			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 21.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47359G	55.25	68.20	-12.95	48.39	3	Vertical	311	1.11	-	39.45	10.28	42.87			
PK	15.69177G	56.42	74.00	-17.58	47.65	3	Vertical	155	1.42	-	37.82	12.66	41.71			
AV	15.70134G	44.91	54.00	-9.09	36.08	3	Vertical	155	1.42	-	37.90	12.66	41.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 21.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46072G	55.15	68.20	-13.05	48.32	3	Horizontal	186	1.82	-	39.42	10.27	42.86			
PK	15.70209G	56.88	74.00	-17.12	48.05	3	Horizontal	64	2.61	-	37.90	12.66	41.73			
AV	15.70173G	44.75	54.00	-9.25	35.92	3	Horizontal	64	2.61	-	37.90	12.66	41.73			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 18
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	66.20	74.00	-7.80	59.85	3	Vertical	7	2.59	-	32.03	7.22	32.90			
AV	5.1464G	53.84	54.00	-0.16	47.42	3	Vertical	7	2.59	-	32.09	7.23	32.90			
PK	5.226G	112.13	Inf	-Inf	106.13	3	Vertical	7	2.59	-	31.59	7.29	32.88			
AV	5.186G	101.14	Inf	-Inf	94.88	3	Vertical	7	2.59	-	31.88	7.27	32.89			
PK	5.3624G	61.09	74.00	-12.91	55.18	3	Vertical	7	2.59	-	31.42	7.35	32.86			
AV	5.3584G	48.41	54.00	-5.59	42.50	3	Vertical	7	2.59	-	31.42	7.35	32.86			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 18
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1248G	66.59	74.00	-7.41	60.28	3	Horizontal	346	3.00	-	32.00	7.22	32.91			
AV	5.1344G	53.29	54.00	-0.71	46.93	3	Horizontal	346	3.00	-	32.04	7.22	32.90			
PK	5.194G	114.90	Inf	-Inf	108.68	3	Horizontal	346	3.00	-	31.84	7.27	32.89			
AV	5.2136G	102.95	Inf	-Inf	96.86	3	Horizontal	346	3.00	-	31.69	7.29	32.89			
PK	5.4064G	60.71	74.00	-13.29	54.66	3	Horizontal	346	3.00	-	31.53	7.37	32.85			
AV	5.3536G	48.56	54.00	-5.44	42.66	3	Horizontal	346	3.00	-	31.41	7.35	32.86			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 18
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41832G	54.88	68.20	-13.32	48.13	3	Vertical	130	1.46	-	39.34	10.25	42.84			
PK	15.61704G	57.11	74.00	-16.89	48.45	3	Vertical	199	2.06	-	37.60	12.62	41.56			
AV	15.62907G	46.58	54.00	-7.42	38.01	3	Vertical	199	2.06	-	37.53	12.63	41.59			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5210MHz_TX



EUT_Y_4TX
Setting 18
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40737G	55.28	68.20	-12.92	48.57	3	Horizontal	83	2.24	-	39.31	10.24	42.84			
PK	15.63072G	56.32	74.00	-17.68	47.76	3	Horizontal	5	2.82	-	37.52	12.63	41.59			
AV	15.63357G	46.82	54.00	-7.18	38.28	3	Horizontal	5	2.82	-	37.50	12.63	41.59			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.14992G	53.66	54.00	-0.34	3	Vertical	27	1.11	17.5

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 19
15\20\17.5\18.5\19\19.5\19
5.36\ -2.88\4.93\2.77\1.16\ -0.90\1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	65.52	74.00	-8.48	59.08	3	Vertical	16	1.51	19	32.10	7.24	32.90			
AV	5.1499G	52.84	54.00	-1.16	46.40	3	Vertical	16	1.51	19	32.10	7.24	32.90			
PK	5.1759G	110.02	Inf	-Inf	103.71	3	Vertical	16	1.51	19	31.94	7.26	32.89			
AV	5.1779G	101.08	Inf	-Inf	94.78	3	Vertical	16	1.51	19	31.93	7.26	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
SET 19
19
0.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.63	74.00	-8.37	59.19	3	Horizontal	69	2.95	19	32.10	7.24	32.90			
AV	5.1499G	53.20	54.00	-0.80	46.76	3	Horizontal	69	2.95	19	32.10	7.24	32.90			
PK	5.1822G	110.05	Inf	-Inf	103.77	3	Horizontal	69	2.95	19	31.91	7.26	32.89			
AV	5.1828G	101.54	Inf	-Inf	95.26	3	Horizontal	69	2.95	19	31.90	7.27	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3594G	42.86	68.20	-25.34	59.75	3	Vertical	2	1.80	19.5	39.22	10.22	66.33			
PK	15.53501G	46.01	74.00	-27.99	57.92	3	Vertical	299	1.80	19.5	38.19	12.59	62.69			
AV	15.5583G	32.62	54.00	-21.38	44.69	3	Vertical	299	1.80	19.5	38.03	12.60	62.70			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX

EUT_Y_1TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36008G	42.80	68.20	-25.40	59.69	3	Horizontal	82	1.80	19.5	39.22	10.22	66.33			
PK	15.55539G	45.22	74.00	-28.78	57.26	3	Horizontal	293	1.80	19.5	38.06	12.60	62.70			
AV	15.55806G	32.74	54.00	-21.26	44.80	3	Horizontal	293	1.80	19.5	38.04	12.60	62.70			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET 22
15\20\22.5\21.5\22
5.42\4.56\1.55\2.06\1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	65.38	74.00	-8.62	58.94	3	Vertical	26	1.05	22	32.10	7.24	32.90			
AV	5.14988G	52.84	54.00	-1.16	46.40	3	Vertical	26	1.05	22	32.10	7.24	32.90			
PK	5.20182G	114.47	Inf	-Inf	108.29	3	Vertical	26	1.05	22	31.79	7.28	32.89			
AV	5.20266G	105.58	Inf	-Inf	99.41	3	Vertical	26	1.05	22	31.78	7.28	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET 22
22
1.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14988G	64.81	74.00	-9.19	58.37	3	Horizontal	69	1.80	22	32.10	7.24	32.90			
AV	5.14974G	52.59	54.00	-1.41	46.15	3	Horizontal	69	1.80	22	32.10	7.24	32.90			
PK	5.20308G	112.39	Inf	-Inf	106.22	3	Horizontal	69	1.80	22	31.78	7.28	32.89			
AV	5.2028G	103.78	Inf	-Inf	97.61	3	Horizontal	69	1.80	22	31.78	7.28	32.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX

EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38366G	43.57	68.20	-24.63	60.36	3	Vertical	66	1.80	22	39.27	10.23	66.29			
PK	15.59441G	45.09	74.00	-28.91	57.47	3	Vertical	360	1.80	22	37.74	12.61	62.73			
AV	15.59477G	32.44	54.00	-21.56	44.82	3	Vertical	360	1.80	22	37.74	12.61	62.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX

EUT Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38518G	43.26	68.20	-24.94	60.05	3	Horizontal	1	1.80	22	39.27	10.23	66.29			
PK	15.59073G	45.76	74.00	-28.24	58.10	3	Horizontal	277	1.80	22	37.77	12.61	62.72			
AV	15.60492G	32.22	54.00	-21.78	44.66	3	Horizontal	277	1.80	22	37.67	12.62	62.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 25
15\20.5\23\24\24.5\25
5.51\5.53\5.33\2.77\1.66\1.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14952G	65.91	74.00	-8.09	59.47	3	Vertical	309	1.80	25	32.10	7.24	32.90			
AV	5.149G	52.07	54.00	-1.93	45.63	3	Vertical	309	1.80	25	32.10	7.24	32.90			
PK	5.2426G	112.64	Inf	-Inf	106.76	3	Vertical	309	1.80	25	31.46	7.30	32.88			
AV	5.24286G	102.70	Inf	-Inf	96.82	3	Vertical	309	1.80	25	31.46	7.30	32.88			
PK	5.35726G	63.15	74.00	-10.85	57.25	3	Vertical	309	1.80	25	31.41	7.35	32.86			
AV	5.35258G	49.26	54.00	-4.74	43.36	3	Vertical	309	1.80	25	31.41	7.35	32.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 23.5
25\23.5\24\23.5
-1.46\3.87\ -0.51\3.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14536G	63.37	74.00	-10.63	56.96	3	Horizontal	58	2.95	23.5	32.08	7.23	32.90			
AV	5.15G	50.14	54.00	-3.86	43.70	3	Horizontal	58	2.95	23.5	32.10	7.24	32.90			
PK	5.24312G	116.27	Inf	-Inf	110.39	3	Horizontal	58	2.95	23.5	31.46	7.30	32.88			
AV	5.24234G	107.12	Inf	-Inf	101.24	3	Horizontal	58	2.95	23.5	31.46	7.30	32.88			
PK	5.35024G	61.20	74.00	-12.80	55.31	3	Horizontal	58	2.95	23.5	31.40	7.35	32.86			
AV	5.35284G	48.75	54.00	-5.25	42.85	3	Horizontal	58	2.95	23.5	31.41	7.35	32.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX

EUT Y_1TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.47089G	44.28	68.20	-23.92	60.72	3	Vertical	27	1.80	23.5	39.44	10.28	66.16				
PK	15.71193G	45.32	74.00	-28.68	57.55	3	Vertical	294	1.80	23.5	37.90	12.67	62.80				
AV	15.71353G	32.28	54.00	-21.72	44.51	3	Vertical	294	1.80	23.5	37.90	12.67	62.80				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48991G	44.54	68.20	-23.66	60.90	3	Horizontal	34	1.80	23.5	39.48	10.29	66.13			
PK	15.73626G	46.42	74.00	-27.58	58.65	3	Horizontal	288	1.80	23.5	37.90	12.68	62.81			
AV	15.70234G	32.29	54.00	-21.71	44.52	3	Horizontal	288	1.80	23.5	37.90	12.66	62.79			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
SET 18.5
15\20.5\18\19\18.5
5.72\ -6.97\3.54\ -0.61\1.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	67.51	74.00	-6.49	61.07	3	Vertical	26	1.06	18.5	32.10	7.24	32.90			
AV	5.1497G	52.59	54.00	-1.41	46.15	3	Vertical	26	1.06	18.5	32.10	7.24	32.90			
PK	5.1747G	112.78	Inf	-Inf	106.47	3	Vertical	26	1.06	18.5	31.95	7.26	32.90			
AV	5.1768G	100.67	Inf	-Inf	94.36	3	Vertical	26	1.06	18.5	31.94	7.26	32.89			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
SET 18.5
18.5
2.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	66.86	74.00	-7.14	60.42	3	Horizontal	71	1.80	18.5	32.10	7.24	32.90			
AV	5.1497G	51.80	54.00	-2.20	45.36	3	Horizontal	71	1.80	18.5	32.10	7.24	32.90			
PK	5.1817G	112.05	Inf	-Inf	105.77	3	Horizontal	71	1.80	18.5	31.91	7.26	32.89			
AV	5.177G	99.76	Inf	-Inf	93.45	3	Horizontal	71	1.80	18.5	31.94	7.26	32.89			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5180MHz_TX

EUT Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37686G	43.01	68.20	-25.19	59.83	3	Vertical	44	1.80	18.5	39.25	10.23	66.30			
PK	15.53481G	46.02	74.00	-27.98	57.93	3	Vertical	206	1.80	18.5	38.19	12.59	62.69			
AV	15.5587G	32.19	54.00	-21.81	44.27	3	Vertical	206	1.80	18.5	38.03	12.60	62.71			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36408G	42.69	68.20	-25.51	59.56	3	Horizontal	14	1.80	18.5	39.23	10.22	66.32			
PK	15.55774G	45.30	74.00	-28.70	57.36	3	Horizontal	291	1.80	18.5	38.04	12.60	62.70			
AV	15.55886G	31.97	54.00	-22.03	44.05	3	Horizontal	291	1.80	18.5	38.03	12.60	62.71			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 21.5
15\20.5\23\22\21.5
5.93\3.86\4.86\0.40\1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14848G	65.25	74.00	-8.75	58.82	3	Vertical	26	1.05	21.5	32.09	7.24	32.90			
AV	5.14974G	52.72	54.00	-1.28	46.28	3	Vertical	26	1.05	21.5	32.10	7.24	32.90			
PK	5.20238G	116.67	Inf	-Inf	110.50	3	Vertical	26	1.05	21.5	31.78	7.28	32.89			
AV	5.20266G	104.29	Inf	-Inf	98.12	3	Vertical	26	1.05	21.5	31.78	7.28	32.89			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 21.5
21.5
1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14904G	65.60	74.00	-8.40	59.16	3	Horizontal	61	2.95	21.5	32.10	7.24	32.90			
AV	5.1496G	52.84	54.00	-1.16	46.40	3	Horizontal	61	2.95	21.5	32.10	7.24	32.90			
PK	5.20112G	116.17	Inf	-Inf	109.99	3	Horizontal	61	2.95	21.5	31.79	7.28	32.89			
AV	5.19706G	103.81	Inf	-Inf	97.60	3	Horizontal	61	2.95	21.5	31.82	7.28	32.89			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5200MHz_TX

EUT Y_1TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41159G	42.57	68.20	-25.63	59.25	3	Vertical	1	1.80	21.5	39.32	10.25	66.25			
PK	15.58957G	45.69	74.00	-28.31	58.02	3	Vertical	284	1.80	21.5	37.78	12.61	62.72			
AV	15.59764G	31.93	54.00	-22.07	44.33	3	Vertical	284	1.80	21.5	37.72	12.61	62.73			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT Y_1TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.38777G	42.40	68.20	-25.80	59.18	3	Horizontal	1	1.80	21.5	39.28	10.23	66.29				
PK	15.61602G	44.98	74.00	-29.02	57.50	3	Horizontal	312	1.80	21.5	37.60	12.62	62.74				
AV	15.59552G	31.69	54.00	-22.31	44.07	3	Horizontal	312	1.80	21.5	37.74	12.61	62.73				

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
SET 25
15\20.5\23\24\24.5\25
5.93\5.93\5.52\2.77\1.66\1.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	65.57	74.00	-8.43	59.15	3	Vertical	309	1.80	25	32.09	7.23	32.90			
AV	5.14952G	52.34	54.00	-1.66	45.90	3	Vertical	309	1.80	25	32.10	7.24	32.90			
PK	5.24234G	113.84	Inf	-Inf	107.96	3	Vertical	309	1.80	25	31.46	7.30	32.88			
AV	5.24156G	101.61	Inf	-Inf	95.72	3	Vertical	309	1.80	25	31.47	7.30	32.88			
PK	5.35102G	61.78	74.00	-12.22	55.89	3	Vertical	309	1.80	25	31.40	7.35	32.86			
AV	5.35G	49.57	54.00	-4.43	43.68	3	Vertical	309	1.80	25	31.40	7.35	32.86			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
SET 23.5
25\22.5\23.5\24\23.5
-2.07\5.32\3.70\ -0.30\3.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13158G	62.67	74.00	-11.33	56.32	3	Horizontal	57	2.95	23.5	32.03	7.22	32.90			
AV	5.15G	50.46	54.00	-3.54	44.02	3	Horizontal	57	2.95	23.5	32.10	7.24	32.90			
PK	5.24234G	118.09	Inf	-Inf	112.21	3	Horizontal	57	2.95	23.5	31.46	7.30	32.88			
AV	5.24182G	106.31	Inf	-Inf	100.42	3	Horizontal	57	2.95	23.5	31.47	7.30	32.88			
PK	5.35362G	61.31	74.00	-12.69	55.41	3	Horizontal	57	2.95	23.5	31.41	7.35	32.86			
AV	5.35G	49.24	54.00	-4.76	43.35	3	Horizontal	57	2.95	23.5	31.40	7.35	32.86			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX

EUT Y_1TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48991G	44.33	68.20	-23.87	60.69	3	Vertical	12	1.80	23.5	39.48	10.29	66.13			
PK	15.73119G	45.23	74.00	-28.77	57.46	3	Vertical	353	1.80	23.5	37.90	12.68	62.81			
AV	15.70158G	31.88	54.00	-22.12	44.11	3	Vertical	353	1.80	23.5	37.90	12.66	62.79			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX

EUT Y_1TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48879G	45.03	68.20	-23.17	61.39	3	Horizontal	37	1.80	23.5	39.48	10.29	66.13			
PK	15.7206G	45.17	74.00	-28.83	57.40	3	Horizontal	359	1.80	23.5	37.90	12.67	62.80			
AV	15.70442G	31.75	54.00	-22.25	43.98	3	Horizontal	359	1.80	23.5	37.90	12.66	62.79			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 17.5
15\19.5\17.5
4.56\ -11.41\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13804G	69.45	74.00	-4.55	63.07	3	Vertical	27	1.11	17.5	32.05	7.23	32.90			
AV	5.14992G	53.66	54.00	-0.34	47.22	3	Vertical	27	1.11	17.5	32.10	7.24	32.90			
PK	5.193G	109.47	Inf	-Inf	103.25	3	Vertical	27	1.11	17.5	31.84	7.27	32.89			
AV	5.19336G	97.16	Inf	-Inf	90.94	3	Vertical	27	1.11	17.5	31.84	7.27	32.89			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 17.5
17.5
0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14836G	68.55	74.00	-5.45	62.12	3	Horizontal	66	1.80	17.5	32.09	7.24	32.90			
AV	5.14932G	53.43	54.00	-0.57	46.99	3	Horizontal	66	1.80	17.5	32.10	7.24	32.90			
PK	5.18508G	108.71	Inf	-Inf	102.44	3	Horizontal	66	1.80	17.5	31.89	7.27	32.89			
AV	5.18856G	96.73	Inf	-Inf	90.48	3	Horizontal	66	1.80	17.5	31.87	7.27	32.89			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT Y_1TX
SET 17.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)		
PK	10.37545G	42.80	68.20	-25.40	59.63	3	Vertical	135	1.80	17.5	39.25	10.23	66.31		
PK	15.60437G	47.02	74.00	-26.98	59.46	3	Vertical	268	1.80	17.5	37.67	12.62	62.73		
AV	15.56505G	32.27	54.00	-21.73	44.40	3	Vertical	268	1.80	17.5	37.98	12.60	62.71		

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36234G	42.63	68.20	-25.57	59.52	3	Horizontal	81	1.80	17.5	39.22	10.22	66.33			
PK	15.56632G	47.28	74.00	-26.72	59.42	3	Horizontal	282	1.80	17.5	37.97	12.60	62.71			
AV	15.59374G	31.81	54.00	-22.19	44.18	3	Horizontal	282	1.80	17.5	37.75	12.61	62.73			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Y_1TX
SET 20
15\20.5\18\19\19.5\20
5.73\0.70\5.32\4.03\2.92\1.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14732G	65.86	74.00	-8.14	59.43	3	Vertical	24	1.10	20	32.09	7.24	32.90			
AV	5.14914G	52.59	54.00	-1.41	46.15	3	Vertical	24	1.10	20	32.10	7.24	32.90			
PK	5.2261G	112.08	Inf	-Inf	106.08	3	Vertical	24	1.10	20	31.59	7.29	32.88			
AV	5.22818G	99.84	Inf	-Inf	93.86	3	Vertical	24	1.10	20	31.57	7.29	32.88			
PK	5.35428G	59.31	74.00	-14.69	53.41	3	Vertical	24	1.10	20	31.41	7.35	32.86			
AV	5.35428G	47.62	54.00	-6.38	41.72	3	Vertical	24	1.10	20	31.41	7.35	32.86			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 20
2.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14914G	64.44	74.00	-9.56	58.00	3	Horizontal	68	1.80	20	32.10	7.24	32.90			
AV	5.14992G	51.94	54.00	-2.06	45.50	3	Horizontal	68	1.80	20	32.10	7.24	32.90			
PK	5.2313G	111.42	Inf	-Inf	105.46	3	Horizontal	68	1.80	20	31.55	7.29	32.88			
AV	5.22844G	99.34	Inf	-Inf	93.36	3	Horizontal	68	1.80	20	31.57	7.29	32.88			
PK	5.35454G	59.52	74.00	-14.48	53.62	3	Horizontal	68	1.80	20	31.41	7.35	32.86			
AV	5.35766G	47.64	54.00	-6.36	41.73	3	Horizontal	68	1.80	20	31.42	7.35	32.86			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.47287G	46.81	68.20	-21.39	63.23	3	Vertical	101	1.80	20	39.45	10.28	66.15				
PK	15.68385G	45.72	74.00	-28.28	58.11	3	Vertical	353	1.80	20	37.74	12.65	62.78				
AV	15.67969G	32.09	54.00	-21.91	44.52	3	Vertical	353	1.80	20	37.70	12.65	62.78				

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX

EUT Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49325G	44.90	68.20	-23.30	61.24	3	Horizontal	1	1.80	20	39.49	10.29	66.12			
PK	15.71526G	46.10	74.00	-27.90	58.33	3	Horizontal	325	1.80	20	37.90	12.67	62.80			
AV	15.65124G	31.67	54.00	-22.33	44.38	3	Horizontal	325	1.80	20	37.41	12.64	62.76			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT Y_1TX
SET 16.5
15\18\16.5\17\16.5
3.38\5.28\0.92\0.70\0.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14888G	67.84	74.00	-6.16	61.40	3	Vertical	27	1.05	16.5	32.10	7.24	32.90			
AV	5.1492G	53.20	54.00	-0.80	46.76	3	Vertical	27	1.05	16.5	32.10	7.24	32.90			
PK	5.21128G	105.41	Inf	-Inf	99.30	3	Vertical	27	1.05	16.5	31.71	7.29	32.89			
AV	5.20552G	93.73	Inf	-Inf	87.58	3	Vertical	27	1.05	16.5	31.76	7.28	32.89			
PK	5.36584G	59.11	74.00	-14.89	53.19	3	Vertical	27	1.05	16.5	31.43	7.35	32.86			
AV	5.35688G	47.42	54.00	-6.58	41.52	3	Vertical	27	1.05	16.5	31.41	7.35	32.86			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
SET 16.5
16.5
0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14472G	67.17	74.00	-6.83	60.76	3	Horizontal	66	2.95	16.5	32.08	7.23	32.90			
AV	5.14984G	53.32	54.00	-0.68	46.88	3	Horizontal	66	2.95	16.5	32.10	7.24	32.90			
PK	5.21288G	106.29	Inf	-Inf	100.19	3	Horizontal	66	2.95	16.5	31.70	7.29	32.89			
AV	5.19784G	93.82	Inf	-Inf	87.62	3	Horizontal	66	2.95	16.5	31.81	7.28	32.89			
PK	5.36328G	59.77	74.00	-14.23	53.85	3	Horizontal	66	2.95	16.5	31.43	7.35	32.86			
AV	5.362G	47.45	54.00	-6.55	41.54	3	Horizontal	66	2.95	16.5	31.42	7.35	32.86			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX

EUT Y_1TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49928G	44.24	68.20	-23.96	60.56	3	Vertical	50	1.80	16.5	39.50	10.29	66.11			
PK	15.56686G	46.44	74.00	-27.56	58.58	3	Vertical	260	1.80	16.5	37.97	12.60	62.71			
AV	15.64614G	31.76	54.00	-22.24	44.46	3	Vertical	260	1.80	16.5	37.42	12.64	62.76			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX

EUT Y_1TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46364G	43.89	68.20	-24.31	60.35	3	Horizontal	7	1.80	16.5	39.43	10.28	66.17			
PK	15.70321G	45.97	74.00	-28.03	58.20	3	Horizontal	344	1.80	16.5	37.90	12.66	62.79			
AV	15.64534G	31.65	54.00	-22.35	44.34	3	Horizontal	344	1.80	16.5	37.43	12.64	62.76			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	PK	5.12G	73.97	74.00	-0.03	3	Vertical	26.9	1.00	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT Y_1TX
Setting 10/19
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.137G	61.60	74.00	-12.40	53.94	3	Vertical	333	2.06	-	32.10	6.91	31.35			
AV	5.146G	47.84	54.00	-6.16	40.19	3	Vertical	333	2.06	-	32.10	6.91	31.36			
PK	5.173G	97.75	Inf	-Inf	90.23	3	Vertical	333	2.06	-	31.96	6.93	31.37			
AV	5.172G	86.26	Inf	-Inf	78.73	3	Vertical	333	2.06	-	31.97	6.93	31.37			
PK	5.446G	58.89	74.00	-15.11	51.51	3	Vertical	333	2.06	-	31.78	7.12	31.52			
AV	5.447G	46.31	54.00	-7.69	38.92	3	Vertical	333	2.06	-	31.79	7.12	31.52			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT Y_1TX
Setting 10/19
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	70.75	74.00	-3.25	63.10	3	Horizontal	299	2.02	-	32.10	6.91	31.36			
AV	5.149G	51.95	54.00	-2.05	44.30	3	Horizontal	299	2.02	-	32.10	6.91	31.36			
PK	5.194G	107.48	Inf	-Inf	100.08	3	Horizontal	299	2.02	-	31.84	6.94	31.38			
AV	5.245G	95.22	Inf	-Inf	88.04	3	Horizontal	299	2.02	-	31.62	6.97	31.41			
PK	5.351G	61.16	74.00	-12.84	54.08	3	Horizontal	299	2.02	-	31.50	7.05	31.47			
AV	5.351G	46.87	54.00	-7.13	39.79	3	Horizontal	299	2.02	-	31.50	7.05	31.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT Y_1TX
Setting 10/19
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4062G	59.12	68.20	-9.08	41.55	3	Vertical	112	1.01	-	40.11	10.05	32.59			
PK	15.6056G	58.83	74.00	-15.17	40.65	3	Vertical	28	1.34	-	38.54	12.48	32.84			
AV	15.6102G	43.43	54.00	-10.57	25.29	3	Vertical	28	1.34	-	38.50	12.48	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX

EUT_Y_1TX
Setting 10/19
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4084G	59.38	68.20	-8.82	41.80	3	Horizontal	203	1.80	-	40.12	10.05	32.59			
PK	15.6134G	58.87	74.00	-15.13	40.75	3	Horizontal	27	1.63	-	38.47	12.49	32.84			
AV	15.6096G	44.35	54.00	-9.65	26.21	3	Horizontal	27	1.63	-	38.50	12.48	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Y_1TX
Setting 7.5/19.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	66.16	74.00	-7.84	58.51	3	Vertical	332	2.32	-	32.10	6.90	31.35			
AV	5.122G	49.15	54.00	-4.85	41.50	3	Vertical	332	2.32	-	32.10	6.90	31.35			
PK	5.173G	102.22	Inf	-Inf	94.70	3	Vertical	332	2.32	-	31.96	6.93	31.37			
AV	5.236G	89.12	Inf	-Inf	81.90	3	Vertical	332	2.32	-	31.66	6.97	31.41			
PK	5.452G	58.45	74.00	-15.55	51.05	3	Vertical	332	2.32	-	31.80	7.12	31.52			
AV	5.425G	46.29	54.00	-7.71	38.99	3	Vertical	332	2.32	-	31.70	7.11	31.51			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Y_1TX
Setting 7.5/19.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.116G	72.46	74.00	-1.54	64.80	3	Horizontal	293.9	2.22	-	32.10	6.90	31.34			
AV	5.12G	53.17	54.00	-0.83	45.51	3	Horizontal	293.9	2.22	-	32.10	6.90	31.34			
PK	5.245G	109.98	Inf	-Inf	102.80	3	Horizontal	293.9	2.22	-	31.62	6.97	31.41			
AV	5.241G	97.57	Inf	-Inf	90.37	3	Horizontal	293.9	2.22	-	31.64	6.97	31.41			
PK	5.354G	62.63	74.00	-11.37	55.53	3	Horizontal	293.9	2.22	-	31.51	7.06	31.47			
AV	5.354G	48.21	54.00	-5.79	41.11	3	Horizontal	293.9	2.22	-	31.51	7.06	31.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Y_1TX
Setting 7.5/19.5
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4013G	59.71	68.20	-8.49	42.15	3	Vertical	105	1.22	-	40.10	10.05	32.59			
PK	15.6161G	58.09	74.00	-15.91	40.00	3	Vertical	280	1.22	-	38.44	12.49	32.84			
AV	15.6168G	42.53	54.00	-11.47	24.45	3	Vertical	280	1.22	-	38.43	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Y_1TX
Setting 7.5/19.5
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.423G	59.19	68.20	-9.01	41.56	3	Horizontal	82	2.05	-	40.15	10.06	32.58			
PK	15.6063G	58.75	74.00	-15.25	40.57	3	Horizontal	103	1.12	-	38.54	12.48	32.84			
AV	15.6083G	43.52	54.00	-10.48	25.36	3	Horizontal	103	1.12	-	38.52	12.48	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT Y_2TX
Setting 7.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	70.51	74.00	-3.49	62.86	3	Vertical	32	1.00	-	32.10	6.91	31.36			
AV	5.144G	51.86	54.00	-2.14	44.21	3	Vertical	32	1.00	-	32.10	6.91	31.36			
PK	5.204G	108.43	Inf	-Inf	101.10	3	Vertical	32	1.00	-	31.78	6.94	31.39			
AV	5.183G	96.86	Inf	-Inf	89.41	3	Vertical	32	1.00	-	31.90	6.93	31.38			
PK	5.394G	59.07	74.00	-14.93	51.88	3	Vertical	32	1.00	-	31.59	7.09	31.49			
AV	5.362G	46.72	54.00	-7.28	39.62	3	Vertical	32	1.00	-	31.52	7.06	31.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT Y_2TX
Setting 7.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.12G	67.56	74.00	-6.44	59.90	3	Horizontal	298	2.29	-	32.10	6.90	31.34			
AV	5.144G	49.53	54.00	-4.47	41.88	3	Horizontal	298	2.29	-	32.10	6.91	31.36			
PK	5.205G	107.97	Inf	-Inf	100.64	3	Horizontal	298	2.29	-	31.78	6.94	31.39			
AV	5.243G	96.62	Inf	-Inf	89.43	3	Horizontal	298	2.29	-	31.63	6.97	31.41			
PK	5.448G	59.29	74.00	-14.71	51.90	3	Horizontal	298	2.29	-	31.79	7.12	31.52			
AV	5.359G	46.97	54.00	-7.03	39.86	3	Horizontal	298	2.29	-	31.52	7.06	31.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Y_2TX
Setting 7.5/18.5
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4098G	57.32	68.20	-10.88	39.74	3	Vertical	260	2.38	-	40.12	10.05	32.59			
PK	15.6052G	58.61	74.00	-15.39	40.42	3	Vertical	299	1.80	-	38.55	12.48	32.84			
AV	15.6062G	44.24	54.00	-9.76	26.06	3	Vertical	299	1.80	-	38.54	12.48	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Y_2TX
Setting 7.5/18.5
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4015G	57.22	68.20	-10.98	39.66	3	Horizontal	87	1.28	-	40.10	10.05	32.59			
PK	15.6371G	58.93	74.00	-15.07	41.05	3	Horizontal	91	2.42	-	38.23	12.50	32.85			
AV	15.6188G	44.51	54.00	-9.49	26.45	3	Horizontal	91	2.42	-	38.41	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Y_2TX
Setting 5.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.12G	73.97	74.00	-0.03	66.31	3	Vertical	26.9	1.00	-	32.10	6.90	31.34			
AV	5.122G	53.73	54.00	-0.27	46.08	3	Vertical	26.9	1.00	-	32.10	6.90	31.35			
PK	5.183G	109.72	Inf	-Inf	102.27	3	Vertical	26.9	1.00	-	31.90	6.93	31.38			
AV	5.183G	98.21	Inf	-Inf	90.76	3	Vertical	26.9	1.00	-	31.90	6.93	31.38			
PK	5.364G	61.64	74.00	-12.36	54.53	3	Vertical	26.9	1.00	-	31.53	7.06	31.48			
AV	5.361G	47.71	54.00	-6.29	40.60	3	Vertical	26.9	1.00	-	31.52	7.06	31.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT Y_2TX
Setting 5.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	70.63	74.00	-3.37	62.98	3	Horizontal	292	2.20	-	32.10	6.90	31.35			
AV	5.125G	50.53	54.00	-3.47	42.88	3	Horizontal	292	2.20	-	32.10	6.90	31.35			
PK	5.182G	109.91	Inf	-Inf	102.45	3	Horizontal	292	2.20	-	31.91	6.93	31.38			
AV	5.184G	98.05	Inf	-Inf	90.60	3	Horizontal	292	2.20	-	31.90	6.93	31.38			
PK	5.366G	60.03	74.00	-13.97	52.92	3	Horizontal	292	2.20	-	31.53	7.06	31.48			
AV	5.368G	47.30	54.00	-6.70	40.17	3	Horizontal	292	2.20	-	31.54	7.07	31.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Y_2TX
Setting 5.5/18.5
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4276G	57.66	68.20	-10.54	40.02	3	Vertical	237	2.88	-	40.16	10.06	32.58			
PK	15.6435G	59.99	74.00	-14.01	42.18	3	Vertical	66	1.56	-	38.16	12.50	32.85			
AV	15.6051G	44.22	54.00	-9.78	26.03	3	Vertical	66	1.56	-	38.55	12.48	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Y_2TX
Setting 5.5/18.5
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4282G	57.89	68.20	-10.31	40.25	3	Horizontal	227	2.21	-	40.16	10.06	32.58			
PK	15.6262G	59.64	74.00	-14.36	41.66	3	Horizontal	200	2.11	-	38.34	12.49	32.85			
AV	15.6073G	44.46	54.00	-9.54	26.29	3	Horizontal	200	2.11	-	38.53	12.48	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 5.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1356G	73.83	74.00	-0.17	66.17	3	Vertical	64	1.98	-	32.10	6.91	31.35			
AV	5.1452G	52.25	54.00	-1.75	44.60	3	Vertical	64	1.98	-	32.10	6.91	31.36			
PK	5.1968G	113.54	Inf	-Inf	106.17	3	Vertical	64	1.98	-	31.82	6.94	31.39			
AV	5.2376G	101.28	Inf	-Inf	94.07	3	Vertical	64	1.98	-	31.65	6.97	31.41			
PK	5.3684G	59.84	74.00	-14.16	52.71	3	Vertical	64	1.98	-	31.54	7.07	31.48			
AV	5.3564G	47.16	54.00	-6.84	40.06	3	Vertical	64	1.98	-	31.51	7.06	31.47			
PK	5.498G	58.83	68.20	-9.37	51.33	3	Vertical	64	1.98	-	31.90	7.15	31.55			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 5.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1392G	72.13	74.00	-1.87	64.48	3	Horizontal	59	1.80	-	32.10	6.91	31.36			
AV	5.1392G	53.89	54.00	-0.11	46.24	3	Horizontal	59	1.80	-	32.10	6.91	31.36			
PK	5.24G	114.78	Inf	-Inf	107.58	3	Horizontal	59	1.80	-	31.64	6.97	31.41			
AV	5.2388G	102.56	Inf	-Inf	95.36	3	Horizontal	59	1.80	-	31.64	6.97	31.41			
PK	5.3516G	61.18	74.00	-12.82	54.10	3	Horizontal	59	1.80	-	31.50	7.05	31.47			
AV	5.3528G	48.90	54.00	-5.10	41.81	3	Horizontal	59	1.80	-	31.51	7.05	31.47			
PK	5.504G	59.17	68.20	-9.03	51.66	3	Horizontal	59	1.80	-	31.90	7.16	31.55			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 5.5/17.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4199G	59.18	68.20	-9.02	41.56	3	Vertical	116	1.32	-	40.14	10.06	32.58			
PK	15.63039G	60.82	74.00	-13.18	42.88	3	Vertical	260	1.45	-	38.30	12.49	32.85			
AV	15.62972G	47.88	54.00	-6.12	29.94	3	Vertical	260	1.45	-	38.30	12.49	32.85			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 5.5/17.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41955G	59.61	68.20	-8.59	41.99	3	Horizontal	223	2.24	-	40.14	10.06	32.58			
PK	15.6299G	61.14	74.00	-12.86	43.20	3	Horizontal	316	2.39	-	38.30	12.49	32.85			
AV	15.62994G	47.92	54.00	-6.08	29.98	3	Horizontal	316	2.39	-	38.30	12.49	32.85			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT Y_4TX
Setting 5/16
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.114G	66.82	74.00	-7.18	59.16	3	Vertical	68	1.98	-	32.10	6.90	31.34			
AV	5.122G	50.74	54.00	-3.26	43.09	3	Vertical	68	1.98	-	32.10	6.90	31.35			
PK	5.2372G	114.09	Inf	-Inf	106.88	3	Vertical	68	1.98	-	31.65	6.97	31.41			
AV	5.2372G	101.96	Inf	-Inf	94.75	3	Vertical	68	1.98	-	31.65	6.97	31.41			
PK	5.366G	59.69	74.00	-14.31	52.58	3	Vertical	68	1.98	-	31.53	7.06	31.48			
AV	5.3684G	47.70	54.00	-6.30	40.57	3	Vertical	68	1.98	-	31.54	7.07	31.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5210MHz_TX

EUT_Y_4TX
Setting 5/16
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1236G	68.94	74.00	-5.06	61.29	3	Horizontal	298.1	1.84	-	32.10	6.90	31.35			
AV	5.1188G	53.48	54.00	-0.52	45.82	3	Horizontal	298.1	1.84	-	32.10	6.90	31.34			
PK	5.2452G	116.51	Inf	-Inf	109.33	3	Horizontal	298.1	1.84	-	31.62	6.97	31.41			
AV	5.2436G	103.25	Inf	-Inf	96.06	3	Horizontal	298.1	1.84	-	31.63	6.97	31.41			
PK	5.3748G	61.62	74.00	-12.38	54.48	3	Horizontal	298.1	1.84	-	31.55	7.07	31.48			
AV	5.354G	47.32	54.00	-6.68	40.22	3	Horizontal	298.1	1.84	-	31.51	7.06	31.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5210MHz_TX

EUT_Y_4TX
Setting 5/16
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42025G	60.17	68.20	-8.03	42.55	3	Vertical	30	2.52	-	40.14	10.06	32.58			
PK	15.6299G	62.05	74.00	-11.95	44.11	3	Vertical	102	1.82	-	38.30	12.49	32.85			
AV	15.63037G	47.76	54.00	-6.24	29.82	3	Vertical	102	1.82	-	38.30	12.49	32.85			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX



EUT_Y_4TX
Setting 5/16
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42047G	59.10	68.20	-9.10	41.48	3	Horizontal	157	2.89	-	40.14	10.06	32.58			
PK	15.62956G	61.02	74.00	-12.98	43.08	3	Horizontal	265	1.91	-	38.30	12.49	32.85			
AV	15.63045G	47.86	54.00	-6.14	29.92	3	Horizontal	265	1.91	-	38.30	12.49	32.85			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	AV	5.121G	53.90	54.00	-0.10	3	Horizontal	0	2.97	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Z_1TX
Setting 10/19
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.137G	70.88	74.00	-3.12	63.22	3	Vertical	301.9	2.74	-	32.10	6.91	31.35			
AV	5.149G	52.68	54.00	-1.32	45.03	3	Vertical	301.9	2.74	-	32.10	6.91	31.36			
PK	5.181G	110.19	Inf	-Inf	102.73	3	Vertical	301.9	2.74	-	31.91	6.93	31.38			
AV	5.173G	97.11	Inf	-Inf	89.59	3	Vertical	301.9	2.74	-	31.96	6.93	31.37			
PK	5.359G	60.44	74.00	-13.56	53.33	3	Vertical	301.9	2.74	-	31.52	7.06	31.47			
AV	5.351G	47.77	54.00	-6.23	40.69	3	Vertical	301.9	2.74	-	31.50	7.05	31.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Z_1TX
Setting 10/19
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	61.94	74.00	-12.06	54.29	3	Horizontal	341	2.17	-	32.10	6.91	31.36			
AV	5.15G	48.75	54.00	-5.25	41.09	3	Horizontal	341	2.17	-	32.10	6.92	31.36			
PK	5.244G	101.75	Inf	-Inf	94.57	3	Horizontal	341	2.17	-	31.62	6.97	31.41			
AV	5.243G	89.21	Inf	-Inf	82.02	3	Horizontal	341	2.17	-	31.63	6.97	31.41			
PK	5.377G	59.13	74.00	-14.87	51.99	3	Horizontal	341	2.17	-	31.55	7.07	31.48			
AV	5.46G	46.92	54.00	-7.08	39.50	3	Horizontal	341	2.17	-	31.82	7.13	31.53			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 10/19
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42888G	58.81	68.20	-9.39	41.17	3	Vertical	13	2.41	-	40.16	10.06	32.58			
PK	15.63876G	61.68	74.00	-12.32	43.82	3	Vertical	231	1.24	-	38.21	12.50	32.85			
AV	15.61842G	49.06	54.00	-4.94	30.99	3	Vertical	231	1.24	-	38.42	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 10/19
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42762G	58.90	68.20	-9.30	41.26	3	Horizontal	346	2.43	-	40.16	10.06	32.58			
PK	15.64062G	62.24	74.00	-11.76	44.40	3	Horizontal	231	2.36	-	38.19	12.50	32.85			
AV	15.61896G	49.03	54.00	-4.97	30.97	3	Horizontal	231	2.36	-	38.41	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Z_1TX
Setting 8/19
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.119G	73.31	74.00	-0.69	65.65	3	Vertical	299.9	2.98	-	32.10	6.90	31.34			
AV	5.119G	52.73	54.00	-1.27	45.07	3	Vertical	299.9	2.98	-	32.10	6.90	31.34			
PK	5.177G	110.33	Inf	-Inf	102.84	3	Vertical	299.9	2.98	-	31.94	6.93	31.38			
AV	5.174G	98.72	Inf	-Inf	91.20	3	Vertical	299.9	2.98	-	31.96	6.93	31.37			
PK	5.363G	62.81	74.00	-11.19	55.70	3	Vertical	299.9	2.98	-	31.53	7.06	31.48			
AV	5.36G	48.05	54.00	-5.95	40.94	3	Vertical	299.9	2.98	-	31.52	7.06	31.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Z_1TX
Setting 8/19
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.114G	66.31	74.00	-7.69	58.65	3	Horizontal	328	1.01	-	32.10	6.90	31.34			
AV	5.127G	48.83	54.00	-5.17	41.18	3	Horizontal	328	1.01	-	32.10	6.90	31.35			
PK	5.24G	103.38	Inf	-Inf	96.18	3	Horizontal	328	1.01	-	31.64	6.97	31.41			
AV	5.243G	90.99	Inf	-Inf	83.80	3	Horizontal	328	1.01	-	31.63	6.97	31.41			
PK	5.374G	58.87	74.00	-15.13	51.73	3	Horizontal	328	1.01	-	31.55	7.07	31.48			
AV	5.436G	46.82	54.00	-7.18	39.49	3	Horizontal	328	1.01	-	31.74	7.11	31.52			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Y_1TX
Setting 8/19
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41364G	58.97	68.20	-9.23	41.37	3	Vertical	219	2.19	-	40.13	10.06	32.59			
PK	15.62814G	61.62	74.00	-12.38	43.66	3	Vertical	351	2.26	-	38.32	12.49	32.85			
AV	15.61848G	49.16	54.00	-4.84	31.09	3	Vertical	351	2.26	-	38.42	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5210MHz_TX

EUT_Y_1TX
Setting 8/19
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41598G	58.54	68.20	-9.66	40.94	3	Horizontal	326	2.55	-	40.13	10.06	32.59			
PK	15.63948G	62.18	74.00	-11.82	44.32	3	Horizontal	309	2.81	-	38.21	12.50	32.85			
AV	15.61986G	49.20	54.00	-4.80	31.15	3	Horizontal	309	2.81	-	38.40	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 7.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	68.50	74.00	-5.50	60.85	3	Vertical	81.9	2.64	-	32.10	6.91	31.36			
AV	5.15G	50.79	54.00	-3.21	43.13	3	Vertical	81.9	2.64	-	32.10	6.92	31.36			
PK	5.185G	108.59	Inf	-Inf	101.15	3	Vertical	81.9	2.64	-	31.89	6.93	31.38			
AV	5.185G	96.47	Inf	-Inf	89.03	3	Vertical	81.9	2.64	-	31.89	6.93	31.38			
PK	5.439G	59.04	74.00	-14.96	51.68	3	Vertical	81.9	2.64	-	31.76	7.12	31.52			
AV	5.433G	47.14	54.00	-6.86	39.81	3	Vertical	81.9	2.64	-	31.73	7.11	31.51			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 7.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.134G	70.11	74.00	-3.89	62.45	3	Horizontal	343	2.50	-	32.10	6.91	31.35			
AV	5.136G	51.83	54.00	-2.17	44.17	3	Horizontal	343	2.50	-	32.10	6.91	31.35			
PK	5.176G	110.06	Inf	-Inf	102.57	3	Horizontal	343	2.50	-	31.94	6.93	31.38			
AV	5.178G	98.26	Inf	-Inf	90.78	3	Horizontal	343	2.50	-	31.93	6.93	31.38			
PK	5.356G	59.95	74.00	-14.05	52.85	3	Horizontal	343	2.50	-	31.51	7.06	31.47			
AV	5.357G	47.50	54.00	-6.50	40.40	3	Horizontal	343	2.50	-	31.51	7.06	31.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Y_2TX
Setting 7.5/18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41322G	59.03	68.20	-9.17	41.43	3	Vertical	345	2.39	-	40.13	10.06	32.59			
PK	15.6294G	62.42	74.00	-11.58	44.47	3	Vertical	74	2.58	-	38.31	12.49	32.85			
AV	15.61554G	49.07	54.00	-4.93	30.98	3	Vertical	74	2.58	-	38.44	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Y_2TX
Setting 7.5/18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42192G	58.87	68.20	-9.33	41.25	3	Horizontal	95	1.41	-	40.14	10.06	32.58			
PK	15.6447G	62.32	74.00	-11.68	44.52	3	Horizontal	313	2.72	-	38.15	12.50	32.85			
AV	15.62226G	49.01	54.00	-4.99	30.98	3	Horizontal	313	2.72	-	38.38	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Z_2TX
Setting 5.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.128G	70.61	74.00	-3.39	62.96	3	Vertical	79.9	2.84	-	32.10	6.90	31.35			
AV	5.123G	50.46	54.00	-3.54	42.81	3	Vertical	79.9	2.84	-	32.10	6.90	31.35			
PK	5.182G	109.44	Inf	-Inf	101.98	3	Vertical	79.9	2.84	-	31.91	6.93	31.38			
AV	5.184G	98.04	Inf	-Inf	90.59	3	Vertical	79.9	2.84	-	31.90	6.93	31.38			
PK	5.36G	61.32	74.00	-12.68	54.21	3	Vertical	79.9	2.84	-	31.52	7.06	31.47			
AV	5.366G	47.31	54.00	-6.69	40.20	3	Vertical	79.9	2.84	-	31.53	7.06	31.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Z_2TX
Setting 5.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.119G	71.10	74.00	-2.90	63.44	3	Horizontal	340	2.58	-	32.10	6.90	31.34			
AV	5.119G	53.22	54.00	-0.78	45.56	3	Horizontal	340	2.58	-	32.10	6.90	31.34			
PK	5.235G	111.78	Inf	-Inf	104.56	3	Horizontal	340	2.58	-	31.66	6.97	31.41			
AV	5.175G	99.63	Inf	-Inf	92.12	3	Horizontal	340	2.58	-	31.95	6.93	31.37			
PK	5.355G	62.84	74.00	-11.16	55.74	3	Horizontal	340	2.58	-	31.51	7.06	31.47			
AV	5.357G	48.24	54.00	-5.76	41.14	3	Horizontal	340	2.58	-	31.51	7.06	31.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Y_2TX
Setting 5.5/18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41058G	59.31	68.20	-8.89	41.72	3	Vertical	333	1.08	-	40.12	10.06	32.59			
PK	15.61662G	61.78	74.00	-12.22	43.70	3	Vertical	160	1.87	-	38.43	12.49	32.84			
AV	15.6213G	49.01	54.00	-4.99	30.97	3	Vertical	160	1.87	-	38.39	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Y_2TX
Setting 5.5/18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42438G	59.65	68.20	-8.55	42.02	3	Horizontal	46	2.16	-	40.15	10.06	32.58			
PK	15.61908G	61.89	74.00	-12.11	43.83	3	Horizontal	84	1.23	-	38.41	12.49	32.84			
AV	15.62064G	49.17	54.00	-4.83	31.13	3	Horizontal	84	1.23	-	38.39	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Z_4TX
Setting 4.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.133G	68.90	74.00	-5.10	61.24	3	Vertical	152	2.31	-	32.10	6.91	31.35			
AV	5.139G	51.16	54.00	-2.84	43.51	3	Vertical	152	2.31	-	32.10	6.91	31.36			
PK	5.232G	110.47	Inf	-Inf	103.25	3	Vertical	152	2.31	-	31.67	6.96	31.41			
AV	5.233G	99.74	Inf	-Inf	92.52	3	Vertical	152	2.31	-	31.67	6.96	31.41			
PK	5.389G	59.34	74.00	-14.66	52.17	3	Vertical	152	2.31	-	31.58	7.08	31.49			
AV	5.353G	47.53	54.00	-6.47	40.44	3	Vertical	152	2.31	-	31.51	7.05	31.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Z_4TX
Setting 4.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	72.09	74.00	-1.91	64.44	3	Horizontal	5	3.00	-	32.10	6.91	31.36			
AV	5.143G	52.98	54.00	-1.02	45.33	3	Horizontal	5	3.00	-	32.10	6.91	31.36			
PK	5.205G	112.58	Inf	-Inf	105.25	3	Horizontal	5	3.00	-	31.78	6.94	31.39			
AV	5.183G	100.11	Inf	-Inf	92.66	3	Horizontal	5	3.00	-	31.90	6.93	31.38			
PK	5.35G	60.39	74.00	-13.61	53.31	3	Horizontal	5	3.00	-	31.50	7.05	31.47			
AV	5.363G	47.47	54.00	-6.53	40.36	3	Horizontal	5	3.00	-	31.53	7.06	31.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 4.5/18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43434G	58.80	68.20	-9.40	41.14	3	Vertical	3	1.18	-	40.17	10.07	32.58			
PK	15.61512G	62.65	74.00	-11.35	44.55	3	Vertical	208	1.06	-	38.45	12.49	32.84			
AV	15.6192G	49.12	54.00	-4.88	31.06	3	Vertical	208	1.06	-	38.41	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 4.5/18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42144G	58.65	68.20	-9.55	41.03	3	Horizontal	29	1.49	-	40.14	10.06	32.58			
PK	15.61914G	61.81	74.00	-12.19	43.75	3	Horizontal	240	1.37	-	38.41	12.49	32.84			
AV	15.61668G	49.08	54.00	-4.92	31.00	3	Horizontal	240	1.37	-	38.43	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_Z_4TX
Setting 2.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.126G	70.12	74.00	-3.88	62.47	3	Vertical	147	2.32	-	32.10	6.90	31.35			
AV	5.12G	51.06	54.00	-2.94	43.40	3	Vertical	147	2.32	-	32.10	6.90	31.34			
PK	5.233G	111.75	Inf	-Inf	104.53	3	Vertical	147	2.32	-	31.67	6.96	31.41			
AV	5.232G	101.23	Inf	-Inf	94.01	3	Vertical	147	2.32	-	31.67	6.96	31.41			
PK	5.352G	63.60	74.00	-10.40	56.52	3	Vertical	147	2.32	-	31.50	7.05	31.47			
AV	5.353G	47.97	54.00	-6.03	40.88	3	Vertical	147	2.32	-	31.51	7.05	31.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_Z_4TX
Setting 2.5/18.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	73.41	74.00	-0.59	65.76	3	Horizontal	0	2.97	-	32.10	6.90	31.35			
AV	5.121G	53.90	54.00	-0.10	46.25	3	Horizontal	0	2.97	-	32.10	6.90	31.35			
PK	5.246G	114.22	Inf	-Inf	107.04	3	Horizontal	0	2.97	-	31.62	6.97	31.41			
AV	5.183G	101.74	Inf	-Inf	94.29	3	Horizontal	0	2.97	-	31.90	6.93	31.38			
PK	5.387G	64.03	74.00	-9.97	56.87	3	Horizontal	0	2.97	-	31.57	7.08	31.49			
AV	5.366G	49.03	54.00	-4.97	41.92	3	Horizontal	0	2.97	-	31.53	7.06	31.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5210MHz_TX

EUT_Y_4TX
Setting 2.5/18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4224G	59.43	68.20	-8.77	41.81	3	Vertical	187	1.24	-	40.14	10.06	32.58			
PK	15.64278G	61.84	74.00	-12.16	44.02	3	Vertical	242	1.05	-	38.17	12.50	32.85			
AV	15.61668G	49.24	54.00	-4.76	31.16	3	Vertical	242	1.05	-	38.43	12.49	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX



EUT_Y_4TX
Setting 2.5/18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43224G	59.77	68.20	-8.43	42.12	3	Horizontal	226	1.65	-	40.16	10.07	32.58			
PK	15.62286G	61.76	74.00	-12.24	43.74	3	Horizontal	156	2.80	-	38.37	12.49	32.84			
AV	15.62382G	49.09	54.00	-4.91	31.08	3	Horizontal	156	2.80	-	38.36	12.49	32.84			




Test Mode: Mode 6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1(MCS14),RU484+RU242 CP 3_1TX	Pass	PK	5.144G	73.50	74.00	-0.50	3	Horizontal	298	1.80	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5210MHz_TX




EUT Y_1TX
Setting 19
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	64.54	74.00	-9.46	59.95	3	Vertical	360	3.00	-	32.71	7.40	35.52			
AV	5.1456G	46.31	54.00	-7.69	41.72	3	Vertical	360	3.00	-	32.71	7.40	35.52			
PK	5.2472G	102.28	Inf	-Inf	97.50	3	Vertical	360	3.00	-	32.80	7.47	35.49			
AV	5.2484G	88.72	Inf	-Inf	83.94	3	Vertical	360	3.00	-	32.80	7.47	35.49			
PK	5.3916G	58.69	74.00	-15.31	53.91	3	Vertical	360	3.00	-	32.68	7.55	35.45			
AV	5.3796G	45.12	54.00	-8.88	40.37	3	Vertical	360	3.00	-	32.66	7.54	35.45			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5210MHz_TX




EUT Y_1TX
Setting 19
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	73.50	74.00	-0.50	68.91	3	Horizontal	298	1.80	-	32.71	7.40	35.52			
AV	5.15G	51.13	54.00	-2.87	46.55	3	Horizontal	298	1.80	-	32.70	7.40	35.52			
PK	5.1728G	109.73	Inf	-Inf	105.07	3	Horizontal	298	1.80	-	32.75	7.42	35.51			
AV	5.1728G	96.31	Inf	-Inf	91.65	3	Horizontal	298	1.80	-	32.75	7.42	35.51			
PK	5.4024G	59.68	74.00	-14.32	54.88	3	Horizontal	298	1.80	-	32.70	7.55	35.45			
AV	5.3624G	45.89	54.00	-8.11	41.20	3	Horizontal	298	1.80	-	32.62	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 19
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41724G	52.98	68.20	-15.22	70.35	3	Vertical	125	1.43	-	38.50	10.37	66.24			
PK	15.62644G	54.14	74.00	-19.86	66.82	3	Vertical	196	1.80	-	37.77	12.30	62.75			
AV	15.62713G	40.20	54.00	-13.80	52.87	3	Vertical	196	1.80	-	37.77	12.31	62.75			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5210MHz_TX




EUT Y_1TX
Setting 19
05-C-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.42031G	52.34	68.20	-15.86	69.71	3	Horizontal	347	1.58	-	38.50	10.37	66.24			
PK	15.62715G	53.95	74.00	-20.05	66.62	3	Horizontal	41	1.15	-	37.77	12.31	62.75			
AV	15.62689G	40.12	54.00	-13.88	52.79	3	Horizontal	41	1.15	-	37.77	12.31	62.75			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5210MHz_TX




EUT Y_2TX
Setting 18
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1372G	73.00	74.00	-1.00	68.40	3	Vertical	34	1.00	-	32.73	7.39	35.52			
AV	5.15G	52.35	54.00	-1.65	47.77	3	Vertical	34	1.00	-	32.70	7.40	35.52			
PK	5.1788G	111.60	Inf	-Inf	106.92	3	Vertical	34	1.00	-	32.76	7.43	35.51			
AV	5.1796G	99.01	Inf	-Inf	94.33	3	Vertical	34	1.00	-	32.76	7.43	35.51			
PK	5.368G	61.04	74.00	-12.96	56.33	3	Vertical	34	1.00	-	32.64	7.53	35.46			
AV	5.3612G	46.11	54.00	-7.89	41.42	3	Vertical	34	1.00	-	32.62	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5210MHz_TX




EUT Y_2TX
Setting 18
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1372G	70.00	74.00	-4.00	65.40	3	Horizontal	306	2.82	-	32.73	7.39	35.52			
AV	5.15G	50.57	54.00	-3.43	45.99	3	Horizontal	306	2.82	-	32.70	7.40	35.52			
PK	5.18G	112.26	Inf	-Inf	107.58	3	Horizontal	306	2.82	-	32.76	7.43	35.51			
AV	5.1788G	98.79	Inf	-Inf	94.11	3	Horizontal	306	2.82	-	32.76	7.43	35.51			
PK	5.3632G	59.95	74.00	-14.05	55.25	3	Horizontal	306	2.82	-	32.63	7.53	35.46			
AV	5.362G	45.97	54.00	-8.03	41.28	3	Horizontal	306	2.82	-	32.62	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5210MHz_TX




EUT_Y_2TX
Setting 18
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41591G	52.99	68.20	-15.21	70.36	3	Vertical	14	2.90	-	38.50	10.37	66.24			
PK	15.62536G	54.47	74.00	-19.53	67.15	3	Vertical	44	1.25	-	37.77	12.30	62.75			
AV	15.62701G	40.14	54.00	-13.86	52.81	3	Vertical	44	1.25	-	37.77	12.31	62.75			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5210MHz_TX




EUT Y_2TX
Setting 18
05-C-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.41659G	52.34	68.20	-15.86	69.71	3	Horizontal	200	2.64	-	38.50	10.37	66.24			
PK	15.62597G	54.11	74.00	-19.89	66.79	3	Horizontal	260	2.35	-	37.77	12.30	62.75			
AV	15.62714G	40.17	54.00	-13.83	52.84	3	Horizontal	260	2.35	-	37.77	12.31	62.75			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5210MHz_TX




EUT Y_4TX
Setting 17.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	72.40	74.00	-1.60	67.82	3	Vertical	39	1.80	-	32.70	7.40	35.52			
AV	5.15G	50.40	54.00	-3.60	45.82	3	Vertical	39	1.80	-	32.70	7.40	35.52			
PK	5.2312G	114.59	Inf	-Inf	109.82	3	Vertical	39	1.80	-	32.80	7.47	35.50			
AV	5.2308G	101.32	Inf	-Inf	96.55	3	Vertical	39	1.80	-	32.80	7.47	35.50			
PK	5.3512G	65.16	74.00	-8.84	60.49	3	Vertical	39	1.80	-	32.60	7.53	35.46			
AV	5.3508G	46.34	54.00	-7.66	41.67	3	Vertical	39	1.80	-	32.60	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5210MHz_TX




EUT Y_4TX
Setting 17.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1168G	70.75	74.00	-3.25	66.14	3	Horizontal	296	1.80	-	32.77	7.37	35.53			
AV	5.1424G	50.44	54.00	-3.56	45.84	3	Horizontal	296	1.80	-	32.72	7.40	35.52			
PK	5.2432G	114.33	Inf	-Inf	109.55	3	Horizontal	296	1.80	-	32.80	7.47	35.49			
AV	5.2424G	101.49	Inf	-Inf	96.71	3	Horizontal	296	1.80	-	32.80	7.47	35.49			
PK	5.3632G	64.05	74.00	-9.95	59.35	3	Horizontal	296	1.80	-	32.63	7.53	35.46			
AV	5.362G	46.77	54.00	-7.23	42.08	3	Horizontal	296	1.80	-	32.62	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 17.5
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41613G	52.34	68.20	-15.86	69.71	3	Vertical	342	1.69	-	38.50	10.37	66.24			
PK	15.6325G	54.36	74.00	-19.64	67.03	3	Vertical	328	1.44	-	37.77	12.31	62.75			
AV	15.62714G	40.06	54.00	-13.94	52.73	3	Vertical	328	1.44	-	37.77	12.31	62.75			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5210MHz_TX



EUT_Y_4TX
Setting 17.5
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.416G	52.73	68.20	-15.47	70.10	3	Horizontal	310	1.38	-	38.50	10.37	66.24			
PK	15.62571G	54.09	74.00	-19.91	66.77	3	Horizontal	108	1.09	-	37.77	12.30	62.75			
AV	15.6271G	40.16	54.00	-13.84	52.83	3	Horizontal	108	1.09	-	37.77	12.31	62.75			




Test Mode: Mode 7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX	Pass	PK	5.15G	73.63	74.00	-0.37	3	Horizontal	344	2.51	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5210MHz_TX




EUT_Z_1TX
Setting 18.5
05-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1412G	73.29	74.00	-0.71	68.40	3	Vertical	296	3.00	-	33.02	7.39	35.52			
AV	5.15G	51.93	54.00	-2.07	47.05	3	Vertical	296	3.00	-	33.00	7.40	35.52			
PK	5.178G	111.38	Inf	-Inf	106.46	3	Vertical	296	3.00	-	33.00	7.43	35.51			
AV	5.174G	98.26	Inf	-Inf	93.34	3	Vertical	296	3.00	-	33.00	7.43	35.51			
PK	5.3516G	61.22	74.00	-12.78	56.25	3	Vertical	296	3.00	-	32.90	7.53	35.46			
AV	5.3628G	47.08	54.00	-6.92	42.08	3	Vertical	296	3.00	-	32.93	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5210MHz_TX




EUT_Z_1TX
Setting 18.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	62.47	74.00	-11.53	57.58	3	Horizontal	341	2.19	-	33.01	7.40	35.52			
AV	5.15G	46.52	54.00	-7.48	41.64	3	Horizontal	341	2.19	-	33.00	7.40	35.52			
PK	5.246G	102.07	Inf	-Inf	97.18	3	Horizontal	341	2.19	-	32.91	7.47	35.49			
AV	5.242G	88.74	Inf	-Inf	83.84	3	Horizontal	341	2.19	-	32.92	7.47	35.49			
PK	5.3956G	59.18	74.00	-14.82	54.09	3	Horizontal	341	2.19	-	32.99	7.55	35.45			
AV	5.39G	45.72	54.00	-8.28	40.65	3	Horizontal	341	2.19	-	32.98	7.54	35.45			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 18.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43644G	54.36	68.20	-13.84	71.69	3	Vertical	338	2.18	-	38.50	10.38	66.21			
PK	15.65964G	56.50	74.00	-17.50	69.21	3	Vertical	262	1.52	-	37.74	12.32	62.77			
AV	15.60096G	42.55	54.00	-11.45	55.18	3	Vertical	262	1.52	-	37.80	12.30	62.73			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX


5210MHz_TX

EUT_Y_1TX
Setting 18.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41256G	53.93	68.20	-14.27	71.31	3	Horizontal	76	1.20	-	38.50	10.37	66.25			
PK	15.61212G	56.54	74.00	-17.46	69.19	3	Horizontal	87	2.67	-	37.79	12.30	62.74			
AV	15.60468G	42.63	54.00	-11.37	55.26	3	Horizontal	87	2.67	-	37.80	12.30	62.73			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 18
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	72.00	74.00	-2.00	67.11	3	Vertical	296	3.00	-	33.02	7.39	35.52			
AV	5.15G	50.69	54.00	-3.31	45.81	3	Vertical	296	3.00	-	33.00	7.40	35.52			
PK	5.174G	110.60	Inf	-Inf	105.68	3	Vertical	296	3.00	-	33.00	7.43	35.51			
AV	5.1764G	98.09	Inf	-Inf	93.17	3	Vertical	296	3.00	-	33.00	7.43	35.51			
PK	5.3532G	61.72	74.00	-12.28	56.74	3	Vertical	296	3.00	-	32.91	7.53	35.46			
AV	5.3612G	46.58	54.00	-7.42	41.59	3	Vertical	296	3.00	-	32.92	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 18
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	73.63	74.00	-0.37	68.75	3	Horizontal	344	2.51	-	33.00	7.40	35.52			
AV	5.15G	52.44	54.00	-1.56	47.56	3	Horizontal	344	2.51	-	33.00	7.40	35.52			
PK	5.1756G	111.91	Inf	-Inf	106.99	3	Horizontal	344	2.51	-	33.00	7.43	35.51			
AV	5.1764G	99.50	Inf	-Inf	94.58	3	Horizontal	344	2.51	-	33.00	7.43	35.51			
PK	5.3596G	63.71	74.00	-10.29	58.72	3	Horizontal	344	2.51	-	32.92	7.53	35.46			
AV	5.3556G	46.88	54.00	-7.12	41.90	3	Horizontal	344	2.51	-	32.91	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5210MHz_TX




EUT_Y_2TX
Setting 18
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43188G	54.70	68.20	-13.50	71.68	3	Vertical	240	2.49	-	38.86	10.38	66.22			
PK	15.63324G	56.44	74.00	-17.56	69.28	3	Vertical	272	1.54	-	37.60	12.31	62.75			
AV	15.60084G	43.48	54.00	-10.52	56.21	3	Vertical	272	1.54	-	37.70	12.30	62.73			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX


5210MHz_TX

EUT_Y_2TX
Setting 18
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41808G	55.26	68.20	-12.94	72.29	3	Horizontal	276	1.01	-	38.84	10.37	66.24			
PK	15.60768G	56.52	74.00	-17.48	69.27	3	Horizontal	37	1.55	-	37.68	12.30	62.73			
AV	15.60024G	43.51	54.00	-10.49	56.24	3	Horizontal	37	1.55	-	37.70	12.30	62.73			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5210MHz_TX




EUT_Z_4TX
Setting 17.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1348G	69.51	74.00	-4.49	64.61	3	Vertical	159	2.34	-	33.03	7.39	35.52			
AV	5.1404G	48.86	54.00	-5.14	43.97	3	Vertical	159	2.34	-	33.02	7.39	35.52			
PK	5.2332G	112.91	Inf	-Inf	108.00	3	Vertical	159	2.34	-	32.93	7.47	35.49			
AV	5.234G	100.24	Inf	-Inf	95.33	3	Vertical	159	2.34	-	32.93	7.47	35.49			
PK	5.3532G	64.06	74.00	-9.94	59.08	3	Vertical	159	2.34	-	32.91	7.53	35.46			
AV	5.354G	47.24	54.00	-6.76	42.26	3	Vertical	159	2.34	-	32.91	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5210MHz_TX




EUT_Z_4TX
Setting 17.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1332G	73.61	74.00	-0.39	68.71	3	Horizontal	341	2.59	-	33.03	7.39	35.52			
AV	5.1436G	51.74	54.00	-2.26	46.85	3	Horizontal	341	2.59	-	33.01	7.40	35.52			
PK	5.1724G	115.68	Inf	-Inf	110.77	3	Horizontal	341	2.59	-	33.00	7.42	35.51			
AV	5.1732G	102.97	Inf	-Inf	98.06	3	Horizontal	341	2.59	-	33.00	7.42	35.51			
PK	5.354G	64.70	74.00	-9.30	59.72	3	Horizontal	341	2.59	-	32.91	7.53	35.46			
AV	5.3532G	47.42	54.00	-6.58	42.44	3	Horizontal	341	2.59	-	32.91	7.53	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43704G	54.16	68.20	-14.04	71.49	3	Vertical	249	2.17	-	38.50	10.38	66.21			
PK	15.6498G	56.90	74.00	-17.10	69.60	3	Vertical	92	2.58	-	37.75	12.31	62.76			
AV	15.6G	44.66	54.00	-9.34	57.29	3	Vertical	92	2.58	-	37.80	12.30	62.73			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5210MHz_TX



EUT_Y_4TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42192G	54.15	68.20	-14.05	71.50	3	Horizontal	45	1.75	-	38.50	10.38	66.23			
PK	15.65364G	56.41	74.00	-17.59	69.11	3	Horizontal	18	1.54	-	37.75	12.31	62.76			
AV	15.60108G	44.63	54.00	-9.37	57.26	3	Horizontal	18	1.54	-	37.80	12.30	62.73			