


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 24.5
24.5
5.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3091G	111.14	Inf	-Inf	105.36	3	Horizontal	54	2.77	24.5	31.32	7.33	32.87			
AV	5.30854G	99.13	Inf	-Inf	93.35	3	Horizontal	54	2.77	24.5	31.32	7.33	32.87			
PK	5.35446G	62.41	74.00	-11.59	56.51	3	Horizontal	54	2.77	24.5	31.41	7.35	32.86			
AV	5.35G	48.66	54.00	-5.34	42.77	3	Horizontal	54	2.77	24.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT Y_1TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60723G	56.74	74.00	-17.26	49.53	3	Vertical	12	1.80	24.5	39.60	10.35	42.74			
AV	10.60508G	44.18	54.00	-9.82	36.97	3	Vertical	12	1.80	24.5	39.60	10.35	42.74			
PK	15.90583G	56.75	74.00	-17.25	48.74	3	Vertical	252	1.80	24.5	37.38	12.76	42.13			
AV	15.88126G	44.32	54.00	-9.68	36.25	3	Vertical	252	1.80	24.5	37.40	12.75	42.08			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT Y_1TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59237G	56.52	68.20	-11.68	49.35	3	Horizontal	110	1.84	24.5	39.58	10.35	42.76			
PK	15.91786G	56.90	74.00	-17.10	48.97	3	Horizontal	25	2.60	24.5	37.33	12.76	42.16			
AV	15.8819G	44.28	54.00	-9.72	36.22	3	Horizontal	25	2.60	24.5	37.40	12.75	42.09			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 21
20\24.5\22.5\21.5\21
4.99\ -8.89\ -4.72\ -1.53\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3254G	114.66	Inf	-Inf	108.83	3	Vertical	69	1.05	21	31.35	7.34	32.86			
AV	5.3285G	103.19	Inf	-Inf	97.35	3	Vertical	69	1.05	21	31.36	7.34	32.86			
PK	5.3507G	68.19	74.00	-5.81	62.30	3	Vertical	69	1.05	21	31.40	7.35	32.86			
AV	5.35G	53.85	54.00	-0.15	47.96	3	Vertical	69	1.05	21	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 21
21
4.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3243G	109.75	Inf	-Inf	103.93	3	Horizontal	52	2.74	21	31.35	7.34	32.87			
AV	5.3285G	97.52	Inf	-Inf	91.68	3	Horizontal	52	2.74	21	31.36	7.34	32.86			
PK	5.35G	63.45	74.00	-10.55	57.56	3	Horizontal	52	2.74	21	31.40	7.35	32.86			
AV	5.3501G	49.51	54.00	-4.49	43.62	3	Horizontal	52	2.74	21	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64272G	56.78	74.00	-17.22	49.50	3	Vertical	160	1.80	21	39.60	10.37	42.69			
AV	10.65035G	44.04	54.00	-9.96	36.74	3	Vertical	160	1.80	21	39.60	10.38	42.68			
PK	15.94198G	56.74	74.00	-17.26	48.95	3	Vertical	204	2.56	21	37.23	12.77	42.21			
AV	15.94066G	43.98	54.00	-10.02	36.17	3	Vertical	204	2.56	21	37.24	12.77	42.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT_Y_1TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.62661G	56.94	74.00	-17.06	49.69	3	Horizontal	284	2.70	21	39.60	10.36	42.71				
AV	10.64999G	44.04	54.00	-9.96	36.74	3	Horizontal	284	2.70	21	39.60	10.38	42.68				
PK	15.95297G	56.11	74.00	-17.89	48.37	3	Horizontal	312	1.79	21	37.19	12.78	42.23				
AV	15.94442G	44.00	54.00	-10.00	36.22	3	Horizontal	312	1.79	21	37.22	12.77	42.21				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 22.5
20\25.5\23\22\22.5
5.78\ -14.94\ -1.69\ 2.88\ 0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14764G	61.97	74.00	-12.03	55.54	3	Vertical	72	2.62	22.5	32.09	7.24	32.90			
AV	5.14876G	49.19	54.00	-4.81	42.75	3	Vertical	72	2.62	22.5	32.10	7.24	32.90			
PK	5.25264G	115.24	Inf	-Inf	109.43	3	Vertical	72	2.62	22.5	31.39	7.30	32.88			
AV	5.25236G	103.39	Inf	-Inf	97.57	3	Vertical	72	2.62	22.5	31.40	7.30	32.88			
PK	5.35176G	67.33	74.00	-6.67	61.44	3	Vertical	72	2.62	22.5	31.40	7.35	32.86			
AV	5.35036G	53.45	54.00	-0.55	47.56	3	Vertical	72	2.62	22.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 22.5
22.5
4.99

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.13588G	60.60	74.00	-13.40	54.23	3	Horizontal	52	2.80	22.5	32.04	7.23	32.90				
AV	5.1482G	47.99	54.00	-6.01	41.56	3	Horizontal	52	2.80	22.5	32.09	7.24	32.90				
PK	5.28316G	107.73	Inf	-Inf	101.95	3	Horizontal	52	2.80	22.5	31.33	7.32	32.87				
AV	5.2518G	95.39	Inf	-Inf	89.57	3	Horizontal	52	2.80	22.5	31.40	7.30	32.88				
PK	5.35064G	60.71	74.00	-13.29	54.82	3	Horizontal	52	2.80	22.5	31.40	7.35	32.86				
AV	5.35G	49.01	54.00	-4.99	43.12	3	Horizontal	52	2.80	22.5	31.40	7.35	32.86				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Y_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57221G	56.38	68.20	-11.82	49.29	3	Vertical	312	1.80	22.5	39.54	10.33	42.78			
PK	15.79258G	57.07	74.00	-16.93	48.64	3	Vertical	160	2.84	22.5	37.64	12.70	41.91			
AV	15.84772G	44.23	54.00	-9.77	36.11	3	Vertical	160	2.84	22.5	37.41	12.73	42.02			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT Y_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50691G	56.31	68.20	-11.89	49.38	3	Horizontal	348	1.80	22.5	39.50	10.30	42.87			
PK	15.84908G	56.48	74.00	-17.52	48.37	3	Horizontal	232	2.95	22.5	37.40	12.73	42.02			
AV	15.84069G	43.85	54.00	-10.15	35.68	3	Horizontal	232	2.95	22.5	37.44	12.73	42.00			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 20
20\21\20.5\20
1.19\ -4.38\ -1.11\ 0.97

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.32584G	111.45	Inf	-Inf	105.62	3	Vertical	65	1.80	20	31.35	7.34	32.86			
AV	5.32752G	99.07	Inf	-Inf	93.23	3	Vertical	65	1.80	20	31.36	7.34	32.86			
PK	5.35296G	66.34	74.00	-7.66	60.44	3	Vertical	65	1.80	20	31.41	7.35	32.86			
AV	5.35044G	53.03	54.00	-0.97	47.14	3	Vertical	65	1.80	20	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 20
20
4.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.32824G	106.51	Inf	-Inf	100.67	3	Horizontal	63	2.79	20	31.36	7.34	32.86			
AV	5.328G	93.74	Inf	-Inf	87.90	3	Horizontal	63	2.79	20	31.36	7.34	32.86			
PK	5.35284G	61.77	74.00	-12.23	55.87	3	Horizontal	63	2.79	20	31.41	7.35	32.86			
AV	5.35008G	49.34	54.00	-4.66	43.45	3	Horizontal	63	2.79	20	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62344G	56.18	74.00	-17.82	48.94	3	Vertical	85	1.80	20	39.60	10.36	42.72			
AV	10.60873G	43.58	54.00	-10.42	36.37	3	Vertical	85	1.80	20	39.60	10.35	42.74			
PK	15.95997G	55.91	74.00	-18.09	48.19	3	Vertical	222	1.80	20	37.18	12.78	42.24			
AV	15.89044G	43.76	54.00	-10.24	35.71	3	Vertical	222	1.80	20	37.40	12.75	42.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59459G	56.14	68.20	-12.06	48.96	3	Horizontal	358	1.15	20	39.59	10.35	42.76			
PK	15.91346G	56.19	74.00	-17.81	48.23	3	Horizontal	360	1.80	20	37.35	12.76	42.15			
AV	15.89156G	43.81	54.00	-10.19	35.77	3	Horizontal	360	1.80	20	37.40	12.75	42.11			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_Y_1TX
SET 18.5
20\12.5\16\17.5\18\18.5\19\18.5
-7.05\6.02\5.68\3.87\2.62\0.97\1.69\0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14792G	60.71	74.00	-13.29	54.28	3	Vertical	67	1.80	18.5	32.09	7.24	32.90			
AV	5.14856G	48.41	54.00	-5.59	41.98	3	Vertical	67	1.80	18.5	32.09	7.24	32.90			
PK	5.25544G	108.17	Inf	-Inf	102.36	3	Vertical	67	1.80	18.5	31.39	7.30	32.88			
AV	5.25192G	95.52	Inf	-Inf	89.70	3	Vertical	67	1.80	18.5	31.40	7.30	32.88			
PK	5.35272G	66.27	74.00	-7.73	60.37	3	Vertical	67	1.80	18.5	31.41	7.35	32.86			
AV	5.35048G	53.14	54.00	-0.86	47.25	3	Vertical	67	1.80	18.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT Y_1TX
SET 18.5
18.5
4.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14984G	60.01	74.00	-13.99	53.57	3	Horizontal	63	2.80	18.5	32.10	7.24	32.90			
AV	5.14888G	47.79	54.00	-6.21	41.35	3	Horizontal	63	2.80	18.5	32.10	7.24	32.90			
PK	5.32328G	101.21	Inf	-Inf	95.39	3	Horizontal	63	2.80	18.5	31.35	7.34	32.87			
AV	5.32776G	88.93	Inf	-Inf	83.09	3	Horizontal	63	2.80	18.5	31.36	7.34	32.86			
PK	5.35016G	63.32	74.00	-10.68	57.43	3	Horizontal	63	2.80	18.5	31.40	7.35	32.86			
AV	5.35016G	49.18	54.00	-4.82	43.29	3	Horizontal	63	2.80	18.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX


5290MHz_TX

EUT_Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6214G	56.19	74.00	-17.81	48.95	3	Vertical	75	1.98	18.5	39.60	10.36	42.72			
AV	10.60941G	43.63	54.00	-10.37	36.41	3	Vertical	75	1.98	18.5	39.60	10.36	42.74			
PK	15.85529G	56.60	74.00	-17.40	48.50	3	Vertical	354	1.80	18.5	37.40	12.73	42.03			
AV	15.86169G	44.09	54.00	-9.91	36.00	3	Vertical	354	1.80	18.5	37.40	12.74	42.05			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX


5290MHz_TX

EUT_Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55475G	55.81	68.20	-12.39	48.78	3	Horizontal	100	1.80	18.5	39.51	10.33	42.81			
AV	10.60637G	43.65	54.00	-10.35	36.44	3	Horizontal	100	1.80	18.5	39.60	10.35	42.74			
PK	15.94161G	56.16	74.00	-17.84	48.36	3	Horizontal	339	1.80	18.5	37.23	12.77	42.20			
AV	15.85865G	44.10	54.00	-9.90	36.01	3	Horizontal	339	1.80	18.5	37.40	12.73	42.04			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_1TX
SET 19
20\16.5\18\18.5\19
-3.07\4.14\2.54\1.86\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14392G	68.13	74.00	-5.87	61.72	3	Vertical	65	1.80	19	32.08	7.23	32.90			
AV	5.14944G	53.59	54.00	-0.41	47.15	3	Vertical	65	1.80	19	32.10	7.24	32.90			
PK	5.25288G	104.93	Inf	-Inf	99.12	3	Vertical	65	1.80	19	31.39	7.30	32.88			
AV	5.24136G	92.84	Inf	-Inf	86.95	3	Vertical	65	1.80	19	31.47	7.30	32.88			
PK	5.3544G	67.39	74.00	-6.61	61.49	3	Vertical	65	1.80	19	31.41	7.35	32.86			
AV	5.35296G	53.05	54.00	-0.95	47.15	3	Vertical	65	1.80	19	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_1TX
SET 19
19
3.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14656G	64.87	74.00	-9.13	58.45	3	Horizontal	6	2.91	19	32.09	7.23	32.90			
AV	5.14368G	50.50	54.00	-3.50	44.10	3	Horizontal	6	2.91	19	32.07	7.23	32.90			
PK	5.2272G	100.94	Inf	-Inf	94.95	3	Horizontal	6	2.91	19	31.58	7.29	32.88			
AV	5.238G	88.03	Inf	-Inf	82.11	3	Horizontal	6	2.91	19	31.50	7.30	32.88			
PK	5.35176G	63.71	74.00	-10.29	57.82	3	Horizontal	6	2.91	19	31.40	7.35	32.86			
AV	5.35056G	49.82	54.00	-4.18	43.93	3	Horizontal	6	2.91	19	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_1TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49489G	56.42	68.20	-11.78	49.52	3	Vertical	68	1.10	19	39.49	10.29	42.88			
PK	15.83567G	56.74	74.00	-17.26	48.55	3	Vertical	49	2.92	19	37.46	12.72	41.99			
AV	15.85901G	44.35	54.00	-9.65	36.25	3	Vertical	49	2.92	19	37.40	12.74	42.04			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_1TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41528G	56.07	68.20	-12.13	49.33	3	Horizontal	301	1.06	19	39.33	10.25	42.84			
PK	15.70269G	57.32	74.00	-16.68	48.49	3	Horizontal	129	2.92	19	37.90	12.66	41.73			
AV	15.86093G	44.36	54.00	-9.64	36.26	3	Horizontal	129	2.92	19	37.40	12.74	42.04			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 28
20\25.5\28
5.81\4.47\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14768G	65.80	74.00	-8.20	59.37	3	Vertical	67	1.80	28	32.09	7.24	32.90			
AV	5.14716G	50.22	54.00	-3.78	43.79	3	Vertical	67	1.80	28	32.09	7.24	32.90			
PK	5.26728G	121.20	Inf	-Inf	115.40	3	Vertical	67	1.80	28	31.37	7.31	32.88			
AV	5.25688G	111.01	Inf	-Inf	105.19	3	Vertical	67	1.80	28	31.39	7.31	32.88			
PK	5.35152G	71.31	74.00	-2.69	65.42	3	Vertical	67	1.80	28	31.40	7.35	32.86			
AV	5.351G	53.75	54.00	-0.25	47.86	3	Vertical	67	1.80	28	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 26
28\25.5\26.5\26
-2.45\4.63\0.78\2.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	64.61	74.00	-9.39	58.27	3	Horizontal	316	2.76	26	32.02	7.22	32.90			
AV	5.15G	50.56	54.00	-3.44	44.12	3	Horizontal	316	2.76	26	32.10	7.24	32.90			
PK	5.26728G	124.25	Inf	-Inf	118.45	3	Horizontal	316	2.76	26	31.37	7.31	32.88			
AV	5.26702G	113.94	Inf	-Inf	108.14	3	Horizontal	316	2.76	26	31.37	7.31	32.88			
PK	5.35464G	64.65	74.00	-9.35	58.75	3	Horizontal	316	2.76	26	31.41	7.35	32.86			
AV	5.35G	51.51	54.00	-2.49	45.62	3	Horizontal	316	2.76	26	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX

EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.513777G	58.09	68.20	-10.11	51.15	3	Vertical	339	1.80	26	39.50	10.30	42.86			
PK	15.78372G	57.55	74.00	-16.45	49.04	3	Vertical	34	1.80	26	37.70	12.70	41.89			
AV	15.78196G	44.83	54.00	-9.17	36.31	3	Vertical	34	1.80	26	37.71	12.70	41.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX

EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5174G	59.50	68.20	-8.70	52.56	3	Horizontal	305	1.80	26	39.50	10.30	42.86			
PK	15.77449G	57.58	74.00	-16.42	49.00	3	Horizontal	16	1.80	26	37.75	12.70	41.87			
AV	15.77868G	44.86	54.00	-9.14	36.31	3	Horizontal	16	1.80	26	37.73	12.70	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 25
20\26\23\24\5\25\25\5\25
6.43\ -3.41\4.99\2.49\0.65\ -1.53\0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30644G	118.56	Inf	-Inf	112.79	3	Vertical	62	1.80	25	31.31	7.33	32.87			
AV	5.30686G	109.82	Inf	-Inf	104.05	3	Vertical	62	1.80	25	31.31	7.33	32.87			
PK	5.35614G	67.38	74.00	-6.62	61.48	3	Vertical	62	1.80	25	31.41	7.35	32.86			
AV	5.3511G	53.24	54.00	-0.76	47.35	3	Vertical	62	1.80	25	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 24
25\22.5\23.5\24\24.5\24
-2.45\4.17\3.01\1.29\0.14\1.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30182G	122.36	Inf	-Inf	116.60	3	Horizontal	310	2.78	24	31.30	7.33	32.87			
AV	5.30714G	113.02	Inf	-Inf	107.25	3	Horizontal	310	2.78	24	31.31	7.33	32.87			
PK	5.35166G	67.15	74.00	-6.85	61.26	3	Horizontal	310	2.78	24	31.40	7.35	32.86			
AV	5.3518G	52.71	54.00	-1.29	46.82	3	Horizontal	310	2.78	24	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6044G	57.18	74.00	-16.82	49.97	3	Vertical	77	1.80	24	39.60	10.35	42.74			
AV	10.60679G	44.19	54.00	-9.81	36.98	3	Vertical	77	1.80	24	39.60	10.35	42.74			
PK	15.89045G	57.25	74.00	-16.75	49.20	3	Vertical	262	1.80	24	37.40	12.75	42.10			
AV	15.8847G	44.35	54.00	-9.65	36.29	3	Vertical	262	1.80	24	37.40	12.75	42.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6054G	56.63	74.00	-17.37	49.42	3	Horizontal	325	2.65	24	39.60	10.35	42.74			
AV	10.60727G	44.19	54.00	-9.81	36.98	3	Horizontal	325	2.65	24	39.60	10.35	42.74			
PK	15.89545G	56.81	74.00	-17.19	48.77	3	Horizontal	69	1.80	24	37.40	12.75	42.11			
AV	15.88038G	44.30	54.00	-9.70	36.24	3	Horizontal	69	1.80	24	37.40	12.74	42.08			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 21
20\24.5\22.5\21.5\21
4.99\10.61\3.60\0.86\1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3265G	115.02	Inf	-Inf	109.19	3	Vertical	61	1.80	21	31.35	7.34	32.86			
AV	5.3267G	106.41	Inf	-Inf	100.58	3	Vertical	61	1.80	21	31.35	7.34	32.86			
PK	5.3523G	68.25	74.00	-5.75	62.36	3	Vertical	61	1.80	21	31.40	7.35	32.86			
AV	5.3509G	52.92	54.00	-1.08	47.03	3	Vertical	61	1.80	21	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 20.5
21\18.5\19.5\20\20.5
-2.08\5.16\4.65\2.49\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3218G	118.86	Inf	-Inf	113.06	3	Horizontal	311	2.77	20.5	31.34	7.33	32.87			
AV	5.3124G	109.47	Inf	-Inf	103.69	3	Horizontal	311	2.77	20.5	31.32	7.33	32.87			
PK	5.3523G	70.33	74.00	-3.67	64.44	3	Horizontal	311	2.77	20.5	31.40	7.35	32.86			
AV	5.3505G	53.65	54.00	-0.35	47.76	3	Horizontal	311	2.77	20.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX

EUT_Y_2TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64579G	57.43	74.00	-16.57	50.14	3	Vertical	211	1.67	20.5	39.60	10.38	42.69			
AV	10.62466G	44.08	54.00	-9.92	36.84	3	Vertical	211	1.67	20.5	39.60	10.36	42.72			
PK	15.95049G	57.07	74.00	-16.93	49.31	3	Vertical	37	1.80	20.5	37.20	12.78	42.22			
AV	15.94398G	44.00	54.00	-10.00	36.22	3	Vertical	37	1.80	20.5	37.22	12.77	42.21			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.6384G	57.48	74.00	-16.52	50.21	3	Horizontal	358	1.09	20.5	39.60	10.37	42.70				
AV	10.6201G	44.11	54.00	-9.89	36.87	3	Horizontal	358	1.09	20.5	39.60	10.36	42.72				
PK	15.94817G	56.75	74.00	-17.25	48.98	3	Horizontal	302	1.80	20.5	37.21	12.78	42.22				
AV	15.9405G	43.98	54.00	-10.02	36.17	3	Horizontal	302	1.80	20.5	37.24	12.77	42.20				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 28
20\25.5\28
5.80\2.36\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14742G	66.82	74.00	-7.18	60.39	3	Vertical	66	1.80	28	32.09	7.24	32.90			
AV	5.14976G	52.53	54.00	-1.47	46.09	3	Vertical	66	1.80	28	32.10	7.24	32.90			
PK	5.26572G	121.79	Inf	-Inf	115.99	3	Vertical	66	1.80	28	31.37	7.31	32.88			
AV	5.26728G	110.50	Inf	-Inf	104.70	3	Vertical	66	1.80	28	31.37	7.31	32.88			
PK	5.36322G	68.49	74.00	-5.51	62.57	3	Vertical	66	1.80	28	31.43	7.35	32.86			
AV	5.35G	53.84	54.00	-0.16	47.95	3	Vertical	66	1.80	28	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 26
28\26\27\26.5\26
-1.84\0.97\1.76\0.66\0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	65.61	74.00	-8.39	59.20	3	Horizontal	323	2.95	26	32.08	7.23	32.90			
AV	5.1417G	50.65	54.00	-3.35	44.25	3	Horizontal	323	2.95	26	32.07	7.23	32.90			
PK	5.26468G	123.96	Inf	-Inf	118.16	3	Horizontal	323	2.95	26	31.37	7.31	32.88			
AV	5.26572G	112.62	Inf	-Inf	106.82	3	Horizontal	323	2.95	26	31.37	7.31	32.88			
PK	5.35204G	67.31	74.00	-6.69	61.42	3	Horizontal	323	2.95	26	31.40	7.35	32.86			
AV	5.35204G	53.03	54.00	-0.97	47.14	3	Horizontal	323	2.95	26	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5260MHz_TX

EUT Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50849G	57.74	68.20	-10.46	50.81	3	Vertical	331	1.80	26	39.50	10.30	42.87			
PK	15.78959G	57.52	74.00	-16.48	49.06	3	Vertical	32	1.80	26	37.66	12.70	41.90			
AV	15.78332G	44.59	54.00	-9.41	36.08	3	Vertical	32	1.80	26	37.70	12.70	41.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52316G	59.66	68.20	-8.54	52.70	3	Horizontal	57	1.80	26	39.50	10.31	42.85			
PK	15.7828G	57.49	74.00	-16.51	48.98	3	Horizontal	20	1.80	26	37.70	12.70	41.89			
AV	15.77505G	44.61	54.00	-9.39	36.03	3	Horizontal	20	1.80	26	37.75	12.70	41.87			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 24
20\26\23\24.5\24
6.47\6.06\4.18\0.13\1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30672G	119.64	Inf	-Inf	113.87	3	Vertical	62	1.80	24	31.31	7.33	32.87			
AV	5.30742G	108.11	Inf	-Inf	102.34	3	Vertical	62	1.80	24	31.31	7.33	32.87			
PK	5.35082G	67.59	74.00	-6.41	61.70	3	Vertical	62	1.80	24	31.40	7.35	32.86			
AV	5.35G	52.92	54.00	-1.08	47.03	3	Vertical	62	1.80	24	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 23.5
24\23\23.5
-0.86\2.62\0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30602G	122.58	Inf	-Inf	116.81	3	Horizontal	323	2.95	23.5	31.31	7.33	32.87			
AV	5.30588G	110.19	Inf	-Inf	104.42	3	Horizontal	323	2.95	23.5	31.31	7.33	32.87			
PK	5.35G	68.59	74.00	-5.41	62.70	3	Horizontal	323	2.95	23.5	31.40	7.35	32.86			
AV	5.35G	53.24	54.00	-0.76	47.35	3	Horizontal	323	2.95	23.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5972G	56.84	68.20	-11.36	49.65	3	Vertical	181	1.37	23.5	39.59	10.35	42.75			
PK	15.88589G	57.14	74.00	-16.86	49.08	3	Vertical	170	1.80	23.5	37.40	12.75	42.09			
AV	15.88793G	44.29	54.00	-9.71	36.24	3	Vertical	170	1.80	23.5	37.40	12.75	42.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59928G	57.29	68.20	-10.91	50.09	3	Horizontal	167	1.09	23.5	39.60	10.35	42.75			
PK	15.90352G	57.48	74.00	-16.52	49.46	3	Horizontal	18	1.80	23.5	37.39	12.76	42.13			
AV	15.88466G	44.27	54.00	-9.73	36.21	3	Horizontal	18	1.80	23.5	37.40	12.75	42.09			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 20.5
20\23\21.5\21\20.5
3.29\ -8.02\ -4.02\ -2.15\0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3262G	117.02	Inf	-Inf	111.19	3	Vertical	60	1.80	20.5	31.35	7.34	32.86			
AV	5.3272G	105.17	Inf	-Inf	99.34	3	Vertical	60	1.80	20.5	31.35	7.34	32.86			
PK	5.3501G	67.61	74.00	-6.39	61.72	3	Vertical	60	1.80	20.5	31.40	7.35	32.86			
AV	5.35G	53.24	54.00	-0.76	47.35	3	Vertical	60	1.80	20.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 19.5
20.5\16\18\19\19.5\20\19.5
-4.38\5.34\4.49\3.43\2.00\1.84\2.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3271G	120.04	Inf	-Inf	114.21	3	Horizontal	309	2.75	19.5	31.35	7.34	32.86			
AV	5.3112G	108.04	Inf	-Inf	102.26	3	Horizontal	309	2.75	19.5	31.32	7.33	32.87			
PK	5.3518G	65.66	74.00	-8.34	59.77	3	Horizontal	309	2.75	19.5	31.40	7.35	32.86			
AV	5.35G	52.00	54.00	-2.00	46.11	3	Horizontal	309	2.75	19.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX

EUT_Y_2TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.65179G	57.03	74.00	-16.97	49.74	3	Vertical	285	1.80	19.5	39.59	10.38	42.68				
AV	10.65451G	44.03	54.00	-9.97	36.75	3	Vertical	285	1.80	19.5	39.58	10.38	42.68				
PK	15.94182G	56.03	74.00	-17.97	48.23	3	Vertical	290	1.80	19.5	37.23	12.77	42.20				
AV	15.94589G	44.00	54.00	-10.00	36.21	3	Vertical	290	1.80	19.5	37.22	12.78	42.21				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX

EUT_Y_2TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63165G	57.13	74.00	-16.87	49.87	3	Horizontal	1	2.31	19.5	39.60	10.37	42.71			
AV	10.65351G	44.02	54.00	-9.98	36.73	3	Horizontal	1	2.31	19.5	39.59	10.38	42.68			
PK	15.96372G	57.24	74.00	-16.76	49.54	3	Horizontal	251	1.80	19.5	37.17	12.78	42.25			
AV	15.94382G	43.95	54.00	-10.05	36.17	3	Horizontal	251	1.80	19.5	37.22	12.77	42.21			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 22.5
20\25.5\23\22\22.5
5.85\15.62\2.09\2.62\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13364G	60.86	74.00	-13.14	54.51	3	Vertical	66	1.80	22.5	32.03	7.22	32.90			
AV	5.1426G	48.94	54.00	-5.06	42.54	3	Vertical	66	1.80	22.5	32.07	7.23	32.90			
PK	5.25516G	116.02	Inf	-Inf	110.21	3	Vertical	66	1.80	22.5	31.39	7.30	32.88			
AV	5.25656G	104.93	Inf	-Inf	99.11	3	Vertical	66	1.80	22.5	31.39	7.31	32.88			
PK	5.35484G	67.66	74.00	-6.34	61.76	3	Vertical	66	1.80	22.5	31.41	7.35	32.86			
AV	5.35232G	53.66	54.00	-0.34	47.77	3	Vertical	66	1.80	22.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 22
22.5\22
-0.34\2.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13028G	60.70	74.00	-13.30	54.36	3	Horizontal	325	2.95	22	32.02	7.22	32.90			
AV	5.14148G	48.75	54.00	-5.25	42.35	3	Horizontal	325	2.95	22	32.07	7.23	32.90			
PK	5.25404G	118.08	Inf	-Inf	112.27	3	Horizontal	325	2.95	22	31.39	7.30	32.88			
AV	5.25516G	106.23	Inf	-Inf	100.42	3	Horizontal	325	2.95	22	31.39	7.30	32.88			
PK	5.3512G	66.33	74.00	-7.67	60.44	3	Horizontal	325	2.95	22	31.40	7.35	32.86			
AV	5.35G	51.76	54.00	-2.24	45.87	3	Horizontal	325	2.95	22	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50196G	56.21	68.20	-11.99	49.29	3	Vertical	213	1.80	22	39.50	10.30	42.88			
PK	15.79434G	56.52	74.00	-17.48	48.09	3	Vertical	67	2.86	22	37.63	12.71	41.91			
AV	15.84533G	43.92	54.00	-10.08	35.78	3	Vertical	67	2.86	22	37.42	12.73	42.01			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55279G	55.82	68.20	-12.38	48.80	3	Horizontal	268	1.80	22	39.51	10.32	42.81			
PK	15.82694G	57.97	74.00	-16.03	49.74	3	Horizontal	184	1.80	22	37.49	12.72	41.98			
AV	15.8486G	43.91	54.00	-10.09	35.79	3	Horizontal	184	1.80	22	37.41	12.73	42.02			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 19.5
20\19\19.5
-0.89\2.72\1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.31504G	112.71	Inf	-Inf	106.92	3	Vertical	61	1.80	19.5	31.33	7.33	32.87			
AV	5.31684G	100.66	Inf	-Inf	94.87	3	Vertical	61	1.80	19.5	31.33	7.33	32.87			
PK	5.35788G	66.95	74.00	-7.05	61.04	3	Vertical	61	1.80	19.5	31.42	7.35	32.86			
AV	5.35488G	52.50	54.00	-1.50	46.60	3	Vertical	61	1.80	19.5	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 18.5
19.5\17.5\18.5\19\18.5
-1.63\2.99\1.16\0.16\1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3196G	116.79	Inf	-Inf	110.99	3	Horizontal	310	2.77	18.5	31.34	7.33	32.87			
AV	5.31816G	104.05	Inf	-Inf	98.25	3	Horizontal	310	2.77	18.5	31.34	7.33	32.87			
PK	5.35308G	66.93	74.00	-7.07	61.03	3	Horizontal	310	2.77	18.5	31.41	7.35	32.86			
AV	5.35476G	52.84	54.00	-1.16	46.94	3	Horizontal	310	2.77	18.5	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62575G	56.24	74.00	-17.76	48.99	3	Vertical	95	1.80	18.5	39.60	10.36	42.71			
AV	10.6045G	43.65	54.00	-10.35	36.44	3	Vertical	95	1.80	18.5	39.60	10.35	42.74			
PK	15.89763G	56.62	74.00	-17.38	48.59	3	Vertical	357	1.38	18.5	37.40	12.75	42.12			
AV	15.89116G	43.81	54.00	-10.19	35.76	3	Vertical	357	1.38	18.5	37.40	12.75	42.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX

EUT_Y_2TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61976G	56.62	74.00	-17.38	49.38	3	Horizontal	19	2.66	18.5	39.60	10.36	42.72			
AV	10.60561G	43.62	54.00	-10.38	36.41	3	Horizontal	19	2.66	18.5	39.60	10.35	42.74			
PK	15.93999G	56.56	74.00	-17.44	48.75	3	Horizontal	176	1.80	18.5	37.24	12.77	42.20			
AV	15.89116G	43.81	54.00	-10.19	35.76	3	Horizontal	176	1.80	18.5	37.40	12.75	42.10			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Y_2TX
SET 18
20\12\16\18\19\18.5\18
-9.45\6.01\4.97\1.07\3.74\1.05\1.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13576G	60.51	74.00	-13.49	54.14	3	Vertical	65	1.80	18	32.04	7.23	32.90			
AV	5.14152G	48.35	54.00	-5.65	41.95	3	Vertical	65	1.80	18	32.07	7.23	32.90			
PK	5.25544G	109.56	Inf	-Inf	103.75	3	Vertical	65	1.80	18	31.39	7.30	32.88			
AV	5.25704G	97.68	Inf	-Inf	91.86	3	Vertical	65	1.80	18	31.39	7.31	32.88			
PK	5.35144G	67.41	74.00	-6.59	61.52	3	Vertical	65	1.80	18	31.40	7.35	32.86			
AV	5.35304G	52.94	54.00	-1.06	47.04	3	Vertical	65	1.80	18	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Y_2TX
SET 17.5
18\17.5
-0.33\1.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	60.57	74.00	-13.43	54.19	3	Horizontal	322	2.95	17.5	32.05	7.23	32.90			
AV	5.13832G	48.52	54.00	-5.48	42.14	3	Horizontal	322	2.95	17.5	32.05	7.23	32.90			
PK	5.25704G	111.51	Inf	-Inf	105.69	3	Horizontal	322	2.95	17.5	31.39	7.31	32.88			
AV	5.25608G	99.31	Inf	-Inf	93.49	3	Horizontal	322	2.95	17.5	31.39	7.31	32.88			
PK	5.35496G	67.23	74.00	-6.77	61.33	3	Horizontal	322	2.95	17.5	31.41	7.35	32.86			
AV	5.3524G	52.60	54.00	-1.40	46.71	3	Horizontal	322	2.95	17.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Y_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53301G	56.73	68.20	-11.47	49.76	3	Vertical	241	1.80	17.5	39.50	10.31	42.84			
PK	15.85402G	57.04	74.00	-16.96	48.94	3	Vertical	189	1.63	17.5	37.40	12.73	42.03			
AV	15.85865G	44.06	54.00	-9.94	35.97	3	Vertical	189	1.63	17.5	37.40	12.73	42.04			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Y_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54356G	55.89	68.20	-12.31	48.89	3	Horizontal	359	1.80	17.5	39.50	10.32	42.82			
PK	15.84107G	56.48	74.00	-17.52	48.32	3	Horizontal	359	1.07	17.5	37.44	12.73	42.01			
AV	15.86185G	44.09	54.00	-9.91	36.00	3	Horizontal	359	1.07	17.5	37.40	12.74	42.05			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 18.5
20\14\17\18.5\19\18.5
-5.85\5.06\3.05\0.94\1.06\0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14392G	66.69	74.00	-7.31	60.28	3	Vertical	66	1.80	18.5	32.08	7.23	32.90			
AV	5.13936G	53.17	54.00	-0.83	46.78	3	Vertical	66	1.80	18.5	32.06	7.23	32.90			
PK	5.238G	107.32	Inf	-Inf	101.40	3	Vertical	66	1.80	18.5	31.50	7.30	32.88			
AV	5.23848G	94.62	Inf	-Inf	88.71	3	Vertical	66	1.80	18.5	31.49	7.30	32.88			
PK	5.35632G	68.16	74.00	-5.84	62.26	3	Vertical	66	1.80	18.5	31.41	7.35	32.86			
AV	5.35608G	52.84	54.00	-1.16	46.94	3	Vertical	66	1.80	18.5	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 17.5
18.5\17\17.5\18\17.5
-1.49\1.32\0.51\0.25\0.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14272G	66.18	74.00	-7.82	59.78	3	Horizontal	324	2.95	17.5	32.07	7.23	32.90			
AV	5.13792G	53.49	54.00	-0.51	47.11	3	Horizontal	324	2.95	17.5	32.05	7.23	32.90			
PK	5.23704G	107.82	Inf	-Inf	101.90	3	Horizontal	324	2.95	17.5	31.50	7.30	32.88			
AV	5.23752G	95.61	Inf	-Inf	89.69	3	Horizontal	324	2.95	17.5	31.50	7.30	32.88			
PK	5.35752G	64.94	74.00	-9.06	59.03	3	Horizontal	324	2.95	17.5	31.42	7.35	32.86			
AV	5.35584G	51.91	54.00	-2.09	46.01	3	Horizontal	324	2.95	17.5	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54891G	55.96	68.20	-12.24	48.96	3	Vertical	281	1.80	17.5	39.50	10.32	42.82			
PK	15.78069G	56.96	74.00	-17.04	48.43	3	Vertical	130	1.76	17.5	37.72	12.70	41.89			
AV	15.86477G	44.39	54.00	-9.61	36.30	3	Vertical	130	1.76	17.5	37.40	12.74	42.05			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55888G	56.13	68.20	-12.07	49.08	3	Horizontal	177	1.80	17.5	39.52	10.33	42.80			
PK	15.85262G	56.53	74.00	-17.47	48.43	3	Horizontal	45	1.74	17.5	37.40	12.73	42.03			
AV	15.85773G	44.36	54.00	-9.64	36.27	3	Horizontal	45	1.74	17.5	37.40	12.73	42.04			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT Y_4TX
SET 27.5
20\25\27.5
5.44\4.02\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14274G	66.05	74.00	-7.95	59.65	3	Vertical	299	2.95	27.5	32.07	7.23	32.90				
AV	5.14404G	51.26	54.00	-2.74	44.85	3	Vertical	299	2.95	27.5	32.08	7.23	32.90				
PK	5.2626G	125.44	Inf	-Inf	119.64	3	Vertical	299	2.95	27.5	31.37	7.31	32.88				
AV	5.26234G	116.07	Inf	-Inf	110.26	3	Vertical	299	2.95	27.5	31.38	7.31	32.88				
PK	5.35204G	71.67	74.00	-2.33	65.78	3	Vertical	299	2.95	27.5	31.40	7.35	32.86				
AV	5.3614G	53.91	54.00	-0.09	48.00	3	Vertical	299	2.95	27.5	31.42	7.35	32.86				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 26
27.5\26.5\26
-0.99\ -1.20\0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14768G	64.48	74.00	-9.52	58.05	3	Horizontal	49	1.80	26	32.09	7.24	32.90				
AV	5.14638G	50.99	54.00	-3.01	44.57	3	Horizontal	49	1.80	26	32.09	7.23	32.90				
PK	5.26728G	125.12	Inf	-Inf	119.32	3	Horizontal	49	1.80	26	31.37	7.31	32.88				
AV	5.2652G	115.43	Inf	-Inf	109.63	3	Horizontal	49	1.80	26	31.37	7.31	32.88				
PK	5.35152G	69.13	74.00	-4.87	63.24	3	Horizontal	49	1.80	26	31.40	7.35	32.86				
AV	5.351G	53.14	54.00	-0.86	47.25	3	Horizontal	49	1.80	26	31.40	7.35	32.86				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX

EUT_Y_4TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.518G	58.95	68.20	-9.25	52.01	3	Vertical	6	2.76	26	39.50	10.30	42.86			
PK	15.76494G	58.93	74.00	-15.07	50.28	3	Vertical	342	2.84	26	37.81	12.69	41.85			
AV	15.78607G	46.22	54.00	-7.78	37.74	3	Vertical	342	2.84	26	37.68	12.70	41.90			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX

EUT_Y_4TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51529G	60.52	68.20	-7.68	53.58	3	Horizontal	52	1.80	26	39.50	10.30	42.86			
PK	15.76022G	57.46	74.00	-16.54	48.78	3	Horizontal	334	2.84	26	37.84	12.69	41.85			
AV	15.7838G	45.33	54.00	-8.67	36.82	3	Horizontal	334	2.84	26	37.70	12.70	41.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 25
20\26\23\24.5\25\25.5\25
6.05\ -4.40\4.49\2.56\0.53\ -1.53\1.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.30294G	123.39	Inf	-Inf	117.62	3	Vertical	301	2.92	25	31.31	7.33	32.87			
AV	5.30252G	114.76	Inf	-Inf	108.99	3	Vertical	301	2.92	25	31.31	7.33	32.87			
PK	5.35404G	67.25	74.00	-6.75	61.35	3	Vertical	301	2.92	25	31.41	7.35	32.86			
AV	5.35306G	52.49	54.00	-1.51	46.59	3	Vertical	301	2.92	25	31.41	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 24
25\21\23\24\24.5\24
-3.84\5.29\2.62\0.55\ -1.20\0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30686G	122.54	Inf	-Inf	116.77	3	Horizontal	51	1.80	24	31.31	7.33	32.87			
AV	5.307G	114.04	Inf	-Inf	108.27	3	Horizontal	51	1.80	24	31.31	7.33	32.87			
PK	5.35026G	69.82	74.00	-4.18	63.93	3	Horizontal	51	1.80	24	31.40	7.35	32.86			
AV	5.35G	53.24	54.00	-0.76	47.35	3	Horizontal	51	1.80	24	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX

EUT_Y_4TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59275G	56.85	68.20	-11.35	49.67	3	Vertical	1	1.80	24	39.59	10.35	42.76			
PK	15.91371G	56.81	74.00	-17.19	48.85	3	Vertical	355	1.71	24	37.35	12.76	42.15			
AV	15.88761G	44.37	54.00	-9.63	36.32	3	Vertical	355	1.71	24	37.40	12.75	42.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX

EUT_Y_4TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59596G	57.34	68.20	-10.86	50.15	3	Horizontal	22	1.80	24	39.59	10.35	42.75			
PK	15.90775G	56.84	74.00	-17.16	48.85	3	Horizontal	217	1.80	24	37.37	12.76	42.14			
AV	15.88406G	44.35	54.00	-9.65	36.29	3	Horizontal	217	1.80	24	37.40	12.75	42.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 21.5
20\25\22.5\21.5
5.14\12.34\2.87\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3225G	120.48	Inf	-Inf	114.67	3	Vertical	300	2.89	21.5	31.34	7.34	32.87			
AV	5.3223G	112.32	Inf	-Inf	106.51	3	Vertical	300	2.89	21.5	31.34	7.34	32.87			
PK	5.3528G	70.18	74.00	-3.82	64.28	3	Vertical	300	2.89	21.5	31.41	7.35	32.86			
AV	5.3502G	53.75	54.00	-0.25	47.86	3	Vertical	300	2.89	21.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 19.5
21.5\13.5\17.5\19.5\20.5\20\19.5
-7.51\6.27\5.34\3.02\2.86\0.59\3.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3268G	120.09	Inf	-Inf	114.26	3	Horizontal	56	2.56	19.5	31.35	7.34	32.86			
AV	5.3271G	111.62	Inf	-Inf	105.79	3	Horizontal	56	2.56	19.5	31.35	7.34	32.86			
PK	5.35G	63.09	74.00	-10.91	57.20	3	Horizontal	56	2.56	19.5	31.40	7.35	32.86			
AV	5.35G	50.98	54.00	-3.02	45.09	3	Horizontal	56	2.56	19.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT Y_4TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65031G	56.85	74.00	-17.15	49.55	3	Vertical	135	1.36	19.5	39.60	10.38	42.68			
AV	10.64815G	44.07	54.00	-9.93	36.77	3	Vertical	135	1.36	19.5	39.60	10.38	42.68			
PK	15.96567G	56.72	74.00	-17.28	49.02	3	Vertical	119	1.30	19.5	37.17	12.78	42.25			
AV	15.94689G	44.03	54.00	-9.97	36.25	3	Vertical	119	1.30	19.5	37.21	12.78	42.21			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT Y_4TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63365G	56.62	74.00	-17.38	49.35	3	Horizontal	73	1.80	19.5	39.60	10.37	42.70			
AV	10.64831G	44.07	54.00	-9.93	36.77	3	Horizontal	73	1.80	19.5	39.60	10.38	42.68			
PK	15.96947G	56.24	74.00	-17.76	48.55	3	Horizontal	4	1.80	19.5	37.16	12.79	42.26			
AV	15.94402G	43.96	54.00	-10.04	36.18	3	Horizontal	4	1.80	19.5	37.22	12.77	42.21			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX



EUT_Y_4TX

SET 25


20\25\27.5\26.5\26\20.5\23\24\24.5\28\25

5.43\1.52\ -3.08\ -3.01\ -3.47\5.25\5.04\5.04\4.48\ -3.01\1.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14872G	62.43	74.00	-11.57	56.00	3	Vertical	71	2.63	25	32.09	7.24	32.90				
AV	5.143G	50.34	54.00	-3.66	43.94	3	Vertical	71	2.63	25	32.07	7.23	32.90				
PK	5.2639G	125.93	Inf	-Inf	120.13	3	Vertical	71	2.63	25	31.37	7.31	32.88				
AV	5.26364G	115.27	Inf	-Inf	109.47	3	Vertical	71	2.63	25	31.37	7.31	32.88				
PK	5.35256G	68.46	74.00	-5.54	62.56	3	Vertical	71	2.63	25	31.41	7.35	32.86				
AV	5.35152G	52.59	54.00	-1.41	46.70	3	Vertical	71	2.63	25	31.40	7.35	32.86				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 25
25
2.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	65.12	74.00	-8.88	58.71	3	Horizontal	68	1.80	25	32.08	7.23	32.90			
AV	5.14482G	49.86	54.00	-4.14	43.45	3	Horizontal	68	1.80	25	32.08	7.23	32.90			
PK	5.2509G	125.27	Inf	-Inf	119.45	3	Horizontal	68	1.80	25	31.40	7.30	32.88			
AV	5.2509G	114.42	Inf	-Inf	108.60	3	Horizontal	68	1.80	25	31.40	7.30	32.88			
PK	5.3588G	66.12	74.00	-7.88	60.21	3	Horizontal	68	1.80	25	31.42	7.35	32.86			
AV	5.35G	52.00	54.00	-2.00	46.11	3	Horizontal	68	1.80	25	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5182G	58.23	68.20	-9.97	51.28	3	Vertical	5	2.79	25	39.50	10.31	42.86			
PK	15.76006G	57.94	74.00	-16.06	49.25	3	Vertical	360	2.68	25	37.84	12.69	41.84			
AV	15.78292G	45.67	54.00	-8.33	37.16	3	Vertical	360	2.68	25	37.70	12.70	41.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX

EUT_Y_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51688G	59.13	68.20	-9.07	52.19	3	Horizontal	56	1.80	25	39.50	10.30	42.86			
PK	15.76689G	57.39	74.00	-16.61	48.76	3	Horizontal	333	1.80	25	37.80	12.69	41.86			
AV	15.78432G	44.43	54.00	-9.57	35.93	3	Horizontal	333	1.80	25	37.69	12.70	41.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 23
20\25.5\23\24\23.5\23
5.70\ -8.82\0.97\ -2.37\ -0.59\0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30868G	121.90	Inf	-Inf	116.12	3	Vertical	68	1.80	23	31.32	7.33	32.87			
AV	5.3084G	110.89	Inf	-Inf	105.11	3	Vertical	68	1.80	23	31.32	7.33	32.87			
PK	5.35012G	67.67	74.00	-6.33	61.78	3	Vertical	68	1.80	23	31.40	7.35	32.86			
AV	5.35G	53.13	54.00	-0.87	47.24	3	Vertical	68	1.80	23	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 22
23\20.5\21.5\22\22.5\22
-2.30\3.87\2.62\0.87\0.86\0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30868G	125.22	Inf	-Inf	119.44	3	Horizontal	65	2.51	22	31.32	7.33	32.87			
AV	5.30854G	113.42	Inf	-Inf	107.64	3	Horizontal	65	2.51	22	31.32	7.33	32.87			
PK	5.35G	66.23	74.00	-7.77	60.34	3	Horizontal	65	2.51	22	31.40	7.35	32.86			
AV	5.35G	53.03	54.00	-0.97	47.14	3	Horizontal	65	2.51	22	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61888G	56.70	74.00	-17.30	49.46	3	Vertical	106	2.95	22	39.60	10.36	42.72			
AV	10.61039G	44.13	54.00	-9.87	36.90	3	Vertical	106	2.95	22	39.60	10.36	42.73			
PK	15.88418G	57.49	74.00	-16.51	49.43	3	Vertical	4	1.95	22	37.40	12.75	42.09			
AV	15.88042G	44.26	54.00	-9.74	36.20	3	Vertical	4	1.95	22	37.40	12.74	42.08			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60815G	56.93	74.00	-17.07	49.72	3	Horizontal	360	1.80	22	39.60	10.35	42.74			
AV	10.60991G	44.13	54.00	-9.87	36.90	3	Horizontal	360	1.80	22	39.60	10.36	42.73			
PK	15.88202G	57.78	74.00	-16.22	49.72	3	Horizontal	300	1.80	22	37.40	12.75	42.09			
AV	15.88162G	44.24	54.00	-9.76	36.18	3	Horizontal	300	1.80	22	37.40	12.75	42.09			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 20.5
20\24\22\21\20.5
4.00\ -9.38\ -3.55\ -0.16\ 1.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3225G	121.52	Inf	-Inf	115.71	3	Vertical	301	2.90	20.5	31.34	7.34	32.87			
AV	5.3223G	110.27	Inf	-Inf	104.46	3	Vertical	301	2.90	20.5	31.34	7.34	32.87			
PK	5.3616G	67.89	74.00	-6.11	61.98	3	Vertical	301	2.90	20.5	31.42	7.35	32.86			
AV	5.3539G	52.03	54.00	-1.97	46.13	3	Vertical	301	2.90	20.5	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 19.5
20.5\17.5\19\19.5\20\19.5
-2.61\5.65\4.30\2.34\ -0.71\2.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3259G	122.31	Inf	-Inf	116.48	3	Horizontal	50	2.50	19.5	31.35	7.34	32.86			
AV	5.3258G	110.82	Inf	-Inf	104.99	3	Horizontal	50	2.50	19.5	31.35	7.34	32.86			
PK	5.3544G	66.82	74.00	-7.18	60.92	3	Horizontal	50	2.50	19.5	31.41	7.35	32.86			
AV	5.355G	51.66	54.00	-2.34	45.76	3	Horizontal	50	2.50	19.5	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX

EUT Y_4TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64731G	56.84	74.00	-17.16	49.55	3	Vertical	360	1.85	19.5	39.60	10.38	42.69			
AV	10.62406G	44.04	54.00	-9.96	36.80	3	Vertical	360	1.85	19.5	39.60	10.36	42.72			
PK	15.96352G	56.38	74.00	-17.62	48.68	3	Vertical	52	1.80	19.5	37.17	12.78	42.25			
AV	15.94122G	43.97	54.00	-10.03	36.16	3	Vertical	52	1.80	19.5	37.24	12.77	42.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX

EUT Y_4TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63245G	56.72	74.00	-17.28	49.46	3	Horizontal	3	2.95	19.5	39.60	10.37	42.71			
AV	10.65123G	44.09	54.00	-9.91	36.79	3	Horizontal	3	2.95	19.5	39.60	10.38	42.68			
PK	15.97031G	56.30	74.00	-17.70	48.61	3	Horizontal	113	1.80	19.5	37.16	12.79	42.26			
AV	15.94026G	43.98	54.00	-10.02	36.17	3	Horizontal	113	1.80	19.5	37.24	12.77	42.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 21.5
20\24.5\22.5\21.5
4.97\ -14.56\ -6.03\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13224G	60.81	74.00	-13.19	54.46	3	Vertical	72	2.61	21.5	32.03	7.22	32.90			
AV	5.13448G	49.06	54.00	-4.94	42.70	3	Vertical	72	2.61	21.5	32.04	7.22	32.90			
PK	5.25292G	120.88	Inf	-Inf	115.07	3	Vertical	72	2.61	21.5	31.39	7.30	32.88			
AV	5.25348G	109.67	Inf	-Inf	103.86	3	Vertical	72	2.61	21.5	31.39	7.30	32.88			
PK	5.354G	69.08	74.00	-4.92	63.18	3	Vertical	72	2.61	21.5	31.41	7.35	32.86			
AV	5.35316G	53.67	54.00	-0.33	47.77	3	Vertical	72	2.61	21.5	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 21
21.5\21
-0.29\1.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13448G	61.51	74.00	-12.49	55.15	3	Horizontal	62	1.80	21	32.04	7.22	32.90			
AV	5.13476G	49.94	54.00	-4.06	43.58	3	Horizontal	62	1.80	21	32.04	7.22	32.90			
PK	5.25964G	119.34	Inf	-Inf	113.53	3	Horizontal	62	1.80	21	31.38	7.31	32.88			
AV	5.25908G	108.42	Inf	-Inf	102.61	3	Horizontal	62	1.80	21	31.38	7.31	32.88			
PK	5.35232G	68.10	74.00	-5.90	62.21	3	Horizontal	62	1.80	21	31.40	7.35	32.86			
AV	5.35064G	52.01	54.00	-1.99	46.12	3	Horizontal	62	1.80	21	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55487G	57.30	68.20	-10.90	50.27	3	Vertical	329	1.95	21	39.51	10.33	42.81			
PK	15.78451G	56.76	74.00	-17.24	48.26	3	Vertical	305	2.86	21	37.69	12.70	41.89			
AV	15.84445G	43.92	54.00	-10.08	35.78	3	Vertical	305	2.86	21	37.42	12.73	42.01			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50747G	57.09	68.20	-11.11	50.16	3	Horizontal	191	2.27	21	39.50	10.30	42.87			
PK	15.80409G	56.52	74.00	-17.48	48.16	3	Horizontal	208	1.80	21	37.58	12.71	41.93			
AV	15.77891G	44.13	54.00	-9.87	35.58	3	Horizontal	208	1.80	21	37.73	12.70	41.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 17.5
20\12\16\18\17\17.5
-8.06\6.45\3.71\0.14\1.99\1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.31084G	115.74	Inf	-Inf	109.96	3	Vertical	295	2.88	17.5	31.32	7.33	32.87			
AV	5.3118G	103.87	Inf	-Inf	98.09	3	Vertical	295	2.88	17.5	31.32	7.33	32.87			
PK	5.35284G	65.62	74.00	-8.38	59.72	3	Vertical	295	2.88	17.5	31.41	7.35	32.86			
AV	5.35188G	52.93	54.00	-1.07	47.04	3	Vertical	295	2.88	17.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 17
17.5\16\16.5\17
-1.12\2.11\0.86\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29968G	115.47	Inf	-Inf	109.72	3	Horizontal	61	1.80	17	31.30	7.32	32.87			
AV	5.3196G	104.08	Inf	-Inf	98.28	3	Horizontal	61	1.80	17	31.34	7.33	32.87			
PK	5.35128G	66.44	74.00	-7.56	60.55	3	Horizontal	61	1.80	17	31.40	7.35	32.86			
AV	5.35056G	53.94	54.00	-0.06	48.05	3	Horizontal	61	1.80	17	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX

EUT_Y_4TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63455G	56.73	74.00	-17.27	49.46	3	Vertical	63	1.80	17	39.60	10.37	42.70			
AV	10.60921G	43.66	54.00	-10.34	36.44	3	Vertical	63	1.80	17	39.60	10.36	42.74			
PK	15.93392G	56.79	74.00	-17.21	48.95	3	Vertical	1	1.77	17	37.26	12.77	42.19			
AV	15.89036G	43.93	54.00	-10.07	35.88	3	Vertical	1	1.77	17	37.40	12.75	42.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60921G	55.91	74.00	-18.09	48.69	3	Horizontal	306	1.52	17	39.60	10.36	42.74			
AV	10.60298G	43.65	54.00	-10.35	36.44	3	Horizontal	306	1.52	17	39.60	10.35	42.74			
PK	15.92473G	56.48	74.00	-17.52	48.58	3	Horizontal	256	1.80	17	37.30	12.77	42.17			
AV	15.8906G	43.89	54.00	-10.11	35.84	3	Horizontal	256	1.80	17	37.40	12.75	42.10			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_Y_4TX
SET 17
20\12\16\18\17
-14.53\5.80\2.23\3.60\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13128G	60.27	74.00	-13.73	53.92	3	Vertical	70	2.88	17	32.03	7.22	32.90			
AV	5.14184G	48.55	54.00	-5.45	42.15	3	Vertical	70	2.88	17	32.07	7.23	32.90			
PK	5.25224G	112.94	Inf	-Inf	107.12	3	Vertical	70	2.88	17	31.40	7.30	32.88			
AV	5.25224G	101.42	Inf	-Inf	95.60	3	Vertical	70	2.88	17	31.40	7.30	32.88			
PK	5.35176G	66.67	74.00	-7.33	60.78	3	Vertical	70	2.88	17	31.40	7.35	32.86			
AV	5.35208G	53.55	54.00	-0.45	47.66	3	Vertical	70	2.88	17	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT Y_4TX
SET 16
17\15\16
-1.53\2.62\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14824G	60.76	74.00	-13.24	54.33	3	Horizontal	66	2.62	16	32.09	7.24	32.90			
AV	5.14728G	48.80	54.00	-5.20	42.37	3	Horizontal	66	2.62	16	32.09	7.24	32.90			
PK	5.25832G	112.81	Inf	-Inf	107.00	3	Horizontal	66	2.62	16	31.38	7.31	32.88			
AV	5.258G	101.33	Inf	-Inf	95.52	3	Horizontal	66	2.62	16	31.38	7.31	32.88			
PK	5.35048G	67.25	74.00	-6.75	61.36	3	Horizontal	66	2.62	16	31.40	7.35	32.86			
AV	5.35112G	53.65	54.00	-0.35	47.76	3	Horizontal	66	2.62	16	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX


5290MHz_TX

EUT_Y_4TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55235G	56.11	68.20	-12.09	49.10	3	Vertical	3	2.79	22.5	39.50	10.32	42.81			
PK	15.83803G	56.86	74.00	-17.14	48.68	3	Vertical	262	1.05	22.5	37.45	12.73	42.00			
AV	15.86185G	44.09	54.00	-9.91	36.00	3	Vertical	262	1.05	22.5	37.40	12.74	42.05			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX


5290MHz_TX

EUT_Y_4TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59423G	56.67	68.20	-11.53	49.49	3	Horizontal	360	1.80	22.5	39.59	10.35	42.76			
PK	15.86169G	56.34	74.00	-17.66	48.25	3	Horizontal	360	1.80	22.5	37.40	12.74	42.05			
AV	15.86504G	44.15	54.00	-9.85	36.06	3	Horizontal	360	1.80	22.5	37.40	12.74	42.05			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 13.5
01-P-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.126G	64.26	74.00	-9.74	57.94	3	Vertical	61	1.80	-	32.00	7.22	32.90			
AV	5.1388G	52.22	54.00	-1.78	45.83	3	Vertical	61	1.80	-	32.06	7.23	32.90			
PK	5.2588G	107.83	Inf	-Inf	102.02	3	Vertical	61	1.80	-	31.38	7.31	32.88			
AV	5.2588G	95.44	Inf	-Inf	89.63	3	Vertical	61	1.80	-	31.38	7.31	32.88			
PK	5.3804G	60.80	74.00	-13.20	54.83	3	Vertical	61	1.80	-	31.46	7.36	32.85			
AV	5.3588G	49.47	54.00	-4.53	43.56	3	Vertical	61	1.80	-	31.42	7.35	32.86			
PK	5.5476G	60.62	68.20	-7.58	54.19	3	Vertical	61	1.80	-	31.80	7.48	32.85			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 13.5
01-P-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1236G	65.44	74.00	-8.56	59.14	3	Horizontal	303	2.79	-	31.99	7.22	32.91			
AV	5.1236G	53.88	54.00	-0.12	47.58	3	Horizontal	303	2.79	-	31.99	7.22	32.91			
PK	5.2044G	109.03	Inf	-Inf	102.88	3	Horizontal	303	2.79	-	31.76	7.28	32.89			
AV	5.2244G	96.98	Inf	-Inf	90.98	3	Horizontal	303	2.79	-	31.60	7.29	32.89			
PK	5.4212G	60.30	74.00	-13.70	54.18	3	Horizontal	303	2.79	-	31.58	7.39	32.85			
AV	5.3564G	49.45	54.00	-4.55	43.55	3	Horizontal	303	2.79	-	31.41	7.35	32.86			
PK	5.6308G	60.02	68.20	-8.18	53.60	3	Horizontal	303	2.79	-	31.76	7.53	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 13.5
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5045G	57.52	68.20	-10.68	40.26	3	Vertical	137	2.42	-	39.50	10.30	32.54			
PK	15.73893G	57.41	74.00	-16.59	39.04	3	Vertical	132	1.50	-	37.90	12.68	32.21			
AV	15.75006G	44.19	54.00	-9.81	25.82	3	Vertical	132	1.50	-	37.90	12.69	32.22			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_Y_4TX
Setting 13.5
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48956G	56.48	68.20	-11.72	39.26	3	Horizontal	224	1.87	-	39.48	10.29	32.55			
PK	15.73956G	56.57	74.00	-17.43	38.20	3	Horizontal	178	2.00	-	37.90	12.68	32.21			
AV	15.74751G	44.21	54.00	-9.79	25.85	3	Horizontal	178	2.00	-	37.90	12.68	32.22			




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.99	54.00	-0.01	3	Vertical	348	3.00	-

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1142G	60.62	74.00	-13.38	54.36	3	Vertical	325	2.92	-	31.96	7.21	32.91			
AV	5.1463G	48.74	54.00	-5.26	42.32	3	Vertical	325	2.92	-	32.09	7.23	32.90			
PK	5.2561G	118.81	Inf	-Inf	112.99	3	Vertical	325	2.92	-	31.39	7.31	32.88			
AV	5.2666G	109.78	Inf	-Inf	103.98	3	Vertical	325	2.92	-	31.37	7.31	32.88			
PK	5.3533G	60.42	74.00	-13.58	54.52	3	Vertical	325	2.92	-	31.41	7.35	32.86			
AV	5.3581G	47.93	54.00	-6.07	42.02	3	Vertical	325	2.92	-	31.42	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1214G	60.53	74.00	-13.47	54.24	3	Horizontal	345	2.94	-	31.99	7.21	32.91			
AV	5.1388G	48.09	54.00	-5.91	41.70	3	Horizontal	345	2.94	-	32.06	7.23	32.90			
PK	5.2663G	113.09	Inf	-Inf	107.29	3	Horizontal	345	2.94	-	31.37	7.31	32.88			
AV	5.2666G	104.44	Inf	-Inf	98.64	3	Horizontal	345	2.94	-	31.37	7.31	32.88			
PK	5.3731G	59.48	74.00	-14.52	53.53	3	Horizontal	345	2.94	-	31.45	7.36	32.86			
AV	5.3833G	47.49	54.00	-6.51	41.51	3	Horizontal	345	2.94	-	31.47	7.36	32.85			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51904G	56.30	68.20	-11.90	49.34	3	Vertical	344	2.27	-	39.50	10.31	42.85			
PK	15.78309G	57.29	74.00	-16.71	48.78	3	Vertical	255	2.40	-	37.70	12.70	41.89			
AV	15.77679G	44.47	54.00	-9.53	35.91	3	Vertical	255	2.40	-	37.74	12.70	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53455G	56.85	68.20	-11.35	49.87	3	Horizontal	8	2.34	-	39.50	10.31	42.83			
PK	15.76563G	56.70	74.00	-17.30	48.06	3	Horizontal	222	2.80	-	37.81	12.69	41.86			
AV	15.77733G	44.43	54.00	-9.57	35.87	3	Horizontal	222	2.80	-	37.74	12.70	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Z_1TX
Setting 23.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2934G	118.36	Inf	-Inf	112.60	3	Vertical	324	3.00	-	31.31	7.32	32.87			
AV	5.3072G	109.46	Inf	-Inf	103.69	3	Vertical	324	3.00	-	31.31	7.33	32.87			
PK	5.3506G	69.82	74.00	-4.18	63.93	3	Vertical	324	3.00	-	31.40	7.35	32.86			
AV	5.35G	53.20	54.00	-0.80	47.31	3	Vertical	324	3.00	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Z_1TX
Setting 23.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.303G	113.11	Inf	-Inf	107.34	3	Horizontal	358	2.90	-	31.31	7.33	32.87			
AV	5.3024G	104.45	Inf	-Inf	98.69	3	Horizontal	358	2.90	-	31.30	7.33	32.87			
PK	5.35G	63.91	74.00	-10.09	58.02	3	Horizontal	358	2.90	-	31.40	7.35	32.86			
AV	5.3508G	50.24	54.00	-3.76	44.35	3	Horizontal	358	2.90	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 23.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61053G	56.29	74.00	-17.71	49.06	3	Vertical	18	1.24	-	39.60	10.36	42.73			
AV	10.61158G	44.15	54.00	-9.85	36.92	3	Vertical	18	1.24	-	39.60	10.36	42.73			
PK	15.89406G	56.85	74.00	-17.15	48.81	3	Vertical	176	1.61	-	37.40	12.75	42.11			
AV	15.88833G	44.28	54.00	-9.72	36.23	3	Vertical	176	1.61	-	37.40	12.75	42.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 23.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60246G	56.56	74.00	-17.44	49.35	3	Horizontal	81	1.20	-	39.60	10.35	42.74			
AV	10.60816G	44.10	54.00	-9.90	36.89	3	Horizontal	81	1.20	-	39.60	10.35	42.74			
PK	15.8901G	57.85	74.00	-16.15	49.80	3	Horizontal	308	1.42	-	37.40	12.75	42.10			
AV	15.8883G	44.28	54.00	-9.72	36.23	3	Horizontal	308	1.42	-	37.40	12.75	42.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Z_1TX
Setting 20
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3134G	115.06	Inf	-Inf	109.27	3	Vertical	308	3.00	-	31.33	7.33	32.87			
AV	5.3226G	106.27	Inf	-Inf	100.45	3	Vertical	308	3.00	-	31.35	7.34	32.87			
PK	5.3548G	65.38	74.00	-8.62	59.48	3	Vertical	308	3.00	-	31.41	7.35	32.86			
AV	5.35G	52.55	54.00	-1.45	46.66	3	Vertical	308	3.00	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Z_1TX
Setting 20
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3134G	110.07	Inf	-Inf	104.28	3	Horizontal	345	2.60	-	31.33	7.33	32.87			
AV	5.3132G	101.10	Inf	-Inf	95.31	3	Horizontal	345	2.60	-	31.33	7.33	32.87			
PK	5.3516G	61.87	74.00	-12.13	55.98	3	Horizontal	345	2.60	-	31.40	7.35	32.86			
AV	5.3508G	49.47	54.00	-4.53	43.58	3	Horizontal	345	2.60	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 20
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64711G	56.60	74.00	-17.40	49.31	3	Vertical	84	2.64	-	39.60	10.38	42.69			
AV	10.65011G	44.15	54.00	-9.85	36.85	3	Vertical	84	2.64	-	39.60	10.38	42.68			
PK	15.95427G	55.73	74.00	-18.27	47.99	3	Vertical	79	2.65	-	37.19	12.78	42.23			
AV	15.94767G	43.79	54.00	-10.21	36.02	3	Vertical	79	2.65	-	37.21	12.78	42.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 20
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63022G	56.78	74.00	-17.22	49.52	3	Horizontal	83	2.70	-	39.60	10.37	42.71			
AV	10.65314G	44.07	54.00	-9.93	36.78	3	Horizontal	83	2.70	-	39.59	10.38	42.68			
PK	15.95184G	56.18	74.00	-17.82	48.42	3	Horizontal	305	2.91	-	37.20	12.78	42.22			
AV	15.95094G	43.80	54.00	-10.20	36.04	3	Horizontal	305	2.91	-	37.20	12.78	42.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	61.12	74.00	-12.88	54.71	3	Vertical	86	2.79	-	32.08	7.23	32.90			
AV	5.1445G	49.20	54.00	-4.80	42.79	3	Vertical	86	2.79	-	32.08	7.23	32.90			
PK	5.2663G	120.20	Inf	-Inf	114.40	3	Vertical	86	2.79	-	31.37	7.31	32.88			
AV	5.2687G	108.87	Inf	-Inf	103.08	3	Vertical	86	2.79	-	31.36	7.31	32.88			
PK	5.3509G	60.46	74.00	-13.54	54.57	3	Vertical	86	2.79	-	31.40	7.35	32.86			
AV	5.3509G	48.18	54.00	-5.82	42.29	3	Vertical	86	2.79	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1139G	60.28	74.00	-13.72	54.02	3	Horizontal	346	3.00	-	31.96	7.21	32.91			
AV	5.1298G	48.31	54.00	-5.69	41.97	3	Horizontal	346	3.00	-	32.02	7.22	32.90			
PK	5.266G	115.16	Inf	-Inf	109.36	3	Horizontal	346	3.00	-	31.37	7.31	32.88			
AV	5.2687G	103.52	Inf	-Inf	97.73	3	Horizontal	346	3.00	-	31.36	7.31	32.88			
PK	5.3941G	59.92	74.00	-14.08	53.91	3	Horizontal	346	3.00	-	31.49	7.37	32.85			
AV	5.3779G	47.77	54.00	-6.23	41.80	3	Horizontal	346	3.00	-	31.46	7.36	32.85			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51229G	55.93	68.20	-12.27	48.99	3	Vertical	37	1.11	-	39.50	10.30	42.86			
PK	15.7851G	56.81	74.00	-17.19	48.31	3	Vertical	39	2.23	-	37.69	12.70	41.89			
AV	15.77736G	44.74	54.00	-9.26	36.18	3	Vertical	39	2.23	-	37.74	12.70	41.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52846G	55.79	68.20	-12.41	48.82	3	Horizontal	20	2.59	-	39.50	10.31	42.84			
PK	15.77682G	56.80	74.00	-17.20	48.24	3	Horizontal	250	1.03	-	37.74	12.70	41.88			
AV	15.77928G	44.69	54.00	-9.31	36.15	3	Horizontal	250	1.03	-	37.72	12.70	41.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
Setting 22.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2928G	119.30	Inf	-Inf	113.54	3	Vertical	326	2.96	-	31.31	7.32	32.87			
AV	5.2916G	107.74	Inf	-Inf	101.97	3	Vertical	326	2.96	-	31.32	7.32	32.87			
PK	5.35G	67.91	74.00	-6.09	62.02	3	Vertical	326	2.96	-	31.40	7.35	32.86			
AV	5.35G	52.98	54.00	-1.02	47.09	3	Vertical	326	2.96	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
Setting 22.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2964G	113.64	Inf	-Inf	107.88	3	Horizontal	345	2.91	-	31.31	7.32	32.87			
AV	5.2919G	102.65	Inf	-Inf	96.88	3	Horizontal	345	2.91	-	31.32	7.32	32.87			
PK	5.3525G	65.95	74.00	-8.05	60.05	3	Horizontal	345	2.91	-	31.41	7.35	32.86			
AV	5.35G	50.04	54.00	-3.96	44.15	3	Horizontal	345	2.91	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 22.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60297G	56.78	74.00	-17.22	49.57	3	Vertical	95	1.01	-	39.60	10.35	42.74			
AV	10.60438G	44.36	54.00	-9.64	37.15	3	Vertical	95	1.01	-	39.60	10.35	42.74			
PK	15.91455G	56.82	74.00	-17.18	48.87	3	Vertical	224	2.23	-	37.34	12.76	42.15			
AV	15.88839G	44.55	54.00	-9.45	36.50	3	Vertical	224	2.23	-	37.40	12.75	42.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 22.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60666G	56.53	74.00	-17.47	49.32	3	Horizontal	125	1.47	-	39.60	10.35	42.74			
AV	10.61125G	44.38	54.00	-9.62	37.15	3	Horizontal	125	1.47	-	39.60	10.36	42.73			
PK	15.90729G	56.39	74.00	-17.61	48.40	3	Horizontal	202	2.25	-	37.37	12.76	42.14			
AV	15.89493G	44.51	54.00	-9.49	36.47	3	Horizontal	202	2.25	-	37.40	12.75	42.11			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
Setting 19.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3166G	117.15	Inf	-Inf	111.36	3	Vertical	310	2.91	-	31.33	7.33	32.87			
AV	5.3119G	105.20	Inf	-Inf	99.42	3	Vertical	310	2.91	-	31.32	7.33	32.87			
PK	5.3516G	64.54	74.00	-9.46	58.65	3	Vertical	310	2.91	-	31.40	7.35	32.86			
AV	5.3504G	50.34	54.00	-3.66	44.45	3	Vertical	310	2.91	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
Setting 19.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.326G	111.02	Inf	-Inf	105.19	3	Horizontal	348	2.89	-	31.35	7.34	32.86			
AV	5.3121G	99.01	Inf	-Inf	93.23	3	Horizontal	348	2.89	-	31.32	7.33	32.87			
PK	5.3564G	61.32	74.00	-12.68	55.42	3	Horizontal	348	2.89	-	31.41	7.35	32.86			
AV	5.3551G	48.39	54.00	-5.61	42.49	3	Horizontal	348	2.89	-	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64336G	56.76	74.00	-17.24	49.48	3	Vertical	325	1.54	-	39.60	10.37	42.69			
AV	10.64573G	44.40	54.00	-9.60	37.11	3	Vertical	325	1.54	-	39.60	10.38	42.69			
PK	15.95862G	56.83	74.00	-17.17	49.11	3	Vertical	309	2.67	-	37.18	12.78	42.24			
AV	15.94974G	44.05	54.00	-9.95	36.29	3	Vertical	309	2.67	-	37.20	12.78	42.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63895G	56.59	74.00	-17.41	49.32	3	Horizontal	149	2.70	-	39.60	10.37	42.70			
AV	10.6277G	44.39	54.00	-9.61	37.13	3	Horizontal	149	2.70	-	39.60	10.37	42.71			
PK	15.95604G	55.84	74.00	-18.16	48.10	3	Horizontal	83	2.96	-	37.19	12.78	42.23			
AV	15.95112G	44.08	54.00	-9.92	36.32	3	Horizontal	83	2.96	-	37.20	12.78	42.22			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
Setting 22
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	62.12	74.00	-11.88	55.69	3	Vertical	328	2.95	-	32.09	7.24	32.90			
AV	5.1494G	49.44	54.00	-4.56	43.00	3	Vertical	328	2.95	-	32.10	7.24	32.90			
PK	5.2871G	116.90	Inf	-Inf	111.12	3	Vertical	328	2.95	-	31.33	7.32	32.87			
AV	5.288G	104.56	Inf	-Inf	98.79	3	Vertical	328	2.95	-	31.32	7.32	32.87			
PK	5.3504G	68.74	74.00	-5.26	62.85	3	Vertical	328	2.95	-	31.40	7.35	32.86			
AV	5.35G	52.76	54.00	-1.24	46.87	3	Vertical	328	2.95	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
Setting 22
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1413G	60.62	74.00	-13.38	54.22	3	Horizontal	346	2.92	-	32.07	7.23	32.90			
AV	5.1371G	48.58	54.00	-5.42	42.20	3	Horizontal	346	2.92	-	32.05	7.23	32.90			
PK	5.2754G	112.08	Inf	-Inf	106.29	3	Horizontal	346	2.92	-	31.35	7.31	32.87			
AV	5.288G	99.48	Inf	-Inf	93.71	3	Horizontal	346	2.92	-	31.32	7.32	32.87			
PK	5.3507G	65.61	74.00	-8.39	59.72	3	Horizontal	346	2.92	-	31.40	7.35	32.86			
AV	5.35G	50.04	54.00	-3.96	44.15	3	Horizontal	346	2.92	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 22
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54924G	56.20	68.20	-12.00	49.20	3	Vertical	157	1.99	-	39.50	10.32	42.82			
PK	15.82422G	56.53	74.00	-17.47	48.28	3	Vertical	67	2.56	-	37.50	12.72	41.97			
AV	15.79641G	44.14	54.00	-9.86	35.73	3	Vertical	67	2.56	-	37.62	12.71	41.92			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 22
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54768G	55.70	68.20	-12.50	48.70	3	Horizontal	219	1.60	-	39.50	10.32	42.82			
PK	15.80454G	56.43	74.00	-17.57	48.07	3	Horizontal	129	2.27	-	37.58	12.71	41.93			
AV	15.7953G	44.16	54.00	-9.84	35.73	3	Horizontal	129	2.27	-	37.63	12.71	41.91			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUTZ_1TX
Setting 19.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3036G	114.38	Inf	-Inf	108.61	3	Vertical	324	2.95	-	31.31	7.33	32.87			
AV	5.292G	102.34	Inf	-Inf	96.57	3	Vertical	324	2.95	-	31.32	7.32	32.87			
PK	5.3558G	70.10	74.00	-3.90	64.20	3	Vertical	324	2.95	-	31.41	7.35	32.86			
AV	5.35G	53.51	54.00	-0.49	47.62	3	Vertical	324	2.95	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
Setting 19.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3268G	109.19	Inf	-Inf	103.36	3	Horizontal	345	2.88	-	31.35	7.34	32.86			
AV	5.302G	96.98	Inf	-Inf	91.22	3	Horizontal	345	2.88	-	31.30	7.33	32.87			
PK	5.3584G	65.46	74.00	-8.54	59.55	3	Horizontal	345	2.88	-	31.42	7.35	32.86			
AV	5.3506G	50.91	54.00	-3.09	45.02	3	Horizontal	345	2.88	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62354G	56.93	74.00	-17.07	49.69	3	Vertical	331	1.59	-	39.60	10.36	42.72			
AV	10.60785G	44.39	54.00	-9.61	37.18	3	Vertical	331	1.59	-	39.60	10.35	42.74			
PK	15.93108G	56.19	74.00	-17.81	48.32	3	Vertical	42	2.99	-	37.28	12.77	42.18			
AV	15.93147G	44.16	54.00	-9.84	36.30	3	Vertical	42	2.99	-	37.27	12.77	42.18			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62234G	56.45	74.00	-17.55	49.21	3	Horizontal	177	2.66	-	39.60	10.36	42.72			
AV	10.61148G	44.48	54.00	-9.52	37.25	3	Horizontal	177	2.66	-	39.60	10.36	42.73			
PK	15.92037G	57.04	74.00	-16.96	49.12	3	Horizontal	315	1.18	-	37.32	12.76	42.16			
AV	15.92067G	44.21	54.00	-9.79	36.29	3	Horizontal	315	1.18	-	37.32	12.76	42.16			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_Z_1TX
Setting 19.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1356G	61.00	74.00	-13.00	54.63	3	Vertical	325	2.95	-	32.04	7.23	32.90			
AV	5.1476G	49.24	54.00	-4.76	42.81	3	Vertical	325	2.95	-	32.09	7.24	32.90			
PK	5.296G	111.55	Inf	-Inf	105.79	3	Vertical	325	2.95	-	31.31	7.32	32.87			
AV	5.2932G	98.98	Inf	-Inf	93.22	3	Vertical	325	2.95	-	31.31	7.32	32.87			
PK	5.35G	65.41	74.00	-8.59	59.52	3	Vertical	325	2.95	-	31.40	7.35	32.86			
AV	5.35G	53.09	54.00	-0.91	47.20	3	Vertical	325	2.95	-	31.40	7.35	32.86			
PK	5.488G	62.13	68.20	-6.07	55.67	3	Vertical	325	2.95	-	31.85	7.44	32.83			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_Z_1TX
Setting 19.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1312G	60.72	74.00	-13.28	54.38	3	Horizontal	358	3.00	-	32.02	7.22	32.90			
AV	5.1444G	48.43	54.00	-5.57	42.02	3	Horizontal	358	3.00	-	32.08	7.23	32.90			
PK	5.3116G	105.37	Inf	-Inf	99.59	3	Horizontal	358	3.00	-	31.32	7.33	32.87			
AV	5.3G	92.94	Inf	-Inf	87.18	3	Horizontal	358	3.00	-	31.30	7.33	32.87			
PK	5.3512G	62.16	74.00	-11.84	56.27	3	Horizontal	358	3.00	-	31.40	7.35	32.86			
AV	5.35G	50.33	54.00	-3.67	44.44	3	Horizontal	358	3.00	-	31.40	7.35	32.86			
PK	5.4748G	60.34	68.20	-7.86	53.95	3	Horizontal	358	3.00	-	31.80	7.43	32.84			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_Y_1TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59206G	56.88	68.20	-11.32	49.71	3	Vertical	238	2.90	-	39.58	10.35	42.76			
PK	15.87753G	56.46	74.00	-17.54	48.40	3	Vertical	17	2.57	-	37.40	12.74	42.08			
AV	15.86154G	44.50	54.00	-9.50	36.41	3	Vertical	17	2.57	-	37.40	12.74	42.05			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_1TX

5290MHz_TX




EUT_Y_1TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57214G	56.15	68.20	-12.05	49.06	3	Horizontal	204	2.79	-	39.54	10.33	42.78			
PK	15.86868G	56.70	74.00	-17.30	48.62	3	Horizontal	161	2.53	-	37.40	12.74	42.06			
AV	15.8754G	44.57	54.00	-9.43	36.50	3	Horizontal	161	2.53	-	37.40	12.74	42.07			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 18.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	64.76	74.00	-9.24	58.42	3	Vertical	324	2.95	-	32.02	7.22	32.90			
AV	5.1252G	52.87	54.00	-1.13	46.55	3	Vertical	324	2.95	-	32.00	7.22	32.90			
PK	5.3036G	107.90	Inf	-Inf	102.13	3	Vertical	324	2.95	-	31.31	7.33	32.87			
AV	5.2932G	95.21	Inf	-Inf	89.45	3	Vertical	324	2.95	-	31.31	7.32	32.87			
PK	5.394G	64.90	74.00	-9.10	58.89	3	Vertical	324	2.95	-	31.49	7.37	32.85			
AV	5.3796G	52.72	54.00	-1.28	46.75	3	Vertical	324	2.95	-	31.46	7.36	32.85			
PK	5.5692G	61.31	68.20	-6.89	54.90	3	Vertical	324	2.95	-	31.76	7.50	32.85			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 18.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1348G	61.49	74.00	-12.51	55.13	3	Horizontal	348	2.89	-	32.04	7.22	32.90			
AV	5.1324G	50.15	54.00	-3.85	43.80	3	Horizontal	348	2.89	-	32.03	7.22	32.90			
PK	5.3164G	102.00	Inf	-Inf	96.21	3	Horizontal	348	2.89	-	31.33	7.33	32.87			
AV	5.3172G	89.41	Inf	-Inf	83.62	3	Horizontal	348	2.89	-	31.33	7.33	32.87			
PK	5.3948G	62.09	74.00	-11.91	56.08	3	Horizontal	348	2.89	-	31.49	7.37	32.85			
AV	5.4004G	50.19	54.00	-3.81	44.17	3	Horizontal	348	2.89	-	31.50	7.37	32.85			
PK	5.5084G	60.62	68.20	-7.58	54.12	3	Horizontal	348	2.89	-	31.88	7.45	32.83			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 18.5
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50395G	55.76	68.20	-12.44	48.83	3	Vertical	3	2.73	-	39.50	10.30	42.87			
PK	15.75545G	56.74	74.00	-17.26	48.02	3	Vertical	222	2.02	-	37.87	12.69	41.84			
AV	15.7621G	45.03	54.00	-8.97	36.36	3	Vertical	222	2.02	-	37.83	12.69	41.85			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 18.5
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5052G	56.50	68.20	-11.70	49.57	3	Horizontal	28	1.26	-	39.50	10.30	42.87			
PK	15.77055G	56.70	74.00	-17.30	48.10	3	Horizontal	348	2.46	-	37.78	12.69	41.87			
AV	15.75245G	44.89	54.00	-9.11	36.14	3	Horizontal	348	2.46	-	37.89	12.69	41.83			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1139G	60.91	74.00	-13.09	54.65	3	Vertical	83	2.78	-	31.96	7.21	32.91			
AV	5.1427G	49.37	54.00	-4.63	42.97	3	Vertical	83	2.78	-	32.07	7.23	32.90			
PK	5.263G	119.02	Inf	-Inf	113.22	3	Vertical	83	2.78	-	31.37	7.31	32.88			
AV	5.2627G	110.41	Inf	-Inf	104.61	3	Vertical	83	2.78	-	31.37	7.31	32.88			
PK	5.3734G	61.22	74.00	-12.78	55.27	3	Vertical	83	2.78	-	31.45	7.36	32.86			
AV	5.3734G	48.68	54.00	-5.32	42.73	3	Vertical	83	2.78	-	31.45	7.36	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1442G	61.39	74.00	-12.61	54.98	3	Horizontal	348	2.94	-	32.08	7.23	32.90			
AV	5.1451G	49.39	54.00	-4.61	42.98	3	Horizontal	348	2.94	-	32.08	7.23	32.90			
PK	5.2669G	120.35	Inf	-Inf	114.55	3	Horizontal	348	2.94	-	31.37	7.31	32.88			
AV	5.266G	111.02	Inf	-Inf	105.22	3	Horizontal	348	2.94	-	31.37	7.31	32.88			
PK	5.3626G	60.67	74.00	-13.33	54.75	3	Horizontal	348	2.94	-	31.43	7.35	32.86			
AV	5.3761G	49.06	54.00	-4.94	43.10	3	Horizontal	348	2.94	-	31.45	7.36	32.85			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50692G	56.05	68.20	-12.15	49.12	3	Vertical	296	1.42	-	39.50	10.30	42.87			
PK	15.77724G	56.70	74.00	-17.30	48.14	3	Vertical	144	2.56	-	37.74	12.70	41.88			
AV	15.78051G	44.33	54.00	-9.67	35.80	3	Vertical	144	2.56	-	37.72	12.70	41.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52756G	57.88	68.20	-10.32	50.91	3	Horizontal	250	2.10	-	39.50	10.31	42.84			
PK	15.77112G	56.34	74.00	-17.66	47.75	3	Horizontal	153	2.59	-	37.77	12.69	41.87			
AV	15.77724G	44.31	54.00	-9.69	35.75	3	Horizontal	153	2.59	-	37.74	12.70	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 23.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.293G	119.53	Inf	-Inf	113.77	3	Vertical	82	2.76	-	31.31	7.32	32.87			
AV	5.293G	110.97	Inf	-Inf	105.21	3	Vertical	82	2.76	-	31.31	7.32	32.87			
PK	5.3506G	69.34	74.00	-4.66	63.45	3	Vertical	82	2.76	-	31.40	7.35	32.86			
AV	5.35G	53.71	54.00	-0.29	47.82	3	Vertical	82	2.76	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 23.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2966G	118.98	Inf	-Inf	113.22	3	Horizontal	350	3.00	-	31.31	7.32	32.87			
AV	5.3012G	109.93	Inf	-Inf	104.17	3	Horizontal	350	3.00	-	31.30	7.33	32.87			
PK	5.3584G	64.03	74.00	-9.97	58.12	3	Horizontal	350	3.00	-	31.42	7.35	32.86			
AV	5.3532G	50.50	54.00	-3.50	44.60	3	Horizontal	350	3.00	-	31.41	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60841G	56.48	74.00	-17.52	49.27	3	Vertical	63	1.73	-	39.60	10.35	42.74			
AV	10.61149G	44.02	54.00	-9.98	36.79	3	Vertical	63	1.73	-	39.60	10.36	42.73			
PK	15.90615G	57.51	74.00	-16.49	49.50	3	Vertical	217	2.80	-	37.38	12.76	42.13			
AV	15.88851G	44.20	54.00	-9.80	36.15	3	Vertical	217	2.80	-	37.40	12.75	42.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6068G	56.81	74.00	-17.19	49.60	3	Horizontal	151	1.16	-	39.60	10.35	42.74			
AV	10.61158G	44.02	54.00	-9.98	36.79	3	Horizontal	151	1.16	-	39.60	10.36	42.73			
PK	15.89343G	56.63	74.00	-17.37	48.59	3	Horizontal	52	1.61	-	37.40	12.75	42.11			
AV	15.89256G	44.21	54.00	-9.79	36.17	3	Horizontal	52	1.61	-	37.40	12.75	42.11			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 20
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.313G	115.53	Inf	-Inf	109.74	3	Vertical	83	2.75	-	31.33	7.33	32.87			
AV	5.3128G	107.08	Inf	-Inf	101.29	3	Vertical	83	2.75	-	31.33	7.33	32.87			
PK	5.3526G	67.47	74.00	-6.53	61.57	3	Vertical	83	2.75	-	31.41	7.35	32.86			
AV	5.35G	53.30	54.00	-0.70	47.41	3	Vertical	83	2.75	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 20
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3166G	114.80	Inf	-Inf	109.01	3	Horizontal	348	3.00	-	31.33	7.33	32.87			
AV	5.3158G	106.16	Inf	-Inf	100.37	3	Horizontal	348	3.00	-	31.33	7.33	32.87			
PK	5.35G	63.73	74.00	-10.27	57.84	3	Horizontal	348	3.00	-	31.40	7.35	32.86			
AV	5.35G	51.04	54.00	-2.96	45.15	3	Horizontal	348	3.00	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64714G	58.06	74.00	-15.94	50.77	3	Vertical	2	2.75	-	39.60	10.38	42.69			
AV	10.65011G	44.05	54.00	-9.95	36.75	3	Vertical	2	2.75	-	39.60	10.38	42.68			
PK	15.95139G	55.92	74.00	-18.08	48.16	3	Vertical	342	1.64	-	37.20	12.78	42.22			
AV	15.94758G	43.75	54.00	-10.25	35.98	3	Vertical	342	1.64	-	37.21	12.78	42.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64816G	56.44	74.00	-17.56	49.14	3	Horizontal	137	1.83	-	39.60	10.38	42.68			
AV	10.64969G	44.05	54.00	-9.95	36.75	3	Horizontal	137	1.83	-	39.60	10.38	42.68			
PK	15.94848G	56.12	74.00	-17.88	48.35	3	Horizontal	139	2.63	-	37.21	12.78	42.22			
AV	15.94836G	43.79	54.00	-10.21	36.02	3	Horizontal	139	2.63	-	37.21	12.78	42.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1487G	61.20	74.00	-12.80	54.77	3	Vertical	85	2.78	-	32.09	7.24	32.90			
AV	5.1472G	49.42	54.00	-4.58	42.99	3	Vertical	85	2.78	-	32.09	7.24	32.90			
PK	5.2678G	120.94	Inf	-Inf	115.15	3	Vertical	85	2.78	-	31.36	7.31	32.88			
AV	5.2525G	109.59	Inf	-Inf	103.78	3	Vertical	85	2.78	-	31.39	7.30	32.88			
PK	5.3542G	61.10	74.00	-12.90	55.20	3	Vertical	85	2.78	-	31.41	7.35	32.86			
AV	5.3761G	48.70	54.00	-5.30	42.74	3	Vertical	85	2.78	-	31.45	7.36	32.85			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	61.36	74.00	-12.64	54.97	3	Horizontal	348	2.95	-	32.06	7.23	32.90			
AV	5.1439G	49.39	54.00	-4.61	42.98	3	Horizontal	348	2.95	-	32.08	7.23	32.90			
PK	5.2657G	121.99	Inf	-Inf	116.19	3	Horizontal	348	2.95	-	31.37	7.31	32.88			
AV	5.2648G	110.30	Inf	-Inf	104.50	3	Horizontal	348	2.95	-	31.37	7.31	32.88			
PK	5.3812G	60.87	74.00	-13.13	54.90	3	Horizontal	348	2.95	-	31.46	7.36	32.85			
AV	5.383G	48.93	54.00	-5.07	42.95	3	Horizontal	348	2.95	-	31.47	7.36	32.85			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53044G	56.30	68.20	-11.90	49.33	3	Vertical	100	1.80	-	39.50	10.31	42.84			
PK	15.77454G	56.68	74.00	-17.32	48.10	3	Vertical	45	2.27	-	37.75	12.70	41.87			
AV	15.7836G	44.67	54.00	-9.33	36.16	3	Vertical	45	2.27	-	37.70	12.70	41.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53467G	56.56	68.20	-11.64	49.58	3	Horizontal	340	2.79	-	39.50	10.31	42.83			
PK	15.7653G	57.22	74.00	-16.78	48.58	3	Horizontal	202	1.42	-	37.81	12.69	41.86			
AV	15.77673G	44.66	54.00	-9.34	36.10	3	Horizontal	202	1.42	-	37.74	12.70	41.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 22.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2932G	120.89	Inf	-Inf	115.13	3	Vertical	83	2.77	-	31.31	7.32	32.87			
AV	5.292G	109.03	Inf	-Inf	103.26	3	Vertical	83	2.77	-	31.32	7.32	32.87			
PK	5.3522G	68.85	74.00	-5.15	62.96	3	Vertical	83	2.77	-	31.40	7.35	32.86			
AV	5.35G	52.98	54.00	-1.02	47.09	3	Vertical	83	2.77	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 22.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.306G	120.42	Inf	-Inf	114.65	3	Horizontal	348	3.00	-	31.31	7.33	32.87			
AV	5.303G	108.59	Inf	-Inf	102.82	3	Horizontal	348	3.00	-	31.31	7.33	32.87			
PK	5.3544G	65.33	74.00	-8.67	59.43	3	Horizontal	348	3.00	-	31.41	7.35	32.86			
AV	5.3502G	50.48	54.00	-3.52	44.59	3	Horizontal	348	3.00	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 22.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61077G	56.04	74.00	-17.96	48.81	3	Vertical	9	2.62	-	39.60	10.36	42.73			
AV	10.61047G	44.32	54.00	-9.68	37.09	3	Vertical	9	2.62	-	39.60	10.36	42.73			
PK	15.89067G	56.93	74.00	-17.07	48.88	3	Vertical	253	2.69	-	37.40	12.75	42.10			
AV	15.89889G	44.52	54.00	-9.48	36.49	3	Vertical	253	2.69	-	37.40	12.75	42.12			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 22.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59844G	56.88	68.20	-11.32	49.68	3	Horizontal	104	2.50	-	39.60	10.35	42.75			
AV	10.60858G	44.36	54.00	-9.64	37.15	3	Horizontal	104	2.50	-	39.60	10.35	42.74			
PK	15.89478G	56.59	74.00	-17.41	48.55	3	Horizontal	53	2.52	-	37.40	12.75	42.11			
AV	15.8946G	44.47	54.00	-9.53	36.43	3	Horizontal	53	2.52	-	37.40	12.75	42.11			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 19.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3114G	117.71	Inf	-Inf	111.93	3	Vertical	82	2.74	-	31.32	7.33	32.87			
AV	5.3115G	106.31	Inf	-Inf	100.53	3	Vertical	82	2.74	-	31.32	7.33	32.87			
PK	5.3516G	67.31	74.00	-6.69	61.42	3	Vertical	82	2.74	-	31.40	7.35	32.86			
AV	5.3501G	52.18	54.00	-1.82	46.29	3	Vertical	82	2.74	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 19.5
01-R-M-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3238G	117.37	Inf	-Inf	111.55	3	Horizontal	347	3.00	-	31.35	7.34	32.87			
AV	5.3226G	105.31	Inf	-Inf	99.49	3	Horizontal	347	3.00	-	31.35	7.34	32.87			
PK	5.3517G	62.31	74.00	-11.69	56.42	3	Horizontal	347	3.00	-	31.40	7.35	32.86			
AV	5.35G	50.03	54.00	-3.97	44.14	3	Horizontal	347	3.00	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63286G	58.22	74.00	-15.78	50.95	3	Vertical	82	1.83	-	39.60	10.37	42.70			
AV	10.63091G	44.30	54.00	-9.70	37.04	3	Vertical	82	1.83	-	39.60	10.37	42.71			
PK	15.95703G	56.28	74.00	-17.72	48.54	3	Vertical	31	1.82	-	37.19	12.78	42.23			
AV	15.95361G	44.11	54.00	-9.89	36.37	3	Vertical	31	1.82	-	37.19	12.78	42.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63928G	56.48	74.00	-17.52	49.21	3	Horizontal	64	2.57	-	39.60	10.37	42.70			
AV	10.65326G	44.36	54.00	-9.64	37.07	3	Horizontal	64	2.57	-	39.59	10.38	42.68			
PK	15.97449G	56.77	74.00	-17.23	49.10	3	Horizontal	12	1.83	-	37.15	12.79	42.27			
AV	15.94737G	43.99	54.00	-10.01	36.22	3	Horizontal	12	1.83	-	37.21	12.78	42.22			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 22
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	61.24	74.00	-12.76	54.81	3	Vertical	82	2.75	-	32.09	7.24	32.90			
AV	5.1494G	49.44	54.00	-4.56	43.00	3	Vertical	82	2.75	-	32.10	7.24	32.90			
PK	5.2841G	117.56	Inf	-Inf	111.78	3	Vertical	82	2.75	-	31.33	7.32	32.87			
AV	5.2826G	106.04	Inf	-Inf	100.26	3	Vertical	82	2.75	-	31.33	7.32	32.87			
PK	5.351G	69.20	74.00	-4.80	63.31	3	Vertical	82	2.75	-	31.40	7.35	32.86			
AV	5.35G	53.51	54.00	-0.49	47.62	3	Vertical	82	2.75	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 22
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1383G	61.11	74.00	-12.89	54.73	3	Horizontal	346	2.94	-	32.05	7.23	32.90			
AV	5.15G	49.25	54.00	-4.75	42.81	3	Horizontal	346	2.94	-	32.10	7.24	32.90			
PK	5.2538G	118.05	Inf	-Inf	112.24	3	Horizontal	346	2.94	-	31.39	7.30	32.88			
AV	5.2724G	105.94	Inf	-Inf	100.15	3	Horizontal	346	2.94	-	31.36	7.31	32.88			
PK	5.3507G	67.65	74.00	-6.35	61.76	3	Horizontal	346	2.94	-	31.40	7.35	32.86			
AV	5.35G	51.69	54.00	-2.31	45.80	3	Horizontal	346	2.94	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 22
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54702G	56.03	68.20	-12.17	49.03	3	Vertical	144	2.92	-	39.50	10.32	42.82			
PK	15.80103G	56.91	74.00	-17.09	48.53	3	Vertical	100	2.46	-	37.60	12.71	41.93			
AV	15.79563G	43.98	54.00	-10.02	35.56	3	Vertical	100	2.46	-	37.63	12.71	41.92			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 22
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53208G	55.98	68.20	-12.22	49.01	3	Horizontal	202	1.08	-	39.50	10.31	42.84			
PK	15.80976G	56.20	74.00	-17.80	47.87	3	Horizontal	116	1.74	-	37.56	12.71	41.94			
AV	15.79692G	44.06	54.00	-9.94	35.65	3	Horizontal	116	1.74	-	37.62	12.71	41.92			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 19.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2956G	114.16	Inf	-Inf	108.40	3	Vertical	324	2.95	-	31.31	7.32	32.87			
AV	5.2941G	102.61	Inf	-Inf	96.85	3	Vertical	324	2.95	-	31.31	7.32	32.87			
PK	5.3559G	71.18	74.00	-2.82	65.28	3	Vertical	324	2.95	-	31.41	7.35	32.86			
AV	5.35G	53.81	54.00	-0.19	47.92	3	Vertical	324	2.95	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 19.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2953G	114.83	Inf	-Inf	109.07	3	Horizontal	348	3.00	-	31.31	7.32	32.87			
AV	5.2938G	102.88	Inf	-Inf	97.12	3	Horizontal	348	3.00	-	31.31	7.32	32.87			
PK	5.3559G	65.36	74.00	-8.64	59.46	3	Horizontal	348	3.00	-	31.41	7.35	32.86			
AV	5.35G	51.69	54.00	-2.31	45.80	3	Horizontal	348	3.00	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 19.5
01-R-M-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.608G	56.14	74.00	-17.86	48.93	3	Vertical	103	2.64	-	39.60	10.35	42.74				
AV	10.6335G	44.28	54.00	-9.72	37.01	3	Vertical	103	2.64	-	39.60	10.37	42.70				
PK	15.92688G	56.91	74.00	-17.09	49.03	3	Vertical	230	2.37	-	37.29	12.77	42.18				
AV	15.93171G	44.20	54.00	-9.80	36.34	3	Vertical	230	2.37	-	37.27	12.77	42.18				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61898G	56.62	74.00	-17.38	49.38	3	Horizontal	122	2.75	-	39.60	10.36	42.72			
AV	10.61451G	44.29	54.00	-9.71	37.06	3	Horizontal	122	2.75	-	39.60	10.36	42.73			
PK	15.93732G	56.67	74.00	-17.33	48.85	3	Horizontal	355	2.84	-	37.25	12.77	42.20			
AV	15.91749G	44.23	54.00	-9.77	36.30	3	Horizontal	355	2.84	-	37.33	12.76	42.16			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 18.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	61.53	74.00	-12.47	55.12	3	Vertical	324	2.94	-	32.08	7.23	32.90			
AV	5.1452G	49.57	54.00	-4.43	43.16	3	Vertical	324	2.94	-	32.08	7.23	32.90			
PK	5.296G	110.56	Inf	-Inf	104.80	3	Vertical	324	2.94	-	31.31	7.32	32.87			
AV	5.2952G	98.62	Inf	-Inf	92.86	3	Vertical	324	2.94	-	31.31	7.32	32.87			
PK	5.356G	69.86	74.00	-4.14	63.96	3	Vertical	324	2.94	-	31.41	7.35	32.86			
AV	5.3508G	53.81	54.00	-0.19	47.92	3	Vertical	324	2.94	-	31.40	7.35	32.86			
PK	5.4716G	60.82	68.20	-7.38	54.45	3	Vertical	324	2.94	-	31.79	7.42	32.84			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 18.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.132G	60.58	74.00	-13.42	54.23	3	Horizontal	348	3.00	-	32.03	7.22	32.90			
AV	5.15G	48.88	54.00	-5.12	42.44	3	Horizontal	348	3.00	-	32.10	7.24	32.90			
PK	5.296G	110.15	Inf	-Inf	104.39	3	Horizontal	348	3.00	-	31.31	7.32	32.87			
AV	5.2944G	99.01	Inf	-Inf	93.25	3	Horizontal	348	3.00	-	31.31	7.32	32.87			
PK	5.3748G	67.96	74.00	-6.04	62.01	3	Horizontal	348	3.00	-	31.45	7.36	32.86			
AV	5.368G	52.53	54.00	-1.47	46.59	3	Horizontal	348	3.00	-	31.44	7.36	32.86			
PK	5.4816G	60.99	68.20	-7.21	54.56	3	Horizontal	348	3.00	-	31.83	7.43	32.83			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 18.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59203G	55.93	68.20	-12.27	48.76	3	Vertical	202	1.83	-	39.58	10.35	42.76			
PK	15.86337G	56.40	74.00	-17.60	48.31	3	Vertical	300	1.71	-	37.40	12.74	42.05			
AV	15.86145G	44.50	54.00	-9.50	36.41	3	Vertical	300	1.71	-	37.40	12.74	42.05			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 18.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59092G	56.22	68.20	-11.98	49.05	3	Horizontal	19	2.24	-	39.58	10.35	42.76			
PK	15.85596G	56.41	74.00	-17.59	48.31	3	Horizontal	279	1.02	-	37.40	12.73	42.03			
AV	15.86136G	44.43	54.00	-9.57	36.34	3	Horizontal	279	1.02	-	37.40	12.74	42.05			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 17.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1204G	64.73	74.00	-9.27	58.45	3	Vertical	307	2.96	-	31.98	7.21	32.91			
AV	5.1366G	52.48	54.00	-1.52	46.10	3	Vertical	307	2.96	-	32.05	7.23	32.90			
PK	5.2914G	106.82	Inf	-Inf	101.05	3	Vertical	307	2.96	-	31.32	7.32	32.87			
AV	5.292G	94.60	Inf	-Inf	88.83	3	Vertical	307	2.96	-	31.32	7.32	32.87			
PK	5.406G	70.65	74.00	-3.35	64.61	3	Vertical	307	2.96	-	31.52	7.37	32.85			
AV	5.3934G	53.57	54.00	-0.43	47.56	3	Vertical	307	2.96	-	31.49	7.37	32.85			
PK	5.4654G	61.53	68.20	-6.67	55.19	3	Vertical	307	2.96	-	31.76	7.42	32.84			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 17.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1378G	67.61	74.00	-6.39	61.23	3	Horizontal	348	3.00	-	32.05	7.23	32.90			
AV	5.1372G	53.32	54.00	-0.68	46.94	3	Horizontal	348	3.00	-	32.05	7.23	32.90			
AV	5.1948G	94.99	Inf	-Inf	88.77	3	Horizontal	348	3.00	-	31.83	7.28	32.89			
PK	5.2914G	106.77	Inf	-Inf	101.00	3	Horizontal	348	3.00	-	31.32	7.32	32.87			
PK	5.4G	65.10	74.00	-8.90	59.08	3	Horizontal	348	3.00	-	31.50	7.37	32.85			
AV	5.3538G	51.72	54.00	-2.28	45.82	3	Horizontal	348	3.00	-	31.41	7.35	32.86			
PK	5.4708G	61.63	68.20	-6.57	55.27	3	Horizontal	348	3.00	-	31.78	7.42	32.84			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 17.5
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5031G	56.63	68.20	-11.57	49.71	3	Vertical	268	1.31	-	39.50	10.30	42.88			
PK	15.74305G	57.50	74.00	-16.50	48.73	3	Vertical	349	2.19	-	37.90	12.68	41.81			
AV	15.76525G	45.01	54.00	-8.99	36.37	3	Vertical	349	2.19	-	37.81	12.69	41.86			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 17.5
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50685G	56.40	68.20	-11.80	49.47	3	Horizontal	200	2.08	-	39.50	10.30	42.87			
PK	15.76765G	57.04	74.00	-16.96	48.42	3	Horizontal	295	2.83	-	37.79	12.69	41.86			
AV	15.7353G	44.98	54.00	-9.02	36.20	3	Horizontal	295	2.83	-	37.90	12.68	41.80			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1367G	61.33	74.00	-12.67	54.95	3	Vertical	21	3.00	-	32.05	7.23	32.90			
AV	5.1388G	49.70	54.00	-4.30	43.31	3	Vertical	21	3.00	-	32.06	7.23	32.90			
PK	5.2651G	120.20	Inf	-Inf	114.40	3	Vertical	21	3.00	-	31.37	7.31	32.88			
AV	5.2648G	111.79	Inf	-Inf	105.99	3	Vertical	21	3.00	-	31.37	7.31	32.88			
PK	5.3866G	60.30	74.00	-13.70	54.32	3	Vertical	21	3.00	-	31.47	7.36	32.85			
AV	5.3827G	48.93	54.00	-5.07	42.95	3	Vertical	21	3.00	-	31.47	7.36	32.85			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1457G	61.97	74.00	-12.03	55.56	3	Horizontal	347	3.00	-	32.08	7.23	32.90			
AV	5.1433G	50.56	54.00	-3.44	44.16	3	Horizontal	347	3.00	-	32.07	7.23	32.90			
PK	5.2633G	123.59	Inf	-Inf	117.79	3	Horizontal	347	3.00	-	31.37	7.31	32.88			
AV	5.2633G	114.76	Inf	-Inf	108.96	3	Horizontal	347	3.00	-	31.37	7.31	32.88			
PK	5.3821G	62.57	74.00	-11.43	56.60	3	Horizontal	347	3.00	-	31.46	7.36	32.85			
AV	5.383G	50.97	54.00	-3.03	44.99	3	Horizontal	347	3.00	-	31.47	7.36	32.85			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52285G	55.61	68.20	-12.59	48.65	3	Vertical	56	2.30	-	39.50	10.31	42.85			
PK	15.76782G	56.40	74.00	-17.60	47.78	3	Vertical	149	2.94	-	37.79	12.69	41.86			
AV	15.77709G	44.35	54.00	-9.65	35.79	3	Vertical	149	2.94	-	37.74	12.70	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53215G	55.79	68.20	-12.41	48.82	3	Horizontal	68	2.85	-	39.50	10.31	42.84			
PK	15.77751G	57.19	74.00	-16.81	48.64	3	Horizontal	260	2.99	-	37.73	12.70	41.88			
AV	15.78006G	44.34	54.00	-9.66	35.80	3	Horizontal	260	2.99	-	37.72	12.70	41.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	59.53	74.00	-14.47	53.09	3	Vertical	155	3.00	-	32.10	7.24	32.90			
AV	5.15G	49.62	54.00	-4.38	43.18	3	Vertical	155	3.00	-	32.10	7.24	32.90			
PK	5.3012G	120.18	Inf	-Inf	114.42	3	Vertical	155	3.00	-	31.30	7.33	32.87			
AV	5.3009G	112.21	Inf	-Inf	106.45	3	Vertical	155	3.00	-	31.30	7.33	32.87			
PK	5.354G	63.24	74.00	-10.76	57.34	3	Vertical	155	3.00	-	31.41	7.35	32.86			
AV	5.354G	50.36	54.00	-3.64	44.46	3	Vertical	155	3.00	-	31.41	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	59.53	74.00	-14.47	53.09	3	Horizontal	347	3.00	-	32.10	7.24	32.90			
AV	5.15G	48.48	54.00	-5.52	42.04	3	Horizontal	347	3.00	-	32.10	7.24	32.90			
PK	5.3039G	122.13	Inf	-Inf	116.36	3	Horizontal	347	3.00	-	31.31	7.33	32.87			
AV	5.303G	113.61	Inf	-Inf	107.84	3	Horizontal	347	3.00	-	31.31	7.33	32.87			
PK	5.4248G	61.60	74.00	-12.40	55.46	3	Horizontal	347	3.00	-	31.60	7.39	32.85			
AV	5.4227G	49.86	54.00	-4.14	43.73	3	Horizontal	347	3.00	-	31.59	7.39	32.85			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61257G	56.78	74.00	-17.22	49.55	3	Vertical	62	1.27	-	39.60	10.36	42.73			
AV	10.61149G	44.05	54.00	-9.95	36.82	3	Vertical	62	1.27	-	39.60	10.36	42.73			
PK	15.89184G	57.06	74.00	-16.94	49.02	3	Vertical	25	2.49	-	37.40	12.75	42.11			
AV	15.88809G	44.16	54.00	-9.84	36.11	3	Vertical	25	2.49	-	37.40	12.75	42.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59553G	56.18	68.20	-12.02	48.99	3	Horizontal	221	1.98	-	39.59	10.35	42.75			
AV	10.61089G	43.99	54.00	-10.01	36.76	3	Horizontal	221	1.98	-	39.60	10.36	42.73			
PK	15.89961G	56.66	74.00	-17.34	48.63	3	Horizontal	169	1.22	-	37.40	12.75	42.12			
AV	15.89205G	44.13	54.00	-9.87	36.09	3	Horizontal	169	1.22	-	37.40	12.75	42.11			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 19.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.321G	118.24	Inf	-Inf	112.44	3	Vertical	155	3.00	-	31.34	7.33	32.87			
AV	5.321G	109.72	Inf	-Inf	103.92	3	Vertical	155	3.00	-	31.34	7.33	32.87			
PK	5.3548G	67.04	74.00	-6.96	61.14	3	Vertical	155	3.00	-	31.41	7.35	32.86			
AV	5.3538G	52.09	54.00	-1.91	46.19	3	Vertical	155	3.00	-	31.41	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 19.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3225G	119.78	Inf	-Inf	113.97	3	Horizontal	347	2.85	-	31.34	7.34	32.87			
AV	5.323G	111.36	Inf	-Inf	105.54	3	Horizontal	347	2.85	-	31.35	7.34	32.87			
PK	5.352G	63.09	74.00	-10.91	57.20	3	Horizontal	347	2.85	-	31.40	7.35	32.86			
AV	5.35G	51.18	54.00	-2.82	45.29	3	Horizontal	347	2.85	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63709G	56.94	74.00	-17.06	49.67	3	Vertical	338	2.22	-	39.60	10.37	42.70			
AV	10.65332G	44.00	54.00	-10.00	36.71	3	Vertical	338	2.22	-	39.59	10.38	42.68			
PK	15.95364G	55.66	74.00	-18.34	47.92	3	Vertical	38	2.51	-	37.19	12.78	42.23			
AV	15.94866G	43.70	54.00	-10.30	35.93	3	Vertical	38	2.51	-	37.21	12.78	42.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63691G	56.96	74.00	-17.04	49.69	3	Horizontal	59	1.39	-	39.60	10.37	42.70			
AV	10.64939G	43.99	54.00	-10.01	36.69	3	Horizontal	59	1.39	-	39.60	10.38	42.68			
PK	15.94896G	55.93	74.00	-18.07	48.17	3	Horizontal	323	2.09	-	37.20	12.78	42.22			
AV	15.94845G	43.66	54.00	-10.34	35.89	3	Horizontal	323	2.09	-	37.21	12.78	42.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1376G	62.79	74.00	-11.21	56.41	3	Vertical	9	2.40	-	32.05	7.23	32.90			
AV	5.1388G	49.53	54.00	-4.47	43.14	3	Vertical	9	2.40	-	32.06	7.23	32.90			
PK	5.2561G	122.00	Inf	-Inf	116.18	3	Vertical	9	2.40	-	31.39	7.31	32.88			
AV	5.2561G	111.51	Inf	-Inf	105.69	3	Vertical	9	2.40	-	31.39	7.31	32.88			
PK	5.4055G	62.03	74.00	-11.97	55.99	3	Vertical	9	2.40	-	31.52	7.37	32.85			
AV	5.407G	48.95	54.00	-5.05	42.89	3	Vertical	9	2.40	-	31.53	7.38	32.85			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 26
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1442G	62.77	74.00	-11.23	56.36	3	Horizontal	348	2.94	-	32.08	7.23	32.90			
AV	5.1415G	50.39	54.00	-3.61	43.99	3	Horizontal	348	2.94	-	32.07	7.23	32.90			
PK	5.2639G	126.22	Inf	-Inf	120.42	3	Horizontal	348	2.94	-	31.37	7.31	32.88			
AV	5.263G	114.13	Inf	-Inf	108.33	3	Horizontal	348	2.94	-	31.37	7.31	32.88			
PK	5.3845G	62.33	74.00	-11.67	56.35	3	Horizontal	348	2.94	-	31.47	7.36	32.85			
AV	5.3827G	50.69	54.00	-3.31	44.71	3	Horizontal	348	2.94	-	31.47	7.36	32.85			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50734G	55.71	68.20	-12.49	48.78	3	Vertical	94	1.52	-	39.50	10.30	42.87			
PK	15.77298G	56.82	74.00	-17.18	48.23	3	Vertical	127	1.07	-	37.76	12.70	41.87			
AV	15.774G	44.68	54.00	-9.32	36.09	3	Vertical	127	1.07	-	37.76	12.70	41.87			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 26
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50938G	56.39	68.20	-11.81	49.46	3	Horizontal	38	1.16	-	39.50	10.30	42.87			
PK	15.77988G	57.19	74.00	-16.81	48.65	3	Horizontal	257	2.69	-	37.72	12.70	41.88			
AV	15.78339G	44.71	54.00	-9.29	36.20	3	Horizontal	257	2.69	-	37.70	12.70	41.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 22.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3018G	123.35	Inf	-Inf	117.59	3	Vertical	155	3.00	-	31.30	7.33	32.87			
AV	5.3012G	111.86	Inf	-Inf	106.10	3	Vertical	155	3.00	-	31.30	7.33	32.87			
PK	5.3544G	72.86	74.00	-1.14	66.96	3	Vertical	155	3.00	-	31.41	7.35	32.86			
AV	5.354G	53.63	54.00	-0.37	47.73	3	Vertical	347	3.00	-	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 22.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.303G	124.90	Inf	-Inf	119.13	3	Horizontal	347	3.00	-	31.31	7.33	32.87			
AV	5.3032G	113.66	Inf	-Inf	107.89	3	Horizontal	347	3.00	-	31.31	7.33	32.87			
PK	5.351G	70.05	74.00	-3.95	64.16	3	Horizontal	347	3.00	-	31.40	7.35	32.86			
AV	5.35G	53.61	54.00	-0.39	47.72	3	Horizontal	347	3.00	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 22.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60201G	56.32	74.00	-17.68	49.12	3	Vertical	225	1.50	-	39.60	10.35	42.75			
AV	10.60528G	44.23	54.00	-9.77	37.02	3	Vertical	225	1.50	-	39.60	10.35	42.74			
PK	15.90762G	57.59	74.00	-16.41	49.60	3	Vertical	34	2.74	-	37.37	12.76	42.14			
AV	15.88803G	44.43	54.00	-9.57	36.38	3	Vertical	34	2.74	-	37.40	12.75	42.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 22.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61068G	56.28	74.00	-17.72	49.05	3	Horizontal	102	2.08	-	39.60	10.36	42.73			
AV	10.60498G	44.26	54.00	-9.74	37.05	3	Horizontal	102	2.08	-	39.60	10.35	42.74			
PK	15.89235G	56.44	74.00	-17.56	48.40	3	Horizontal	40	2.59	-	37.40	12.75	42.11			
AV	15.89418G	44.50	54.00	-9.50	36.46	3	Horizontal	40	2.59	-	37.40	12.75	42.11			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 19.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3157G	120.12	Inf	-Inf	114.33	3	Vertical	7	2.59	-	31.33	7.33	32.87			
AV	5.3159G	108.58	Inf	-Inf	102.79	3	Vertical	7	2.59	-	31.33	7.33	32.87			
PK	5.3553G	71.05	74.00	-2.95	65.15	3	Vertical	7	2.59	-	31.41	7.35	32.86			
AV	5.35G	53.99	54.00	-0.01	48.10	3	Vertical	348	3.00	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 19.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3224G	122.44	Inf	-Inf	116.63	3	Horizontal	348	3.00	-	31.34	7.34	32.87			
AV	5.323G	109.89	Inf	-Inf	104.07	3	Horizontal	348	3.00	-	31.35	7.34	32.87			
PK	5.3503G	65.84	74.00	-8.16	59.95	3	Horizontal	348	3.00	-	31.40	7.35	32.86			
AV	5.35G	52.30	54.00	-1.70	46.41	3	Horizontal	348	3.00	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64744G	56.96	74.00	-17.04	49.67	3	Vertical	127	2.54	-	39.60	10.38	42.69			
AV	10.64681G	44.27	54.00	-9.73	36.98	3	Vertical	127	2.54	-	39.60	10.38	42.69			
PK	15.94788G	55.93	74.00	-18.07	48.16	3	Vertical	293	2.39	-	37.21	12.78	42.22			
AV	15.95139G	44.00	54.00	-10.00	36.24	3	Vertical	293	2.39	-	37.20	12.78	42.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 19.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62521G	56.34	74.00	-17.66	49.09	3	Horizontal	323	2.95	-	39.60	10.36	42.71			
AV	10.65299G	44.33	54.00	-9.67	37.04	3	Horizontal	323	2.95	-	39.59	10.38	42.68			
PK	15.94857G	56.19	74.00	-17.81	48.42	3	Horizontal	118	1.16	-	37.21	12.78	42.22			
AV	15.94692G	44.00	54.00	-10.00	36.22	3	Horizontal	118	1.16	-	37.21	12.78	42.21			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 21.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	62.06	74.00	-11.94	55.64	3	Vertical	5	2.62	-	32.09	7.23	32.90			
AV	5.1473G	49.60	54.00	-4.40	43.17	3	Vertical	5	2.62	-	32.09	7.24	32.90			
PK	5.2664G	119.00	Inf	-Inf	113.20	3	Vertical	5	2.62	-	31.37	7.31	32.88			
AV	5.2862G	107.89	Inf	-Inf	102.11	3	Vertical	5	2.62	-	31.33	7.32	32.87			
PK	5.3537G	68.81	74.00	-5.19	62.91	3	Vertical	5	2.62	-	31.41	7.35	32.86			
AV	5.3525G	52.78	54.00	-1.22	46.88	3	Vertical	5	2.62	-	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 21.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	61.26	74.00	-12.74	54.82	3	Horizontal	346	3.00	-	32.10	7.24	32.90			
AV	5.1248G	49.40	54.00	-4.60	43.09	3	Horizontal	346	3.00	-	32.00	7.22	32.91			
PK	5.2538G	121.41	Inf	-Inf	115.60	3	Horizontal	346	3.00	-	31.39	7.30	32.88			
AV	5.2736G	109.61	Inf	-Inf	103.83	3	Horizontal	346	3.00	-	31.35	7.31	32.88			
PK	5.3528G	71.24	74.00	-2.76	65.34	3	Horizontal	346	3.00	-	31.41	7.35	32.86			
AV	5.3528G	53.21	54.00	-0.79	47.31	3	Horizontal	346	3.00	-	31.41	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 21.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54129G	55.81	68.20	-12.39	48.82	3	Vertical	131	1.07	-	39.50	10.32	42.83			
PK	15.80106G	55.49	74.00	-18.51	47.11	3	Vertical	250	2.89	-	37.60	12.71	41.93			
AV	15.7959G	44.06	54.00	-9.94	35.65	3	Vertical	250	2.89	-	37.62	12.71	41.92			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 21.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53868G	55.82	68.20	-12.38	48.83	3	Horizontal	293	1.59	-	39.50	10.32	42.83			
PK	15.81855G	55.89	74.00	-18.11	47.60	3	Horizontal	0	2.91	-	37.53	12.72	41.96			
AV	15.79683G	44.06	54.00	-9.94	35.65	3	Horizontal	0	2.91	-	37.62	12.71	41.92			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 18.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3115G	116.05	Inf	-Inf	110.27	3	Vertical	156	3.00	-	31.32	7.33	32.87			
AV	5.3109G	105.01	Inf	-Inf	99.23	3	Vertical	156	3.00	-	31.32	7.33	32.87			
PK	5.3505G	64.45	74.00	-9.55	58.56	3	Vertical	156	3.00	-	31.40	7.35	32.86			
AV	5.3508G	51.82	54.00	-2.18	45.93	3	Vertical	156	3.00	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 18.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2926G	117.70	Inf	-Inf	111.94	3	Horizontal	345	3.00	-	31.31	7.32	32.87			
AV	5.2935G	106.68	Inf	-Inf	100.92	3	Horizontal	345	3.00	-	31.31	7.32	32.87			
PK	5.3502G	62.52	74.00	-11.48	56.63	3	Horizontal	345	3.00	-	31.40	7.35	32.86			
AV	5.35G	50.19	54.00	-3.81	44.30	3	Horizontal	345	3.00	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 21.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62783G	56.19	74.00	-17.81	48.93	3	Vertical	53	1.77	-	39.60	10.37	42.71			
AV	10.61037G	44.38	54.00	-9.62	37.15	3	Vertical	53	1.77	-	39.60	10.36	42.73			
PK	15.92976G	56.61	74.00	-17.39	48.74	3	Vertical	61	2.10	-	37.28	12.77	42.18			
AV	15.9336G	44.10	54.00	-9.90	36.25	3	Vertical	61	2.10	-	37.27	12.77	42.19			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 21.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61748G	56.46	74.00	-17.54	49.22	3	Horizontal	98	2.86	-	39.60	10.36	42.72			
AV	10.61643G	44.26	54.00	-9.74	37.03	3	Horizontal	98	2.86	-	39.60	10.36	42.73			
PK	15.93441G	56.41	74.00	-17.59	48.57	3	Horizontal	251	1.81	-	37.26	12.77	42.19			
AV	15.94014G	44.09	54.00	-9.91	36.28	3	Horizontal	251	1.81	-	37.24	12.77	42.20			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 17.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	60.63	74.00	-13.37	54.22	3	Vertical	155	3.00	-	32.08	7.23	32.90			
AV	5.1496G	48.88	54.00	-5.12	42.44	3	Vertical	155	3.00	-	32.10	7.24	32.90			
PK	5.3108G	112.72	Inf	-Inf	106.94	3	Vertical	155	3.00	-	31.32	7.33	32.87			
AV	5.3112G	101.42	Inf	-Inf	95.64	3	Vertical	155	3.00	-	31.32	7.33	32.87			
PK	5.3516G	66.82	74.00	-7.18	60.93	3	Vertical	155	3.00	-	31.40	7.35	32.86			
AV	5.3508G	53.09	54.00	-0.91	47.20	3	Vertical	155	3.00	-	31.40	7.35	32.86			
PK	5.4868G	61.19	68.20	-7.01	54.73	3	Vertical	155	3.00	-	31.85	7.44	32.83			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 17.5
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1312G	60.52	74.00	-13.48	54.18	3	Horizontal	349	3.00	-	32.02	7.22	32.90			
AV	5.134G	48.74	54.00	-5.26	42.38	3	Horizontal	349	3.00	-	32.04	7.22	32.90			
PK	5.2944G	113.79	Inf	-Inf	108.03	3	Horizontal	349	3.00	-	31.31	7.32	32.87			
AV	5.3136G	102.42	Inf	-Inf	96.63	3	Horizontal	349	3.00	-	31.33	7.33	32.87			
PK	5.3732G	68.22	74.00	-5.78	62.27	3	Horizontal	349	3.00	-	31.45	7.36	32.86			
AV	5.3532G	52.44	54.00	-1.56	46.54	3	Horizontal	349	3.00	-	31.41	7.35	32.86			
PK	5.4808G	60.92	68.20	-7.28	54.50	3	Horizontal	349	3.00	-	31.82	7.43	32.83			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 17.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59221G	55.80	68.20	-12.40	48.63	3	Vertical	266	1.32	-	39.58	10.35	42.76			
PK	15.87882G	56.55	74.00	-17.45	48.49	3	Vertical	228	1.46	-	37.40	12.74	42.08			
AV	15.88497G	44.39	54.00	-9.61	36.33	3	Vertical	228	1.46	-	37.40	12.75	42.09			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 17.5
01-R-M-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57529G	56.86	68.20	-11.34	49.75	3	Horizontal	315	1.87	-	39.55	10.34	42.78			
PK	15.88191G	57.19	74.00	-16.81	49.13	3	Horizontal	237	1.19	-	37.40	12.75	42.09			
AV	15.86172G	44.39	54.00	-9.61	36.30	3	Horizontal	237	1.19	-	37.40	12.74	42.05			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 15.5
01-P-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1236G	64.58	74.00	-9.42	58.28	3	Vertical	87	3.00	-	31.99	7.22	32.91			
AV	5.1236G	53.88	54.00	-0.12	47.58	3	Vertical	87	3.00	-	31.99	7.22	32.91			
PK	5.2628G	107.49	Inf	-Inf	101.69	3	Vertical	87	3.00	-	31.37	7.31	32.88			
AV	5.2628G	96.99	Inf	-Inf	91.19	3	Vertical	87	3.00	-	31.37	7.31	32.88			
PK	5.402G	66.84	74.00	-7.16	60.81	3	Vertical	87	3.00	-	31.51	7.37	32.85			
AV	5.3828G	53.05	54.00	-0.95	47.07	3	Vertical	87	3.00	-	31.47	7.36	32.85			
PK	5.5124G	61.10	68.20	-7.10	54.60	3	Vertical	87	3.00	-	31.88	7.45	32.83			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 15.5
01-P-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1372G	63.95	74.00	-10.05	57.57	3	Horizontal	343	3.00	-	32.05	7.23	32.90			
AV	5.134G	52.82	54.00	-1.18	46.46	3	Horizontal	343	3.00	-	32.04	7.22	32.90			
PK	5.2748G	107.84	Inf	-Inf	102.06	3	Horizontal	343	3.00	-	31.35	7.31	32.88			
AV	5.254G	96.98	Inf	-Inf	91.17	3	Horizontal	343	3.00	-	31.39	7.30	32.88			
PK	5.3748G	65.72	74.00	-8.28	59.77	3	Horizontal	343	3.00	-	31.45	7.36	32.86			
AV	5.354G	53.41	54.00	-0.59	47.51	3	Horizontal	343	3.00	-	31.41	7.35	32.86			
PK	5.4724G	61.24	68.20	-6.96	54.87	3	Horizontal	343	3.00	-	31.79	7.42	32.84			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 15.5
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49046G	56.12	68.20	-12.08	42.31	3	Horizontal	347	2.58	-	38.68	8.96	33.83			
PK	15.74406G	56.84	74.00	-17.16	42.49	3	Horizontal	147	1.35	-	38.06	11.33	35.04			
AV	15.75438G	44.51	54.00	-9.49	30.11	3	Horizontal	147	1.35	-	38.11	11.33	35.04			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_Y_4TX
Setting 15.5
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50321G	56.27	68.20	-11.93	42.43	3	Vertical	121	2.63	-	38.71	8.97	33.84			
PK	15.76386G	57.07	74.00	-16.93	42.64	3	Vertical	66	1.20	-	38.13	11.34	35.04			
AV	15.75975G	44.36	54.00	-9.64	29.94	3	Vertical	66	1.20	-	38.12	11.34	35.04			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_1TX	Pass	AV	5.3501G	53.71	54.00	-0.29	3	Vertical	304	1.80	20.5

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 25
15\20.5\23\24\24.5\25
5.56\5.57\5.53\5.17\3.34\3.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14326G	63.39	74.00	-10.61	56.99	3	Vertical	310	1.80	25	32.07	7.23	32.90			
AV	5.14872G	50.45	54.00	-3.55	44.02	3	Vertical	310	1.80	25	32.09	7.24	32.90			
PK	5.26728G	111.44	Inf	-Inf	105.64	3	Vertical	310	1.80	25	31.37	7.31	32.88			
AV	5.2626G	101.97	Inf	-Inf	96.17	3	Vertical	310	1.80	25	31.37	7.31	32.88			
PK	5.36868G	64.37	74.00	-9.63	58.43	3	Vertical	310	1.80	25	31.44	7.36	32.86			
AV	5.35308G	50.51	54.00	-3.49	44.61	3	Vertical	310	1.80	25	31.41	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 24
25\24\24.5\24
-0.75\2.30\1.10\2.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1482G	61.29	74.00	-12.71	54.86	3	Horizontal	65	2.91	24	32.09	7.24	32.90				
AV	5.14898G	49.62	54.00	-4.38	43.18	3	Horizontal	65	2.91	24	32.10	7.24	32.90				
PK	5.26312G	117.00	Inf	-Inf	111.20	3	Horizontal	65	2.91	24	31.37	7.31	32.88				
AV	5.2626G	107.82	Inf	-Inf	102.02	3	Horizontal	65	2.91	24	31.37	7.31	32.88				
PK	5.35724G	65.45	74.00	-8.55	59.55	3	Horizontal	65	2.91	24	31.41	7.35	32.86				
AV	5.35022G	51.70	54.00	-2.30	45.81	3	Horizontal	65	2.91	24	31.40	7.35	32.86				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50386G	44.94	68.20	-23.26	61.25	3	Vertical	1	1.80	24	39.50	10.30	66.11			
PK	15.79714G	46.20	74.00	-27.80	58.72	3	Vertical	245	1.80	24	37.62	12.71	62.85			
AV	15.76478G	33.43	54.00	-20.57	45.76	3	Vertical	245	1.80	24	37.81	12.69	62.83			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53554G	44.29	68.20	-23.91	60.63	3	Horizontal	10	1.80	24	39.50	10.31	66.15			
PK	15.77868G	45.23	74.00	-28.77	57.64	3	Horizontal	28	1.80	24	37.73	12.70	62.84			
AV	15.78823G	32.44	54.00	-21.56	44.91	3	Horizontal	28	1.80	24	37.67	12.70	62.84			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 22.5
15\21\24\22.5\23\22.5
6.30\4.59\5.93\0.91\1.09\0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29594G	113.53	Inf	-Inf	107.77	3	Vertical	26	1.06	22.5	31.31	7.32	32.87			
AV	5.3028G	104.73	Inf	-Inf	98.96	3	Vertical	26	1.06	22.5	31.31	7.33	32.87			
PK	5.35194G	66.60	74.00	-7.40	60.71	3	Vertical	26	1.06	22.5	31.40	7.35	32.86			
AV	5.35G	53.30	54.00	-0.70	47.41	3	Vertical	26	1.06	22.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 22.5
22.5
1.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30308G	113.05	Inf	-Inf	107.28	3	Horizontal	68	1.80	22.5	31.31	7.33	32.87			
AV	5.29916G	104.35	Inf	-Inf	98.60	3	Horizontal	68	1.80	22.5	31.30	7.32	32.87			
PK	5.35068G	65.96	74.00	-8.04	60.07	3	Horizontal	68	1.80	22.5	31.40	7.35	32.86			
AV	5.35G	52.98	54.00	-1.02	47.09	3	Horizontal	68	1.80	22.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60144G	47.03	74.00	-26.97	63.29	3	Vertical	347	1.80	22.5	39.60	10.35	66.21			
AV	10.60807G	33.87	54.00	-20.13	50.14	3	Vertical	347	1.80	22.5	39.60	10.35	66.22			
PK	15.8972G	46.30	74.00	-27.70	59.06	3	Vertical	35	1.80	22.5	37.40	12.75	62.91			
AV	15.89497G	32.99	54.00	-21.01	45.75	3	Vertical	35	1.80	22.5	37.40	12.75	62.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61618G	44.87	74.00	-29.13	61.14	3	Horizontal	248	1.80	22.5	39.60	10.36	66.23			
PK	15.89796G	45.70	74.00	-28.30	58.46	3	Horizontal	24	1.80	22.5	37.40	12.75	62.91			
AV	15.899G	32.59	54.00	-21.41	45.35	3	Horizontal	24	1.80	22.5	37.40	12.75	62.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 20.5
15\21\18\19.5\20\20.5
6.31\1.18\5.82\3.37\1.81\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3175G	106.35	Inf	-Inf	100.55	3	Vertical	304	1.80	20.5	31.34	7.33	32.87			
AV	5.318G	97.22	Inf	-Inf	91.42	3	Vertical	304	1.80	20.5	31.34	7.33	32.87			
PK	5.35G	66.27	74.00	-7.73	60.38	3	Vertical	304	1.80	20.5	31.40	7.35	32.86			
AV	5.3501G	53.71	54.00	-0.29	47.82	3	Vertical	304	1.80	20.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 19
20.5\15\17.5\18.5\19
-5.22\6.16\5.27\2.69\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3211G	111.80	Inf	-Inf	106.00	3	Horizontal	69	2.88	19	31.34	7.33	32.87			
AV	5.3228G	102.98	Inf	-Inf	97.16	3	Horizontal	69	2.88	19	31.35	7.34	32.87			
PK	5.35G	67.61	74.00	-6.39	61.72	3	Horizontal	69	2.88	19	31.40	7.35	32.86			
AV	5.35G	53.71	54.00	-0.29	47.82	3	Horizontal	69	2.88	19	31.40	7.35	32.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX

EUT_Y_1TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63676G	45.27	74.00	-28.73	61.55	3	Vertical	338	1.80	19	39.60	10.37	66.25			
AV	10.62781G	32.22	54.00	-21.78	48.49	3	Vertical	338	1.80	19	39.60	10.37	66.24			
PK	15.97618G	44.85	74.00	-29.15	57.87	3	Vertical	79	1.80	19	37.15	12.79	62.96			
AV	15.97862G	31.42	54.00	-22.58	44.45	3	Vertical	79	1.80	19	37.14	12.79	62.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62889G	45.25	74.00	-28.75	61.52	3	Horizontal	305	1.80	19	39.60	10.37	66.24			
AV	10.63996G	31.93	54.00	-22.07	48.21	3	Horizontal	305	1.80	19	39.60	10.37	66.25			
PK	15.95457G	45.56	74.00	-28.44	58.53	3	Horizontal	74	1.80	19	37.19	12.78	62.94			
AV	15.97862G	31.39	54.00	-22.61	44.42	3	Horizontal	74	1.80	19	37.14	12.79	62.96			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET 25
15\20.5\23\24\24.5\25
5.93\5.93\5.74\4.93\2.95\2.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14742G	63.93	74.00	-10.07	57.50	3	Vertical	310	1.80	25	32.09	7.24	32.90			
AV	5.1495G	50.78	54.00	-3.22	44.34	3	Vertical	310	1.80	25	32.10	7.24	32.90			
PK	5.26234G	113.19	Inf	-Inf	107.38	3	Vertical	310	1.80	25	31.38	7.31	32.88			
AV	5.2613G	101.01	Inf	-Inf	95.20	3	Vertical	310	1.80	25	31.38	7.31	32.88			
PK	5.35074G	64.11	74.00	-9.89	58.22	3	Vertical	310	1.80	25	31.40	7.35	32.86			
AV	5.35178G	51.19	54.00	-2.81	45.30	3	Vertical	310	1.80	25	31.40	7.35	32.86			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT Y_1TX
SET 24
25\22\23.5\24
-2.86\5.94\3.81\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14976G	61.84	74.00	-12.16	55.40	3	Horizontal	57	2.92	24	32.10	7.24	32.90				
AV	5.14846G	49.60	54.00	-4.40	43.17	3	Horizontal	57	2.92	24	32.09	7.24	32.90				
PK	5.25714G	118.50	Inf	-Inf	112.68	3	Horizontal	57	2.92	24	31.39	7.31	32.88				
AV	5.26156G	106.86	Inf	-Inf	101.05	3	Horizontal	57	2.92	24	31.38	7.31	32.88				
PK	5.3549G	68.61	74.00	-5.39	62.71	3	Horizontal	57	2.92	24	31.41	7.35	32.86				
AV	5.35G	53.51	54.00	-0.49	47.62	3	Horizontal	57	2.92	24	31.40	7.35	32.86				

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53399G	44.67	68.20	-23.53	61.00	3	Vertical	19	1.80	24	39.50	10.31	66.14			
PK	15.78048G	45.47	74.00	-28.53	57.89	3	Vertical	135	1.80	24	37.72	12.70	62.84			
AV	15.79902G	31.46	54.00	-22.54	43.99	3	Vertical	135	1.80	24	37.61	12.71	62.85			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51421G	44.18	68.20	-24.02	60.50	3	Horizontal	357	1.80	24	39.50	10.30	66.12			
PK	15.77756G	45.96	74.00	-28.04	58.37	3	Horizontal	23	1.80	24	37.73	12.70	62.84			
AV	15.78232G	31.81	54.00	-22.19	44.24	3	Horizontal	23	1.80	24	37.71	12.70	62.84			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 22
15\21.5\24.5\23\22.5\22
6.70\3.51\ -14.29\ -2.06\ -0.01\ 2.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30126G	114.65	Inf	-Inf	108.89	3	Vertical	326	2.95	22	31.30	7.33	32.87			
AV	5.29776G	102.01	Inf	-Inf	96.26	3	Vertical	326	2.95	22	31.30	7.32	32.87			
PK	5.35068G	67.58	74.00	-6.42	61.69	3	Vertical	326	2.95	22	31.40	7.35	32.86			
AV	5.35012G	51.82	54.00	-2.18	45.93	3	Vertical	326	2.95	22	31.40	7.35	32.86			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 22
22
0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29916G	116.51	Inf	-Inf	110.76	3	Horizontal	56	2.89	22	31.30	7.32	32.87			
AV	5.3014G	104.53	Inf	-Inf	98.77	3	Horizontal	56	2.89	22	31.30	7.33	32.87			
PK	5.35096G	67.02	74.00	-6.98	61.13	3	Horizontal	56	2.89	22	31.40	7.35	32.86			
AV	5.35G	53.51	54.00	-0.49	47.62	3	Horizontal	56	2.89	22	31.40	7.35	32.86			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61135G	44.85	74.00	-29.15	61.11	3	Vertical	356	1.80	22	39.60	10.36	66.22			
PK	15.88661G	45.17	74.00	-28.83	57.92	3	Vertical	1	1.80	22	37.40	12.75	62.90			
AV	15.89776G	31.55	54.00	-22.45	44.31	3	Vertical	1	1.80	22	37.40	12.75	62.91			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60204G	45.15	74.00	-28.85	61.41	3	Horizontal	272	1.80	22	39.60	10.35	66.21			
PK	15.90232G	46.08	74.00	-27.92	58.84	3	Horizontal	18	1.80	22	37.39	12.76	62.91			
AV	15.8974G	31.86	54.00	-22.14	44.62	3	Horizontal	18	1.80	22	37.40	12.75	62.91			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 20
15\21.5\18.5\20\20.5\20
6.74\ -3.20\5.45\0.70\ -0.75\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3149G	108.59	Inf	-Inf	102.80	3	Vertical	305	1.80	20	31.33	7.33	32.87			
AV	5.3184G	96.22	Inf	-Inf	90.42	3	Vertical	305	1.80	20	31.34	7.33	32.87			
PK	5.35G	66.82	74.00	-7.18	60.93	3	Vertical	305	1.80	20	31.40	7.35	32.86			
AV	5.35G	53.71	54.00	-0.29	47.82	3	Vertical	305	1.80	20	31.40	7.35	32.86			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 18.5
20\15\17.5\18.5\19\18.5
-4.78\6.61\5.45\2.18\0.57\2.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3224G	113.22	Inf	-Inf	107.41	3	Horizontal	71	2.89	18.5	31.34	7.34	32.87			
AV	5.323G	101.13	Inf	-Inf	95.31	3	Horizontal	71	2.89	18.5	31.35	7.34	32.87			
PK	5.3511G	66.91	74.00	-7.09	61.02	3	Horizontal	71	2.89	18.5	31.40	7.35	32.86			
AV	5.35G	51.95	54.00	-2.05	46.06	3	Horizontal	71	2.89	18.5	31.40	7.35	32.86			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65111G	44.62	74.00	-29.38	60.90	3	Vertical	327	1.80	18.5	39.60	10.38	66.26			
AV	10.63225G	31.21	54.00	-22.79	47.48	3	Vertical	327	1.80	18.5	39.60	10.37	66.24			
PK	15.9765G	43.95	74.00	-30.05	56.97	3	Vertical	177	1.80	18.5	37.15	12.79	62.96			
AV	15.9795G	30.78	54.00	-23.22	43.81	3	Vertical	177	1.80	18.5	37.14	12.79	62.96			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63664G	44.68	74.00	-29.32	60.96	3	Horizontal	278	1.80	18.5	39.60	10.37	66.25			
AV	10.63253G	31.26	54.00	-22.74	47.54	3	Horizontal	278	1.80	18.5	39.60	10.37	66.25			
PK	15.95517G	44.37	74.00	-29.63	57.34	3	Horizontal	245	1.80	18.5	37.19	12.78	62.94			
AV	15.97495G	30.75	54.00	-23.25	43.76	3	Horizontal	245	1.80	18.5	37.15	12.79	62.95			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 20.5
15\20.5\23\22\21.5\21\20.5
5.93\1.58\8.34\3.78\2.51\0.75\1.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.137G	60.28	74.00	-13.72	53.90	3	Vertical	327	2.95	20.5	32.05	7.23	32.90				
AV	5.1496G	48.68	54.00	-5.32	42.24	3	Vertical	327	2.95	20.5	32.10	7.24	32.90				
PK	5.26608G	109.71	Inf	-Inf	103.91	3	Vertical	327	2.95	20.5	31.37	7.31	32.88				
AV	5.26692G	98.34	Inf	-Inf	92.54	3	Vertical	327	2.95	20.5	31.37	7.31	32.88				
PK	5.35G	66.32	74.00	-7.68	60.43	3	Vertical	327	2.95	20.5	31.40	7.35	32.86				
AV	5.35G	52.31	54.00	-1.69	46.42	3	Vertical	327	2.95	20.5	31.40	7.35	32.86				

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Y_1TX
SET 20
20.5\19.5\20
-0.84\3.37\1.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14792G	59.90	74.00	-14.10	53.47	3	Horizontal	57	2.92	20	32.09	7.24	32.90				
AV	5.14988G	48.49	54.00	-5.51	42.05	3	Horizontal	57	2.92	20	32.10	7.24	32.90				
PK	5.26552G	112.66	Inf	-Inf	106.86	3	Horizontal	57	2.92	20	31.37	7.31	32.88				
AV	5.26552G	100.63	Inf	-Inf	94.83	3	Horizontal	57	2.92	20	31.37	7.31	32.88				
PK	5.35064G	66.25	74.00	-7.75	60.36	3	Horizontal	57	2.92	20	31.40	7.35	32.86				
AV	5.35G	52.76	54.00	-1.24	46.87	3	Horizontal	57	2.92	20	31.40	7.35	32.86				

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56494G	44.62	68.20	-23.58	60.94	3	Vertical	62	1.80	20	39.53	10.33	66.18			
PK	15.78299G	45.42	74.00	-28.58	57.86	3	Vertical	354	1.80	20	37.70	12.70	62.84			
AV	15.80353G	31.47	54.00	-22.53	44.02	3	Vertical	354	1.80	20	37.59	12.71	62.85			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50132G	44.09	68.20	-24.11	60.40	3	Horizontal	27	1.80	20	39.50	10.30	66.11			
PK	15.83014G	44.45	74.00	-29.55	57.12	3	Horizontal	271	1.80	20	37.48	12.72	62.87			
AV	15.81983G	31.19	54.00	-22.81	43.81	3	Horizontal	271	1.80	20	37.52	12.72	62.86			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX



EUT_Y_1TX

SET 17


15\21\18\16.5\17\23\20\18.5\17

6.01\15.85\0.01\4.93\3.81\25.23\10.55\2.58\3.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30904G	106.66	Inf	-Inf	100.88	3	Vertical	324	2.95	17	31.32	7.33	32.87			
AV	5.3112G	94.69	Inf	-Inf	88.91	3	Vertical	324	2.95	17	31.32	7.33	32.87			
PK	5.36088G	64.60	74.00	-9.40	58.69	3	Vertical	324	2.95	17	31.42	7.35	32.86			
AV	5.35G	50.19	54.00	-3.81	44.30	3	Vertical	324	2.95	17	31.40	7.35	32.86			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
SET 17
17
2.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30688G	109.29	Inf	-Inf	103.52	3	Horizontal	56	2.89	17	31.31	7.33	32.87			
AV	5.30892G	97.45	Inf	-Inf	91.67	3	Horizontal	56	2.89	17	31.32	7.33	32.87			
PK	5.36232G	67.29	74.00	-6.71	61.38	3	Horizontal	56	2.89	17	31.42	7.35	32.86			
AV	5.3502G	51.44	54.00	-2.56	45.55	3	Horizontal	56	2.89	17	31.40	7.35	32.86			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63582G	45.75	74.00	-28.25	62.03	3	Vertical	138	1.80	17	39.60	10.37	66.25			
PK	15.91665G	44.94	74.00	-29.06	57.77	3	Vertical	301	1.80	17	37.33	12.76	62.92			
AV	15.89436G	31.49	54.00	-22.51	44.25	3	Vertical	301	1.80	17	37.40	12.75	62.91			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60226G	44.51	74.00	-29.49	60.77	3	Horizontal	6	1.80	17	39.60	10.35	66.21			
PK	15.89492G	45.23	74.00	-28.77	57.99	3	Horizontal	298	1.80	17	37.40	12.75	62.91			
AV	15.89148G	31.56	54.00	-22.44	44.31	3	Horizontal	298	1.80	17	37.40	12.75	62.90			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 18
15\20.5\18\19\18.5\18
5.93\10.20\1.81\3.14\0.48\1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14696G	60.76	74.00	-13.24	54.34	3	Vertical	310	1.80	18	32.09	7.23	32.90			
AV	5.14856G	48.47	54.00	-5.53	42.04	3	Vertical	310	1.80	18	32.09	7.24	32.90			
PK	5.27848G	101.33	Inf	-Inf	95.54	3	Vertical	310	1.80	18	31.34	7.32	32.87			
AV	5.27912G	88.98	Inf	-Inf	83.19	3	Vertical	310	1.80	18	31.34	7.32	32.87			
PK	5.35496G	66.82	74.00	-7.18	60.92	3	Vertical	310	1.80	18	31.41	7.35	32.86			
AV	5.3508G	52.43	54.00	-1.57	46.54	3	Vertical	310	1.80	18	31.40	7.35	32.86			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 17
18\14\16\17\17.5\17
-3.72\5.82\4.11\1.58\0.66\1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1396G	60.40	74.00	-13.60	54.01	3	Horizontal	69	2.92	17	32.06	7.23	32.90			
AV	5.14664G	48.45	54.00	-5.55	42.03	3	Horizontal	69	2.92	17	32.09	7.23	32.90			
PK	5.29416G	105.96	Inf	-Inf	100.20	3	Horizontal	69	2.92	17	31.31	7.32	32.87			
AV	5.29128G	94.19	Inf	-Inf	88.42	3	Horizontal	69	2.92	17	31.32	7.32	32.87			
PK	5.35176G	67.62	74.00	-6.38	61.73	3	Horizontal	69	2.92	17	31.40	7.35	32.86			
AV	5.35144G	52.43	54.00	-1.57	46.54	3	Horizontal	69	2.92	17	31.40	7.35	32.86			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT Y_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65289G	44.33	74.00	-29.67	60.63	3	Vertical	12	1.80	17	39.59	10.38	66.27			
PK	15.87815G	44.88	74.00	-29.12	57.64	3	Vertical	60	1.80	17	37.40	12.74	62.90			
AV	15.89701G	31.33	54.00	-22.67	44.09	3	Vertical	60	1.80	17	37.40	12.75	62.91			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Y_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53508G	45.02	68.20	-23.18	61.36	3	Horizontal	352	1.80	17	39.50	10.31	66.15			
PK	15.90373G	44.88	74.00	-29.12	57.64	3	Horizontal	68	1.80	17	37.39	12.76	62.91			
AV	15.89158G	31.35	54.00	-22.65	44.10	3	Horizontal	68	1.80	17	37.40	12.75	62.90			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 18
15\19.5\17.5\18.5\18
4.93\ -7.39\3.38\ -0.98\2.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14536G	65.04	74.00	-8.96	58.63	3	Vertical	309	1.80	18	32.08	7.23	32.90			
AV	5.14896G	51.94	54.00	-2.06	45.50	3	Vertical	309	1.80	18	32.10	7.24	32.90			
PK	5.24016G	99.45	Inf	-Inf	93.55	3	Vertical	309	1.80	18	31.48	7.30	32.88			
AV	5.2404G	87.17	Inf	-Inf	81.27	3	Vertical	309	1.80	18	31.48	7.30	32.88			
PK	5.35G	63.86	74.00	-10.14	57.97	3	Vertical	309	1.80	18	31.40	7.35	32.86			
AV	5.358G	51.09	54.00	-2.91	45.18	3	Vertical	309	1.80	18	31.42	7.35	32.86			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 17
18\15.5\16.5\17\17.5\17
-2.26\2.25\1.28\0.62\0.66\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14008G	65.32	74.00	-8.68	58.93	3	Horizontal	65	1.51	17	32.06	7.23	32.90			
AV	5.14992G	53.55	54.00	-0.45	47.11	3	Horizontal	65	1.51	17	32.10	7.24	32.90			
PK	5.22048G	104.32	Inf	-Inf	98.28	3	Horizontal	65	1.51	17	31.64	7.29	32.89			
AV	5.22648G	92.37	Inf	-Inf	86.37	3	Horizontal	65	1.51	17	31.59	7.29	32.88			
PK	5.364G	64.82	74.00	-9.18	58.90	3	Horizontal	65	1.51	17	31.43	7.35	32.86			
AV	5.35728G	51.08	54.00	-2.92	45.18	3	Horizontal	65	1.51	17	31.41	7.35	32.86			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63874G	45.12	74.00	-28.88	61.40	3	Vertical	206	1.80	17	39.60	10.37	66.25			
AV	10.60613G	31.71	54.00	-22.29	47.98	3	Vertical	206	1.80	17	39.60	10.35	66.22			
PK	15.61893G	46.58	74.00	-27.42	59.11	3	Vertical	136	1.80	17	37.59	12.62	62.74			
AV	15.64483G	32.35	54.00	-21.65	45.04	3	Vertical	136	1.80	17	37.43	12.64	62.76			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63107G	45.40	74.00	-28.60	61.67	3	Horizontal	356	1.80	17	39.60	10.37	66.24			
AV	10.60454G	31.47	54.00	-22.53	47.74	3	Horizontal	356	1.80	17	39.60	10.35	66.22			
PK	15.7532G	45.42	74.00	-28.58	57.67	3	Horizontal	186	1.80	17	37.88	12.69	62.82			
AV	15.68095G	31.69	54.00	-22.31	44.11	3	Horizontal	186	1.80	17	37.71	12.65	62.78			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	PK	5.1324G	73.97	74.00	-0.03	3	Horizontal	296	1.77	-

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5290MHz_TX

EUT_Y_1TX
Setting 5/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1G	59.16	74.00	-14.84	51.50	3	Vertical	25.9	2.93	-	32.10	6.89	31.33			
AV	5.147G	46.96	54.00	-7.04	39.31	3	Vertical	25.9	2.93	-	32.10	6.91	31.36			
PK	5.321G	102.36	Inf	-Inf	95.28	3	Vertical	25.9	2.93	-	31.50	7.03	31.45			
AV	5.321G	90.10	Inf	-Inf	83.02	3	Vertical	25.9	2.93	-	31.50	7.03	31.45			
PK	5.36G	65.25	74.00	-8.75	58.14	3	Vertical	25.9	2.93	-	31.52	7.06	31.47			
AV	5.365G	48.45	54.00	-5.55	41.34	3	Vertical	25.9	2.93	-	31.53	7.06	31.48			
PK	5.475G	58.82	68.20	-9.38	51.37	3	Vertical	25.9	2.93	-	31.85	7.14	31.54			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 5/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	60.58	74.00	-13.42	52.92	3	Horizontal	300	2.07	-	32.10	6.92	31.36			
AV	5.149G	47.53	54.00	-6.47	39.88	3	Horizontal	300	2.07	-	32.10	6.91	31.36			
PK	5.323G	106.68	Inf	-Inf	99.60	3	Horizontal	300	2.07	-	31.50	7.03	31.45			
AV	5.325G	94.94	Inf	-Inf	87.87	3	Horizontal	300	2.07	-	31.50	7.03	31.46			
PK	5.356G	71.14	74.00	-2.86	64.04	3	Horizontal	300	2.07	-	31.51	7.06	31.47			
AV	5.354G	52.25	54.00	-1.75	45.15	3	Horizontal	300	2.07	-	31.51	7.06	31.47			
PK	5.525G	59.14	68.20	-9.06	51.62	3	Horizontal	300	2.07	-	31.90	7.17	31.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 5/18
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5841G	59.60	68.20	-8.60	41.85	3	Vertical	111	2.87	-	40.17	10.14	32.56			
PK	15.8657G	58.22	74.00	-15.78	40.43	3	Vertical	120	2.37	-	38.07	12.61	32.89			
AV	15.8648G	43.35	54.00	-10.65	25.56	3	Vertical	120	2.37	-	38.07	12.61	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 5/18
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5582G	59.18	68.20	-9.02	41.49	3	Horizontal	154	2.97	-	40.12	10.13	32.56			
PK	15.8571G	58.21	74.00	-15.79	40.41	3	Horizontal	19	1.28	-	38.09	12.60	32.89			
AV	15.854G	43.40	54.00	-10.60	25.60	3	Horizontal	19	1.28	-	38.09	12.60	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 3/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	59.12	74.00	-14.88	51.47	3	Vertical	27	3.00	-	32.10	6.91	31.36			
AV	5.141G	47.27	54.00	-6.73	39.62	3	Vertical	27	3.00	-	32.10	6.91	31.36			
PK	5.267G	102.20	Inf	-Inf	95.06	3	Vertical	27	3.00	-	31.57	6.99	31.42			
AV	5.254G	90.59	Inf	-Inf	83.44	3	Vertical	27	3.00	-	31.59	6.98	31.42			
PK	5.378G	66.54	74.00	-7.46	59.39	3	Vertical	27	3.00	-	31.56	7.07	31.48			
AV	5.374G	49.52	54.00	-4.48	42.38	3	Vertical	27	3.00	-	31.55	7.07	31.48			
PK	5.471G	58.54	68.20	-9.66	51.09	3	Vertical	27	3.00	-	31.84	7.14	31.53			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX



EUT_Y_1TX
Setting 3/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	63.82	74.00	-10.18	56.17	3	Horizontal	302.1	2.01	-	32.10	6.91	31.36			
AV	5.149G	49.06	54.00	-4.94	41.41	3	Horizontal	302.1	2.01	-	32.10	6.91	31.36			
PK	5.257G	108.65	Inf	-Inf	101.50	3	Horizontal	302.1	2.01	-	31.59	6.98	31.42			
PK	5.382G	72.41	74.00	-1.59	65.26	3	Horizontal	302.1	2.01	-	31.56	7.08	31.49			
AV	5.327G	96.78	Inf	-Inf	89.70	3	Horizontal	302.1	2.01	-	31.50	7.04	31.46			
AV	5.374G	53.40	54.00	-0.60	46.26	3	Horizontal	302.1	2.01	-	31.55	7.07	31.48			
PK	5.462G	61.10	68.20	-7.10	53.68	3	Horizontal	302.1	2.01	-	31.82	7.13	31.53			