


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 3/18
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5697G	56.40	68.20	-11.80	38.69	3	Vertical	84	2.91	-	40.14	10.13	32.56			
PK	15.8606G	58.30	74.00	-15.70	40.51	3	Vertical	310	1.62	-	38.08	12.60	32.89			
AV	15.8475G	44.37	54.00	-9.63	26.55	3	Vertical	310	1.62	-	38.11	12.60	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5290MHz_TX

EUT_Y_1TX
Setting 3/18
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5597G	56.55	68.20	-11.65	38.86	3	Horizontal	86	2.55	-	40.12	10.13	32.56			
PK	15.8618G	58.85	74.00	-15.15	41.06	3	Horizontal	187	1.53	-	38.08	12.60	32.89			
AV	15.8553G	44.36	54.00	-9.64	26.56	3	Horizontal	187	1.53	-	38.09	12.60	32.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 7/16
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1268G	69.65	74.00	-4.35	62.00	3	Vertical	23	2.98	-	32.10	6.90	31.35			
AV	5.1492G	48.42	54.00	-5.58	40.77	3	Vertical	23	2.98	-	32.10	6.91	31.36			
PK	5.2756G	97.67	Inf	-Inf	90.55	3	Vertical	23	2.98	-	31.55	7.00	31.43			
AV	5.2612G	85.67	Inf	-Inf	78.52	3	Vertical	23	2.98	-	31.58	6.99	31.42			
PK	5.4036G	68.67	74.00	-5.33	61.47	3	Vertical	23	2.98	-	31.61	7.09	31.50			
AV	5.4052G	48.83	54.00	-5.17	41.62	3	Vertical	23	2.98	-	31.62	7.09	31.50			
PK	5.5124G	59.06	68.20	-9.14	51.55	3	Vertical	23	2.98	-	31.90	7.16	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 7/16
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1268G	73.11	74.00	-0.89	65.46	3	Horizontal	297	2.29	-	32.10	6.90	31.35			
AV	5.138G	49.43	54.00	-4.57	41.77	3	Horizontal	297	2.29	-	32.10	6.91	31.35			
PK	5.2964G	103.37	Inf	-Inf	96.29	3	Horizontal	297	2.29	-	31.51	7.01	31.44			
AV	5.3236G	90.74	Inf	-Inf	83.66	3	Horizontal	297	2.29	-	31.50	7.03	31.45			
PK	5.3988G	73.81	74.00	-0.19	66.62	3	Horizontal	297	2.29	-	31.60	7.09	31.50			
AV	5.402G	52.19	54.00	-1.81	44.99	3	Horizontal	297	2.29	-	31.61	7.09	31.50			
PK	5.4756G	64.50	68.20	-3.70	57.05	3	Horizontal	297	2.29	-	31.85	7.14	31.54			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
Setting 7/16
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5036G	57.42	68.20	-10.78	39.79	3	Vertical	93	2.88	-	40.10	10.10	32.57			
PK	15.7727G	60.41	74.00	-13.59	42.42	3	Vertical	101	2.83	-	38.30	12.56	32.87			
AV	15.7739G	43.27	54.00	-10.73	25.28	3	Vertical	101	2.83	-	38.30	12.56	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 7/16
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5073G	57.91	68.20	-10.29	40.28	3	Horizontal	344	2.20	-	40.10	10.10	32.57			
PK	15.772G	60.48	74.00	-13.52	42.49	3	Horizontal	61	2.27	-	38.30	12.56	32.87			
AV	15.7576G	43.15	54.00	-10.85	25.17	3	Horizontal	61	2.27	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 5/17
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1092G	62.84	74.00	-11.16	55.19	3	Vertical	25	3.00	-	32.10	6.89	31.34			
AV	5.1364G	47.51	54.00	-6.49	39.85	3	Vertical	25	3.00	-	32.10	6.91	31.35			
PK	5.218G	99.10	Inf	-Inf	91.82	3	Vertical	25	3.00	-	31.73	6.95	31.40			
AV	5.2212G	86.86	Inf	-Inf	79.58	3	Vertical	25	3.00	-	31.72	6.96	31.40			
PK	5.3924G	67.38	74.00	-6.62	60.21	3	Vertical	25	3.00	-	31.58	7.08	31.49			
AV	5.394G	47.47	54.00	-6.53	40.28	3	Vertical	25	3.00	-	31.59	7.09	31.49			
PK	5.5748G	58.71	68.20	-9.49	51.22	3	Vertical	25	3.00	-	31.85	7.20	31.56			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 5/17
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1364G	69.85	74.00	-4.15	62.19	3	Horizontal	299.1	2.06	-	32.10	6.91	31.35			
AV	5.1476G	49.84	54.00	-4.16	42.19	3	Horizontal	299.1	2.06	-	32.10	6.91	31.36			
PK	5.3124G	104.13	Inf	-Inf	97.06	3	Horizontal	299.1	2.06	-	31.50	7.02	31.45			
AV	5.3252G	92.17	Inf	-Inf	85.10	3	Horizontal	299.1	2.06	-	31.50	7.03	31.46			
AV	5.3508G	49.65	54.00	-4.35	42.57	3	Horizontal	299.1	2.06	-	31.50	7.05	31.47			
PK	5.3956G	73.50	74.00	-0.50	66.31	3	Horizontal	299.1	2.06	-	31.59	7.09	31.49			
PK	5.466G	63.12	68.20	-5.08	55.69	3	Horizontal	299.1	2.06	-	31.83	7.13	31.53			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
Setting 5/17
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5209G	57.60	68.20	-10.60	39.96	3	Vertical	211	1.69	-	40.10	10.11	32.57			
PK	15.7664G	59.71	74.00	-14.29	41.72	3	Vertical	209	1.87	-	38.30	12.56	32.87			
AV	15.7724G	45.91	54.00	-8.09	27.92	3	Vertical	209	1.87	-	38.30	12.56	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 5/17
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5161G	57.34	68.20	-10.86	39.70	3	Horizontal	283	1.63	-	40.10	10.11	32.57			
PK	15.7399G	59.50	74.00	-14.50	41.54	3	Horizontal	310	2.94	-	38.28	12.55	32.87			
AV	15.7554G	45.14	54.00	-8.86	27.16	3	Horizontal	310	2.94	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 4.5/16.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1316G	59.34	74.00	-14.66	51.68	3	Vertical	360	1.15	-	32.10	6.91	31.35			
AV	5.0612G	46.86	54.00	-7.14	39.28	3	Vertical	360	1.15	-	32.02	6.87	31.31			
PK	5.3044G	97.09	Inf	-Inf	90.01	3	Vertical	360	1.15	-	31.50	7.02	31.44			
AV	5.3028G	83.97	Inf	-Inf	76.89	3	Vertical	360	1.15	-	31.50	7.02	31.44			
PK	5.3988G	60.04	74.00	-13.96	52.85	3	Vertical	360	1.15	-	31.60	7.09	31.50			
AV	5.4468G	47.59	54.00	-6.41	40.20	3	Vertical	360	1.15	-	31.79	7.12	31.52			
PK	5.5508G	58.93	68.20	-9.27	51.40	3	Vertical	360	1.15	-	31.90	7.19	31.56			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 4.5/16.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1332G	63.15	74.00	-10.85	55.49	3	Horizontal	312	2.82	-	32.10	6.91	31.35			
AV	5.0836G	48.70	54.00	-5.30	41.08	3	Horizontal	312	2.82	-	32.07	6.88	31.33			
PK	5.314G	105.68	Inf	-Inf	98.60	3	Horizontal	312	2.82	-	31.50	7.03	31.45			
AV	5.3252G	92.11	Inf	-Inf	85.04	3	Horizontal	312	2.82	-	31.50	7.03	31.46			
PK	5.3924G	70.18	74.00	-3.82	63.01	3	Horizontal	312	2.82	-	31.58	7.08	31.49			
AV	5.4276G	52.89	54.00	-1.11	45.58	3	Horizontal	312	2.82	-	31.71	7.11	31.51			
PK	5.4644G	63.47	68.20	-4.73	56.04	3	Horizontal	312	2.82	-	31.83	7.13	31.53			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 4.5/16.5
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4845G	57.15	68.20	-11.05	39.50	3	Vertical	260	1.55	-	40.13	10.09	32.57			
PK	15.7383G	59.55	74.00	-14.45	41.59	3	Vertical	113	1.83	-	38.28	12.55	32.87			
AV	15.766G	45.77	54.00	-8.23	27.78	3	Vertical	113	1.83	-	38.30	12.56	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 4.5/16.5
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4946G	57.98	68.20	-10.22	40.35	3	Horizontal	223	1.17	-	40.11	10.09	32.57			
PK	15.7584G	59.23	74.00	-14.77	41.24	3	Horizontal	27	1.29	-	38.30	12.56	32.87			
AV	15.7737G	45.78	54.00	-8.22	27.79	3	Horizontal	27	1.29	-	38.30	12.56	32.87			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Y_2TX
Setting 2/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	59.36	74.00	-14.64	51.70	3	Vertical	30.9	2.40	-	32.10	6.91	31.35			
AV	5.15G	47.33	54.00	-6.67	39.67	3	Vertical	30.9	2.40	-	32.10	6.92	31.36			
PK	5.256G	108.12	Inf	-Inf	100.97	3	Vertical	30.9	2.40	-	31.59	6.98	31.42			
PK	5.356G	69.94	74.00	-4.06	62.84	3	Vertical	30.9	2.40	-	31.51	7.06	31.47			
AV	5.315G	97.07	Inf	-Inf	89.99	3	Vertical	30.9	2.40	-	31.50	7.03	31.45			
AV	5.352G	51.14	54.00	-2.86	44.06	3	Vertical	30.9	2.40	-	31.50	7.05	31.47			
PK	5.336G	58.52	68.20	-9.68	50.99	3	Vertical	30.9	2.40	-	31.90	7.18	31.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Y_2TX
Setting 2/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	60.63	74.00	-13.37	52.97	3	Horizontal	300	2.05	-	32.10	6.92	31.36			
AV	5.15G	47.95	54.00	-6.05	40.29	3	Horizontal	300	2.05	-	32.10	6.92	31.36			
PK	5.322G	108.11	Inf	-Inf	101.03	3	Horizontal	300	2.05	-	31.50	7.03	31.45			
AV	5.322G	96.16	Inf	-Inf	89.08	3	Horizontal	300	2.05	-	31.50	7.03	31.45			
PK	5.364G	72.13	74.00	-1.87	65.02	3	Horizontal	300	2.05	-	31.53	7.06	31.48			
AV	5.354G	52.97	54.00	-1.03	45.87	3	Horizontal	300	2.05	-	31.51	7.06	31.47			
PK	5.473G	60.02	68.20	-8.18	52.57	3	Horizontal	300	2.05	-	31.85	7.14	31.54			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5290MHz_TX

EUT_Y_2TX
Setting 2/18
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5861G	57.73	68.20	-10.47	39.98	3	Vertical	246	1.47	-	40.17	10.14	32.56			
PK	15.8484G	59.58	74.00	-14.42	41.76	3	Vertical	261	2.46	-	38.11	12.60	32.89			
AV	15.8504G	44.25	54.00	-9.75	26.44	3	Vertical	261	2.46	-	38.10	12.60	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Y_2TX
Setting 2/18
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59833G	57.69	68.20	-10.51	39.91	3	Horizontal	199	1.38	-	40.20	10.14	32.56			
PK	15.8467G	59.99	74.00	-14.01	42.17	3	Horizontal	39	2.63	-	38.11	12.60	32.89			
AV	15.8513G	44.41	54.00	-9.59	26.60	3	Horizontal	39	2.63	-	38.10	12.60	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 0.5/17.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	59.72	74.00	-14.28	52.06	3	Vertical	34.9	1.04	-	32.10	6.91	31.35			
AV	5.138G	47.54	54.00	-6.46	39.88	3	Vertical	34.9	1.04	-	32.10	6.91	31.35			
PK	5.321G	108.32	Inf	-Inf	101.24	3	Vertical	34.9	1.04	-	31.50	7.03	31.45			
AV	5.322G	97.10	Inf	-Inf	90.02	3	Vertical	34.9	1.04	-	31.50	7.03	31.45			
PK	5.379G	66.24	74.00	-7.76	59.09	3	Vertical	34.9	1.04	-	31.56	7.07	31.48			
AV	5.377G	49.51	54.00	-4.49	42.37	3	Vertical	34.9	1.04	-	31.55	7.07	31.48			
PK	5.537G	59.04	68.20	-9.16	51.51	3	Vertical	34.9	1.04	-	31.90	7.18	31.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 0.5/17.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	61.87	74.00	-12.13	54.22	3	Horizontal	305	2.79	-	32.10	6.91	31.36			
AV	5.139G	48.01	54.00	-5.99	40.36	3	Horizontal	305	2.79	-	32.10	6.91	31.36			
PK	5.318G	108.29	Inf	-Inf	101.21	3	Horizontal	305	2.79	-	31.50	7.03	31.45			
AV	5.319G	97.00	Inf	-Inf	89.92	3	Horizontal	305	2.79	-	31.50	7.03	31.45			
PK	5.377G	68.04	74.00	-5.96	60.90	3	Horizontal	305	2.79	-	31.55	7.07	31.48			
AV	5.375G	50.50	54.00	-3.50	43.36	3	Horizontal	305	2.79	-	31.55	7.07	31.48			
PK	5.468G	58.86	68.20	-9.34	51.42	3	Horizontal	305	2.79	-	31.84	7.13	31.53			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5290MHz_TX

EUT_Y_2TX
Setting 0.5/17.5
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5674G	57.79	68.20	-10.41	40.09	3	Vertical	137	1.95	-	40.13	10.13	32.56			
PK	15.8662G	59.51	74.00	-14.49	41.72	3	Vertical	196	2.15	-	38.07	12.61	32.89			
AV	15.8595G	44.37	54.00	-9.63	26.58	3	Vertical	196	2.15	-	38.08	12.60	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 0.5/17.5
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.585G	57.50	68.20	-10.70	39.75	3	Horizontal	312	2.41	-	40.17	10.14	32.56			
PK	15.8648G	59.37	74.00	-14.63	41.58	3	Horizontal	200	2.67	-	38.07	12.61	32.89			
AV	15.849G	44.23	54.00	-9.77	26.42	3	Horizontal	200	2.67	-	38.10	12.60	32.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 3/17
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1264G	73.86	74.00	-0.14	66.21	3	Vertical	59	2.07	-	32.10	6.90	31.35			
AV	5.1288G	50.93	54.00	-3.07	43.28	3	Vertical	59	2.07	-	32.10	6.90	31.35			
PK	5.2536G	106.60	Inf	-Inf	99.45	3	Vertical	59	2.07	-	31.59	6.98	31.42			
AV	5.2548G	94.24	Inf	-Inf	87.09	3	Vertical	59	2.07	-	31.59	6.98	31.42			
PK	5.3652G	69.08	74.00	-4.92	61.97	3	Vertical	59	2.07	-	31.53	7.06	31.48			
AV	5.3508G	49.07	54.00	-4.93	41.99	3	Vertical	59	2.07	-	31.50	7.05	31.47			
PK	5.4996G	59.25	68.20	-8.95	51.75	3	Vertical	59	2.07	-	31.90	7.15	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 3/17
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	73.97	74.00	-0.03	66.31	3	Horizontal	296	1.77	-	32.10	6.91	31.35			
AV	5.0928G	51.76	54.00	-2.24	44.11	3	Horizontal	296	1.77	-	32.09	6.89	31.33			
PK	5.2032G	107.66	Inf	-Inf	100.32	3	Horizontal	296	1.77	-	31.79	6.94	31.39			
AV	5.2056G	95.09	Inf	-Inf	87.76	3	Horizontal	296	1.77	-	31.78	6.94	31.39			
PK	5.3928G	70.31	74.00	-3.69	63.13	3	Horizontal	296	1.77	-	31.59	7.08	31.49			
AV	5.3532G	48.40	54.00	-5.60	41.31	3	Horizontal	296	1.77	-	31.51	7.05	31.47			
PK	5.4636G	59.20	68.20	-9.00	51.77	3	Horizontal	296	1.77	-	31.83	7.13	31.53			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 3/17
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5G	59.31	68.20	-8.89	41.68	3	Vertical	73	3.00	-	40.10	10.10	32.57			
PK	15.75009G	60.31	74.00	-13.69	42.33	3	Vertical	25	2.00	-	38.30	12.55	32.87			
AV	15.74998G	47.50	54.00	-6.50	29.52	3	Vertical	25	2.00	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 3/17
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49973G	59.53	68.20	-8.67	41.90	3	Horizontal	229	1.66	-	40.10	10.10	32.57			
PK	15.74979G	60.55	74.00	-13.45	42.57	3	Horizontal	240	1.41	-	38.30	12.55	32.87			
AV	15.75006G	47.19	54.00	-6.81	29.21	3	Horizontal	240	1.41	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 2/17
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	72.63	74.00	-1.37	64.97	3	Vertical	60	1.97	-	32.10	6.91	31.35			
AV	5.136G	53.86	54.00	-0.14	46.20	3	Vertical	60	1.97	-	32.10	6.91	31.35			
PK	5.2164G	107.23	Inf	-Inf	99.95	3	Vertical	60	1.97	-	31.73	6.95	31.40			
AV	5.256G	95.65	Inf	-Inf	88.50	3	Vertical	60	1.97	-	31.59	6.98	31.42			
PK	5.3556G	71.33	74.00	-2.67	64.23	3	Vertical	60	1.97	-	31.51	7.06	31.47			
AV	5.3568G	52.14	54.00	-1.86	45.04	3	Vertical	60	1.97	-	31.51	7.06	31.47			
PK	5.5224G	59.22	68.20	-8.98	51.70	3	Vertical	60	1.97	-	31.90	7.17	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 2/17
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1156G	72.37	74.00	-1.63	64.71	3	Horizontal	296	1.95	-	32.10	6.90	31.34			
AV	5.1096G	52.77	54.00	-1.23	45.12	3	Horizontal	296	1.95	-	32.10	6.89	31.34			
PK	5.2236G	108.49	Inf	-Inf	101.22	3	Horizontal	296	1.95	-	31.71	6.96	31.40			
AV	5.2272G	96.37	Inf	-Inf	89.12	3	Horizontal	296	1.95	-	31.69	6.96	31.40			
PK	5.3544G	72.59	74.00	-1.41	65.49	3	Horizontal	296	1.95	-	31.51	7.06	31.47			
AV	5.35G	48.81	54.00	-5.19	41.73	3	Horizontal	296	1.95	-	31.50	7.05	31.47			
PK	5.5044G	59.04	68.20	-9.16	51.53	3	Horizontal	296	1.95	-	31.90	7.16	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 2/17
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49972G	59.44	68.20	-8.76	41.81	3	Vertical	147	1.80	-	40.10	10.10	32.57			
PK	15.74982G	61.47	74.00	-12.53	43.49	3	Vertical	145	1.63	-	38.30	12.55	32.87			
AV	15.75031G	47.67	54.00	-6.33	29.69	3	Vertical	145	1.63	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 2/17
06-D-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.50029G	59.56	68.20	-8.64	41.93	3	Horizontal	158	1.19	-	40.10	10.10	32.57			
PK	15.74979G	61.58	74.00	-12.42	43.60	3	Horizontal	349	2.16	-	38.30	12.55	32.87			
AV	15.75047G	47.43	54.00	-6.57	29.45	3	Horizontal	349	2.16	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 1.5/16.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	72.54	74.00	-1.46	64.88	3	Vertical	62	2.02	-	32.10	6.91	31.35			
AV	5.0772G	50.44	54.00	-3.56	42.83	3	Vertical	62	2.02	-	32.05	6.88	31.32			
PK	5.1924G	106.94	Inf	-Inf	99.53	3	Vertical	62	2.02	-	31.85	6.94	31.38			
AV	5.1984G	94.36	Inf	-Inf	87.00	3	Vertical	62	2.02	-	31.81	6.94	31.39			
PK	5.3604G	67.49	74.00	-6.51	60.38	3	Vertical	62	2.02	-	31.52	7.06	31.47			
AV	5.3556G	47.92	54.00	-6.08	40.82	3	Vertical	62	2.02	-	31.51	7.06	31.47			
PK	5.5092G	58.91	68.20	-9.29	51.40	3	Vertical	62	2.02	-	31.90	7.16	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 1.5/16.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	73.06	74.00	-0.94	65.40	3	Horizontal	293	1.80	-	32.10	6.91	31.35			
AV	5.0892G	53.25	54.00	-0.75	45.62	3	Horizontal	293	1.80	-	32.08	6.88	31.33			
PK	5.2068G	108.36	Inf	-Inf	101.03	3	Horizontal	293	1.80	-	31.77	6.95	31.39			
AV	5.2068G	96.52	Inf	-Inf	89.19	3	Horizontal	293	1.80	-	31.77	6.95	31.39			
PK	5.3928G	69.67	74.00	-4.33	62.49	3	Horizontal	293	1.80	-	31.59	7.08	31.49			
AV	5.3532G	47.68	54.00	-6.32	40.59	3	Horizontal	293	1.80	-	31.51	7.05	31.47			
PK	5.5476G	59.39	68.20	-8.81	51.86	3	Horizontal	293	1.80	-	31.90	7.19	31.56			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 1.5/16.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50018G	58.62	68.20	-9.58	40.99	3	Vertical	256	2.85	-	40.10	10.10	32.57			
PK	15.75047G	61.82	74.00	-12.18	43.84	3	Vertical	236	1.21	-	38.30	12.55	32.87			
AV	15.75012G	47.54	54.00	-6.46	29.56	3	Vertical	236	1.21	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 1.5/16.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49958G	59.10	68.20	-9.10	41.47	3	Horizontal	194	1.93	-	40.10	10.10	32.57			
PK	15.75025G	61.75	74.00	-12.25	43.77	3	Horizontal	121	1.03	-	38.30	12.55	32.87			
AV	15.74982G	47.46	54.00	-6.54	29.48	3	Horizontal	121	1.03	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.5/16.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1372G	62.49	74.00	-11.51	54.83	3	Vertical	64	1.87	-	32.10	6.91	31.35			
AV	5.1388G	48.22	54.00	-5.78	40.56	3	Vertical	64	1.87	-	32.10	6.91	31.35			
PK	5.2572G	113.33	Inf	-Inf	106.18	3	Vertical	64	1.87	-	31.59	6.98	31.42			
AV	5.258G	100.95	Inf	-Inf	93.81	3	Vertical	64	1.87	-	31.58	6.98	31.42			
PK	5.358G	70.90	74.00	-3.10	63.79	3	Vertical	64	1.87	-	31.52	7.06	31.47			
AV	5.3572G	50.75	54.00	-3.25	43.65	3	Vertical	64	1.87	-	31.51	7.06	31.47			
PK	5.4764G	58.62	68.20	-9.58	51.17	3	Vertical	64	1.87	-	31.85	7.14	31.54			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.5/16.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	61.76	74.00	-12.24	54.11	3	Horizontal	54	1.85	-	32.10	6.91	31.36			
AV	5.126G	49.03	54.00	-4.97	41.38	3	Horizontal	54	1.85	-	32.10	6.90	31.35			
PK	5.258G	115.34	Inf	-Inf	108.20	3	Horizontal	54	1.85	-	31.58	6.98	31.42			
AV	5.258G	101.94	Inf	-Inf	94.80	3	Horizontal	54	1.85	-	31.58	6.98	31.42			
PK	5.35G	73.30	74.00	-0.70	66.22	3	Horizontal	54	1.85	-	31.50	7.05	31.47			
AV	5.3508G	53.68	54.00	-0.32	46.60	3	Horizontal	54	1.85	-	31.50	7.05	31.47			
PK	5.4724G	58.59	68.20	-9.61	51.15	3	Horizontal	54	1.85	-	31.84	7.14	31.54			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.5/16.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57991G	59.87	68.20	-8.33	42.13	3	Vertical	340	2.08	-	40.16	10.14	32.56			
PK	15.87005G	61.40	74.00	-12.60	43.62	3	Vertical	51	2.53	-	38.06	12.61	32.89			
AV	15.87015G	47.75	54.00	-6.25	29.97	3	Vertical	51	2.53	-	38.06	12.61	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.5/16.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57967G	59.18	68.20	-9.02	41.44	3	Horizontal	24	1.23	-	40.16	10.14	32.56			
PK	15.87011G	61.24	74.00	-12.76	43.46	3	Horizontal	164	1.12	-	38.06	12.61	32.89			
AV	15.87041G	47.97	54.00	-6.03	30.19	3	Horizontal	164	1.12	-	38.06	12.61	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.5/14.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1396G	65.54	74.00	-8.46	57.89	3	Vertical	64	1.87	-	32.10	6.91	31.36			
AV	5.1356G	47.78	54.00	-6.22	40.12	3	Vertical	64	1.87	-	32.10	6.91	31.35			
PK	5.258G	113.53	Inf	-Inf	106.39	3	Vertical	64	1.87	-	31.58	6.98	31.42			
AV	5.258G	100.58	Inf	-Inf	93.44	3	Vertical	64	1.87	-	31.58	6.98	31.42			
PK	5.3756G	68.44	74.00	-5.56	61.30	3	Vertical	64	1.87	-	31.55	7.07	31.48			
AV	5.3772G	47.74	54.00	-6.26	40.60	3	Vertical	64	1.87	-	31.55	7.07	31.48			
PK	5.4844G	59.53	68.20	-8.67	52.06	3	Vertical	64	1.87	-	31.87	7.14	31.54			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.5/14.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1364G	65.62	74.00	-8.38	57.96	3	Horizontal	55	1.86	-	32.10	6.91	31.35			
AV	5.1356G	49.28	54.00	-4.72	41.62	3	Horizontal	55	1.86	-	32.10	6.91	31.35			
PK	5.2588G	114.58	Inf	-Inf	107.44	3	Horizontal	55	1.86	-	31.58	6.98	31.42			
AV	5.2588G	101.71	Inf	-Inf	94.57	3	Horizontal	55	1.86	-	31.58	6.98	31.42			
PK	5.3604G	71.17	74.00	-2.83	64.06	3	Horizontal	55	1.86	-	31.52	7.06	31.47			
AV	5.382G	53.54	54.00	-0.46	46.39	3	Horizontal	55	1.86	-	31.56	7.08	31.49			
PK	5.4828G	58.41	68.20	-9.79	50.94	3	Horizontal	55	1.86	-	31.87	7.14	31.54			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.5/14.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.5803G	59.26	68.20	-8.94	41.52	3	Vertical	168	1.69	-	40.16	10.14	32.56				
PK	15.86997G	60.79	74.00	-13.21	43.01	3	Vertical	110	1.26	-	38.06	12.61	32.89				
AV	15.86954G	47.91	54.00	-6.09	30.13	3	Vertical	110	1.26	-	38.06	12.61	32.89				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 0.5/14.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57975G	58.86	68.20	-9.34	41.12	3	Horizontal	349	2.84	-	40.16	10.14	32.56			
PK	15.86989G	60.63	74.00	-13.37	42.85	3	Horizontal	80	1.78	-	38.06	12.61	32.89			
AV	15.87029G	47.96	54.00	-6.04	30.18	3	Horizontal	80	1.78	-	38.06	12.61	32.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 2.5/14.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1372G	72.58	74.00	-1.42	64.92	3	Vertical	64	1.80	-	32.10	6.91	31.35			
AV	5.1192G	52.94	54.00	-1.06	45.28	3	Vertical	64	1.80	-	32.10	6.90	31.34			
PK	5.1984G	107.65	Inf	-Inf	100.29	3	Vertical	64	1.80	-	31.81	6.94	31.39			
AV	5.2584G	94.86	Inf	-Inf	87.72	3	Vertical	64	1.80	-	31.58	6.98	31.42			
PK	5.3592G	64.88	74.00	-9.12	57.77	3	Vertical	64	1.80	-	31.52	7.06	31.47			
AV	5.358G	47.54	54.00	-6.46	40.43	3	Vertical	64	1.80	-	31.52	7.06	31.47			
PK	5.5416G	59.76	68.20	-8.44	52.23	3	Vertical	64	1.80	-	31.90	7.18	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 2.5/14.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	73.60	74.00	-0.40	65.94	3	Horizontal	297	1.78	-	32.10	6.91	31.35			
AV	5.082G	52.00	54.00	-2.00	44.38	3	Horizontal	297	1.78	-	32.06	6.88	31.32			
PK	5.2032G	108.56	Inf	-Inf	101.22	3	Horizontal	297	1.78	-	31.79	6.94	31.39			
AV	5.2032G	96.67	Inf	-Inf	89.33	3	Horizontal	297	1.78	-	31.79	6.94	31.39			
PK	5.3568G	65.64	74.00	-8.36	58.54	3	Horizontal	297	1.78	-	31.51	7.06	31.47			
AV	5.3772G	47.91	54.00	-6.09	40.77	3	Horizontal	297	1.78	-	31.55	7.07	31.48			
PK	5.3332G	59.66	68.20	-8.54	52.13	3	Horizontal	297	1.78	-	31.90	7.18	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 2.5/14.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50039G	59.19	68.20	-9.01	41.56	3	Vertical	268	2.06	-	40.10	10.10	32.57			
PK	15.75032G	60.49	74.00	-13.51	42.51	3	Vertical	50	1.78	-	38.30	12.55	32.87			
AV	15.75042G	47.85	54.00	-6.15	29.87	3	Vertical	50	1.78	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 2.5/14.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50012G	58.93	68.20	-9.27	41.30	3	Horizontal	178	2.09	-	40.10	10.10	32.57			
PK	15.74979G	60.46	74.00	-13.54	42.48	3	Horizontal	262	2.72	-	38.30	12.55	32.87			
AV	15.75043G	47.47	54.00	-6.53	29.49	3	Horizontal	262	2.72	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 2/14
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1156G	68.68	74.00	-5.32	61.02	3	Vertical	68	1.80	-	32.10	6.90	31.34			
AV	5.118G	49.98	54.00	-4.02	42.32	3	Vertical	68	1.80	-	32.10	6.90	31.34			
PK	5.2176G	108.08	Inf	-Inf	100.80	3	Vertical	68	1.80	-	31.73	6.95	31.40			
AV	5.2176G	95.43	Inf	-Inf	88.15	3	Vertical	68	1.80	-	31.73	6.95	31.40			
PK	5.3664G	64.96	74.00	-9.04	57.85	3	Vertical	68	1.80	-	31.53	7.06	31.48			
AV	5.3676G	47.20	54.00	-6.80	40.07	3	Vertical	68	1.80	-	31.54	7.07	31.48			
PK	5.5344G	59.43	68.20	-8.77	51.90	3	Vertical	68	1.80	-	31.90	7.18	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 2/14
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	73.88	74.00	-0.12	66.23	3	Horizontal	300	1.79	-	32.10	6.91	31.36			
AV	5.1432G	50.56	54.00	-3.44	42.91	3	Horizontal	300	1.79	-	32.10	6.91	31.36			
PK	5.2236G	109.04	Inf	-Inf	101.77	3	Horizontal	300	1.79	-	31.71	6.96	31.40			
AV	5.2236G	97.36	Inf	-Inf	90.09	3	Horizontal	300	1.79	-	31.71	6.96	31.40			
PK	5.3652G	70.61	74.00	-3.39	63.50	3	Horizontal	300	1.79	-	31.53	7.06	31.48			
AV	5.358G	48.64	54.00	-5.36	41.53	3	Horizontal	300	1.79	-	31.52	7.06	31.47			
PK	5.508G	60.02	68.20	-8.18	52.51	3	Horizontal	300	1.79	-	31.90	7.16	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 2/14
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50029G	58.94	68.20	-9.26	41.31	3	Vertical	47	1.48	-	40.10	10.10	32.57			
PK	15.75007G	61.54	74.00	-12.46	43.56	3	Vertical	58	2.01	-	38.30	12.55	32.87			
AV	15.7498G	47.66	54.00	-6.34	29.68	3	Vertical	58	2.01	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 2/14
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50004G	59.08	68.20	-9.12	41.45	3	Horizontal	116	1.59	-	40.10	10.10	32.57			
PK	15.75008G	61.82	74.00	-12.18	43.84	3	Horizontal	16	1.06	-	38.30	12.55	32.87			
AV	15.74988G	47.61	54.00	-6.39	29.63	3	Horizontal	16	1.06	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 1.5/13.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1372G	66.85	74.00	-7.15	59.19	3	Vertical	62	1.90	-	32.10	6.91	31.35			
AV	5.076G	50.67	54.00	-3.33	43.06	3	Vertical	62	1.90	-	32.05	6.88	31.32			
PK	5.178G	107.61	Inf	-Inf	100.13	3	Vertical	62	1.90	-	31.93	6.93	31.38			
AV	5.178G	95.23	Inf	-Inf	87.75	3	Vertical	62	1.90	-	31.93	6.93	31.38			
PK	5.3592G	61.52	74.00	-12.48	54.41	3	Vertical	62	1.90	-	31.52	7.06	31.47			
AV	5.3688G	47.00	54.00	-7.00	39.87	3	Vertical	62	1.90	-	31.54	7.07	31.48			
PK	5.3356G	59.25	68.20	-8.95	51.72	3	Vertical	62	1.90	-	31.90	7.18	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 1.5/13.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	72.47	74.00	-1.53	64.82	3	Horizontal	298	1.76	-	32.10	6.91	31.36			
AV	5.082G	52.57	54.00	-1.43	44.95	3	Horizontal	298	1.76	-	32.06	6.88	31.32			
PK	5.2044G	109.14	Inf	-Inf	101.81	3	Horizontal	298	1.76	-	31.78	6.94	31.39			
AV	5.2032G	96.90	Inf	-Inf	89.56	3	Horizontal	298	1.76	-	31.79	6.94	31.39			
PK	5.3652G	65.72	74.00	-8.28	58.61	3	Horizontal	298	1.76	-	31.53	7.06	31.48			
AV	5.3532G	47.63	54.00	-6.37	40.54	3	Horizontal	298	1.76	-	31.51	7.05	31.47			
PK	5.55G	59.40	68.20	-8.80	51.87	3	Horizontal	298	1.76	-	31.90	7.19	31.56			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 1.5/13.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49971G	59.24	68.20	-8.96	41.61	3	Vertical	243	2.47	-	40.10	10.10	32.57			
PK	15.75045G	62.18	74.00	-11.82	44.20	3	Vertical	32	2.15	-	38.30	12.55	32.87			
AV	15.74982G	47.73	54.00	-6.27	29.75	3	Vertical	32	2.15	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_Y_4TX
Setting 1.5/13.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4995G	59.28	68.20	-8.92	41.65	3	Horizontal	223	2.11	-	40.10	10.10	32.57			
PK	15.74956G	61.24	74.00	-12.76	43.26	3	Horizontal	347	2.36	-	38.30	12.55	32.87			
AV	15.75034G	47.87	54.00	-6.13	29.89	3	Horizontal	347	2.36	-	38.30	12.55	32.87			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	Pass	PK	5.3972G	73.94	74.00	-0.06	3	Vertical	300	2.85	-

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Z_1TX
Setting 5/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	60.25	74.00	-13.75	52.59	3	Vertical	299.9	2.57	-	32.10	6.91	31.35			
AV	5.145G	48.35	54.00	-5.65	40.70	3	Vertical	299.9	2.57	-	32.10	6.91	31.36			
PK	5.316G	108.52	Inf	-Inf	101.44	3	Vertical	299.9	2.57	-	31.50	7.03	31.45			
AV	5.328G	96.17	Inf	-Inf	89.09	3	Vertical	299.9	2.57	-	31.50	7.04	31.46			
PK	5.375G	72.80	74.00	-1.20	65.66	3	Vertical	299.9	2.57	-	31.55	7.07	31.48			
AV	5.358G	52.73	54.00	-1.27	45.62	3	Vertical	299.9	2.57	-	31.52	7.06	31.47			
PK	5.52G	59.73	68.20	-8.47	52.21	3	Vertical	299.9	2.57	-	31.90	7.17	31.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Z_1TX
Setting 5/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	59.47	74.00	-14.53	51.82	3	Horizontal	340	2.27	-	32.10	6.90	31.35			
AV	5.139G	47.29	54.00	-6.71	39.64	3	Horizontal	340	2.27	-	32.10	6.91	31.36			
PK	5.259G	101.34	Inf	-Inf	94.20	3	Horizontal	340	2.27	-	31.58	6.98	31.42			
PK	5.361G	66.11	74.00	-7.89	59.00	3	Horizontal	340	2.27	-	31.52	7.06	31.47			
AV	5.327G	89.07	Inf	-Inf	81.99	3	Horizontal	340	2.27	-	31.50	7.04	31.46			
AV	5.356G	49.37	54.00	-4.63	42.27	3	Horizontal	340	2.27	-	31.51	7.06	31.47			
PK	5.476G	59.76	68.20	-8.44	52.31	3	Horizontal	340	2.27	-	31.85	7.14	31.54			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 5/18
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58798G	59.10	68.20	-9.10	41.34	3	Vertical	344	2.22	-	40.18	10.14	32.56			
PK	15.87234G	61.22	74.00	-12.78	43.44	3	Vertical	85	1.90	-	38.06	12.61	32.89			
AV	15.85506G	48.77	54.00	-5.23	30.97	3	Vertical	85	1.90	-	38.09	12.60	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5290MHz_TX

EUT_Y_1TX
Setting 5/18
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56758G	58.95	68.20	-9.25	41.24	3	Horizontal	293	2.93	-	40.14	10.13	32.56			
PK	15.85962G	61.53	74.00	-12.47	43.74	3	Horizontal	146	2.41	-	38.08	12.60	32.89			
AV	15.86472G	48.85	54.00	-5.15	31.06	3	Horizontal	146	2.41	-	38.07	12.61	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_Z_1TX
Setting 3/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	63.16	74.00	-10.84	55.51	3	Vertical	302	2.41	-	32.10	6.91	31.36			
AV	5.15G	49.19	54.00	-4.81	41.53	3	Vertical	302	2.41	-	32.10	6.92	31.36			
PK	5.324G	109.67	Inf	-Inf	102.59	3	Vertical	302	2.41	-	31.50	7.03	31.45			
AV	5.324G	97.87	Inf	-Inf	90.79	3	Vertical	302	2.41	-	31.50	7.03	31.45			
PK	5.383G	73.68	74.00	-0.32	66.52	3	Vertical	302	2.41	-	31.57	7.08	31.49			
AV	5.378G	53.37	54.00	-0.63	46.22	3	Vertical	302	2.41	-	31.56	7.07	31.48			
PK	5.464G	59.75	68.20	-8.45	52.32	3	Vertical	302	2.41	-	31.83	7.13	31.53			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_Z_1TX
Setting 3/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.108G	60.14	74.00	-13.86	52.49	3	Horizontal	341	2.41	-	32.10	6.89	31.34			
AV	5.145G	47.51	54.00	-6.49	39.86	3	Horizontal	341	2.41	-	32.10	6.91	31.36			
PK	5.323G	104.86	Inf	-Inf	97.78	3	Horizontal	341	2.41	-	31.50	7.03	31.45			
AV	5.324G	91.80	Inf	-Inf	84.72	3	Horizontal	341	2.41	-	31.50	7.03	31.45			
PK	5.388G	70.86	74.00	-3.14	63.69	3	Horizontal	341	2.41	-	31.58	7.08	31.49			
AV	5.379G	50.20	54.00	-3.80	43.05	3	Horizontal	341	2.41	-	31.56	7.07	31.48			
PK	5.506G	58.42	68.20	-9.78	50.91	3	Horizontal	341	2.41	-	31.90	7.16	31.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 3/18
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56938G	60.36	68.20	-7.84	42.65	3	Vertical	25	1.32	-	40.14	10.13	32.56			
PK	15.87144G	61.72	74.00	-12.28	43.94	3	Vertical	106	1.25	-	38.06	12.61	32.89			
AV	15.8553G	48.83	54.00	-5.17	31.03	3	Vertical	106	1.25	-	38.09	12.60	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5290MHz_TX

EUT_Y_1TX
Setting 3/18
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59116G	58.66	68.20	-9.54	40.90	3	Horizontal	161	1.33	-	40.18	10.14	32.56			
PK	15.86676G	61.61	74.00	-12.39	43.82	3	Horizontal	234	2.41	-	38.07	12.61	32.89			
AV	15.86502G	48.81	54.00	-5.19	31.02	3	Horizontal	234	2.41	-	38.07	12.61	32.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 6/17
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1316G	70.46	74.00	-3.54	62.80	3	Vertical	300	2.85	-	32.10	6.91	31.35			
AV	5.1476G	50.46	54.00	-3.54	42.81	3	Vertical	300	2.85	-	32.10	6.91	31.36			
PK	5.3028G	103.57	Inf	-Inf	96.49	3	Vertical	300	2.85	-	31.50	7.02	31.44			
AV	5.2868G	91.93	Inf	-Inf	84.82	3	Vertical	300	2.85	-	31.53	7.01	31.43			
PK	5.3972G	73.94	74.00	-0.06	66.75	3	Vertical	300	2.85	-	31.59	7.09	31.49			
AV	5.426G	52.25	54.00	-1.75	44.95	3	Vertical	300	2.85	-	31.70	7.11	31.51			
PK	5.4884G	64.22	68.20	-3.98	56.73	3	Vertical	300	2.85	-	31.88	7.15	31.54			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 6/17
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	62.80	74.00	-11.20	55.15	3	Horizontal	355	2.93	-	32.10	6.91	31.36			
AV	5.1476G	47.49	54.00	-6.51	39.84	3	Horizontal	355	2.93	-	32.10	6.91	31.36			
PK	5.306G	97.28	Inf	-Inf	90.21	3	Horizontal	355	2.93	-	31.50	7.02	31.45			
AV	5.3204G	85.24	Inf	-Inf	78.16	3	Horizontal	355	2.93	-	31.50	7.03	31.45			
PK	5.394G	66.63	74.00	-7.37	59.44	3	Horizontal	355	2.93	-	31.59	7.09	31.49			
AV	5.4228G	48.48	54.00	-5.52	41.20	3	Horizontal	355	2.93	-	31.69	7.10	31.51			
PK	5.5572G	59.45	68.20	-8.75	51.93	3	Horizontal	355	2.93	-	31.89	7.19	31.56			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 6/17
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4898G	59.16	68.20	-9.04	41.52	3	Vertical	67	2.92	-	40.12	10.09	32.57			
PK	15.75594G	62.13	74.00	-11.87	44.15	3	Vertical	193	2.07	-	38.30	12.55	32.87			
AV	15.75192G	49.39	54.00	-4.61	31.41	3	Vertical	193	2.07	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 6/17
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48818G	58.47	68.20	-9.73	40.83	3	Horizontal	45	2.58	-	40.12	10.09	32.57			
PK	15.76314G	62.23	74.00	-11.77	44.24	3	Horizontal	222	2.01	-	38.30	12.56	32.87			
AV	15.76488G	49.55	54.00	-4.45	31.56	3	Horizontal	222	2.01	-	38.30	12.56	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 5.5/16.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1124G	67.86	74.00	-6.14	60.20	3	Vertical	302	2.69	-	32.10	6.90	31.34			
AV	5.1396G	49.56	54.00	-4.44	41.91	3	Vertical	302	2.69	-	32.10	6.91	31.36			
PK	5.3252G	104.87	Inf	-Inf	97.80	3	Vertical	302	2.69	-	31.50	7.03	31.46			
AV	5.3156G	92.59	Inf	-Inf	85.51	3	Vertical	302	2.69	-	31.50	7.03	31.45			
AV	5.35G	50.02	54.00	-3.98	42.94	3	Vertical	302	2.69	-	31.50	7.05	31.47			
PK	5.394G	71.89	74.00	-2.11	64.70	3	Vertical	302	2.69	-	31.59	7.09	31.49			
PK	5.466G	61.55	68.20	-6.65	54.12	3	Vertical	302	2.69	-	31.83	7.13	31.53			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 5.5/16.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1364G	59.98	74.00	-14.02	52.32	3	Horizontal	353	2.94	-	32.10	6.91	31.35			
AV	5.1284G	47.39	54.00	-6.61	39.74	3	Horizontal	353	2.94	-	32.10	6.90	31.35			
PK	5.322G	97.66	Inf	-Inf	90.58	3	Horizontal	353	2.94	-	31.50	7.03	31.45			
AV	5.3204G	85.86	Inf	-Inf	78.78	3	Horizontal	353	2.94	-	31.50	7.03	31.45			
PK	5.3956G	68.62	74.00	-5.38	61.43	3	Horizontal	353	2.94	-	31.59	7.09	31.49			
AV	5.4452G	47.85	54.00	-6.15	40.47	3	Horizontal	353	2.94	-	31.78	7.12	31.52			
PK	5.6436G	59.61	68.20	-8.59	52.21	3	Horizontal	353	2.94	-	31.71	7.26	31.57			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
Setting 5.5/16.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51356G	58.77	68.20	-9.43	41.14	3	Vertical	274	2.05	-	40.10	10.10	32.57			
PK	15.75384G	61.60	74.00	-12.40	43.62	3	Vertical	23	2.90	-	38.30	12.55	32.87			
AV	15.74328G	49.22	54.00	-4.78	31.25	3	Vertical	23	2.90	-	38.29	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 5.5/16.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5144G	59.29	68.20	-8.91	41.66	3	Horizontal	306	1.82	-	40.10	10.10	32.57			
PK	15.7536G	62.04	74.00	-11.96	44.06	3	Horizontal	28	1.35	-	38.30	12.55	32.87			
AV	15.75456G	49.20	54.00	-4.80	31.22	3	Horizontal	28	1.35	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 5.5/15.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1364G	72.92	74.00	-1.08	65.26	3	Vertical	301	2.34	-	32.10	6.91	31.35			
AV	5.0772G	49.21	54.00	-4.79	41.60	3	Vertical	301	2.34	-	32.05	6.88	31.32			
PK	5.3268G	104.56	Inf	-Inf	97.48	3	Vertical	301	2.34	-	31.50	7.04	31.46			
AV	5.322G	92.40	Inf	-Inf	85.32	3	Vertical	301	2.34	-	31.50	7.03	31.45			
PK	5.4036G	72.07	74.00	-1.93	64.87	3	Vertical	301	2.34	-	31.61	7.09	31.50			
AV	5.426G	53.25	54.00	-0.75	45.95	3	Vertical	301	2.34	-	31.70	7.11	31.51			
PK	5.4612G	65.12	68.20	-3.08	57.70	3	Vertical	301	2.34	-	31.82	7.13	31.53			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 5.5/15.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1316G	68.26	74.00	-5.74	60.60	3	Horizontal	342	2.46	-	32.10	6.91	31.35			
AV	5.1492G	47.47	54.00	-6.53	39.82	3	Horizontal	342	2.46	-	32.10	6.91	31.36			
PK	5.2964G	98.14	Inf	-Inf	91.06	3	Horizontal	342	2.46	-	31.51	7.01	31.44			
AV	5.306G	86.18	Inf	-Inf	79.11	3	Horizontal	342	2.46	-	31.50	7.02	31.45			
PK	5.4036G	66.52	74.00	-7.48	59.32	3	Horizontal	342	2.46	-	31.61	7.09	31.50			
AV	5.4244G	49.64	54.00	-4.36	42.34	3	Horizontal	342	2.46	-	31.70	7.11	31.51			
PK	5.4612G	60.28	68.20	-7.92	52.86	3	Horizontal	342	2.46	-	31.82	7.13	31.53			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
Setting 5.5/15.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50564G	58.78	68.20	-9.42	41.15	3	Vertical	108	1.30	-	40.10	10.10	32.57			
PK	15.73836G	62.00	74.00	-12.00	44.04	3	Vertical	118	1.87	-	38.28	12.55	32.87			
AV	15.76422G	49.33	54.00	-4.67	31.34	3	Vertical	118	1.87	-	38.30	12.56	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
Setting 5.5/15.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49742G	59.02	68.20	-9.18	41.38	3	Horizontal	186	1.50	-	40.11	10.10	32.57			
PK	15.76296G	62.27	74.00	-11.73	44.28	3	Horizontal	100	2.40	-	38.30	12.56	32.87			
AV	15.7386G	49.31	54.00	-4.69	31.35	3	Horizontal	100	2.40	-	38.28	12.55	32.87			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Z_2TX
Setting 2/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.134G	61.69	74.00	-12.31	54.03	3	Vertical	301.9	2.70	-	32.10	6.91	31.35			
AV	5.15G	48.42	54.00	-5.58	40.76	3	Vertical	301.9	2.70	-	32.10	6.92	31.36			
PK	5.317G	108.01	Inf	-Inf	100.93	3	Vertical	301.9	2.70	-	31.50	7.03	31.45			
AV	5.316G	96.60	Inf	-Inf	89.52	3	Vertical	301.9	2.70	-	31.50	7.03	31.45			
PK	5.372G	73.70	74.00	-0.30	66.57	3	Vertical	301.9	2.70	-	31.54	7.07	31.48			
AV	5.353G	53.37	54.00	-0.63	46.28	3	Vertical	301.9	2.70	-	31.51	7.05	31.47			
PK	5.509G	59.33	68.20	-8.87	51.82	3	Vertical	301.9	2.70	-	31.90	7.16	31.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Z_2TX
Setting 2/18
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	60.04	74.00	-13.96	52.39	3	Horizontal	340	2.50	-	32.10	6.91	31.36			
AV	5.15G	47.54	54.00	-6.46	39.88	3	Horizontal	340	2.50	-	32.10	6.92	31.36			
PK	5.275G	108.83	Inf	-Inf	101.71	3	Horizontal	340	2.50	-	31.55	7.00	31.43			
PK	5.354G	70.73	74.00	-3.27	63.63	3	Horizontal	340	2.50	-	31.51	7.06	31.47			
AV	5.315G	97.23	Inf	-Inf	90.15	3	Horizontal	340	2.50	-	31.50	7.03	31.45			
AV	5.373G	52.34	54.00	-1.66	45.20	3	Horizontal	340	2.50	-	31.55	7.07	31.48			
PK	5.537G	59.40	68.20	-8.80	51.87	3	Horizontal	340	2.50	-	31.90	7.18	31.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Y_2TX
Setting 2/18
06-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.56782G	58.44	68.20	-9.76	40.73	3	Vertical	24	1.16	-	40.14	10.13	32.56			
PK	15.85746G	61.45	74.00	-12.55	43.65	3	Vertical	236	1.72	-	38.09	12.60	32.89			
AV	15.86436G	49.03	54.00	-4.97	31.24	3	Vertical	236	1.72	-	38.07	12.61	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Y_2TX
Setting 2/18
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57496G	58.98	68.20	-9.22	41.26	3	Horizontal	159	2.27	-	40.15	10.13	32.56			
PK	15.86028G	62.17	74.00	-11.83	44.38	3	Horizontal	60	2.41	-	38.08	12.60	32.89			
AV	15.85746G	48.96	54.00	-5.04	31.16	3	Horizontal	60	2.41	-	38.09	12.60	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Z_2TX
Setting 0.5/17.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	63.01	74.00	-10.99	55.36	3	Vertical	299.9	2.70	-	32.10	6.91	31.36			
AV	5.141G	48.75	54.00	-5.25	41.10	3	Vertical	299.9	2.70	-	32.10	6.91	31.36			
PK	5.316G	109.91	Inf	-Inf	102.83	3	Vertical	299.9	2.70	-	31.50	7.03	31.45			
AV	5.316G	97.59	Inf	-Inf	90.51	3	Vertical	299.9	2.70	-	31.50	7.03	31.45			
PK	5.374G	72.09	74.00	-1.91	64.95	3	Vertical	299.9	2.70	-	31.55	7.07	31.48			
AV	5.387G	51.24	54.00	-2.76	44.08	3	Vertical	299.9	2.70	-	31.57	7.08	31.49			
PK	5.462G	61.25	68.20	-6.95	53.83	3	Vertical	299.9	2.70	-	31.82	7.13	31.53			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Z_2TX
Setting 0.5/17.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.139G	60.15	74.00	-13.85	52.50	3	Horizontal	342	2.57	-	32.10	6.91	31.36			
AV	5.136G	47.82	54.00	-6.18	40.16	3	Horizontal	342	2.57	-	32.10	6.91	31.35			
PK	5.257G	109.86	Inf	-Inf	102.71	3	Horizontal	342	2.57	-	31.59	6.98	31.42			
AV	5.256G	98.56	Inf	-Inf	91.41	3	Horizontal	342	2.57	-	31.59	6.98	31.42			
PK	5.378G	70.07	74.00	-3.93	62.92	3	Horizontal	342	2.57	-	31.56	7.07	31.48			
AV	5.375G	50.98	54.00	-3.02	43.84	3	Horizontal	342	2.57	-	31.55	7.07	31.48			
PK	5.517G	59.96	68.20	-8.24	52.44	3	Horizontal	342	2.57	-	31.90	7.17	31.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5290MHz_TX

EUT_Y_2TX
Setting 0.5/17.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58558G	59.32	68.20	-8.88	41.57	3	Vertical	278	2.89	-	40.17	10.14	32.56			
PK	15.85932G	61.88	74.00	-12.12	44.09	3	Vertical	239	2.73	-	38.08	12.60	32.89			
AV	15.86568G	48.88	54.00	-5.12	31.09	3	Vertical	239	2.73	-	38.07	12.61	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 0.5/17.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56626G	59.63	68.20	-8.57	41.93	3	Horizontal	179	2.98	-	40.13	10.13	32.56			
PK	15.86076G	61.92	74.00	-12.08	44.13	3	Horizontal	300	2.63	-	38.08	12.60	32.89			
AV	15.85506G	48.90	54.00	-5.10	31.10	3	Horizontal	300	2.63	-	38.09	12.60	32.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 3.5/16.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1284G	68.13	74.00	-5.87	60.48	3	Vertical	300.9	2.76	-	32.10	6.90	31.35			
AV	5.1492G	49.72	54.00	-4.28	42.07	3	Vertical	300.9	2.76	-	32.10	6.91	31.36			
PK	5.314G	104.99	Inf	-Inf	97.91	3	Vertical	300.9	2.76	-	31.50	7.03	31.45			
AV	5.2964G	91.69	Inf	-Inf	84.61	3	Vertical	300.9	2.76	-	31.51	7.01	31.44			
PK	5.402G	73.08	74.00	-0.92	65.88	3	Vertical	300.9	2.76	-	31.61	7.09	31.50			
AV	5.4132G	52.00	54.00	-2.00	44.75	3	Vertical	300.9	2.76	-	31.65	7.10	31.50			
PK	5.4836G	62.52	68.20	-5.68	55.05	3	Vertical	300.9	2.76	-	31.87	7.14	31.54			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 3.5/16.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	66.69	74.00	-7.31	59.04	3	Horizontal	345	2.94	-	32.10	6.90	31.35			
AV	5.1396G	48.48	54.00	-5.52	40.83	3	Horizontal	345	2.94	-	32.10	6.91	31.36			
PK	5.1972G	104.42	Inf	-Inf	97.05	3	Horizontal	345	2.94	-	31.82	6.94	31.39			
AV	5.1764G	92.58	Inf	-Inf	85.09	3	Horizontal	345	2.94	-	31.94	6.93	31.38			
PK	5.4036G	70.82	74.00	-3.18	63.62	3	Horizontal	345	2.94	-	31.61	7.09	31.50			
AV	5.4164G	50.04	54.00	-3.96	42.77	3	Horizontal	345	2.94	-	31.67	7.10	31.50			
PK	5.4772G	61.60	68.20	-6.60	54.15	3	Horizontal	345	2.94	-	31.85	7.14	31.54			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 3.5/16.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48506G	59.08	68.20	-9.12	41.43	3	Vertical	13	2.89	-	40.13	10.09	32.57			
PK	15.74832G	62.27	74.00	-11.73	44.29	3	Vertical	203	2.73	-	38.30	12.55	32.87			
AV	15.76428G	49.51	54.00	-4.49	31.52	3	Vertical	203	2.73	-	38.30	12.56	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 3.5/16.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50366G	58.70	68.20	-9.50	41.07	3	Horizontal	306	2.99	-	40.10	10.10	32.57			
PK	15.75096G	62.32	74.00	-11.68	44.34	3	Horizontal	159	1.40	-	38.30	12.55	32.87			
AV	15.7629G	49.41	54.00	-4.59	31.42	3	Horizontal	159	1.40	-	38.30	12.56	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 2/17
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1124G	71.69	74.00	-2.31	64.03	3	Vertical	302.9	2.36	-	32.10	6.90	31.34			
AV	5.1156G	50.16	54.00	-3.84	42.50	3	Vertical	302.9	2.36	-	32.10	6.90	31.34			
PK	5.3124G	104.99	Inf	-Inf	97.92	3	Vertical	302.9	2.36	-	31.50	7.02	31.45			
AV	5.3156G	93.11	Inf	-Inf	86.03	3	Vertical	302.9	2.36	-	31.50	7.03	31.45			
PK	5.3908G	71.90	74.00	-2.10	64.73	3	Vertical	302.9	2.36	-	31.58	7.08	31.49			
PK	5.4756G	65.12	68.20	-3.08	57.67	3	Vertical	302.9	2.36	-	31.85	7.14	31.54			
AV	5.4388G	50.43	54.00	-3.57	43.07	3	Vertical	302.9	2.36	-	31.76	7.12	31.52			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 2/17
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1124G	71.97	74.00	-2.03	64.31	3	Horizontal	342	2.41	-	32.10	6.90	31.34			
AV	5.138G	50.56	54.00	-3.44	42.90	3	Horizontal	342	2.41	-	32.10	6.91	31.35			
PK	5.1972G	105.70	Inf	-Inf	98.33	3	Horizontal	342	2.41	-	31.82	6.94	31.39			
AV	5.1764G	94.32	Inf	-Inf	86.83	3	Horizontal	342	2.41	-	31.94	6.93	31.38			
PK	5.3972G	73.11	74.00	-0.89	65.92	3	Horizontal	342	2.41	-	31.59	7.09	31.49			
AV	5.3572G	51.04	54.00	-2.96	43.94	3	Horizontal	342	2.41	-	31.51	7.06	31.47			
PK	5.4772G	63.60	68.20	-4.60	56.15	3	Horizontal	342	2.41	-	31.85	7.14	31.54			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 2/17
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49388G	59.09	68.20	-9.11	41.46	3	Vertical	37	3.00	-	40.11	10.09	32.57			
PK	15.76392G	62.18	74.00	-11.82	44.19	3	Vertical	121	2.12	-	38.30	12.56	32.87			
AV	15.74154G	49.34	54.00	-4.66	31.38	3	Vertical	121	2.12	-	38.28	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 2/17
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49382G	58.75	68.20	-9.45	41.12	3	Horizontal	70	1.36	-	40.11	10.09	32.57			
PK	15.74208G	62.04	74.00	-11.96	44.08	3	Horizontal	159	2.14	-	38.28	12.55	32.87			
AV	15.74616G	49.36	54.00	-4.64	31.39	3	Horizontal	159	2.14	-	38.29	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 2.5/15.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1316G	64.00	74.00	-10.00	56.34	3	Vertical	299.9	2.89	-	32.10	6.91	31.35			
AV	5.074G	49.83	54.00	-4.17	42.22	3	Vertical	299.9	2.89	-	32.05	6.88	31.32			
PK	5.2932G	104.64	Inf	-Inf	97.56	3	Vertical	299.9	2.89	-	31.51	7.01	31.44			
AV	5.2932G	92.77	Inf	-Inf	85.69	3	Vertical	299.9	2.89	-	31.51	7.01	31.44			
PK	5.4164G	68.82	74.00	-5.18	61.55	3	Vertical	299.9	2.89	-	31.67	7.10	31.50			
AV	5.4324G	53.45	54.00	-0.55	46.12	3	Vertical	299.9	2.89	-	31.73	7.11	31.51			
PK	5.4612G	61.41	68.20	-6.79	53.99	3	Vertical	299.9	2.89	-	31.82	7.13	31.53			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 2.5/15.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	70.53	74.00	-3.47	62.87	3	Horizontal	345	2.87	-	32.10	6.91	31.35			
AV	5.0756G	49.26	54.00	-4.74	41.65	3	Horizontal	345	2.87	-	32.05	6.88	31.32			
PK	5.1748G	105.55	Inf	-Inf	98.04	3	Horizontal	345	2.87	-	31.95	6.93	31.37			
AV	5.1764G	93.90	Inf	-Inf	86.41	3	Horizontal	345	2.87	-	31.94	6.93	31.38			
PK	5.3988G	70.66	74.00	-3.34	63.47	3	Horizontal	345	2.87	-	31.60	7.09	31.50			
AV	5.4372G	52.49	54.00	-1.51	45.15	3	Horizontal	345	2.87	-	31.75	7.11	31.52			
PK	5.4788G	61.87	68.20	-6.33	54.41	3	Horizontal	345	2.87	-	31.86	7.14	31.54			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 2.5/15.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49514G	58.99	68.20	-9.21	41.35	3	Vertical	68	2.44	-	40.11	10.10	32.57			
PK	15.73692G	62.19	74.00	-11.81	44.24	3	Vertical	156	1.75	-	38.27	12.55	32.87			
AV	15.75576G	49.53	54.00	-4.47	31.55	3	Vertical	156	1.75	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 2.5/15.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51128G	58.98	68.20	-9.22	41.35	3	Horizontal	173	1.09	-	40.10	10.10	32.57			
PK	15.74562G	63.36	74.00	-10.64	45.39	3	Horizontal	111	2.98	-	38.29	12.55	32.87			
AV	15.74496G	49.49	54.00	-4.51	31.52	3	Horizontal	111	2.98	-	38.29	12.55	32.87			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Z_4TX
Setting 0.5/16.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	59.97	74.00	-14.03	52.32	3	Vertical	152.9	2.31	-	32.10	6.90	31.35			
AV	5.147G	47.42	54.00	-6.58	39.77	3	Vertical	152.9	2.31	-	32.10	6.91	31.36			
PK	5.253G	109.40	Inf	-Inf	102.25	3	Vertical	152.9	2.31	-	31.59	6.98	31.42			
AV	5.273G	98.10	Inf	-Inf	90.99	3	Vertical	152.9	2.31	-	31.55	6.99	31.43			
PK	5.366G	66.79	74.00	-7.21	59.68	3	Vertical	152.9	2.31	-	31.53	7.06	31.48			
AV	5.36G	48.99	54.00	-5.01	41.88	3	Vertical	152.9	2.31	-	31.52	7.06	31.47			
PK	5.525G	59.31	68.20	-8.89	51.79	3	Vertical	152.9	2.31	-	31.90	7.17	31.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Z_4TX
Setting 0.5/16.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.043G	59.59	74.00	-14.41	52.07	3	Horizontal	340	2.70	-	31.96	6.86	31.30			
AV	5.133G	47.64	54.00	-6.36	39.98	3	Horizontal	340	2.70	-	32.10	6.91	31.35			
PK	5.273G	110.86	Inf	-Inf	103.75	3	Horizontal	340	2.70	-	31.55	6.99	31.43			
AV	5.253G	99.62	Inf	-Inf	92.47	3	Horizontal	340	2.70	-	31.59	6.98	31.42			
PK	5.354G	67.08	74.00	-6.92	59.98	3	Horizontal	340	2.70	-	31.51	7.06	31.47			
AV	5.354G	49.50	54.00	-4.50	42.40	3	Horizontal	340	2.70	-	31.51	7.06	31.47			
PK	5.495G	59.44	68.20	-8.76	51.95	3	Horizontal	340	2.70	-	31.89	7.15	31.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.5/16.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58738G	60.16	68.20	-8.04	42.41	3	Vertical	43	2.49	-	40.17	10.14	32.56			
PK	15.86178G	61.73	74.00	-12.27	43.94	3	Vertical	299	2.00	-	38.08	12.60	32.89			
AV	15.8769G	48.74	54.00	-5.26	30.98	3	Vertical	299	2.00	-	38.05	12.61	32.90			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 0.5/16.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5779G	58.98	68.20	-9.22	41.25	3	Horizontal	152	2.92	-	40.16	10.13	32.56			
PK	15.88224G	61.35	74.00	-12.65	43.60	3	Horizontal	62	1.62	-	38.04	12.61	32.90			
AV	15.85956G	48.84	54.00	-5.16	31.05	3	Horizontal	62	1.62	-	38.08	12.60	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_Z_4TX
Setting 0.5/14.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.131G	62.06	74.00	-11.94	54.40	3	Vertical	154	2.81	-	32.10	6.91	31.35			
AV	5.134G	47.70	54.00	-6.30	40.04	3	Vertical	154	2.81	-	32.10	6.91	31.35			
PK	5.313G	110.15	Inf	-Inf	103.08	3	Vertical	154	2.81	-	31.50	7.02	31.45			
AV	5.313G	97.95	Inf	-Inf	90.88	3	Vertical	154	2.81	-	31.50	7.02	31.45			
PK	5.373G	67.89	74.00	-6.11	60.75	3	Vertical	154	2.81	-	31.55	7.07	31.48			
AV	5.373G	48.26	54.00	-5.74	41.12	3	Vertical	154	2.81	-	31.55	7.07	31.48			
PK	5.476G	61.07	68.20	-7.13	53.62	3	Vertical	154	2.81	-	31.85	7.14	31.54			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT_Z_4TX
Setting 0.5/14.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	62.55	74.00	-11.45	54.90	3	Horizontal	3	2.96	-	32.10	6.91	31.36			
AV	5.144G	48.05	54.00	-5.95	40.40	3	Horizontal	3	2.96	-	32.10	6.91	31.36			
PK	5.323G	109.65	Inf	-Inf	102.57	3	Horizontal	3	2.96	-	31.50	7.03	31.45			
AV	5.323G	97.96	Inf	-Inf	90.88	3	Horizontal	3	2.96	-	31.50	7.03	31.45			
PK	5.382G	68.29	74.00	-5.71	61.14	3	Horizontal	3	2.96	-	31.56	7.08	31.49			
AV	5.385G	49.85	54.00	-4.15	42.69	3	Horizontal	3	2.96	-	31.57	7.08	31.49			
PK	5.463G	58.92	68.20	-9.28	51.49	3	Horizontal	3	2.96	-	31.83	7.13	31.53			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 0.5/14.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56794G	58.65	68.20	-9.55	40.94	3	Vertical	221	1.75	-	40.14	10.13	32.56			
PK	15.8592G	61.70	74.00	-12.30	43.91	3	Vertical	39	1.26	-	38.08	12.60	32.89			
AV	15.86226G	48.85	54.00	-5.15	31.06	3	Vertical	39	1.26	-	38.08	12.60	32.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 0.5/14.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57148G	59.12	68.20	-9.08	41.41	3	Horizontal	357	2.72	-	40.14	10.13	32.56			
PK	15.85608G	62.44	74.00	-11.56	44.64	3	Horizontal	40	1.23	-	38.09	12.60	32.89			
AV	15.8556G	48.90	54.00	-5.10	31.10	3	Horizontal	40	1.23	-	38.09	12.60	32.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 1.5/15.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.128G	67.98	74.00	-6.02	60.33	3	Vertical	101.9	2.60	-	32.10	6.90	31.35			
AV	5.148G	49.35	54.00	-4.65	41.70	3	Vertical	101.9	2.60	-	32.10	6.91	31.36			
PK	5.289G	106.60	Inf	-Inf	99.51	3	Vertical	101.9	2.60	-	31.52	7.01	31.44			
AV	5.309G	94.04	Inf	-Inf	86.97	3	Vertical	101.9	2.60	-	31.50	7.02	31.45			
PK	5.403G	71.20	74.00	-2.80	64.00	3	Vertical	101.9	2.60	-	31.61	7.09	31.50			
AV	5.409G	50.85	54.00	-3.15	43.61	3	Vertical	101.9	2.60	-	31.64	7.10	31.50			
PK	5.489G	62.02	68.20	-6.18	54.53	3	Vertical	101.9	2.60	-	31.88	7.15	31.54			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 1.5/15.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	66.82	74.00	-7.18	59.17	3	Horizontal	338	2.64	-	32.10	6.91	31.36			
AV	5.135G	49.52	54.00	-4.48	41.86	3	Horizontal	338	2.64	-	32.10	6.91	31.35			
PK	5.314G	107.62	Inf	-Inf	100.54	3	Horizontal	338	2.64	-	31.50	7.03	31.45			
AV	5.254G	95.87	Inf	-Inf	88.72	3	Horizontal	338	2.64	-	31.59	6.98	31.42			
PK	5.413G	71.33	74.00	-2.67	64.08	3	Horizontal	338	2.64	-	31.65	7.10	31.50			
AV	5.393G	52.38	54.00	-1.62	45.20	3	Horizontal	338	2.64	-	31.59	7.08	31.49			
PK	5.494G	64.63	68.20	-3.57	57.14	3	Horizontal	338	2.64	-	31.89	7.15	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 1.5/15.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49076G	59.24	68.20	-8.96	41.60	3	Vertical	188	2.27	-	40.12	10.09	32.57			
PK	15.74268G	61.91	74.00	-12.09	43.94	3	Vertical	338	1.84	-	38.29	12.55	32.87			
AV	15.7437G	49.30	54.00	-4.70	31.33	3	Vertical	338	1.84	-	38.29	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 1.5/15.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49286G	58.95	68.20	-9.25	41.32	3	Horizontal	139	2.31	-	40.11	10.09	32.57			
PK	15.75096G	62.12	74.00	-11.88	44.14	3	Horizontal	268	2.95	-	38.30	12.55	32.87			
AV	15.76308G	49.23	54.00	-4.77	31.24	3	Horizontal	268	2.95	-	38.30	12.56	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 1/15
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1108G	62.65	74.00	-11.35	54.99	3	Vertical	155.9	2.84	-	32.10	6.90	31.34			
AV	5.1316G	49.10	54.00	-4.90	41.44	3	Vertical	155.9	2.84	-	32.10	6.91	31.35			
PK	5.3204G	104.48	Inf	-Inf	97.40	3	Vertical	155.9	2.84	-	31.50	7.03	31.45			
AV	5.3124G	94.16	Inf	-Inf	87.09	3	Vertical	155.9	2.84	-	31.50	7.02	31.45			
PK	5.3956G	69.26	74.00	-4.74	62.07	3	Vertical	155.9	2.84	-	31.59	7.09	31.49			
AV	5.4532G	49.12	54.00	-4.88	41.71	3	Vertical	155.9	2.84	-	31.81	7.12	31.52			
PK	5.5348G	61.01	68.20	-7.19	53.48	3	Vertical	155.9	2.84	-	31.90	7.18	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 1/15
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.114G	72.91	74.00	-1.09	65.25	3	Horizontal	339	2.63	-	32.10	6.90	31.34			
AV	5.1332G	50.10	54.00	-3.90	42.44	3	Horizontal	339	2.63	-	32.10	6.91	31.35			
PK	5.1732G	107.67	Inf	-Inf	100.15	3	Horizontal	339	2.63	-	31.96	6.93	31.37			
AV	5.2532G	96.60	Inf	-Inf	89.45	3	Horizontal	339	2.63	-	31.59	6.98	31.42			
PK	5.394G	73.77	74.00	-0.23	66.58	3	Horizontal	339	2.63	-	31.59	7.09	31.49			
AV	5.3524G	51.11	54.00	-2.89	44.03	3	Horizontal	339	2.63	-	31.50	7.05	31.47			
PK	5.5044G	60.40	68.20	-7.80	52.89	3	Horizontal	339	2.63	-	31.90	7.16	31.55			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 1/15
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49406G	58.58	68.20	-9.62	40.95	3	Vertical	55	2.48	-	40.11	10.09	32.57			
PK	15.74076G	61.78	74.00	-12.22	43.82	3	Vertical	39	2.90	-	38.28	12.55	32.87			
AV	15.7482G	49.44	54.00	-4.56	31.46	3	Vertical	39	2.90	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 1/15
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5147G	58.75	68.20	-9.45	41.12	3	Horizontal	143	1.71	-	40.10	10.10	32.57			
PK	15.75324G	62.95	74.00	-11.05	44.97	3	Horizontal	10	2.99	-	38.30	12.55	32.87			
AV	15.7521G	49.25	54.00	-4.75	31.27	3	Horizontal	10	2.99	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 1.5/13.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	68.82	74.00	-5.18	61.17	3	Vertical	103.9	2.73	-	32.10	6.91	31.36			
AV	5.0884G	48.54	54.00	-5.46	40.91	3	Vertical	103.9	2.73	-	32.08	6.88	31.33			
PK	5.1876G	104.36	Inf	-Inf	96.94	3	Vertical	103.9	2.73	-	31.87	6.93	31.38			
PK	5.402G	66.92	74.00	-7.08	59.72	3	Vertical	103.9	2.73	-	31.61	7.09	31.50			
AV	5.3092G	93.51	Inf	-Inf	86.44	3	Vertical	103.9	2.73	-	31.50	7.02	31.45			
AV	5.4292G	52.25	54.00	-1.75	44.93	3	Vertical	103.9	2.73	-	31.72	7.11	31.51			
PK	5.4612G	64.49	68.20	-3.71	57.07	3	Vertical	103.9	2.73	-	31.82	7.13	31.53			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 1.5/13.5
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1364G	64.95	74.00	-9.05	57.29	3	Horizontal	340	3.00	-	32.10	6.91	31.35			
AV	5.074G	48.72	54.00	-5.28	41.11	3	Horizontal	340	3.00	-	32.05	6.88	31.32			
PK	5.1732G	107.72	Inf	-Inf	100.20	3	Horizontal	340	3.00	-	31.96	6.93	31.37			
AV	5.1748G	95.74	Inf	-Inf	88.23	3	Horizontal	340	3.00	-	31.95	6.93	31.37			
PK	5.4324G	68.49	74.00	-5.51	61.16	3	Horizontal	340	3.00	-	31.73	7.11	31.51			
AV	5.434G	53.50	54.00	-0.50	46.16	3	Horizontal	340	3.00	-	31.74	7.11	31.51			
PK	5.4724G	60.10	68.20	-8.10	52.66	3	Horizontal	340	3.00	-	31.84	7.14	31.54			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 1.5/13.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48974G	58.82	68.20	-9.38	41.18	3	Vertical	172	1.03	-	40.12	10.09	32.57			
PK	15.76494G	62.34	74.00	-11.66	44.35	3	Vertical	271	2.39	-	38.30	12.56	32.87			
AV	15.75372G	49.45	54.00	-4.55	31.47	3	Vertical	271	2.39	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_Y_4TX
Setting 1.5/13.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48992G	59.71	68.20	-8.49	42.07	3	Horizontal	36	2.03	-	40.12	10.09	32.57			
PK	15.73596G	62.05	74.00	-11.95	44.11	3	Horizontal	239	2.93	-	38.27	12.54	32.87			
AV	15.76062G	49.34	54.00	-4.66	31.35	3	Horizontal	239	2.93	-	38.30	12.56	32.87			




Test Mode: Mode 6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX	Pass	PK	5.4028G	73.99	74.00	-0.01	3	Horizontal	304	1.97	-

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 17.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1056G	57.73	74.00	-16.27	53.11	3	Vertical	341	1.80	-	32.79	7.36	35.53			
AV	5.092G	44.64	54.00	-9.36	39.99	3	Vertical	341	1.80	-	32.83	7.35	35.53			
PK	5.302G	101.32	Inf	-Inf	96.60	3	Vertical	341	1.80	-	32.70	7.50	35.48			
AV	5.306G	87.63	Inf	-Inf	82.91	3	Vertical	341	1.80	-	32.69	7.50	35.47			
PK	5.3568G	61.57	74.00	-12.43	56.89	3	Vertical	341	1.80	-	32.61	7.53	35.46			
AV	5.3524G	45.76	54.00	-8.24	41.09	3	Vertical	341	1.80	-	32.60	7.53	35.46			
PK	5.478G	57.74	68.20	-10.46	52.96	3	Vertical	341	1.80	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 17.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.128G	58.86	74.00	-15.14	54.26	3	Horizontal	304	2.10	-	32.74	7.38	35.52			
AV	5.1452G	44.85	54.00	-9.15	40.26	3	Horizontal	304	2.10	-	32.71	7.40	35.52			
PK	5.3192G	109.51	Inf	-Inf	104.81	3	Horizontal	304	2.10	-	32.66	7.51	35.47			
AV	5.3224G	95.82	Inf	-Inf	91.12	3	Horizontal	304	2.10	-	32.66	7.51	35.47			
PK	5.3552G	72.88	74.00	-1.12	68.20	3	Horizontal	304	2.10	-	32.61	7.53	35.46			
AV	5.3504G	50.75	54.00	-3.25	46.08	3	Horizontal	304	2.10	-	32.60	7.53	35.46			
PK	5.4836G	59.84	68.20	-8.36	55.04	3	Horizontal	304	2.10	-	32.60	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 17.5
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57526G	53.29	68.20	-14.91	70.24	3	Vertical	284	2.74	-	38.80	10.44	66.19			
PK	15.86747G	54.29	74.00	-19.71	67.09	3	Vertical	8	2.63	-	37.70	12.39	62.89			
AV	15.87475G	39.78	54.00	-14.22	52.60	3	Vertical	8	2.63	-	37.68	12.39	62.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_1TX


5290MHz_TX

EUT_Y_1TX
Setting 17.5
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57691G	53.33	68.20	-14.87	70.27	3	Horizontal	112	1.17	-	38.81	10.44	66.19			
PK	15.87339G	54.57	74.00	-19.43	67.39	3	Horizontal	143	1.31	-	37.68	12.39	62.89			
AV	15.87468G	39.79	54.00	-14.21	52.61	3	Horizontal	143	1.31	-	37.68	12.39	62.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 17
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	64.17	74.00	-9.83	59.58	3	Vertical	339	2.03	-	32.71	7.40	35.52			
AV	5.1476G	45.46	54.00	-8.54	40.88	3	Vertical	339	2.03	-	32.70	7.40	35.52			
PK	5.318G	97.79	Inf	-Inf	93.09	3	Vertical	339	2.03	-	32.66	7.51	35.47			
AV	5.314G	84.39	Inf	-Inf	79.68	3	Vertical	339	2.03	-	32.67	7.51	35.47			
PK	5.4068G	65.15	74.00	-8.85	60.35	3	Vertical	339	2.03	-	32.69	7.56	35.45			
AV	5.4004G	45.80	54.00	-8.20	41.00	3	Vertical	339	2.03	-	32.70	7.55	35.45			
PK	5.4628G	60.07	68.20	-8.13	55.30	3	Vertical	339	2.03	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 17
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	72.34	74.00	-1.66	67.75	3	Horizontal	304	1.97	-	32.71	7.40	35.52			
AV	5.1468G	49.11	54.00	-4.89	44.52	3	Horizontal	304	1.97	-	32.71	7.40	35.52			
PK	5.314G	104.93	Inf	-Inf	100.22	3	Horizontal	304	1.97	-	32.67	7.51	35.47			
AV	5.3164G	91.87	Inf	-Inf	87.16	3	Horizontal	304	1.97	-	32.67	7.51	35.47			
AV	5.354G	49.59	54.00	-4.41	44.91	3	Horizontal	304	1.97	-	32.61	7.53	35.46			
PK	5.4028G	73.99	74.00	-0.01	69.20	3	Horizontal	304	1.97	-	32.69	7.55	35.45			
PK	5.466G	68.01	68.20	-0.19	63.24	3	Horizontal	304	1.97	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
Setting 17
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49706G	53.11	68.20	-15.09	70.31	3	Vertical	293	1.31	-	38.50	10.41	66.11			
PK	15.75388G	56.22	74.00	-17.78	68.88	3	Vertical	81	2.53	-	37.81	12.35	62.82			
AV	15.75038G	42.25	54.00	-11.75	54.92	3	Vertical	81	2.53	-	37.80	12.35	62.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 17
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4977G	53.69	68.20	-14.51	70.89	3	Horizontal	359	2.23	-	38.50	10.41	66.11			
PK	15.75093G	56.26	74.00	-17.74	68.93	3	Horizontal	258	1.69	-	37.80	12.35	62.82			
AV	15.7468G	42.29	54.00	-11.71	54.97	3	Horizontal	258	1.69	-	37.79	12.35	62.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 17
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1372G	60.55	74.00	-13.45	55.95	3	Vertical	344	1.80	-	32.73	7.39	35.52			
AV	5.1436G	45.62	54.00	-8.38	41.03	3	Vertical	344	1.80	-	32.71	7.40	35.52			
PK	5.3084G	98.35	Inf	-Inf	93.64	3	Vertical	344	1.80	-	32.68	7.50	35.47			
AV	5.3068G	84.91	Inf	-Inf	80.19	3	Vertical	344	1.80	-	32.69	7.50	35.47			
PK	5.4004G	62.03	74.00	-11.97	57.23	3	Vertical	344	1.80	-	32.70	7.55	35.45			
AV	5.418G	46.70	54.00	-7.30	41.92	3	Vertical	344	1.80	-	32.66	7.56	35.44			
PK	5.4604G	59.57	68.20	-8.63	54.80	3	Vertical	344	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 17
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.118G	67.91	74.00	-6.09	63.31	3	Horizontal	306	2.08	-	32.76	7.37	35.53			
AV	5.15G	49.50	54.00	-4.50	44.92	3	Horizontal	306	2.08	-	32.70	7.40	35.52			
PK	5.3204G	106.16	Inf	-Inf	101.46	3	Horizontal	306	2.08	-	32.66	7.51	35.47			
AV	5.3204G	92.56	Inf	-Inf	87.86	3	Horizontal	306	2.08	-	32.66	7.51	35.47			
PK	5.3996G	72.15	74.00	-1.85	67.35	3	Horizontal	306	2.08	-	32.70	7.55	35.45			
AV	5.4108G	53.08	54.00	-0.92	48.28	3	Horizontal	306	2.08	-	32.68	7.56	35.44			
PK	5.466G	65.28	68.20	-2.92	60.51	3	Horizontal	306	2.08	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
Setting 17
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4992G	52.84	68.20	-15.36	70.04	3	Vertical	297	1.60	-	38.50	10.41	66.11			
PK	15.74833G	55.32	74.00	-18.68	67.99	3	Vertical	189	2.19	-	37.80	12.35	62.82			
AV	15.752G	42.15	54.00	-11.85	54.82	3	Vertical	189	2.19	-	37.80	12.35	62.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
Setting 17
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49552G	52.93	68.20	-15.27	70.14	3	Horizontal	135	1.72	-	38.50	10.41	66.12			
PK	15.75243G	55.62	74.00	-18.38	68.29	3	Horizontal	210	1.71	-	37.80	12.35	62.82			
AV	15.75145G	42.08	54.00	-11.92	54.75	3	Horizontal	210	1.71	-	37.80	12.35	62.82			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 17
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1388G	58.64	74.00	-15.36	54.05	3	Vertical	34	2.22	-	32.72	7.39	35.52			
AV	5.1496G	45.04	54.00	-8.96	40.46	3	Vertical	34	2.22	-	32.70	7.40	35.52			
PK	5.2956G	110.03	Inf	-Inf	105.30	3	Vertical	34	2.22	-	32.71	7.50	35.48			
AV	5.3136G	96.98	Inf	-Inf	92.27	3	Vertical	34	2.22	-	32.67	7.51	35.47			
PK	5.354G	70.51	74.00	-3.49	65.83	3	Vertical	34	2.22	-	32.61	7.53	35.46			
AV	5.35G	48.86	54.00	-5.14	44.19	3	Vertical	34	2.22	-	32.60	7.53	35.46			
PK	5.4652G	58.44	68.20	-9.76	53.67	3	Vertical	34	2.22	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 17
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1244G	58.34	74.00	-15.66	53.74	3	Horizontal	303	2.10	-	32.75	7.38	35.53			
AV	5.1468G	45.03	54.00	-8.97	40.44	3	Horizontal	303	2.10	-	32.71	7.40	35.52			
PK	5.3196G	110.11	Inf	-Inf	105.41	3	Horizontal	303	2.10	-	32.66	7.51	35.47			
AV	5.322G	96.94	Inf	-Inf	92.24	3	Horizontal	303	2.10	-	32.66	7.51	35.47			
PK	5.3564G	71.67	74.00	-2.33	66.99	3	Horizontal	303	2.10	-	32.61	7.53	35.46			
AV	5.3576G	49.16	54.00	-4.84	44.47	3	Horizontal	303	2.10	-	32.62	7.53	35.46			
PK	5.4692G	58.32	68.20	-9.88	53.54	3	Horizontal	303	2.10	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 17
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57861G	53.80	68.20	-14.40	70.74	3	Vertical	289	1.03	-	38.81	10.44	66.19			
PK	15.86668G	53.84	74.00	-20.16	66.64	3	Vertical	305	1.37	-	37.70	12.39	62.89			
AV	15.87499G	39.80	54.00	-14.20	52.62	3	Vertical	305	1.37	-	37.68	12.39	62.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_Y_2TX
Setting 17
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57812G	53.50	68.20	-14.70	70.44	3	Horizontal	78	2.37	-	38.81	10.44	66.19			
PK	15.86753G	53.93	74.00	-20.07	66.73	3	Horizontal	239	1.90	-	37.70	12.39	62.89			
AV	15.87488G	39.77	54.00	-14.23	52.59	3	Horizontal	239	1.90	-	37.68	12.39	62.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 16
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	70.28	74.00	-3.72	65.69	3	Vertical	36	1.00	-	32.72	7.39	35.52			
AV	5.1404G	48.02	54.00	-5.98	43.43	3	Vertical	36	1.00	-	32.72	7.39	35.52			
PK	5.1796G	106.46	Inf	-Inf	101.78	3	Vertical	36	1.00	-	32.76	7.43	35.51			
AV	5.1796G	93.61	Inf	-Inf	88.93	3	Vertical	36	1.00	-	32.76	7.43	35.51			
PK	5.3924G	72.05	74.00	-1.95	67.27	3	Vertical	36	1.00	-	32.68	7.55	35.45			
AV	5.3612G	48.90	54.00	-5.10	44.21	3	Vertical	36	1.00	-	32.62	7.53	35.46			
PK	5.466G	65.83	68.20	-2.37	61.06	3	Vertical	36	1.00	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 16
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	69.71	74.00	-4.29	65.12	3	Horizontal	313	2.82	-	32.71	7.40	35.52			
AV	5.1372G	48.25	54.00	-5.75	43.65	3	Horizontal	313	2.82	-	32.73	7.39	35.52			
PK	5.3204G	106.49	Inf	-Inf	101.79	3	Horizontal	313	2.82	-	32.66	7.51	35.47			
AV	5.3188G	93.88	Inf	-Inf	89.18	3	Horizontal	313	2.82	-	32.66	7.51	35.47			
AV	5.3588G	49.64	54.00	-4.36	44.95	3	Horizontal	313	2.82	-	32.62	7.53	35.46			
PK	5.4068G	72.84	74.00	-1.16	68.04	3	Horizontal	313	2.82	-	32.69	7.56	35.45			
PK	5.466G	65.07	68.20	-3.13	60.30	3	Horizontal	313	2.82	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 16
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49663G	53.01	68.20	-15.19	70.22	3	Vertical	307	2.75	-	38.50	10.41	66.12			
PK	15.75391G	55.72	74.00	-18.28	68.38	3	Vertical	318	2.67	-	37.81	12.35	62.82			
AV	15.74924G	42.02	54.00	-11.98	54.69	3	Vertical	318	2.67	-	37.80	12.35	62.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 16
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49548G	52.57	68.20	-15.63	69.78	3	Horizontal	184	2.44	-	38.50	10.41	66.12			
PK	15.74911G	56.06	74.00	-17.94	68.73	3	Horizontal	127	2.48	-	37.80	12.35	62.82			
AV	15.74779G	42.07	54.00	-11.93	54.74	3	Horizontal	127	2.48	-	37.80	12.35	62.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 16.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1172G	70.68	74.00	-3.32	66.07	3	Vertical	36	1.00	-	32.77	7.37	35.53			
AV	5.1412G	48.67	54.00	-5.33	44.08	3	Vertical	36	1.00	-	32.72	7.39	35.52			
PK	5.178G	107.12	Inf	-Inf	102.44	3	Vertical	36	1.00	-	32.76	7.43	35.51			
AV	5.1796G	94.88	Inf	-Inf	90.20	3	Vertical	36	1.00	-	32.76	7.43	35.51			
PK	5.3972G	70.02	74.00	-3.98	65.23	3	Vertical	36	1.00	-	32.69	7.55	35.45			
AV	5.398G	50.68	54.00	-3.32	45.88	3	Vertical	36	1.00	-	32.70	7.55	35.45			
PK	5.466G	65.34	68.20	-2.86	60.57	3	Vertical	36	1.00	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 16.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.126G	68.22	74.00	-5.78	63.61	3	Horizontal	313	2.81	-	32.75	7.38	35.52			
AV	5.1396G	48.70	54.00	-5.30	44.11	3	Horizontal	313	2.81	-	32.72	7.39	35.52			
PK	5.318G	107.50	Inf	-Inf	102.80	3	Horizontal	313	2.81	-	32.66	7.51	35.47			
AV	5.318G	95.00	Inf	-Inf	90.30	3	Horizontal	313	2.81	-	32.66	7.51	35.47			
PK	5.4012G	70.95	74.00	-3.05	66.15	3	Horizontal	313	2.81	-	32.70	7.55	35.45			
AV	5.3972G	52.78	54.00	-1.22	47.99	3	Horizontal	313	2.81	-	32.69	7.55	35.45			
PK	5.4668G	66.55	68.20	-1.65	61.78	3	Horizontal	313	2.81	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 16.5
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49579G	52.79	68.20	-15.41	70.00	3	Vertical	218	1.14	-	38.50	10.41	66.12			
PK	15.74584G	55.92	74.00	-18.08	68.61	3	Vertical	0	1.80	-	37.79	12.34	62.82			
AV	15.75365G	42.05	54.00	-11.95	54.71	3	Vertical	0	1.80	-	37.81	12.35	62.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 16.5
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49629G	52.31	68.20	-15.89	69.52	3	Horizontal	287	1.35	-	38.50	10.41	66.12			
PK	15.75G	56.65	74.00	-17.35	69.32	3	Horizontal	278	2.91	-	37.80	12.35	62.82			
AV	15.74791G	42.09	54.00	-11.91	54.76	3	Horizontal	278	2.91	-	37.80	12.35	62.82			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT_Y_4TX
Setting 17
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0964G	58.77	74.00	-15.23	54.14	3	Vertical	38	1.80	-	32.81	7.35	35.53			
AV	5.14G	45.30	54.00	-8.70	40.71	3	Vertical	38	1.80	-	32.72	7.39	35.52			
PK	5.2716G	113.37	Inf	-Inf	108.60	3	Vertical	38	1.80	-	32.76	7.49	35.48			
AV	5.2712G	100.52	Inf	-Inf	95.75	3	Vertical	38	1.80	-	32.76	7.49	35.48			
PK	5.3504G	72.30	74.00	-1.70	67.63	3	Vertical	38	1.80	-	32.60	7.53	35.46			
AV	5.35G	50.83	54.00	-3.17	46.16	3	Vertical	38	1.80	-	32.60	7.53	35.46			
PK	5.4604G	58.58	68.20	-9.62	53.81	3	Vertical	38	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX

5290MHz_TX




EUT Y_4TX
Setting 17
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	58.75	74.00	-15.25	54.16	3	Horizontal	301	1.80	-	32.71	7.40	35.52			
AV	5.1456G	45.92	54.00	-8.08	41.33	3	Horizontal	301	1.80	-	32.71	7.40	35.52			
PK	5.2824G	114.62	Inf	-Inf	109.87	3	Horizontal	301	1.80	-	32.74	7.49	35.48			
AV	5.2828G	101.00	Inf	-Inf	96.26	3	Horizontal	301	1.80	-	32.73	7.49	35.48			
PK	5.3544G	73.73	74.00	-0.27	69.05	3	Horizontal	301	1.80	-	32.61	7.53	35.46			
AV	5.3552G	51.56	54.00	-2.44	46.88	3	Horizontal	301	1.80	-	32.61	7.53	35.46			
PK	5.4604G	59.82	68.20	-8.38	55.05	3	Horizontal	301	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 17
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57655G	53.39	68.20	-14.81	70.33	3	Vertical	163	1.17	-	38.81	10.44	66.19			
PK	15.8658G	53.46	74.00	-20.54	66.26	3	Vertical	184	2.82	-	37.70	12.39	62.89			
AV	15.87224G	39.90	54.00	-14.10	52.72	3	Vertical	184	2.82	-	37.68	12.39	62.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 17
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57556G	53.26	68.20	-14.94	70.21	3	Horizontal	340	1.87	-	38.80	10.44	66.19			
PK	15.8687G	53.67	74.00	-20.33	66.48	3	Horizontal	0	1.43	-	37.69	12.39	62.89			
AV	15.87486G	39.81	54.00	-14.19	52.63	3	Horizontal	0	1.43	-	37.68	12.39	62.89			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 13.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	66.79	74.00	-7.21	62.19	3	Vertical	44	1.77	-	32.74	7.38	35.52			
AV	5.1116G	47.63	54.00	-6.37	43.01	3	Vertical	44	1.77	-	32.78	7.37	35.53			
PK	5.2716G	106.84	Inf	-Inf	102.07	3	Vertical	44	1.77	-	32.76	7.49	35.48			
AV	5.2716G	94.64	Inf	-Inf	89.87	3	Vertical	44	1.77	-	32.76	7.49	35.48			
PK	5.3716G	68.74	74.00	-5.26	64.02	3	Vertical	44	1.77	-	32.64	7.54	35.46			
AV	5.3508G	48.32	54.00	-5.68	43.65	3	Vertical	44	1.77	-	32.60	7.53	35.46			
PK	5.47G	62.26	68.20	-5.94	57.48	3	Vertical	44	1.77	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 13.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	69.68	74.00	-4.32	65.08	3	Horizontal	315	2.76	-	32.74	7.38	35.52			
AV	5.1308G	48.19	54.00	-5.81	43.59	3	Horizontal	315	2.76	-	32.74	7.38	35.52			
PK	5.238G	109.04	Inf	-Inf	104.26	3	Horizontal	315	2.76	-	32.80	7.47	35.49			
AV	5.258G	95.95	Inf	-Inf	91.18	3	Horizontal	315	2.76	-	32.78	7.48	35.49			
PK	5.3716G	70.86	74.00	-3.14	66.14	3	Horizontal	315	2.76	-	32.64	7.54	35.46			
AV	5.3572G	50.64	54.00	-3.36	45.96	3	Horizontal	315	2.76	-	32.61	7.53	35.46			
PK	5.4972G	60.53	68.20	-7.67	55.72	3	Horizontal	315	2.76	-	32.60	7.63	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 13.5
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49531G	52.59	68.20	-15.61	69.80	3	Vertical	141	2.00	-	38.50	10.41	66.12			
PK	15.74544G	55.98	74.00	-18.02	68.67	3	Vertical	46	1.29	-	37.79	12.34	62.82			
AV	15.74819G	42.01	54.00	-11.99	54.68	3	Vertical	46	1.29	-	37.80	12.35	62.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 13.5
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49601G	53.78	68.20	-14.42	70.99	3	Horizontal	138	1.67	-	38.50	10.41	66.12			
PK	15.74777G	55.73	74.00	-18.27	68.40	3	Horizontal	106	1.98	-	37.80	12.35	62.82			
AV	15.74815G	42.01	54.00	-11.99	54.68	3	Horizontal	106	1.98	-	37.80	12.35	62.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 15
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.114G	72.12	74.00	-1.88	67.51	3	Vertical	41	1.80	-	32.77	7.37	35.53			
AV	5.15G	49.84	54.00	-4.16	45.26	3	Vertical	41	1.80	-	32.70	7.40	35.52			
PK	5.2716G	109.69	Inf	-Inf	104.92	3	Vertical	41	1.80	-	32.76	7.49	35.48			
AV	5.2708G	96.88	Inf	-Inf	92.11	3	Vertical	41	1.80	-	32.76	7.49	35.48			
PK	5.35G	71.74	74.00	-2.26	67.07	3	Vertical	41	1.80	-	32.60	7.53	35.46			
AV	5.4116G	52.82	54.00	-1.18	48.02	3	Vertical	41	1.80	-	32.68	7.56	35.44			
PK	5.51G	64.81	68.20	-3.39	59.99	3	Vertical	41	1.80	-	32.60	7.64	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 15
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	70.47	74.00	-3.53	65.88	3	Horizontal	306	1.80	-	32.72	7.39	35.52			
AV	5.1436G	50.55	54.00	-3.45	45.96	3	Horizontal	306	1.80	-	32.71	7.40	35.52			
PK	5.2628G	110.06	Inf	-Inf	105.30	3	Horizontal	306	1.80	-	32.77	7.48	35.49			
AV	5.2628G	96.97	Inf	-Inf	92.21	3	Horizontal	306	1.80	-	32.77	7.48	35.49			
PK	5.4012G	73.65	74.00	-0.35	68.85	3	Horizontal	306	1.80	-	32.70	7.55	35.45			
AV	5.4028G	53.50	54.00	-0.50	48.71	3	Horizontal	306	1.80	-	32.69	7.55	35.45			
PK	5.4604G	64.83	68.20	-3.37	60.06	3	Horizontal	306	1.80	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 15
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49666G	52.94	68.20	-15.26	70.15	3	Vertical	193	2.07	-	38.50	10.41	66.12			
PK	15.74701G	55.49	74.00	-18.51	68.17	3	Vertical	107	1.78	-	37.79	12.35	62.82			
AV	15.74536G	42.09	54.00	-11.91	54.78	3	Vertical	107	1.78	-	37.79	12.34	62.82			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 15
05-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49612G	52.77	68.20	-15.43	69.98	3	Horizontal	228	1.27	-	38.50	10.41	66.12			
PK	15.74563G	55.56	74.00	-18.44	68.25	3	Horizontal	172	2.32	-	37.79	12.34	62.82			
AV	15.75474G	42.08	54.00	-11.92	54.74	3	Horizontal	172	2.32	-	37.81	12.35	62.82			




Test Mode: Mode 7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_4TX	Pass	PK	5.3532G	73.97	74.00	-0.03	3	Horizontal	339	3.00	-

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5290MHz_TX




EUT_Z_1TX
Setting 17.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	59.88	74.00	-14.12	54.99	3	Vertical	302	3.00	-	33.01	7.40	35.52			
AV	5.146G	46.40	54.00	-7.60	41.51	3	Vertical	302	3.00	-	33.01	7.40	35.52			
PK	5.3196G	110.42	Inf	-Inf	105.48	3	Vertical	302	3.00	-	32.90	7.51	35.47			
AV	5.322G	97.33	Inf	-Inf	92.39	3	Vertical	302	3.00	-	32.90	7.51	35.47			
PK	5.3628G	72.32	74.00	-1.68	67.32	3	Vertical	302	3.00	-	32.93	7.53	35.46			
AV	5.35G	50.40	54.00	-3.60	45.43	3	Vertical	302	3.00	-	32.90	7.53	35.46			
PK	5.4876G	59.70	68.20	-8.50	54.68	3	Vertical	302	3.00	-	32.82	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5290MHz_TX




EUT_Z_1TX
Setting 17.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0908G	58.37	74.00	-15.63	53.41	3	Horizontal	339.9	2.13	-	33.14	7.35	35.53			
AV	5.15G	45.35	54.00	-8.65	40.47	3	Horizontal	339.9	2.13	-	33.00	7.40	35.52			
PK	5.2964G	100.97	Inf	-Inf	96.05	3	Horizontal	339.9	2.13	-	32.90	7.50	35.48			
AV	5.3284G	87.76	Inf	-Inf	82.82	3	Horizontal	339.9	2.13	-	32.90	7.51	35.47			
PK	5.3668G	65.02	74.00	-8.98	60.02	3	Horizontal	339.9	2.13	-	32.93	7.53	35.46			
AV	5.3612G	46.53	54.00	-7.47	41.54	3	Horizontal	339.9	2.13	-	32.92	7.53	35.46			
PK	5.4732G	58.57	68.20	-9.63	53.54	3	Horizontal	339.9	2.13	-	32.85	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX


5290MHz_TX

EUT_Y_1TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59632G	54.29	68.20	-13.91	71.16	3	Vertical	336	2.74	-	38.89	10.45	66.21			
PK	15.88632G	57.19	74.00	-16.81	70.06	3	Vertical	98	2.43	-	37.64	12.39	62.90			
AV	15.87888G	42.87	54.00	-11.13	55.72	3	Vertical	98	2.43	-	37.66	12.39	62.90			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX


5290MHz_TX

EUT_Y_1TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5962G	54.30	68.20	-13.90	71.18	3	Horizontal	177	1.02	-	38.88	10.45	66.21			
PK	15.88356G	57.70	74.00	-16.30	70.56	3	Horizontal	128	1.24	-	37.65	12.39	62.90			
AV	15.891G	42.90	54.00	-11.10	55.78	3	Horizontal	128	1.24	-	37.63	12.39	62.90			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 14.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	72.25	74.00	-1.75	67.66	3	Vertical	301	3.00	-	32.71	7.40	35.52			
AV	5.1444G	48.32	54.00	-5.68	43.73	3	Vertical	301	3.00	-	32.71	7.40	35.52			
PK	5.3196G	104.82	Inf	-Inf	100.12	3	Vertical	301	3.00	-	32.66	7.51	35.47			
AV	5.322G	91.20	Inf	-Inf	86.50	3	Vertical	301	3.00	-	32.66	7.51	35.47			
PK	5.3664G	71.36	74.00	-2.64	66.66	3	Vertical	301	3.00	-	32.63	7.53	35.46			
AV	5.3616G	47.97	54.00	-6.03	43.28	3	Vertical	301	3.00	-	32.62	7.53	35.46			
PK	5.466G	61.13	68.20	-7.07	56.36	3	Vertical	301	3.00	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 14.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	64.74	74.00	-9.26	60.15	3	Horizontal	341	2.19	-	32.71	7.40	35.52			
AV	5.1408G	45.37	54.00	-8.63	40.78	3	Horizontal	341	2.19	-	32.72	7.39	35.52			
PK	5.256G	95.00	Inf	-Inf	90.22	3	Horizontal	341	2.19	-	32.79	7.48	35.49			
AV	5.2872G	81.70	Inf	-Inf	76.96	3	Horizontal	341	2.19	-	32.73	7.49	35.48			
PK	5.3664G	64.71	74.00	-9.29	60.01	3	Horizontal	341	2.19	-	32.63	7.53	35.46			
AV	5.3616G	45.72	54.00	-8.28	41.03	3	Horizontal	341	2.19	-	32.62	7.53	35.46			
PK	5.3356G	58.48	68.20	-9.72	53.65	3	Horizontal	341	2.19	-	32.60	7.66	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 14.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5186G	53.66	68.20	-14.54	70.80	3	Vertical	97	1.44	-	38.57	10.42	66.13			
PK	15.76884G	57.58	74.00	-16.42	70.22	3	Vertical	337	2.63	-	37.84	12.35	62.83			
AV	15.77616G	42.38	54.00	-11.62	55.01	3	Vertical	337	2.63	-	37.85	12.36	62.84			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 14.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52652G	54.18	68.20	-14.02	71.29	3	Horizontal	62	1.54	-	38.61	10.42	66.14			
PK	15.72096G	56.76	74.00	-17.24	69.48	3	Horizontal	291	2.89	-	37.74	12.34	62.80			
AV	15.7728G	41.68	54.00	-12.32	54.31	3	Horizontal	291	2.89	-	37.85	12.35	62.83			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 17.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.106G	69.91	74.00	-4.09	65.29	3	Vertical	300	2.91	-	32.79	7.36	35.53			
AV	5.15G	51.01	54.00	-2.99	46.43	3	Vertical	300	2.91	-	32.70	7.40	35.52			
PK	5.2716G	107.24	Inf	-Inf	102.47	3	Vertical	300	2.91	-	32.76	7.49	35.48			
AV	5.2644G	93.99	Inf	-Inf	89.23	3	Vertical	300	2.91	-	32.77	7.48	35.49			
PK	5.3664G	72.14	74.00	-1.86	67.44	3	Vertical	300	2.91	-	32.63	7.53	35.46			
AV	5.3532G	48.18	54.00	-5.82	43.50	3	Vertical	300	2.91	-	32.61	7.53	35.46			
PK	5.4984G	60.27	68.20	-7.93	55.46	3	Vertical	300	2.91	-	32.60	7.63	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
Setting 17.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	63.62	74.00	-10.38	59.03	3	Horizontal	341	2.59	-	32.71	7.40	35.52			
AV	5.1468G	46.55	54.00	-7.45	41.96	3	Horizontal	341	2.59	-	32.71	7.40	35.52			
PK	5.1936G	99.58	Inf	-Inf	94.86	3	Horizontal	341	2.59	-	32.79	7.44	35.51			
AV	5.1864G	85.98	Inf	-Inf	81.28	3	Horizontal	341	2.59	-	32.77	7.44	35.51			
PK	5.3556G	65.83	74.00	-8.17	61.15	3	Horizontal	341	2.59	-	32.61	7.53	35.46			
AV	5.3736G	46.07	54.00	-7.93	41.34	3	Horizontal	341	2.59	-	32.65	7.54	35.46			
PK	5.508G	58.98	68.20	-9.22	54.16	3	Horizontal	341	2.59	-	32.60	7.64	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51596G	54.19	68.20	-14.01	71.34	3	Vertical	286	1.35	-	38.56	10.42	66.13			
PK	15.75504G	57.80	74.00	-16.20	70.46	3	Vertical	188	1.82	-	37.81	12.35	62.82			
AV	15.77952G	43.01	54.00	-10.99	55.63	3	Vertical	188	1.82	-	37.86	12.36	62.84			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.482G	54.21	68.20	-13.99	71.45	3	Horizontal	175	1.06	-	38.50	10.40	66.14			
PK	15.7296G	56.98	74.00	-17.02	69.69	3	Horizontal	38	1.96	-	37.76	12.34	62.81			
AV	15.77916G	43.13	54.00	-10.87	55.75	3	Horizontal	38	1.96	-	37.86	12.36	62.84			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5290MHz_TX




EUT_Z_2TX
Setting 17.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	59.87	74.00	-14.13	54.99	3	Vertical	298	3.00	-	33.00	7.40	35.52			
AV	5.15G	46.49	54.00	-7.51	41.61	3	Vertical	298	3.00	-	33.00	7.40	35.52			
PK	5.322G	110.69	Inf	-Inf	105.75	3	Vertical	298	3.00	-	32.90	7.51	35.47			
AV	5.318G	97.50	Inf	-Inf	92.56	3	Vertical	298	3.00	-	32.90	7.51	35.47			
PK	5.3564G	73.25	74.00	-0.75	68.27	3	Vertical	298	3.00	-	32.91	7.53	35.46			
AV	5.3524G	51.04	54.00	-2.96	46.07	3	Vertical	298	3.00	-	32.90	7.53	35.46			
PK	5.4812G	59.91	68.20	-8.29	54.89	3	Vertical	298	3.00	-	32.84	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5290MHz_TX




EUT_Z_2TX
Setting 17.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1004G	59.06	74.00	-14.94	54.13	3	Horizontal	344	2.56	-	33.10	7.36	35.53			
AV	5.1484G	45.91	54.00	-8.09	41.03	3	Horizontal	344	2.56	-	33.00	7.40	35.52			
PK	5.258G	110.03	Inf	-Inf	105.14	3	Horizontal	344	2.56	-	32.90	7.48	35.49			
AV	5.2572G	97.35	Inf	-Inf	92.46	3	Horizontal	344	2.56	-	32.90	7.48	35.49			
PK	5.374G	72.93	74.00	-1.07	67.90	3	Horizontal	344	2.56	-	32.95	7.54	35.46			
AV	5.358G	50.78	54.00	-3.22	45.79	3	Horizontal	344	2.56	-	32.92	7.53	35.46			
PK	5.4716G	59.74	68.20	-8.46	54.70	3	Horizontal	344	2.56	-	32.86	7.61	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5290MHz_TX




EUT_Y_2TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57964G	54.75	68.20	-13.45	71.49	3	Vertical	135	1.31	-	39.00	10.45	66.19			
PK	15.89328G	57.53	74.00	-16.47	70.54	3	Vertical	96	2.58	-	37.51	12.39	62.91			
AV	15.89364G	43.83	54.00	-10.17	56.84	3	Vertical	96	2.58	-	37.51	12.39	62.91			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX


5290MHz_TX

EUT_Y_2TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59632G	54.81	68.20	-13.39	71.57	3	Horizontal	155	1.15	-	39.00	10.45	66.21			
PK	15.87744G	56.77	74.00	-17.23	69.76	3	Horizontal	44	2.84	-	37.52	12.39	62.90			
AV	15.89316G	43.86	54.00	-10.14	56.87	3	Horizontal	44	2.84	-	37.51	12.39	62.91			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 14
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	70.87	74.00	-3.13	66.28	3	Vertical	299	3.00	-	32.71	7.40	35.52			
AV	5.1432G	47.49	54.00	-6.51	42.90	3	Vertical	299	3.00	-	32.71	7.40	35.52			
PK	5.3184G	103.89	Inf	-Inf	99.19	3	Vertical	299	3.00	-	32.66	7.51	35.47			
AV	5.316G	90.86	Inf	-Inf	86.15	3	Vertical	299	3.00	-	32.67	7.51	35.47			
PK	5.3868G	69.65	74.00	-4.35	64.89	3	Vertical	299	3.00	-	32.67	7.54	35.45			
AV	5.3736G	48.34	54.00	-5.66	43.61	3	Vertical	299	3.00	-	32.65	7.54	35.46			
PK	5.4744G	61.31	68.20	-6.89	56.53	3	Vertical	299	3.00	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 14
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	68.70	74.00	-5.30	64.11	3	Horizontal	344	2.60	-	32.71	7.40	35.52			
AV	5.1372G	46.80	54.00	-7.20	42.20	3	Horizontal	344	2.60	-	32.73	7.39	35.52			
PK	5.1768G	104.50	Inf	-Inf	99.83	3	Horizontal	344	2.60	-	32.75	7.43	35.51			
AV	5.1768G	91.64	Inf	-Inf	86.97	3	Horizontal	344	2.60	-	32.75	7.43	35.51			
PK	5.3868G	68.03	74.00	-5.97	63.27	3	Horizontal	344	2.60	-	32.67	7.54	35.45			
AV	5.3592G	47.59	54.00	-6.41	42.90	3	Horizontal	344	2.60	-	32.62	7.53	35.46			
PK	5.4624G	60.61	68.20	-7.59	55.84	3	Horizontal	344	2.60	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 14
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5186G	54.03	68.20	-14.17	71.17	3	Vertical	55	2.65	-	38.57	10.42	66.13			
PK	15.72228G	57.28	74.00	-16.72	70.00	3	Vertical	196	1.30	-	37.74	12.34	62.80			
AV	15.7764G	42.24	54.00	-11.76	54.87	3	Vertical	196	1.30	-	37.85	12.36	62.84			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 14
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49352G	54.20	68.20	-14.00	71.41	3	Horizontal	171	2.48	-	38.50	10.41	66.12			
PK	15.72G	57.18	74.00	-16.82	69.90	3	Horizontal	216	1.90	-	37.74	12.34	62.80			
AV	15.77268G	42.14	54.00	-11.86	54.77	3	Horizontal	216	1.90	-	37.85	12.35	62.83			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 17.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1264G	70.06	74.00	-3.94	65.45	3	Vertical	296	3.00	-	32.75	7.38	35.52			
AV	5.15G	51.32	54.00	-2.68	46.74	3	Vertical	296	3.00	-	32.70	7.40	35.52			
AV	5.1768G	94.49	Inf	-Inf	89.82	3	Vertical	296	3.00	-	32.75	7.43	35.51			
PK	5.2548G	107.08	Inf	-Inf	102.30	3	Vertical	296	3.00	-	32.79	7.48	35.49			
PK	5.3664G	73.96	74.00	-0.04	69.26	3	Vertical	296	3.00	-	32.63	7.53	35.46			
AV	5.358G	49.15	54.00	-4.85	44.46	3	Vertical	296	3.00	-	32.62	7.53	35.46			
PK	5.472G	60.72	68.20	-7.48	55.94	3	Vertical	296	3.00	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 17.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0964G	71.69	74.00	-2.31	67.06	3	Horizontal	342	2.52	-	32.81	7.35	35.53			
AV	5.15G	50.37	54.00	-3.63	45.79	3	Horizontal	342	2.52	-	32.70	7.40	35.52			
AV	5.1768G	95.68	Inf	-Inf	91.01	3	Horizontal	342	2.52	-	32.75	7.43	35.51			
PK	5.2584G	109.16	Inf	-Inf	104.39	3	Horizontal	342	2.52	-	32.78	7.48	35.49			
PK	5.3568G	73.68	74.00	-0.32	69.00	3	Horizontal	342	2.52	-	32.61	7.53	35.46			
AV	5.3556G	48.13	54.00	-5.87	43.45	3	Horizontal	342	2.52	-	32.61	7.53	35.46			
PK	5.4672G	60.42	68.20	-7.78	55.65	3	Horizontal	342	2.52	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51572G	54.51	68.20	-13.69	71.66	3	Vertical	333	1.65	-	38.56	10.42	66.13			
PK	15.73368G	57.33	74.00	-16.67	70.03	3	Vertical	162	1.39	-	37.77	12.34	62.81			
AV	15.77952G	43.13	54.00	-10.87	55.75	3	Vertical	162	1.39	-	37.86	12.36	62.84			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50348G	54.55	68.20	-13.65	71.74	3	Horizontal	7	1.92	-	38.51	10.41	66.11			
PK	15.72168G	57.09	74.00	-16.91	69.81	3	Horizontal	292	2.10	-	37.74	12.34	62.80			
AV	15.77304G	43.22	54.00	-10.78	55.85	3	Horizontal	292	2.10	-	37.85	12.35	62.83			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5290MHz_TX




EUT_Z_4TX
Setting 16.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0956G	59.54	74.00	-14.46	54.60	3	Vertical	159	2.30	-	33.12	7.35	35.53			
AV	5.1476G	46.28	54.00	-7.72	41.40	3	Vertical	159	2.30	-	33.00	7.40	35.52			
PK	5.3132G	112.95	Inf	-Inf	108.01	3	Vertical	159	2.30	-	32.90	7.51	35.47			
AV	5.314G	100.81	Inf	-Inf	95.87	3	Vertical	159	2.30	-	32.90	7.51	35.47			
PK	5.354G	70.93	74.00	-3.07	65.95	3	Vertical	159	2.30	-	32.91	7.53	35.46			
AV	5.354G	49.92	54.00	-4.08	44.94	3	Vertical	159	2.30	-	32.91	7.53	35.46			
PK	5.4644G	59.68	68.20	-8.52	54.64	3	Vertical	159	2.30	-	32.87	7.60	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5290MHz_TX




EUT_Z_4TX
Setting 16.5
05-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	59.78	74.00	-14.22	54.89	3	Horizontal	338	3.00	-	33.01	7.40	35.52			
AV	5.15G	46.07	54.00	-7.93	41.19	3	Horizontal	338	3.00	-	33.00	7.40	35.52			
PK	5.254G	114.66	Inf	-Inf	109.77	3	Horizontal	338	3.00	-	32.90	7.48	35.49			
AV	5.254G	101.29	Inf	-Inf	96.40	3	Horizontal	338	3.00	-	32.90	7.48	35.49			
PK	5.3748G	69.95	74.00	-4.05	64.92	3	Horizontal	338	3.00	-	32.95	7.54	35.46			
AV	5.3532G	49.52	54.00	-4.48	44.54	3	Horizontal	338	3.00	-	32.91	7.53	35.46			
PK	5.4892G	58.99	68.20	-9.21	53.97	3	Horizontal	338	3.00	-	32.82	7.62	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX


5290MHz_TX

EUT_Y_4TX
Setting 16.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57892G	55.18	68.20	-13.02	72.11	3	Vertical	76	1.26	-	38.82	10.44	66.19			
PK	15.88344G	57.27	74.00	-16.73	70.13	3	Vertical	265	2.84	-	37.65	12.39	62.90			
AV	15.88956G	44.00	54.00	-10.00	56.88	3	Vertical	265	2.84	-	37.63	12.39	62.90			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX


5290MHz_TX

EUT_Y_4TX
Setting 16.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60928G	54.81	74.00	-19.19	71.66	3	Horizontal	330	1.47	-	38.91	10.46	66.22			
PK	15.89292G	57.77	74.00	-16.23	70.67	3	Horizontal	209	2.35	-	37.62	12.39	62.91			
AV	15.89904G	43.97	54.00	-10.03	56.88	3	Horizontal	209	2.35	-	37.60	12.40	62.91			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 14
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	71.02	74.00	-2.98	66.43	3	Vertical	160	2.42	-	32.71	7.40	35.52			
AV	5.1132G	47.67	54.00	-6.33	43.06	3	Vertical	160	2.42	-	32.77	7.37	35.53			
PK	5.3136G	106.50	Inf	-Inf	101.79	3	Vertical	160	2.42	-	32.67	7.51	35.47			
AV	5.3136G	94.63	Inf	-Inf	89.92	3	Vertical	160	2.42	-	32.67	7.51	35.47			
PK	5.352G	73.48	74.00	-0.52	68.81	3	Vertical	160	2.42	-	32.60	7.53	35.46			
AV	5.3544G	49.62	54.00	-4.38	44.94	3	Vertical	160	2.42	-	32.61	7.53	35.46			
PK	5.4624G	61.61	68.20	-6.59	56.84	3	Vertical	160	2.42	-	32.60	7.60	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 14
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	73.45	74.00	-0.55	68.84	3	Horizontal	341	2.66	-	32.74	7.39	35.52			
AV	5.1336G	49.88	54.00	-4.12	45.28	3	Horizontal	341	2.66	-	32.73	7.39	35.52			
PK	5.2128G	108.08	Inf	-Inf	103.32	3	Horizontal	341	2.66	-	32.80	7.46	35.50			
AV	5.1732G	95.68	Inf	-Inf	91.02	3	Horizontal	341	2.66	-	32.75	7.42	35.51			
PK	5.3724G	73.94	74.00	-0.06	69.22	3	Horizontal	341	2.66	-	32.64	7.54	35.46			
AV	5.3532G	49.81	54.00	-4.19	45.13	3	Horizontal	341	2.66	-	32.61	7.53	35.46			
PK	5.4732G	62.20	68.20	-6.00	57.42	3	Horizontal	341	2.66	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 14
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50828G	54.89	68.20	-13.31	72.07	3	Vertical	286	1.15	-	38.53	10.41	66.12			
PK	15.74988G	57.33	74.00	-16.67	70.00	3	Vertical	15	2.41	-	37.80	12.35	62.82			
AV	15.77628G	43.13	54.00	-10.87	55.76	3	Vertical	15	2.41	-	37.85	12.36	62.84			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 14
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52616G	54.26	68.20	-13.94	71.38	3	Horizontal	21	2.80	-	38.60	10.42	66.14			
PK	15.75468G	57.30	74.00	-16.70	69.96	3	Horizontal	250	2.84	-	37.81	12.35	62.82			
AV	15.77952G	43.07	54.00	-10.93	55.69	3	Horizontal	250	2.84	-	37.86	12.36	62.84			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_4TX
Setting 16.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0916G	67.68	74.00	-6.32	63.03	3	Vertical	156	2.46	-	32.83	7.35	35.53			
AV	5.1336G	50.14	54.00	-3.86	45.54	3	Vertical	156	2.46	-	32.73	7.39	35.52			
PK	5.2728G	109.63	Inf	-Inf	104.87	3	Vertical	156	2.46	-	32.75	7.49	35.48			
AV	5.2728G	97.28	Inf	-Inf	92.52	3	Vertical	156	2.46	-	32.75	7.49	35.48			
PK	5.3544G	73.62	74.00	-0.38	68.94	3	Vertical	156	2.46	-	32.61	7.53	35.46			
AV	5.3532G	49.35	54.00	-4.65	44.67	3	Vertical	156	2.46	-	32.61	7.53	35.46			
PK	5.4744G	59.79	68.20	-8.41	55.01	3	Vertical	156	2.46	-	32.60	7.61	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 16.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.094G	71.01	74.00	-2.99	66.37	3	Horizontal	339	3.00	-	32.82	7.35	35.53			
AV	5.1348G	50.10	54.00	-3.90	45.50	3	Horizontal	339	3.00	-	32.73	7.39	35.52			
PK	5.1924G	111.53	Inf	-Inf	106.82	3	Horizontal	339	3.00	-	32.78	7.44	35.51			
AV	5.2536G	98.61	Inf	-Inf	93.83	3	Horizontal	339	3.00	-	32.79	7.48	35.49			
PK	5.3532G	73.97	74.00	-0.03	69.29	3	Horizontal	339	3.00	-	32.61	7.53	35.46			
AV	5.3532G	49.99	54.00	-4.01	45.31	3	Horizontal	339	3.00	-	32.61	7.53	35.46			
PK	5.4996G	59.88	68.20	-8.32	55.07	3	Horizontal	339	3.00	-	32.60	7.63	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 16.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47276G	54.35	68.20	-13.85	71.60	3	Vertical	307	1.30	-	38.50	10.40	66.15			
PK	15.77568G	57.72	74.00	-16.28	70.36	3	Vertical	102	1.17	-	37.85	12.35	62.84			
AV	15.7764G	44.06	54.00	-9.94	56.69	3	Vertical	102	1.17	-	37.85	12.36	62.84			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 16.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49796G	54.37	68.20	-13.83	71.57	3	Horizontal	339	1.75	-	38.50	10.41	66.11			
PK	15.76488G	57.58	74.00	-16.42	70.23	3	Horizontal	296	1.60	-	37.83	12.35	62.83			
AV	15.77304G	44.12	54.00	-9.88	56.75	3	Horizontal	296	1.60	-	37.85	12.35	62.83			