


5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

20/06/2024




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

20/06/2024




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

PSD

5570MHz

20/06/2024

CF (Hz)  
5.57G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
16.616  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -2.42     | -2.42     | -7.78     | -8.50     | -8.73     | -8.11     |


5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_4TX

PSD

5570MHz

20/06/2024

CF (Hz)  
5.57G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
30.48  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4


| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -1.34     | -1.34     | -6.58     | -7.26     | -7.57     | -6.87     |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

PSD

5570MHz

20/06/2024



## Test Mode: Mode 6

## Summary

| Mode                                              | PD<br>(dBm/RBW) |
|---------------------------------------------------|-----------------|
| 5.47-5.725GHz                                     | -               |
| 802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX  | 1.79            |
| 802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX | -9.01           |
| 5.725-5.85GHz                                     | -               |
| 802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX  | 0.19            |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                                                    | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | PD<br>(dBm/RBW) | PD Limit<br>(dBm/RBW) |
|---------------------------------------------------------|--------|-------------|---------------------|-----------------|-----------------------|
| 802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX        | -      | -           | -                   | -               | -                     |
| 5530MHz                                                 | Pass   | 3.93        | -7.96               | -7.96           | 11.00                 |
| 5610MHz                                                 | Pass   | 3.93        | -1.62               | -1.62           | 11.00                 |
| 5690MHz Straddle 5.47-5.725GHz                          | Pass   | 3.93        | 1.79                | 1.79            | 11.00                 |
| 5690MHz Straddle 5.725-5.85GHz                          | Pass   | 3.91        | 0.19                | 0.19            | 30.00                 |
| 802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX | -      | -           | -                   | -               | -                     |
| 5570MHz                                                 | Pass   | 3.93        | -9.28               | -9.28           | 11.00                 |
| 802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX       | -      | -           | -                   | -               | -                     |
| 5570MHz                                                 | Pass   | 3.93        | -9.01               | -9.01           | 11.00                 |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.


5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_1TX

PSD

5530MHz

20/06/2024

CF (Hz)  
5.53G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
54.902  
Detector Type  
RMS



| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -7.96    | -7.96    | -7.96    |


5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_1TX

PSD

5610MHz

20/06/2024

CF (Hz)  
5.61G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
54.902  
Detector Type  
RMS




| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -1.62    | -1.62    | -1.62    |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

20/06/2024




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

20/06/2024



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14),RU996+RU484+RU242 CP 7\_1TX

PSD

5570MHz

20/06/2024

CF (Hz)  
5.57G


Span (Hz)  
240M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
54.739

Detector Type  
RMS



Port 1

| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -9.28    | -9.28    | -9.28    |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14),RU996+RU484 CP 2\_1TX

PSD

5570MHz

20/06/2024

CF (Hz)  
5.57G


Span (Hz)  
240M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
54.739

Detector Type  
RMS



Port 1

| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -9.01    | -9.01    | -9.01    |

**Test Mode: Mode 7****Summary**

| Mode                                              | PD<br>(dBm/RBW) |
|---------------------------------------------------|-----------------|
| 5.47-5.725GHz                                     | -               |
| 802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX  | 3.76            |
| 802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX | -4.46           |
| 5.725-5.85GHz                                     | -               |
| 802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX  | 2.13            |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                                                    | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | PD<br>(dBm/RBW) | PD Limit<br>(dBm/RBW) |
|---------------------------------------------------------|--------|-------------|---------------------|---------------------|-----------------|-----------------------|
| 802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX        | -      | -           | -                   | -                   | -               | -                     |
| 5530MHz                                                 | Pass   | 3.93        | -5.45               | -5.01               | -2.35           | 11.00                 |
| 5610MHz                                                 | Pass   | 3.93        | -2.11               | -1.09               | 1.43            | 11.00                 |
| 5690MHz Straddle 5.47-5.725GHz                          | Pass   | 3.93        | 0.34                | 1.26                | 3.76            | 11.00                 |
| 5690MHz Straddle 5.725-5.85GHz                          | Pass   | 3.91        | -1.38               | -0.34               | 2.13            | 30.00                 |
| 802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX | -      | -           | -                   | -                   | -               | -                     |
| 5570MHz                                                 | Pass   | 3.93        | -8.16               | -8.05               | -5.11           | 11.00                 |
| 802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX       | -      | -           | -                   | -                   | -               | -                     |
| 5570MHz                                                 | Pass   | 3.93        | -7.43               | -7.47               | -4.46           | 11.00                 |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.


5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_2TX

PSD

5530MHz

20/06/2024

CF (Hz)  
5.53G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
54.902  
Detector Type  
RMS



Sum  
Port 1  
Port 2

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -2.35    | -2.35    | -5.45    | -5.01    |


5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_2TX

PSD

5610MHz

20/06/2024

CF (Hz)  
5.61G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
54.902  
Detector Type  
RMS



Sum  
Port 1  
Port 2


| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 1.43     | 1.43     | -2.11    | -1.09    |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

20/06/2024




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 3.76     | 3.76     | 0.34     | 1.26     |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

20/06/2024




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 2.13     | 2.13     | -1.38    | -0.34    |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14),RU996+RU484+RU242 CP 7\_2TX

PSD

5570MHz

20/06/2024




| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -5.11     | -5.11     | -8.16     | -8.05     |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14),RU996+RU484 CP 2\_2TX

PSD

5570MHz

20/06/2024



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -4.46     | -4.46     | -7.43     | -7.47     |

## Test Mode: Mode 8

## Summary

| Mode                                              | PD<br>(dBm/RBW) |
|---------------------------------------------------|-----------------|
| 5.47-5.725GHz                                     | -               |
| 802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX  | 4.10            |
| 802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX | -1.95           |
| 5.725-5.85GHz                                     | -               |
| 802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX  | 2.59            |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                                                    | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | Port 3<br>(dBm/RBW) | Port 4<br>(dBm/RBW) | PD<br>(dBm/RBW) | PD Limit<br>(dBm/RBW) |
|---------------------------------------------------------|--------|-------------|---------------------|---------------------|---------------------|---------------------|-----------------|-----------------------|
| 802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX        | -      | -           | -                   | -                   | -                   | -                   | -               | -                     |
| 5530MHz                                                 | Pass   | 5.57        | -3.64               | -3.03               | -4.58               | -4.29               | 2.08            | 11.00                 |
| 5610MHz                                                 | Pass   | 5.57        | -3.14               | -2.63               | -4.31               | -3.95               | 2.47            | 11.00                 |
| 5690MHz Straddle 5.47-5.725GHz                          | Pass   | 5.57        | -1.74               | -0.77               | -2.68               | -2.36               | 4.10            | 11.00                 |
| 5690MHz Straddle 5.725-5.85GHz                          | Pass   | 4.69        | -3.24               | -2.19               | -4.31               | -3.89               | 2.59            | 30.00                 |
| 802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX | -      | -           | -                   | -                   | -                   | -                   | -               | -                     |
| 5570MHz                                                 | Pass   | 5.57        | -8.92               | -8.73               | -10.19              | -9.91               | -3.48           | 11.00                 |
| 802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX       | -      | -           | -                   | -                   | -                   | -                   | -               | -                     |
| 5570MHz                                                 | Pass   | 5.57        | -7.29               | -7.34               | -8.82               | -8.44               | -1.95           | 11.00                 |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
Inf = There's no restriction for the limit.


5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_4TX

PSD

5530MHz

20/06/2024

CF (Hz)  
5.53G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
54.902  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 2.08         | 2.08         | -3.64        | -3.03        | -4.58        | -4.29        |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_4TX

PSD

5610MHz

20/06/2024

CF (Hz)  
5.61G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
54.902  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 2.47         | 2.47         | -3.14        | -2.63        | -4.31        | -3.95        |


Sum  
Port 1  
Port 2  
Port 3  
Port 4

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

20/06/2024




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS14),RU484+RU242 CP 3\_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

20/06/2024



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14),RU996+RU484+RU242 CP 7\_4TX

PSD

5570MHz

20/06/2024

CF (Hz)  
5.57G


Span (Hz)  
240M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
54.739

Detector Type  
RMS



Sum

Port 1

Port 2

Port 3

Port 4

| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -3.48     | -3.48     | -8.92     | -8.73     | -10.19    | -9.91     |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14),RU996+RU484 CP 2\_4TX

PSD

5570MHz

20/06/2024

CF (Hz)  
5.57G


Span (Hz)  
240M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
54.739

Detector Type  
RMS



Sum

Port 1

Port 2

Port 3

Port 4

| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -1.95     | -1.95     | -7.29     | -7.34     | -8.82     | -8.44     |




## ***Radiated Emissions below 1GHz***

## ***Appendix E.1***

### **Summary**


| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 1 | Pass   | QP   | 36.79M       | 35.77             | 40.00             | -4.23          | Vertical  |

### Mode 1



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|--|--|
| QP   | 36.79M       | 35.77             | 40.00             | -4.23          | -10.03           | 3           | Vertical  | 28             | 1.50          | "Worst" | 45.80           | 20.21        | 0.38       | 30.62      |  |  |
| PK   | 48.43M       | 32.88             | 40.00             | -7.12          | -15.86           | 3           | Vertical  | 195            | 1.00          | -       | 48.74           | 14.45        | 0.51       | 30.82      |  |  |
| PK   | 70.74M       | 28.79             | 40.00             | -11.21         | -17.66           | 3           | Vertical  | 52             | 2.00          | -       | 46.45           | 12.41        | 0.66       | 30.73      |  |  |
| PK   | 106.63M      | 28.14             | 43.50             | -15.36         | -12.19           | 3           | Vertical  | 221            | 1.00          | -       | 40.33           | 17.75        | 0.86       | 30.80      |  |  |
| PK   | 902.03M      | 29.61             | 46.00             | -16.39         | -1.98            | 3           | Vertical  | 149            | 1.25          | -       | 31.59           | 26.84        | 3.08       | 31.90      |  |  |
| PK   | 937.92M      | 30.04             | 46.00             | -15.96         | -2.41            | 3           | Vertical  | 0              | 1.00          | -       | 32.45           | 26.62        | 3.18       | 32.21      |  |  |

### Mode 1



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|--|--|
| QP   | 35.82M       | 32.91             | 40.00             | -7.09          | -9.49            | 3           | Horizontal | 360            | 1.00          | "Worst" | 42.40           | 20.79        | 0.37       | 30.65      |  |  |
| PK   | 65.89M       | 27.32             | 40.00             | -12.68         | -17.97           | 3           | Horizontal | 113            | 3.00          | -       | 45.29           | 12.34        | 0.63       | 30.94      |  |  |
| PK   | 70.74M       | 24.05             | 40.00             | -15.95         | -17.66           | 3           | Horizontal | 116            | 2.00          | -       | 41.71           | 12.41        | 0.66       | 30.73      |  |  |
| PK   | 101.78M      | 29.02             | 43.50             | -14.48         | -12.49           | 3           | Horizontal | 116            | 1.25          | -       | 41.51           | 17.39        | 0.83       | 30.71      |  |  |
| PK   | 106.63M      | 34.09             | 43.50             | -9.41          | -12.19           | 3           | Horizontal | 288            | 3.00          | -       | 46.28           | 17.75        | 0.86       | 30.80      |  |  |
| PK   | 937.92M      | 30.56             | 46.00             | -15.44         | -2.41            | 3           | Horizontal | 70             | 3.00          | -       | 32.97           | 26.62        | 3.18       | 32.21      |  |  |




Test Mode: Mode 1

Summary

| Mode                          | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|-------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.47-5.725GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11be EHT20_Nss1(MCS0)_4TX | Pass   | AV   | 11.43945G    | 53.98             | 54.00             | -0.02          | 3           | Vertical  | 353            | 2.85          | -        |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




EUT\_Z\_1TX  
Setting 19  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4552G      | 61.28             | 74.00             | -12.72         | 54.99         | 3           | Vertical  | 298            | 3.00          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.56             | 54.00             | -4.44          | 43.24         | 3           | Vertical  | 298            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4698G      | 67.97             | 68.20             | -0.23          | 61.61         | 3           | Vertical  | 298            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4934G      | 111.87            | Inf               | -Inf           | 105.39        | 3           | Vertical  | 298            | 3.00          | -       | 31.87      | 7.44       | 32.83      |  |  |  |
| AV   | 5.4928G      | 102.84            | Inf               | -Inf           | 96.36         | 3           | Vertical  | 298            | 3.00          | -       | 31.87      | 7.44       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




EUT\_Z\_1TX  
Setting 19  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4584G      | 60.83             | 74.00             | -13.17         | 54.53         | 3           | Horizontal | 356            | 2.58          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 48.60             | 54.00             | -5.40          | 42.28         | 3           | Horizontal | 356            | 2.58          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4672G      | 64.81             | 68.20             | -3.39          | 58.46         | 3           | Horizontal | 356            | 2.58          | -       | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4934G      | 106.84            | Inf               | -Inf           | 100.36        | 3           | Horizontal | 356            | 2.58          | -       | 31.87      | 7.44       | 32.83      |  |  |  |
| AV   | 5.5072G      | 97.91             | Inf               | -Inf           | 91.40         | 3           | Horizontal | 356            | 2.58          | -       | 31.89      | 7.45       | 32.83      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

## 5500MHz\_TX




EUT\_Y\_1TX  
Setting 19  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0037G     | 58.47             | 74.00             | -15.53         | 50.14         | 3           | Vertical  | 0              | 1.80          | -       | 39.99      | 10.57      | 42.23      |  |  |  |
| AV   | 11.0001G     | 46.31             | 54.00             | -7.69          | 37.96         | 3           | Vertical  | 0              | 1.80          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| PK   | 16.49075G    | 60.59             | 68.20             | -7.61          | 49.75         | 3           | Vertical  | 326            | 2.89          | -       | 39.16      | 12.96      | 41.28      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

## 5500MHz\_TX




EUT\_Y\_1TX  
Setting 19  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00375G    | 60.41             | 74.00             | -13.59         | 52.08         | 3           | Horizontal | 22             | 1.80          | -       | 39.99      | 10.57      | 42.23      |  |  |  |
| AV   | 11.0001G     | 47.86             | 54.00             | -6.14          | 39.51         | 3           | Horizontal | 22             | 1.80          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| PK   | 16.5002G     | 59.58             | 68.20             | -8.62          | 48.68         | 3           | Horizontal | 318            | 1.80          | -       | 39.20      | 12.96      | 41.26      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




EUT\_Z\_1TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4512G      | 60.31             | 74.00             | -13.69         | 54.04         | 3           | Vertical  | 115            | 3.00          | -       | 31.70      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 48.19             | 54.00             | -5.81          | 41.87         | 3           | Vertical  | 115            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.47G        | 59.85             | 68.20             | -8.35          | 53.49         | 3           | Vertical  | 115            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5732G      | 114.20            | Inf               | -Inf           | 107.80        | 3           | Vertical  | 115            | 3.00          | -       | 31.75      | 7.50       | 32.85      |  |  |  |
| AV   | 5.5728G      | 105.17            | Inf               | -Inf           | 98.77         | 3           | Vertical  | 115            | 3.00          | -       | 31.75      | 7.50       | 32.85      |  |  |  |
| PK   | 5.742G       | 61.69             | 68.20             | -6.51          | 54.96         | 3           | Vertical  | 115            | 3.00          | -       | 32.08      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




EUT\_Z\_1TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4588G      | 60.39             | 74.00             | -13.61         | 54.08         | 3           | Horizontal | 356            | 2.85          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 47.97             | 54.00             | -6.03          | 41.65         | 3           | Horizontal | 356            | 2.85          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.468G       | 60.16             | 68.20             | -8.04          | 53.81         | 3           | Horizontal | 356            | 2.85          | -       | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5872G      | 111.18            | Inf               | -Inf           | 104.80        | 3           | Horizontal | 356            | 2.85          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| AV   | 5.5828G      | 102.17            | Inf               | -Inf           | 95.79         | 3           | Horizontal | 356            | 2.85          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| PK   | 5.7764G      | 61.60             | 68.20             | -6.60          | 54.80         | 3           | Horizontal | 356            | 2.85          | -       | 32.15      | 7.57       | 32.92      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




EUT\_Y\_1TX  
Setting 18.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.1628G     | 65.04             | 74.00             | -8.96          | 57.32         | 3           | Vertical  | 42             | 2.92          | -       | 39.60      | 10.66      | 42.54      |  |  |  |
| AV   | 11.16015G    | 48.03             | 54.00             | -5.97          | 40.30         | 3           | Vertical  | 42             | 2.92          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| PK   | 16.73472G    | 61.80             | 68.20             | -6.40          | 50.72         | 3           | Vertical  | 350            | 2.98          | -       | 39.78      | 13.04      | 41.74      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




EUT\_Y\_1TX  
Setting 18.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.16072G    | 66.52             | 74.00             | -7.48          | 58.80         | 3           | Horizontal | 68.6           | 2.17          | -       | 39.60      | 10.66      | 42.54      |  |  |  |
| AV   | 11.16G       | 53.88             | 54.00             | -0.12          | 46.15         | 3           | Horizontal | 68.6           | 2.17          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| PK   | 16.73445G    | 61.24             | 68.20             | -6.96          | 50.16         | 3           | Horizontal | 322            | 1.80          | -       | 39.78      | 13.04      | 41.74      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT\_Z\_1TX  
Setting 18.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6933G      | 109.42            | Inf               | -Inf           | 102.80        | 3           | Vertical  | 64             | 2.87          | -       | 31.97      | 7.55       | 32.90      |  |  |  |
| AV   | 5.6933G      | 100.37            | Inf               | -Inf           | 93.75         | 3           | Vertical  | 64             | 2.87          | -       | 31.97      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7251G      | 67.28             | 68.20             | -0.92          | 60.58         | 3           | Vertical  | 64             | 2.87          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT\_Z\_1TX  
Setting 18.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7044G      | 103.25            | Inf               | -Inf           | 96.59         | 3           | Horizontal | 352            | 2.55          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7073G      | 94.32             | Inf               | -Inf           | 87.66         | 3           | Horizontal | 352            | 2.55          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7261G      | 63.34             | 68.20             | -4.86          | 56.64         | 3           | Horizontal | 352            | 2.55          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT\_Y\_1TX  
Setting 18.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4006G     | 65.02             | 74.00             | -8.98          | 57.24         | 3           | Vertical  | 13             | 2.96          | -       | 40.00      | 10.79      | 43.01      |  |  |  |
| AV   | 11.40012G    | 51.91             | 54.00             | -2.09          | 44.12         | 3           | Vertical  | 13             | 2.96          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.10171G    | 59.87             | 68.20             | -8.33          | 48.69         | 3           | Vertical  | 322            | 2.98          | -       | 40.30      | 13.16      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5700MHz\_TX

EUT\_Y\_1TX  
Setting 18.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.40147G    | 64.49             | 74.00             | -9.51          | 56.71         | 3           | Horizontal | 73             | 2.19          | -       | 40.00      | 10.79      | 43.01      |  |  |  |
| AV   | 11.40009G    | 51.73             | 54.00             | -2.27          | 43.94         | 3           | Horizontal | 73             | 2.19          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.10777G    | 59.17             | 68.20             | -9.03          | 47.97         | 3           | Horizontal | 324            | 1.80          | -       | 40.32      | 13.16      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7276G      | 113.39            | Inf               | -Inf           | 106.68        | 3           | Vertical  | 166            | 3.00          | -       | 32.06      | 7.56       | 32.91      |  |  |  |
| AV   | 5.7228G      | 104.16            | Inf               | -Inf           | 97.46         | 3           | Vertical  | 166            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |
| PK   | 5.8732G      | 62.69             | 68.20             | -5.51          | 55.74         | 3           | Vertical  | 166            | 3.00          | -       | 32.29      | 7.62       | 32.96      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7132G      | 109.84            | Inf               | -Inf           | 103.16        | 3           | Horizontal | 353            | 2.76          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7128G      | 100.67            | Inf               | -Inf           | 93.99         | 3           | Horizontal | 353            | 2.76          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| PK   | 5.8916G      | 62.37             | 68.20             | -5.83          | 55.33         | 3           | Horizontal | 353            | 2.76          | -       | 32.37      | 7.63       | 32.96      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 20.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.44162G    | 66.20             | 74.00             | -7.80          | 58.56         | 3           | Vertical  | 13             | 2.89          | -       | 39.92      | 10.81      | 43.09      |  |  |  |
| AV   | 11.43997G    | 53.87             | 54.00             | -0.13          | 46.22         | 3           | Vertical  | 13             | 2.89          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.16384G    | 62.80             | 68.20             | -5.40          | 51.47         | 3           | Vertical  | 325            | 1.80          | -       | 40.43      | 13.18      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 20.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.44066G    | 64.95             | 74.00             | -9.05          | 57.30         | 3           | Horizontal | 72             | 2.30          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| AV   | 11.43997G    | 52.44             | 54.00             | -1.56          | 44.79         | 3           | Horizontal | 72             | 2.30          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.16036G    | 63.55             | 68.20             | -4.65          | 52.23         | 3           | Horizontal | 335            | 2.88          | -       | 40.42      | 13.18      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




EUT\_Z\_1TX  
Setting 17.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4598G      | 64.26             | 74.00             | -9.74          | 57.95         | 3           | Vertical  | 300            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.76             | 54.00             | -4.24          | 43.44         | 3           | Vertical  | 300            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4692G      | 67.49             | 68.20             | -0.71          | 61.13         | 3           | Vertical  | 300            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4944G      | 112.13            | Inf               | -Inf           | 105.64        | 3           | Vertical  | 300            | 3.00          | -       | 31.88      | 7.44       | 32.83      |  |  |  |
| AV   | 5.4913G      | 100.45            | Inf               | -Inf           | 93.97         | 3           | Vertical  | 300            | 3.00          | -       | 31.87      | 7.44       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




EUT\_Z\_1TX  
Setting 17.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4596G      | 61.92             | 74.00             | -12.08         | 55.61         | 3           | Horizontal | 346            | 2.46          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4596G      | 48.64             | 54.00             | -5.36          | 42.33         | 3           | Horizontal | 346            | 2.46          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4666G      | 63.45             | 68.20             | -4.75          | 57.10         | 3           | Horizontal | 346            | 2.46          | -       | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4965G      | 107.11            | Inf               | -Inf           | 100.61        | 3           | Horizontal | 346            | 2.46          | -       | 31.89      | 7.44       | 32.83      |  |  |  |
| AV   | 5.4914G      | 94.90             | Inf               | -Inf           | 88.42         | 3           | Horizontal | 346            | 2.46          | -       | 31.87      | 7.44       | 32.83      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

## 5500MHz\_TX




EUT\_Y\_1TX  
Setting 17.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0063G     | 60.29             | 74.00             | -13.71         | 51.96         | 3           | Vertical  | 350            | 2.98          | -       | 39.99      | 10.57      | 42.23      |  |  |  |
| AV   | 11.0009G     | 47.95             | 54.00             | -6.05          | 39.60         | 3           | Vertical  | 350            | 2.98          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| PK   | 16.4886G     | 58.55             | 68.20             | -9.65          | 47.72         | 3           | Vertical  | 316            | 2.43          | -       | 39.15      | 12.96      | 41.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
Setting 17.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00204G    | 62.92             | 74.00             | -11.08         | 54.57         | 3           | Horizontal | 68             | 2.28          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| AV   | 10.99985G    | 50.38             | 54.00             | -3.62          | 42.03         | 3           | Horizontal | 68             | 2.28          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| PK   | 16.49331G    | 57.59             | 68.20             | -10.61         | 46.73         | 3           | Horizontal | 28             | 1.91          | -       | 39.17      | 12.96      | 41.27      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5580MHz\_TX




EUT\_Z\_1TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4524G      | 59.80             | 74.00             | -14.20         | 53.52         | 3           | Vertical  | 306            | 2.95          | -       | 31.71      | 7.41       | 32.84      |  |  |  |
| AV   | 5.456G       | 48.40             | 54.00             | -5.60          | 42.11         | 3           | Vertical  | 306            | 2.95          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4644G      | 59.92             | 68.20             | -8.28          | 53.58         | 3           | Vertical  | 306            | 2.95          | -       | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5812G      | 118.05            | Inf               | -Inf           | 111.66        | 3           | Vertical  | 306            | 2.95          | -       | 31.74      | 7.51       | 32.86      |  |  |  |
| AV   | 5.5724G      | 107.20            | Inf               | -Inf           | 100.79        | 3           | Vertical  | 306            | 2.95          | -       | 31.76      | 7.50       | 32.85      |  |  |  |
| PK   | 5.776G       | 61.11             | 68.20             | -7.09          | 54.31         | 3           | Vertical  | 306            | 2.95          | -       | 32.15      | 7.57       | 32.92      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5580MHz\_TX




EUT\_Z\_1TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4348G      | 59.78             | 74.00             | -14.22         | 53.58         | 3           | Horizontal | 358            | 2.40          | -       | 31.64      | 7.40       | 32.84      |  |  |  |
| PK   | 5.4636G      | 59.91             | 68.20             | -8.29          | 53.58         | 3           | Horizontal | 358            | 2.40          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| AV   | 5.4528G      | 47.96             | 54.00             | -6.04          | 41.68         | 3           | Horizontal | 358            | 2.40          | -       | 31.71      | 7.41       | 32.84      |  |  |  |
| PK   | 5.5888G      | 112.09            | Inf               | -Inf           | 105.72        | 3           | Horizontal | 358            | 2.40          | -       | 31.72      | 7.51       | 32.86      |  |  |  |
| AV   | 5.588G       | 100.90            | Inf               | -Inf           | 94.53         | 3           | Horizontal | 358            | 2.40          | -       | 31.72      | 7.51       | 32.86      |  |  |  |
| PK   | 5.766G       | 61.05             | 68.20             | -7.15          | 54.27         | 3           | Horizontal | 358            | 2.40          | -       | 32.13      | 7.57       | 32.92      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

## 5580MHz\_TX




EUT\_Y\_1TX  
Setting 19.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.17095G    | 60.02             | 74.00             | -13.98         | 52.32         | 3           | Vertical  | 41             | 2.31          | -       | 39.60      | 10.66      | 42.56      |  |  |  |
| AV   | 11.15975G    | 47.50             | 54.00             | -6.50          | 39.77         | 3           | Vertical  | 41             | 2.31          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| PK   | 16.7324G     | 59.28             | 68.20             | -8.92          | 48.22         | 3           | Vertical  | 185            | 1.66          | -       | 39.76      | 13.04      | 41.74      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5580MHz\_TX




EUT\_Y\_1TX  
Setting 19.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.1575G     | 65.99             | 74.00             | -8.01          | 58.26         | 3           | Horizontal | 70             | 2.20          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| AV   | 11.15995G    | 53.82             | 54.00             | -0.18          | 46.09         | 3           | Horizontal | 70             | 2.20          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| PK   | 16.73435G    | 62.76             | 68.20             | -5.44          | 51.69         | 3           | Horizontal | 320            | 1.80          | -       | 39.77      | 13.04      | 41.74      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT\_Z\_1TX  
Setting 17  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6912G      | 113.25            | Inf               | -Inf           | 106.64        | 3           | Vertical  | 301            | 2.98          | -       | 31.96      | 7.55       | 32.90      |  |  |  |
| AV   | 5.6916G      | 101.73            | Inf               | -Inf           | 95.11         | 3           | Vertical  | 301            | 2.98          | -       | 31.97      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7252G      | 67.78             | 68.20             | -0.42          | 61.08         | 3           | Vertical  | 301            | 2.98          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT\_Z\_1TX  
Setting 17  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7077G      | 107.07            | Inf               | -Inf           | 100.40        | 3           | Horizontal | 342            | 2.45          | -       | 32.02      | 7.55       | 32.90      |  |  |  |
| AV   | 5.6911G      | 95.86             | Inf               | -Inf           | 89.24         | 3           | Horizontal | 342            | 2.45          | -       | 31.96      | 7.55       | 32.89      |  |  |  |
| PK   | 5.7261G      | 63.19             | 68.20             | -5.01          | 56.49         | 3           | Horizontal | 342            | 2.45          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5700MHz\_TX

EUT\_Y\_1TX  
Setting 17  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4099G     | 62.83             | 74.00             | -11.17         | 49.23         | 3           | Horizontal | 133            | 2.34          | -       | 38.80      | 9.43       | 34.63      |  |  |  |
| AV   | 11.39712G    | 48.36             | 54.00             | -5.64          | 34.76         | 3           | Horizontal | 133            | 2.34          | -       | 38.80      | 9.42       | 34.62      |  |  |  |
| PK   | 17.10012G    | 58.91             | 68.20             | -9.29          | 40.64         | 3           | Horizontal | 84             | 1.68          | -       | 41.00      | 12.34      | 35.07      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT\_Y\_1TX  
Setting 17  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.40048G    | 59.34             | 74.00             | -14.66         | 45.74         | 3           | Vertical  | 161            | 2.55          | -       | 38.80      | 9.42       | 34.62      |  |  |  |
| AV   | 11.39475G    | 45.77             | 54.00             | -8.23          | 32.17         | 3           | Vertical  | 161            | 2.55          | -       | 38.80      | 9.42       | 34.62      |  |  |  |
| PK   | 17.10093G    | 58.16             | 68.20             | -10.04         | 39.89         | 3           | Vertical  | 132            | 2.70          | -       | 41.00      | 12.34      | 35.07      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7112G      | 115.89            | Inf               | -Inf           | 109.22        | 3           | Vertical  | 173.5          | 3.00          | -       | 32.02      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7272G      | 104.84            | Inf               | -Inf           | 98.14         | 3           | Vertical  | 173.5          | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |
| PK   | 5.866G       | 61.86             | 68.20             | -6.34          | 54.94         | 3           | Vertical  | 173.5          | 3.00          | -       | 32.26      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.722G       | 110.01            | Inf               | -Inf           | 103.32        | 3           | Horizontal | 356            | 2.65          | -       | 32.04      | 7.56       | 32.91      |  |  |  |
| AV   | 5.7284G      | 99.06             | Inf               | -Inf           | 92.35         | 3           | Horizontal | 356            | 2.65          | -       | 32.06      | 7.56       | 32.91      |  |  |  |
| PK   | 5.8868G      | 62.78             | 68.20             | -5.42          | 55.77         | 3           | Horizontal | 356            | 2.65          | -       | 32.35      | 7.62       | 32.96      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX  
Setting 22  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.44445G    | 67.44             | 74.00             | -6.56          | 59.81         | 3           | Vertical  | 15             | 2.86          | -       | 39.91      | 10.81      | 43.09      |  |  |  |
| AV   | 11.44035G    | 53.67             | 54.00             | -0.33          | 46.02         | 3           | Vertical  | 15             | 2.86          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.16255G    | 65.71             | 68.20             | -2.49          | 54.38         | 3           | Vertical  | 360            | 3.00          | -       | 40.43      | 13.18      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX  
Setting 22  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.44265G    | 66.16             | 74.00             | -7.84          | 58.53         | 3           | Horizontal | 80             | 2.19          | -       | 39.91      | 10.81      | 43.09      |  |  |  |
| AV   | 11.44035G    | 52.61             | 54.00             | -1.39          | 44.96         | 3           | Horizontal | 80             | 2.19          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.1625G     | 63.27             | 68.20             | -4.93          | 51.95         | 3           | Horizontal | 334            | 2.87          | -       | 40.42      | 13.18      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TX




EUT\_Z\_1TX  
Setting 15.5  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.458G       | 65.28             | 74.00             | -8.72          | 58.98         | 3           | Vertical  | 299            | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.459G       | 49.70             | 54.00             | -4.30          | 43.39         | 3           | Vertical  | 299            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4652G      | 67.90             | 68.20             | -0.30          | 61.56         | 3           | Vertical  | 299            | 3.00          | -       | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5244G      | 112.71            | Inf               | -Inf           | 106.24        | 3           | Vertical  | 299            | 3.00          | -       | 31.85      | 7.46       | 32.84      |  |  |  |
| AV   | 5.5132G      | 100.33            | Inf               | -Inf           | 93.84         | 3           | Vertical  | 299            | 3.00          | -       | 31.87      | 7.45       | 32.83      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TX




EUT\_Z\_1TX  
Setting 15.5  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4538G      | 61.54             | 74.00             | -12.46         | 55.25         | 3           | Horizontal | 342            | 2.80          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.459G       | 48.49             | 54.00             | -5.51          | 42.18         | 3           | Horizontal | 342            | 2.80          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4662G      | 63.30             | 68.20             | -4.90          | 56.96         | 3           | Horizontal | 342            | 2.80          | -       | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.519G       | 106.48            | Inf               | -Inf           | 100.00        | 3           | Horizontal | 342            | 2.80          | -       | 31.86      | 7.46       | 32.84      |  |  |  |
| AV   | 5.5274G      | 94.45             | Inf               | -Inf           | 87.97         | 3           | Horizontal | 342            | 2.80          | -       | 31.85      | 7.47       | 32.84      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




EUT\_Y\_1TX  
Setting 15.5  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.03143G    | 57.41             | 74.00             | -16.59         | 43.64         | 3           | Horizontal | 274            | 2.78          | -       | 38.84      | 9.24       | 34.31      |  |  |  |
| AV   | 11.01988G    | 44.45             | 54.00             | -9.55          | 30.66         | 3           | Horizontal | 274            | 2.78          | -       | 38.86      | 9.23       | 34.30      |  |  |  |
| PK   | 16.52442G    | 56.81             | 68.20             | -11.39         | 40.51         | 3           | Horizontal | 252            | 2.46          | -       | 39.35      | 11.87      | 34.92      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

## 5510MHz\_TX




EUTY\_1TX  
Setting 15.5  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.02702G    | 56.23             | 74.00             | -17.77         | 42.45         | 3           | Vertical  | 174            | 2.61          | -       | 38.85      | 9.23       | 34.30      |  |  |  |
| AV   | 11.0329G     | 44.51             | 54.00             | -9.49          | 30.75         | 3           | Vertical  | 174            | 2.61          | -       | 38.83      | 9.24       | 34.31      |  |  |  |
| PK   | 16.51653G    | 57.80             | 68.20             | -10.40         | 41.51         | 3           | Vertical  | 324            | 2.15          | -       | 39.33      | 11.87      | 34.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




EUT\_Z\_1TX  
Setting 21.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4544G      | 64.79             | 74.00             | -9.21          | 58.50         | 3           | Vertical  | 300            | 3.00          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4596G      | 51.63             | 54.00             | -2.37          | 45.32         | 3           | Vertical  | 300            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.47G        | 67.40             | 68.20             | -0.80          | 61.04         | 3           | Vertical  | 300            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5428G      | 113.53            | Inf               | -Inf           | 107.08        | 3           | Vertical  | 300            | 3.00          | -       | 31.81      | 7.48       | 32.84      |  |  |  |
| AV   | 5.5464G      | 101.96            | Inf               | -Inf           | 95.52         | 3           | Vertical  | 300            | 3.00          | -       | 31.81      | 7.48       | 32.85      |  |  |  |
| PK   | 5.7432G      | 61.26             | 68.20             | -6.94          | 54.52         | 3           | Vertical  | 300            | 3.00          | -       | 32.09      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




EUT\_Z\_1TX  
Setting 21.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4596G      | 61.77             | 74.00             | -12.23         | 55.46         | 3           | Horizontal | 353            | 2.75          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4596G      | 49.76             | 54.00             | -4.24          | 43.45         | 3           | Horizontal | 353            | 2.75          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4672G      | 63.68             | 68.20             | -4.52          | 57.33         | 3           | Horizontal | 353            | 2.75          | -       | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5488G      | 108.92            | Inf               | -Inf           | 102.49        | 3           | Horizontal | 353            | 2.75          | -       | 31.80      | 7.48       | 32.85      |  |  |  |
| AV   | 5.5316G      | 96.68             | Inf               | -Inf           | 90.21         | 3           | Horizontal | 353            | 2.75          | -       | 31.84      | 7.47       | 32.84      |  |  |  |
| PK   | 5.7272G      | 61.93             | 68.20             | -6.27          | 55.23         | 3           | Horizontal | 353            | 2.75          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

## 5550MHz\_TX




EUT\_Y\_1TX  
Setting 21.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.10765G    | 60.80             | 74.00             | -13.20         | 52.83         | 3           | Vertical  | 15             | 3.00          | -       | 39.77      | 10.63      | 42.43      |  |  |  |
| AV   | 11.0966G     | 47.71             | 54.00             | -6.29          | 39.69         | 3           | Vertical  | 15             | 3.00          | -       | 39.81      | 10.62      | 42.41      |  |  |  |
| PK   | 16.66035G    | 59.44             | 68.20             | -8.76          | 48.76         | 3           | Vertical  | 297            | 2.32          | -       | 39.26      | 13.01      | 41.59      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

## 5550MHz\_TX




EUT\_Y\_1TX  
Setting 21.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.1038G     | 62.64             | 74.00             | -11.36         | 54.65         | 3           | Horizontal | 67             | 2.30          | -       | 39.78      | 10.63      | 42.42      |  |  |  |
| AV   | 11.0969G     | 50.18             | 54.00             | -3.82          | 42.16         | 3           | Horizontal | 67             | 2.30          | -       | 39.81      | 10.62      | 42.41      |  |  |  |
| PK   | 16.65545G    | 58.11             | 68.20             | -10.09         | 47.45         | 3           | Horizontal | 197            | 2.62          | -       | 39.23      | 13.01      | 41.58      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT\_Z\_1TX  
Setting 20  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6726G      | 110.09            | Inf               | -Inf           | 103.55        | 3           | Vertical  | 167            | 3.00          | -       | 31.89      | 7.54       | 32.89      |  |  |  |
| AV   | 5.6848G      | 97.13             | Inf               | -Inf           | 90.53         | 3           | Vertical  | 167            | 3.00          | -       | 31.94      | 7.55       | 32.89      |  |  |  |
| PK   | 5.7256G      | 65.99             | 68.20             | -2.21          | 59.29         | 3           | Vertical  | 167            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT\_Z\_1TX  
Setting 20  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6578G      | 106.38            | Inf               | -Inf           | 99.89         | 3           | Horizontal | 354            | 2.75          | -       | 31.83      | 7.54       | 32.88      |  |  |  |
| AV   | 5.652G       | 93.85             | Inf               | -Inf           | 87.38         | 3           | Horizontal | 354            | 2.75          | -       | 31.81      | 7.54       | 32.88      |  |  |  |
| PK   | 5.7254G      | 63.32             | 68.20             | -4.88          | 56.62         | 3           | Horizontal | 354            | 2.75          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT Y\_1TX  
Setting 20  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.3288G     | 62.48             | 74.00             | -11.52         | 54.77         | 3           | Vertical  | 43             | 2.90          | -       | 39.82      | 10.75      | 42.86      |  |  |  |
| AV   | 11.33995G    | 49.88             | 54.00             | -4.12          | 42.15         | 3           | Vertical  | 43             | 2.90          | -       | 39.86      | 10.76      | 42.89      |  |  |  |
| PK   | 17.01605G    | 60.50             | 68.20             | -7.70          | 49.46         | 3           | Vertical  | 11             | 2.30          | -       | 40.20      | 13.13      | 42.29      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT\_Y\_1TX  
Setting 20  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.3317G     | 63.95             | 74.00             | -10.05         | 56.24         | 3           | Horizontal | 64             | 2.30          | -       | 39.83      | 10.75      | 42.87      |  |  |  |
| AV   | 11.3389G     | 50.98             | 54.00             | -3.02          | 43.24         | 3           | Horizontal | 64             | 2.30          | -       | 39.86      | 10.76      | 42.88      |  |  |  |
| PK   | 17.0318G     | 59.43             | 68.20             | -8.77          | 48.29         | 3           | Horizontal | 330            | 2.30          | -       | 40.29      | 13.14      | 42.29      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7128G      | 113.76            | Inf               | -Inf           | 107.08        | 3           | Vertical  | 165            | 3.00          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7072G      | 101.98            | Inf               | -Inf           | 95.32         | 3           | Vertical  | 165            | 3.00          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| PK   | 5.8516G      | 63.49             | 68.20             | -4.71          | 56.62         | 3           | Vertical  | 165            | 3.00          | -       | 32.21      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6956G      | 108.72            | Inf               | -Inf           | 102.09        | 3           | Horizontal | 354            | 2.67          | -       | 31.98      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7088G      | 97.03             | Inf               | -Inf           | 90.36         | 3           | Horizontal | 354            | 2.67          | -       | 32.02      | 7.55       | 32.90      |  |  |  |
| PK   | 5.852G       | 62.18             | 68.20             | -6.02          | 55.31         | 3           | Horizontal | 354            | 2.67          | -       | 32.21      | 7.61       | 32.95      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

## 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 23  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4146G     | 66.66             | 74.00             | -7.34          | 58.92         | 3           | Vertical  | 13             | 2.84          | -       | 39.97      | 10.80      | 43.03      |  |  |  |
| AV   | 11.4201G     | 53.74             | 54.00             | -0.26          | 46.02         | 3           | Vertical  | 13             | 2.84          | -       | 39.96      | 10.80      | 43.04      |  |  |  |
| PK   | 17.1544G     | 66.27             | 68.20             | -1.93          | 54.96         | 3           | Vertical  | 11             | 2.30          | -       | 40.41      | 13.18      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 23  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4204G     | 65.27             | 74.00             | -8.73          | 57.55         | 3           | Horizontal | 69             | 2.30          | -       | 39.96      | 10.80      | 43.04      |  |  |  |
| AV   | 11.42025G    | 52.11             | 54.00             | -1.89          | 44.39         | 3           | Horizontal | 69             | 2.30          | -       | 39.96      | 10.80      | 43.04      |  |  |  |
| PK   | 17.13865G    | 61.16             | 68.20             | -7.04          | 49.89         | 3           | Horizontal | 318            | 2.27          | -       | 40.38      | 13.17      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX

### 5530MHz\_TX




EUT\_Z\_1TX  
Setting 18.5  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3212G      | 60.09             | 68.20             | -8.11          | 53.92         | 3           | Vertical  | 298            | 3.00          | -       | 31.34      | 7.33       | 32.50      |  |  |  |
| AV   | 5.35G        | 47.52             | 54.00             | -6.48          | 41.27         | 3           | Vertical  | 298            | 3.00          | -       | 31.40      | 7.35       | 32.50      |  |  |  |
| PK   | 5.4544G      | 67.32             | 74.00             | -6.68          | 60.66         | 3           | Vertical  | 298            | 3.00          | -       | 31.72      | 7.41       | 32.47      |  |  |  |
| AV   | 5.458G       | 52.06             | 54.00             | -1.94          | 45.39         | 3           | Vertical  | 298            | 3.00          | -       | 31.73      | 7.41       | 32.47      |  |  |  |
| PK   | 5.4664G      | 66.65             | 68.20             | -1.55          | 59.93         | 3           | Vertical  | 298            | 3.00          | -       | 31.77      | 7.42       | 32.47      |  |  |  |
| PK   | 5.527G       | 108.77            | Inf               | -Inf           | 101.91        | 3           | Vertical  | 298            | 3.00          | -       | 31.85      | 7.47       | 32.46      |  |  |  |
| AV   | 5.5672G      | 96.95             | Inf               | -Inf           | 90.14         | 3           | Vertical  | 298            | 3.00          | -       | 31.77      | 7.50       | 32.46      |  |  |  |
| PK   | 5.7862G      | 63.80             | 68.20             | -4.40          | 56.50         | 3           | Vertical  | 298            | 3.00          | -       | 32.17      | 7.58       | 32.45      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX

5530MHz\_TX




EUT\_Z\_1TX  
Setting 18.5  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.329G       | 60.09             | 68.20             | -8.11          | 53.89         | 3           | Horizontal | 350            | 3.00          | -       | 31.36      | 7.34       | 32.50      |  |  |  |
| AV   | 5.35G        | 47.29             | 54.00             | -6.71          | 41.04         | 3           | Horizontal | 350            | 3.00          | -       | 31.40      | 7.35       | 32.50      |  |  |  |
| PK   | 5.4532G      | 60.91             | 74.00             | -13.09         | 54.26         | 3           | Horizontal | 350            | 3.00          | -       | 31.71      | 7.41       | 32.47      |  |  |  |
| AV   | 5.4592G      | 49.62             | 54.00             | -4.38          | 42.94         | 3           | Horizontal | 350            | 3.00          | -       | 31.74      | 7.41       | 32.47      |  |  |  |
| PK   | 5.4652G      | 63.06             | 68.20             | -5.14          | 56.35         | 3           | Horizontal | 350            | 3.00          | -       | 31.76      | 7.42       | 32.47      |  |  |  |
| PK   | 5.5198G      | 102.61            | Inf               | -Inf           | 95.75         | 3           | Horizontal | 350            | 3.00          | -       | 31.86      | 7.46       | 32.46      |  |  |  |
| AV   | 5.4964G      | 90.76             | Inf               | -Inf           | 83.89         | 3           | Horizontal | 350            | 3.00          | -       | 31.89      | 7.44       | 32.46      |  |  |  |
| PK   | 5.8066G      | 61.59             | 68.20             | -6.61          | 54.26         | 3           | Horizontal | 350            | 3.00          | -       | 32.20      | 7.58       | 32.45      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX


5530MHz\_TX

EUT\_Y\_1TX  
Setting 18.5  
01-P-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0547G     | 57.21             | 74.00             | -16.79         | 39.17         | 3           | Vertical  | 16             | 2.22          | -       | 39.89      | 10.60      | 32.45      |  |  |  |
| AV   | 11.0353G     | 44.23             | 54.00             | -9.77          | 26.15         | 3           | Vertical  | 16             | 2.22          | -       | 39.93      | 10.59      | 32.44      |  |  |  |
| PK   | 16.5866G     | 57.63             | 68.20             | -10.57         | 38.18         | 3           | Vertical  | 79             | 1.84          | -       | 38.85      | 12.99      | 32.39      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX

5530MHz\_TX




EUT\_Y\_1TX  
Setting 18.5  
01-P-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0628G     | 57.88             | 74.00             | -16.12         | 39.86         | 3           | Horizontal | 352            | 2.50          | -       | 39.87      | 10.60      | 32.45      |  |  |  |
| AV   | 11.0479G     | 43.96             | 54.00             | -10.04         | 25.90         | 3           | Horizontal | 352            | 2.50          | -       | 39.90      | 10.60      | 32.44      |  |  |  |
| PK   | 16.5825G     | 57.85             | 68.20             | -10.35         | 38.39         | 3           | Horizontal | 222            | 1.62          | -       | 38.87      | 12.99      | 32.40      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX

5610MHz\_TX




EUT\_Z\_1TX  
Setting 20.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4592G      | 63.81             | 74.00             | -10.19         | 57.50         | 3           | Vertical  | 302            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 51.92             | 54.00             | -2.08          | 45.60         | 3           | Vertical  | 302            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4656G      | 64.34             | 68.20             | -3.86          | 58.00         | 3           | Vertical  | 302            | 3.00          | -       | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.6328G      | 109.63            | Inf               | -Inf           | 103.21        | 3           | Vertical  | 302            | 3.00          | -       | 31.77      | 7.53       | 32.88      |  |  |  |
| AV   | 5.6224G      | 97.52             | Inf               | -Inf           | 91.12         | 3           | Vertical  | 302            | 3.00          | -       | 31.74      | 7.53       | 32.87      |  |  |  |
| PK   | 5.7272G      | 68.15             | 68.20             | -0.05          | 61.45         | 3           | Vertical  | 302            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX

5610MHz\_TX




EUT\_Z\_1TX  
Setting 20.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.458G       | 61.62             | 74.00             | -12.38         | 55.32         | 3           | Horizontal | 354            | 2.42          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.77             | 54.00             | -4.23          | 43.45         | 3           | Horizontal | 354            | 2.42          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4632G      | 62.98             | 68.20             | -5.22          | 56.65         | 3           | Horizontal | 354            | 2.42          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5988G      | 104.12            | Inf               | -Inf           | 97.76         | 3           | Horizontal | 354            | 2.42          | -       | 31.70      | 7.52       | 32.86      |  |  |  |
| AV   | 5.5768G      | 91.70             | Inf               | -Inf           | 85.31         | 3           | Horizontal | 354            | 2.42          | -       | 31.75      | 7.50       | 32.86      |  |  |  |
| PK   | 5.732G       | 65.66             | 68.20             | -2.54          | 58.95         | 3           | Horizontal | 354            | 2.42          | -       | 32.06      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX


5610MHz\_TX

EUT Y\_1TX  
Setting 20.5  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.23965G    | 62.02             | 74.00             | -11.98         | 54.33         | 3           | Vertical  | 14             | 3.00          | -       | 39.68      | 10.70      | 42.69      |  |  |  |
| AV   | 11.2392G     | 48.83             | 54.00             | -5.17          | 41.14         | 3           | Vertical  | 14             | 3.00          | -       | 39.68      | 10.70      | 42.69      |  |  |  |
| PK   | 16.83875G    | 62.60             | 68.20             | -5.60          | 51.14         | 3           | Vertical  | 10             | 2.30          | -       | 40.35      | 13.07      | 41.96      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX


5610MHz\_TX

EUT\_Y\_1TX  
Setting 20.5  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.23585G    | 64.82             | 74.00             | -9.18          | 57.13         | 3           | Horizontal | 63             | 2.22          | -       | 39.67      | 10.70      | 42.68      |  |  |  |
| AV   | 11.23995G    | 51.45             | 54.00             | -2.55          | 43.76         | 3           | Horizontal | 63             | 2.22          | -       | 39.68      | 10.70      | 42.69      |  |  |  |
| PK   | 16.8467G     | 60.00             | 68.20             | -8.20          | 48.50         | 3           | Horizontal | 164            | 1.16          | -       | 40.39      | 13.08      | 41.97      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 23  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6616G      | 110.23            | Inf               | -Inf           | 103.72        | 3           | Vertical  | 164            | 3.00          | -       | 31.85      | 7.54       | 32.88      |  |  |  |
| AV   | 5.7088G      | 97.80             | Inf               | -Inf           | 91.13         | 3           | Vertical  | 164            | 3.00          | -       | 32.02      | 7.55       | 32.90      |  |  |  |
| PK   | 5.8512G      | 68.00             | 68.20             | -0.20          | 61.14         | 3           | Vertical  | 164            | 3.00          | -       | 32.20      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 23  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6532G      | 106.55            | Inf               | -Inf           | 100.08        | 3           | Horizontal | 354            | 2.72          | -       | 31.81      | 7.54       | 32.88      |  |  |  |
| AV   | 5.652G       | 94.00             | Inf               | -Inf           | 87.53         | 3           | Horizontal | 354            | 2.72          | -       | 31.81      | 7.54       | 32.88      |  |  |  |
| PK   | 5.8536G      | 65.85             | 68.20             | -2.35          | 58.98         | 3           | Horizontal | 354            | 2.72          | -       | 32.21      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 23  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39785G    | 65.18             | 74.00             | -8.82          | 57.39         | 3           | Vertical  | 13             | 2.83          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| AV   | 11.3984G     | 51.91             | 54.00             | -2.09          | 44.12         | 3           | Vertical  | 13             | 2.83          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.08G       | 62.38             | 68.20             | -5.82          | 51.17         | 3           | Vertical  | 11             | 2.30          | -       | 40.34      | 13.15      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_1TX


5690MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
Setting 23  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.3958G     | 63.35             | 74.00             | -10.65         | 55.57         | 3           | Horizontal | 67             | 2.30          | -       | 39.99      | 10.79      | 43.00      |  |  |  |
| AV   | 11.399G      | 50.68             | 54.00             | -3.32          | 42.89         | 3           | Horizontal | 67             | 2.30          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.0697G     | 58.88             | 68.20             | -9.32          | 47.65         | 3           | Horizontal | 27             | 2.08          | -       | 40.36      | 13.15      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_1TX

### 5570MHz\_TX




EUT\_Z\_1TX  
Setting 15  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1932G      | 59.81             | 68.20             | -8.39          | 53.59         | 3           | Vertical  | 301            | 3.00          | -       | 31.84      | 7.27       | 32.89      |  |  |  |
| PK   | 5.4588G      | 64.30             | 74.00             | -9.70          | 57.99         | 3           | Vertical  | 301            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4588G      | 50.77             | 54.00             | -3.23          | 44.46         | 3           | Vertical  | 301            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.462G       | 65.16             | 68.20             | -3.04          | 58.83         | 3           | Vertical  | 301            | 3.00          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| PK   | 5.51G        | 104.41            | Inf               | -Inf           | 97.91         | 3           | Vertical  | 301            | 3.00          | -       | 31.88      | 7.45       | 32.83      |  |  |  |
| AV   | 5.5844G      | 92.41             | Inf               | -Inf           | 86.03         | 3           | Vertical  | 301            | 3.00          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| PK   | 5.7284G      | 67.77             | 68.20             | -0.43          | 61.06         | 3           | Vertical  | 301            | 3.00          | -       | 32.06      | 7.56       | 32.91      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_1TX

### 5570MHz\_TX




EUT\_Z\_1TX  
Setting 15  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1868G      | 59.67             | 68.20             | -8.53          | 53.41         | 3           | Horizontal | 342            | 2.74          | -       | 31.88      | 7.27       | 32.89      |  |  |  |
| PK   | 5.4588G      | 60.33             | 74.00             | -13.67         | 54.02         | 3           | Horizontal | 342            | 2.74          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4596G      | 49.12             | 54.00             | -4.88          | 42.81         | 3           | Horizontal | 342            | 2.74          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.47G        | 60.55             | 68.20             | -7.65          | 54.19         | 3           | Horizontal | 342            | 2.74          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4956G      | 98.28             | Inf               | -Inf           | 91.79         | 3           | Horizontal | 342            | 2.74          | -       | 31.88      | 7.44       | 32.83      |  |  |  |
| AV   | 5.6028G      | 86.59             | Inf               | -Inf           | 80.22         | 3           | Horizontal | 342            | 2.74          | -       | 31.71      | 7.52       | 32.86      |  |  |  |
| PK   | 5.7268G      | 64.36             | 68.20             | -3.84          | 57.66         | 3           | Horizontal | 342            | 2.74          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_1TX

## 5570MHz\_TX




EUT\_Y\_1TX  
Setting 15  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.13823G    | 55.85             | 74.00             | -18.15         | 42.31         | 3           | Horizontal | 308            | 2.90          | -       | 38.65      | 9.29       | 34.40      |  |  |  |
| AV   | 11.12893G    | 43.87             | 54.00             | -10.13         | 30.29         | 3           | Horizontal | 308            | 2.90          | -       | 38.68      | 9.29       | 34.39      |  |  |  |
| PK   | 16.70007G    | 58.22             | 68.20             | -9.98          | 41.58         | 3           | Horizontal | 199            | 1.30          | -       | 39.60      | 12.01      | 34.97      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_1TX

## 5570MHz\_TX




EUT\_Y\_1TX  
Setting 15  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.14099G    | 55.72             | 74.00             | -18.28         | 42.19         | 3           | Vertical  | 90             | 2.62          | -       | 38.64      | 9.29       | 34.40      |  |  |  |
| AV   | 11.12863G    | 43.81             | 54.00             | -10.19         | 30.22         | 3           | Vertical  | 90             | 2.62          | -       | 38.69      | 9.29       | 34.39      |  |  |  |
| PK   | 16.70928G    | 58.34             | 68.20             | -9.86          | 41.65         | 3           | Vertical  | 130            | 1.23          | -       | 39.64      | 12.02      | 34.97      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 18  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4588G      | 61.97             | 74.00             | -12.03         | 55.66         | 3           | Vertical  | 304            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.23             | 54.00             | -4.77          | 42.91         | 3           | Vertical  | 304            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4697G      | 68.00             | 68.20             | -0.20          | 61.64         | 3           | Vertical  | 304            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5008G      | 111.92            | Inf               | -Inf           | 105.40        | 3           | Vertical  | 304            | 3.00          | -       | 31.90      | 7.45       | 32.83      |  |  |  |
| AV   | 5.5009G      | 102.97            | Inf               | -Inf           | 96.45         | 3           | Vertical  | 304            | 3.00          | -       | 31.90      | 7.45       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 18  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4579G      | 60.59             | 74.00             | -13.41         | 54.29         | 3           | Horizontal | 0              | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4582G      | 48.83             | 54.00             | -5.17          | 42.53         | 3           | Horizontal | 0              | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.467G       | 64.61             | 68.20             | -3.59          | 58.26         | 3           | Horizontal | 0              | 3.00          | -       | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4975G      | 112.50            | Inf               | -Inf           | 106.00        | 3           | Horizontal | 0              | 3.00          | -       | 31.89      | 7.44       | 32.83      |  |  |  |
| AV   | 5.4928G      | 103.50            | Inf               | -Inf           | 97.02         | 3           | Horizontal | 0              | 3.00          | -       | 31.87      | 7.44       | 32.83      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5500MHz\_TX




EUT\_Y\_2TX  
Setting 18  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00055G    | 61.89             | 74.00             | -12.11         | 53.54         | 3           | Vertical  | 25             | 2.56          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| AV   | 11.0001G     | 49.49             | 54.00             | -4.51          | 41.14         | 3           | Vertical  | 25             | 2.56          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| PK   | 16.48735G    | 60.20             | 68.20             | -8.00          | 49.38         | 3           | Vertical  | 38             | 3.00          | -       | 39.15      | 12.96      | 41.29      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5500MHz\_TX




EUT\_Y\_2TX  
Setting 18  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.002G      | 62.44             | 74.00             | -11.56         | 54.09         | 3           | Horizontal | 71             | 2.30          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| AV   | 10.99995G    | 50.57             | 54.00             | -3.43          | 42.22         | 3           | Horizontal | 71             | 2.30          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| PK   | 16.513G      | 59.10             | 68.20             | -9.10          | 48.27         | 3           | Horizontal | 270            | 1.44          | -       | 39.15      | 12.97      | 41.29      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4384G      | 60.30             | 74.00             | -13.70         | 54.09         | 3           | Vertical  | 300            | 2.95          | -       | 31.65      | 7.40       | 32.84      |  |  |  |
| PK   | 5.462G       | 60.49             | 68.20             | -7.71          | 54.16         | 3           | Vertical  | 300            | 2.95          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 48.26             | 54.00             | -5.74          | 41.94         | 3           | Vertical  | 300            | 2.95          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5864G      | 117.72            | Inf               | -Inf           | 111.34        | 3           | Vertical  | 300            | 2.95          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| AV   | 5.5808G      | 108.81            | Inf               | -Inf           | 102.42        | 3           | Vertical  | 300            | 2.95          | -       | 31.74      | 7.51       | 32.86      |  |  |  |
| PK   | 5.7488G      | 61.90             | 68.20             | -6.30          | 55.15         | 3           | Vertical  | 300            | 2.95          | -       | 32.10      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4552G      | 60.10             | 74.00             | -13.90         | 53.81         | 3           | Horizontal | 0              | 2.56          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4568G      | 48.43             | 54.00             | -5.57          | 42.13         | 3           | Horizontal | 0              | 2.56          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4636G      | 60.70             | 68.20             | -7.50          | 54.37         | 3           | Horizontal | 0              | 2.56          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5736G      | 118.68            | Inf               | -Inf           | 112.29        | 3           | Horizontal | 0              | 2.56          | -       | 31.75      | 7.50       | 32.86      |  |  |  |
| AV   | 5.5732G      | 109.70            | Inf               | -Inf           | 103.30        | 3           | Horizontal | 0              | 2.56          | -       | 31.75      | 7.50       | 32.85      |  |  |  |
| PK   | 5.7696G      | 61.50             | 68.20             | -6.70          | 54.71         | 3           | Horizontal | 0              | 2.56          | -       | 32.14      | 7.57       | 32.92      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5580MHz\_TX




EUT\_Y\_2TX  
Setting 21  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.16055G    | 64.41             | 74.00             | -9.59          | 56.68         | 3           | Vertical  | 13             | 3.00          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| AV   | 11.15995G    | 52.36             | 54.00             | -1.64          | 44.63         | 3           | Vertical  | 13             | 3.00          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| PK   | 16.74625G    | 64.59             | 68.20             | -3.61          | 53.45         | 3           | Vertical  | 20             | 2.30          | -       | 39.87      | 13.04      | 41.77      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX

EUT\_Y\_2TX  
Setting 21  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.16085G    | 66.46             | 74.00             | -7.54          | 58.74         | 3           | Horizontal | 70             | 2.30          | -       | 39.60      | 10.66      | 42.54      |  |  |  |
| AV   | 11.16005G    | 53.59             | 54.00             | -0.41          | 45.86         | 3           | Horizontal | 70             | 2.30          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| PK   | 16.73705G    | 62.17             | 68.20             | -6.03          | 51.08         | 3           | Horizontal | 61             | 2.30          | -       | 39.80      | 13.04      | 41.75      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7067G      | 109.25            | Inf               | -Inf           | 102.59        | 3           | Vertical  | 166            | 3.00          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7066G      | 100.73            | Inf               | -Inf           | 94.07         | 3           | Vertical  | 166            | 3.00          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7257G      | 67.74             | 68.20             | -0.46          | 61.04         | 3           | Vertical  | 166            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7032G      | 114.39            | Inf               | -Inf           | 107.73        | 3           | Horizontal | 356            | 2.40          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7028G      | 104.36            | Inf               | -Inf           | 97.70         | 3           | Horizontal | 356            | 2.40          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7266G      | 64.09             | 68.20             | -4.11          | 57.39         | 3           | Horizontal | 356            | 2.40          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5700MHz\_TX




EUT\_Y\_2TX  
Setting 18.5  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4007G     | 65.33             | 74.00             | -8.67          | 57.55         | 3           | Vertical  | 14             | 2.82          | -       | 40.00      | 10.79      | 43.01      |  |  |  |
| AV   | 11.40015G    | 53.05             | 54.00             | -0.95          | 45.26         | 3           | Vertical  | 14             | 2.82          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.10765G    | 61.91             | 68.20             | -6.29          | 50.71         | 3           | Vertical  | 12             | 2.30          | -       | 40.32      | 13.16      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Y\_2TX  
Setting 18.5  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4104G     | 64.07             | 74.00             | -9.93          | 56.31         | 3           | Horizontal | 67             | 2.30          | -       | 39.98      | 10.80      | 43.02      |  |  |  |
| AV   | 11.4G        | 52.16             | 54.00             | -1.84          | 44.37         | 3           | Horizontal | 67             | 2.30          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.10755G    | 61.79             | 68.20             | -6.41          | 50.59         | 3           | Horizontal | 13             | 2.30          | -       | 40.32      | 13.16      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7136G      | 114.17            | Inf               | -Inf           | 107.49        | 3           | Vertical  | 91             | 3.00          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7188G      | 105.17            | Inf               | -Inf           | 98.47         | 3           | Vertical  | 91             | 3.00          | -       | 32.04      | 7.56       | 32.90      |  |  |  |
| PK   | 5.9004G      | 61.85             | 68.20             | -6.35          | 54.79         | 3           | Vertical  | 91             | 3.00          | -       | 32.40      | 7.63       | 32.97      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7128G      | 117.50            | Inf               | -Inf           | 110.82        | 3           | Horizontal | 357            | 2.45          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7128G      | 108.82            | Inf               | -Inf           | 102.14        | 3           | Horizontal | 357            | 2.45          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| PK   | 5.8944G      | 61.73             | 68.20             | -6.47          | 54.68         | 3           | Horizontal | 357            | 2.45          | -       | 32.38      | 7.63       | 32.96      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 20.5  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4407G     | 66.62             | 74.00             | -7.38          | 58.97         | 3           | Vertical  | 354            | 2.87          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| AV   | 11.4399G     | 53.96             | 54.00             | -0.04          | 46.31         | 3           | Vertical  | 354            | 2.87          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.1602G     | 66.91             | 68.20             | -1.29          | 55.59         | 3           | Vertical  | 10             | 2.30          | -       | 40.42      | 13.18      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 20.5  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.44065G    | 64.62             | 74.00             | -9.38          | 56.97         | 3           | Horizontal | 66             | 2.30          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| AV   | 11.43995G    | 51.82             | 54.00             | -2.18          | 44.17         | 3           | Horizontal | 66             | 2.30          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.1556G     | 59.40             | 68.20             | -8.80          | 48.09         | 3           | Horizontal | 329            | 2.70          | -       | 40.41      | 13.18      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TX




EUT\_Z\_2TX  
Setting 18  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4598G      | 65.67             | 74.00             | -8.33          | 59.36         | 3           | Vertical  | 305            | 2.89          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4595G      | 50.83             | 54.00             | -3.17          | 44.52         | 3           | Vertical  | 305            | 2.89          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4683G      | 67.40             | 68.20             | -0.80          | 61.05         | 3           | Vertical  | 305            | 2.89          | -       | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.506G       | 114.40            | Inf               | -Inf           | 107.89        | 3           | Vertical  | 305            | 2.89          | -       | 31.89      | 7.45       | 32.83      |  |  |  |
| AV   | 5.5032G      | 102.56            | Inf               | -Inf           | 96.05         | 3           | Vertical  | 305            | 2.89          | -       | 31.89      | 7.45       | 32.83      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TX




EUT\_Z\_2TX  
Setting 18  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4543G      | 62.03             | 74.00             | -11.97         | 55.74         | 3           | Horizontal | 360            | 2.55          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.53             | 54.00             | -4.47          | 43.21         | 3           | Horizontal | 360            | 2.55          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4694G      | 67.93             | 68.20             | -0.27          | 61.57         | 3           | Horizontal | 360            | 2.55          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4923G      | 116.26            | Inf               | -Inf           | 109.78        | 3           | Horizontal | 360            | 2.55          | -       | 31.87      | 7.44       | 32.83      |  |  |  |
| AV   | 5.4913G      | 104.98            | Inf               | -Inf           | 98.50         | 3           | Horizontal | 360            | 2.55          | -       | 31.87      | 7.44       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


5500MHz\_TX

EUT\_Y\_2TX  
Setting 18  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.9802G     | 59.65             | 74.00             | -14.35         | 51.26         | 3           | Vertical  | 320            | 1.09          | -       | 40.08      | 10.56      | 42.25      |  |  |  |
| AV   | 10.98G       | 47.68             | 54.00             | -6.32          | 39.29         | 3           | Vertical  | 320            | 1.09          | -       | 40.08      | 10.56      | 42.25      |  |  |  |
| PK   | 16.52295G    | 57.42             | 68.20             | -10.78         | 46.65         | 3           | Vertical  | 5              | 1.44          | -       | 39.11      | 12.97      | 41.31      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


5500MHz\_TX

EUT\_Y\_2TX  
Setting 18  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0041G     | 62.12             | 74.00             | -11.88         | 53.79         | 3           | Horizontal | 71             | 2.30          | -       | 39.99      | 10.57      | 42.23      |  |  |  |
| AV   | 10.9993G     | 49.52             | 54.00             | -4.48          | 41.17         | 3           | Horizontal | 71             | 2.30          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| PK   | 16.4778G     | 58.19             | 68.20             | -10.01         | 47.43         | 3           | Horizontal | 256            | 2.41          | -       | 39.11      | 12.96      | 41.31      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4588G      | 59.70             | 74.00             | -14.30         | 53.39         | 3           | Vertical  | 304            | 2.95          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 48.40             | 54.00             | -5.60          | 42.08         | 3           | Vertical  | 304            | 2.95          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4652G      | 61.08             | 68.20             | -7.12          | 54.74         | 3           | Vertical  | 304            | 2.95          | -       | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.586G       | 119.15            | Inf               | -Inf           | 112.77        | 3           | Vertical  | 304            | 2.95          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| AV   | 5.5828G      | 108.12            | Inf               | -Inf           | 101.74        | 3           | Vertical  | 304            | 2.95          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| PK   | 5.7584G      | 61.31             | 68.20             | -6.89          | 54.54         | 3           | Vertical  | 304            | 2.95          | -       | 32.12      | 7.57       | 32.92      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4552G      | 61.02             | 74.00             | -12.98         | 54.73         | 3           | Horizontal | 358            | 2.58          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4548G      | 48.34             | 54.00             | -5.66          | 42.05         | 3           | Horizontal | 358            | 2.58          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| PK   | 5.466G       | 60.40             | 68.20             | -7.80          | 54.06         | 3           | Horizontal | 358            | 2.58          | -       | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.572G       | 120.48            | Inf               | -Inf           | 114.07        | 3           | Horizontal | 358            | 2.58          | -       | 31.76      | 7.50       | 32.85      |  |  |  |
| AV   | 5.5712G      | 109.65            | Inf               | -Inf           | 103.24        | 3           | Horizontal | 358            | 2.58          | -       | 31.76      | 7.50       | 32.85      |  |  |  |
| PK   | 5.7732G      | 61.37             | 68.20             | -6.83          | 54.57         | 3           | Horizontal | 358            | 2.58          | -       | 32.15      | 7.57       | 32.92      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

## 5580MHz\_TX




EUT\_Y\_2TX  
Setting 19  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.16245G    | 65.16             | 74.00             | -8.84          | 57.44         | 3           | Vertical  | 14             | 3.00          | -       | 39.60      | 10.66      | 42.54      |  |  |  |
| AV   | 11.16235G    | 52.97             | 54.00             | -1.03          | 45.25         | 3           | Vertical  | 14             | 3.00          | -       | 39.60      | 10.66      | 42.54      |  |  |  |
| PK   | 16.7395G     | 60.52             | 68.20             | -7.68          | 49.41         | 3           | Vertical  | 170            | 2.96          | -       | 39.82      | 13.04      | 41.75      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

## 5580MHz\_TX




EUT\_Y\_2TX  
Setting 19  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.15945G    | 66.48             | 74.00             | -7.52          | 58.75         | 3           | Horizontal | 69             | 2.23          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| AV   | 11.16115G    | 53.66             | 54.00             | -0.34          | 45.94         | 3           | Horizontal | 69             | 2.23          | -       | 39.60      | 10.66      | 42.54      |  |  |  |
| PK   | 16.7407G     | 60.74             | 68.20             | -7.46          | 49.63         | 3           | Horizontal | 322            | 2.30          | -       | 39.83      | 13.04      | 41.76      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7059G      | 114.13            | Inf               | -Inf           | 107.47        | 3           | Vertical  | 306            | 3.00          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7037G      | 102.61            | Inf               | -Inf           | 95.95         | 3           | Vertical  | 306            | 3.00          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7259G      | 65.11             | 68.20             | -3.09          | 58.41         | 3           | Vertical  | 306            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6956G      | 114.98            | Inf               | -Inf           | 108.35        | 3           | Horizontal | 113            | 2.49          | -       | 31.98      | 7.55       | 32.90      |  |  |  |
| AV   | 5.6965G      | 103.60            | Inf               | -Inf           | 96.96         | 3           | Horizontal | 113            | 2.49          | -       | 31.99      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7265G      | 67.03             | 68.20             | -1.17          | 60.33         | 3           | Horizontal | 113            | 2.49          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Y\_2TX  
Setting 18.5  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.38728G    | 59.94             | 74.00             | -14.06         | 46.33         | 3           | Horizontal | 145            | 1.83          | -       | 38.80      | 9.42       | 34.61      |  |  |  |
| AV   | 11.39802G    | 47.43             | 54.00             | -6.57          | 33.83         | 3           | Horizontal | 145            | 1.83          | -       | 38.80      | 9.42       | 34.62      |  |  |  |
| PK   | 17.09928G    | 60.85             | 68.20             | -7.35          | 42.59         | 3           | Horizontal | 99             | 1.00          | -       | 41.00      | 12.33      | 35.07      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Y\_2TX  
Setting 18.5  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39772G    | 60.39             | 74.00             | -13.61         | 46.79         | 3           | Vertical  | 296            | 1.14          | -       | 38.80      | 9.42       | 34.62      |  |  |  |
| AV   | 11.39319G    | 47.51             | 54.00             | -6.49          | 33.91         | 3           | Vertical  | 296            | 1.14          | -       | 38.80      | 9.42       | 34.62      |  |  |  |
| PK   | 17.08968G    | 60.28             | 68.20             | -7.92          | 42.07         | 3           | Vertical  | 306            | 1.08          | -       | 40.94      | 12.33      | 35.06      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

## 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.47G        | 57.86             | 68.20             | -10.34         | 51.50         | 3           | Vertical  | 90             | 2.57          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.714G       | 116.92            | Inf               | -Inf           | 110.24        | 3           | Vertical  | 90             | 2.57          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| AV   | 5.714G       | 105.59            | Inf               | -Inf           | 98.91         | 3           | Vertical  | 90             | 2.57          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| PK   | 5.881G       | 61.90             | 68.20             | -6.30          | 54.92         | 3           | Vertical  | 90             | 2.57          | -       | 32.32      | 7.62       | 32.96      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.47G        | 58.33             | 68.20             | -9.87          | 51.97         | 3           | Horizontal | 357            | 2.51          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.7115G      | 119.83            | Inf               | -Inf           | 113.16        | 3           | Horizontal | 357            | 2.51          | -       | 32.02      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7115G      | 108.16            | Inf               | -Inf           | 101.49        | 3           | Horizontal | 357            | 2.51          | -       | 32.02      | 7.55       | 32.90      |  |  |  |
| PK   | 5.857G       | 62.02             | 68.20             | -6.18          | 55.13         | 3           | Horizontal | 357            | 2.51          | -       | 32.23      | 7.61       | 32.95      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 21  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.42875G    | 66.80             | 74.00             | -7.20          | 59.11         | 3           | Vertical  | 16             | 2.87          | -       | 39.94      | 10.81      | 43.06      |  |  |  |
| AV   | 11.43995G    | 53.92             | 54.00             | -0.08          | 46.27         | 3           | Vertical  | 16             | 2.87          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.15995G    | 67.20             | 68.20             | -1.00          | 55.88         | 3           | Vertical  | 10             | 2.30          | -       | 40.42      | 13.18      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 21  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.43185G    | 64.57             | 74.00             | -9.43          | 56.89         | 3           | Horizontal | 65             | 2.30          | -       | 39.94      | 10.81      | 43.07      |  |  |  |
| AV   | 11.4396G     | 52.00             | 54.00             | -2.00          | 44.35         | 3           | Horizontal | 65             | 2.30          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.1657G     | 64.03             | 68.20             | -4.17          | 52.70         | 3           | Horizontal | 334            | 3.00          | -       | 40.43      | 13.18      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 15  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4556G      | 64.21             | 74.00             | -9.79          | 57.92         | 3           | Vertical  | 298            | 3.00          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4514G      | 50.39             | 54.00             | -3.61          | 44.11         | 3           | Vertical  | 298            | 3.00          | -       | 31.71      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4652G      | 66.97             | 68.20             | -1.23          | 60.63         | 3           | Vertical  | 298            | 3.00          | -       | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5148G      | 113.72            | Inf               | -Inf           | 107.23        | 3           | Vertical  | 298            | 3.00          | -       | 31.87      | 7.46       | 32.84      |  |  |  |
| AV   | 5.5142G      | 102.34            | Inf               | -Inf           | 95.84         | 3           | Vertical  | 298            | 3.00          | -       | 31.87      | 7.46       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 15  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4528G      | 63.03             | 74.00             | -10.97         | 56.75         | 3           | Horizontal | 346            | 2.44          | -       | 31.71      | 7.41       | 32.84      |  |  |  |
| PK   | 5.467G       | 65.49             | 68.20             | -2.71          | 59.14         | 3           | Horizontal | 346            | 2.44          | -       | 31.77      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.13             | 54.00             | -4.87          | 42.81         | 3           | Horizontal | 346            | 2.44          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5154G      | 113.91            | Inf               | -Inf           | 107.42        | 3           | Horizontal | 346            | 2.44          | -       | 31.87      | 7.46       | 32.84      |  |  |  |
| AV   | 5.516G       | 102.03            | Inf               | -Inf           | 95.54         | 3           | Horizontal | 346            | 2.44          | -       | 31.87      | 7.46       | 32.84      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Y\_2TX  
Setting 15  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.01757G    | 56.61             | 74.00             | -17.39         | 42.82         | 3           | Horizontal | 111            | 2.03          | -       | 38.86      | 9.23       | 34.30      |  |  |  |
| AV   | 11.01055G    | 44.48             | 54.00             | -9.52          | 30.66         | 3           | Horizontal | 111            | 2.03          | -       | 38.88      | 9.23       | 34.29      |  |  |  |
| PK   | 16.52814G    | 57.57             | 68.20             | -10.63         | 41.25         | 3           | Horizontal | 352            | 1.06          | -       | 39.36      | 11.88      | 34.92      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 5510MHz\_TX




EUT\_Y\_2TX  
Setting 15  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.02393G    | 56.63             | 74.00             | -17.37         | 42.85         | 3           | Vertical  | 29             | 1.93          | -       | 38.85      | 9.23       | 34.30      |  |  |  |
| AV   | 11.01331G    | 44.57             | 54.00             | -9.43          | 30.76         | 3           | Vertical  | 29             | 1.93          | -       | 38.87      | 9.23       | 34.29      |  |  |  |
| PK   | 16.52916G    | 56.82             | 68.20             | -11.38         | 40.50         | 3           | Vertical  | 214            | 2.43          | -       | 39.36      | 11.88      | 34.92      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4573G      | 62.65             | 74.00             | -11.35         | 56.35         | 3           | Vertical  | 300            | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4594G      | 50.10             | 54.00             | -3.90          | 43.79         | 3           | Vertical  | 300            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4696G      | 67.98             | 68.20             | -0.22          | 61.62         | 3           | Vertical  | 300            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5542G      | 115.02            | Inf               | -Inf           | 108.59        | 3           | Vertical  | 300            | 3.00          | -       | 31.79      | 7.49       | 32.85      |  |  |  |
| AV   | 5.5344G      | 103.06            | Inf               | -Inf           | 96.60         | 3           | Vertical  | 300            | 3.00          | -       | 31.83      | 7.47       | 32.84      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 5550MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4591G      | 66.32             | 74.00             | -7.68          | 60.01         | 3           | Horizontal | 0              | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 51.36             | 54.00             | -2.64          | 45.04         | 3           | Horizontal | 0              | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4699G      | 65.36             | 68.20             | -2.84          | 59.00         | 3           | Horizontal | 0              | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5437G      | 114.15            | Inf               | -Inf           | 107.70        | 3           | Horizontal | 0              | 3.00          | -       | 31.81      | 7.48       | 32.84      |  |  |  |
| AV   | 5.5416G      | 102.80            | Inf               | -Inf           | 96.34         | 3           | Horizontal | 0              | 3.00          | -       | 31.82      | 7.48       | 32.84      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 5550MHz\_TX




EUT\_Y\_2TX  
Setting 21.5  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.11585G    | 59.61             | 74.00             | -14.39         | 51.69         | 3           | Vertical  | 36             | 3.00          | -       | 39.74      | 10.63      | 42.45      |  |  |  |
| AV   | 11.09805G    | 47.57             | 54.00             | -6.43          | 39.56         | 3           | Vertical  | 36             | 3.00          | -       | 39.80      | 10.62      | 42.41      |  |  |  |
| PK   | 16.6681G     | 60.43             | 68.20             | -7.77          | 49.71         | 3           | Vertical  | 199            | 1.56          | -       | 39.31      | 13.02      | 41.61      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 5550MHz\_TX




EUT\_Y\_2TX  
Setting 21.5  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.10445G    | 64.64             | 74.00             | -9.36          | 56.65         | 3           | Horizontal | 67             | 2.18          | -       | 39.78      | 10.63      | 42.42      |  |  |  |
| AV   | 11.0986G     | 51.74             | 54.00             | -2.26          | 43.73         | 3           | Horizontal | 67             | 2.18          | -       | 39.80      | 10.62      | 42.41      |  |  |  |
| PK   | 16.65275G    | 57.97             | 68.20             | -10.23         | 47.31         | 3           | Horizontal | 63             | 1.43          | -       | 39.22      | 13.01      | 41.57      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6572G      | 107.95            | Inf               | -Inf           | 101.46        | 3           | Vertical  | 167            | 2.97          | -       | 31.83      | 7.54       | 32.88      |  |  |  |
| AV   | 5.6752G      | 96.12             | Inf               | -Inf           | 89.57         | 3           | Vertical  | 167            | 2.97          | -       | 31.90      | 7.54       | 32.89      |  |  |  |
| PK   | 5.7254G      | 64.63             | 68.20             | -3.57          | 57.93         | 3           | Vertical  | 167            | 2.97          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


5670MHz\_TX

EUT\_Z\_2TX  
Setting 18.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6638G      | 111.66            | Inf               | -Inf           | 105.15        | 3           | Horizontal | 355            | 2.68          | -       | 31.86      | 7.54       | 32.89      |  |  |  |
| AV   | 5.6798G      | 100.05            | Inf               | -Inf           | 93.48         | 3           | Horizontal | 355            | 2.68          | -       | 31.92      | 7.54       | 32.89      |  |  |  |
| PK   | 5.726G       | 67.12             | 68.20             | -1.08          | 60.42         | 3           | Horizontal | 355            | 2.68          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 5670MHz\_TX




EUT\_Y\_2TX  
Setting 18.5  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.33675G    | 56.90             | 74.00             | -17.10         | 49.17         | 3           | Vertical  | 245            | 1.15          | -       | 39.85      | 10.76      | 42.88      |  |  |  |
| AV   | 11.3635G     | 45.16             | 54.00             | -8.84          | 37.39         | 3           | Vertical  | 245            | 1.15          | -       | 39.93      | 10.77      | 42.93      |  |  |  |
| PK   | 17.03125G    | 58.59             | 68.20             | -9.61          | 47.45         | 3           | Vertical  | 155            | 1.87          | -       | 40.29      | 13.14      | 42.29      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 5670MHz\_TX




EUT\_Y\_2TX  
Setting 18.5  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.3399G     | 62.59             | 74.00             | -11.41         | 54.86         | 3           | Horizontal | 65             | 2.30          | -       | 39.86      | 10.76      | 42.89      |  |  |  |
| AV   | 11.335G      | 49.81             | 54.00             | -4.19          | 42.10         | 3           | Horizontal | 65             | 2.30          | -       | 39.84      | 10.75      | 42.88      |  |  |  |
| PK   | 17.0301G     | 59.09             | 68.20             | -9.11          | 47.97         | 3           | Horizontal | 284            | 2.13          | -       | 40.28      | 13.13      | 42.29      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6928G      | 113.89            | Inf               | -Inf           | 107.27        | 3           | Vertical  | 167            | 3.00          | -       | 31.97      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7164G      | 101.94            | Inf               | -Inf           | 95.26         | 3           | Vertical  | 167            | 3.00          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| PK   | 5.8524G      | 62.66             | 68.20             | -5.54          | 55.79         | 3           | Vertical  | 167            | 3.00          | -       | 32.21      | 7.61       | 32.95      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7G         | 116.88            | Inf               | -Inf           | 110.23        | 3           | Horizontal | 355            | 2.60          | -       | 32.00      | 7.55       | 32.90      |  |  |  |
| AV   | 5.6996G      | 105.08            | Inf               | -Inf           | 98.43         | 3           | Horizontal | 355            | 2.60          | -       | 32.00      | 7.55       | 32.90      |  |  |  |
| PK   | 5.854G       | 62.24             | 68.20             | -5.96          | 55.36         | 3           | Horizontal | 355            | 2.60          | -       | 32.22      | 7.61       | 32.95      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 22  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.40685G    | 65.77             | 74.00             | -8.23          | 58.01         | 3           | Vertical  | 14             | 2.83          | -       | 39.99      | 10.79      | 43.02      |  |  |  |
| AV   | 11.41975G    | 53.20             | 54.00             | -0.80          | 45.48         | 3           | Vertical  | 14             | 2.83          | -       | 39.96      | 10.80      | 43.04      |  |  |  |
| PK   | 17.1474G     | 65.06             | 68.20             | -3.14          | 53.78         | 3           | Vertical  | 11             | 2.30          | -       | 40.39      | 13.17      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 22  
01-R-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.41905G    | 64.78             | 74.00             | -9.22          | 57.06         | 3           | Horizontal | 67             | 2.30          | -       | 39.96      | 10.80      | 43.04      |  |  |  |
| AV   | 11.42G       | 51.45             | 54.00             | -2.55          | 43.73         | 3           | Horizontal | 67             | 2.30          | -       | 39.96      | 10.80      | 43.04      |  |  |  |
| PK   | 17.1199G     | 59.16             | 68.20             | -9.04          | 47.94         | 3           | Horizontal | 63             | 1.58          | -       | 40.34      | 13.16      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 15  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.342G       | 59.69             | 68.20             | -8.51          | 53.83         | 3           | Vertical  | 303            | 3.00          | -       | 31.38      | 7.34       | 32.86      |  |  |  |
| PK   | 5.4585G      | 64.90             | 74.00             | -9.10          | 58.60         | 3           | Vertical  | 303            | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4565G      | 51.40             | 54.00             | -2.60          | 45.10         | 3           | Vertical  | 303            | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4605G      | 64.45             | 68.20             | -3.75          | 58.13         | 3           | Vertical  | 303            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5115G      | 110.25            | Inf               | -Inf           | 103.75        | 3           | Vertical  | 303            | 3.00          | -       | 31.88      | 7.45       | 32.83      |  |  |  |
| AV   | 5.5145G      | 98.06             | Inf               | -Inf           | 91.56         | 3           | Vertical  | 303            | 3.00          | -       | 31.87      | 7.46       | 32.83      |  |  |  |
| PK   | 5.752G       | 61.78             | 68.20             | -6.42          | 55.03         | 3           | Vertical  | 303            | 3.00          | -       | 32.10      | 7.57       | 32.92      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX


5530MHz\_TX

EUT\_Z\_2TX  
Setting 15  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3345G      | 59.12             | 68.20             | -9.08          | 53.27         | 3           | Horizontal | 345            | 3.00          | -       | 31.37      | 7.34       | 32.86      |  |  |  |
| PK   | 5.4575G      | 68.38             | 74.00             | -5.62          | 62.08         | 3           | Horizontal | 345            | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4565G      | 53.58             | 54.00             | -0.42          | 47.28         | 3           | Horizontal | 345            | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4655G      | 68.11             | 68.20             | -0.09          | 61.77         | 3           | Horizontal | 345            | 3.00          | -       | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4965G      | 108.94            | Inf               | -Inf           | 102.44        | 3           | Horizontal | 345            | 3.00          | -       | 31.89      | 7.44       | 32.83      |  |  |  |
| AV   | 5.514G       | 97.75             | Inf               | -Inf           | 91.25         | 3           | Horizontal | 345            | 3.00          | -       | 31.87      | 7.46       | 32.83      |  |  |  |
| PK   | 5.758G       | 61.50             | 68.20             | -6.70          | 54.73         | 3           | Horizontal | 345            | 3.00          | -       | 32.12      | 7.57       | 32.92      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX


5530MHz\_TX

EUT\_Y\_2TX  
Setting 15  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.04809G    | 56.27             | 74.00             | -17.73         | 42.55         | 3           | Horizontal | 92             | 2.30          | -       | 38.80      | 9.24       | 34.32      |  |  |  |
| AV   | 11.06735G    | 44.23             | 54.00             | -9.77          | 30.52         | 3           | Horizontal | 92             | 2.30          | -       | 38.80      | 9.25       | 34.34      |  |  |  |
| PK   | 16.58643G    | 56.51             | 68.20             | -11.69         | 40.19         | 3           | Horizontal | 142            | 1.13          | -       | 39.33      | 11.92      | 34.93      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX


5530MHz\_TX

EUT\_Y\_2TX  
Setting 15  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.06213G    | 56.96             | 74.00             | -17.04         | 43.24         | 3           | Vertical  | 311            | 2.42          | -       | 38.80      | 9.25       | 34.33      |  |  |  |
| AV   | 11.07332G    | 44.17             | 54.00             | -9.83          | 30.45         | 3           | Vertical  | 311            | 2.42          | -       | 38.80      | 9.26       | 34.34      |  |  |  |
| PK   | 16.57965G    | 56.58             | 68.20             | -11.62         | 40.25         | 3           | Vertical  | 300            | 2.29          | -       | 39.34      | 11.92      | 34.93      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 19.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4545G      | 63.16             | 74.00             | -10.84         | 56.87         | 3           | Vertical  | 300            | 3.00          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 50.44             | 54.00             | -3.56          | 44.12         | 3           | Vertical  | 300            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4695G      | 65.98             | 68.20             | -2.22          | 59.62         | 3           | Vertical  | 300            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5935G      | 109.32            | Inf               | -Inf           | 102.95        | 3           | Vertical  | 300            | 3.00          | -       | 31.71      | 7.52       | 32.86      |  |  |  |
| AV   | 5.575G       | 97.25             | Inf               | -Inf           | 90.86         | 3           | Vertical  | 300            | 3.00          | -       | 31.75      | 7.50       | 32.86      |  |  |  |
| PK   | 5.725G       | 68.13             | 68.20             | -0.07          | 61.43         | 3           | Vertical  | 300            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX

## 5610MHz\_TX




EUT\_Z\_2TX  
Setting 19.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4575G      | 62.49             | 74.00             | -11.51         | 56.19         | 3           | Horizontal | 360            | 2.98          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 50.11             | 54.00             | -3.89          | 43.79         | 3           | Horizontal | 360            | 2.98          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4625G      | 63.28             | 68.20             | -4.92          | 56.95         | 3           | Horizontal | 360            | 2.98          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| PK   | 5.6235G      | 108.32            | Inf               | -Inf           | 101.91        | 3           | Horizontal | 360            | 2.98          | -       | 31.75      | 7.53       | 32.87      |  |  |  |
| AV   | 5.582G       | 97.12             | Inf               | -Inf           | 90.73         | 3           | Horizontal | 360            | 2.98          | -       | 31.74      | 7.51       | 32.86      |  |  |  |
| PK   | 5.74G        | 64.92             | 68.20             | -3.28          | 58.19         | 3           | Horizontal | 360            | 2.98          | -       | 32.08      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX


5610MHz\_TX

EUT\_Y\_2TX  
Setting 19.5  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.23615G    | 60.95             | 74.00             | -13.05         | 53.26         | 3           | Vertical  | 15             | 3.00          | -       | 39.67      | 10.70      | 42.68      |  |  |  |
| AV   | 11.23945G    | 47.75             | 54.00             | -6.25          | 40.06         | 3           | Vertical  | 15             | 3.00          | -       | 39.68      | 10.70      | 42.69      |  |  |  |
| PK   | 16.8289G     | 59.13             | 68.20             | -9.07          | 47.68         | 3           | Vertical  | 357            | 2.80          | -       | 40.32      | 13.07      | 41.94      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX

5610MHz\_TX




EUT\_Y\_2TX  
Setting 19.5  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.2359G     | 62.19             | 74.00             | -11.81         | 54.50         | 3           | Horizontal | 73             | 2.30          | -       | 39.67      | 10.70      | 42.68      |  |  |  |
| AV   | 11.2392G     | 48.67             | 54.00             | -5.33          | 40.98         | 3           | Horizontal | 73             | 2.30          | -       | 39.68      | 10.70      | 42.69      |  |  |  |
| PK   | 16.83855G    | 60.40             | 68.20             | -7.80          | 48.94         | 3           | Horizontal | 105            | 1.78          | -       | 40.35      | 13.07      | 41.96      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.459G       | 61.45             | 74.00             | -12.55         | 55.14         | 3           | Vertical  | 168            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.459G       | 48.45             | 54.00             | -5.55          | 42.14         | 3           | Vertical  | 168            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4668G      | 60.17             | 68.20             | -8.03          | 53.82         | 3           | Vertical  | 168            | 3.00          | -       | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.714G       | 109.51            | Inf               | -Inf           | 102.83        | 3           | Vertical  | 168            | 3.00          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| AV   | 5.717G       | 98.34             | Inf               | -Inf           | 91.65         | 3           | Vertical  | 168            | 3.00          | -       | 32.03      | 7.56       | 32.90      |  |  |  |
| PK   | 5.8538G      | 68.13             | 68.20             | -0.07          | 61.25         | 3           | Vertical  | 168            | 3.00          | -       | 32.22      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4584G      | 64.00             | 74.00             | -10.00         | 57.70         | 3           | Horizontal | 356            | 2.43          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4614G      | 63.70             | 68.20             | -4.50          | 57.37         | 3           | Horizontal | 356            | 2.43          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 51.49             | 54.00             | -2.51          | 45.18         | 3           | Horizontal | 356            | 2.43          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.663G       | 113.20            | Inf               | -Inf           | 106.70        | 3           | Horizontal | 356            | 2.43          | -       | 31.85      | 7.54       | 32.89      |  |  |  |
| AV   | 5.6606G      | 101.64            | Inf               | -Inf           | 95.14         | 3           | Horizontal | 356            | 2.43          | -       | 31.84      | 7.54       | 32.88      |  |  |  |
| PK   | 5.8616G      | 66.85             | 68.20             | -1.35          | 59.94         | 3           | Horizontal | 356            | 2.43          | -       | 32.25      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 23.5  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4014G     | 63.21             | 74.00             | -10.79         | 55.43         | 3           | Vertical  | 15             | 2.84          | -       | 40.00      | 10.79      | 43.01      |  |  |  |
| AV   | 11.3989G     | 50.94             | 54.00             | -3.06          | 43.15         | 3           | Vertical  | 15             | 2.84          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.07305G    | 61.86             | 68.20             | -6.34          | 50.64         | 3           | Vertical  | 10             | 2.30          | -       | 40.35      | 13.15      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 23.5  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.3957G     | 63.59             | 74.00             | -10.41         | 55.81         | 3           | Horizontal | 65             | 2.30          | -       | 39.99      | 10.79      | 43.00      |  |  |  |
| AV   | 11.39875G    | 51.03             | 54.00             | -2.97          | 43.24         | 3           | Horizontal | 65             | 2.30          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.0673G     | 59.63             | 68.20             | -8.57          | 48.39         | 3           | Horizontal | 331            | 2.48          | -       | 40.37      | 13.15      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_2TX

## 5570MHz\_TX




EUT\_Z\_2TX  
Setting 16  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3156G      | 59.77             | 68.20             | -8.43          | 53.98         | 3           | Vertical  | 303            | 3.00          | -       | 31.33      | 7.33       | 32.87      |  |  |  |
| PK   | 5.414G       | 60.58             | 74.00             | -13.42         | 54.49         | 3           | Vertical  | -0             | 1.00          | -       | 31.56      | 7.38       | 32.85      |  |  |  |
| PK   | 5.47G        | 61.08             | 68.20             | -7.12          | 54.72         | 3           | Vertical  | 303            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| AV   | 5.4564G      | 49.69             | 54.00             | -4.31          | 43.39         | 3           | Vertical  | 303            | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.5148G      | 104.12            | Inf               | -Inf           | 97.63         | 3           | Vertical  | 303            | 3.00          | -       | 31.87      | 7.46       | 32.84      |  |  |  |
| AV   | 5.514G       | 93.02             | Inf               | -Inf           | 86.52         | 3           | Vertical  | 303            | 3.00          | -       | 31.87      | 7.46       | 32.83      |  |  |  |
| PK   | 5.7268G      | 64.83             | 68.20             | -3.37          | 58.13         | 3           | Vertical  | 303            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_2TX

### 5570MHz\_TX




EUT\_Z\_2TX  
Setting 16  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1828G      | 60.07             | 68.20             | -8.13          | 53.79         | 3           | Horizontal | 343            | 3.00          | -       | 31.90      | 7.27       | 32.89      |  |  |  |
| PK   | 5.4524G      | 61.86             | 74.00             | -12.14         | 55.58         | 3           | Horizontal | -0             | 1.00          | -       | 31.71      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4564G      | 50.24             | 54.00             | -3.76          | 43.94         | 3           | Horizontal | -0             | 1.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4668G      | 61.71             | 68.20             | -6.49          | 55.36         | 3           | Horizontal | 343            | 3.00          | -       | 31.77      | 7.42       | 32.84      |  |  |  |
| AV   | 5.5132G      | 92.74             | Inf               | -Inf           | 86.25         | 3           | Horizontal | 343            | 3.00          | -       | 31.87      | 7.45       | 32.83      |  |  |  |
| PK   | 5.594G       | 104.89            | Inf               | -Inf           | 98.52         | 3           | Horizontal | 343            | 3.00          | -       | 31.71      | 7.52       | 32.86      |  |  |  |
| PK   | 5.7412G      | 62.66             | 68.20             | -5.54          | 55.93         | 3           | Horizontal | 343            | 3.00          | -       | 32.08      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_2TX


5570MHz\_TX

EUT\_Y\_2TX  
Setting 16  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.12632G    | 56.40             | 74.00             | -17.60         | 42.82         | 3           | Horizontal | 107            | 2.22          | -       | 38.69      | 9.28       | 34.39      |  |  |  |
| AV   | 11.12749G    | 44.07             | 54.00             | -9.93          | 30.48         | 3           | Horizontal | 107            | 2.22          | -       | 38.69      | 9.29       | 34.39      |  |  |  |
| PK   | 16.70145G    | 58.83             | 68.20             | -9.37          | 42.18         | 3           | Horizontal | 147            | 2.39          | -       | 39.61      | 12.01      | 34.97      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_2TX

## 5570MHz\_TX




EUT\_Y\_2TX  
Setting 16  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.12941G    | 55.71             | 74.00             | -18.29         | 42.13         | 3           | Vertical  | 237            | 2.79          | -       | 38.68      | 9.29       | 34.39      |  |  |  |
| AV   | 11.12611G    | 43.98             | 54.00             | -10.02         | 30.39         | 3           | Vertical  | 237            | 2.79          | -       | 38.70      | 9.28       | 34.39      |  |  |  |
| PK   | 16.70934G    | 58.16             | 68.20             | -10.04         | 41.47         | 3           | Vertical  | 113            | 2.28          | -       | 39.64      | 12.02      | 34.97      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




EUT\_Z\_4TX  
Setting 19  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4596G      | 62.27             | 74.00             | -11.73         | 55.96         | 3           | Vertical  | 318            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.77             | 54.00             | -4.23          | 43.45         | 3           | Vertical  | 318            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4668G      | 68.08             | 68.20             | -0.12          | 61.73         | 3           | Vertical  | 318            | 3.00          | -       | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5068G      | 115.45            | Inf               | -Inf           | 108.94        | 3           | Vertical  | 318            | 3.00          | -       | 31.89      | 7.45       | 32.83      |  |  |  |
| AV   | 5.5068G      | 106.87            | Inf               | -Inf           | 100.36        | 3           | Vertical  | 318            | 3.00          | -       | 31.89      | 7.45       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




EUT\_Z\_4TX  
Setting 19  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4529G      | 62.37             | 74.00             | -11.63         | 56.09         | 3           | Horizontal | 345            | 3.00          | -       | 31.71      | 7.41       | 32.84      |  |  |  |
| PK   | 5.463G       | 67.24             | 68.20             | -0.96          | 60.91         | 3           | Horizontal | 345            | 3.00          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 50.28             | 54.00             | -3.72          | 43.96         | 3           | Horizontal | 345            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5027G      | 117.95            | Inf               | -Inf           | 111.44        | 3           | Horizontal | 345            | 3.00          | -       | 31.89      | 7.45       | 32.83      |  |  |  |
| AV   | 5.5029G      | 109.12            | Inf               | -Inf           | 102.61        | 3           | Horizontal | 345            | 3.00          | -       | 31.89      | 7.45       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX

EUT\_Y\_4TX  
Setting 19  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0006G     | 62.46             | 74.00             | -11.54         | 54.11         | 3           | Vertical  | 25             | 3.00          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| AV   | 11.0001G     | 49.78             | 54.00             | -4.22          | 41.43         | 3           | Vertical  | 25             | 3.00          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| PK   | 16.4971G     | 58.23             | 68.20             | -9.97          | 47.35         | 3           | Vertical  | 21             | 1.74          | -       | 39.19      | 12.96      | 41.27      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX

EUT\_Y\_4TX  
Setting 19  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00065G    | 63.29             | 74.00             | -10.71         | 54.94         | 3           | Horizontal | 72             | 2.30          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| AV   | 11.00005G    | 50.92             | 54.00             | -3.08          | 42.57         | 3           | Horizontal | 72             | 2.30          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| PK   | 16.48435G    | 57.86             | 68.20             | -10.34         | 47.05         | 3           | Horizontal | 299            | 1.55          | -       | 39.14      | 12.96      | 41.29      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




EUT\_Z\_4TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.436G       | 59.65             | 74.00             | -14.35         | 53.45         | 3           | Vertical  | 42             | 3.00          | -       | 31.64      | 7.40       | 32.84      |  |  |  |
| PK   | 5.47G        | 60.09             | 68.20             | -8.11          | 53.73         | 3           | Vertical  | 42             | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| AV   | 5.4544G      | 47.99             | 54.00             | -6.01          | 41.70         | 3           | Vertical  | 42             | 3.00          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| PK   | 5.5872G      | 119.48            | Inf               | -Inf           | 113.10        | 3           | Vertical  | 42             | 3.00          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| AV   | 5.5868G      | 110.76            | Inf               | -Inf           | 104.38        | 3           | Vertical  | 42             | 3.00          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| PK   | 5.738G       | 61.62             | 68.20             | -6.58          | 54.89         | 3           | Vertical  | 42             | 3.00          | -       | 32.08      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




EUT\_Z\_4TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.44G        | 59.92             | 74.00             | -14.08         | 53.70         | 3           | Horizontal | 343            | 3.00          | -       | 31.66      | 7.40       | 32.84      |  |  |  |
| PK   | 5.4636G      | 61.04             | 68.20             | -7.16          | 54.71         | 3           | Horizontal | 343            | 3.00          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 48.46             | 54.00             | -5.54          | 42.14         | 3           | Horizontal | 343            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5828G      | 121.01            | Inf               | -Inf           | 114.63        | 3           | Horizontal | 343            | 3.00          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| AV   | 5.5828G      | 112.40            | Inf               | -Inf           | 106.02        | 3           | Horizontal | 343            | 3.00          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| PK   | 5.758G       | 61.04             | 68.20             | -7.16          | 54.27         | 3           | Horizontal | 343            | 3.00          | -       | 32.12      | 7.57       | 32.92      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX

EUT\_Y\_4TX  
Setting 19  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.16475G    | 64.52             | 74.00             | -9.48          | 56.80         | 3           | Vertical  | 14             | 3.00          | -       | 39.60      | 10.66      | 42.54      |  |  |  |
| AV   | 11.15995G    | 52.34             | 54.00             | -1.66          | 44.61         | 3           | Vertical  | 14             | 3.00          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| PK   | 16.73015G    | 58.63             | 68.20             | -9.57          | 47.58         | 3           | Vertical  | 289            | 1.05          | -       | 39.74      | 13.04      | 41.73      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX

EUT\_Y\_4TX  
Setting 19  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.16045G    | 66.82             | 74.00             | -7.18          | 59.09         | 3           | Horizontal | 68             | 2.14          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| AV   | 11.1601G     | 53.92             | 54.00             | -0.08          | 46.19         | 3           | Horizontal | 68             | 2.14          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| PK   | 16.7443G     | 58.75             | 68.20             | -9.45          | 47.62         | 3           | Horizontal | 27             | 1.32          | -       | 39.85      | 13.04      | 41.76      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




EUT\_Z\_4TX  
Setting 18.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7034G      | 114.06            | Inf               | -Inf           | 107.40        | 3           | Vertical  | 167            | 3.00          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7032G      | 105.78            | Inf               | -Inf           | 99.12         | 3           | Vertical  | 167            | 3.00          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| PK   | 5.725G       | 67.16             | 68.20             | -1.04          | 60.46         | 3           | Vertical  | 167            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




EUT\_Z\_4TX  
Setting 18.5  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7033G      | 115.79            | Inf               | -Inf           | 109.13        | 3           | Horizontal | 338            | 2.97          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7029G      | 106.71            | Inf               | -Inf           | 100.05        | 3           | Horizontal | 338            | 2.97          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7324G      | 66.19             | 68.20             | -2.01          | 59.48         | 3           | Horizontal | 338            | 2.97          | -       | 32.06      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
Setting 18.5  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4002G     | 65.54             | 74.00             | -8.46          | 57.75         | 3           | Vertical  | 15             | 2.83          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| AV   | 11.4G        | 52.85             | 54.00             | -1.15          | 45.06         | 3           | Vertical  | 15             | 2.83          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.12275G    | 58.89             | 68.20             | -9.31          | 47.66         | 3           | Vertical  | 148            | 2.21          | -       | 40.35      | 13.16      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
Setting 18.5  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.40115G    | 64.30             | 74.00             | -9.70          | 56.52         | 3           | Horizontal | 66             | 2.30          | -       | 40.00      | 10.79      | 43.01      |  |  |  |
| AV   | 11.40005G    | 52.10             | 54.00             | -1.90          | 44.31         | 3           | Horizontal | 66             | 2.30          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.1182G     | 58.97             | 68.20             | -9.23          | 47.75         | 3           | Horizontal | 65             | 1.36          | -       | 40.34      | 13.16      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7232G      | 119.02            | Inf               | -Inf           | 112.32        | 3           | Vertical  | 165            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |
| AV   | 5.7228G      | 110.09            | Inf               | -Inf           | 103.39        | 3           | Vertical  | 165            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |
| PK   | 5.9056G      | 61.92             | 68.20             | -6.28          | 54.86         | 3           | Vertical  | 165            | 3.00          | -       | 32.40      | 7.63       | 32.97      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7228G      | 118.99            | Inf               | -Inf           | 112.29        | 3           | Horizontal | 339            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |
| AV   | 5.7228G      | 110.02            | Inf               | -Inf           | 103.32        | 3           | Horizontal | 339            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |
| PK   | 5.8516G      | 62.13             | 68.20             | -6.07          | 55.26         | 3           | Horizontal | 339            | 3.00          | -       | 32.21      | 7.61       | 32.95      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

## 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 20  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4405G     | 66.18             | 74.00             | -7.82          | 58.53         | 3           | Vertical  | 354            | 2.80          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| AV   | 11.44025G    | 53.81             | 54.00             | -0.19          | 46.16         | 3           | Vertical  | 354            | 2.80          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.1675G     | 66.25             | 68.20             | -1.95          | 54.91         | 3           | Vertical  | 12             | 2.30          | -       | 40.44      | 13.18      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 20  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.44055G    | 63.88             | 74.00             | -10.12         | 56.23         | 3           | Horizontal | 67             | 2.30          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| AV   | 11.4399G     | 51.69             | 54.00             | -2.31          | 44.04         | 3           | Horizontal | 67             | 2.30          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.16745G    | 65.63             | 68.20             | -2.57          | 54.30         | 3           | Horizontal | 209            | 2.77          | -       | 40.43      | 13.18      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT\_Z\_4TX  
Setting 18  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4592G      | 62.90             | 74.00             | -11.10         | 56.59         | 3           | Vertical  | 165            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.458G       | 49.57             | 54.00             | -4.43          | 43.27         | 3           | Vertical  | 165            | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4692G      | 66.40             | 68.20             | -1.80          | 60.04         | 3           | Vertical  | 165            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5026G      | 115.84            | Inf               | -Inf           | 109.33        | 3           | Vertical  | 165            | 3.00          | -       | 31.89      | 7.45       | 32.83      |  |  |  |
| AV   | 5.503G       | 104.74            | Inf               | -Inf           | 98.23         | 3           | Vertical  | 165            | 3.00          | -       | 31.89      | 7.45       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT\_Z\_4TX  
Setting 18  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.459G       | 63.52             | 74.00             | -10.48         | 57.21         | 3           | Horizontal | 344            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.77             | 54.00             | -4.23          | 43.45         | 3           | Horizontal | 344            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4616G      | 66.01             | 68.20             | -2.19          | 59.68         | 3           | Horizontal | 344            | 3.00          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5028G      | 119.08            | Inf               | -Inf           | 112.57        | 3           | Horizontal | 344            | 3.00          | -       | 31.89      | 7.45       | 32.83      |  |  |  |
| AV   | 5.5026G      | 107.54            | Inf               | -Inf           | 101.03        | 3           | Horizontal | 344            | 3.00          | -       | 31.89      | 7.45       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5500MHz\_TX

EUT\_Y\_4TX  
Setting 18  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.9985G     | 60.49             | 74.00             | -13.51         | 52.13         | 3           | Vertical  | 25             | 3.00          | -       | 40.01      | 10.57      | 42.22      |  |  |  |
| AV   | 10.9999G     | 48.41             | 54.00             | -5.59          | 40.06         | 3           | Vertical  | 25             | 3.00          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| PK   | 16.483G      | 57.31             | 68.20             | -10.89         | 46.52         | 3           | Vertical  | 190            | 1.46          | -       | 39.13      | 12.96      | 41.30      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 5500MHz\_TX




EUT\_Y\_4TX  
Setting 18  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0093G     | 62.18             | 74.00             | -11.82         | 53.86         | 3           | Horizontal | 70             | 2.30          | -       | 39.98      | 10.58      | 42.24      |  |  |  |
| AV   | 10.9993G     | 49.74             | 54.00             | -4.26          | 41.39         | 3           | Horizontal | 70             | 2.30          | -       | 40.00      | 10.57      | 42.22      |  |  |  |
| PK   | 16.4861G     | 57.27             | 68.20             | -10.93         | 46.46         | 3           | Horizontal | 329            | 1.43          | -       | 39.14      | 12.96      | 41.29      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




EUT\_Z\_4TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.458G       | 60.49             | 74.00             | -13.51         | 54.19         | 3           | Vertical  | 166            | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4592G      | 48.04             | 54.00             | -5.96          | 41.73         | 3           | Vertical  | 166            | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4636G      | 60.03             | 68.20             | -8.17          | 53.70         | 3           | Vertical  | 166            | 3.00          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| PK   | 5.584G       | 120.58            | Inf               | -Inf           | 114.20        | 3           | Vertical  | 166            | 3.00          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| AV   | 5.5828G      | 110.20            | Inf               | -Inf           | 103.82        | 3           | Vertical  | 166            | 3.00          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| PK   | 5.7688G      | 61.33             | 68.20             | -6.87          | 54.54         | 3           | Vertical  | 166            | 3.00          | -       | 32.14      | 7.57       | 32.92      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT\_Z\_4TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.46G        | 60.42             | 74.00             | -13.58         | 54.10         | 3           | Horizontal | 342            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 48.46             | 54.00             | -5.54          | 42.14         | 3           | Horizontal | 342            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.464G       | 60.71             | 68.20             | -7.49          | 54.37         | 3           | Horizontal | 342            | 3.00          | -       | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.582G       | 123.13            | Inf               | -Inf           | 116.74        | 3           | Horizontal | 342            | 3.00          | -       | 31.74      | 7.51       | 32.86      |  |  |  |
| AV   | 5.5832G      | 112.18            | Inf               | -Inf           | 105.80        | 3           | Horizontal | 342            | 3.00          | -       | 31.73      | 7.51       | 32.86      |  |  |  |
| PK   | 5.7476G      | 61.31             | 68.20             | -6.89          | 54.56         | 3           | Horizontal | 342            | 3.00          | -       | 32.10      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5580MHz\_TX

EUT\_Y\_4TX  
Setting 20  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.1667G     | 62.94             | 74.00             | -11.06         | 55.23         | 3           | Vertical  | 14             | 3.00          | -       | 39.60      | 10.66      | 42.55      |  |  |  |
| AV   | 11.1645G     | 50.74             | 54.00             | -3.26          | 43.02         | 3           | Vertical  | 14             | 3.00          | -       | 39.60      | 10.66      | 42.54      |  |  |  |
| PK   | 16.7444G     | 64.21             | 68.20             | -3.99          | 53.07         | 3           | Vertical  | 10             | 2.30          | -       | 39.86      | 13.04      | 41.76      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 5580MHz\_TX




EUT\_Y\_4TX  
Setting 20  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.1732G     | 66.20             | 74.00             | -7.80          | 58.49         | 3           | Horizontal | 69             | 2.15          | -       | 39.60      | 10.67      | 42.56      |  |  |  |
| AV   | 11.1596G     | 53.94             | 54.00             | -0.06          | 46.21         | 3           | Horizontal | 69             | 2.15          | -       | 39.60      | 10.66      | 42.53      |  |  |  |
| PK   | 16.7532G     | 61.32             | 68.20             | -6.88          | 50.14         | 3           | Horizontal | 327            | 2.57          | -       | 39.92      | 13.04      | 41.78      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Z\_4TX  
Setting 16  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7078G      | 118.31            | Inf               | -Inf           | 111.64        | 3           | Vertical  | 46             | 3.00          | -       | 32.02      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7075G      | 106.38            | Inf               | -Inf           | 99.71         | 3           | Vertical  | 46             | 3.00          | -       | 32.02      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7255G      | 67.99             | 68.20             | -0.21          | 61.29         | 3           | Vertical  | 46             | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Z\_4TX  
Setting 16  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7021G      | 116.88            | Inf               | -Inf           | 110.23        | 3           | Horizontal | 343            | 3.00          | -       | 32.00      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7029G      | 106.30            | Inf               | -Inf           | 99.64         | 3           | Horizontal | 343            | 3.00          | -       | 32.01      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7256G      | 64.70             | 68.20             | -3.50          | 58.00         | 3           | Horizontal | 343            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
Setting 16  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.38986G    | 57.81             | 74.00             | -16.19         | 44.21         | 3           | Horizontal | 332            | 2.91          | -       | 38.80      | 9.42       | 34.62      |  |  |  |
| AV   | 11.402G      | 45.48             | 54.00             | -8.52          | 31.88         | 3           | Horizontal | 332            | 2.91          | -       | 38.80      | 9.43       | 34.63      |  |  |  |
| PK   | 17.09304G    | 58.46             | 68.20             | -9.74          | 40.23         | 3           | Horizontal | 236            | 1.62          | -       | 40.96      | 12.33      | 35.06      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5700MHz\_TX

EUT\_Y\_4TX  
Setting 16  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39028G    | 56.85             | 74.00             | -17.15         | 43.25         | 3           | Vertical  | 253            | 2.71          | -       | 38.80      | 9.42       | 34.62      |  |  |  |
| AV   | 11.41446G    | 45.43             | 54.00             | -8.57          | 31.84         | 3           | Vertical  | 253            | 2.71          | -       | 38.80      | 9.43       | 34.64      |  |  |  |
| PK   | 17.09115G    | 57.98             | 68.20             | -10.22         | 39.76         | 3           | Vertical  | 345            | 2.50          | -       | 40.95      | 12.33      | 35.06      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7228G      | 120.14            | Inf               | -Inf           | 113.44        | 3           | Vertical  | 164            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |
| AV   | 5.7232G      | 109.63            | Inf               | -Inf           | 102.93        | 3           | Vertical  | 164            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |
| PK   | 5.8936G      | 61.67             | 68.20             | -6.53          | 54.63         | 3           | Vertical  | 164            | 3.00          | -       | 32.37      | 7.63       | 32.96      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.716G       | 121.06            | Inf               | -Inf           | 114.38        | 3           | Horizontal | 7              | 2.91          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7152G      | 109.92            | Inf               | -Inf           | 103.24        | 3           | Horizontal | 7              | 2.91          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| PK   | 5.8844G      | 61.98             | 68.20             | -6.22          | 54.98         | 3           | Horizontal | 7              | 2.91          | -       | 32.34      | 7.62       | 32.96      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 20.5  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.44445G    | 65.86             | 74.00             | -8.14          | 58.23         | 3           | Vertical  | 353            | 2.85          | -       | 39.91      | 10.81      | 43.09      |  |  |  |
| AV   | 11.43945G    | 53.98             | 54.00             | -0.02          | 46.33         | 3           | Vertical  | 353            | 2.85          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.1627G     | 65.80             | 68.20             | -2.40          | 54.47         | 3           | Vertical  | 9              | 2.30          | -       | 40.43      | 13.18      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 20.5  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.43985G    | 65.57             | 74.00             | -8.43          | 57.92         | 3           | Horizontal | 68             | 2.30          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| AV   | 11.4405G     | 52.83             | 54.00             | -1.17          | 45.18         | 3           | Horizontal | 68             | 2.30          | -       | 39.92      | 10.81      | 43.08      |  |  |  |
| PK   | 17.1774G     | 61.55             | 68.20             | -6.65          | 50.20         | 3           | Horizontal | 319            | 2.26          | -       | 40.45      | 13.18      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




EUT\_Z\_4TX  
Setting 13.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4568G      | 63.73             | 74.00             | -10.27         | 57.43         | 3           | Vertical  | 105            | 2.98          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.93             | 54.00             | -4.07          | 43.61         | 3           | Vertical  | 105            | 2.98          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4696G      | 67.03             | 68.20             | -1.17          | 60.67         | 3           | Vertical  | 105            | 2.98          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.528G       | 110.45            | Inf               | -Inf           | 103.98        | 3           | Vertical  | 105            | 2.98          | -       | 31.84      | 7.47       | 32.84      |  |  |  |
| AV   | 5.5076G      | 98.53             | Inf               | -Inf           | 92.03         | 3           | Vertical  | 105            | 2.98          | -       | 31.88      | 7.45       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT\_Z\_4TX  
Setting 13.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4562G      | 61.71             | 74.00             | -12.29         | 55.42         | 3           | Horizontal | 345            | 3.00          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 48.84             | 54.00             | -5.16          | 42.52         | 3           | Horizontal | 345            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4698G      | 63.03             | 68.20             | -5.17          | 56.67         | 3           | Horizontal | 345            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.493G       | 114.45            | Inf               | -Inf           | 107.97        | 3           | Horizontal | 345            | 3.00          | -       | 31.87      | 7.44       | 32.83      |  |  |  |
| AV   | 5.493G       | 100.99            | Inf               | -Inf           | 94.51         | 3           | Horizontal | 345            | 3.00          | -       | 31.87      | 7.44       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5510MHz\_TX

EUT\_Y\_4TX  
Setting 13.5  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0079G     | 56.61             | 74.00             | -17.39         | 48.30         | 3           | Vertical  | 298            | 2.00          | -       | 39.98      | 10.57      | 42.24      |  |  |  |
| AV   | 11.0176G     | 44.48             | 54.00             | -9.52          | 36.19         | 3           | Vertical  | 298            | 2.00          | -       | 39.96      | 10.58      | 42.25      |  |  |  |
| PK   | 16.5179G     | 57.02             | 68.20             | -11.18         | 46.22         | 3           | Vertical  | 191            | 2.90          | -       | 39.13      | 12.97      | 41.30      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
01-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0433G     | 57.03             | 74.00             | -16.97         | 48.83         | 3           | Horizontal | 204            | 1.35          | -       | 39.91      | 10.59      | 42.30      |  |  |  |
| AV   | 11.01165G    | 44.40             | 54.00             | -9.60          | 36.08         | 3           | Horizontal | 204            | 1.35          | -       | 39.98      | 10.58      | 42.24      |  |  |  |
| PK   | 16.5217G     | 58.27             | 68.20             | -9.93          | 47.49         | 3           | Horizontal | 219            | 2.95          | -       | 39.11      | 12.97      | 41.30      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




EUT\_Z\_4TX  
Setting 21  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4513G      | 61.56             | 74.00             | -12.44         | 55.28         | 3           | Vertical  | 166            | 3.00          | -       | 31.71      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4657G      | 65.17             | 68.20             | -3.03          | 58.83         | 3           | Vertical  | 166            | 3.00          | -       | 31.76      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.77             | 54.00             | -4.23          | 43.45         | 3           | Vertical  | 166            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.553G       | 116.31            | Inf               | -Inf           | 109.89        | 3           | Vertical  | 166            | 3.00          | -       | 31.79      | 7.48       | 32.85      |  |  |  |
| AV   | 5.553G       | 105.62            | Inf               | -Inf           | 99.20         | 3           | Vertical  | 166            | 3.00          | -       | 31.79      | 7.48       | 32.85      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




EUT\_Z\_4TX  
Setting 21  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4498G      | 62.92             | 74.00             | -11.08         | 56.65         | 3           | Horizontal | 340            | 3.00          | -       | 31.70      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4693G      | 67.82             | 68.20             | -0.38          | 61.46         | 3           | Horizontal | 340            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 50.91             | 54.00             | -3.09          | 44.59         | 3           | Horizontal | 340            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5539G      | 120.08            | Inf               | -Inf           | 113.65        | 3           | Horizontal | 340            | 3.00          | -       | 31.79      | 7.49       | 32.85      |  |  |  |
| AV   | 5.5533G      | 108.23            | Inf               | -Inf           | 101.81        | 3           | Horizontal | 340            | 3.00          | -       | 31.79      | 7.48       | 32.85      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

## 5550MHz\_TX




EUT\_Y\_4TX  
Setting 21  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.09705G    | 59.68             | 74.00             | -14.32         | 51.66         | 3           | Vertical  | 24             | 3.00          | -       | 39.81      | 10.62      | 42.41      |  |  |  |
| AV   | 11.09795G    | 47.31             | 54.00             | -6.69          | 39.30         | 3           | Vertical  | 24             | 3.00          | -       | 39.80      | 10.62      | 42.41      |  |  |  |
| PK   | 16.66515G    | 60.13             | 68.20             | -8.07          | 49.42         | 3           | Vertical  | 24             | 2.98          | -       | 39.29      | 13.02      | 41.60      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

## 5550MHz\_TX




EUT\_Y\_4TX  
Setting 21  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0929G     | 62.91             | 74.00             | -11.09         | 54.88         | 3           | Horizontal | 71             | 2.30          | -       | 39.81      | 10.62      | 42.40      |  |  |  |
| AV   | 11.0968G     | 49.69             | 54.00             | -4.31          | 41.67         | 3           | Horizontal | 71             | 2.30          | -       | 39.81      | 10.62      | 42.41      |  |  |  |
| PK   | 16.67295G    | 58.93             | 68.20             | -9.27          | 48.19         | 3           | Horizontal | 314            | 2.30          | -       | 39.34      | 13.02      | 41.62      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Z\_4TX  
Setting 19  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6727G      | 113.99            | Inf               | -Inf           | 107.45        | 3           | Vertical  | 166            | 3.00          | -       | 31.89      | 7.54       | 32.89      |  |  |  |
| AV   | 5.673G       | 102.63            | Inf               | -Inf           | 96.09         | 3           | Vertical  | 166            | 3.00          | -       | 31.89      | 7.54       | 32.89      |  |  |  |
| PK   | 5.7261G      | 64.24             | 68.20             | -3.96          | 57.54         | 3           | Vertical  | 166            | 3.00          | -       | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5670MHz\_TX

EUT\_Z\_4TX  
Setting 19  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6523G      | 116.22            | Inf               | -Inf           | 109.75        | 3           | Horizontal | 342            | 3.00          | -       | 31.81      | 7.54       | 32.88      |  |  |  |
| AV   | 5.6526G      | 104.61            | Inf               | -Inf           | 98.14         | 3           | Horizontal | 342            | 3.00          | -       | 31.81      | 7.54       | 32.88      |  |  |  |
| PK   | 5.7324G      | 68.04             | 68.20             | -0.16          | 61.33         | 3           | Horizontal | 342            | 3.00          | -       | 32.06      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5670MHz\_TX

EUT\_Y\_4TX  
Setting 19  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.3377G     | 61.60             | 74.00             | -12.40         | 53.87         | 3           | Vertical  | 12             | 3.00          | -       | 39.85      | 10.76      | 42.88      |  |  |  |
| AV   | 11.3437G     | 49.43             | 54.00             | -4.57          | 41.69         | 3           | Vertical  | 12             | 3.00          | -       | 39.87      | 10.76      | 42.89      |  |  |  |
| PK   | 16.99845G    | 60.08             | 68.20             | -8.12          | 49.15         | 3           | Vertical  | 10             | 2.25          | -       | 40.10      | 13.12      | 42.29      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5670MHz\_TX

EUT\_Y\_4TX  
Setting 19  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.33795G    | 63.70             | 74.00             | -10.30         | 55.97         | 3           | Horizontal | 73             | 2.13          | -       | 39.85      | 10.76      | 42.88      |  |  |  |
| AV   | 11.33915G    | 50.13             | 54.00             | -3.87          | 42.39         | 3           | Horizontal | 73             | 2.13          | -       | 39.86      | 10.76      | 42.88      |  |  |  |
| PK   | 17.0311G     | 60.21             | 68.20             | -7.99          | 49.07         | 3           | Horizontal | 335            | 2.30          | -       | 40.29      | 13.14      | 42.29      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7128G      | 118.61            | Inf               | -Inf           | 111.93        | 3           | Vertical  | 167            | 3.00          | -       | 32.03      | 7.55       | 32.90      |  |  |  |
| AV   | 5.6932G      | 107.48            | Inf               | -Inf           | 100.86        | 3           | Vertical  | 167            | 3.00          | -       | 31.97      | 7.55       | 32.90      |  |  |  |
| PK   | 5.852G       | 63.21             | 68.20             | -4.99          | 56.34         | 3           | Vertical  | 167            | 3.00          | -       | 32.21      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 26  
01-R-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6928G      | 118.84            | Inf               | -Inf           | 112.22        | 3           | Horizontal | 342            | 3.00          | -       | 31.97      | 7.55       | 32.90      |  |  |  |
| AV   | 5.6924G      | 107.88            | Inf               | -Inf           | 101.26        | 3           | Horizontal | 342            | 3.00          | -       | 31.97      | 7.55       | 32.90      |  |  |  |
| PK   | 5.8532G      | 62.18             | 68.20             | -6.02          | 55.31         | 3           | Horizontal | 342            | 3.00          | -       | 32.21      | 7.61       | 32.95      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

## 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 26  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.42595G    | 66.36             | 74.00             | -7.64          | 58.66         | 3           | Vertical  | 12             | 2.79          | -       | 39.95      | 10.80      | 43.05      |  |  |  |
| AV   | 11.4191G     | 53.68             | 54.00             | -0.32          | 45.96         | 3           | Vertical  | 12             | 2.79          | -       | 39.96      | 10.80      | 43.04      |  |  |  |
| PK   | 17.12745G    | 64.69             | 68.20             | -3.51          | 53.45         | 3           | Vertical  | 12             | 2.30          | -       | 40.35      | 13.17      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 26  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4168G     | 64.14             | 74.00             | -9.86          | 56.41         | 3           | Horizontal | 66             | 2.30          | -       | 39.97      | 10.80      | 43.04      |  |  |  |
| AV   | 11.40955G    | 51.38             | 54.00             | -2.62          | 43.62         | 3           | Horizontal | 66             | 2.30          | -       | 39.98      | 10.80      | 43.02      |  |  |  |
| PK   | 17.144G      | 60.35             | 68.20             | -7.85          | 49.07         | 3           | Horizontal | 324            | 2.63          | -       | 40.39      | 13.17      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX

5530MHz\_TX




EUT\_Z\_4TX  
Setting 17.5  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3275G      | 59.10             | 68.20             | -9.10          | 53.26         | 3           | Vertical  | 57             | 3.00          | -       | 31.36      | 7.34       | 32.86      |  |  |  |
| PK   | 5.458G       | 64.67             | 74.00             | -9.33          | 58.37         | 3           | Vertical  | 57             | 3.00          | -       | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4615G      | 65.47             | 68.20             | -2.73          | 59.14         | 3           | Vertical  | 57             | 3.00          | -       | 31.75      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 51.42             | 54.00             | -2.58          | 45.10         | 3           | Vertical  | 57             | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.561G       | 112.24            | Inf               | -Inf           | 105.82        | 3           | Vertical  | 57             | 3.00          | -       | 31.78      | 7.49       | 32.85      |  |  |  |
| AV   | 5.5605G      | 99.57             | Inf               | -Inf           | 93.15         | 3           | Vertical  | 57             | 3.00          | -       | 31.78      | 7.49       | 32.85      |  |  |  |
| PK   | 5.776G       | 61.53             | 68.20             | -6.67          | 54.73         | 3           | Vertical  | 57             | 3.00          | -       | 32.15      | 7.57       | 32.92      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX

5530MHz\_TX




EUT\_Z\_4TX  
Setting 17.5  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3435G      | 58.94             | 68.20             | -9.26          | 53.07         | 3           | Horizontal | 341            | 2.98          | -       | 31.39      | 7.34       | 32.86      |  |  |  |
| PK   | 5.4545G      | 66.99             | 74.00             | -7.01          | 60.70         | 3           | Horizontal | 341            | 2.98          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.454G       | 52.95             | 54.00             | -1.05          | 46.66         | 3           | Horizontal | 341            | 2.98          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| PK   | 5.47G        | 62.91             | 68.20             | -5.29          | 56.55         | 3           | Horizontal | 341            | 2.98          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| AV   | 5.493G       | 101.72            | Inf               | -Inf           | 95.24         | 3           | Horizontal | 341            | 2.98          | -       | 31.87      | 7.44       | 32.83      |  |  |  |
| PK   | 5.555G       | 113.31            | Inf               | -Inf           | 106.88        | 3           | Horizontal | 341            | 2.98          | -       | 31.79      | 7.49       | 32.85      |  |  |  |
| PK   | 5.759G       | 61.33             | 68.20             | -6.87          | 54.56         | 3           | Horizontal | 341            | 2.98          | -       | 32.12      | 7.57       | 32.92      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX


5530MHz\_TX

EUT\_Y\_4TX  
Setting 17.5  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.05496G    | 56.31             | 74.00             | -17.69         | 42.59         | 3           | Horizontal | 195            | 1.45          | -       | 38.80      | 9.25       | 34.33      |  |  |  |
| AV   | 11.06546G    | 44.25             | 54.00             | -9.75          | 30.54         | 3           | Horizontal | 195            | 1.45          | -       | 38.80      | 9.25       | 34.34      |  |  |  |
| PK   | 16.57572G    | 57.06             | 68.20             | -11.14         | 40.73         | 3           | Horizontal | 333            | 2.34          | -       | 39.35      | 11.91      | 34.93      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX


5530MHz\_TX

EUT\_Y\_4TX  
Setting 17.5  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.07386G    | 56.18             | 74.00             | -17.82         | 42.46         | 3           | Vertical  | 300            | 2.71          | -       | 38.80      | 9.26       | 34.34      |  |  |  |
| AV   | 11.07398G    | 44.24             | 54.00             | -9.76          | 30.52         | 3           | Vertical  | 300            | 2.71          | -       | 38.80      | 9.26       | 34.34      |  |  |  |
| PK   | 16.57686G    | 56.38             | 68.20             | -11.82         | 40.05         | 3           | Vertical  | 301            | 2.39          | -       | 39.35      | 11.91      | 34.93      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX

### 5610MHz\_TX




EUT\_Z\_4TX  
Setting 18.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4548G      | 61.19             | 74.00             | -12.81         | 54.90         | 3           | Vertical  | 115            | 3.00          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.43             | 54.00             | -4.57          | 43.11         | 3           | Vertical  | 115            | 3.00          | -       | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.47G        | 63.01             | 68.20             | -5.19          | 56.65         | 3           | Vertical  | 115            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.6152G      | 112.02            | Inf               | -Inf           | 105.64        | 3           | Vertical  | 115            | 3.00          | -       | 31.73      | 7.52       | 32.87      |  |  |  |
| AV   | 5.616G       | 100.21            | Inf               | -Inf           | 93.83         | 3           | Vertical  | 115            | 3.00          | -       | 31.73      | 7.52       | 32.87      |  |  |  |
| PK   | 5.7352G      | 67.23             | 68.20             | -0.97          | 60.51         | 3           | Vertical  | 115            | 3.00          | -       | 32.07      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX

5610MHz\_TX




EUT\_Z\_4TX  
Setting 18.5  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.452G       | 61.49             | 74.00             | -12.51         | 55.21         | 3           | Horizontal | 341.9          | 3.00          | -       | 31.71      | 7.41       | 32.84      |  |  |  |
| AV   | 5.454G       | 49.55             | 54.00             | -4.45          | 43.26         | 3           | Horizontal | 341.9          | 3.00          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| PK   | 5.47G        | 62.97             | 68.20             | -5.23          | 56.61         | 3           | Horizontal | 341.9          | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5924G      | 113.31            | Inf               | -Inf           | 106.94        | 3           | Horizontal | 341.9          | 3.00          | -       | 31.72      | 7.51       | 32.86      |  |  |  |
| AV   | 5.5932G      | 102.17            | Inf               | -Inf           | 95.81         | 3           | Horizontal | 341.9          | 3.00          | -       | 31.71      | 7.51       | 32.86      |  |  |  |
| PK   | 5.7324G      | 67.60             | 68.20             | -0.60          | 60.89         | 3           | Horizontal | 341.9          | 3.00          | -       | 32.06      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX


5610MHz\_TX

EUT\_Y\_4TX  
Setting 18.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.23599G    | 60.04             | 74.00             | -13.96         | 52.35         | 3           | Vertical  | 12             | 3.00          | -       | 39.67      | 10.70      | 42.68      |  |  |  |
| AV   | 11.23768G    | 47.70             | 54.00             | -6.30          | 40.01         | 3           | Vertical  | 12             | 3.00          | -       | 39.68      | 10.70      | 42.69      |  |  |  |
| PK   | 16.81635G    | 61.28             | 68.20             | -6.92          | 49.85         | 3           | Vertical  | 13             | 2.15          | -       | 40.27      | 13.07      | 41.91      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX


5610MHz\_TX

EUT\_Y\_4TX  
Setting 18.5  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.23599G    | 61.43             | 74.00             | -12.57         | 53.74         | 3           | Horizontal | 73             | 2.30          | -       | 39.67      | 10.70      | 42.68      |  |  |  |
| AV   | 11.23898G    | 48.09             | 54.00             | -5.91          | 40.40         | 3           | Horizontal | 73             | 2.30          | -       | 39.68      | 10.70      | 42.69      |  |  |  |
| PK   | 16.77449G    | 59.84             | 68.20             | -8.36          | 48.57         | 3           | Horizontal | 300            | 2.30          | -       | 40.05      | 13.05      | 41.83      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 21  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7172G      | 114.44            | Inf               | -Inf           | 107.75        | 3           | Vertical  | 49             | 3.00          | -       | 32.03      | 7.56       | 32.90      |  |  |  |
| AV   | 5.6976G      | 103.70            | Inf               | -Inf           | 97.06         | 3           | Vertical  | 49             | 3.00          | -       | 31.99      | 7.55       | 32.90      |  |  |  |
| PK   | 5.85G        | 68.14             | 68.20             | -0.06          | 61.28         | 3           | Vertical  | 49             | 3.00          | -       | 32.20      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 21  
01-R-M-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6924G      | 114.99            | Inf               | -Inf           | 108.37        | 3           | Horizontal | 344            | 3.00          | -       | 31.97      | 7.55       | 32.90      |  |  |  |
| AV   | 5.6524G      | 103.98            | Inf               | -Inf           | 97.51         | 3           | Horizontal | 344            | 3.00          | -       | 31.81      | 7.54       | 32.88      |  |  |  |
| PK   | 5.852G       | 67.39             | 68.20             | -0.81          | 60.52         | 3           | Horizontal | 344            | 3.00          | -       | 32.21      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 21  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39547G    | 62.80             | 74.00             | -11.20         | 55.02         | 3           | Vertical  | 13             | 2.90          | -       | 39.99      | 10.79      | 43.00      |  |  |  |
| AV   | 11.3982G     | 49.86             | 54.00             | -4.14          | 42.07         | 3           | Vertical  | 13             | 2.90          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.11446G    | 61.41             | 68.20             | -6.79          | 50.20         | 3           | Vertical  | 9              | 2.27          | -       | 40.33      | 13.16      | 42.28      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS14)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 21  
01-R-M-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39768G    | 60.70             | 74.00             | -13.30         | 52.91         | 3           | Horizontal | 70             | 2.30          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| AV   | 11.3982G     | 48.74             | 54.00             | -5.26          | 40.95         | 3           | Horizontal | 70             | 2.30          | -       | 40.00      | 10.79      | 43.00      |  |  |  |
| PK   | 17.07767G    | 58.01             | 68.20             | -10.19         | 46.80         | 3           | Horizontal | 43             | 2.12          | -       | 40.34      | 13.15      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_4TX

### 5570MHz\_TX




EUT\_Z\_4TX  
Setting 17  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.2964G      | 59.54             | 68.20             | -8.66          | 53.78         | 3           | Vertical  | 46             | 3.00          | -       | 31.31      | 7.32       | 32.87      |  |  |  |
| PK   | 5.4372G      | 62.94             | 74.00             | -11.06         | 56.73         | 3           | Vertical  | 46             | 3.00          | -       | 31.65      | 7.40       | 32.84      |  |  |  |
| PK   | 5.466G       | 62.68             | 68.20             | -5.52          | 56.34         | 3           | Vertical  | 46             | 3.00          | -       | 31.76      | 7.42       | 32.84      |  |  |  |
| AV   | 5.4588G      | 51.26             | 54.00             | -2.74          | 44.95         | 3           | Vertical  | 46             | 3.00          | -       | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.6372G      | 108.27            | Inf               | -Inf           | 101.85        | 3           | Vertical  | 46             | 3.00          | -       | 31.77      | 7.53       | 32.88      |  |  |  |
| AV   | 5.6372G      | 96.38             | Inf               | -Inf           | 89.96         | 3           | Vertical  | 46             | 3.00          | -       | 31.77      | 7.53       | 32.88      |  |  |  |
| PK   | 5.7372G      | 67.68             | 68.20             | -0.52          | 60.96         | 3           | Vertical  | 46             | 3.00          | -       | 32.07      | 7.56       | 32.91      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_4TX

### 5570MHz\_TX




EUT\_Z\_4TX  
Setting 17  
01-P-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1908G      | 58.96             | 68.20             | -9.24          | 52.72         | 3           | Horizontal | 340            | 3.00          | -       | 31.86      | 7.27       | 32.89      |  |  |  |
| PK   | 5.4332G      | 66.60             | 74.00             | -7.40          | 60.42         | 3           | Horizontal | 340            | 3.00          | -       | 31.63      | 7.39       | 32.84      |  |  |  |
| PK   | 5.47G        | 61.58             | 68.20             | -6.62          | 55.22         | 3           | Horizontal | 340            | 3.00          | -       | 31.78      | 7.42       | 32.84      |  |  |  |
| AV   | 5.454G       | 53.07             | 54.00             | -0.93          | 46.78         | 3           | Horizontal | 340            | 3.00          | -       | 31.72      | 7.41       | 32.84      |  |  |  |
| PK   | 5.5948G      | 108.79            | Inf               | -Inf           | 102.42        | 3           | Horizontal | 340            | 3.00          | -       | 31.71      | 7.52       | 32.86      |  |  |  |
| AV   | 5.594G       | 98.13             | Inf               | -Inf           | 91.76         | 3           | Horizontal | 340            | 3.00          | -       | 31.71      | 7.52       | 32.86      |  |  |  |
| PK   | 5.7316G      | 68.18             | 68.20             | -0.02          | 61.47         | 3           | Horizontal | 340            | 3.00          | -       | 32.06      | 7.56       | 32.91      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_4TX

## 5570MHz\_TX




EUT\_Y\_4TX  
Setting 17  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.14792G    | 56.37             | 74.00             | -17.63         | 42.87         | 3           | Horizontal | 285            | 1.00          | -       | 38.61      | 9.30       | 34.41      |  |  |  |
| AV   | 11.12707G    | 43.75             | 54.00             | -10.25         | 30.17         | 3           | Horizontal | 285            | 1.00          | -       | 38.69      | 9.28       | 34.39      |  |  |  |
| PK   | 16.69896G    | 59.32             | 68.20             | -8.88          | 42.68         | 3           | Horizontal | 316            | 2.96          | -       | 39.60      | 12.01      | 34.97      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS14)\_4TX

## 5570MHz\_TX



EUT\_Y\_4TX  
Setting 17  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.12587G    | 56.81             | 74.00             | -17.19         | 43.22         | 3           | Vertical  | 190            | 1.58          | -       | 38.70      | 9.28       | 34.39      |  |  |  |
| AV   | 11.13106G    | 44.28             | 54.00             | -9.72          | 30.70         | 3           | Vertical  | 190            | 1.58          | -       | 38.68      | 9.29       | 34.39      |  |  |  |
| PK   | 16.71279G    | 58.17             | 68.20             | -10.03         | 41.47         | 3           | Vertical  | 264            | 1.33          | -       | 39.65      | 12.02      | 34.97      |  |  |  |




Test Mode: Mode 2

Summary

| Mode                          | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|-------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.47-5.725GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11ax HEW20_Nss1(MCS0)_1TX | Pass   | PK   | 5.4695G      | 68.18             | 68.20             | -0.02          | 3           | Vertical  | 349            | 1.80          | 20       |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
SET 19.5  
15\20.5\18\19\19.5  
5.60\2.28\5.54\5.32\0.09

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4596G      | 61.10             | 74.00             | -12.90         | 54.79         | 3           | Vertical  | 360            | 1.15          | 19.5    | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4591G      | 48.89             | 54.00             | -5.11          | 42.58         | 3           | Vertical  | 360            | 1.15          | 19.5    | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4695G      | 68.11             | 68.20             | -0.09          | 61.75         | 3           | Vertical  | 360            | 1.15          | 19.5    | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5037G      | 108.54            | Inf               | -Inf           | 102.03        | 3           | Vertical  | 360            | 1.15          | 19.5    | 31.89      | 7.45       | 32.83      |  |  |  |
| AV   | 5.5023G      | 99.93             | Inf               | -Inf           | 93.41         | 3           | Vertical  | 360            | 1.15          | 19.5    | 31.90      | 7.45       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
SET 19.5  
19.5  
0.67

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4556G      | 61.10             | 74.00             | -12.90         | 54.81         | 3           | Horizontal | 52             | 2.95          | 19.5    | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.459G       | 49.09             | 54.00             | -4.91          | 42.78         | 3           | Horizontal | 52             | 2.95          | 19.5    | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.47G        | 67.53             | 68.20             | -0.67          | 61.17         | 3           | Horizontal | 52             | 2.95          | 19.5    | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4987G      | 110.66            | Inf               | -Inf           | 104.16        | 3           | Horizontal | 52             | 2.95          | 19.5    | 31.89      | 7.44       | 32.83      |  |  |  |
| AV   | 5.4969G      | 101.99            | Inf               | -Inf           | 95.49         | 3           | Horizontal | 52             | 2.95          | 19.5    | 31.89      | 7.44       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
SET 19.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00559G    | 43.45             | 74.00             | -30.55         | 59.50         | 3           | Vertical  | 329            | 1.80          | 19.5    | 39.99      | 10.57      | 66.61      |  |  |  |
| AV   | 11.01774G    | 30.50             | 54.00             | -23.50         | 46.56         | 3           | Vertical  | 329            | 1.80          | 19.5    | 39.96      | 10.58      | 66.60      |  |  |  |
| PK   | 16.51942G    | 46.40             | 68.20             | -21.80         | 57.50         | 3           | Vertical  | 1              | 1.80          | 19.5    | 39.12      | 12.97      | 63.19      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5500MHz\_TX

EUT\_Y\_1TX  
SET 19.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.98673G    | 43.26             | 74.00             | -30.74         | 59.26         | 3           | Horizontal | 320            | 1.80          | 19.5    | 40.05      | 10.56      | 66.61      |  |  |  |
| AV   | 11.01007G    | 30.26             | 54.00             | -23.74         | 46.31         | 3           | Horizontal | 320            | 1.80          | 19.5    | 39.98      | 10.58      | 66.61      |  |  |  |
| PK   | 16.51311G    | 45.61             | 68.20             | -22.59         | 56.68         | 3           | Horizontal | 258            | 1.80          | 19.5    | 39.15      | 12.97      | 63.19      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TX




EUT\_Y\_1TX  
SET 25  
15\20.5\23\24\24.5\25  
5.55\5.53\5.55\5.51\5.29\4.21

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4552G      | 62.27             | 74.00             | -11.73         | 55.98         | 3           | Vertical  | 360            | 1.18          | 25      | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.45552G     | 49.79             | 54.00             | -4.21          | 43.50         | 3           | Vertical  | 360            | 1.18          | 25      | 31.72      | 7.41       | 32.84      |  |  |  |
| PK   | 5.46992G     | 63.95             | 68.20             | -4.25          | 57.59         | 3           | Vertical  | 360            | 1.18          | 25      | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.58736G     | 115.41            | Inf               | -Inf           | 109.03        | 3           | Vertical  | 360            | 1.18          | 25      | 31.73      | 7.51       | 32.86      |  |  |  |
| AV   | 5.57904G     | 105.98            | Inf               | -Inf           | 99.60         | 3           | Vertical  | 360            | 1.18          | 25      | 31.74      | 7.50       | 32.86      |  |  |  |
| PK   | 5.72976G     | 61.23             | 68.20             | -6.97          | 54.52         | 3           | Vertical  | 360            | 1.18          | 25      | 32.06      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




EUT\_Y\_1TX  
SET 25  
25  
2.95

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.45968G     | 63.26             | 74.00             | -10.74         | 56.95         | 3           | Horizontal | 294            | 2.14          | 25      | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 50.36             | 54.00             | -3.64          | 44.04         | 3           | Horizontal | 294            | 2.14          | 25      | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.46992G     | 65.25             | 68.20             | -2.95          | 58.89         | 3           | Horizontal | 294            | 2.14          | 25      | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.58736G     | 117.33            | Inf               | -Inf           | 110.95        | 3           | Horizontal | 294            | 2.14          | 25      | 31.73      | 7.51       | 32.86      |  |  |  |
| AV   | 5.58224G     | 107.79            | Inf               | -Inf           | 101.40        | 3           | Horizontal | 294            | 2.14          | 25      | 31.74      | 7.51       | 32.86      |  |  |  |
| PK   | 5.72624G     | 62.02             | 68.20             | -6.18          | 55.32         | 3           | Horizontal | 294            | 2.14          | 25      | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




EUT\_Y\_1TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.16096G    | 42.83             | 74.00             | -31.17         | 59.01         | 3           | Vertical  | 40             | 1.80          | 25      | 39.60      | 10.66      | 66.44      |  |  |  |
| AV   | 11.14082G    | 29.85             | 54.00             | -24.15         | 46.03         | 3           | Vertical  | 40             | 1.80          | 25      | 39.64      | 10.65      | 66.47      |  |  |  |
| PK   | 16.74216G    | 49.72             | 68.20             | -18.48         | 59.92         | 3           | Vertical  | 16             | 1.80          | 25      | 39.84      | 13.04      | 63.08      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX

EUT\_Y\_1TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.1628G     | 43.35             | 74.00             | -30.65         | 59.53         | 3           | Horizontal | 316            | 1.80          | 25      | 39.60      | 10.66      | 66.44      |  |  |  |
| AV   | 11.15988G    | 30.62             | 54.00             | -23.38         | 46.80         | 3           | Horizontal | 316            | 1.80          | 25      | 39.60      | 10.66      | 66.44      |  |  |  |
| PK   | 16.73149G    | 52.30             | 68.20             | -15.90         | 62.60         | 3           | Horizontal | 350            | 1.80          | 25      | 39.75      | 13.04      | 63.09      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT\_Y\_1TX  
SET 18.5  
15\21.5\18.5  
6.82\ -6.98\0.49

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7042G      | 109.01            | Inf               | -Inf           | 102.35        | 3           | Vertical  | 356            | 1.80          | 18.5    | 32.01      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7023G      | 99.81             | Inf               | -Inf           | 93.16         | 3           | Vertical  | 356            | 1.80          | 18.5    | 32.00      | 7.55       | 32.90      |  |  |  |
| PK   | 5.726G       | 67.71             | 68.20             | -0.49          | 61.01         | 3           | Vertical  | 356            | 1.80          | 18.5    | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT\_Y\_1TX  
SET 18  
18.5\16\17\17.5\18  
-2.23\5.88\5.15\3.53\0.59

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7014G      | 111.30            | Inf               | -Inf           | 104.65        | 3           | Horizontal | 294            | 2.24          | 18      | 32.00      | 7.55       | 32.90      |  |  |  |
| AV   | 5.7026G      | 102.97            | Inf               | -Inf           | 96.31         | 3           | Horizontal | 294            | 2.24          | 18      | 32.01      | 7.55       | 32.90      |  |  |  |
| PK   | 5.726G       | 67.61             | 68.20             | -0.59          | 60.91         | 3           | Horizontal | 294            | 2.24          | 18      | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT\_Y\_1TX  
SET 18

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.38801G    | 43.89             | 74.00             | -30.11         | 59.32         | 3           | Vertical  | 1              | 1.80          | 18      | 39.98      | 10.78      | 66.19      |  |  |  |
| AV   | 11.41626G    | 30.87             | 54.00             | -23.13         | 46.26         | 3           | Vertical  | 1              | 1.80          | 18      | 39.97      | 10.80      | 66.16      |  |  |  |
| PK   | 17.09169G    | 46.26             | 68.20             | -21.94         | 55.81         | 3           | Vertical  | 249            | 1.80          | 18      | 40.32      | 13.15      | 63.02      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5700MHz\_TX

EUT\_Y\_1TX  
SET 18

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.38246G    | 44.05             | 74.00             | -29.95         | 59.51         | 3           | Horizontal | 52             | 1.80          | 18      | 39.96      | 10.78      | 66.20      |  |  |  |
| AV   | 11.41143G    | 31.10             | 54.00             | -22.90         | 46.49         | 3           | Horizontal | 52             | 1.80          | 18      | 39.98      | 10.80      | 66.17      |  |  |  |
| PK   | 17.0956G     | 46.51             | 68.20             | -21.69         | 56.06         | 3           | Horizontal | 255            | 1.80          | 18      | 40.31      | 13.16      | 63.02      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
SET 25  
15\20.5\23\24\24.5\25  
5.74\5.60\5.71\5.06\5.72\5.52

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.45918G     | 59.68             | 74.00             | -14.32         | 53.37         | 3           | Vertical  | 356            | 1.80          | 25      | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.45864G     | 48.48             | 54.00             | -5.52          | 42.18         | 3           | Vertical  | 356            | 1.80          | 25      | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.46782G     | 59.71             | 68.20             | -8.49          | 53.36         | 3           | Vertical  | 356            | 1.80          | 25      | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.72324G     | 114.91            | Inf               | -Inf           | 108.21        | 3           | Vertical  | 356            | 1.80          | 25      | 32.05      | 7.56       | 32.91      |  |  |  |
| AV   | 5.7227G      | 105.75            | Inf               | -Inf           | 99.05         | 3           | Vertical  | 356            | 1.80          | 25      | 32.05      | 7.56       | 32.91      |  |  |  |
| PK   | 5.86202G     | 61.95             | 68.20             | -6.25          | 55.04         | 3           | Vertical  | 356            | 1.80          | 25      | 32.25      | 7.61       | 32.95      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
SET 25  
25  
5.50

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.46G        | 59.28             | 74.00             | -14.72         | 52.96         | 3           | Horizontal | 295            | 2.23          | 25      | 31.74      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 48.50             | 54.00             | -5.50          | 42.18         | 3           | Horizontal | 295            | 2.23          | 25      | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.46674G     | 60.10             | 68.20             | -8.10          | 53.75         | 3           | Horizontal | 295            | 2.23          | 25      | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.7227G      | 118.06            | Inf               | -Inf           | 111.36        | 3           | Horizontal | 295            | 2.23          | 25      | 32.05      | 7.56       | 32.91      |  |  |  |
| AV   | 5.7227G      | 109.07            | Inf               | -Inf           | 102.37        | 3           | Horizontal | 295            | 2.23          | 25      | 32.05      | 7.56       | 32.91      |  |  |  |
| PK   | 5.87498G     | 62.70             | 68.20             | -5.50          | 55.74         | 3           | Horizontal | 295            | 2.23          | 25      | 32.30      | 7.62       | 32.96      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.45179G    | 43.89             | 74.00             | -30.11         | 59.28         | 3           | Vertical  | 171            | 1.80          | 25      | 39.91      | 10.82      | 66.12      |  |  |  |
| AV   | 11.43477G    | 30.85             | 54.00             | -23.15         | 46.25         | 3           | Vertical  | 171            | 1.80          | 25      | 39.93      | 10.81      | 66.14      |  |  |  |
| PK   | 17.15497G    | 52.52             | 68.20             | -15.68         | 61.98         | 3           | Vertical  | 356            | 1.46          | 25      | 40.41      | 13.18      | 63.05      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.42502G    | 44.59             | 74.00             | -29.41         | 59.99         | 3           | Horizontal | 6              | 1.80          | 25      | 39.95      | 10.80      | 66.15      |  |  |  |
| AV   | 11.43812G    | 31.28             | 54.00             | -22.72         | 46.69         | 3           | Horizontal | 6              | 1.80          | 25      | 39.92      | 10.81      | 66.14      |  |  |  |
| PK   | 17.16208G    | 51.85             | 68.20             | -16.35         | 61.31         | 3           | Horizontal | 350            | 1.80          | 25      | 40.42      | 13.18      | 63.06      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
SET 20  
15\20.5\18\19\19.5\20  
5.94\0.45\5.92\5.72\2.71\0.02

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.46G        | 60.96             | 74.00             | -13.04         | 54.64         | 3           | Vertical  | 349            | 1.80          | 20      | 31.74      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 49.10             | 54.00             | -4.90          | 42.78         | 3           | Vertical  | 349            | 1.80          | 20      | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4695G      | 68.18             | 68.20             | -0.02          | 61.82         | 3           | Vertical  | 349            | 1.80          | 20      | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4969G      | 109.85            | Inf               | -Inf           | 103.35        | 3           | Vertical  | 349            | 1.80          | 20      | 31.89      | 7.44       | 32.83      |  |  |  |
| AV   | 5.4977G      | 97.63             | Inf               | -Inf           | 91.13         | 3           | Vertical  | 349            | 1.80          | 20      | 31.89      | 7.44       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
SET 19  
20\16.5\18\18.5\19.5\19  
-3.50\5.72\5.72\4.18\1.34\0.63

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4557G      | 61.48             | 74.00             | -12.52         | 55.19         | 3           | Horizontal | 53             | 2.95          | 19      | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 48.71             | 54.00             | -5.29          | 42.39         | 3           | Horizontal | 53             | 2.95          | 19      | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4691G      | 67.57             | 68.20             | -0.63          | 61.21         | 3           | Horizontal | 53             | 2.95          | 19      | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4948G      | 113.20            | Inf               | -Inf           | 106.71        | 3           | Horizontal | 53             | 2.95          | 19      | 31.88      | 7.44       | 32.83      |  |  |  |
| AV   | 5.4969G      | 100.96            | Inf               | -Inf           | 94.46         | 3           | Horizontal | 53             | 2.95          | 19      | 31.89      | 7.44       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5500MHz\_TX

EUT Y\_1TX  
SET 19

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.98637G    | 43.80             | 74.00             | -30.20         | 59.80         | 3           | Vertical  | 174            | 1.80          | 19      | 40.05      | 10.56      | 66.61      |  |  |  |
| AV   | 11.00959G    | 29.75             | 54.00             | -24.25         | 45.80         | 3           | Vertical  | 174            | 1.80          | 19      | 39.98      | 10.58      | 66.61      |  |  |  |
| PK   | 16.51814G    | 46.08             | 68.20             | -22.12         | 57.17         | 3           | Vertical  | 360            | 1.80          | 19      | 39.13      | 12.97      | 63.19      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5500MHz\_TX

EUT Y\_1TX  
SET 19

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.01219G    | 43.63             | 74.00             | -30.37         | 59.68         | 3           | Horizontal | 89             | 1.80          | 19      | 39.98      | 10.58      | 66.61      |  |  |  |
| AV   | 11.01531G    | 30.09             | 54.00             | -23.91         | 46.14         | 3           | Horizontal | 89             | 1.80          | 19      | 39.97      | 10.58      | 66.60      |  |  |  |
| PK   | 16.51814G    | 45.59             | 68.20             | -22.61         | 56.68         | 3           | Horizontal | 337            | 1.80          | 19      | 39.13      | 12.97      | 63.19      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TX



EUT\_Y\_1TX

SET 25


15\20.5\23\24\24.5\25

5.91\5.79\5.93\5.92\5.51\2.25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.45968G     | 64.71             | 74.00             | -9.29          | 58.40         | 3           | Vertical  | 360            | 1.12          | 25      | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 51.16             | 54.00             | -2.84          | 44.84         | 3           | Vertical  | 360            | 1.12          | 25      | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4696G      | 65.95             | 68.20             | -2.25          | 59.59         | 3           | Vertical  | 360            | 1.12          | 25      | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.57872G     | 116.49            | Inf               | -Inf           | 110.11        | 3           | Vertical  | 360            | 1.12          | 25      | 31.74      | 7.50       | 32.86      |  |  |  |
| AV   | 5.5768G      | 105.24            | Inf               | -Inf           | 98.85         | 3           | Vertical  | 360            | 1.12          | 25      | 31.75      | 7.50       | 32.86      |  |  |  |
| PK   | 5.7288G      | 62.01             | 68.20             | -6.19          | 55.30         | 3           | Vertical  | 360            | 1.12          | 25      | 32.06      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TX




EUT Y\_1TX  
SET 25  
25  
0.56

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.45456G     | 65.52             | 74.00             | -8.48          | 59.23         | 3           | Horizontal | 296            | 1.06          | 25      | 31.72      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4648G      | 67.64             | 68.20             | -0.56          | 61.30         | 3           | Horizontal | 296            | 1.06          | 25      | 31.76      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 50.85             | 54.00             | -3.15          | 44.53         | 3           | Horizontal | 296            | 1.06          | 25      | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.57744G     | 116.11            | Inf               | -Inf           | 109.72        | 3           | Horizontal | 296            | 1.06          | 25      | 31.75      | 7.50       | 32.86      |  |  |  |
| AV   | 5.58256G     | 104.63            | Inf               | -Inf           | 98.25         | 3           | Horizontal | 296            | 1.06          | 25      | 31.73      | 7.51       | 32.86      |  |  |  |
| PK   | 5.72752G     | 61.84             | 68.20             | -6.36          | 55.13         | 3           | Horizontal | 296            | 1.06          | 25      | 32.06      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5580MHz\_TX

EUT\_Y\_1TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.15788G    | 43.51             | 74.00             | -30.49         | 59.70         | 3           | Vertical  | 1              | 1.80          | 25      | 39.60      | 10.66      | 66.45      |  |  |  |
| AV   | 11.16388G    | 29.36             | 54.00             | -24.64         | 45.54         | 3           | Vertical  | 1              | 1.80          | 25      | 39.60      | 10.66      | 66.44      |  |  |  |
| PK   | 16.75155G    | 50.41             | 68.20             | -17.79         | 60.54         | 3           | Vertical  | 16             | 1.80          | 25      | 39.91      | 13.04      | 63.08      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5580MHz\_TX

EUT Y\_1TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.16096G    | 43.40             | 74.00             | -30.60         | 59.58         | 3           | Horizontal | 293            | 1.80          | 25      | 39.60      | 10.66      | 66.44      |  |  |  |
| AV   | 11.16352G    | 29.83             | 54.00             | -24.17         | 46.01         | 3           | Horizontal | 293            | 1.80          | 25      | 39.60      | 10.66      | 66.44      |  |  |  |
| PK   | 16.74296G    | 52.04             | 68.20             | -16.16         | 62.24         | 3           | Horizontal | 352            | 1.66          | 25      | 39.84      | 13.04      | 63.08      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT\_Y\_1TX  
SET 17.5  
15\21.5\18.5\17\17.5\23.5\20.5\19\17.5  
6.94\ -9.25\ -0.38\4.76\4.19\ -16.19\ -7.87\ -1.99\3.15

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6947G      | 109.78            | Inf               | -Inf           | 103.15        | 3           | Vertical  | 355            | 1.80          | 17.5    | 31.98      | 7.55       | 32.90      |  |  |  |
| AV   | 5.6981G      | 97.71             | Inf               | -Inf           | 91.07         | 3           | Vertical  | 355            | 1.80          | 17.5    | 31.99      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7251G      | 65.05             | 68.20             | -3.15          | 58.35         | 3           | Vertical  | 355            | 1.80          | 17.5    | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT Y\_1TX  
SET 17.5  
17.5  
3.03

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7023G      | 112.75            | Inf               | -Inf           | 106.10        | 3           | Horizontal | 295            | 2.56          | 17.5    | 32.00      | 7.55       | 32.90      |  |  |  |
| AV   | 5.6985G      | 100.41            | Inf               | -Inf           | 93.77         | 3           | Horizontal | 295            | 2.56          | 17.5    | 31.99      | 7.55       | 32.90      |  |  |  |
| PK   | 5.7266G      | 65.17             | 68.20             | -3.03          | 58.47         | 3           | Horizontal | 295            | 2.56          | 17.5    | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5700MHz\_TX

EUT\_Y\_1TX  
SET 17.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39612G    | 44.17             | 74.00             | -29.83         | 59.57         | 3           | Vertical  | 23             | 1.80          | 17.5    | 39.99      | 10.79      | 66.18      |  |  |  |
| AV   | 11.39245G    | 30.50             | 54.00             | -23.50         | 45.92         | 3           | Vertical  | 23             | 1.80          | 17.5    | 39.98      | 10.79      | 66.19      |  |  |  |
| PK   | 17.11283G    | 46.07             | 68.20             | -22.13         | 55.61         | 3           | Vertical  | 171            | 1.80          | 17.5    | 40.33      | 13.16      | 63.03      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5700MHz\_TX

EUT\_Y\_1TX  
SET 17.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.38605G    | 45.07             | 74.00             | -28.93         | 60.52         | 3           | Horizontal | 333            | 1.80          | 17.5    | 39.97      | 10.78      | 66.20      |  |  |  |
| AV   | 11.4032G     | 30.89             | 54.00             | -23.11         | 46.29         | 3           | Horizontal | 333            | 1.80          | 17.5    | 39.99      | 10.79      | 66.18      |  |  |  |
| PK   | 17.11203G    | 46.42             | 68.20             | -21.78         | 55.97         | 3           | Horizontal | 48             | 1.80          | 17.5    | 40.32      | 13.16      | 63.03      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
SET 25  
15\20.5\23\24\24.5\25  
5.93\5.93\5.93\5.71\5.93\5.65

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4554G      | 59.81             | 74.00             | -14.19         | 53.52         | 3           | Vertical  | 360            | 1.09          | 25      | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 48.07             | 54.00             | -5.93          | 41.75         | 3           | Vertical  | 360            | 1.09          | 25      | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4689G      | 59.90             | 68.20             | -8.30          | 53.54         | 3           | Vertical  | 360            | 1.09          | 25      | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.7146G      | 117.58            | Inf               | -Inf           | 110.90        | 3           | Vertical  | 360            | 1.09          | 25      | 32.03      | 7.55       | 32.90      |  |  |  |
| AV   | 5.72162G     | 106.41            | Inf               | -Inf           | 99.72         | 3           | Vertical  | 360            | 1.09          | 25      | 32.04      | 7.56       | 32.91      |  |  |  |
| PK   | 5.86094G     | 62.55             | 68.20             | -5.65          | 55.65         | 3           | Vertical  | 360            | 1.09          | 25      | 32.24      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
SET 25  
25  
5.82

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.45756G     | 60.27             | 74.00             | -13.73         | 53.97         | 3           | Horizontal | 296            | 2.25          | 25      | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.45918G     | 48.07             | 54.00             | -5.93          | 41.76         | 3           | Horizontal | 296            | 2.25          | 25      | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.46404G     | 59.39             | 68.20             | -8.81          | 53.05         | 3           | Horizontal | 296            | 2.25          | 25      | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.72216G     | 119.77            | Inf               | -Inf           | 113.08        | 3           | Horizontal | 296            | 2.25          | 25      | 32.04      | 7.56       | 32.91      |  |  |  |
| AV   | 5.71784G     | 107.72            | Inf               | -Inf           | 101.02        | 3           | Horizontal | 296            | 2.25          | 25      | 32.04      | 7.56       | 32.90      |  |  |  |
| PK   | 5.92088G     | 62.38             | 68.20             | -5.82          | 55.31         | 3           | Horizontal | 296            | 2.25          | 25      | 32.40      | 7.64       | 32.97      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.45738G    | 43.92             | 74.00             | -30.08         | 59.29         | 3           | Vertical  | 321            | 1.80          | 25      | 39.93      | 10.82      | 66.12      |  |  |  |
| AV   | 11.43297G    | 30.37             | 54.00             | -23.63         | 45.77         | 3           | Vertical  | 321            | 1.80          | 25      | 39.93      | 10.81      | 66.14      |  |  |  |
| PK   | 17.15936G    | 50.73             | 68.20             | -17.47         | 60.19         | 3           | Vertical  | 15             | 1.80          | 25      | 40.42      | 13.18      | 63.06      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX  
SET 25

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.45926G    | 44.22             | 74.00             | -29.78         | 59.57         | 3           | Horizontal | 271            | 1.80          | 25      | 39.94      | 10.82      | 66.11      |  |  |  |
| AV   | 11.42414G    | 30.77             | 54.00             | -23.23         | 46.17         | 3           | Horizontal | 271            | 1.80          | 25      | 39.95      | 10.80      | 66.15      |  |  |  |
| PK   | 17.1558G     | 53.15             | 68.20             | -15.05         | 62.61         | 3           | Horizontal | 348            | 1.71          | 25      | 40.41      | 13.18      | 63.05      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




EUT\_Y\_1TX  
SET 18.5  
15\20.5\18\19\18.5  
5.73\10.51\2.71\1.02\0.64

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4578G      | 65.71             | 74.00             | -8.29          | 59.41         | 3           | Vertical  | 348            | 1.80          | 18.5    | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.45936G     | 50.67             | 54.00             | -3.33          | 44.36         | 3           | Vertical  | 348            | 1.80          | 18.5    | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.46584G     | 67.56             | 68.20             | -0.64          | 61.22         | 3           | Vertical  | 348            | 1.80          | 18.5    | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.49872G     | 104.82            | Inf               | -Inf           | 98.32         | 3           | Vertical  | 348            | 1.80          | 18.5    | 31.89      | 7.44       | 32.83      |  |  |  |
| AV   | 5.49836G     | 92.77             | Inf               | -Inf           | 86.27         | 3           | Vertical  | 348            | 1.80          | 18.5    | 31.89      | 7.44       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




EUT\_Y\_1TX  
SET 18  
18.5\16\17\17.5\18  
-2.35\5.02\3.09\1.38\0.34

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.45804G     | 68.86             | 74.00             | -5.14          | 62.56         | 3           | Horizontal | 293            | 1.06          | 18      | 31.73      | 7.41       | 32.84      |  |  |  |
| AV   | 5.45996G     | 51.59             | 54.00             | -2.41          | 45.28         | 3           | Horizontal | 293            | 1.06          | 18      | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4686G      | 67.86             | 68.20             | -0.34          | 61.51         | 3           | Horizontal | 293            | 1.06          | 18      | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5124G      | 108.31            | Inf               | -Inf           | 101.81        | 3           | Horizontal | 293            | 1.06          | 18      | 31.88      | 7.45       | 32.83      |  |  |  |
| AV   | 5.5142G      | 96.05             | Inf               | -Inf           | 89.55         | 3           | Horizontal | 293            | 1.06          | 18      | 31.87      | 7.46       | 32.83      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




EUT Y\_1TX  
SET 18

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.03862G    | 44.09             | 74.00             | -29.91         | 60.16         | 3           | Vertical  | 1              | 1.05          | 18      | 39.92      | 10.59      | 66.58      |  |  |  |
| AV   | 11.00609G    | 30.33             | 54.00             | -23.67         | 46.38         | 3           | Vertical  | 1              | 1.05          | 18      | 39.99      | 10.57      | 66.61      |  |  |  |
| PK   | 16.5256G     | 45.83             | 68.20             | -22.37         | 56.95         | 3           | Vertical  | 324            | 1.80          | 18      | 39.10      | 12.97      | 63.19      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5510MHz\_TX

EUT Y\_1TX  
SET 18

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.01888G    | 44.20             | 74.00             | -29.80         | 60.26         | 3           | Horizontal | 9              | 1.80          | 18      | 39.96      | 10.58      | 66.60      |  |  |  |
| AV   | 11.01816G    | 30.17             | 54.00             | -23.83         | 46.23         | 3           | Horizontal | 9              | 1.80          | 18      | 39.96      | 10.58      | 66.60      |  |  |  |
| PK   | 16.51817G    | 45.91             | 68.20             | -22.29         | 57.00         | 3           | Horizontal | 145            | 1.80          | 18      | 39.13      | 12.97      | 63.19      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




EUT\_Y\_1TX  
SET 21.5  
15\20.5\23\22\21.5  
5.89\4.71\ -3.96\ -0.36\0.04

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.35G        | 57.23             | 74.00             | -16.77         | 51.34         | 3           | Vertical  | 360            | 1.07          | 21.5    | 31.40      | 7.35       | 32.86      |  |  |  |
| AV   | 5.35G        | 47.18             | 54.00             | -6.82          | 41.29         | 3           | Vertical  | 360            | 1.07          | 21.5    | 31.40      | 7.35       | 32.86      |  |  |  |
| PK   | 5.4544G      | 65.10             | 74.00             | -8.90          | 58.81         | 3           | Vertical  | 360            | 1.07          | 21.5    | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.46G        | 52.43             | 54.00             | -1.57          | 46.11         | 3           | Vertical  | 360            | 1.07          | 21.5    | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.4672G      | 68.16             | 68.20             | -0.04          | 61.81         | 3           | Vertical  | 360            | 1.07          | 21.5    | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5576G      | 111.22            | Inf               | -Inf           | 104.80        | 3           | Vertical  | 360            | 1.07          | 21.5    | 31.78      | 7.49       | 32.85      |  |  |  |
| AV   | 5.554G       | 99.60             | Inf               | -Inf           | 93.17         | 3           | Vertical  | 360            | 1.07          | 21.5    | 31.79      | 7.49       | 32.85      |  |  |  |
| PK   | 5.7376G      | 61.05             | 68.20             | -7.15          | 54.32         | 3           | Vertical  | 360            | 1.07          | 21.5    | 32.08      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




EUT\_Y\_1TX  
SET 21.5  
21.5  
0.35

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.35G        | 58.35             | 74.00             | -15.65         | 52.46         | 3           | Horizontal | 294            | 1.16          | 21.5    | 31.40      | 7.35       | 32.86      |  |  |  |
| AV   | 5.35G        | 47.39             | 54.00             | -6.61          | 41.50         | 3           | Horizontal | 294            | 1.16          | 21.5    | 31.40      | 7.35       | 32.86      |  |  |  |
| PK   | 5.4532G      | 66.27             | 74.00             | -7.73          | 59.99         | 3           | Horizontal | 294            | 1.16          | 21.5    | 31.71      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4632G      | 67.85             | 68.20             | -0.35          | 61.52         | 3           | Horizontal | 294            | 1.16          | 21.5    | 31.75      | 7.42       | 32.84      |  |  |  |
| AV   | 5.46G        | 52.69             | 54.00             | -1.31          | 46.37         | 3           | Horizontal | 294            | 1.16          | 21.5    | 31.74      | 7.42       | 32.84      |  |  |  |
| PK   | 5.5452G      | 111.59            | Inf               | -Inf           | 105.15        | 3           | Horizontal | 294            | 1.16          | 21.5    | 31.81      | 7.48       | 32.85      |  |  |  |
| AV   | 5.544G       | 99.85             | Inf               | -Inf           | 93.40         | 3           | Horizontal | 294            | 1.16          | 21.5    | 31.81      | 7.48       | 32.84      |  |  |  |
| PK   | 5.7396G      | 61.72             | 68.20             | -6.48          | 54.99         | 3           | Horizontal | 294            | 1.16          | 21.5    | 32.08      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




EUT Y\_1TX  
SET 21.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.06851G    | 43.13             | 74.00             | -30.87         | 59.20         | 3           | Vertical  | 312            | 1.80          | 21.5    | 39.86      | 10.61      | 66.54      |  |  |  |
| AV   | 11.13461G    | 29.18             | 54.00             | -24.82         | 45.35         | 3           | Vertical  | 312            | 1.80          | 21.5    | 39.66      | 10.64      | 66.47      |  |  |  |
| PK   | 16.63961G    | 47.30             | 68.20             | -20.90         | 58.30         | 3           | Vertical  | 5              | 1.80          | 21.5    | 39.12      | 13.01      | 63.13      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




EUT Y\_1TX  
SET 21.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.10623G    | 43.67             | 74.00             | -30.33         | 59.76         | 3           | Horizontal | 314            | 1.80          | 21.5    | 39.78      | 10.63      | 66.50      |  |  |  |
| AV   | 11.1G        | 30.72             | 54.00             | -23.28         | 46.81         | 3           | Horizontal | 314            | 1.80          | 21.5    | 39.80      | 10.62      | 66.51      |  |  |  |
| PK   | 16.63761G    | 47.25             | 68.20             | -20.95         | 58.27         | 3           | Horizontal | 3              | 1.80          | 21.5    | 39.10      | 13.01      | 63.13      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT\_Y\_1TX  
SET 19.5  
15\21\18\19.5  
6.38\ -2.39\4.68\0.05

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.66856G     | 108.13            | Inf               | -Inf           | 101.61        | 3           | Vertical  | 356            | 1.80          | 19.5    | 31.87      | 7.54       | 32.89      |  |  |  |
| AV   | 5.6684G      | 96.50             | Inf               | -Inf           | 89.98         | 3           | Vertical  | 356            | 1.80          | 19.5    | 31.87      | 7.54       | 32.89      |  |  |  |
| PK   | 5.72504G     | 68.15             | 68.20             | -0.05          | 61.45         | 3           | Vertical  | 356            | 1.80          | 19.5    | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT\_Y\_1TX  
SET 18.5  
19.5\15.5\17.5\18.5  
-3.63\6.67\1.51\0.14

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.66712G     | 111.90            | Inf               | -Inf           | 105.38        | 3           | Horizontal | 299            | 2.13          | 18.5    | 31.87      | 7.54       | 32.89      |  |  |  |
| AV   | 5.67176G     | 99.42             | Inf               | -Inf           | 92.88         | 3           | Horizontal | 299            | 2.13          | 18.5    | 31.89      | 7.54       | 32.89      |  |  |  |
| PK   | 5.72552G     | 68.06             | 68.20             | -0.14          | 61.36         | 3           | Horizontal | 299            | 2.13          | 18.5    | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT\_Y\_1TX  
SET 18.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.37716G    | 43.57             | 74.00             | -30.43         | 59.05         | 3           | Vertical  | 356            | 1.80          | 18.5    | 39.95      | 10.78      | 66.21      |  |  |  |
| AV   | 11.36877G    | 29.94             | 54.00             | -24.06         | 45.44         | 3           | Vertical  | 356            | 1.80          | 18.5    | 39.94      | 10.77      | 66.21      |  |  |  |
| PK   | 16.9746G     | 47.50             | 68.20             | -20.70         | 57.30         | 3           | Vertical  | 190            | 1.80          | 18.5    | 40.05      | 13.12      | 62.97      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5670MHz\_TX

EUT Y\_1TX  
SET 18.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.33848G    | 43.81             | 74.00             | -30.19         | 59.45         | 3           | Horizontal | 132            | 1.80          | 18.5    | 39.85      | 10.76      | 66.25      |  |  |  |
| AV   | 11.37413G    | 30.67             | 54.00             | -23.33         | 46.15         | 3           | Horizontal | 132            | 1.80          | 18.5    | 39.95      | 10.78      | 66.21      |  |  |  |
| PK   | 16.97548G    | 46.60             | 68.20             | -21.60         | 56.40         | 3           | Horizontal | 145            | 1.80          | 18.5    | 40.05      | 13.12      | 62.97      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
SET 25  
15\20.5\23\24\24.5\25  
5.93\5.53\5.78\1.99\0.83\0.28

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.45156G     | 59.73             | 74.00             | -14.27         | 53.45         | 3           | Vertical  | 357            | 1.80          | 25      | 31.71      | 7.41       | 32.84      |  |  |  |
| PK   | 5.46768G     | 59.94             | 68.20             | -8.26          | 53.59         | 3           | Vertical  | 357            | 1.80          | 25      | 31.77      | 7.42       | 32.84      |  |  |  |
| AV   | 5.45988G     | 48.50             | 54.00             | -5.50          | 42.19         | 3           | Vertical  | 357            | 1.80          | 25      | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.7074G      | 113.58            | Inf               | -Inf           | 106.92        | 3           | Vertical  | 357            | 1.80          | 25      | 32.01      | 7.55       | 32.90      |  |  |  |
| AV   | 5.70896G     | 102.55            | Inf               | -Inf           | 95.88         | 3           | Vertical  | 357            | 1.80          | 25      | 32.02      | 7.55       | 32.90      |  |  |  |
| PK   | 5.85456G     | 67.92             | 68.20             | -0.28          | 61.04         | 3           | Vertical  | 357            | 1.80          | 25      | 32.22      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
SET 23.5  
25\23\24\24.5\24\23.5  
-1.65\5.33\1.56\1.00\1.00\0.08\3.59

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.45676G     | 60.16             | 74.00             | -13.84         | 53.86         | 3           | Horizontal | 294            | 2.54          | 23.5    | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4604G      | 59.59             | 68.20             | -8.61          | 53.27         | 3           | Horizontal | 294            | 2.54          | 23.5    | 31.74      | 7.42       | 32.84      |  |  |  |
| AV   | 5.45936G     | 48.28             | 54.00             | -5.72          | 41.97         | 3           | Horizontal | 294            | 2.54          | 23.5    | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.71572G     | 116.18            | Inf               | -Inf           | 109.50        | 3           | Horizontal | 294            | 2.54          | 23.5    | 32.03      | 7.55       | 32.90      |  |  |  |
| AV   | 5.70792G     | 104.36            | Inf               | -Inf           | 97.69         | 3           | Horizontal | 294            | 2.54          | 23.5    | 32.02      | 7.55       | 32.90      |  |  |  |
| PK   | 5.86964G     | 64.61             | 68.20             | -3.59          | 57.68         | 3           | Horizontal | 294            | 2.54          | 23.5    | 32.28      | 7.61       | 32.96      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX  
SET 23.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.44661G    | 43.87             | 74.00             | -30.13         | 59.27         | 3           | Vertical  | 360            | 1.80          | 23.5    | 39.91      | 10.82      | 66.13      |  |  |  |
| AV   | 11.4053G     | 30.49             | 54.00             | -23.51         | 45.88         | 3           | Vertical  | 360            | 1.80          | 23.5    | 39.99      | 10.79      | 66.17      |  |  |  |
| PK   | 17.14031G    | 49.49             | 68.20             | -18.71         | 58.98         | 3           | Vertical  | 355            | 1.66          | 23.5    | 40.38      | 13.17      | 63.04      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX  
SET 23.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.45588G    | 44.25             | 74.00             | -29.75         | 59.63         | 3           | Horizontal | 3              | 1.80          | 23.5    | 39.92      | 10.82      | 66.12      |  |  |  |
| AV   | 11.41784G    | 30.85             | 54.00             | -23.15         | 46.25         | 3           | Horizontal | 3              | 1.80          | 23.5    | 39.96      | 10.80      | 66.16      |  |  |  |
| PK   | 17.13839G    | 48.12             | 68.20             | -20.08         | 57.61         | 3           | Horizontal | 349            | 1.80          | 23.5    | 40.38      | 13.17      | 63.04      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT\_Y\_1TX  
SET 17.5  
15\20.5\18\17\17.5  
5.53\ -13.83\ -0.88\ 3.17\ 0.98

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.45928G     | 65.12             | 74.00             | -8.88          | 58.81         | 3           | Vertical  | 360            | 1.08          | 17.5    | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.45944G     | 51.14             | 54.00             | -2.86          | 44.83         | 3           | Vertical  | 360            | 1.08          | 17.5    | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.46488G     | 67.22             | 68.20             | -0.98          | 60.88         | 3           | Vertical  | 360            | 1.08          | 17.5    | 31.76      | 7.42       | 32.84      |  |  |  |
| PK   | 5.52616G     | 104.20            | Inf               | -Inf           | 97.73         | 3           | Vertical  | 360            | 1.08          | 17.5    | 31.85      | 7.46       | 32.84      |  |  |  |
| AV   | 5.526G       | 92.25             | Inf               | -Inf           | 85.78         | 3           | Vertical  | 360            | 1.08          | 17.5    | 31.85      | 7.46       | 32.84      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT Y\_1TX  
SET 17  
17.5\14\15.5\16\17  
-3.29\5.72\5.30\5.10\1.94

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4556G      | 64.77             | 74.00             | -9.23          | 58.48         | 3           | Horizontal | 294            | 1.38          | 17      | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.45832G     | 50.50             | 54.00             | -3.50          | 44.20         | 3           | Horizontal | 294            | 1.38          | 17      | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.46216G     | 66.26             | 68.20             | -1.94          | 59.93         | 3           | Horizontal | 294            | 1.38          | 17      | 31.75      | 7.42       | 32.84      |  |  |  |
| PK   | 5.53304G     | 106.31            | Inf               | -Inf           | 99.85         | 3           | Horizontal | 294            | 1.38          | 17      | 31.83      | 7.47       | 32.84      |  |  |  |
| AV   | 5.526G       | 93.88             | Inf               | -Inf           | 87.41         | 3           | Horizontal | 294            | 1.38          | 17      | 31.85      | 7.46       | 32.84      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT Y\_1TX  
SET 17

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00054G    | 43.77             | 74.00             | -30.23         | 59.82         | 3           | Vertical  | 1              | 1.80          | 17      | 40.00      | 10.57      | 66.62      |  |  |  |
| AV   | 11.01796G    | 29.85             | 54.00             | -24.15         | 45.91         | 3           | Vertical  | 1              | 1.80          | 17      | 39.96      | 10.58      | 66.60      |  |  |  |
| PK   | 16.63332G    | 46.62             | 68.20             | -21.58         | 57.68         | 3           | Vertical  | 350            | 1.80          | 17      | 39.07      | 13.01      | 63.14      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5530MHz\_TX

EUT\_Y\_1TX  
SET 17

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.04961G    | 44.66             | 74.00             | -29.34         | 60.73         | 3           | Horizontal | 1              | 1.80          | 17      | 39.90      | 10.60      | 66.57      |  |  |  |
| AV   | 11.01173G    | 30.18             | 54.00             | -23.82         | 46.23         | 3           | Horizontal | 1              | 1.80          | 17      | 39.98      | 10.58      | 66.61      |  |  |  |
| PK   | 16.63172G    | 46.50             | 68.20             | -21.70         | 57.58         | 3           | Horizontal | 312            | 1.80          | 17      | 39.05      | 13.01      | 63.14      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUT\_Y\_1TX  
SET 21.5  
15\20.5\23\22\21.5  
5.93\2.75\4.08\0.71\1.01

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.45704G     | 63.46             | 74.00             | -10.54         | 57.16         | 3           | Vertical  | 353            | 1.80          | 21.5    | 31.73      | 7.41       | 32.84      |  |  |  |
| PK   | 5.4612G      | 63.93             | 68.20             | -4.27          | 57.61         | 3           | Vertical  | 353            | 1.80          | 21.5    | 31.74      | 7.42       | 32.84      |  |  |  |
| AV   | 5.4596G      | 51.30             | 54.00             | -2.70          | 44.99         | 3           | Vertical  | 353            | 1.80          | 21.5    | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.62024G     | 105.62            | Inf               | -Inf           | 99.22         | 3           | Vertical  | 353            | 1.80          | 21.5    | 31.74      | 7.53       | 32.87      |  |  |  |
| AV   | 5.61768G     | 93.22             | Inf               | -Inf           | 86.82         | 3           | Vertical  | 353            | 1.80          | 21.5    | 31.74      | 7.53       | 32.87      |  |  |  |
| PK   | 5.7252G      | 67.19             | 68.20             | -1.01          | 60.49         | 3           | Vertical  | 353            | 1.80          | 21.5    | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUT\_Y\_1TX  
SET 20.5  
21.5\20\20.5\21\20.5  
-1.19\1.85\0.96\0.35\1.41

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.45416G     | 63.76             | 74.00             | -10.24         | 57.47         | 3           | Horizontal | 297            | 1.06          | 20.5    | 31.72      | 7.41       | 32.84      |  |  |  |
| AV   | 5.4596G      | 51.15             | 54.00             | -2.85          | 44.84         | 3           | Horizontal | 297            | 1.06          | 20.5    | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.46792G     | 64.31             | 68.20             | -3.89          | 57.96         | 3           | Horizontal | 297            | 1.06          | 20.5    | 31.77      | 7.42       | 32.84      |  |  |  |
| PK   | 5.62184G     | 107.19            | Inf               | -Inf           | 100.79        | 3           | Horizontal | 297            | 1.06          | 20.5    | 31.74      | 7.53       | 32.87      |  |  |  |
| AV   | 5.6068G      | 95.26             | Inf               | -Inf           | 88.90         | 3           | Horizontal | 297            | 1.06          | 20.5    | 31.71      | 7.52       | 32.87      |  |  |  |
| PK   | 5.72648G     | 66.79             | 68.20             | -1.41          | 60.09         | 3           | Horizontal | 297            | 1.06          | 20.5    | 32.05      | 7.56       | 32.91      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUT Y\_1TX  
SET 20.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.14951G    | 43.36             | 74.00             | -30.64         | 59.57         | 3           | Vertical  | 108            | 1.80          | 20.5    | 39.60      | 10.65      | 66.46      |  |  |  |
| AV   | 11.14647G    | 29.34             | 54.00             | -24.66         | 45.54         | 3           | Vertical  | 108            | 1.80          | 20.5    | 39.61      | 10.65      | 66.46      |  |  |  |
| PK   | 16.88946G    | 47.49             | 68.20             | -20.71         | 57.17         | 3           | Vertical  | 357            | 1.80          | 20.5    | 40.24      | 13.09      | 63.01      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5610MHz\_TX

EUT\_Y\_1TX  
SET 20.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.15622G    | 43.36             | 74.00             | -30.64         | 59.55         | 3           | Horizontal | 89             | 1.80          | 20.5    | 39.60      | 10.66      | 66.45      |  |  |  |
| AV   | 11.1591G     | 29.96             | 54.00             | -24.04         | 46.14         | 3           | Horizontal | 89             | 1.80          | 20.5    | 39.60      | 10.66      | 66.44      |  |  |  |
| PK   | 16.80538G    | 48.51             | 68.20             | -19.69         | 58.28         | 3           | Horizontal | 345            | 1.80          | 20.5    | 40.22      | 13.06      | 63.05      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
SET 23  
15\20.5\23\24\23.5\23  
5.93\5.14\0.67\2.02\1.60\0.89

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.46G        | 60.55             | 74.00             | -13.45         | 54.23         | 3           | Vertical  | 355            | 1.80          | 23      | 31.74      | 7.42       | 32.84      |  |  |  |
| AV   | 5.45576G     | 49.24             | 54.00             | -4.76          | 42.95         | 3           | Vertical  | 355            | 1.80          | 23      | 31.72      | 7.41       | 32.84      |  |  |  |
| PK   | 5.47G        | 62.46             | 68.20             | -5.74          | 56.10         | 3           | Vertical  | 355            | 1.80          | 23      | 31.78      | 7.42       | 32.84      |  |  |  |
| PK   | 5.68712G     | 109.03            | Inf               | -Inf           | 102.42        | 3           | Vertical  | 355            | 1.80          | 23      | 31.95      | 7.55       | 32.89      |  |  |  |
| AV   | 5.6948G      | 97.14             | Inf               | -Inf           | 90.51         | 3           | Vertical  | 355            | 1.80          | 23      | 31.98      | 7.55       | 32.90      |  |  |  |
| PK   | 5.85032G     | 67.31             | 68.20             | -0.89          | 60.45         | 3           | Vertical  | 355            | 1.80          | 23      | 32.20      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
SET 22.5  
23\21.5\22\22.5  
-1.05\1.88\1.49\0.34

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4596G      | 62.06             | 74.00             | -11.94         | 55.75         | 3           | Horizontal | 293            | 2.55          | 22.5    | 31.74      | 7.41       | 32.84      |  |  |  |
| AV   | 5.45912G     | 50.35             | 54.00             | -3.65          | 44.04         | 3           | Horizontal | 293            | 2.55          | 22.5    | 31.74      | 7.41       | 32.84      |  |  |  |
| PK   | 5.46296G     | 63.11             | 68.20             | -5.09          | 56.78         | 3           | Horizontal | 293            | 2.55          | 22.5    | 31.75      | 7.42       | 32.84      |  |  |  |
| PK   | 5.6876G      | 111.98            | Inf               | -Inf           | 105.37        | 3           | Horizontal | 293            | 2.55          | 22.5    | 31.95      | 7.55       | 32.89      |  |  |  |
| AV   | 5.68376G     | 100.21            | Inf               | -Inf           | 93.61         | 3           | Horizontal | 293            | 2.55          | 22.5    | 31.94      | 7.55       | 32.89      |  |  |  |
| PK   | 5.8556G      | 67.86             | 68.20             | -0.34          | 60.98         | 3           | Horizontal | 293            | 2.55          | 22.5    | 32.22      | 7.61       | 32.95      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX  
SET 22.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.415G   | 43.78    | 74.00    | -30.22 | 59.17  | 3    | Vertical  | 1       | 1.80   | 22.5    | 39.97 | 10.80 | 66.16 |  |  |  |  |
| AV   | 11.40541G | 30.73    | 54.00    | -23.27 | 46.12  | 3    | Vertical  | 1       | 1.80   | 22.5    | 39.99 | 10.79 | 66.17 |  |  |  |  |
| PK   | 17.04826G | 47.37    | 68.20    | -20.83 | 56.83  | 3    | Vertical  | 354     | 1.80   | 22.5    | 40.39 | 13.14 | 62.99 |  |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_1TX  
SET 22.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.41948G    | 44.31             | 74.00             | -29.69         | 59.71         | 3           | Horizontal | 13             | 1.80          | 22.5    | 39.96      | 10.80      | 66.16      |  |  |  |
| AV   | 11.39886G    | 30.84             | 54.00             | -23.16         | 46.23         | 3           | Horizontal | 13             | 1.80          | 22.5    | 40.00      | 10.79      | 66.18      |  |  |  |
| PK   | 17.04746G    | 47.48             | 68.20             | -20.72         | 56.95         | 3           | Horizontal | 1              | 1.80          | 22.5    | 40.38      | 13.14      | 62.99      |  |  |  |