


5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 18.5
15\20\17.5\18.5\19\18.5
5.30\10.33\4.17\0.67\4.48\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45912G	67.14	74.00	-6.86	60.83	3	Vertical	12	1.06	18.5	31.74	7.41	32.84			
AV	5.45984G	53.87	54.00	-0.13	47.56	3	Vertical	12	1.06	18.5	31.74	7.41	32.84			
PK	5.46236G	67.18	68.20	-1.02	60.85	3	Vertical	12	1.06	18.5	31.75	7.42	32.84			
PK	5.56208G	102.92	Inf	-Inf	96.50	3	Vertical	12	1.06	18.5	31.78	7.49	32.85			
AV	5.55596G	91.16	Inf	-Inf	84.73	3	Vertical	12	1.06	18.5	31.79	7.49	32.85			
PK	5.741G	64.16	68.20	-4.04	57.43	3	Vertical	12	1.06	18.5	32.08	7.56	32.91			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 18.5
18.5
0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45264G	66.63	74.00	-7.37	60.35	3	Horizontal	296	1.05	18.5	31.71	7.41	32.84			
PK	5.46452G	68.07	68.20	-0.13	61.73	3	Horizontal	296	1.05	18.5	31.76	7.42	32.84			
AV	5.45876G	53.17	54.00	-0.83	46.86	3	Horizontal	296	1.05	18.5	31.74	7.41	32.84			
PK	5.55956G	102.79	Inf	-Inf	96.37	3	Horizontal	296	1.05	18.5	31.78	7.49	32.85			
AV	5.55056G	90.78	Inf	-Inf	84.35	3	Horizontal	296	1.05	18.5	31.80	7.48	32.85			
PK	5.74604G	64.87	68.20	-3.33	58.13	3	Horizontal	296	1.05	18.5	32.09	7.56	32.91			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00893G	43.16	74.00	-30.84	59.22	3	Vertical	41	1.80	18.5	39.98	10.57	66.61			
AV	11.0182G	29.71	54.00	-24.29	45.77	3	Vertical	41	1.80	18.5	39.96	10.58	66.60			
PK	16.62784G	47.02	68.20	-21.18	58.14	3	Vertical	337	1.80	18.5	39.02	13.00	63.14			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX

EUT Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04378G	43.38	74.00	-30.62	59.45	3	Horizontal	11	1.80	18.5	39.91	10.59	66.57			
AV	11.03067G	29.99	54.00	-24.01	46.05	3	Horizontal	11	1.80	18.5	39.94	10.59	66.59			
PK	16.64351G	46.47	68.20	-21.73	57.44	3	Horizontal	247	1.80	18.5	39.15	13.01	63.13			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	PK	5.463G	68.06	68.20	-0.14	3	Vertical	301	2.76	-

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUT_Z_1TX
Setting 5.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.333G	58.83	68.20	-9.37	51.75	3	Vertical	301	2.76	-	31.50	7.04	31.46			
AV	5.35G	45.87	54.00	-8.13	38.79	3	Vertical	301	2.76	-	31.50	7.05	31.47			
PK	5.458G	66.18	74.00	-7.82	58.76	3	Vertical	301	2.76	-	31.82	7.13	31.53			
AV	5.459G	48.26	54.00	-5.74	40.84	3	Vertical	301	2.76	-	31.82	7.13	31.53			
PK	5.463G	68.06	68.20	-0.14	60.63	3	Vertical	301	2.76	-	31.83	7.13	31.53			
PK	5.517G	106.90	Inf	-Inf	99.38	3	Vertical	301	2.76	-	31.90	7.17	31.55			
AV	5.559G	94.18	Inf	-Inf	86.67	3	Vertical	301	2.76	-	31.88	7.19	31.56			
PK	5.749G	59.84	68.20	-8.36	51.88	3	Vertical	301	2.76	-	32.19	7.35	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUTZ_1TX
Setting 5.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.34G	58.91	68.20	-9.29	51.83	3	Horizontal	338	2.47	-	31.50	7.04	31.46			
AV	5.35G	46.37	54.00	-7.63	39.29	3	Horizontal	338	2.47	-	31.50	7.05	31.47			
PK	5.435G	64.07	74.00	-9.93	56.73	3	Horizontal	338	2.47	-	31.74	7.11	31.51			
PK	5.466G	62.69	68.20	-5.51	55.26	3	Horizontal	338	2.47	-	31.83	7.13	31.53			
AV	5.459G	47.93	54.00	-6.07	40.51	3	Horizontal	338	2.47	-	31.82	7.13	31.53			
PK	5.498G	102.72	Inf	-Inf	95.22	3	Horizontal	338	2.47	-	31.90	7.15	31.55			
AV	5.565G	90.27	Inf	-Inf	82.76	3	Horizontal	338	2.47	-	31.87	7.20	31.56			
PK	5.771G	60.22	68.20	-7.98	52.19	3	Horizontal	338	2.47	-	32.24	7.37	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUTY_1TX
Setting 5.5/17.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06005G	60.33	74.00	-13.67	42.26	3	Vertical	350	2.87	-	40.26	10.36	32.55			
AV	11.05954G	46.34	54.00	-7.66	28.27	3	Vertical	350	2.87	-	40.26	10.36	32.55			
PK	16.58987G	62.81	68.20	-5.39	43.39	3	Vertical	331	2.70	-	39.42	12.94	32.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 5.5/17.5
06-D-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.05978G	59.42	74.00	-14.58	41.35	3	Horizontal	178	2.74	-	40.26	10.36	32.55			
AV	11.06017G	46.47	54.00	-7.53	28.40	3	Horizontal	178	2.74	-	40.26	10.36	32.55			
PK	16.59015G	63.21	68.20	-4.99	43.79	3	Horizontal	65	2.73	-	39.42	12.94	32.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5530MHz_TX




EUT_Z_1TX
Setting 3/18
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	58.38	74.00	-15.62	51.30	3	Vertical	304	2.43	-	31.50	7.05	31.47			
AV	5.35G	45.73	54.00	-8.27	38.65	3	Vertical	304	2.43	-	31.50	7.05	31.47			
PK	5.4412G	72.48	74.00	-1.52	65.12	3	Vertical	304	2.43	-	31.76	7.12	31.52			
AV	5.4412G	51.18	54.00	-2.82	43.82	3	Vertical	304	2.43	-	31.76	7.12	31.52			
PK	5.462G	67.09	68.20	-1.11	59.67	3	Vertical	304	2.43	-	31.82	7.13	31.53			
AV	5.4924G	96.28	Inf	-Inf	88.80	3	Vertical	304	2.43	-	31.88	7.15	31.55			
PK	5.5572G	109.10	Inf	-Inf	101.58	3	Vertical	304	2.43	-	31.89	7.19	31.56			
PK	5.7284G	59.86	68.20	-8.34	52.04	3	Vertical	304	2.43	-	32.07	7.33	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5530MHz_TX




EUT_Z_1TX
Setting 3/18
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3412G	58.80	68.20	-9.40	51.71	3	Horizontal	339	2.48	-	31.50	7.05	31.46			
AV	5.35G	47.08	54.00	-6.92	40.00	3	Horizontal	339	2.48	-	31.50	7.05	31.47			
PK	5.4404G	70.77	74.00	-3.23	63.41	3	Horizontal	339	2.48	-	31.76	7.12	31.52			
AV	5.4404G	51.63	54.00	-2.37	44.27	3	Horizontal	339	2.48	-	31.76	7.12	31.52			
PK	5.4604G	63.95	68.20	-4.25	56.53	3	Horizontal	339	2.48	-	31.82	7.13	31.53			
PK	5.5636G	105.31	Inf	-Inf	97.80	3	Horizontal	339	2.48	-	31.87	7.20	31.56			
AV	5.5652G	93.16	Inf	-Inf	85.65	3	Horizontal	339	2.48	-	31.87	7.20	31.56			
PK	5.7292G	60.10	68.20	-8.10	52.27	3	Horizontal	339	2.48	-	32.08	7.33	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5530MHz_TX

EUT_Y_1TX
Setting 3/18
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05973G	59.80	74.00	-14.20	41.73	3	Vertical	35	2.06	-	40.26	10.36	32.55			
AV	11.05993G	46.62	54.00	-7.38	28.55	3	Vertical	35	2.06	-	40.26	10.36	32.55			
PK	16.59027G	63.36	68.20	-4.84	43.94	3	Vertical	238	2.15	-	39.42	12.94	32.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5530MHz_TX

EUT_Y_1TX
Setting 3/18
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05964G	59.16	74.00	-14.84	41.09	3	Horizontal	326	1.86	-	40.26	10.36	32.55			
AV	11.05983G	46.47	54.00	-7.53	28.40	3	Horizontal	326	1.86	-	40.26	10.36	32.55			
PK	16.59044G	62.67	68.20	-5.53	43.25	3	Horizontal	220	1.96	-	39.42	12.94	32.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUT_Z_1TX
Setting 4.5/18.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.328G	59.21	68.20	-8.99	52.13	3	Vertical	163	2.46	-	31.50	7.04	31.46			
PK	5.4588G	61.73	74.00	-12.27	54.31	3	Vertical	163	2.46	-	31.82	7.13	31.53			
AV	5.4588G	48.36	54.00	-5.64	40.94	3	Vertical	163	2.46	-	31.82	7.13	31.53			
PK	5.4684G	64.39	68.20	-3.81	56.95	3	Vertical	163	2.46	-	31.84	7.13	31.53			
PK	5.5992G	109.10	Inf	-Inf	101.64	3	Vertical	163	2.46	-	31.80	7.22	31.56			
AV	5.5992G	96.83	Inf	-Inf	89.37	3	Vertical	163	2.46	-	31.80	7.22	31.56			
PK	5.7288G	67.04	68.20	-1.16	59.22	3	Vertical	163	2.46	-	32.07	7.33	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUT_Z_1TX
Setting 4.5/18.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3436G	59.76	68.20	-8.44	52.68	3	Horizontal	338	2.44	-	31.50	7.05	31.47			
PK	5.4564G	60.50	74.00	-13.50	53.09	3	Horizontal	338	2.44	-	31.81	7.13	31.53			
AV	5.4576G	47.57	54.00	-6.43	40.15	3	Horizontal	338	2.44	-	31.82	7.13	31.53			
PK	5.4636G	60.80	68.20	-7.40	53.37	3	Horizontal	338	2.44	-	31.83	7.13	31.53			
PK	5.6064G	104.41	Inf	-Inf	96.95	3	Horizontal	338	2.44	-	31.79	7.23	31.56			
AV	5.5788G	91.64	Inf	-Inf	84.15	3	Horizontal	338	2.44	-	31.84	7.21	31.56			
PK	5.7408G	62.53	68.20	-5.67	54.63	3	Horizontal	338	2.44	-	32.14	7.34	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 4.5/18.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21997G	59.50	74.00	-14.50	41.90	3	Vertical	232	1.80	-	39.80	10.44	32.64			
AV	11.21987G	46.01	54.00	-7.99	28.41	3	Vertical	232	1.80	-	39.80	10.44	32.64			
PK	16.83018G	63.80	68.20	-4.40	43.64	3	Vertical	72	1.94	-	40.46	13.04	33.34			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 4.5/18.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22002G	59.02	74.00	-14.98	41.42	3	Horizontal	234	1.16	-	39.80	10.44	32.64			
AV	11.22035G	45.89	54.00	-8.11	28.29	3	Horizontal	234	1.16	-	39.80	10.44	32.64			
PK	16.83042G	63.22	68.20	-4.98	43.07	3	Horizontal	344	2.90	-	40.46	13.04	33.35			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUT_Z_1TX
Setting 2.5/18.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3496G	58.81	68.20	-9.39	51.73	3	Vertical	162	2.49	-	31.50	7.05	31.47			
PK	5.46G	66.49	74.00	-7.51	59.07	3	Vertical	162	2.49	-	31.82	7.13	31.53			
AV	5.4588G	50.56	54.00	-3.44	43.14	3	Vertical	162	2.49	-	31.82	7.13	31.53			
PK	5.4696G	66.57	68.20	-1.63	59.12	3	Vertical	162	2.49	-	31.84	7.14	31.53			
PK	5.5752G	110.51	Inf	-Inf	103.02	3	Vertical	162	2.49	-	31.85	7.20	31.56			
AV	5.5824G	98.04	Inf	-Inf	90.55	3	Vertical	162	2.49	-	31.84	7.21	31.56			
PK	5.748G	67.47	68.20	-0.73	59.51	3	Vertical	162	2.49	-	32.19	7.35	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUT_Z_1TX
Setting 2.5/18.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3364G	59.09	68.20	-9.11	52.01	3	Horizontal	341	2.49	-	31.50	7.04	31.46			
PK	5.4516G	62.48	74.00	-11.52	55.08	3	Horizontal	341	2.49	-	31.80	7.12	31.52			
PK	5.4648G	62.08	68.20	-6.12	54.65	3	Horizontal	341	2.49	-	31.83	7.13	31.53			
AV	5.46G	48.68	54.00	-5.32	41.26	3	Horizontal	341	2.49	-	31.82	7.13	31.53			
PK	5.5884G	104.79	Inf	-Inf	97.32	3	Horizontal	341	2.49	-	31.82	7.21	31.56			
AV	5.5776G	92.50	Inf	-Inf	85.01	3	Horizontal	341	2.49	-	31.84	7.21	31.56			
PK	5.7396G	63.75	68.20	-4.45	55.85	3	Horizontal	341	2.49	-	32.14	7.34	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUT_Y_1TX
Setting 2.5/18.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22044G	59.02	74.00	-14.98	41.42	3	Vertical	323	1.70	-	39.80	10.44	32.64			
AV	11.22028G	46.31	54.00	-7.69	28.71	3	Vertical	323	1.70	-	39.80	10.44	32.64			
PK	16.83029G	63.60	68.20	-4.60	43.44	3	Vertical	272	2.97	-	40.46	13.04	33.34			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUT_Y_1TX
Setting 2.5/18.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2205G	60.32	74.00	-13.68	42.72	3	Horizontal	149	1.12	-	39.80	10.44	32.64			
AV	11.22006G	45.97	54.00	-8.03	28.37	3	Horizontal	149	1.12	-	39.80	10.44	32.64			
PK	16.83046G	63.69	68.20	-4.51	43.54	3	Horizontal	163	2.63	-	40.46	13.04	33.35			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 1/22
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	59.84	74.00	-14.16	52.43	3	Vertical	165	2.49	-	31.81	7.13	31.53			
AV	5.4584G	47.34	54.00	-6.66	39.92	3	Vertical	165	2.49	-	31.82	7.13	31.53			
PK	5.462G	60.37	68.20	-7.83	52.95	3	Vertical	165	2.49	-	31.82	7.13	31.53			
PK	5.666G	110.87	Inf	-Inf	103.40	3	Vertical	165	2.49	-	31.76	7.28	31.57			
AV	5.6624G	97.45	Inf	-Inf	90.00	3	Vertical	165	2.49	-	31.75	7.27	31.57			
PK	5.8544G	67.82	68.20	-0.38	59.68	3	Vertical	165	2.49	-	32.32	7.41	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 1/22
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	59.60	74.00	-14.40	52.19	3	Horizontal	338	2.66	-	31.81	7.13	31.53			
AV	5.4536G	47.22	54.00	-6.78	39.81	3	Horizontal	338	2.66	-	31.81	7.12	31.52			
PK	5.462G	59.37	68.20	-8.83	51.95	3	Horizontal	338	2.66	-	31.82	7.13	31.53			
PK	5.672G	105.75	Inf	-Inf	98.25	3	Horizontal	338	2.66	-	31.79	7.28	31.57			
AV	5.7248G	93.44	Inf	-Inf	85.64	3	Horizontal	338	2.66	-	32.05	7.33	31.58			
PK	5.8568G	61.64	68.20	-6.56	53.49	3	Horizontal	338	2.66	-	32.33	7.41	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 1/22
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38002G	59.40	74.00	-14.60	41.65	3	Vertical	77	2.81	-	39.96	10.52	32.73			
AV	11.37979G	46.52	54.00	-7.48	28.77	3	Vertical	77	2.81	-	39.96	10.52	32.73			
PK	17.06983G	63.98	68.20	-4.22	44.03	3	Vertical	359	2.93	-	40.32	13.15	33.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 1/22
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3804G	59.18	74.00	-14.82	41.43	3	Horizontal	113	2.34	-	39.96	10.52	32.73			
AV	11.37954G	46.57	54.00	-7.43	28.82	3	Horizontal	113	2.34	-	39.96	10.52	32.73			
PK	17.06964G	63.45	68.20	-4.75	43.50	3	Horizontal	284	1.10	-	40.32	13.15	33.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 1.5/19.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4152G	59.80	74.00	-14.20	52.54	3	Vertical	168	2.67	-	31.66	7.10	31.50			
PK	5.468G	61.06	68.20	-7.14	53.62	3	Vertical	168	2.67	-	31.84	7.13	31.53			
AV	5.4584G	47.13	54.00	-6.87	39.71	3	Vertical	168	2.67	-	31.82	7.13	31.53			
PK	5.6552G	111.35	Inf	-Inf	103.93	3	Vertical	168	2.67	-	31.72	7.27	31.57			
AV	5.6564G	98.56	Inf	-Inf	91.13	3	Vertical	168	2.67	-	31.73	7.27	31.57			
PK	5.8568G	64.14	68.20	-4.06	55.99	3	Vertical	168	2.67	-	32.33	7.41	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 1.5/19.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4044G	59.53	74.00	-14.47	52.32	3	Horizontal	339	2.42	-	31.62	7.09	31.50			
PK	5.4692G	59.32	68.20	-8.88	51.88	3	Horizontal	339	2.42	-	31.84	7.13	31.53			
AV	5.4464G	47.04	54.00	-6.96	39.65	3	Horizontal	339	2.42	-	31.79	7.12	31.52			
PK	5.7164G	106.17	Inf	-Inf	98.43	3	Horizontal	339	2.42	-	32.00	7.32	31.58			
AV	5.6528G	93.71	Inf	-Inf	86.31	3	Horizontal	339	2.42	-	31.71	7.26	31.57			
PK	5.858G	60.97	68.20	-7.23	52.82	3	Horizontal	339	2.42	-	32.33	7.41	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 1.5/19.5
06-D-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3799G	59.79	74.00	-14.21	42.04	3	Vertical	287	2.64	-	39.96	10.52	32.73			
AV	11.37982G	46.32	54.00	-7.68	28.57	3	Vertical	287	2.64	-	39.96	10.52	32.73			
PK	17.07043G	63.15	68.20	-5.05	43.20	3	Vertical	276	2.08	-	40.32	13.15	33.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 1.5/19.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37994G	59.56	74.00	-14.44	41.81	3	Horizontal	120	1.95	-	39.96	10.52	32.73			
AV	11.3805G	46.45	54.00	-7.55	28.70	3	Horizontal	120	1.95	-	39.96	10.52	32.73			
PK	17.06973G	63.63	68.20	-4.57	43.68	3	Horizontal	316	2.68	-	40.32	13.15	33.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUT_Z_1TX
Setting 8/15
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.342G	59.81	68.20	-8.39	52.72	3	Vertical	298	2.89	-	31.50	7.05	31.46			
PK	5.4524G	64.32	74.00	-9.68	56.92	3	Vertical	298	2.89	-	31.80	7.12	31.52			
AV	5.4476G	47.31	54.00	-6.69	39.92	3	Vertical	298	2.89	-	31.79	7.12	31.52			
PK	5.4656G	62.96	68.20	-5.24	55.53	3	Vertical	298	2.89	-	31.83	7.13	31.53			
PK	5.6012G	103.28	Inf	-Inf	95.82	3	Vertical	298	2.89	-	31.80	7.22	31.56			
AV	5.606G	90.34	Inf	-Inf	82.88	3	Vertical	298	2.89	-	31.79	7.23	31.56			
PK	5.7284G	67.82	68.20	-0.38	60.00	3	Vertical	298	2.89	-	32.07	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUT_Z_1TX
Setting 8/15
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3012G	58.54	68.20	-9.66	51.46	3	Horizontal	344	2.46	-	31.50	7.02	31.44			
PK	5.4524G	58.97	74.00	-15.03	51.57	3	Horizontal	344	2.46	-	31.80	7.12	31.52			
PK	5.4632G	60.10	68.20	-8.10	52.67	3	Horizontal	344	2.46	-	31.83	7.13	31.53			
AV	5.4584G	46.54	54.00	-7.46	39.12	3	Horizontal	344	2.46	-	31.82	7.13	31.53			
PK	5.6132G	93.74	Inf	-Inf	86.30	3	Horizontal	344	2.46	-	31.77	7.23	31.56			
AV	5.606G	81.22	Inf	-Inf	73.76	3	Horizontal	344	2.46	-	31.79	7.23	31.56			
PK	5.7716G	60.96	68.20	-7.24	52.93	3	Horizontal	344	2.46	-	32.24	7.37	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUT_Y_1TX
Setting 8/15
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13658G	59.14	74.00	-14.86	41.39	3	Vertical	67	2.92	-	39.95	10.40	32.60			
AV	11.12854G	46.04	54.00	-7.96	28.24	3	Vertical	67	2.92	-	39.99	10.40	32.59			
PK	16.69692G	63.73	68.20	-4.47	43.98	3	Vertical	52	1.11	-	39.89	12.98	33.12			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX


5570MHz_TX

EUT_Y_1TX
Setting 8/15
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13334G	58.86	74.00	-15.14	41.08	3	Horizontal	250	2.28	-	39.97	10.40	32.59			
AV	11.12818G	46.16	54.00	-7.84	28.36	3	Horizontal	250	2.28	-	39.99	10.40	32.59			
PK	16.72218G	63.21	68.20	-4.99	43.35	3	Horizontal	258	1.06	-	40.03	12.99	33.16			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUT_Z_1TX
Setting 6/16
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3024G	58.91	68.20	-9.29	51.83	3	Vertical	164	2.57	-	31.50	7.02	31.44			
PK	5.4464G	66.33	74.00	-7.67	58.94	3	Vertical	164	2.57	-	31.79	7.12	31.52			
AV	5.4488G	47.68	54.00	-6.32	40.28	3	Vertical	164	2.57	-	31.80	7.12	31.52			
PK	5.4656G	65.65	68.20	-2.55	58.22	3	Vertical	164	2.57	-	31.83	7.13	31.53			
PK	5.6384G	102.93	Inf	-Inf	95.53	3	Vertical	164	2.57	-	31.72	7.25	31.57			
AV	5.588G	90.20	Inf	-Inf	82.73	3	Vertical	164	2.57	-	31.82	7.21	31.56			
PK	5.7272G	67.95	68.20	-0.25	60.14	3	Vertical	164	2.57	-	32.06	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUT_Z_1TX
Setting 6/16
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3144G	59.00	68.20	-9.20	51.92	3	Horizontal	340	2.46	-	31.50	7.03	31.45			
PK	5.4452G	64.21	74.00	-9.79	56.83	3	Horizontal	340	2.46	-	31.78	7.12	31.52			
AV	5.45G	46.85	54.00	-7.15	39.45	3	Horizontal	340	2.46	-	31.80	7.12	31.52			
PK	5.462G	62.99	68.20	-5.21	55.57	3	Horizontal	340	2.46	-	31.82	7.13	31.53			
PK	5.5808G	97.54	Inf	-Inf	90.05	3	Horizontal	340	2.46	-	31.84	7.21	31.56			
AV	5.5772G	84.81	Inf	-Inf	77.31	3	Horizontal	340	2.46	-	31.85	7.21	31.56			
PK	5.7272G	64.21	68.20	-3.99	56.40	3	Horizontal	340	2.46	-	32.06	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 6/16
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12992G	58.67	74.00	-15.33	40.88	3	Vertical	109	1.90	-	39.98	10.40	32.59			
AV	11.1331G	46.07	54.00	-7.93	28.29	3	Vertical	109	1.90	-	39.97	10.40	32.59			
PK	16.71678G	64.15	68.20	-4.05	44.31	3	Vertical	1	1.78	-	40.00	12.99	33.15			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 6/16
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1289G	58.57	74.00	-15.43	40.78	3	Horizontal	79	1.78	-	39.98	10.40	32.59			
AV	11.12734G	46.04	54.00	-7.96	28.24	3	Horizontal	79	1.78	-	39.99	10.40	32.59			
PK	16.72236G	63.03	68.20	-5.17	43.16	3	Horizontal	136	1.68	-	40.03	13.00	33.16			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUT_Z_1TX
Setting 5.5/15.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3228G	58.31	68.20	-9.89	51.23	3	Vertical	165	2.71	-	31.50	7.03	31.45			
PK	5.4572G	65.91	74.00	-8.09	58.50	3	Vertical	165	2.71	-	31.81	7.13	31.53			
AV	5.4572G	46.78	54.00	-7.22	39.37	3	Vertical	165	2.71	-	31.81	7.13	31.53			
PK	5.4668G	64.34	68.20	-3.86	56.91	3	Vertical	165	2.71	-	31.83	7.13	31.53			
PK	5.6228G	103.02	Inf	-Inf	95.59	3	Vertical	165	2.71	-	31.75	7.24	31.56			
AV	5.618G	90.52	Inf	-Inf	83.08	3	Vertical	165	2.71	-	31.76	7.24	31.56			
PK	5.7272G	67.91	68.20	-0.29	60.10	3	Vertical	165	2.71	-	32.06	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUT_Z_1TX
Setting 5.5/15.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2892G	58.51	68.20	-9.69	51.42	3	Horizontal	339	2.42	-	31.52	7.01	31.44			
PK	5.4572G	63.27	74.00	-10.73	55.86	3	Horizontal	339	2.42	-	31.81	7.13	31.53			
AV	5.4584G	46.62	54.00	-7.38	39.20	3	Horizontal	339	2.42	-	31.82	7.13	31.53			
PK	5.462G	61.97	68.20	-6.23	54.55	3	Horizontal	339	2.42	-	31.82	7.13	31.53			
PK	5.6144G	98.27	Inf	-Inf	90.83	3	Horizontal	339	2.42	-	31.77	7.23	31.56			
AV	5.6132G	85.42	Inf	-Inf	77.98	3	Horizontal	339	2.42	-	31.77	7.23	31.56			
PK	5.7284G	63.38	68.20	-4.82	55.56	3	Horizontal	339	2.42	-	32.07	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX


5570MHz_TX

EUTY_1TX
Setting 5.5/15.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12566G	58.63	74.00	-15.37	40.83	3	Vertical	266	2.41	-	40.00	10.39	32.59			
AV	11.13574G	46.01	54.00	-7.99	28.25	3	Vertical	266	2.41	-	39.96	10.40	32.60			
PK	16.69992G	63.04	68.20	-5.16	43.29	3	Vertical	297	2.36	-	39.90	12.98	33.13			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 5.5/15.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12932G	58.63	74.00	-15.37	40.84	3	Horizontal	319	1.25	-	39.98	10.40	32.59			
AV	11.12572G	46.09	54.00	-7.91	28.29	3	Horizontal	319	1.25	-	40.00	10.39	32.59			
PK	16.72422G	63.41	68.20	-4.79	43.53	3	Horizontal	292	3.00	-	40.05	13.00	33.17			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 5/15
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3444G	58.82	68.20	-9.38	51.74	3	Vertical	164	2.45	-	31.50	7.05	31.47			
AV	5.35G	45.85	54.00	-8.15	38.77	3	Vertical	164	2.45	-	31.50	7.05	31.47			
PK	5.4516G	62.60	74.00	-11.40	55.20	3	Vertical	164	2.45	-	31.80	7.12	31.52			
PK	5.4612G	62.70	68.20	-5.50	55.28	3	Vertical	164	2.45	-	31.82	7.13	31.53			
AV	5.458G	46.98	54.00	-7.02	39.56	3	Vertical	164	2.45	-	31.82	7.13	31.53			
PK	5.5556G	104.23	Inf	-Inf	96.71	3	Vertical	164	2.45	-	31.89	7.19	31.56			
AV	5.5548G	91.76	Inf	-Inf	84.24	3	Vertical	164	2.45	-	31.89	7.19	31.56			
PK	5.7292G	59.52	68.20	-8.68	51.69	3	Vertical	164	2.45	-	32.08	7.33	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 5/15
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3444G	58.07	68.20	-10.13	50.99	3	Horizontal	356	2.34	-	31.50	7.05	31.47			
AV	5.35G	45.54	54.00	-8.46	38.46	3	Horizontal	356	2.34	-	31.50	7.05	31.47			
PK	5.4388G	66.15	74.00	-7.85	58.79	3	Horizontal	356	2.34	-	31.76	7.12	31.52			
PK	5.4644G	67.76	68.20	-0.44	60.33	3	Horizontal	356	2.34	-	31.83	7.13	31.53			
AV	5.4596G	47.61	54.00	-6.39	40.19	3	Horizontal	356	2.34	-	31.82	7.13	31.53			
PK	5.5036G	106.49	Inf	-Inf	98.98	3	Horizontal	356	2.34	-	31.90	7.16	31.55			
AV	5.5628G	93.99	Inf	-Inf	86.48	3	Horizontal	356	2.34	-	31.87	7.20	31.56			
PK	5.726G	59.70	68.20	-8.50	51.89	3	Horizontal	356	2.34	-	32.06	7.33	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 5/15
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05082G	59.59	74.00	-14.41	41.48	3	Vertical	274	2.52	-	40.30	10.36	32.55			
AV	11.05208G	46.75	54.00	-7.25	28.65	3	Vertical	274	2.52	-	40.29	10.36	32.55			
PK	16.58964G	63.78	68.20	-4.42	44.36	3	Vertical	151	1.68	-	39.42	12.94	32.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX

EUT_Y_2TX
Setting 5/15
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0657G	59.19	74.00	-14.81	41.14	3	Horizontal	26	1.52	-	40.24	10.37	32.56			
AV	11.04578G	46.80	54.00	-7.20	28.67	3	Horizontal	26	1.52	-	40.32	10.36	32.55			
PK	16.5765G	62.66	68.20	-5.54	43.20	3	Horizontal	158	2.84	-	39.45	12.93	32.92			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Z_2TX
Setting 1.5/16.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3316G	58.72	68.20	-9.48	51.64	3	Vertical	165	2.45	-	31.50	7.04	31.46			
AV	5.35G	46.46	54.00	-7.54	39.38	3	Vertical	165	2.45	-	31.50	7.05	31.47			
PK	5.4388G	67.79	74.00	-6.21	60.43	3	Vertical	165	2.45	-	31.76	7.12	31.52			
AV	5.4332G	48.92	54.00	-5.08	41.59	3	Vertical	165	2.45	-	31.73	7.11	31.51			
PK	5.4636G	63.57	68.20	-4.63	56.14	3	Vertical	165	2.45	-	31.83	7.13	31.53			
PK	5.5564G	108.90	Inf	-Inf	101.38	3	Vertical	165	2.45	-	31.89	7.19	31.56			
AV	5.5548G	96.23	Inf	-Inf	88.71	3	Vertical	165	2.45	-	31.89	7.19	31.56			
PK	5.73G	60.12	68.20	-8.08	52.29	3	Vertical	165	2.45	-	32.08	7.33	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Z_2TX
Setting 1.5/16.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3396G	58.28	68.20	-9.92	51.20	3	Horizontal	356	2.40	-	31.50	7.04	31.46
AV	5.35G	45.73	54.00	-8.27	38.65	3	Horizontal	356	2.40	-	31.50	7.05	31.47
PK	5.442G	69.53	74.00	-4.47	62.16	3	Horizontal	356	2.40	-	31.77	7.12	31.52
AV	5.4444G	48.79	54.00	-5.21	41.41	3	Horizontal	356	2.40	-	31.78	7.12	31.52
PK	5.4644G	64.33	68.20	-3.87	56.90	3	Horizontal	356	2.40	-	31.83	7.13	31.53
PK	5.5028G	109.22	Inf	-Inf	101.71	3	Horizontal	356	2.40	-	31.90	7.16	31.55
AV	5.5628G	97.16	Inf	-Inf	89.65	3	Horizontal	356	2.40	-	31.87	7.20	31.56
PK	5.7268G	60.40	68.20	-7.80	52.59	3	Horizontal	356	2.40	-	32.06	7.33	31.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Y_2TX
Setting 1.5/16.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0504G	59.61	74.00	-14.39	41.50	3	Vertical	333	1.46	-	40.30	10.36	32.55			
AV	11.04992G	46.78	54.00	-7.22	28.67	3	Vertical	333	1.46	-	40.30	10.36	32.55			
PK	16.60284G	63.09	68.20	-5.11	43.69	3	Vertical	123	2.30	-	39.42	12.94	32.96			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Y_2TX
Setting 1.5/16.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.072G	59.45	74.00	-14.55	41.43	3	Horizontal	269	1.70	-	40.21	10.37	32.56			
AV	11.0555G	46.66	54.00	-7.34	28.57	3	Horizontal	269	1.70	-	40.28	10.36	32.55			
PK	16.5786G	63.43	68.20	-4.77	43.98	3	Horizontal	128	1.67	-	39.44	12.93	32.92			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Z_2TX
Setting 2.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.34G	59.67	68.20	-8.53	52.59	3	Vertical	163	2.70	-	31.50	7.04	31.46			
PK	5.4552G	62.21	74.00	-11.79	54.80	3	Vertical	163	2.70	-	31.81	7.13	31.53			
AV	5.4576G	48.69	54.00	-5.31	41.27	3	Vertical	163	2.70	-	31.82	7.13	31.53			
PK	5.4696G	62.85	68.20	-5.35	55.40	3	Vertical	163	2.70	-	31.84	7.14	31.53			
PK	5.5956G	109.97	Inf	-Inf	102.50	3	Vertical	163	2.70	-	31.81	7.22	31.56			
AV	5.5968G	97.82	Inf	-Inf	90.35	3	Vertical	163	2.70	-	31.81	7.22	31.56			
PK	5.7312G	66.60	68.20	-1.60	58.76	3	Vertical	163	2.70	-	32.09	7.33	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Z_2TX
Setting 2.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3412G	59.40	68.20	-8.80	52.31	3	Horizontal	353	2.39	-	31.50	7.05	31.46			
PK	5.46G	63.53	74.00	-10.47	56.11	3	Horizontal	353	2.39	-	31.82	7.13	31.53			
AV	5.46G	49.82	54.00	-4.18	42.40	3	Horizontal	353	2.39	-	31.82	7.13	31.53			
PK	5.4624G	65.50	68.20	-2.70	58.08	3	Horizontal	353	2.39	-	31.82	7.13	31.53			
PK	5.6016G	111.86	Inf	-Inf	104.40	3	Horizontal	353	2.39	-	31.80	7.22	31.56			
AV	5.5812G	98.97	Inf	-Inf	91.48	3	Horizontal	353	2.39	-	31.84	7.21	31.56			
PK	5.7252G	67.37	68.20	-0.83	59.57	3	Horizontal	353	2.39	-	32.05	7.33	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5610MHz_TX

EUT_Y_2TX
Setting 2.5/17.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22816G	58.64	74.00	-15.36	41.05	3	Vertical	51	2.64	-	39.80	10.44	32.65			
AV	11.20662G	46.17	54.00	-7.83	28.58	3	Vertical	51	2.64	-	39.80	10.43	32.64			
PK	16.83366G	64.54	68.20	-3.66	44.37	3	Vertical	75	1.73	-	40.47	13.05	33.35			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Y_2TX
Setting 2.5/17.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22462G	58.98	74.00	-15.02	41.39	3	Horizontal	182	2.04	-	39.80	10.44	32.65			
AV	11.21388G	46.30	54.00	-7.70	28.70	3	Horizontal	182	2.04	-	39.80	10.44	32.64			
PK	16.8183G	64.95	68.20	-3.25	44.79	3	Horizontal	0	2.39	-	40.44	13.04	33.32			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_Z_2TX
Setting 0.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3472G	57.85	68.20	-10.35	50.77	3	Vertical	166	2.56	-	31.50	7.05	31.47			
PK	5.4552G	60.04	74.00	-13.96	52.63	3	Vertical	166	2.56	-	31.81	7.13	31.53			
AV	5.4576G	46.95	54.00	-7.05	39.53	3	Vertical	166	2.56	-	31.82	7.13	31.53			
PK	5.4636G	59.91	68.20	-8.29	52.48	3	Vertical	166	2.56	-	31.83	7.13	31.53			
PK	5.5776G	108.83	Inf	-Inf	101.34	3	Vertical	166	2.56	-	31.84	7.21	31.56			
AV	5.6352G	96.04	Inf	-Inf	88.63	3	Vertical	166	2.56	-	31.73	7.25	31.57			
PK	5.7792G	63.29	68.20	-4.91	55.24	3	Vertical	166	2.56	-	32.26	7.37	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_Z_2TX
Setting 0.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3112G	57.94	68.20	-10.26	50.87	3	Horizontal	340	2.55	-	31.50	7.02	31.45			
PK	5.4384G	64.10	74.00	-9.90	56.76	3	Horizontal	340	2.55	-	31.75	7.11	31.52			
PK	5.4612G	62.05	68.20	-6.15	54.63	3	Horizontal	340	2.55	-	31.82	7.13	31.53			
AV	5.4564G	48.17	54.00	-5.83	40.76	3	Horizontal	340	2.55	-	31.81	7.13	31.53			
PK	5.5752G	109.64	Inf	-Inf	102.15	3	Horizontal	340	2.55	-	31.85	7.20	31.56			
AV	5.634G	97.19	Inf	-Inf	89.78	3	Horizontal	340	2.55	-	31.73	7.25	31.57			
PK	5.7576G	62.66	68.20	-5.54	54.67	3	Horizontal	340	2.55	-	32.22	7.35	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_Y_2TX
Setting 0.5/17.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20548G	59.58	74.00	-14.42	41.99	3	Vertical	226	2.68	-	39.80	10.43	32.64			
AV	11.22132G	46.30	54.00	-7.70	28.70	3	Vertical	226	2.68	-	39.80	10.44	32.64			
PK	16.827G	64.72	68.20	-3.48	44.57	3	Vertical	344	1.75	-	40.45	13.04	33.34			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_Y_2TX
Setting 0.5/17.5
06-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.23422G	59.83	74.00	-14.17	42.23	3	Horizontal	179	1.23	-	39.80	10.45	32.65			
AV	11.21616G	46.24	54.00	-7.76	28.64	3	Horizontal	179	1.23	-	39.80	10.44	32.64			
PK	16.81716G	64.92	68.20	-3.28	44.77	3	Horizontal	250	2.93	-	40.43	13.04	33.32			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 0/21
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4548G	62.23	74.00	-11.77	54.82	3	Vertical	298	2.71	-	31.81	7.13	31.53			
AV	5.4584G	48.81	54.00	-5.19	41.39	3	Vertical	298	2.71	-	31.82	7.13	31.53			
PK	5.462G	62.15	68.20	-6.05	54.73	3	Vertical	298	2.71	-	31.82	7.13	31.53			
PK	5.7152G	111.48	Inf	-Inf	103.75	3	Vertical	298	2.71	-	31.99	7.32	31.58			
AV	5.714G	98.57	Inf	-Inf	90.85	3	Vertical	298	2.71	-	31.98	7.32	31.58			
PK	5.85G	66.36	68.20	-1.84	58.24	3	Vertical	298	2.71	-	32.30	7.41	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 0/21
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	61.96	74.00	-12.04	54.54	3	Horizontal	339	2.30	-	31.82	7.13	31.53			
AV	5.4572G	47.71	54.00	-6.29	40.30	3	Horizontal	339	2.30	-	31.81	7.13	31.53			
PK	5.4656G	60.74	68.20	-7.46	53.31	3	Horizontal	339	2.30	-	31.83	7.13	31.53			
PK	5.714G	111.88	Inf	-Inf	104.16	3	Horizontal	339	2.30	-	31.98	7.32	31.58			
AV	5.7152G	99.58	Inf	-Inf	91.85	3	Horizontal	339	2.30	-	31.99	7.32	31.58			
PK	5.852G	65.12	68.20	-3.08	56.99	3	Horizontal	339	2.30	-	32.31	7.41	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 0/21
06-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3653G	59.47	74.00	-14.53	41.75	3	Vertical	63	2.19	-	39.93	10.51	32.72			
AV	11.37628G	46.64	54.00	-7.36	28.91	3	Vertical	63	2.19	-	39.95	10.51	32.73			
PK	17.07792G	63.55	68.20	-4.65	43.61	3	Vertical	99	1.04	-	40.29	13.16	33.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 0/21
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38192G	59.35	74.00	-14.65	41.60	3	Horizontal	31	2.86	-	39.96	10.52	32.73			
AV	11.3719G	46.67	54.00	-7.33	28.95	3	Horizontal	31	2.86	-	39.94	10.51	32.73			
PK	17.05788G	64.44	68.20	-3.76	44.46	3	Horizontal	241	1.97	-	40.37	13.15	33.54			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 0.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.432G	58.69	74.00	-15.31	51.36	3	Vertical	299	2.56	-	31.73	7.11	31.51			
PK	5.47G	58.66	68.20	-9.54	51.21	3	Vertical	299	2.56	-	31.84	7.14	31.53			
AV	5.4524G	46.40	54.00	-7.60	39.00	3	Vertical	299	2.56	-	31.80	7.12	31.52			
PK	5.6516G	109.58	Inf	-Inf	102.18	3	Vertical	299	2.56	-	31.71	7.26	31.57			
AV	5.7128G	96.76	Inf	-Inf	89.04	3	Vertical	299	2.56	-	31.98	7.32	31.58			
PK	5.8544G	62.71	68.20	-5.49	54.57	3	Vertical	299	2.56	-	32.32	7.41	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 0.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4488G	59.59	74.00	-14.41	52.19	3	Horizontal	338	2.43	-	31.80	7.12	31.52			
AV	5.4416G	46.36	54.00	-7.64	38.99	3	Horizontal	338	2.43	-	31.77	7.12	31.52			
PK	5.468G	58.88	68.20	-9.32	51.44	3	Horizontal	338	2.43	-	31.84	7.13	31.53			
PK	5.6528G	110.03	Inf	-Inf	102.63	3	Horizontal	338	2.43	-	31.71	7.26	31.57			
AV	5.714G	97.48	Inf	-Inf	89.76	3	Horizontal	338	2.43	-	31.98	7.32	31.58			
PK	5.85G	60.77	68.20	-7.43	52.65	3	Horizontal	338	2.43	-	32.30	7.41	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 0.5/17.5
06-D-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.36752G	60.34	74.00	-13.66	42.62	3	Vertical	167	2.58	-	39.94	10.51	32.73			
AV	11.3722G	46.57	54.00	-7.43	28.85	3	Vertical	167	2.58	-	39.94	10.51	32.73			
PK	17.05614G	63.73	68.20	-4.47	43.74	3	Vertical	125	2.32	-	40.38	13.15	33.54			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 0.5/17.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37508G	59.14	74.00	-14.86	41.41	3	Horizontal	14	2.11	-	39.95	10.51	32.73			
AV	11.3785G	46.78	54.00	-7.22	29.04	3	Horizontal	14	2.11	-	39.96	10.51	32.73			
PK	17.06694G	63.62	68.20	-4.58	43.67	3	Horizontal	185	1.53	-	40.33	13.15	33.53			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_Z_2TX
Setting 6/14
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2832G	58.38	68.20	-9.82	51.28	3	Vertical	298	2.89	-	31.53	7.00	31.43			
PK	5.4524G	63.93	74.00	-10.07	56.53	3	Vertical	298	2.89	-	31.80	7.12	31.52			
AV	5.45G	46.95	54.00	-7.05	39.55	3	Vertical	298	2.89	-	31.80	7.12	31.52			
PK	5.4656G	63.05	68.20	-5.15	55.62	3	Vertical	298	2.89	-	31.83	7.13	31.53			
PK	5.5976G	103.17	Inf	-Inf	95.71	3	Vertical	298	2.89	-	31.80	7.22	31.56			
AV	5.5928G	90.81	Inf	-Inf	83.34	3	Vertical	298	2.89	-	31.81	7.22	31.56			
PK	5.7284G	66.16	68.20	-2.04	58.34	3	Vertical	298	2.89	-	32.07	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5570MHz_TX

EUT_Z_2TX
Setting 6/14
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3216G	58.75	68.20	-9.45	51.67	3	Horizontal	354	2.43	-	31.50	7.03	31.45			
PK	5.4572G	66.20	74.00	-7.80	58.79	3	Horizontal	354	2.43	-	31.81	7.13	31.53			
AV	5.4596G	46.87	54.00	-7.13	39.45	3	Horizontal	354	2.43	-	31.82	7.13	31.53			
PK	5.4632G	64.87	68.20	-3.33	57.44	3	Horizontal	354	2.43	-	31.83	7.13	31.53			
PK	5.6036G	103.74	Inf	-Inf	96.29	3	Horizontal	354	2.43	-	31.79	7.22	31.56			
AV	5.6024G	90.55	Inf	-Inf	83.09	3	Horizontal	354	2.43	-	31.80	7.22	31.56			
PK	5.7284G	66.49	68.20	-1.71	58.67	3	Horizontal	354	2.43	-	32.07	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_Y_2TX
Setting 6/14
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12584G	59.07	74.00	-14.93	41.27	3	Vertical	236	1.14	-	40.00	10.39	32.59			
AV	11.1298G	46.13	54.00	-7.87	28.34	3	Vertical	236	1.14	-	39.98	10.40	32.59			
PK	16.70916G	64.15	68.20	-4.05	44.35	3	Vertical	308	1.78	-	39.95	12.99	33.14			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_Y_2TX
Setting 6/14
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13688G	59.43	74.00	-14.57	41.68	3	Horizontal	64	1.49	-	39.95	10.40	32.60			
AV	11.12638G	46.24	54.00	-7.76	28.44	3	Horizontal	64	1.49	-	39.99	10.40	32.59			
PK	16.7019G	63.46	68.20	-4.74	43.69	3	Horizontal	34	2.07	-	39.91	12.99	33.13			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4.5/14.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3192G	58.43	68.20	-9.77	51.35	3	Vertical	165	2.52	-	31.50	7.03	31.45			
PK	5.4572G	62.40	74.00	-11.60	54.99	3	Vertical	165	2.52	-	31.81	7.13	31.53			
AV	5.4584G	47.06	54.00	-6.94	39.64	3	Vertical	165	2.52	-	31.82	7.13	31.53			
PK	5.4608G	61.22	68.20	-6.98	53.80	3	Vertical	165	2.52	-	31.82	7.13	31.53			
PK	5.6348G	103.02	Inf	-Inf	95.61	3	Vertical	165	2.52	-	31.73	7.25	31.57			
AV	5.6348G	90.02	Inf	-Inf	82.61	3	Vertical	165	2.52	-	31.73	7.25	31.57			
PK	5.7272G	64.95	68.20	-3.25	57.14	3	Vertical	165	2.52	-	32.06	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4.5/14.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3024G	58.74	68.20	-9.46	51.66	3	Horizontal	342	2.50	-	31.50	7.02	31.44			
PK	5.4452G	66.78	74.00	-7.22	59.40	3	Horizontal	342	2.50	-	31.78	7.12	31.52			
AV	5.4356G	47.26	54.00	-6.74	39.93	3	Horizontal	342	2.50	-	31.74	7.11	31.52			
PK	5.462G	65.02	68.20	-3.18	57.60	3	Horizontal	342	2.50	-	31.82	7.13	31.53			
PK	5.5748G	103.51	Inf	-Inf	96.02	3	Horizontal	342	2.50	-	31.85	7.20	31.56			
AV	5.576G	91.03	Inf	-Inf	83.54	3	Horizontal	342	2.50	-	31.85	7.20	31.56			
PK	5.7272G	67.28	68.20	-0.92	59.47	3	Horizontal	342	2.50	-	32.06	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 4.5/14.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12632G	58.69	74.00	-15.31	40.89	3	Vertical	9	2.23	-	39.99	10.40	32.59			
AV	11.13346G	46.19	54.00	-7.81	28.41	3	Vertical	9	2.23	-	39.97	10.40	32.59			
PK	16.7196G	63.58	68.20	-4.62	43.73	3	Vertical	283	1.83	-	40.02	12.99	33.16			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 4.5/14.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15146G	58.81	74.00	-15.19	41.10	3	Horizontal	269	2.86	-	39.90	10.41	32.60			
AV	11.1289G	46.14	54.00	-7.86	28.35	3	Horizontal	269	2.86	-	39.98	10.40	32.59			
PK	16.70322G	63.45	68.20	-4.75	43.67	3	Horizontal	154	1.31	-	39.92	12.99	33.13			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4/14
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.33G	58.63	68.20	-9.57	51.55	3	Vertical	297	2.54	-	31.50	7.04	31.46			
PK	5.4524G	61.96	74.00	-12.04	54.56	3	Vertical	297	2.54	-	31.80	7.12	31.52			
AV	5.4548G	46.66	54.00	-7.34	39.25	3	Vertical	297	2.54	-	31.81	7.13	31.53			
PK	5.462G	61.88	68.20	-6.32	54.46	3	Vertical	297	2.54	-	31.82	7.13	31.53			
PK	5.6132G	103.81	Inf	-Inf	96.37	3	Vertical	297	2.54	-	31.77	7.23	31.56			
AV	5.6144G	92.13	Inf	-Inf	84.69	3	Vertical	297	2.54	-	31.77	7.23	31.56			
PK	5.7272G	64.70	68.20	-3.50	56.89	3	Vertical	297	2.54	-	32.06	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4/14
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.348G	58.92	68.20	-9.28	51.84	3	Horizontal	352	2.46	-	31.50	7.05	31.47			
PK	5.4524G	66.07	74.00	-7.93	58.67	3	Horizontal	352	2.46	-	31.80	7.12	31.52			
AV	5.4428G	46.72	54.00	-7.28	39.35	3	Horizontal	352	2.46	-	31.77	7.12	31.52			
PK	5.468G	64.75	68.20	-3.45	57.31	3	Horizontal	352	2.46	-	31.84	7.13	31.53			
PK	5.6216G	104.70	Inf	-Inf	97.26	3	Horizontal	352	2.46	-	31.76	7.24	31.56			
AV	5.6216G	92.16	Inf	-Inf	84.72	3	Horizontal	352	2.46	-	31.76	7.24	31.56			
PK	5.7272G	66.83	68.20	-1.37	59.02	3	Horizontal	352	2.46	-	32.06	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
etting 4/14
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12872G	58.59	74.00	-15.41	40.79	3	Vertical	227	2.48	-	39.99	10.40	32.59			
AV	11.12998G	46.19	54.00	-7.81	28.40	3	Vertical	227	2.48	-	39.98	10.40	32.59			
PK	16.72044G	63.36	68.20	-4.84	43.51	3	Vertical	243	1.70	-	40.02	12.99	33.16			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
etting 4/14
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12794G	58.08	74.00	-15.92	40.28	3	Horizontal	348	2.40	-	39.99	10.40	32.59			
AV	11.13232G	46.04	54.00	-7.96	28.26	3	Horizontal	348	2.40	-	39.97	10.40	32.59			
PK	16.71078G	63.66	68.20	-4.54	43.85	3	Horizontal	146	1.44	-	39.96	12.99	33.14			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Z_4TX
Setting 0.5/16.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3188G	58.67	68.20	-9.53	51.59	3	Vertical	159	2.60	-	31.50	7.03	31.45			
AV	5.35G	45.76	54.00	-8.24	38.68	3	Vertical	159	2.60	-	31.50	7.05	31.47			
PK	5.4532G	60.29	74.00	-13.71	52.88	3	Vertical	159	2.60	-	31.81	7.12	31.52			
AV	5.4592G	47.40	54.00	-6.60	39.98	3	Vertical	159	2.60	-	31.82	7.13	31.53			
PK	5.4688G	60.18	68.20	-8.02	52.74	3	Vertical	159	2.60	-	31.84	7.13	31.53			
PK	5.5528G	109.37	Inf	-Inf	101.85	3	Vertical	159	2.60	-	31.89	7.19	31.56			
AV	5.554G	97.54	Inf	-Inf	90.02	3	Vertical	159	2.60	-	31.89	7.19	31.56			
PK	5.812G	60.65	68.20	-7.55	52.55	3	Vertical	159	2.60	-	32.30	7.39	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Z_4TX
Setting 0.5/16.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2312G	58.39	68.20	-9.81	51.15	3	Horizontal	340	2.41	-	31.68	6.96	31.40			
PK	5.4496G	67.46	74.00	-6.54	60.06	3	Horizontal	340	2.41	-	31.80	7.12	31.52			
AV	5.35G	45.81	54.00	-8.19	38.73	3	Horizontal	340	2.41	-	31.50	7.05	31.47			
AV	5.4544G	48.57	54.00	-5.43	41.16	3	Horizontal	340	2.41	-	31.81	7.13	31.53			
PK	5.47G	67.09	68.20	-1.11	59.64	3	Horizontal	340	2.41	-	31.84	7.14	31.53			
PK	5.5132G	111.93	Inf	-Inf	104.42	3	Horizontal	340	2.41	-	31.90	7.16	31.55			
AV	5.4928G	99.78	Inf	-Inf	92.29	3	Horizontal	340	2.41	-	31.89	7.15	31.55			
PK	5.8144G	60.42	68.20	-7.78	52.31	3	Horizontal	340	2.41	-	32.30	7.40	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 0.5/16.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06019G	60.33	74.00	-13.67	42.26	3	Vertical	251	1.96	-	40.26	10.36	32.55			
AV	11.0596G	46.70	54.00	-7.30	28.63	3	Vertical	251	1.96	-	40.26	10.36	32.55			
PK	16.58973G	62.71	68.20	-5.49	43.29	3	Vertical	258	1.89	-	39.42	12.94	32.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 0.5/16.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06021G	60.46	74.00	-13.54	42.39	3	Horizontal	201	1.12	-	40.26	10.36	32.55			
AV	11.05957G	46.84	54.00	-7.16	28.77	3	Horizontal	201	1.12	-	40.26	10.36	32.55			
PK	16.58983G	62.87	68.20	-5.33	43.45	3	Horizontal	331	2.22	-	39.42	12.94	32.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5530MHz_TX




EUT_Z_4TX
Setting 0.5/14.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.33G	59.82	68.20	-8.38	52.74	3	Vertical	160	2.40	-	31.50	7.04	31.46			
AV	5.35G	46.71	54.00	-7.29	39.63	3	Vertical	160	2.40	-	31.50	7.05	31.47			
PK	5.433G	64.40	74.00	-9.60	57.07	3	Vertical	160	2.40	-	31.73	7.11	31.51			
AV	5.442G	48.02	54.00	-5.98	40.65	3	Vertical	160	2.40	-	31.77	7.12	31.52			
PK	5.462G	60.61	68.20	-7.59	53.19	3	Vertical	160	2.40	-	31.82	7.13	31.53			
PK	5.555G	109.89	Inf	-Inf	102.37	3	Vertical	160	2.40	-	31.89	7.19	31.56			
AV	5.554G	97.84	Inf	-Inf	90.32	3	Vertical	160	2.40	-	31.89	7.19	31.56			
PK	5.729G	60.31	68.20	-7.89	52.49	3	Vertical	160	2.40	-	32.07	7.33	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5530MHz_TX




EUT_Z_4TX
Setting 0.5/14.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.344G	59.17	68.20	-9.03	52.09	3	Horizontal	339	2.44	-	31.50	7.05	31.47			
AV	5.35G	45.74	54.00	-8.26	38.66	3	Horizontal	339	2.44	-	31.50	7.05	31.47			
PK	5.451G	67.48	74.00	-6.52	60.08	3	Horizontal	339	2.44	-	31.80	7.12	31.52			
AV	5.451G	47.37	54.00	-6.63	39.97	3	Horizontal	339	2.44	-	31.80	7.12	31.52			
PK	5.468G	61.95	68.20	-6.25	54.51	3	Horizontal	339	2.44	-	31.84	7.13	31.53			
PK	5.553G	112.03	Inf	-Inf	104.51	3	Horizontal	339	2.44	-	31.89	7.19	31.56			
AV	5.553G	99.88	Inf	-Inf	92.36	3	Horizontal	339	2.44	-	31.89	7.19	31.56			
PK	5.734G	60.69	68.20	-7.51	52.84	3	Horizontal	339	2.44	-	32.10	7.33	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5530MHz_TX




EUT_Y_4TX
Setting 0.5/14.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05998G	60.60	74.00	-13.40	42.53	3	Vertical	260	1.49	-	40.26	10.36	32.55			
AV	11.05957G	46.49	54.00	-7.51	28.42	3	Vertical	260	1.49	-	40.26	10.36	32.55			
PK	16.58953G	62.96	68.20	-5.24	43.54	3	Vertical	145	1.10	-	39.42	12.94	32.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5530MHz_TX




EUT_Y_4TX
Setting 0.5/14.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05955G	59.40	74.00	-14.60	41.33	3	Horizontal	162	1.61	-	40.26	10.36	32.55			
AV	11.05976G	46.45	54.00	-7.55	28.38	3	Horizontal	162	1.61	-	40.26	10.36	32.55			
PK	16.5899G	62.35	68.20	-5.85	42.93	3	Horizontal	187	1.55	-	39.42	12.94	32.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Z_4TX
Setting 0/18
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3304G	59.77	68.20	-8.43	52.69	3	Vertical	166	2.82	-	31.50	7.04	31.46			
PK	5.4552G	63.18	74.00	-10.82	55.77	3	Vertical	166	2.82	-	31.81	7.13	31.53			
PK	5.4612G	63.58	68.20	-4.62	56.16	3	Vertical	166	2.82	-	31.82	7.13	31.53			
AV	5.46G	47.86	54.00	-6.14	40.44	3	Vertical	166	2.82	-	31.82	7.13	31.53			
PK	5.5932G	111.92	Inf	-Inf	104.45	3	Vertical	166	2.82	-	31.81	7.22	31.56			
AV	5.574G	100.12	Inf	-Inf	92.63	3	Vertical	166	2.82	-	31.85	7.20	31.56			
PK	5.7348G	65.79	68.20	-2.41	57.93	3	Vertical	166	2.82	-	32.11	7.33	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Z_4TX
Setting 0/18
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3292G	59.13	68.20	-9.07	52.05	3	Horizontal	107	2.50	-	31.50	7.04	31.46			
PK	5.4444G	60.90	74.00	-13.10	53.52	3	Horizontal	107	2.50	-	31.78	7.12	31.52			
AV	5.4516G	47.21	54.00	-6.79	39.81	3	Horizontal	107	2.50	-	31.80	7.12	31.52			
PK	5.4696G	63.65	68.20	-4.55	56.20	3	Horizontal	107	2.50	-	31.84	7.14	31.53			
PK	5.5884G	112.12	Inf	-Inf	104.65	3	Horizontal	107	2.50	-	31.82	7.21	31.56			
AV	5.5884G	99.16	Inf	-Inf	91.69	3	Horizontal	107	2.50	-	31.82	7.21	31.56			
PK	5.7492G	66.83	68.20	-1.37	58.86	3	Horizontal	107	2.50	-	32.20	7.35	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 0/18
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21953G	59.06	74.00	-14.94	41.46	3	Vertical	82	1.62	-	39.80	10.44	32.64			
AV	11.21997G	46.21	54.00	-7.79	28.61	3	Vertical	82	1.62	-	39.80	10.44	32.64			
PK	16.83009G	63.41	68.20	-4.79	43.25	3	Vertical	312	2.13	-	40.46	13.04	33.34			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 0/18
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21966G	59.82	74.00	-14.18	42.22	3	Horizontal	26	2.29	-	39.80	10.44	32.64			
AV	11.22028G	46.16	54.00	-7.84	28.56	3	Horizontal	26	2.29	-	39.80	10.44	32.64			
PK	16.82987G	63.15	68.20	-5.05	42.99	3	Horizontal	315	1.94	-	40.46	13.04	33.34			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_Z_4TX
Setting 0.5/14.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3364G	59.72	68.20	-8.48	52.64	3	Vertical	163	3.00	-	31.50	7.04	31.46			
PK	5.46G	65.56	74.00	-8.44	58.14	3	Vertical	163	3.00	-	31.82	7.13	31.53			
AV	5.4528G	47.40	54.00	-6.60	39.99	3	Vertical	163	3.00	-	31.81	7.12	31.52			
PK	5.466G	62.61	68.20	-5.59	55.18	3	Vertical	163	3.00	-	31.83	7.13	31.53			
PK	5.574G	111.32	Inf	-Inf	103.83	3	Vertical	163	3.00	-	31.85	7.20	31.56			
AV	5.574G	98.78	Inf	-Inf	91.29	3	Vertical	163	3.00	-	31.85	7.20	31.56			
PK	5.754G	63.52	68.20	-4.68	55.54	3	Vertical	163	3.00	-	32.21	7.35	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_Z_4TX
Setting 0.5/14.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3436G	59.40	68.20	-8.80	52.32	3	Horizontal	339	2.56	-	31.50	7.05	31.47			
PK	5.4528G	64.53	74.00	-9.47	57.12	3	Horizontal	339	2.56	-	31.81	7.12	31.52			
AV	5.4528G	47.65	54.00	-6.35	40.24	3	Horizontal	339	2.56	-	31.81	7.12	31.52			
PK	5.4612G	60.00	68.20	-8.20	52.58	3	Horizontal	339	2.56	-	31.82	7.13	31.53			
PK	5.5716G	112.08	Inf	-Inf	104.58	3	Horizontal	339	2.56	-	31.86	7.20	31.56			
AV	5.5728G	99.62	Inf	-Inf	92.13	3	Horizontal	339	2.56	-	31.85	7.20	31.56			
PK	5.7516G	63.37	68.20	-4.83	55.40	3	Horizontal	339	2.56	-	32.20	7.35	31.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_Y_4TX
Setting 0.5/14.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22035G	58.68	74.00	-15.32	41.08	3	Vertical	213	1.53	-	39.80	10.44	32.64			
AV	11.21976G	46.17	54.00	-7.83	28.57	3	Vertical	213	1.53	-	39.80	10.44	32.64			
PK	16.83029G	63.37	68.20	-4.83	43.21	3	Vertical	0	2.24	-	40.46	13.04	33.34			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_Y_4TX
Setting 0.5/14.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22014G	59.91	74.00	-14.09	42.31	3	Horizontal	163	2.31	-	39.80	10.44	32.64			
AV	11.21988G	45.99	54.00	-8.01	28.39	3	Horizontal	163	2.31	-	39.80	10.44	32.64			
PK	16.83027G	63.66	68.20	-4.54	43.50	3	Horizontal	88	2.76	-	40.46	13.04	33.34			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 0/18
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4176G	59.81	74.00	-14.19	52.55	3	Vertical	158	2.33	-	31.67	7.10	31.51			
AV	5.4116G	48.06	54.00	-5.94	40.81	3	Vertical	158	2.33	-	31.65	7.10	31.50			
PK	5.4608G	59.14	68.20	-9.06	51.72	3	Vertical	158	2.33	-	31.82	7.13	31.53			
PK	5.7128G	112.40	Inf	-Inf	104.68	3	Vertical	158	2.33	-	31.98	7.32	31.58			
AV	5.714G	100.17	Inf	-Inf	92.45	3	Vertical	158	2.33	-	31.98	7.32	31.58			
PK	5.8568G	61.05	68.20	-7.15	52.90	3	Vertical	158	2.33	-	32.33	7.41	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 0/18
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	60.29	74.00	-13.71	52.88	3	Horizontal	336	2.76	-	31.81	7.13	31.53			
AV	5.4056G	47.76	54.00	-6.24	40.55	3	Horizontal	336	2.76	-	31.62	7.09	31.50			
PK	5.4656G	59.38	68.20	-8.82	51.95	3	Horizontal	336	2.76	-	31.83	7.13	31.53			
PK	5.6528G	113.06	Inf	-Inf	105.66	3	Horizontal	336	2.76	-	31.71	7.26	31.57			
AV	5.6528G	101.29	Inf	-Inf	93.89	3	Horizontal	336	2.76	-	31.71	7.26	31.57			
PK	5.8904G	61.06	68.20	-7.14	52.77	3	Horizontal	336	2.76	-	32.46	7.43	31.60			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 0/18
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37982G	59.34	74.00	-14.66	41.59	3	Vertical	50	1.95	-	39.96	10.52	32.73			
AV	11.37957G	46.46	54.00	-7.54	28.71	3	Vertical	50	1.95	-	39.96	10.52	32.73			
PK	17.0704G	63.74	68.20	-4.46	43.79	3	Vertical	102	1.75	-	40.32	13.15	33.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 0/18
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38018G	59.43	74.00	-14.57	41.68	3	Horizontal	30	1.64	-	39.96	10.52	32.73			
AV	11.38017G	46.46	54.00	-7.54	28.71	3	Horizontal	30	1.64	-	39.96	10.52	32.73			
PK	17.06997G	63.29	68.20	-4.91	43.34	3	Horizontal	131	2.02	-	40.32	13.15	33.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 0/18
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4068G	60.76	74.00	-13.24	53.54	3	Vertical	162	2.41	-	31.63	7.09	31.50			
AV	5.4152G	48.28	54.00	-5.72	41.02	3	Vertical	162	2.41	-	31.66	7.10	31.50			
PK	5.4692G	59.24	68.20	-8.96	51.80	3	Vertical	162	2.41	-	31.84	7.13	31.53			
PK	5.7152G	114.42	Inf	-Inf	106.69	3	Vertical	162	2.41	-	31.99	7.32	31.58			
AV	5.714G	101.78	Inf	-Inf	94.06	3	Vertical	162	2.41	-	31.98	7.32	31.58			
PK	5.8556G	64.66	68.20	-3.54	56.52	3	Vertical	162	2.41	-	32.32	7.41	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 0/18
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4464G	60.54	74.00	-13.46	53.15	3	Horizontal	337	2.42	-	31.79	7.12	31.52			
AV	5.4056G	48.12	54.00	-5.88	40.91	3	Horizontal	337	2.42	-	31.62	7.09	31.50			
PK	5.4656G	59.44	68.20	-8.76	52.01	3	Horizontal	337	2.42	-	31.83	7.13	31.53			
PK	5.6528G	115.22	Inf	-Inf	107.82	3	Horizontal	337	2.42	-	31.71	7.26	31.57			
AV	5.6516G	102.99	Inf	-Inf	95.59	3	Horizontal	337	2.42	-	31.71	7.26	31.57			
PK	5.852G	64.47	68.20	-3.73	56.34	3	Horizontal	337	2.42	-	32.31	7.41	31.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 0/18
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37987G	59.73	74.00	-14.27	41.98	3	Vertical	323	1.03	-	39.96	10.52	32.73			
AV	11.37989G	46.62	54.00	-7.38	28.87	3	Vertical	323	1.03	-	39.96	10.52	32.73			
PK	17.06991G	63.37	68.20	-4.83	43.42	3	Vertical	345	1.43	-	40.32	13.15	33.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 0/18
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37959G	59.11	74.00	-14.89	41.36	3	Horizontal	72	1.86	-	39.96	10.52	32.73			
AV	11.38032G	46.43	54.00	-7.57	28.68	3	Horizontal	72	1.86	-	39.96	10.52	32.73			
PK	17.06987G	63.46	68.20	-4.74	43.51	3	Horizontal	274	2.73	-	40.32	13.15	33.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT_Z_4TX
Setting 3/14
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3264G	58.17	68.20	-10.03	51.10	3	Vertical	161	2.46	-	31.50	7.03	31.46			
PK	5.4536G	64.90	74.00	-9.10	57.49	3	Vertical	161	2.46	-	31.81	7.12	31.52			
AV	5.4536G	47.09	54.00	-6.91	39.68	3	Vertical	161	2.46	-	31.81	7.12	31.52			
PK	5.462G	63.96	68.20	-4.24	56.54	3	Vertical	161	2.46	-	31.82	7.13	31.53			
PK	5.5736G	105.15	Inf	-Inf	97.66	3	Vertical	161	2.46	-	31.85	7.20	31.56			
AV	5.5748G	92.55	Inf	-Inf	85.06	3	Vertical	161	2.46	-	31.85	7.20	31.56			
PK	5.7272G	67.30	68.20	-0.90	59.49	3	Vertical	161	2.46	-	32.06	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Z_4TX
Setting 3/14
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.336G	58.70	68.20	-9.50	51.62	3	Horizontal	338	2.47	-	31.50	7.04	31.46			
PK	5.4524G	69.82	74.00	-4.18	62.42	3	Horizontal	338	2.47	-	31.80	7.12	31.52			
AV	5.4536G	47.58	54.00	-6.42	40.17	3	Horizontal	338	2.47	-	31.81	7.12	31.52			
PK	5.47G	63.84	68.20	-4.36	56.39	3	Horizontal	338	2.47	-	31.84	7.14	31.53			
PK	5.6336G	106.42	Inf	-Inf	99.01	3	Horizontal	338	2.47	-	31.73	7.25	31.57			
AV	5.5916G	94.52	Inf	-Inf	87.05	3	Horizontal	338	2.47	-	31.82	7.21	31.56			
PK	5.7332G	67.75	68.20	-0.45	59.90	3	Horizontal	338	2.47	-	32.10	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 3/14
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13955G	58.42	74.00	-15.58	40.68	3	Vertical	167	2.95	-	39.94	10.40	32.60			
AV	11.13987G	45.64	54.00	-8.36	27.90	3	Vertical	167	2.95	-	39.94	10.40	32.60			
PK	16.71001G	63.75	68.20	-4.45	43.94	3	Vertical	119	2.38	-	39.96	12.99	33.14			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT_Y_4TX
Setting 3/14
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13972G	58.31	74.00	-15.69	40.57	3	Horizontal	277	1.81	-	39.94	10.40	32.60			
AV	11.14048G	45.75	54.00	-8.25	28.01	3	Horizontal	277	1.81	-	39.94	10.40	32.60			
PK	16.7104G	63.44	68.20	-4.76	43.63	3	Horizontal	60	2.30	-	39.96	12.99	33.14			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX


5570MHz_TX

EUT_Z_4TX
Setting 2/14
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.276G	58.37	68.20	-9.83	51.25	3	Vertical	169	2.49	-	31.55	7.00	31.43			
PK	5.4332G	63.26	74.00	-10.74	55.93	3	Vertical	169	2.49	-	31.73	7.11	31.51			
AV	5.4416G	47.16	54.00	-6.84	39.79	3	Vertical	169	2.49	-	31.77	7.12	31.52			
PK	5.462G	62.27	68.20	-5.93	54.85	3	Vertical	169	2.49	-	31.82	7.13	31.53			
PK	5.6348G	105.54	Inf	-Inf	98.13	3	Vertical	169	2.49	-	31.73	7.25	31.57			
AV	5.5748G	92.74	Inf	-Inf	85.25	3	Vertical	169	2.49	-	31.85	7.20	31.56			
PK	5.7272G	64.67	68.20	-3.53	56.86	3	Vertical	169	2.49	-	32.06	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5570MHz_TX




EUT_Z_4TX
Setting 2/14
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.342G	58.83	68.20	-9.37	51.74	3	Horizontal	339	2.50	-	31.50	7.05	31.46			
PK	5.4344G	66.44	74.00	-7.56	59.10	3	Horizontal	339	2.50	-	31.74	7.11	31.51			
PK	5.47G	65.50	68.20	-2.70	58.05	3	Horizontal	339	2.50	-	31.84	7.14	31.53			
AV	5.4536G	48.30	54.00	-5.70	40.89	3	Horizontal	339	2.50	-	31.81	7.12	31.52			
PK	5.5328G	107.50	Inf	-Inf	99.97	3	Horizontal	339	2.50	-	31.90	7.18	31.55			
AV	5.5328G	95.26	Inf	-Inf	87.73	3	Horizontal	339	2.50	-	31.90	7.18	31.55			
PK	5.732G	66.53	68.20	-1.67	58.69	3	Horizontal	339	2.50	-	32.09	7.33	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX


5570MHz_TX

EUT_Y_4TX
Setting 2/14
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13982G	58.20	74.00	-15.80	40.46	3	Vertical	269	2.27	-	39.94	10.40	32.60			
AV	11.13987G	45.61	54.00	-8.39	27.87	3	Vertical	269	2.27	-	39.94	10.40	32.60			
PK	16.70977G	62.95	68.20	-5.25	43.14	3	Vertical	250	1.42	-	39.96	12.99	33.14			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5570MHz_TX




EUT_Y_4TX
Setting 2/14
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14017G	59.11	74.00	-14.89	41.37	3	Horizontal	92	1.19	-	39.94	10.40	32.60			
AV	11.14034G	45.48	54.00	-8.52	27.74	3	Horizontal	92	1.19	-	39.94	10.40	32.60			
PK	16.71038G	63.28	68.20	-4.92	43.47	3	Horizontal	223	2.91	-	39.96	12.99	33.14			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX




EUT_Z_4TX
Setting 1.5/13.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2796G	58.00	68.20	-10.20	50.89	3	Vertical	161	2.43	-	31.54	7.00	31.43			
PK	5.4536G	61.10	74.00	-12.90	53.69	3	Vertical	161	2.43	-	31.81	7.12	31.52			
AV	5.4548G	46.56	54.00	-7.44	39.15	3	Vertical	161	2.43	-	31.81	7.13	31.53			
PK	5.462G	59.84	68.20	-8.36	52.42	3	Vertical	161	2.43	-	31.82	7.13	31.53			
PK	5.6348G	106.12	Inf	-Inf	98.71	3	Vertical	161	2.43	-	31.73	7.25	31.57			
AV	5.6216G	93.54	Inf	-Inf	86.10	3	Vertical	161	2.43	-	31.76	7.24	31.56			
PK	5.7692G	63.74	68.20	-4.46	55.72	3	Vertical	161	2.43	-	32.24	7.36	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX




EUT_Z_4TX
Setting 1.5/13.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3324G	58.29	68.20	-9.91	51.21	3	Horizontal	340	2.42	-	31.50	7.04	31.46			
PK	5.4524G	64.99	74.00	-9.01	57.59	3	Horizontal	340	2.42	-	31.80	7.12	31.52			
AV	5.4524G	47.24	54.00	-6.76	39.84	3	Horizontal	340	2.42	-	31.80	7.12	31.52			
PK	5.47G	61.34	68.20	-6.86	53.89	3	Horizontal	340	2.42	-	31.84	7.14	31.53			
AV	5.492G	95.76	Inf	-Inf	88.28	3	Horizontal	340	2.42	-	31.88	7.15	31.55			
PK	5.6132G	107.63	Inf	-Inf	100.19	3	Horizontal	340	2.42	-	31.77	7.23	31.56			
PK	5.7524G	67.20	68.20	-1.00	59.23	3	Horizontal	340	2.42	-	32.20	7.35	31.58			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


5570MHz_TX

EUT_Y_4TX
Setting 1.5/13.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13979G	59.38	74.00	-14.62	41.64	3	Vertical	309	1.27	-	39.94	10.40	32.60			
AV	11.14037G	45.70	54.00	-8.30	27.96	3	Vertical	309	1.27	-	39.94	10.40	32.60			
PK	16.71G	62.62	68.20	-5.58	42.81	3	Vertical	187	2.64	-	39.96	12.99	33.14			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX

EUT_Y_4TX
Setting 1.5/13.5
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13968G	59.14	74.00	-14.86	41.40	3	Horizontal	340	2.39	-	39.94	10.40	32.60			
AV	11.14034G	45.66	54.00	-8.34	27.92	3	Horizontal	340	2.39	-	39.94	10.40	32.60			
PK	16.70983G	63.29	68.20	-4.91	43.48	3	Horizontal	98	2.99	-	39.96	12.99	33.14			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX	Pass	PK	5.726G	68.17	68.20	-0.03	3	Vertical	298	2.57	-

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5530MHz_TX




EUT_Z_1TX
Setting 15.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3308G	59.07	68.20	-9.13	54.38	3	Vertical	298	3.00	-	32.64	7.52	35.47			
AV	5.35G	45.60	54.00	-8.40	40.93	3	Vertical	298	3.00	-	32.60	7.53	35.46			
PK	5.4556G	65.76	74.00	-8.24	61.00	3	Vertical	298	3.00	-	32.60	7.59	35.43			
AV	5.446G	47.01	54.00	-6.99	42.25	3	Vertical	298	3.00	-	32.61	7.59	35.44			
PK	5.4644G	66.80	68.20	-1.40	62.03	3	Vertical	298	3.00	-	32.60	7.60	35.43			
PK	5.4988G	110.13	Inf	-Inf	105.32	3	Vertical	298	3.00	-	32.60	7.63	35.42			
AV	5.4996G	96.07	Inf	-Inf	91.26	3	Vertical	298	3.00	-	32.60	7.63	35.42			
PK	5.73G	58.99	68.20	-9.21	53.34	3	Vertical	298	3.00	-	33.24	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5530MHz_TX




EUT_Z_1TX
Setting 15.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3324G	58.05	68.20	-10.15	53.36	3	Horizontal	338	2.88	-	32.64	7.52	35.47			
AV	5.35G	45.10	54.00	-8.90	40.43	3	Horizontal	338	2.88	-	32.60	7.53	35.46			
PK	5.4372G	60.48	74.00	-13.52	55.71	3	Horizontal	338	2.88	-	32.63	7.58	35.44			
AV	5.4452G	45.80	54.00	-8.20	41.04	3	Horizontal	338	2.88	-	32.61	7.59	35.44			
PK	5.47G	61.05	68.20	-7.15	56.27	3	Horizontal	338	2.88	-	32.60	7.61	35.43			
PK	5.4972G	102.29	Inf	-Inf	97.48	3	Horizontal	338	2.88	-	32.60	7.63	35.42			
AV	5.5012G	89.31	Inf	-Inf	84.50	3	Horizontal	338	2.88	-	32.60	7.63	35.42			
PK	5.7284G	58.97	68.20	-9.23	53.33	3	Horizontal	338	2.88	-	33.23	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX


5530MHz_TX

EUT_Y_1TX
Setting 15.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0414G	53.85	74.00	-20.15	71.05	3	Vertical	49	2.68	-	38.72	10.65	66.57			
AV	11.0396G	41.81	54.00	-12.19	59.02	3	Vertical	49	2.68	-	38.72	10.65	66.58			
PK	16.57344G	54.81	68.20	-13.39	67.01	3	Vertical	84	1.46	-	38.26	12.70	63.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX


5530MHz_TX

EUT_Y_1TX
Setting 15.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07776G	54.42	74.00	-19.58	71.65	3	Horizontal	301	1.91	-	38.64	10.66	66.53			
AV	11.04152G	41.79	54.00	-12.21	58.99	3	Horizontal	301	1.91	-	38.72	10.65	66.57			
PK	16.58244G	54.93	68.20	-13.27	67.18	3	Horizontal	291	1.23	-	38.21	12.70	63.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5610MHz_TX




EUT_Z_1TX
Setting 18
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4484G	65.23	74.00	-8.77	60.47	3	Vertical	298	2.57	-	32.60	7.59	35.43			
AV	5.4588G	48.39	54.00	-5.61	43.62	3	Vertical	298	2.57	-	32.60	7.60	35.43			
PK	5.47G	65.89	68.20	-2.31	61.11	3	Vertical	298	2.57	-	32.60	7.61	35.43			
PK	5.594G	110.72	Inf	-Inf	105.87	3	Vertical	298	2.57	-	32.60	7.71	35.46			
AV	5.5844G	97.78	Inf	-Inf	92.93	3	Vertical	298	2.57	-	32.60	7.70	35.45			
PK	5.726G	68.17	68.20	-0.03	62.56	3	Vertical	298	2.57	-	33.21	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5610MHz_TX




EUT_Z_1TX
Setting 18
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	59.53	74.00	-14.47	54.76	3	Horizontal	347	2.94	-	32.60	7.60	35.43			
AV	5.458G	45.93	54.00	-8.07	41.16	3	Horizontal	347	2.94	-	32.60	7.60	35.43			
PK	5.4668G	59.62	68.20	-8.58	54.85	3	Horizontal	347	2.94	-	32.60	7.60	35.43			
PK	5.5828G	103.81	Inf	-Inf	98.96	3	Horizontal	347	2.94	-	32.60	7.70	35.45			
AV	5.598G	90.83	Inf	-Inf	85.98	3	Horizontal	347	2.94	-	32.60	7.71	35.46			
PK	5.7276G	63.46	68.20	-4.74	57.84	3	Horizontal	347	2.94	-	33.22	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX


5610MHz_TX

EUT_Y_1TX
Setting 18
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21616G	54.37	74.00	-19.63	71.10	3	Vertical	147	3.00	-	38.92	10.73	66.38			
AV	11.24964G	42.28	54.00	-11.72	58.94	3	Vertical	147	3.00	-	38.95	10.74	66.35			
PK	16.81476G	56.35	68.20	-11.85	68.33	3	Vertical	57	1.00	-	38.26	12.81	63.05			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX


5610MHz_TX

EUT_Y_1TX
Setting 18
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21124G	54.07	74.00	-19.93	70.83	3	Horizontal	272	2.99	-	38.91	10.72	66.39			
AV	11.2416G	42.22	54.00	-11.78	58.89	3	Horizontal	272	2.99	-	38.94	10.74	66.35			
PK	16.83132G	56.25	68.20	-11.95	68.26	3	Horizontal	175	2.10	-	38.21	12.82	63.04			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 21
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	61.08	74.00	-12.92	56.31	3	Vertical	142	2.34	-	32.60	7.60	35.43			
AV	5.4476G	47.02	54.00	-6.98	42.26	3	Vertical	142	2.34	-	32.60	7.59	35.43			
PK	5.4668G	61.18	68.20	-7.02	56.41	3	Vertical	142	2.34	-	32.60	7.60	35.43			
PK	5.7176G	111.76	Inf	-Inf	106.22	3	Vertical	142	2.34	-	33.14	7.90	35.50			
AV	5.7164G	98.76	Inf	-Inf	93.23	3	Vertical	142	2.34	-	33.13	7.90	35.50			
PK	5.85G	67.94	68.20	-0.26	61.73	3	Vertical	142	2.34	-	33.70	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 21
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	60.53	74.00	-13.47	55.76	3	Horizontal	339	2.48	-	32.60	7.60	35.43			
AV	5.4596G	46.16	54.00	-7.84	41.39	3	Horizontal	339	2.48	-	32.60	7.60	35.43			
PK	5.47G	60.50	68.20	-7.70	55.72	3	Horizontal	339	2.48	-	32.60	7.61	35.43			
PK	5.6876G	104.71	Inf	-Inf	99.45	3	Horizontal	339	2.48	-	32.90	7.85	35.49			
AV	5.6876G	91.78	Inf	-Inf	86.52	3	Horizontal	339	2.48	-	32.90	7.85	35.49			
PK	5.87G	62.05	68.20	-6.15	55.71	3	Horizontal	339	2.48	-	33.82	8.08	35.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 21
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3632G	55.86	74.00	-18.14	72.35	3	Vertical	74	2.25	-	38.94	10.79	66.22			
AV	11.39008G	43.17	54.00	-10.83	59.65	3	Vertical	74	2.25	-	38.91	10.80	66.19			
PK	17.07408G	57.04	68.20	-11.16	68.89	3	Vertical	308	2.48	-	38.22	12.93	63.00			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 21
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39104G	55.15	74.00	-18.85	71.63	3	Horizontal	346	1.31	-	38.91	10.80	66.19			
AV	11.3884G	43.12	54.00	-10.88	59.60	3	Horizontal	346	1.31	-	38.91	10.80	66.19			
PK	17.0892G	56.76	68.20	-11.44	68.56	3	Horizontal	221	2.68	-	38.27	12.94	63.01			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5570MHz_TX




EUT_Z_1TX
Setting 14
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2712G	57.82	68.20	-10.38	53.05	3	Vertical	294	3.00	-	32.76	7.49	35.48			
PK	5.4524G	65.62	74.00	-8.38	60.86	3	Vertical	294	3.00	-	32.60	7.59	35.43			
AV	5.4464G	45.62	54.00	-8.38	40.86	3	Vertical	294	3.00	-	32.61	7.59	35.44			
PK	5.4656G	64.25	68.20	-3.95	59.48	3	Vertical	294	3.00	-	32.60	7.60	35.43			
PK	5.5016G	101.65	Inf	-Inf	96.84	3	Vertical	294	3.00	-	32.60	7.63	35.42			
AV	5.504G	88.71	Inf	-Inf	83.90	3	Vertical	294	3.00	-	32.60	7.63	35.42			
PK	5.7272G	64.86	68.20	-3.34	59.24	3	Vertical	294	3.00	-	33.22	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5570MHz_TX




EUT_Z_1TX
Setting 14
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2892G	57.79	68.20	-10.41	53.06	3	Horizontal	348	3.00	-	32.72	7.49	35.48			
PK	5.45G	59.45	74.00	-14.55	54.69	3	Horizontal	348	3.00	-	32.60	7.59	35.43			
AV	5.4332G	44.85	54.00	-9.15	40.08	3	Horizontal	348	3.00	-	32.63	7.58	35.44			
PK	5.4656G	60.57	68.20	-7.63	55.80	3	Horizontal	348	3.00	-	32.60	7.60	35.43			
PK	5.5136G	95.52	Inf	-Inf	90.71	3	Horizontal	348	3.00	-	32.60	7.64	35.43			
AV	5.5076G	81.91	Inf	-Inf	77.09	3	Horizontal	348	3.00	-	32.60	7.64	35.42			
PK	5.7272G	59.82	68.20	-8.38	54.20	3	Horizontal	348	3.00	-	33.22	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX

5570MHz_TX




EUT_Y_1TX
Setting 14
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12512G	53.99	74.00	-20.01	71.10	3	Vertical	259	2.17	-	38.68	10.69	66.48			
AV	11.137G	41.25	54.00	-12.75	58.32	3	Vertical	259	2.17	-	38.71	10.69	66.47			
PK	16.7352G	55.24	68.20	-12.96	67.45	3	Vertical	131	2.82	-	38.11	12.77	63.09			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_1TX


5570MHz_TX

EUT_Y_1TX
Setting 14
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13664G	55.08	74.00	-18.92	72.15	3	Horizontal	184	2.01	-	38.71	10.69	66.47			
AV	11.13556G	41.28	54.00	-12.72	58.35	3	Horizontal	184	2.01	-	38.71	10.69	66.47			
PK	16.73208G	55.75	68.20	-12.45	67.97	3	Horizontal	312	1.92	-	38.10	12.77	63.09			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5570MHz_TX




EUT_Z_1TX
Setting 16
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3312G	58.22	68.20	-9.98	53.53	3	Vertical	293	3.00	-	32.64	7.52	35.47			
PK	5.4368G	69.27	74.00	-4.73	64.50	3	Vertical	293	3.00	-	32.63	7.58	35.44			
PK	5.4644G	64.08	68.20	-4.12	59.31	3	Vertical	293	3.00	-	32.60	7.60	35.43			
AV	5.4596G	47.08	54.00	-6.92	42.31	3	Vertical	293	3.00	-	32.60	7.60	35.43			
PK	5.504G	104.68	Inf	-Inf	99.87	3	Vertical	293	3.00	-	32.60	7.63	35.42			
AV	5.5016G	91.72	Inf	-Inf	86.91	3	Vertical	293	3.00	-	32.60	7.63	35.42			
PK	5.7272G	67.87	68.20	-0.33	62.25	3	Vertical	293	3.00	-	33.22	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX

5570MHz_TX




EUT_Z_1TX
Setting 16
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2928G	58.05	68.20	-10.15	53.32	3	Horizontal	351	3.00	-	32.71	7.50	35.48			
PK	5.4356G	62.25	74.00	-11.75	57.48	3	Horizontal	351	3.00	-	32.63	7.58	35.44			
PK	5.4632G	59.52	68.20	-8.68	54.75	3	Horizontal	351	3.00	-	32.60	7.60	35.43			
AV	5.4536G	45.55	54.00	-8.45	40.79	3	Horizontal	351	3.00	-	32.60	7.59	35.43			
PK	5.5208G	96.94	Inf	-Inf	92.12	3	Horizontal	351	3.00	-	32.60	7.65	35.43			
AV	5.5076G	84.20	Inf	-Inf	79.38	3	Horizontal	351	3.00	-	32.60	7.64	35.42			
PK	5.75G	64.43	68.20	-3.77	58.60	3	Horizontal	351	3.00	-	33.40	7.95	35.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX


5570MHz_TX

EUT_Y_1TX
Setting 16
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13424G	54.43	74.00	-19.57	71.51	3	Vertical	278	1.76	-	38.70	10.69	66.47			
AV	11.1328G	42.32	54.00	-11.68	59.40	3	Vertical	278	1.76	-	38.70	10.69	66.47			
PK	16.73028G	57.16	68.20	-11.04	69.39	3	Vertical	106	1.71	-	38.09	12.77	63.09			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_1TX


5570MHz_TX

EUT_Y_1TX
Setting 16
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13112G	54.44	74.00	-19.56	71.54	3	Horizontal	324	1.90	-	38.69	10.69	66.48			
AV	11.13496G	42.29	54.00	-11.71	59.37	3	Horizontal	324	1.90	-	38.70	10.69	66.47			
PK	16.73856G	56.62	68.20	-11.58	68.82	3	Horizontal	94	1.37	-	38.12	12.77	63.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 15
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3308G	58.33	68.20	-9.87	53.64	3	Vertical	162.9	2.67	-	32.64	7.52	35.47			
AV	5.35G	45.33	54.00	-8.67	40.66	3	Vertical	162.9	2.67	-	32.60	7.53	35.46			
PK	5.4484G	61.25	74.00	-12.75	56.49	3	Vertical	162.9	2.67	-	32.60	7.59	35.43			
AV	5.4364G	46.28	54.00	-7.72	41.51	3	Vertical	162.9	2.67	-	32.63	7.58	35.44			
PK	5.47G	60.67	68.20	-7.53	55.89	3	Vertical	162.9	2.67	-	32.60	7.61	35.43			
PK	5.4972G	108.55	Inf	-Inf	103.74	3	Vertical	162.9	2.67	-	32.60	7.63	35.42			
AV	5.4956G	95.46	Inf	-Inf	90.65	3	Vertical	162.9	2.67	-	32.60	7.63	35.42			
PK	5.7284G	58.66	68.20	-9.54	53.02	3	Vertical	162.9	2.67	-	33.23	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 15
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3316G	58.57	68.20	-9.63	53.88	3	Horizontal	351	2.50	-	32.64	7.52	35.47			
AV	5.35G	45.41	54.00	-8.59	40.74	3	Horizontal	351	2.50	-	32.60	7.53	35.46			
PK	5.4588G	62.68	74.00	-11.32	57.91	3	Horizontal	351	2.50	-	32.60	7.60	35.43			
AV	5.4412G	46.87	54.00	-7.13	42.11	3	Horizontal	351	2.50	-	32.62	7.58	35.44			
PK	5.4612G	63.98	68.20	-4.22	59.21	3	Horizontal	351	2.50	-	32.60	7.60	35.43			
PK	5.502G	109.78	Inf	-Inf	104.97	3	Horizontal	351	2.50	-	32.60	7.63	35.42			
AV	5.5604G	96.64	Inf	-Inf	91.80	3	Horizontal	351	2.50	-	32.60	7.68	35.44			
PK	5.73G	59.59	68.20	-8.61	53.94	3	Horizontal	351	2.50	-	33.24	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 15
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.075G	54.26	74.00	-19.74	71.49	3	Vertical	297	2.59	-	38.65	10.66	66.54			
AV	11.05784G	42.24	54.00	-11.76	59.46	3	Vertical	297	2.59	-	38.68	10.66	66.56			
PK	16.5888G	56.88	68.20	-11.32	69.17	3	Vertical	206	1.28	-	38.17	12.70	63.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 15
05-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0336G	54.39	74.00	-19.61	71.60	3	Horizontal	116	2.21	-	38.73	10.64	66.58			
AV	11.06024G	42.15	54.00	-11.85	59.36	3	Horizontal	116	2.21	-	38.68	10.66	66.55			
PK	16.58796G	56.60	68.20	-11.60	68.89	3	Horizontal	302	1.43	-	38.17	12.70	63.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5610MHz_TX




EUT_Z_2TX
Setting 17.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	61.81	74.00	-12.19	57.04	3	Vertical	163	2.74	-	32.60	7.60	35.43			
AV	5.4588G	46.83	54.00	-7.17	42.06	3	Vertical	163	2.74	-	32.60	7.60	35.43			
PK	5.4612G	60.96	68.20	-7.24	56.19	3	Vertical	163	2.74	-	32.60	7.60	35.43			
PK	5.5948G	110.34	Inf	-Inf	105.49	3	Vertical	163	2.74	-	32.60	7.71	35.46			
AV	5.5748G	97.91	Inf	-Inf	93.07	3	Vertical	163	2.74	-	32.60	7.69	35.45			
PK	5.7276G	66.60	68.20	-1.60	60.98	3	Vertical	163	2.74	-	33.22	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5610MHz_TX




EUT_Z_2TX
Setting 17.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	64.28	74.00	-9.72	59.51	3	Horizontal	349	2.47	-	32.60	7.60	35.43			
AV	5.4596G	47.51	54.00	-6.49	42.74	3	Horizontal	349	2.47	-	32.60	7.60	35.43			
PK	5.4636G	63.11	68.20	-5.09	58.34	3	Horizontal	349	2.47	-	32.60	7.60	35.43			
PK	5.5804G	111.56	Inf	-Inf	106.72	3	Horizontal	349	2.47	-	32.60	7.69	35.45			
AV	5.5796G	98.85	Inf	-Inf	94.01	3	Horizontal	349	2.47	-	32.60	7.69	35.45			
PK	5.7276G	67.73	68.20	-0.47	62.11	3	Horizontal	349	2.47	-	33.22	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX


5610MHz_TX

EUT_Y_2TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2002G	54.62	74.00	-19.38	71.40	3	Vertical	295	1.65	-	38.90	10.72	66.40			
AV	11.20344G	42.59	54.00	-11.41	59.37	3	Vertical	295	1.65	-	38.90	10.72	66.40			
PK	16.85112G	57.65	68.20	-10.55	69.70	3	Vertical	3	2.03	-	38.15	12.83	63.03			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX


5610MHz_TX

EUT_Y_2TX
Setting 17.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.19624G	54.55	74.00	-19.45	71.34	3	Horizontal	262	1.08	-	38.89	10.72	66.40			
AV	11.24124G	42.52	54.00	-11.48	59.19	3	Horizontal	262	1.08	-	38.94	10.74	66.35			
PK	16.80816G	58.15	68.20	-10.05	70.11	3	Horizontal	23	1.48	-	38.28	12.81	63.05			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 20.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4452G	61.89	74.00	-12.11	57.13	3	Vertical	127	2.21	-	32.61	7.59	35.44			
AV	5.4452G	46.96	54.00	-7.04	42.20	3	Vertical	127	2.21	-	32.61	7.59	35.44			
PK	5.4632G	61.96	68.20	-6.24	57.19	3	Vertical	127	2.21	-	32.60	7.60	35.43			
PK	5.726G	111.90	Inf	-Inf	106.29	3	Vertical	127	2.21	-	33.21	7.91	35.51			
AV	5.7236G	99.26	Inf	-Inf	93.66	3	Vertical	127	2.21	-	33.19	7.91	35.50			
PK	5.858G	66.67	68.20	-1.53	60.41	3	Vertical	127	2.21	-	33.75	8.07	35.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 20.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	64.35	74.00	-9.65	59.58	3	Horizontal	350	2.45	-	32.60	7.60	35.43			
AV	5.4596G	49.84	54.00	-4.16	45.07	3	Horizontal	350	2.45	-	32.60	7.60	35.43			
PK	5.462G	65.51	68.20	-2.69	60.74	3	Horizontal	350	2.45	-	32.60	7.60	35.43			
PK	5.7188G	112.77	Inf	-Inf	107.22	3	Horizontal	350	2.45	-	33.15	7.90	35.50			
AV	5.72G	100.49	Inf	-Inf	94.93	3	Horizontal	350	2.45	-	33.16	7.90	35.50			
PK	5.8628G	68.09	68.20	-0.11	61.80	3	Horizontal	350	2.45	-	33.78	8.07	35.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37244G	55.81	74.00	-18.19	72.30	3	Vertical	258	2.02	-	38.93	10.79	66.21			
AV	11.39032G	43.61	54.00	-10.39	60.09	3	Vertical	258	2.02	-	38.91	10.80	66.19			
PK	17.06856G	56.91	68.20	-11.29	68.77	3	Vertical	106	2.89	-	38.21	12.93	63.00			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38G	55.94	74.00	-18.06	72.42	3	Horizontal	171	1.83	-	38.92	10.80	66.20			
AV	11.38876G	44.01	54.00	-9.99	60.49	3	Horizontal	171	1.83	-	38.91	10.80	66.19			
PK	17.06316G	56.64	68.20	-11.56	68.53	3	Horizontal	282	1.13	-	38.19	12.92	63.00			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5570MHz_TX




EUT_Z_2TX
Setting 14
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2736G	57.67	68.20	-10.53	52.91	3	Vertical	162	2.42	-	32.75	7.49	35.48			
PK	5.4524G	65.37	74.00	-8.63	60.61	3	Vertical	162	2.42	-	32.60	7.59	35.43			
AV	5.4488G	45.55	54.00	-8.45	40.79	3	Vertical	162	2.42	-	32.60	7.59	35.43			
PK	5.4656G	66.20	68.20	-2.00	61.43	3	Vertical	162	2.42	-	32.60	7.60	35.43			
PK	5.4968G	101.11	Inf	-Inf	96.30	3	Vertical	162	2.42	-	32.60	7.63	35.42			
AV	5.4944G	88.26	Inf	-Inf	83.45	3	Vertical	162	2.42	-	32.60	7.63	35.42			
PK	5.7272G	65.61	68.20	-2.59	59.99	3	Vertical	162	2.42	-	33.22	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5570MHz_TX




EUT_Z_2TX
Setting 14
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3444G	57.64	68.20	-10.56	52.97	3	Horizontal	350	2.52	-	32.61	7.52	35.46			
PK	5.4524G	65.74	74.00	-8.26	60.98	3	Horizontal	350	2.52	-	32.60	7.59	35.43			
AV	5.4596G	45.67	54.00	-8.33	40.90	3	Horizontal	350	2.52	-	32.60	7.60	35.43			
PK	5.4668G	63.78	68.20	-4.42	59.01	3	Horizontal	350	2.52	-	32.60	7.60	35.43			
PK	5.5376G	102.78	Inf	-Inf	97.95	3	Horizontal	350	2.52	-	32.60	7.66	35.43			
AV	5.5784G	89.68	Inf	-Inf	84.84	3	Horizontal	350	2.52	-	32.60	7.69	35.45			
PK	5.7332G	63.81	68.20	-4.39	58.13	3	Horizontal	350	2.52	-	33.27	7.92	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX

5570MHz_TX




EUT_Y_2TX
Setting 14
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13124G	54.24	74.00	-19.76	71.34	3	Vertical	17	2.96	-	38.69	10.69	66.48			
AV	11.13244G	42.48	54.00	-11.52	59.56	3	Vertical	17	2.96	-	38.70	10.69	66.47			
PK	16.73184G	57.55	68.20	-10.65	69.77	3	Vertical	249	1.62	-	38.10	12.77	63.09			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_2TX


5570MHz_TX

EUT_Y_2TX
Setting 14
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1238G	54.48	74.00	-19.52	71.61	3	Horizontal	194	1.03	-	38.67	10.68	66.48			
AV	11.1352G	42.42	54.00	-11.58	59.49	3	Horizontal	194	1.03	-	38.71	10.69	66.47			
PK	16.70016G	57.61	68.20	-10.59	69.95	3	Horizontal	60	1.45	-	38.00	12.76	63.10			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5570MHz_TX




EUT_Z_2TX
Setting 15
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2808G	57.87	68.20	-10.33	53.12	3	Vertical	298	3.00	-	32.74	7.49	35.48			
PK	5.4356G	65.71	74.00	-8.29	60.94	3	Vertical	298	3.00	-	32.63	7.58	35.44			
PK	5.4668G	62.54	68.20	-5.66	57.77	3	Vertical	298	3.00	-	32.60	7.60	35.43			
AV	5.4584G	46.48	54.00	-7.52	41.71	3	Vertical	298	3.00	-	32.60	7.60	35.43			
PK	5.4944G	104.93	Inf	-Inf	100.12	3	Vertical	298	3.00	-	32.60	7.63	35.42			
AV	5.4944G	91.45	Inf	-Inf	86.64	3	Vertical	298	3.00	-	32.60	7.63	35.42			
PK	5.7272G	63.82	68.20	-4.38	58.20	3	Vertical	298	3.00	-	33.22	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5570MHz_TX




EUT_Z_2TX
Setting 15
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2952G	57.82	68.20	-10.38	53.09	3	Horizontal	352	2.46	-	32.71	7.50	35.48			
PK	5.4368G	68.37	74.00	-5.63	63.60	3	Horizontal	352	2.46	-	32.63	7.58	35.44			
PK	5.4668G	64.07	68.20	-4.13	59.30	3	Horizontal	352	2.46	-	32.60	7.60	35.43			
AV	5.4572G	46.26	54.00	-7.74	41.49	3	Horizontal	352	2.46	-	32.60	7.60	35.43			
PK	5.5208G	104.19	Inf	-Inf	99.37	3	Horizontal	352	2.46	-	32.60	7.65	35.43			
AV	5.5196G	91.20	Inf	-Inf	86.38	3	Horizontal	352	2.46	-	32.60	7.65	35.43			
PK	5.7428G	64.55	68.20	-3.65	58.78	3	Horizontal	352	2.46	-	33.34	7.94	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX

5570MHz_TX




EUT Y_2TX
Setting 15
05-R-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14564G	54.43	74.00	-19.57	71.46	3	Vertical	347	1.48	-	38.74	10.69	66.46			
AV	11.13352G	42.47	54.00	-11.53	59.55	3	Vertical	347	1.48	-	38.70	10.69	66.47			
PK	16.71168G	57.29	68.20	-10.91	69.59	3	Vertical	332	1.68	-	38.04	12.76	63.10			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_2TX


5570MHz_TX

EUT_Y_2TX
Setting 15
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15944G	54.47	74.00	-19.53	71.43	3	Horizontal	171	1.38	-	38.78	10.70	66.44			
AV	11.13388G	42.40	54.00	-11.60	59.48	3	Horizontal	171	1.38	-	38.70	10.69	66.47			
PK	16.68564G	57.07	68.20	-11.13	69.42	3	Horizontal	134	1.27	-	38.01	12.75	63.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5530MHz_TX




EUT_Z_4TX
Setting 15.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.338G	58.54	68.20	-9.66	53.87	3	Vertical	162	2.74	-	32.62	7.52	35.47			
AV	5.35G	46.09	54.00	-7.91	41.42	3	Vertical	162	2.74	-	32.60	7.53	35.46			
PK	5.4532G	69.24	74.00	-4.76	64.48	3	Vertical	162	2.74	-	32.60	7.59	35.43			
AV	5.4524G	47.87	54.00	-6.13	43.11	3	Vertical	162	2.74	-	32.60	7.59	35.43			
PK	5.4612G	66.56	68.20	-1.64	61.79	3	Vertical	162	2.74	-	32.60	7.60	35.43			
PK	5.5132G	113.05	Inf	-Inf	108.24	3	Vertical	162	2.74	-	32.60	7.64	35.43			
AV	5.5132G	100.02	Inf	-Inf	95.21	3	Vertical	162	2.74	-	32.60	7.64	35.43			
PK	5.7268G	59.38	68.20	-8.82	53.77	3	Vertical	162	2.74	-	33.21	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5530MHz_TX




EUT_Z_4TX
Setting 15.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3468G	59.60	68.20	-8.60	54.93	3	Horizontal	339	2.48	-	32.61	7.52	35.46			
AV	5.35G	45.97	54.00	-8.03	41.30	3	Horizontal	339	2.48	-	32.60	7.53	35.46			
PK	5.454G	69.25	74.00	-4.75	64.49	3	Horizontal	339	2.48	-	32.60	7.59	35.43			
AV	5.4508G	49.38	54.00	-4.62	44.62	3	Horizontal	339	2.48	-	32.60	7.59	35.43			
PK	5.4692G	67.10	68.20	-1.10	62.32	3	Horizontal	339	2.48	-	32.60	7.61	35.43			
PK	5.5124G	114.65	Inf	-Inf	109.83	3	Horizontal	339	2.48	-	32.60	7.64	35.42			
AV	5.5116G	101.77	Inf	-Inf	96.95	3	Horizontal	339	2.48	-	32.60	7.64	35.42			
PK	5.7252G	59.12	68.20	-9.08	53.52	3	Horizontal	339	2.48	-	33.20	7.91	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 15.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0762G	54.18	74.00	-19.82	71.41	3	Vertical	105	2.95	-	38.65	10.66	66.54			
AV	11.05916G	42.11	54.00	-11.89	59.32	3	Vertical	105	2.95	-	38.68	10.66	66.55			
PK	16.58832G	55.89	68.20	-12.31	68.18	3	Vertical	76	1.38	-	38.17	12.70	63.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 15.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06672G	54.06	74.00	-19.94	71.28	3	Horizontal	107	1.88	-	38.67	10.66	66.55			
AV	11.06G	42.18	54.00	-11.82	59.39	3	Horizontal	107	1.88	-	38.68	10.66	66.55			
PK	16.59948G	56.00	68.20	-12.20	68.34	3	Horizontal	182	1.30	-	38.10	12.71	63.15			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5610MHz_TX




EUT_Z_4TX
Setting 16
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4532G	63.42	74.00	-10.58	58.66	3	Vertical	163	3.00	-	32.60	7.59	35.43			
AV	5.4524G	47.12	54.00	-6.88	42.36	3	Vertical	163	3.00	-	32.60	7.59	35.43			
PK	5.466G	64.20	68.20	-4.00	59.43	3	Vertical	163	3.00	-	32.60	7.60	35.43			
PK	5.5924G	113.56	Inf	-Inf	108.72	3	Vertical	163	3.00	-	32.60	7.70	35.46			
AV	5.5732G	101.13	Inf	-Inf	96.29	3	Vertical	163	3.00	-	32.60	7.69	35.45			
PK	5.734G	67.88	68.20	-0.32	62.20	3	Vertical	163	3.00	-	33.27	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX


5610MHz_TX

EUT_Z_4TX
Setting 16
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4532G	64.52	74.00	-9.48	59.76	3	Horizontal	337	2.46	-	32.60	7.59	35.43			
AV	5.4524G	47.35	54.00	-6.65	42.59	3	Horizontal	337	2.46	-	32.60	7.59	35.43			
PK	5.47G	67.39	68.20	-0.81	62.61	3	Horizontal	337	2.46	-	32.60	7.61	35.43			
PK	5.5724G	115.11	Inf	-Inf	110.27	3	Horizontal	337	2.46	-	32.60	7.69	35.45			
AV	5.5724G	102.16	Inf	-Inf	97.32	3	Horizontal	337	2.46	-	32.60	7.69	35.45			
PK	5.734G	68.16	68.20	-0.04	62.48	3	Horizontal	337	2.46	-	33.27	7.92	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 16
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23212G	54.55	74.00	-19.45	71.25	3	Vertical	335	1.78	-	38.93	10.73	66.36			
AV	11.24076G	42.59	54.00	-11.41	59.27	3	Vertical	335	1.78	-	38.94	10.74	66.36			
PK	16.84284G	57.69	68.20	-10.51	69.74	3	Vertical	306	2.03	-	38.17	12.82	63.04			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 16
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.24172G	54.51	74.00	-19.49	71.18	3	Horizontal	44	1.00	-	38.94	10.74	66.35			
AV	11.2446G	42.52	54.00	-11.48	59.19	3	Horizontal	44	1.00	-	38.94	10.74	66.35			
PK	16.8342G	57.44	68.20	-10.76	69.46	3	Horizontal	140	2.76	-	38.20	12.82	63.04			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 18.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4524G	61.15	74.00	-12.85	56.39	3	Vertical	164	2.62	-	32.60	7.59	35.43			
AV	5.4536G	46.71	54.00	-7.29	41.95	3	Vertical	164	2.62	-	32.60	7.59	35.43			
PK	5.4692G	59.25	68.20	-8.95	54.47	3	Vertical	164	2.62	-	32.60	7.61	35.43			
PK	5.714G	114.72	Inf	-Inf	109.22	3	Vertical	164	2.62	-	33.11	7.89	35.50			
AV	5.714G	102.44	Inf	-Inf	96.94	3	Vertical	164	2.62	-	33.11	7.89	35.50			
PK	5.8688G	65.98	68.20	-2.22	59.66	3	Vertical	164	2.62	-	33.81	8.07	35.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 18.5
05-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4512G	61.83	74.00	-12.17	57.07	3	Horizontal	336	2.40	-	32.60	7.59	35.43			
AV	5.4512G	47.69	54.00	-6.31	42.93	3	Horizontal	336	2.40	-	32.60	7.59	35.43			
PK	5.4692G	62.04	68.20	-6.16	57.26	3	Horizontal	336	2.40	-	32.60	7.61	35.43			
PK	5.7128G	117.00	Inf	-Inf	111.51	3	Horizontal	336	2.40	-	33.10	7.89	35.50			
AV	5.7116G	103.91	Inf	-Inf	98.43	3	Horizontal	336	2.40	-	33.09	7.89	35.50			
PK	5.8532G	67.03	68.20	-1.17	60.80	3	Horizontal	336	2.40	-	33.72	8.06	35.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 18.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40904G	55.66	74.00	-18.34	72.13	3	Vertical	89	2.99	-	38.89	10.81	66.17			
AV	11.38816G	43.62	54.00	-10.38	60.10	3	Vertical	89	2.99	-	38.91	10.80	66.19			
PK	17.04192G	56.99	68.20	-11.21	68.94	3	Vertical	77	1.89	-	38.13	12.91	62.99			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 18.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35696G	55.78	74.00	-18.22	72.28	3	Horizontal	317	1.30	-	38.94	10.79	66.23			
AV	11.38732G	43.59	54.00	-10.41	60.07	3	Horizontal	317	1.30	-	38.91	10.80	66.19			
PK	17.07588G	57.08	68.20	-11.12	68.93	3	Horizontal	294	1.34	-	38.23	12.93	63.01			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX

5570MHz_TX




EUT_Z_4TX
Setting 13
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3108G	57.93	68.20	-10.27	53.21	3	Vertical	237	3.00	-	32.68	7.51	35.47			
PK	5.4524G	66.22	74.00	-7.78	61.46	3	Vertical	237	3.00	-	32.60	7.59	35.43			
AV	5.4452G	46.34	54.00	-7.66	41.58	3	Vertical	237	3.00	-	32.61	7.59	35.44			
PK	5.4656G	66.16	68.20	-2.04	61.39	3	Vertical	237	3.00	-	32.60	7.60	35.43			
PK	5.5388G	104.77	Inf	-Inf	99.94	3	Vertical	237	3.00	-	32.60	7.66	35.43			
AV	5.5784G	92.18	Inf	-Inf	87.34	3	Vertical	237	3.00	-	32.60	7.69	35.45			
PK	5.7272G	66.27	68.20	-1.93	60.65	3	Vertical	237	3.00	-	33.22	7.91	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX


5570MHz_TX

EUT_Z_4TX
Setting 13
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3072G	57.37	68.20	-10.83	52.65	3	Horizontal	338	3.00	-	32.69	7.50	35.47			
PK	5.4524G	68.17	74.00	-5.83	63.41	3	Horizontal	338	3.00	-	32.60	7.59	35.43			
AV	5.4524G	46.63	54.00	-7.37	41.87	3	Horizontal	338	3.00	-	32.60	7.59	35.43			
PK	5.47G	61.85	68.20	-6.35	57.07	3	Horizontal	338	3.00	-	32.60	7.61	35.43			
PK	5.4932G	107.52	Inf	-Inf	102.72	3	Horizontal	338	3.00	-	32.60	7.62	35.42			
AV	5.4932G	93.23	Inf	-Inf	88.43	3	Horizontal	338	3.00	-	32.60	7.62	35.42			
PK	5.732G	64.10	68.20	-4.10	58.43	3	Horizontal	338	3.00	-	33.26	7.92	35.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX


5570MHz_TX

EUT_Y_4TX
Setting 13
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12008G	54.57	74.00	-19.43	71.72	3	Vertical	24	2.87	-	38.66	10.68	66.49			
AV	11.1358G	42.43	54.00	-11.57	59.50	3	Vertical	24	2.87	-	38.71	10.69	66.47			
PK	16.71936G	56.99	68.20	-11.21	69.26	3	Vertical	261	1.02	-	38.06	12.76	63.09			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484+RU242 CP 7_4TX


5570MHz_TX

EUT_Y_4TX
Setting 13
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1388G	54.54	74.00	-19.46	71.60	3	Horizontal	179	2.96	-	38.72	10.69	66.47			
AV	11.13628G	42.42	54.00	-11.58	59.49	3	Horizontal	179	2.96	-	38.71	10.69	66.47			
PK	16.69176G	56.58	68.20	-11.62	68.93	3	Horizontal	96	2.95	-	38.01	12.75	63.11			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5570MHz_TX




EUT_Z_4TX
Setting 14
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3012G	58.43	68.20	-9.77	53.71	3	Vertical	166	3.00	-	32.70	7.50	35.48			
PK	5.4332G	67.68	74.00	-6.32	62.91	3	Vertical	166	3.00	-	32.63	7.58	35.44			
PK	5.4608G	63.27	68.20	-4.93	58.50	3	Vertical	166	3.00	-	32.60	7.60	35.43			
AV	5.4524G	46.37	54.00	-7.63	41.61	3	Vertical	166	3.00	-	32.60	7.59	35.43			
PK	5.6336G	107.36	Inf	-Inf	102.47	3	Vertical	166	3.00	-	32.60	7.76	35.47			
AV	5.5724G	93.53	Inf	-Inf	88.69	3	Vertical	166	3.00	-	32.60	7.69	35.45			
PK	5.7548G	66.73	68.20	-1.47	60.88	3	Vertical	166	3.00	-	33.41	7.96	35.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5570MHz_TX




EUT_Z_4TX
Setting 14
05-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2808G	57.90	68.20	-10.30	53.15	3	Horizontal	340	2.50	-	32.74	7.49	35.48			
PK	5.4308G	69.58	74.00	-4.42	64.81	3	Horizontal	340	2.50	-	32.64	7.57	35.44			
PK	5.47G	67.45	68.20	-0.75	62.67	3	Horizontal	340	2.50	-	32.60	7.61	35.43			
AV	5.4524G	47.40	54.00	-6.60	42.64	3	Horizontal	340	2.50	-	32.60	7.59	35.43			
PK	5.492G	109.06	Inf	-Inf	104.26	3	Horizontal	340	2.50	-	32.60	7.62	35.42			
AV	5.492G	95.32	Inf	-Inf	90.52	3	Horizontal	340	2.50	-	32.60	7.62	35.42			
PK	5.7524G	66.53	68.20	-1.67	60.70	3	Horizontal	340	2.50	-	33.40	7.95	35.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 14
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14828G	54.37	74.00	-19.63	71.39	3	Vertical	160	2.21	-	38.74	10.70	66.46			
AV	11.1364G	42.41	54.00	-11.59	59.48	3	Vertical	160	2.21	-	38.71	10.69	66.47			
PK	16.73244G	57.55	68.20	-10.65	69.77	3	Vertical	342	1.35	-	38.10	12.77	63.09			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14),RU996+RU484 CP 2_4TX

5570MHz_TX

EUT_Y_4TX
Setting 14
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1652G	54.72	74.00	-19.28	71.66	3	Horizontal	87	1.28	-	38.80	10.70	66.44			
AV	11.13424G	42.45	54.00	-11.55	59.53	3	Horizontal	87	1.28	-	38.70	10.69	66.47			
PK	16.72068G	57.45	68.20	-10.75	69.71	3	Horizontal	200	2.50	-	38.06	12.77	63.09			