


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56161G	46.27	74.00	-27.73	61.44	3	Horizontal	64	1.80	25	39.98	10.88	66.03			
AV	11.55753G	32.73	54.00	-21.27	47.90	3	Horizontal	64	1.80	25	39.98	10.88	66.03			
PK	17.35208G	55.30	68.20	-12.90	64.01	3	Horizontal	348	1.65	25	41.22	13.24	63.17			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
SET 25
15\21\24\25
6.32\5.31\5.69\4.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64792G	60.40	68.20	-7.80	53.95	3	Vertical	352	1.80	25	31.80	7.53	32.88			
PK	5.82728G	113.85	Inf	-Inf	107.00	3	Vertical	352	1.80	25	32.20	7.59	32.94			
AV	5.82842G	104.58	Inf	-Inf	97.73	3	Vertical	352	1.80	25	32.20	7.59	32.94			
PK	5.9295G	63.47	68.20	-4.73	56.41	3	Vertical	352	1.80	25	32.40	7.64	32.98			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
SET 25
25
3.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64982G	61.33	68.20	-6.87	54.88	3	Horizontal	299	1.06	25	31.80	7.53	32.88				
PK	5.83222G	114.58	Inf	-Inf	107.72	3	Horizontal	299	1.06	25	32.20	7.60	32.94				
AV	5.82804G	105.21	Inf	-Inf	98.36	3	Horizontal	299	1.06	25	32.20	7.59	32.94				
PK	5.92228G	66.31	70.21	-3.90	59.24	3	Horizontal	299	1.06	25	32.40	7.64	32.97				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.64844G	46.61	74.00	-27.39	61.94	3	Vertical	50	1.80	25	39.71	10.93	65.97				
AV	11.65587G	33.07	54.00	-20.93	48.42	3	Vertical	50	1.80	25	39.69	10.93	65.97				
PK	17.47752G	51.63	68.20	-16.57	59.28	3	Vertical	20	1.80	25	42.32	13.28	63.25				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64848G	45.68	74.00	-28.32	61.01	3	Horizontal	358	1.80	25	39.71	10.93	65.97			
AV	11.65G	32.64	54.00	-21.36	47.98	3	Horizontal	358	1.80	25	39.70	10.93	65.97			
PK	17.47005G	52.55	68.20	-15.65	60.25	3	Horizontal	328	1.80	25	42.26	13.28	63.24			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
SET 25
15\21.5\24.5\25
6.93\6.92\6.79\0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6481G	67.65	68.20	-0.55	61.20	3	Vertical	10	1.06	25	31.80	7.53	32.88			
PK	5.74804G	118.31	Inf	-Inf	111.56	3	Vertical	10	1.06	25	32.10	7.56	32.91			
AV	5.74804G	107.16	Inf	-Inf	100.41	3	Vertical	10	1.06	25	32.10	7.56	32.91			
PK	5.93158G	61.79	68.20	-6.41	54.72	3	Vertical	10	1.06	25	32.40	7.65	32.98			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
SET 24.5
25\22\23.5\24\24.5
-2.75\6.45\6.99\6.85\4.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64962G	63.87	68.20	-4.33	57.42	3	Horizontal	298	2.17	24.5	31.80	7.53	32.88			
PK	5.74728G	120.28	Inf	-Inf	113.54	3	Horizontal	298	2.17	24.5	32.09	7.56	32.91			
AV	5.74348G	108.06	Inf	-Inf	101.32	3	Horizontal	298	2.17	24.5	32.09	7.56	32.91			
PK	5.92664G	62.80	68.20	-5.40	55.74	3	Horizontal	298	2.17	24.5	32.40	7.64	32.98			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX

EUT Y_1TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50219G	46.66	74.00	-27.34	61.78	3	Vertical	48	1.80	24.5	40.10	10.85	66.07			
AV	11.50982G	32.93	54.00	-21.07	48.06	3	Vertical	48	1.80	24.5	40.08	10.85	66.06			
PK	17.24351G	49.39	68.20	-18.81	58.71	3	Vertical	348	1.80	24.5	40.59	13.20	63.11			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT Y_1TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49388G	46.04	74.00	-27.96	61.20	3	Horizontal	85	1.80	24.5	40.08	10.84	66.08			
AV	11.50982G	31.74	54.00	-22.26	46.87	3	Horizontal	85	1.80	24.5	40.08	10.85	66.06			
PK	17.23548G	49.19	68.20	-19.01	58.52	3	Horizontal	351	1.80	24.5	40.57	13.20	63.10			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
SET 25
15\21.5\24.5\25
6.89\6.60\6.64\6.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6497G	59.85	68.20	-8.35	53.40	3	Vertical	0	1.80	25	31.80	7.53	32.88			
PK	5.7874G	116.12	Inf	-Inf	109.30	3	Vertical	0	1.80	25	32.17	7.58	32.93			
AV	5.7832G	104.02	Inf	-Inf	97.21	3	Vertical	0	1.80	25	32.17	7.57	32.93			
PK	5.9329G	61.78	68.20	-6.42	54.71	3	Vertical	0	1.80	25	32.40	7.65	32.98			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
SET 25
25
5.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6362G	61.54	68.20	-6.66	55.12	3	Horizontal	298	2.15	25	31.77	7.53	32.88			
PK	5.7796G	119.97	Inf	-Inf	113.17	3	Horizontal	298	2.15	25	32.16	7.57	32.93			
AV	5.782G	107.87	Inf	-Inf	101.07	3	Horizontal	298	2.15	25	32.16	7.57	32.93			
PK	5.9284G	63.19	68.20	-5.01	56.13	3	Horizontal	298	2.15	25	32.40	7.64	32.98			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57384G	46.96	74.00	-27.04	62.14	3	Vertical	33	1.80	25	39.95	10.89	66.02			
AV	11.55657G	33.02	54.00	-20.98	48.18	3	Vertical	33	1.80	25	39.99	10.88	66.03			
PK	17.3564G	53.48	68.20	-14.72	62.15	3	Vertical	360	1.67	25	41.26	13.24	63.17			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55865G	45.04	74.00	-28.96	60.21	3	Horizontal	58	1.80	25	39.98	10.88	66.03			
AV	11.55989G	32.11	54.00	-21.89	47.28	3	Horizontal	58	1.80	25	39.98	10.88	66.03			
PK	17.35276G	55.03	68.20	-13.17	63.73	3	Horizontal	347	1.65	25	41.23	13.24	63.17			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
SET 25
15\20\22.5\23.5\24\25
5.40\5.78\6.29\6.48\6.29\3.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64602G	60.28	68.20	-7.92	53.84	3	Vertical	351	1.80	25	31.79	7.53	32.88			
PK	5.83032G	114.93	Inf	-Inf	108.07	3	Vertical	351	1.80	25	32.20	7.60	32.94			
AV	5.82614G	103.46	Inf	-Inf	96.61	3	Vertical	351	1.80	25	32.20	7.59	32.94			
PK	5.9219G	67.45	70.49	-3.04	60.38	3	Vertical	351	1.80	25	32.40	7.64	32.97			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
SET 25
25
3.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63804G	60.13	68.20	-8.07	53.70	3	Horizontal	299	1.06	25	31.78	7.53	32.88			
PK	5.82006G	115.86	Inf	-Inf	109.01	3	Horizontal	299	1.06	25	32.20	7.59	32.94			
AV	5.82804G	104.29	Inf	-Inf	97.44	3	Horizontal	299	1.06	25	32.20	7.59	32.94			
PK	5.92342G	65.81	69.37	-3.56	58.74	3	Horizontal	299	1.06	25	32.40	7.64	32.97			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.63382G	44.60	74.00	-29.40	59.90	3	Vertical	5	1.80	25	39.76	10.92	65.98			
AV	11.6347G	30.98	54.00	-23.02	46.28	3	Vertical	5	1.80	25	39.76	10.92	65.98			
PK	17.47168G	53.27	68.20	-14.93	60.96	3	Vertical	326	1.73	25	42.27	13.28	63.24			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66371G	45.33	74.00	-28.67	60.68	3	Horizontal	6	1.80	25	39.67	10.94	65.96			
AV	11.65024G	31.23	54.00	-22.77	46.57	3	Horizontal	6	1.80	25	39.70	10.93	65.97			
PK	17.47041G	57.07	68.20	-11.13	64.77	3	Horizontal	348	1.61	25	42.26	13.28	63.24			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
SET 23
15\21.5\24.5\23\23.5\24\23.5\23
6.54\5.86\6.50\2.94\1.15\3.26\0.60\2.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65204G	67.60	69.71	-2.11	61.13	3	Vertical	356	1.80	23	31.81	7.54	32.88			
PK	5.75176G	112.51	Inf	-Inf	105.76	3	Vertical	356	1.80	23	32.10	7.57	32.92			
AV	5.74852G	100.54	Inf	-Inf	93.79	3	Vertical	356	1.80	23	32.10	7.56	32.91			
PK	5.92636G	63.16	68.20	-5.04	56.09	3	Vertical	356	1.80	23	32.40	7.64	32.97			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
SET 22
23\21.5\22\22.5\22
-1.44\3.69\2.25\1.27\2.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64556G	66.16	68.20	-2.04	59.72	3	Horizontal	296	2.16	22	31.79	7.53	32.88			
PK	5.76868G	114.66	Inf	-Inf	107.87	3	Horizontal	296	2.16	22	32.14	7.57	32.92			
AV	5.7532G	103.07	Inf	-Inf	96.31	3	Horizontal	296	2.16	22	32.11	7.57	32.92			
PK	5.93032G	61.74	68.20	-6.46	54.67	3	Horizontal	296	2.16	22	32.40	7.65	32.98			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX

EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.52399G	45.68	74.00	-28.32	60.82	3	Vertical	23	1.80	22	40.05	10.86	66.05			
AV	11.52311G	31.68	54.00	-22.32	46.82	3	Vertical	23	1.80	22	40.05	10.86	66.05			
PK	17.23471G	46.37	68.20	-21.83	55.70	3	Vertical	355	1.80	22	40.57	13.20	63.10			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51639G	45.48	74.00	-28.52	60.62	3	Horizontal	1	1.80	22	40.07	10.85	66.06			
AV	11.52343G	31.89	54.00	-22.11	47.03	3	Horizontal	1	1.80	22	40.05	10.86	66.05			
PK	17.23999G	46.63	68.20	-21.57	55.95	3	Horizontal	351	1.80	22	40.58	13.20	63.10			

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
SET 24
15\20.5\23\24\24.5\24
5.85\5.73\3.36\0.57\2.94\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65068G	66.63	68.70	-2.07	60.17	3	Vertical	12	1.06	24	31.80	7.54	32.88			
PK	5.79276G	114.88	Inf	-Inf	108.04	3	Vertical	12	1.06	24	32.19	7.58	32.93			
AV	5.79372G	103.16	Inf	-Inf	96.32	3	Vertical	12	1.06	24	32.19	7.58	32.93			
PK	5.92588G	68.17	68.20	-0.03	61.10	3	Vertical	12	1.06	24	32.40	7.64	32.97			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
SET 24
24
0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64844G	65.27	68.20	-2.93	58.82	3	Horizontal	307	1.80	24	31.80	7.53	32.88			
PK	5.7854G	114.09	Inf	-Inf	107.27	3	Horizontal	307	1.80	24	32.17	7.58	32.93			
AV	5.7982G	102.40	Inf	-Inf	95.55	3	Horizontal	307	1.80	24	32.20	7.58	32.93			
PK	5.9294G	67.41	68.20	-0.79	60.35	3	Horizontal	307	1.80	24	32.40	7.64	32.98			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59895G	46.21	74.00	-27.79	61.41	3	Vertical	107	1.80	24	39.90	10.90	66.00			
AV	11.55548G	34.10	54.00	-19.90	49.26	3	Vertical	107	1.80	24	39.99	10.88	66.03			
PK	17.35991G	48.91	68.20	-19.29	57.55	3	Vertical	358	1.80	24	41.30	13.24	63.18			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55835G	45.38	74.00	-28.62	60.55	3	Horizontal	124	1.80	24	39.98	10.88	66.03			
AV	11.56235G	33.13	54.00	-20.87	48.30	3	Horizontal	124	1.80	24	39.98	10.88	66.03			
PK	17.36358G	49.61	68.20	-18.59	58.21	3	Horizontal	346	1.80	24	41.34	13.24	63.18			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
SET 22
15\21\24\22.5\22
6.10\2.41\~7.50\~0.07\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65148G	68.24	69.30	-1.06	61.77	3	Vertical	0	1.80	22	31.81	7.54	32.88			
PK	5.78172G	108.57	Inf	-Inf	101.77	3	Vertical	0	1.80	22	32.16	7.57	32.93			
AV	5.783G	95.91	Inf	-Inf	89.10	3	Vertical	0	1.80	22	32.17	7.57	32.93			
PK	5.93084G	68.13	68.20	-0.07	61.06	3	Vertical	0	1.80	22	32.40	7.65	32.98			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
SET 19.5
22\17\19.5\20.5\20\19.5
-4.67\6.48\1.95\1.62\1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64252G	66.92	68.20	-1.28	60.48	3	Horizontal	298	2.15	19.5	31.79	7.53	32.88			
PK	5.78524G	109.68	Inf	-Inf	102.86	3	Horizontal	298	2.15	19.5	32.17	7.58	32.93			
AV	5.77916G	97.66	Inf	-Inf	90.85	3	Horizontal	298	2.15	19.5	32.16	7.57	32.92			
PK	5.92508G	63.84	68.20	-4.36	56.77	3	Horizontal	298	2.15	19.5	32.40	7.64	32.97			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53545G	46.18	74.00	-27.82	61.34	3	Vertical	136	1.80	19.5	40.03	10.86	66.05			
AV	11.56646G	34.24	54.00	-19.76	49.42	3	Vertical	136	1.80	19.5	39.97	10.88	66.03			
PK	17.36384G	48.04	68.20	-20.16	56.64	3	Vertical	360	1.80	19.5	41.34	13.24	63.18			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX



EUT_Y_1TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53881G	45.49	74.00	-28.51	60.64	3	Horizontal	40	1.80	19.5	40.02	10.87	66.04			
AV	11.55G	33.24	54.00	-20.76	48.41	3	Horizontal	40	1.80	19.5	40.00	10.87	66.04			
PK	17.33699G	46.28	68.20	-21.92	55.14	3	Horizontal	350	1.80	19.5	41.07	13.23	63.16			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	PK	5.619G	68.18	68.20	-0.02	3	Vertical	161	2.47	-

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUT_Z_1TX
Setting 10/19
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6466G	67.51	68.20	-0.69	60.11	3	Vertical	127	2.18	-	31.71	7.26	31.57			
PK	5.7606G	107.97	Inf	-Inf	99.97	3	Vertical	127	2.18	-	32.22	7.36	31.58			
AV	5.7714G	95.43	Inf	-Inf	87.40	3	Vertical	127	2.18	-	32.24	7.37	31.58			
PK	5.9394G	60.76	68.20	-7.44	52.33	3	Vertical	127	2.18	-	32.58	7.45	31.60			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUT_Z_1TX
Setting 10/19
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6382G	63.91	68.20	-4.29	56.51	3	Horizontal	338	2.44	-	31.72	7.25	31.57			
PK	5.7726G	103.82	Inf	-Inf	95.78	3	Horizontal	338	2.44	-	32.25	7.37	31.58			
AV	5.7642G	91.19	Inf	-Inf	83.18	3	Horizontal	338	2.44	-	32.23	7.36	31.58			
PK	5.9346G	60.75	68.20	-7.45	52.34	3	Horizontal	338	2.44	-	32.57	7.44	31.60			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5775MHz_TX

EUT_Y_1TX
Setting 10/19
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5502G	59.27	74.00	-14.73	41.39	3	Vertical	327	2.49	-	40.10	10.60	32.82			
AV	11.54998G	46.44	54.00	-7.56	28.56	3	Vertical	327	2.49	-	40.10	10.60	32.82			
PK	17.32481G	63.30	68.20	-4.90	42.11	3	Vertical	19	2.82	-	41.05	13.27	33.13			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUT_Y_1TX
Setting 10/19
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55046G	59.80	74.00	-14.20	41.92	3	Horizontal	67	2.86	-	40.10	10.60	32.82			
AV	11.55012G	46.33	54.00	-7.67	28.45	3	Horizontal	67	2.86	-	40.10	10.60	32.82			
PK	17.32471G	63.63	68.20	-4.57	42.44	3	Horizontal	48	1.04	-	41.05	13.27	33.13			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5775MHz_TX




EUT_Z_1TX
Setting 9/18
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6262G	68.04	68.20	-0.16	60.62	3	Vertical	125	2.37	-	31.75	7.24	31.57			
PK	5.8062G	110.49	Inf	-Inf	102.39	3	Vertical	125	2.37	-	32.30	7.39	31.59			
AV	5.805G	97.58	Inf	-Inf	89.48	3	Vertical	125	2.37	-	32.30	7.39	31.59			
PK	5.9502G	60.59	68.20	-7.61	52.14	3	Vertical	125	2.37	-	32.60	7.45	31.60			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5775MHz_TX




EUT_Z_1TX
Setting 9/18
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6346G	65.71	68.20	-2.49	58.30	3	Horizontal	339	2.62	-	31.73	7.25	31.57			
PK	5.745G	104.75	Inf	-Inf	96.82	3	Horizontal	339	2.62	-	32.17	7.34	31.58			
AV	5.7498G	92.42	Inf	-Inf	84.45	3	Horizontal	339	2.62	-	32.20	7.35	31.58			
PK	6.075G	60.78	68.20	-7.42	52.10	3	Horizontal	339	2.62	-	32.60	7.53	31.45			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5775MHz_TX




EUT_Y_1TX
Setting 9/18
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5505G	58.96	74.00	-15.04	41.08	3	Vertical	99	1.22	-	40.10	10.60	32.82			
AV	11.54996G	46.31	54.00	-7.69	28.43	3	Vertical	99	1.22	-	40.10	10.60	32.82			
PK	17.32481G	63.88	68.20	-4.32	42.69	3	Vertical	344	1.05	-	41.05	13.27	33.13			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5775MHz_TX

EUT_Y_1TX
Setting 9/18
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54955G	61.56	74.00	-12.44	43.68	3	Horizontal	341	2.03	-	40.10	10.60	32.82			
AV	11.54997G	46.31	54.00	-7.69	28.43	3	Horizontal	341	2.03	-	40.10	10.60	32.82			
PK	17.3248G	63.67	68.20	-4.53	42.48	3	Horizontal	84	1.89	-	41.05	13.27	33.13			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Z_2TX
Setting 7.5/18.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6478G	66.95	68.20	-1.25	59.56	3	Vertical	125	2.29	-	31.70	7.26	31.57			
PK	5.7534G	110.07	Inf	-Inf	102.09	3	Vertical	125	2.29	-	32.21	7.35	31.58			
AV	5.7714G	97.45	Inf	-Inf	89.42	3	Vertical	125	2.29	-	32.24	7.37	31.58			
PK	5.9826G	60.90	68.20	-7.30	52.52	3	Vertical	125	2.29	-	32.53	7.46	31.61			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Z_2TX
Setting 7.5/18.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6394G	66.88	68.20	-1.32	59.48	3	Horizontal	338	2.33	-	31.72	7.25	31.57			
PK	5.7402G	110.99	Inf	-Inf	103.09	3	Horizontal	338	2.33	-	32.14	7.34	31.58			
AV	5.739G	98.09	Inf	-Inf	90.20	3	Horizontal	338	2.33	-	32.13	7.34	31.58			
PK	5.925G	60.93	68.20	-7.27	52.54	3	Horizontal	338	2.33	-	32.55	7.44	31.60			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Y_2TX
Setting 7.5/18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53974G	59.27	74.00	-14.73	41.40	3	Vertical	270	2.92	-	40.10	10.59	32.82			
AV	11.5368G	46.67	54.00	-7.33	28.79	3	Vertical	270	2.92	-	40.10	10.59	32.81			
PK	17.33628G	65.38	68.20	-2.82	44.06	3	Vertical	317	2.73	-	41.16	13.27	33.11			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Y_2TX
Setting 7.5/18.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55888G	59.36	74.00	-14.64	41.53	3	Horizontal	42	2.22	-	40.05	10.60	32.82			
AV	11.54742G	46.63	54.00	-7.37	28.75	3	Horizontal	42	2.22	-	40.10	10.60	32.82			
PK	17.32926G	65.09	68.20	-3.11	43.85	3	Horizontal	145	1.21	-	41.09	13.27	33.12			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_Z_2TX
Setting 6.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6274G	66.75	68.20	-1.45	59.33	3	Vertical	132	2.27	-	31.75	7.24	31.57			
PK	5.7498G	109.89	Inf	-Inf	101.92	3	Vertical	132	2.27	-	32.20	7.35	31.58			
AV	5.7498G	97.62	Inf	-Inf	89.65	3	Vertical	132	2.27	-	32.20	7.35	31.58			
PK	5.949G	60.89	68.20	-7.31	52.44	3	Vertical	132	2.27	-	32.60	7.45	31.60			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_Z_2TX
Setting 6.5/17.5
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6178G	66.17	68.20	-2.03	58.73	3	Horizontal	337	2.34	-	31.76	7.24	31.56			
PK	5.739G	111.01	Inf	-Inf	103.12	3	Horizontal	337	2.34	-	32.13	7.34	31.58			
AV	5.7402G	98.86	Inf	-Inf	90.96	3	Horizontal	337	2.34	-	32.14	7.34	31.58			
PK	6.057G	60.78	68.20	-7.42	52.14	3	Horizontal	337	2.34	-	32.60	7.52	31.48			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5775MHz_TX

EUT_Y_2TX
Setting 6.5/17.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54106G	59.11	74.00	-14.89	41.24	3	Vertical	219	1.00	-	40.10	10.59	32.82			
AV	11.5461G	46.59	54.00	-7.41	28.72	3	Vertical	219	1.00	-	40.10	10.59	32.82			
PK	17.31534G	65.74	68.20	-2.46	44.67	3	Vertical	46	2.76	-	40.95	13.26	33.14			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_Y_2TX
Setting 6.5/17.5
06-D-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55576G	59.96	74.00	-14.04	42.11	3	Horizontal	140	2.09	-	40.07	10.60	32.82			
AV	11.55762G	46.76	54.00	-7.24	28.93	3	Horizontal	140	2.09	-	40.05	10.60	32.82			
PK	17.33184G	65.84	68.20	-2.36	44.57	3	Horizontal	327	2.70	-	41.12	13.27	33.12			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Z_4TX
Setting 6/17
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6454G	68.02	68.20	-0.18	60.62	3	Vertical	157	2.48	-	31.71	7.26	31.57			
PK	5.7378G	111.12	Inf	-Inf	103.23	3	Vertical	157	2.48	-	32.13	7.34	31.58			
AV	5.739G	99.26	Inf	-Inf	91.37	3	Vertical	157	2.48	-	32.13	7.34	31.58			
PK	6.0342G	60.96	68.20	-7.24	52.42	3	Vertical	157	2.48	-	32.57	7.50	31.53			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Z_4TX
Setting 6/17
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6382G	64.99	68.20	-3.21	57.59	3	Horizontal	337	2.70	-	31.72	7.25	31.57			
PK	5.7378G	111.44	Inf	-Inf	103.55	3	Horizontal	337	2.70	-	32.13	7.34	31.58			
AV	5.7366G	100.11	Inf	-Inf	92.23	3	Horizontal	337	2.70	-	32.12	7.34	31.58			
PK	5.9454G	61.34	68.20	-6.86	52.90	3	Horizontal	337	2.70	-	32.59	7.45	31.60			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Y_4TX
Setting 6/17
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55024G	59.48	74.00	-14.52	41.60	3	Vertical	169	2.99	-	40.10	10.60	32.82			
AV	11.55041G	46.27	54.00	-7.73	28.39	3	Vertical	169	2.99	-	40.10	10.60	32.82			
PK	17.32494G	63.51	68.20	-4.69	42.32	3	Vertical	276	2.85	-	41.05	13.27	33.13			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 6/17
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5503G	59.03	74.00	-14.97	41.15	3	Horizontal	209	1.98	-	40.10	10.60	32.82			
AV	11.55016G	46.34	54.00	-7.66	28.46	3	Horizontal	209	1.98	-	40.10	10.60	32.82			
PK	17.32508G	63.14	68.20	-5.06	41.95	3	Horizontal	217	2.79	-	41.05	13.27	33.13			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX




EUT_Z_4TX
Setting 4/17
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.619G	68.18	68.20	-0.02	60.74	3	Vertical	161	2.47	-	31.76	7.24	31.56			
PK	5.739G	112.92	Inf	-Inf	105.03	3	Vertical	161	2.47	-	32.13	7.34	31.58			
AV	5.739G	101.08	Inf	-Inf	93.19	3	Vertical	161	2.47	-	32.13	7.34	31.58			
PK	5.9814G	60.92	68.20	-7.28	52.53	3	Vertical	161	2.47	-	32.54	7.46	31.61			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX




EUT_Z_4TX
Setting 4/17
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.619G	67.03	68.20	-1.17	59.59	3	Horizontal	338	2.73	-	31.76	7.24	31.56			
PK	5.739G	113.09	Inf	-Inf	105.20	3	Horizontal	338	2.73	-	32.13	7.34	31.58			
AV	5.7378G	101.69	Inf	-Inf	93.80	3	Horizontal	338	2.73	-	32.13	7.34	31.58			
PK	6.0594G	60.84	68.20	-7.36	52.20	3	Horizontal	338	2.73	-	32.60	7.52	31.48			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5775MHz_TX

EUT Y_4TX
Setting 4/17
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55021G	59.50	74.00	-14.50	41.62	3	Vertical	178	2.86	-	40.10	10.60	32.82			
AV	11.54988G	46.27	54.00	-7.73	28.39	3	Vertical	178	2.86	-	40.10	10.60	32.82			
PK	17.32462G	63.62	68.20	-4.58	42.43	3	Vertical	95	1.07	-	41.05	13.27	33.13			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX



EUT_Y_4TX
Setting 4/17
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54993G	59.65	74.00	-14.35	41.77	3	Horizontal	279	2.52	-	40.10	10.60	32.82			
AV	11.54958G	46.32	54.00	-7.68	28.44	3	Horizontal	279	2.52	-	40.10	10.60	32.82			
PK	17.32535G	62.55	68.20	-5.65	41.36	3	Horizontal	93	1.30	-	41.05	13.27	33.13			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX	Pass	PK	5.617G	68.09	68.20	-0.11	3	Vertical	130	2.33	-

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5775MHz_TX




EUT_Z_1TX
Setting 20.5
05-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.617G	68.09	68.20	-0.11	63.21	3	Vertical	130	2.33	-	32.60	7.74	35.46			
PK	5.737G	110.91	Inf	-Inf	105.19	3	Vertical	130	2.33	-	33.30	7.93	35.51			
AV	5.754G	98.92	Inf	-Inf	93.07	3	Vertical	130	2.33	-	33.41	7.96	35.52			
PK	5.965G	61.37	68.20	-6.83	54.86	3	Vertical	130	2.33	-	33.97	8.14	35.60			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5775MHz_TX




EUT_Z_1TX
Setting 20.5
05-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.638G	64.18	68.20	-4.02	59.28	3	Horizontal	352	2.74	-	32.60	7.77	35.47			
PK	5.746G	104.27	Inf	-Inf	98.47	3	Horizontal	352	2.74	-	33.37	7.94	35.51			
AV	5.747G	93.01	Inf	-Inf	87.19	3	Horizontal	352	2.74	-	33.38	7.95	35.51			
PK	5.935G	61.42	68.20	-6.78	54.89	3	Horizontal	352	2.74	-	34.00	8.12	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX

5775MHz_TX




EUT_Y_1TX
Setting 20.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57232G	54.15	74.00	-19.85	70.71	3	Vertical	186	2.76	-	38.58	10.88	66.02			
AV	11.55468G	42.27	54.00	-11.73	58.79	3	Vertical	186	2.76	-	38.64	10.87	66.03			
PK	17.33364G	57.66	68.20	-10.54	68.67	3	Vertical	118	1.21	-	39.10	13.05	63.16			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_1TX


5775MHz_TX

EUT Y_1TX
Setting 20.5
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56176G	53.79	74.00	-20.21	70.33	3	Horizontal	236	1.57	-	38.61	10.88	66.03			
AV	11.55528G	42.26	54.00	-11.74	58.79	3	Horizontal	236	1.57	-	38.63	10.87	66.03			
PK	17.34672G	57.38	68.20	-10.82	68.31	3	Horizontal	63	2.54	-	39.18	13.06	63.17			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5775MHz_TX




EUT_Z_2TX
Setting 18
05-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	62.87	68.20	-5.33	57.96	3	Vertical	129	2.46	-	32.60	7.78	35.47			
PK	5.749G	109.12	Inf	-Inf	103.29	3	Vertical	129	2.46	-	33.39	7.95	35.51			
AV	5.752G	97.59	Inf	-Inf	91.76	3	Vertical	129	2.46	-	33.40	7.95	35.52			
PK	5.951G	62.31	68.20	-5.89	55.77	3	Vertical	129	2.46	-	34.00	8.13	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5775MHz_TX




EUT_Z_2TX
Setting 18
05-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.645G	66.34	68.20	-1.86	61.44	3	Horizontal	355	2.44	-	32.60	7.78	35.48			
PK	5.741G	110.34	Inf	-Inf	104.58	3	Horizontal	355	2.44	-	33.33	7.94	35.51			
AV	5.745G	98.59	Inf	-Inf	92.80	3	Horizontal	355	2.44	-	33.36	7.94	35.51			
PK	5.958G	61.62	68.20	-6.58	55.10	3	Horizontal	355	2.44	-	33.98	8.13	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5775MHz_TX




EUT_Y_2TX
Setting 18
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55072G	54.74	74.00	-19.26	71.26	3	Vertical	123	1.59	-	38.65	10.87	66.04			
AV	11.55792G	42.78	54.00	-11.22	59.30	3	Vertical	123	1.59	-	38.63	10.88	66.03			
PK	17.35296G	57.61	68.20	-10.59	68.50	3	Vertical	57	1.88	-	39.22	13.06	63.17			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_2TX

5775MHz_TX




EUT Y_2TX
Setting 18
05-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53248G	55.38	74.00	-18.62	71.87	3	Horizontal	162	2.91	-	38.70	10.86	66.05			
AV	11.5554G	42.76	54.00	-11.24	59.29	3	Horizontal	162	2.91	-	38.63	10.87	66.03			
PK	17.32932G	57.86	68.20	-10.34	68.89	3	Horizontal	343	1.93	-	39.08	13.05	63.16			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5775MHz_TX




EUT_Z_4TX
Setting 17.5
05-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	67.19	68.20	-1.01	62.28	3	Vertical	47	3.00	-	32.60	7.79	35.48			
PK	5.742G	113.46	Inf	-Inf	107.69	3	Vertical	47	3.00	-	33.34	7.94	35.51			
AV	5.742G	102.38	Inf	-Inf	96.61	3	Vertical	47	3.00	-	33.34	7.94	35.51			
PK	5.938G	62.41	68.20	-5.79	55.88	3	Vertical	47	3.00	-	34.00	8.12	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5775MHz_TX




EUT_Z_4TX
Setting 17.5
05-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.638G	66.69	68.20	-1.51	61.79	3	Horizontal	342	2.36	-	32.60	7.77	35.47			
PK	5.737G	114.26	Inf	-Inf	108.54	3	Horizontal	342	2.36	-	33.30	7.93	35.51			
AV	5.737G	102.16	Inf	-Inf	96.44	3	Horizontal	342	2.36	-	33.30	7.93	35.51			
PK	6.01G	62.45	68.20	-5.75	55.96	3	Horizontal	342	2.36	-	33.92	8.16	35.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5775MHz_TX




EUT_Y_4TX
Setting 17.5
05-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55456G	54.93	74.00	-19.07	71.45	3	Vertical	357	1.80	-	38.64	10.87	66.03			
AV	11.55528G	42.32	54.00	-11.68	58.85	3	Vertical	357	1.80	-	38.63	10.87	66.03			
PK	17.32488G	57.85	68.20	-10.35	68.90	3	Vertical	250	1.67	-	39.05	13.05	63.15			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS14),RU484+RU242 CP 2_4TX

5775MHz_TX

EUT_Y_4TX
Setting 17.5
05-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54028G	54.97	74.00	-19.03	71.46	3	Horizontal	85	1.28	-	38.68	10.87	66.04			
AV	11.56164G	42.28	54.00	-11.72	58.81	3	Horizontal	85	1.28	-	38.62	10.88	66.03			
PK	17.30136G	58.19	68.20	-10.01	69.38	3	Horizontal	277	1.24	-	38.91	13.04	63.14			