


Appendix B. Radiated Emission Co-location Report

1. Results of Radiated Emissions for Co-located


Temperature	22°C	Humidity	56%
Test Engineer	Nyle Chang & Peter Wu & Gary Chu & DK Chang & Eddie Weng & Stim Song & Brain Sun	Test Mode	Mode 1
Configurations	EUT in Z axis + Radio 1(2.4G) Set 4 + Radio 2(5G) Set 4 + Radio 3(2.4G) + Radio 4(BT)		

Horizontal



	Freq	Level	Limit	Over	Read	Cable	Antenna	Preamp	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	1499.93	41.64	74.00	-32.36	47.41	3.49	25.60	34.86	87	150	Peak	HORIZONTAL
2	1499.94	33.01	54.00	-20.99	38.78	3.49	25.60	34.86	87	150	Average	HORIZONTAL

Vertical



Line	Freq MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Cable Loss dB	Antenna Factor dB/m	Preamp Factor dB	T/Pos deg	A/Pos cm	Remark	Pol/Phase
1	1500.01	41.21	54.00	-12.79	46.98	3.49	25.60	34.86	360	211	Average	VERTICAL
2	1500.10	45.29	74.00	-28.71	51.06	3.49	25.60	34.86	360	211	Peak	VERTICAL