


### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4397G	42.07	54.00	-11.93	16.09	3	V	267	1.51	-
PK	11.4262G	55.58	74.00	-18.42	16.08	3	V	267	1.51	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4397G	42.50	54.00	-11.50	16.09	3	H	44	2.70	-
PK	11.4472G	55.88	74.00	-18.12	16.10	3	H	44	2.70	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4798G	41.92	54.00	-12.08	16.12	3	V	342	1.50	-
PK	11.4762G	55.16	74.00	-18.84	16.11	3	V	342	1.50	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4811G	41.95	54.00	-12.05	16.12	3	H	20	2.18	-
PK	11.4668G	55.73	74.00	-18.27	16.11	3	H	20	2.18	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5699G	42.44	54.00	-11.56	16.18	3	V	37	1.24	-
PK	11.5724G	55.56	74.00	-18.44	16.18	3	V	37	1.24	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5713G	42.18	54.00	-11.82	16.18	3	H	10	1.33	-
PK	11.558G	56.05	74.00	-17.95	16.17	3	H	10	1.33	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6704G	42.10	54.00	-11.90	16.24	3	V	33	1.16	-
PK	11.657G	55.49	74.00	-18.51	16.23	3	V	33	1.16	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6621G	42.52	54.00	-11.48	16.24	3	H	24	1.62	-
PK	11.6641G	56.32	74.00	-17.68	16.24	3	H	24	1.62	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5715G	49.16	54.00	-4.84	17.82	3	V	32	1.01	-
PK	15.5556G	61.44	74.00	-12.56	17.81	3	V	32	1.01	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5465G	48.35	54.00	-5.65	17.80	3	H	78	1.50	-
PK	15.5635G	61.55	74.00	-12.45	17.82	3	H	78	1.50	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6948G	47.67	54.00	-6.33	17.92	3	V	326	1.50	-
PK	15.7072G	60.77	74.00	-13.23	17.93	3	V	326	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6937G	48.12	54.00	-5.88	17.92	3	H	87	2.17	-
PK	15.7109G	60.55	74.00	-13.45	17.94	3	H	87	2.17	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8042G	47.66	54.00	-6.34	18.01	3	V	128	1.50	-
PK	15.7955G	60.11	74.00	-13.89	18.00	3	V	128	1.50	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8072G	48.27	54.00	-5.73	18.01	3	H	34	2.49	-
PK	15.7873G	60.65	74.00	-13.35	18.00	3	H	34	2.49	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.943G	48.53	54.00	-5.47	18.12	3	V	70	1.50	-
PK	15.9509G	61.63	74.00	-12.37	18.13	3	V	70	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.932G	49.66	54.00	-4.34	18.11	3	H	20	1.48	-
PK	15.9323G	61.92	74.00	-12.08	18.12	3	H	20	1.48	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0204G	43.73	54.00	-10.27	15.81	3	V	92	1.48	-
PK	11.0078G	56.35	74.00	-17.65	15.81	3	V	92	1.48	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0127G	43.65	54.00	-10.35	15.81	3	H	39	2.35	-
PK	11.0215G	56.64	74.00	-17.36	15.81	3	H	39	2.35	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0871G	42.98	54.00	-11.02	15.86	3	V	259	1.50	-
PK	11.1249G	55.67	74.00	-18.33	15.88	3	V	259	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0904G	43.31	54.00	-10.69	15.86	3	H	67	1.48	-
PK	11.0995G	56.80	74.00	-17.20	15.87	3	H	67	1.48	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3511G	42.49	54.00	-11.51	16.03	3	V	142	1.51	-
PK	11.3472G	55.50	74.00	-18.50	16.03	3	V	142	1.51	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3443G	42.55	54.00	-11.45	16.03	3	H	70	1.46	-
PK	11.3472G	55.25	74.00	-18.75	16.03	3	H	70	1.46	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3991G	42.84	54.00	-11.16	16.06	3	V	29	1.50	-
PK	11.3961G	55.29	74.00	-18.71	16.06	3	V	29	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4054G	42.69	54.00	-11.31	16.07	3	H	343	1.07	-
PK	11.4054G	55.89	74.00	-18.11	16.07	3	H	343	1.07	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5333G	42.14	54.00	-11.86	16.15	3	V	37	2.98	-
PK	11.5333G	55.24	74.00	-18.76	16.15	3	V	37	2.98	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4862G	42.18	54.00	-11.82	16.12	3	H	284	1.50	-
PK	11.5014G	54.73	74.00	-19.27	16.13	3	H	284	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6136G	42.70	54.00	-11.30	16.20	3	V	327	1.50	-
PK	11.6051G	55.28	74.00	-18.72	16.20	3	V	327	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6074G	42.65	54.00	-11.35	16.20	3	H	141	2.09	-
PK	11.6086G	55.27	74.00	-18.73	16.20	3	H	141	2.09	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6214G	48.12	54.00	-5.88	17.86	3	V	324	1.50	-
PK	15.6337G	62.09	74.00	-11.91	17.87	3	V	324	1.50	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.639G	48.61	54.00	-5.39	17.88	3	H	34	2.66	-
PK	15.6192G	61.34	74.00	-12.66	17.86	3	H	34	2.66	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8694G	48.15	54.00	-5.85	18.06	3	V	106	1.01	-
PK	15.8838G	61.98	74.00	-12.02	18.08	3	V	106	1.01	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8697G	48.27	54.00	-5.73	18.06	3	H	19	1.48	-
PK	15.8694G	61.60	74.00	-12.40	18.06	3	H	19	1.48	-



### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0814G	42.94	54.00	-11.06	15.85	3	V	89	2.97	-
PK	11.0849G	55.70	74.00	-18.30	15.86	3	V	89	2.97	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0805G	42.97	54.00	-11.03	15.85	3	H	272	1.90	-
PK	11.0835G	56.28	74.00	-17.72	15.86	3	H	272	1.90	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.2097G	42.61	54.00	-11.39	15.94	3	V	343	2.24	-
PK	11.2163G	55.24	74.00	-18.76	15.94	3	V	343	2.24	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.2202G	42.50	54.00	-11.50	15.95	3	H	103	2.26	-
PK	11.209G	56.00	74.00	-18.00	15.94	3	H	103	2.26	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3942G	42.50	54.00	-11.50	16.06	3	V	166	2.22	-
PK	11.3868G	55.28	74.00	-18.72	16.06	3	V	166	2.22	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4018G	42.42	54.00	-11.58	16.07	3	H	36	1.68	-
PK	11.3722G	55.62	74.00	-18.38	16.05	3	H	36	1.68	-



### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5392G	42.22	54.00	-11.78	16.16	3	V	321	1.08	-
PK	11.5568G	54.81	74.00	-19.19	16.17	3	V	321	1.08	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170624  
 EUT X 4TX ANT (Patch大方)  
 Setting 25  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5486G	42.07	54.00	-11.93	16.16	3	H	61	1.13	-
PK	11.5358G	55.12	74.00	-18.88	16.15	3	H	61	1.13	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.52506G	49.18	54.00	-4.82	17.79	3	V	304	1.95	-
PK	15.5316G	62.40	74.00	-11.60	17.79	3	V	304	1.95	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5283G	49.07	54.00	-4.93	17.79	3	H	206	1.91	-
PK	15.52566G	62.09	74.00	-11.91	17.79	3	H	206	1.91	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.58596G	49.01	54.00	-4.99	17.83	3	V	200	1.46	-
PK	15.60372G	61.40	74.00	-12.60	17.85	3	V	200	1.46	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.59094G	48.91	54.00	-5.09	17.84	3	H	9	1.96	-
PK	15.59016G	61.97	74.00	-12.03	17.84	3	H	9	1.96	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72666G	48.04	54.00	-5.96	17.95	3	V	334	1.41	-
PK	15.72894G	61.16	74.00	-12.84	17.95	3	V	334	1.41	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72204G	47.95	54.00	-6.05	17.94	3	H	127	2.18	-
PK	15.7341G	61.08	74.00	-12.92	17.95	3	H	127	2.18	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.79056G	47.77	54.00	-6.23	18.00	3	V	208	1.81	-
PK	15.79362G	60.83	74.00	-13.17	18.00	3	V	208	1.81	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.79488G	47.90	54.00	-6.10	18.00	3	H	79	1.82	-
PK	15.76728G	60.52	74.00	-13.48	17.98	3	H	79	1.82	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8895G	48.73	54.00	-5.27	18.08	3	V	335	2.16	-
PK	15.91338G	61.51	74.00	-12.49	18.10	3	V	335	2.16	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88746G	48.79	54.00	-5.21	18.08	3	H	67	1.60	-
PK	15.8883G	61.40	74.00	-12.60	18.08	3	H	67	1.60	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.95916G	49.25	54.00	-4.75	18.14	3	V	281	1.47	-
PK	15.96798G	61.93	74.00	-12.07	18.14	3	V	281	1.47	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.96306G	49.09	54.00	-4.91	18.14	3	H	115	2.43	-
PK	15.9681G	62.43	74.00	-11.57	18.14	3	H	115	2.43	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99124G	43.85	54.00	-10.15	15.79	3	V	291	1.46	-
PK	10.98818G	56.99	74.00	-17.01	15.78	3	V	291	1.46	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.9958G	43.87	54.00	-10.13	15.79	3	H	143	1.13	-
PK	11.0027G	56.68	74.00	-17.32	15.80	3	H	143	1.13	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15064G	43.27	54.00	-10.73	15.90	3	V	100	1.60	-
PK	11.14668G	56.55	74.00	-17.45	15.90	3	V	100	1.60	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX



20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.14602G	43.51	54.00	-10.49	15.90	3	H	93	2.43	-
PK	11.14782G	56.63	74.00	-17.37	15.90	3	H	93	2.43	-





### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39682G	43.62	54.00	-10.38	16.06	3	V	208	2.48	-
PK	11.3856G	56.66	74.00	-17.34	16.05	3	V	208	2.48	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3922G	43.68	54.00	-10.32	16.06	3	H	47	1.46	-
PK	11.38614G	56.30	74.00	-17.70	16.05	3	H	47	1.46	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4352G	43.74	54.00	-10.26	16.09	3	V	199	1.61	-
PK	11.44456G	56.81	74.00	-17.19	16.09	3	V	199	1.61	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43412G	43.61	54.00	-10.39	16.09	3	H	175	1.20	-
PK	11.43412G	56.78	74.00	-17.22	16.09	3	H	175	1.20	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5005G	42.76	54.00	-11.24	16.13	3	V	284	2.13	-
PK	11.48796G	55.71	74.00	-18.29	16.12	3	V	284	2.13	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50236G	42.78	54.00	-11.22	16.13	3	H	250	1.11	-
PK	11.5038G	55.40	74.00	-18.60	16.13	3	H	250	1.11	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58458G	43.18	54.00	-10.82	16.19	3	V	335	1.67	-
PK	11.58122G	56.32	74.00	-17.68	16.18	3	V	335	1.67	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5847G	43.20	54.00	-10.80	16.19	3	H	84	1.14	-
PK	11.57942G	55.89	74.00	-18.11	16.18	3	H	84	1.14	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64022G	43.56	54.00	-10.44	16.22	3	V	25	2.48	-
PK	11.65738G	57.07	74.00	-16.93	16.23	3	V	25	2.48	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64136G	43.55	54.00	-10.45	16.22	3	H	10	1.09	-
PK	11.63608G	56.95	74.00	-17.05	16.22	3	H	10	1.09	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5742G	48.56	54.00	-5.44	17.83	3	V	303	1.34	-
PK	15.56916G	62.82	74.00	-11.18	17.82	3	V	303	1.34	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57366G	48.54	54.00	-5.46	17.82	3	H	3	1.41	-
PK	15.57918G	62.17	74.00	-11.83	17.83	3	H	3	1.41	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6783G	47.97	54.00	-6.03	17.91	3	V	1	1.96	-
PK	15.68028G	61.28	74.00	-12.72	17.91	3	V	1	1.96	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.68292G	47.87	54.00	-6.13	17.91	3	H	91	2.04	-
PK	15.67704G	61.74	74.00	-12.26	17.91	3	H	91	2.04	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.81936G	47.67	54.00	-6.33	18.02	3	V	48	1.78	-
PK	15.8007G	61.18	74.00	-12.82	18.01	3	V	48	1.78	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.81012G	47.83	54.00	-6.17	18.02	3	H	195	1.10	-
PK	15.81492G	62.06	74.00	-11.94	18.02	3	H	195	1.10	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.94272G	48.26	54.00	-5.74	18.12	3	V	311	2.02	-
PK	15.91728G	61.82	74.00	-12.18	18.10	3	V	311	2.02	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.94182G	48.29	54.00	-5.71	18.12	3	H	102	2.42	-
PK	15.94446G	62.59	74.00	-11.41	18.13	3	H	102	2.42	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.005G	42.77	54.00	-11.23	15.80	3	V	87	1.37	-
PK	11.03062G	56.06	74.00	-17.94	15.82	3	V	87	1.37	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00638G	42.86	54.00	-11.14	15.80	3	H	88	1.62	-
PK	11.00602G	56.27	74.00	-17.73	15.80	3	H	88	1.62	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09826G	43.31	54.00	-10.69	15.86	3	V	225	1.85	-
PK	11.0988G	56.63	74.00	-17.37	15.87	3	V	225	1.85	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0904G	43.28	54.00	-10.72	15.86	3	H	258	1.98	-
PK	11.0955G	56.98	74.00	-17.02	15.86	3	H	258	1.98	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.32566G	43.06	54.00	-10.94	16.01	3	V	204	2.34	-
PK	11.34588G	56.84	74.00	-17.16	16.03	3	V	204	2.34	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.32536G	43.11	54.00	-10.89	16.01	3	H	157	2.04	-
PK	11.3304G	56.51	74.00	-17.49	16.02	3	H	157	2.04	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42594G	42.99	54.00	-11.01	16.08	3	V	258	2.39	-
PK	11.42906G	56.91	74.00	-17.09	16.08	3	V	258	2.39	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4155G	43.08	54.00	-10.92	16.07	3	H	229	1.99	-
PK	11.4179G	56.75	74.00	-17.25	16.08	3	H	229	1.99	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51786G	42.74	54.00	-11.26	16.14	3	V	100	1.55	-
PK	11.5082G	56.03	74.00	-17.97	16.14	3	V	100	1.55	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5163G	42.76	54.00	-11.24	16.14	3	H	186	1.64	-
PK	11.51126G	55.69	74.00	-18.31	16.14	3	H	186	1.64	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5924G	42.88	54.00	-11.12	16.19	3	V	88	2.29	-
PK	11.58832G	56.51	74.00	-17.49	16.19	3	V	88	2.29	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.60272G	42.80	54.00	-11.20	16.20	3	H	200	1.59	-
PK	11.58196G	56.15	74.00	-17.85	16.18	3	H	200	1.59	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.645G	48.16	54.00	-5.84	17.88	3	V	212	2.18	-
PK	15.62994G	62.19	74.00	-11.81	17.87	3	V	212	2.18	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.64404G	48.24	54.00	-5.76	17.88	3	H	54	1.79	-
PK	15.6168G	61.34	74.00	-12.66	17.86	3	H	54	1.79	-



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87978G	48.59	54.00	-5.41	18.07	3	V	358	2.40	-
PK	15.8757G	62.47	74.00	-11.53	18.07	3	V	358	2.40	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88422G	48.64	54.00	-5.36	18.08	3	H	173	1.11	-
PK	15.87618G	61.74	74.00	-12.26	18.07	3	H	173	1.11	-



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0741G	43.12	54.00	-10.88	15.85	3	V	27	1.87	-
PK	11.06516G	56.86	74.00	-17.14	15.84	3	V	27	1.87	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0723G	43.16	54.00	-10.84	15.85	3	H	237	1.18	-
PK	11.07278G	56.31	74.00	-17.69	15.85	3	H	237	1.18	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.20512G	43.31	54.00	-10.69	15.94	3	V	257	1.61	-
PK	11.20548G	57.00	74.00	-17.00	15.94	3	V	257	1.61	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.20758G	43.21	54.00	-10.79	15.94	3	H	115	1.37	-
PK	11.21136G	56.54	74.00	-17.46	15.94	3	H	115	1.37	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39038G	42.70	54.00	-11.30	16.06	3	V	169	2.18	-
PK	11.37742G	56.16	74.00	-17.84	16.05	3	V	169	2.18	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38744G	42.73	54.00	-11.27	16.06	3	H	287	1.28	-
PK	11.3881G	56.65	74.00	-17.35	16.06	3	H	287	1.28	-



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.53512G	42.19	54.00	-11.81	16.15	3	V	126	2.03	-
PK	11.53812G	55.05	74.00	-18.95	16.16	3	V	126	2.03	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170629  
 EUT X 4TX ANT (Patch大方)  
 Setting 29  
 04-J-5  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.53524G	42.10	54.00	-11.90	16.15	3	H	133	1.19	-
PK	11.54802G	55.90	74.00	-18.10	16.16	3	H	133	1.19	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.527G	45.89	54.00	-8.11	16.35	3	V	0	1.79	-
PK	15.5273G	59.35	74.00	-14.65	16.35	3	V	0	1.79	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.52704G	45.80	54.00	-8.20	16.35	3	H	97	1.50	-
PK	15.52938G	59.34	74.00	-14.66	16.34	3	H	97	1.50	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6147G	45.73	54.00	-8.27	16.06	3	V	134	1.50	-
PK	15.61332G	59.99	74.00	-14.01	16.07	3	V	134	1.50	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6147G	46.14	54.00	-7.86	16.06	3	H	295	1.50	-
PK	15.60438G	59.93	74.00	-14.07	16.10	3	H	295	1.50	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7098G	45.80	54.00	-8.20	15.75	3	V	338	2.91	-
PK	15.70566G	59.82	74.00	-14.18	15.77	3	V	338	2.91	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.71052G	45.66	54.00	-8.34	15.75	3	H	105	2.64	-
PK	15.72336G	59.58	74.00	-14.42	15.71	3	H	105	2.64	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78366G	45.77	54.00	-8.23	15.51	3	V	283	1.50	-
PK	15.77728G	58.98	74.00	-15.02	15.53	3	V	283	1.50	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.77624G	45.60	54.00	-8.40	15.54	3	H	0	2.34	-
PK	15.77678G	58.94	74.00	-15.06	15.54	3	H	0	2.34	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.89596G	45.86	54.00	-8.14	15.15	3	V	339	1.50	-
PK	15.9033G	58.87	74.00	-15.13	15.12	3	V	339	1.50	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.89624G	45.66	54.00	-8.34	15.15	3	H	58	1.50	-
PK	15.902G	58.97	74.00	-15.03	15.13	3	H	58	1.50	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9564G	45.29	54.00	-8.71	14.95	3	V	322	1.50	-
PK	15.96078G	58.72	74.00	-15.28	14.94	3	V	322	1.50	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.95538G	45.28	54.00	-8.72	14.96	3	H	131	1.79	-
PK	15.9619G	58.30	74.00	-15.70	14.93	3	H	131	1.79	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00102G	39.93	54.00	-14.07	12.92	3	V	71	1.83	-
PK	10.99956G	53.35	74.00	-20.65	12.92	3	V	71	1.83	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00446G	39.76	54.00	-14.24	12.92	3	H	107	1.63	-
PK	11.00098G	53.63	74.00	-20.37	12.92	3	H	107	1.63	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16468G	40.18	54.00	-13.82	13.09	3	V	64	1.07	-
PK	11.15562G	53.64	74.00	-20.36	13.08	3	V	64	1.07	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16246G	40.21	54.00	-13.79	13.09	3	H	303	1.52	-
PK	11.16082G	53.19	74.00	-20.81	13.08	3	H	303	1.52	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40298G	40.51	54.00	-13.49	13.33	3	V	314	1.13	-
PK	11.40184G	53.93	74.00	-20.07	13.33	3	V	314	1.13	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40428G	40.60	54.00	-13.40	13.33	3	H	258	1.38	-
PK	11.3962G	53.46	74.00	-20.54	13.32	3	H	258	1.38	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43532G	40.53	54.00	-13.47	13.36	3	V	105	1.80	-
PK	11.44052G	54.03	74.00	-19.97	13.37	3	V	105	1.80	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43766G	40.54	54.00	-13.46	13.37	3	H	336	2.14	-
PK	11.43562G	54.37	74.00	-19.63	13.36	3	H	336	2.14	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49094G	40.14	54.00	-13.86	13.42	3	V	349	2.49	-
PK	11.48528G	52.92	74.00	-21.08	13.41	3	V	349	2.49	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49186G	40.32	54.00	-13.68	13.42	3	H	176	1.61	-
PK	11.48666G	53.28	74.00	-20.72	13.42	3	H	176	1.61	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5744G	40.73	54.00	-13.27	13.51	3	V	237	1.38	-
PK	11.56932G	54.42	74.00	-19.58	13.50	3	V	237	1.38	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57462G	40.72	54.00	-13.28	13.51	3	H	174	2.31	-
PK	11.57232G	54.15	74.00	-19.85	13.50	3	H	174	2.31	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64528G	41.26	54.00	-12.74	13.58	3	V	337	1.68	-
PK	11.6502G	54.32	74.00	-19.68	13.58	3	V	337	1.68	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6458G	41.08	54.00	-12.92	13.58	3	H	154	1.60	-
PK	11.64858G	54.41	74.00	-19.59	13.58	3	H	154	1.60	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.56832G	46.09	54.00	-7.91	16.21	3	V	295	1.49	-
PK	15.57094G	59.55	74.00	-14.45	16.20	3	V	295	1.49	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57148G	46.05	54.00	-7.95	16.20	3	H	310	1.64	-
PK	15.5708G	59.52	74.00	-14.48	16.20	3	H	310	1.64	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.685G	45.70	54.00	-8.30	15.83	3	V	61	1.57	-
PK	15.6881G	58.82	74.00	-15.18	15.82	3	V	61	1.57	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX



20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.69288G	45.60	54.00	-8.40	15.81	3	H	138	2.08	-
PK	15.69332G	58.53	74.00	-15.47	15.81	3	H	138	2.08	-





### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.81486G	45.46	54.00	-8.54	15.41	3	V	69	1.90	-
PK	15.80616G	58.51	74.00	-15.49	15.44	3	V	69	1.90	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.814G	45.36	54.00	-8.64	15.41	3	H	263	1.73	-
PK	15.8056G	58.87	74.00	-15.13	15.44	3	H	263	1.73	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9267G	45.40	54.00	-8.60	15.05	3	V	1	1.91	-
PK	15.93072G	58.58	74.00	-15.42	15.04	3	V	1	1.91	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.93086G	45.61	54.00	-8.39	15.03	3	H	14	2.33	-
PK	15.93152G	59.06	74.00	-14.94	15.03	3	H	14	2.33	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01546G	40.03	54.00	-13.97	12.94	3	V	251	1.83	-
PK	11.02482G	53.22	74.00	-20.78	12.95	3	V	251	1.83	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0188G	40.16	54.00	-13.84	12.94	3	H	284	1.17	-
PK	11.01626G	52.98	74.00	-21.02	12.94	3	H	284	1.17	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.10144G	40.13	54.00	-13.87	13.02	3	V	314	1.64	-
PK	11.10184G	53.32	74.00	-20.68	13.02	3	V	314	1.64	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09844G	40.15	54.00	-13.85	13.02	3	H	278	1.53	-
PK	11.09922G	53.18	74.00	-20.82	13.02	3	H	278	1.53	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34074G	40.55	54.00	-13.45	13.27	3	V	255	1.03	-
PK	11.33708G	53.67	74.00	-20.33	13.26	3	V	255	1.03	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3436G	40.45	54.00	-13.55	13.27	3	H	113	1.55	-
PK	11.34438G	53.38	74.00	-20.62	13.27	3	H	113	1.55	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42376G	40.76	54.00	-13.24	13.35	3	V	86	1.80	-
PK	11.42238G	54.19	74.00	-19.81	13.35	3	V	86	1.80	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41762G	40.73	54.00	-13.27	13.35	3	H	104	1.14	-
PK	11.4209G	54.69	74.00	-19.31	13.35	3	H	104	1.14	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50522G	40.73	54.00	-13.27	13.44	3	V	132	2.29	-
PK	11.51232G	53.64	74.00	-20.36	13.44	3	V	132	2.29	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.515G	40.67	54.00	-13.33	13.45	3	H	192	1.38	-
PK	11.50518G	53.74	74.00	-20.26	13.44	3	H	192	1.38	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5907G	41.03	54.00	-12.97	13.52	3	V	345	1.52	-
PK	11.59236G	54.14	74.00	-19.86	13.52	3	V	345	1.52	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59398G	41.09	54.00	-12.91	13.53	3	H	139	1.10	-
PK	11.59466G	54.24	74.00	-19.76	13.53	3	H	139	1.10	-



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6323G	46.79	54.00	-7.21	16.01	3	V	331	1.20	-
PK	15.6273G	59.48	74.00	-14.52	16.02	3	V	331	1.20	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.63038G	46.95	54.00	-7.05	16.01	3	H	277	1.81	-
PK	15.62916G	59.24	74.00	-14.76	16.02	3	H	277	1.81	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86746G	46.21	54.00	-7.79	15.24	3	V	96	2.33	-
PK	15.86658G	58.39	74.00	-15.61	15.24	3	V	96	2.33	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87118G	46.34	54.00	-7.66	15.23	3	H	263	1.83	-
PK	15.86822G	58.98	74.00	-15.02	15.24	3	H	263	1.83	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06492G	41.40	54.00	-12.60	12.99	3	V	176	2.45	-
PK	11.05762G	53.75	74.00	-20.25	12.98	3	V	176	2.45	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06322G	41.18	54.00	-12.82	12.98	3	H	230	1.79	-
PK	11.06288G	53.61	74.00	-20.39	12.98	3	H	230	1.79	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22402G	41.52	54.00	-12.48	13.15	3	V	322	2.30	-
PK	11.22186G	53.82	74.00	-20.18	13.15	3	V	322	2.30	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.2226G	41.24	54.00	-12.76	13.15	3	H	98	1.17	-
PK	11.21576G	53.73	74.00	-20.27	13.14	3	H	98	1.17	-



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38304G	41.21	54.00	-12.79	13.31	3	V	213	1.61	-
PK	11.37626G	54.52	74.00	-19.48	13.30	3	V	213	1.61	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3778G	41.52	54.00	-12.48	13.31	3	H	230	1.07	-
PK	11.3795G	53.26	74.00	-20.74	13.31	3	H	230	1.07	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX




20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55132G	41.70	54.00	-12.30	13.48	3	V	83	1.14	-
PK	11.54918G	55.08	74.00	-18.92	13.48	3	V	83	1.14	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX



20170815  
 EUT X 4TX  
 Setting 29  
 03-B-2  
 FSP(100019)  
 (大方ANT)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55362G	41.42	54.00	-12.58	13.48	3	H	220	1.94	-
PK	11.54882G	53.75	74.00	-20.25	13.48	3	H	220	1.94	-




For set 4 antenna  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz	Pass	PK	5.638G	68.18	68.20	-0.02	9.89	3	V	277	2.29	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 21  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.55	54.00	-0.45	5.31	3	V	179	1.45	-
AV	5.1732G	109.71	Inf	-Inf	5.40	3	V	179	1.45	-
PK	5.149995G	67.25	74.00	-6.75	5.31	3	V	179	1.45	-
PK	5.174G	120.62	Inf	-Inf	5.40	3	V	179	1.45	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 21  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.144G	53.15	54.00	-0.85	5.29	3	H	187	1.82	-
AV	5.1828G	109.80	Inf	-Inf	5.43	3	H	187	1.82	-
PK	5.1444G	67.88	74.00	-6.12	5.30	3	H	187	1.82	-
PK	5.1828G	120.14	Inf	-Inf	5.43	3	H	187	1.82	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 22.5  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1432G	51.83	54.00	-2.17	5.29	3	V	199	1.16	-
AV	5.2028G	111.56	Inf	-Inf	5.49	3	V	199	1.16	-
PK	5.1436G	67.60	74.00	-6.40	5.29	3	V	199	1.16	-
PK	5.2028G	122.00	Inf	-Inf	5.49	3	V	199	1.16	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 22.5  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1416G	53.67	54.00	-0.33	5.29	3	H	199	2.35	-
AV	5.2016G	112.66	Inf	-Inf	5.49	3	H	199	2.35	-
PK	5.1424G	67.62	74.00	-6.38	5.29	3	H	199	2.35	-
PK	5.2012G	122.99	Inf	-Inf	5.49	3	H	199	2.35	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24.5  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.97	54.00	-4.03	5.31	3	V	176	1.50	-
AV	5.2334G	113.62	Inf	-Inf	5.53	3	V	176	1.50	-
AV	5.350005G	51.10	54.00	-2.90	5.65	3	V	176	1.50	-
PK	5.1488G	64.06	74.00	-9.94	5.31	3	V	176	1.50	-
PK	5.234G	123.34	Inf	-Inf	5.53	3	V	176	1.50	-
PK	5.350005G	62.83	74.00	-11.17	5.65	3	V	176	1.50	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24.5  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1476G	51.93	54.00	-2.07	5.31	3	H	196	2.43	-
AV	5.2412G	114.89	Inf	-Inf	5.54	3	H	196	2.43	-
AV	5.350005G	50.81	54.00	-3.19	5.65	3	H	196	2.43	-
PK	5.1458G	64.79	74.00	-9.21	5.30	3	H	196	2.43	-
PK	5.2418G	125.59	Inf	-Inf	5.54	3	H	196	2.43	-
PK	5.3504G	63.35	74.00	-10.65	5.65	3	H	196	2.43	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1376G	46.99	54.00	-7.01	5.27	3	V	179	1.50	-
AV	5.252G	112.27	Inf	-Inf	5.55	3	V	179	1.50	-
AV	5.3512G	52.80	54.00	-1.20	5.65	3	V	179	1.50	-
PK	5.1224G	59.68	74.00	-14.32	5.22	3	V	179	1.50	-
PK	5.252G	122.27	Inf	-Inf	5.55	3	V	179	1.50	-
PK	5.352G	65.97	74.00	-8.03	5.65	3	V	179	1.50	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1336G	46.89	54.00	-7.11	5.26	3	H	181	2.08	-
AV	5.2616G	113.06	Inf	-Inf	5.56	3	H	181	2.08	-
AV	5.350005G	53.89	54.00	-0.11	5.65	3	H	181	2.08	-
PK	5.1232G	59.96	74.00	-14.04	5.22	3	H	181	2.08	-
PK	5.2616G	123.24	Inf	-Inf	5.56	3	H	181	2.08	-
PK	5.3504G	66.66	74.00	-7.34	5.65	3	H	181	2.08	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 22.5  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.292G	110.63	Inf	-Inf	5.59	3	V	179	1.46	-
AV	5.352G	53.66	54.00	-0.34	5.65	3	V	179	1.46	-
PK	5.2924G	120.94	Inf	-Inf	5.59	3	V	179	1.46	-
PK	5.3528G	70.66	74.00	-3.34	5.65	3	V	179	1.46	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 22.5  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3032G	110.76	Inf	-Inf	5.60	3	H	171	1.31	-
AV	5.3628G	49.69	54.00	-4.31	5.66	3	H	171	1.31	-
PK	5.3028G	121.74	Inf	-Inf	5.60	3	H	171	1.31	-
PK	5.3624G	64.01	74.00	-9.99	5.66	3	H	171	1.31	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20.5  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.312G	109.28	Inf	-Inf	5.61	3	V	178	1.50	-
AV	5.352G	53.72	54.00	-0.28	5.65	3	V	178	1.50	-
PK	5.3124G	119.93	Inf	-Inf	5.61	3	V	178	1.50	-
PK	5.3524G	68.89	74.00	-5.11	5.65	3	V	178	1.50	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20.5  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3216G	110.04	Inf	-Inf	5.62	3	H	182	1.86	-
AV	5.3592G	50.85	54.00	-3.15	5.66	3	H	182	1.86	-
PK	5.3216G	121.35	Inf	-Inf	5.62	3	H	182	1.86	-
PK	5.3588G	64.07	74.00	-9.93	5.66	3	H	182	1.86	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 21  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.04	54.00	-4.96	5.98	3	V	198	1.02	-
AV	5.4652G	53.06	54.00	-0.94	6.00	3	V	198	1.02	-
AV	5.5032G	110.50	Inf	-Inf	6.18	3	V	198	1.02	-
PK	5.46G	63.24	74.00	-10.76	5.98	3	V	198	1.02	-
PK	5.464G	69.60	74.00	-4.40	5.99	3	V	198	1.02	-
PK	5.5028G	121.35	Inf	-Inf	6.18	3	V	198	1.02	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 21  
 04-J-4-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	49.36	54.00	-4.64	5.97	3	H	170	1.50	-
AV	5.4664G	53.54	54.00	-0.46	6.01	3	H	170	1.50	-
AV	5.5056G	109.82	Inf	-Inf	6.19	3	H	170	1.50	-
PK	5.4564G	62.81	74.00	-11.19	5.96	3	H	170	1.50	-
PK	5.4676G	70.63	74.00	-3.37	6.01	3	H	170	1.50	-
PK	5.5052G	121.01	Inf	-Inf	6.19	3	H	170	1.50	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4528G	48.42	54.00	-5.58	5.94	3	V	177	1.50	-
AV	5.572G	113.09	Inf	-Inf	6.61	3	V	177	1.50	-
PK	5.4552G	60.39	74.00	-13.61	5.95	3	V	177	1.50	-
PK	5.4672G	64.36	68.20	-3.84	6.01	3	V	177	1.50	-
PK	5.5728G	123.50	Inf	-Inf	6.61	3	V	177	1.50	-
PK	5.7296G	59.74	68.20	-8.46	7.03	3	V	177	1.50	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4576G	48.69	54.00	-5.31	5.96	3	H	196	2.54	-
AV	5.5824G	114.12	Inf	-Inf	6.67	3	H	196	2.54	-
PK	5.4576G	61.44	74.00	-12.56	5.96	3	H	196	2.54	-
PK	5.4632G	63.09	68.20	-5.11	5.99	3	H	196	2.54	-
PK	5.5816G	125.16	Inf	-Inf	6.67	3	H	196	2.54	-
PK	5.7344G	60.61	68.20	-7.59	7.04	3	H	196	2.54	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6932G	106.77	Inf	-Inf	6.96	3	V	174	1.65	-
AV	5.7336G	51.85	54.00	-2.15	7.04	3	V	174	1.65	-
PK	5.6936G	117.76	Inf	-Inf	6.96	3	V	174	1.65	-
PK	5.726G	68.54	74.00	-5.46	7.02	3	V	174	1.65	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6932G	109.60	Inf	-Inf	6.96	3	H	201	1.74	-
AV	5.7328G	53.57	54.00	-0.43	7.04	3	H	201	1.74	-
PK	5.6936G	120.43	Inf	-Inf	6.96	3	H	201	1.74	-
PK	5.734G	66.86	74.00	-7.14	7.04	3	H	201	1.74	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 25  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	47.20	54.00	-6.80	5.96	3	V	173	1.50	-
AV	5.4692G	47.32	54.00	-6.68	6.02	3	V	173	1.50	-
AV	5.7128G	114.43	Inf	-Inf	7.00	3	V	173	1.50	-
PK	5.4548G	59.97	74.00	-14.03	5.95	3	V	173	1.50	-
PK	5.4692G	59.88	74.00	-14.12	6.02	3	V	173	1.50	-
PK	5.7128G	125.89	Inf	-Inf	7.00	3	V	173	1.50	-
PK	5.9852G	61.54	68.20	-6.66	8.38	3	V	173	1.50	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170626  
 EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 25  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4512G	47.25	54.00	-6.75	5.94	3	H	203	1.74	-
AV	5.4692G	47.25	54.00	-6.75	6.02	3	H	203	1.74	-
AV	5.7152G	114.47	Inf	-Inf	7.00	3	H	203	1.74	-
PK	5.4584G	60.24	74.00	-13.76	5.97	3	H	203	1.74	-
PK	5.460005G	59.42	74.00	-14.58	5.98	3	H	203	1.74	-
PK	5.7152G	124.82	Inf	-Inf	7.00	3	H	203	1.74	-
PK	5.9708G	61.74	68.20	-6.46	8.29	3	H	203	1.74	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.738G	113.74	Inf	-Inf	7.05	3	V	173	1.71	-
PK	5.644G	67.58	68.20	-0.62	6.86	3	V	173	1.71	-
PK	5.739G	124.53	Inf	-Inf	7.05	3	V	173	1.71	-
PK	5.983G	61.42	68.20	-6.78	8.37	3	V	173	1.71	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.74G	112.88	Inf	-Inf	7.05	3	H	204	1.49	-
PK	5.644G	65.63	68.20	-2.57	6.86	3	H	204	1.49	-
PK	5.74G	122.74	Inf	-Inf	7.05	3	H	204	1.49	-
PK	5.961G	61.24	68.20	-6.96	8.23	3	H	204	1.49	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.78G	111.99	Inf	-Inf	7.14	3	V	172	1.94	-
PK	5.601G	61.56	68.20	-6.64	6.78	3	V	172	1.94	-
PK	5.781G	122.72	Inf	-Inf	7.14	3	V	172	1.94	-
PK	5.961G	62.10	68.20	-6.10	8.23	3	V	172	1.94	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.78G	111.99	Inf	-Inf	7.14	3	H	202	1.48	-
PK	5.644G	61.52	68.20	-6.68	6.86	3	H	202	1.48	-
PK	5.779G	122.33	Inf	-Inf	7.14	3	H	202	1.48	-
PK	5.975G	61.87	68.20	-6.33	8.32	3	H	202	1.48	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.83G	113.16	Inf	-Inf	7.37	3	V	198	2.52	-
PK	5.646G	61.91	68.20	-6.29	6.87	3	V	198	2.52	-
PK	5.83G	123.90	Inf	-Inf	7.37	3	V	198	2.52	-
PK	5.927G	67.38	68.20	-0.82	8.01	3	V	198	2.52	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 24.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.83G	113.22	Inf	-Inf	7.37	3	H	198	2.52	-
PK	5.633G	62.09	68.20	-6.11	6.84	3	H	198	2.52	-
PK	5.831G	123.75	Inf	-Inf	7.38	3	H	198	2.52	-
PK	5.922G	69.79	70.42	-0.63	7.97	3	H	198	2.52	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1428G	53.43	54.00	-0.57	5.29	3	V	178	1.50	-
AV	5.1832G	106.22	Inf	-Inf	5.43	3	V	178	1.50	-
PK	5.1428G	73.00	74.00	-1.00	5.29	3	V	178	1.50	-
PK	5.1824G	117.48	Inf	-Inf	5.43	3	V	178	1.50	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1416G	53.53	54.00	-0.47	5.29	3	H	204	1.45	-
AV	5.182G	105.34	Inf	-Inf	5.43	3	H	204	1.45	-
PK	5.1428G	71.44	74.00	-2.56	5.29	3	H	204	1.45	-
PK	5.182G	116.23	Inf	-Inf	5.43	3	H	204	1.45	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 21.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1436G	53.73	54.00	-0.27	5.29	3	V	177	1.49	-
AV	5.2228G	108.27	Inf	-Inf	5.52	3	V	177	1.49	-
AV	5.3628G	48.51	54.00	-5.49	5.66	3	V	177	1.49	-
PK	5.1428G	69.76	74.00	-4.24	5.29	3	V	177	1.49	-
PK	5.2436G	118.58	Inf	-Inf	5.54	3	V	177	1.49	-
PK	5.3628G	62.42	74.00	-11.58	5.66	3	V	177	1.49	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 21.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	53.58	54.00	-0.42	5.29	3	H	203	1.50	-
AV	5.242G	107.89	Inf	-Inf	5.54	3	H	203	1.50	-
AV	5.3636G	48.43	54.00	-5.57	5.66	3	H	203	1.50	-
PK	5.142G	68.42	74.00	-5.58	5.29	3	H	203	1.50	-
PK	5.2428G	118.47	Inf	-Inf	5.54	3	H	203	1.50	-
PK	5.3628G	62.40	74.00	-11.60	5.66	3	H	203	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.074G	46.77	54.00	-7.23	5.03	3	V	180	1.50	-
AV	5.262G	108.07	Inf	-Inf	5.56	3	V	180	1.50	-
AV	5.3628G	52.85	54.00	-1.15	5.66	3	V	180	1.50	-
PK	5.1372G	59.48	74.00	-14.52	5.27	3	V	180	1.50	-
PK	5.2628G	118.59	Inf	-Inf	5.56	3	V	180	1.50	-
PK	5.3636G	67.59	74.00	-6.41	5.66	3	V	180	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	46.20	54.00	-7.80	5.31	3	H	198	2.66	-
AV	5.2716G	106.97	Inf	-Inf	5.57	3	H	198	2.66	-
AV	5.3516G	53.97	54.00	-0.03	5.65	3	H	198	2.66	-
PK	5.1276G	59.06	74.00	-14.94	5.24	3	H	198	2.66	-
PK	5.2716G	118.77	Inf	-Inf	5.57	3	H	198	2.66	-
PK	5.3516G	69.19	74.00	-4.81	5.65	3	H	198	2.66	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 18.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1164G	46.34	54.00	-7.66	5.20	3	V	175	1.50	-
AV	5.3012G	105.66	Inf	-Inf	5.60	3	V	175	1.50	-
AV	5.3612G	51.15	54.00	-2.85	5.66	3	V	175	1.50	-
PK	5.1204G	58.75	74.00	-15.25	5.21	3	V	175	1.50	-
PK	5.3012G	115.99	Inf	-Inf	5.60	3	V	175	1.50	-
PK	5.3612G	63.30	74.00	-10.70	5.66	3	V	175	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 18.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1252G	46.32	54.00	-7.68	5.23	3	H	198	2.63	-
AV	5.3124G	106.37	Inf	-Inf	5.61	3	H	198	2.63	-
AV	5.3516G	53.89	54.00	-0.11	5.65	3	H	198	2.63	-
PK	5.1348G	59.62	74.00	-14.38	5.26	3	H	198	2.63	-
PK	5.3108G	116.20	Inf	-Inf	5.61	3	H	198	2.63	-
PK	5.3532G	66.50	74.00	-7.50	5.65	3	H	198	2.63	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 19.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	51.43	54.00	-2.57	5.98	3	V	173	1.50	-
AV	5.4628G	52.98	54.00	-1.02	5.99	3	V	173	1.50	-
AV	5.5028G	107.57	Inf	-Inf	6.18	3	V	173	1.50	-
PK	5.459995G	66.20	74.00	-7.80	5.98	3	V	173	1.50	-
PK	5.462G	68.32	74.00	-5.68	5.99	3	V	173	1.50	-
PK	5.502G	118.05	Inf	-Inf	6.17	3	V	173	1.50	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 19.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4564G	51.69	54.00	-2.31	5.96	3	H	204	2.98	-
AV	5.4692G	53.89	54.00	-0.11	6.02	3	H	204	2.98	-
AV	5.5092G	107.70	Inf	-Inf	6.22	3	H	204	2.98	-
PK	5.4564G	66.12	74.00	-7.88	5.96	3	H	204	2.98	-
PK	5.4692G	66.70	74.00	-7.30	6.02	3	H	204	2.98	-
PK	5.5092G	117.73	Inf	-Inf	6.22	3	H	204	2.98	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 21  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	52.81	54.00	-1.19	5.97	3	V	173	1.50	-
AV	5.5404G	109.80	Inf	-Inf	6.41	3	V	173	1.50	-
PK	5.4588G	67.88	74.00	-6.12	5.97	3	V	173	1.50	-
PK	5.4604G	67.78	68.20	-0.42	5.98	3	V	173	1.50	-
PK	5.5412G	119.38	Inf	-Inf	6.42	3	V	173	1.50	-
PK	5.7444G	60.32	68.20	-7.88	7.06	3	V	173	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 21  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4508G	52.65	54.00	-1.35	5.93	3	H	197	2.56	-
AV	5.5516G	110.95	Inf	-Inf	6.48	3	H	197	2.56	-
PK	5.4508G	68.35	74.00	-5.65	5.93	3	H	197	2.56	-
PK	5.4684G	67.66	68.20	-0.54	6.01	3	H	197	2.56	-
PK	5.5524G	120.47	Inf	-Inf	6.48	3	H	197	2.56	-
PK	5.738G	60.62	68.20	-7.58	7.05	3	H	197	2.56	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6628G	106.75	Inf	-Inf	6.90	3	V	177	1.50	-
AV	5.7252G	53.58	54.00	-0.42	7.02	3	V	177	1.50	-
PK	5.6628G	116.20	Inf	-Inf	6.90	3	V	177	1.50	-
PK	5.7252G	70.76	74.00	-3.24	7.02	3	V	177	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6644G	106.90	Inf	-Inf	6.90	3	H	205	1.69	-
AV	5.7252G	53.83	54.00	-0.17	7.02	3	H	205	1.69	-
PK	5.6652G	117.37	Inf	-Inf	6.90	3	H	205	1.69	-
PK	5.7252G	72.58	74.00	-1.42	7.02	3	H	205	1.69	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 25  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4544G	51.25	54.00	-2.75	5.95	3	V	192	1.39	-
AV	5.4628G	49.62	54.00	-4.38	5.99	3	V	192	1.39	-
AV	5.7136G	111.42	Inf	-Inf	7.00	3	V	192	1.39	-
PK	5.452G	63.02	74.00	-10.98	5.94	3	V	192	1.39	-
PK	5.4628G	61.34	74.00	-12.66	5.99	3	V	192	1.39	-
PK	5.7124G	121.81	Inf	-Inf	7.00	3	V	192	1.39	-
PK	5.9404G	65.73	68.20	-2.47	8.09	3	V	192	1.39	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170626  
 EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 25  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4472G	49.88	54.00	-4.12	5.92	3	H	196	2.55	-
AV	5.4688G	50.52	54.00	-3.48	6.02	3	H	196	2.55	-
AV	5.7136G	113.05	Inf	-Inf	7.00	3	H	196	2.55	-
PK	5.4508G	63.63	74.00	-10.37	5.93	3	H	196	2.55	-
PK	5.4604G	62.51	74.00	-11.49	5.98	3	H	196	2.55	-
PK	5.7136G	123.73	Inf	-Inf	7.00	3	H	196	2.55	-
PK	5.9536G	65.89	68.20	-2.31	8.18	3	H	196	2.55	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 22  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.749G	108.36	Inf	-Inf	7.07	3	V	173	1.78	-
PK	5.649G	67.95	68.20	-0.25	6.87	3	V	173	1.78	-
PK	5.75G	118.06	Inf	-Inf	7.08	3	V	173	1.78	-
PK	5.957G	61.53	68.20	-6.67	8.20	3	V	173	1.78	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 22  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.759G	109.68	Inf	-Inf	7.09	3	H	196	2.50	-
PK	5.637G	68.12	68.20	-0.08	6.85	3	H	196	2.50	-
PK	5.759G	119.12	Inf	-Inf	7.09	3	H	196	2.50	-
PK	5.923G	62.91	69.68	-6.77	7.98	3	H	196	2.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 23  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.788G	109.25	Inf	-Inf	7.15	3	V	172	1.66	-
PK	5.647G	65.82	68.20	-2.38	6.87	3	V	172	1.66	-
PK	5.788G	118.80	Inf	-Inf	7.15	3	V	172	1.66	-
PK	5.928G	66.10	68.20	-2.10	8.01	3	V	172	1.66	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 23  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.789G	109.81	Inf	-Inf	7.16	3	H	201	1.65	-
PK	5.635G	66.55	68.20	-1.65	6.85	3	H	201	1.65	-
PK	5.79G	120.00	Inf	-Inf	7.16	3	H	201	1.65	-
PK	5.936G	67.64	68.20	-0.56	8.06	3	H	201	1.65	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 19.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	53.94	54.00	-0.06	5.29	3	V	175	1.50	-
AV	5.223G	102.65	Inf	-Inf	5.52	3	V	175	1.50	-
AV	5.363G	50.44	54.00	-3.56	5.66	3	V	175	1.50	-
PK	5.143G	67.62	74.00	-6.38	5.29	3	V	175	1.50	-
PK	5.222G	112.44	Inf	-Inf	5.51	3	V	175	1.50	-
PK	5.363G	63.43	74.00	-10.57	5.66	3	V	175	1.50	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 19.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	52.88	54.00	-1.12	5.29	3	H	204	1.50	-
AV	5.243G	102.27	Inf	-Inf	5.54	3	H	204	1.50	-
AV	5.364G	50.13	54.00	-3.87	5.66	3	H	204	1.50	-
PK	5.143G	67.10	74.00	-6.90	5.29	3	H	204	1.50	-
PK	5.243G	112.40	Inf	-Inf	5.54	3	H	204	1.50	-
PK	5.364G	62.20	74.00	-11.80	5.66	3	H	204	1.50	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 17  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	46.31	54.00	-7.69	5.29	3	V	179	1.49	-
AV	5.282G	99.51	Inf	-Inf	5.58	3	V	179	1.49	-
AV	5.363G	52.06	54.00	-1.94	5.66	3	V	179	1.49	-
PK	5.141G	58.93	74.00	-15.07	5.28	3	V	179	1.49	-
PK	5.283G	110.79	Inf	-Inf	5.58	3	V	179	1.49	-
PK	5.355G	64.34	74.00	-9.66	5.66	3	V	179	1.49	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 17  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	46.54	54.00	-7.46	5.31	3	H	178	1.80	-
AV	5.268G	100.57	Inf	-Inf	5.56	3	H	178	1.80	-
AV	5.350005G	53.81	54.00	-0.19	5.65	3	H	178	1.80	-
PK	5.135G	59.08	74.00	-14.92	5.26	3	H	178	1.80	-
PK	5.269G	111.70	Inf	-Inf	5.57	3	H	178	1.80	-
PK	5.350005G	66.31	74.00	-7.69	5.65	3	H	178	1.80	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 19  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.442G	52.56	54.00	-1.44	5.89	3	V	175	1.70	-
AV	5.461G	53.18	54.00	-0.82	5.98	3	V	175	1.70	-
AV	5.543G	104.59	Inf	-Inf	6.43	3	V	175	1.70	-
AV	5.733G	48.10	54.00	-5.90	7.04	3	V	175	1.70	-
PK	5.441G	66.10	74.00	-7.90	5.89	3	V	175	1.70	-
PK	5.462G	69.45	74.00	-4.55	5.99	3	V	175	1.70	-
PK	5.542G	114.29	Inf	-Inf	6.42	3	V	175	1.70	-
PK	5.763G	60.17	74.00	-13.83	7.10	3	V	175	1.70	-



### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 19  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.452G	53.39	54.00	-0.61	5.94	3	H	196	2.58	-
AV	5.469G	53.76	54.00	-0.24	6.02	3	H	196	2.58	-
AV	5.511G	105.37	Inf	-Inf	6.23	3	H	196	2.58	-
AV	5.731G	48.06	54.00	-5.94	7.04	3	H	196	2.58	-
PK	5.453G	66.84	74.00	-7.16	5.94	3	H	196	2.58	-
PK	5.469G	67.94	74.00	-6.06	6.02	3	H	196	2.58	-
PK	5.511G	115.76	Inf	-Inf	6.23	3	H	196	2.58	-
PK	5.729G	60.64	74.00	-13.36	7.03	3	H	196	2.58	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170626  
 EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	52.59	54.00	-1.41	5.97	3	V	175	1.57	-
AV	5.622G	104.58	Inf	-Inf	6.82	3	V	175	1.57	-
PK	5.46G	65.54	74.00	-8.46	5.98	3	V	175	1.57	-
PK	5.461G	67.16	68.20	-1.04	5.98	3	V	175	1.57	-
PK	5.602G	113.86	Inf	-Inf	6.78	3	V	175	1.57	-
PK	5.741G	67.84	68.20	-0.36	7.06	3	V	175	1.57	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170626  
 EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.449G	51.09	54.00	-2.91	5.93	3	H	190	2.32	-
AV	5.588G	106.77	Inf	-Inf	6.71	3	H	190	2.32	-
PK	5.448G	65.20	74.00	-8.80	5.92	3	H	190	2.32	-
PK	5.468G	66.83	68.20	-1.37	6.01	3	H	190	2.32	-
PK	5.588G	116.41	Inf	-Inf	6.71	3	H	190	2.32	-
PK	5.728G	67.85	68.20	-0.35	7.03	3	H	190	2.32	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 21.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	53.41	54.00	-0.59	5.98	3	V	173	1.63	-
AV	5.7032G	104.80	Inf	-Inf	6.98	3	V	173	1.63	-
PK	5.459995G	64.60	74.00	-9.40	5.98	3	V	173	1.63	-
PK	5.462G	67.05	68.20	-1.15	5.99	3	V	173	1.63	-
PK	5.6828G	114.40	Inf	-Inf	6.94	3	V	173	1.63	-
PK	5.9252G	66.07	68.20	-2.13	7.99	3	V	173	1.63	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 21.5  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4536G	53.16	54.00	-0.84	5.95	3	H	200	2.99	-
AV	5.6684G	105.41	Inf	-Inf	6.91	3	H	200	2.99	-
PK	5.4536G	65.65	74.00	-8.35	5.95	3	H	200	2.99	-
PK	5.4644G	64.29	68.20	-3.91	6.00	3	H	200	2.99	-
PK	5.6756G	115.01	Inf	-Inf	6.92	3	H	200	2.99	-
PK	5.9324G	64.14	68.20	-4.06	8.04	3	H	200	2.99	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.769G	102.22	Inf	-Inf	7.11	3	V	175	1.68	-
PK	5.649G	64.57	68.20	-3.63	6.87	3	V	175	1.68	-
PK	5.768G	111.91	Inf	-Inf	7.11	3	V	175	1.68	-
PK	5.984G	62.27	68.20	-5.93	8.38	3	V	175	1.68	-



### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170626  
 EUT X\_4TX ANT Skynet-WP(Patch/小方)  
 Setting 20  
 04-B-2-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.769G	102.54	Inf	-Inf	7.11	3	H	200	1.67	-
PK	5.65G	64.63	68.20	-3.57	6.87	3	H	200	1.67	-
PK	5.768G	112.42	Inf	-Inf	7.11	3	H	200	1.67	-
PK	5.932G	61.96	68.20	-6.24	8.04	3	H	200	1.67	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170712  
 EUT\_X\_4TX  
 Setting 27  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.92	54.00	-1.08	9.03	3	V	281	1.39	-
AV	5.1866G	107.87	Inf	-Inf	9.13	3	V	281	1.39	-
PK	5.1486G	65.37	74.00	-8.63	9.03	3	V	281	1.39	-
PK	5.1802G	117.81	Inf	-Inf	9.11	3	V	281	1.39	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170712  
 EUT\_X\_4TX  
 Setting 27  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1494G	51.29	54.00	-2.71	9.03	3	H	270	1.67	-
AV	5.1806G	105.87	Inf	-Inf	9.11	3	H	270	1.67	-
PK	5.1484G	63.65	74.00	-10.35	9.03	3	H	270	1.67	-
PK	5.1794G	118.00	Inf	-Inf	9.11	3	H	270	1.67	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170712  
 EUT X\_4TX  
 Setting 29  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	50.51	54.00	-3.49	9.03	3	V	277	1.21	-
AV	5.1936G	109.82	Inf	-Inf	9.14	3	V	277	1.21	-
PK	5.1468G	62.27	74.00	-11.73	9.03	3	V	277	1.21	-
PK	5.1956G	119.46	Inf	-Inf	9.15	3	V	277	1.21	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170712  
 EUT X\_4TX  
 Setting 29  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.85	54.00	-4.15	9.03	3	H	277	1.02	-
AV	5.2008G	109.77	Inf	-Inf	9.16	3	H	277	1.02	-
PK	5.1436G	62.79	74.00	-11.21	9.02	3	H	277	1.02	-
PK	5.2012G	120.31	Inf	-Inf	9.16	3	H	277	1.02	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170712  
 EUT\_X\_4TX  
 Setting 29  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1458G	47.16	54.00	-6.84	9.02	3	V	270	1.50	-
AV	5.2424G	110.89	Inf	-Inf	9.24	3	V	270	1.50	-
AV	5.3756G	47.49	54.00	-6.51	9.48	3	V	270	1.50	-
PK	5.1398G	59.18	74.00	-14.82	9.01	3	V	270	1.50	-
PK	5.246G	121.90	Inf	-Inf	9.25	3	V	270	1.50	-
PK	5.3594G	59.95	74.00	-14.05	9.45	3	V	270	1.50	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170712  
 EUT\_X\_4TX  
 Setting 29  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.25	54.00	-6.75	9.03	3	H	288	1.06	-
AV	5.2424G	111.34	Inf	-Inf	9.24	3	H	288	1.06	-
AV	5.36G	47.68	54.00	-6.32	9.45	3	H	288	1.06	-
PK	5.1398G	59.33	74.00	-14.67	9.01	3	H	288	1.06	-
PK	5.2442G	121.88	Inf	-Inf	9.24	3	H	288	1.06	-
PK	5.3786G	60.22	74.00	-13.78	9.48	3	H	288	1.06	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170712  
 EUT\_X\_4TX  
 Setting 29  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	46.90	54.00	-7.10	9.03	3	V	263	1.48	-
AV	5.2654G	108.68	Inf	-Inf	9.28	3	V	263	1.48	-
AV	5.350005G	48.69	54.00	-5.31	9.44	3	V	263	1.48	-
PK	5.149995G	59.76	74.00	-14.24	9.03	3	V	263	1.48	-
PK	5.2648G	120.36	Inf	-Inf	9.28	3	V	263	1.48	-
PK	5.3524G	60.72	74.00	-13.28	9.44	3	V	263	1.48	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170712  
 EUT\_X\_4TX  
 Setting 29  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	47.41	54.00	-6.59	9.03	3	H	286	1.02	-
AV	5.2666G	111.49	Inf	-Inf	9.29	3	H	286	1.02	-
AV	5.3524G	50.63	54.00	-3.37	9.44	3	H	286	1.02	-
PK	5.1424G	59.11	74.00	-14.89	9.02	3	H	286	1.02	-
PK	5.2606G	122.08	Inf	-Inf	9.28	3	H	286	1.02	-
PK	5.3512G	62.81	74.00	-11.19	9.44	3	H	286	1.02	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170712  
 EUT\_X\_4TX  
 Setting 27  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.298G	110.10	Inf	-Inf	9.35	3	V	268	1.66	-
AV	5.350005G	52.60	54.00	-1.40	9.44	3	V	268	1.66	-
PK	5.2976G	120.89	Inf	-Inf	9.35	3	V	268	1.66	-
PK	5.350005G	65.42	74.00	-8.58	9.44	3	V	268	1.66	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170712  
 EUT\_X\_4TX  
 Setting 27  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.302G	109.50	Inf	-Inf	9.35	3	H	281	1.40	-
AV	5.3508G	49.92	54.00	-4.08	9.44	3	H	281	1.40	-
PK	5.302G	119.44	Inf	-Inf	9.35	3	H	281	1.40	-
PK	5.3504G	64.39	74.00	-9.61	9.44	3	H	281	1.40	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170712  
 EUT\_X\_4TX  
 Setting 26  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3266G	109.08	Inf	-Inf	9.40	3	V	283	1.13	-
AV	5.3504G	52.52	54.00	-1.48	9.44	3	V	283	1.13	-
PK	5.3262G	119.20	Inf	-Inf	9.39	3	V	283	1.13	-
PK	5.3506G	65.19	74.00	-8.81	9.44	3	V	283	1.13	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170712  
 EUT\_X\_4TX  
 Setting 26  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3266G	107.17	Inf	-Inf	9.40	3	H	270	1.45	-
AV	5.3504G	52.53	54.00	-1.47	9.44	3	H	270	1.45	-
PK	5.3182G	118.82	Inf	-Inf	9.38	3	H	270	1.45	-
PK	5.3526G	65.00	74.00	-9.00	9.44	3	H	270	1.45	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170712  
 EUT X\_4TX  
 Setting 26  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4536G	49.90	54.00	-4.10	9.66	3	V	270	1.96	-
AV	5.5036G	108.79	Inf	-Inf	9.79	3	V	270	1.96	-
PK	5.4536G	61.69	74.00	-12.31	9.66	3	V	270	1.96	-
PK	5.4696G	65.54	68.20	-2.66	9.71	3	V	270	1.96	-
PK	5.5044G	119.25	Inf	-Inf	9.79	3	V	270	1.96	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170712  
 EUT X\_4TX  
 Setting 26  
 04-J-6-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	49.92	54.00	-4.08	9.68	3	H	281	1.02	-
AV	5.4988G	108.80	Inf	-Inf	9.79	3	H	281	1.02	-
PK	5.4528G	61.39	74.00	-12.61	9.66	3	H	281	1.02	-
PK	5.4696G	64.83	68.20	-3.37	9.71	3	H	281	1.02	-
PK	5.4984G	120.31	Inf	-Inf	9.79	3	H	281	1.02	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4592G	47.84	54.00	-6.16	9.68	3	V	271	1.29	-
AV	5.5736G	111.19	Inf	-Inf	9.86	3	V	271	1.29	-
PK	5.3936G	59.86	74.00	-14.14	9.51	3	V	271	1.29	-
PK	5.4672G	60.61	68.20	-7.59	9.70	3	V	271	1.29	-
PK	5.576G	121.81	Inf	-Inf	9.86	3	V	271	1.29	-
PK	5.7552G	60.24	68.20	-7.96	9.91	3	V	271	1.29	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4528G	47.79	54.00	-6.21	9.66	3	H	283	1.74	-
AV	5.584G	112.36	Inf	-Inf	9.87	3	H	283	1.74	-
PK	5.452G	59.65	74.00	-14.35	9.66	3	H	283	1.74	-
PK	5.460005G	59.53	68.20	-8.67	9.68	3	H	283	1.74	-
PK	5.5848G	123.13	Inf	-Inf	9.87	3	H	283	1.74	-
PK	5.7704G	60.37	68.20	-7.83	9.91	3	H	283	1.74	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 25  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.698G	106.12	Inf	-Inf	9.90	3	V	270	1.50	-
PK	5.696G	116.56	Inf	-Inf	9.90	3	V	270	1.50	-
PK	5.726G	62.85	68.20	-5.35	9.91	3	V	270	1.50	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 25 (升1會Over)  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7064G	107.92	Inf	-Inf	9.90	3	H	281	2.26	-
PK	5.704G	118.38	Inf	-Inf	9.90	3	H	281	2.26	-
PK	5.7252G	64.87	68.20	-3.33	9.91	3	H	281	2.26	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4368G	47.29	54.00	-6.71	9.62	3	V	265	1.50	-
AV	5.7176G	110.69	Inf	-Inf	9.90	3	V	265	1.50	-
PK	5.4224G	59.26	74.00	-14.74	9.58	3	V	265	1.50	-
PK	5.4632G	58.10	68.20	-10.10	9.69	3	V	265	1.50	-
PK	5.714G	120.91	Inf	-Inf	9.90	3	V	265	1.50	-
PK	5.942G	59.92	68.20	-8.28	10.12	3	V	265	1.50	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45G	47.24	54.00	-6.76	9.66	3	H	292	2.51	-
AV	5.7176G	111.32	Inf	-Inf	9.90	3	H	292	2.51	-
PK	5.4536G	59.02	74.00	-14.98	9.66	3	H	292	2.51	-
PK	5.4668G	58.66	68.20	-9.54	9.70	3	H	292	2.51	-
PK	5.7164G	121.21	Inf	-Inf	9.90	3	H	292	2.51	-
PK	5.9576G	60.60	68.20	-7.60	10.14	3	H	292	2.51	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.748G	110.54	Inf	-Inf	9.91	3	V	265	1.37	-
PK	5.547G	60.17	68.20	-8.03	9.83	3	V	265	1.37	-
PK	5.75G	121.26	Inf	-Inf	9.91	3	V	265	1.37	-
PK	5.966G	60.02	68.20	-8.18	10.15	3	V	265	1.37	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.747G	111.07	Inf	-Inf	9.91	3	H	280	1.49	-
PK	5.518G	60.40	68.20	-7.80	9.81	3	H	280	1.49	-
PK	5.747G	120.88	Inf	-Inf	9.91	3	H	280	1.49	-
PK	5.979G	60.18	68.20	-8.02	10.17	3	H	280	1.49	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.789G	108.83	Inf	-Inf	9.92	3	V	263	1.00	-
PK	5.63G	60.28	68.20	-7.92	9.89	3	V	263	1.00	-
PK	5.788G	118.45	Inf	-Inf	9.92	3	V	263	1.00	-
PK	5.981G	61.18	68.20	-7.02	10.17	3	V	263	1.00	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.779G	110.30	Inf	-Inf	9.92	3	H	279	1.87	-
PK	5.594G	60.01	68.20	-8.19	9.87	3	H	279	1.87	-
PK	5.79G	120.91	Inf	-Inf	9.92	3	H	279	1.87	-
PK	5.933G	59.86	68.20	-8.34	10.11	3	H	279	1.87	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.819G	109.93	Inf	-Inf	9.95	3	V	276	1.92	-
PK	5.588G	59.60	68.20	-8.60	9.87	3	V	276	1.92	-
PK	5.82G	120.78	Inf	-Inf	9.95	3	V	276	1.92	-
PK	5.95G	61.37	68.20	-6.83	10.13	3	V	276	1.92	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.827G	109.81	Inf	-Inf	9.96	3	H	277	1.50	-
PK	5.601G	59.20	68.20	-9.00	9.88	3	H	277	1.50	-
PK	5.828G	119.60	Inf	-Inf	9.96	3	H	277	1.50	-
PK	5.953G	60.24	68.20	-7.96	10.13	3	H	277	1.50	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 25  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.69	54.00	-1.31	9.03	3	V	269	2.98	-
AV	5.1824G	102.09	Inf	-Inf	9.12	3	V	269	2.98	-
PK	5.1496G	68.28	74.00	-5.72	9.03	3	V	269	2.98	-
PK	5.1768G	113.92	Inf	-Inf	9.10	3	V	269	2.98	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 25  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	51.02	54.00	-2.98	9.03	3	H	292	1.50	-
AV	5.1952G	101.77	Inf	-Inf	9.15	3	H	292	1.50	-
PK	5.14995G	73.55	74.00	-0.45	9.03	3	H	292	1.50	-
PK	5.1824G	112.42	Inf	-Inf	9.12	3	H	292	1.50	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.62	54.00	-0.38	9.03	3	V	266	1.50	-
AV	5.2264G	107.22	Inf	-Inf	9.21	3	V	266	1.50	-
AV	5.3554G	49.52	54.00	-4.48	9.44	3	V	266	1.50	-
PK	5.1328G	70.20	74.00	-3.80	8.99	3	V	266	1.50	-
PK	5.2276G	119.39	Inf	-Inf	9.21	3	V	266	1.50	-
PK	5.3512G	65.71	74.00	-8.29	9.44	3	V	266	1.50	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.46	54.00	-0.54	9.03	3	H	282	2.81	-
AV	5.2264G	106.01	Inf	-Inf	9.21	3	H	282	2.81	-
AV	5.3554G	48.53	54.00	-5.47	9.44	3	H	282	2.81	-
PK	5.1466G	68.85	74.00	-5.15	9.03	3	H	282	2.81	-
PK	5.242G	117.87	Inf	-Inf	9.24	3	H	282	2.81	-
PK	5.365G	63.12	74.00	-10.88	9.46	3	H	282	2.81	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 26  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	46.90	54.00	-7.10	9.03	3	V	267	1.93	-
AV	5.2688G	104.80	Inf	-Inf	9.29	3	V	267	1.93	-
AV	5.350005G	51.57	54.00	-2.43	9.44	3	V	267	1.93	-
PK	5.149995G	62.37	74.00	-11.63	9.03	3	V	267	1.93	-
PK	5.2688G	115.08	Inf	-Inf	9.29	3	V	267	1.93	-
PK	5.3534G	73.27	74.00	-0.73	9.44	3	V	267	1.93	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 26  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1476G	46.95	54.00	-7.05	9.03	3	H	282	1.08	-
AV	5.2688G	104.39	Inf	-Inf	9.29	3	H	282	1.08	-
AV	5.3504G	50.57	54.00	-3.43	9.44	3	H	282	1.08	-
PK	5.1458G	62.60	74.00	-11.40	9.02	3	H	282	1.08	-
PK	5.2628G	115.40	Inf	-Inf	9.28	3	H	282	1.08	-
PK	5.3606G	73.66	74.00	-0.34	9.45	3	H	282	1.08	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24 (升1就Over)  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3012G	103.13	Inf	-Inf	9.35	3	V	276	1.02	-
AV	5.3544G	50.99	54.00	-3.01	9.44	3	V	276	1.02	-
PK	5.3008G	113.67	Inf	-Inf	9.35	3	V	276	1.02	-
PK	5.3524G	65.71	74.00	-8.29	9.44	3	V	276	1.02	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3212G	102.03	Inf	-Inf	9.39	3	H	278	2.36	-
AV	5.350005G	51.17	54.00	-2.83	9.44	3	H	278	2.36	-
PK	5.3056G	116.04	Inf	-Inf	9.36	3	H	278	2.36	-
PK	5.366G	67.66	74.00	-6.34	9.46	3	H	278	2.36	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 24  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.31	54.00	-4.69	9.68	3	V	280	1.73	-
AV	5.518G	104.47	Inf	-Inf	9.81	3	V	280	1.73	-
PK	5.442G	67.57	74.00	-6.43	9.63	3	V	280	1.73	-
PK	5.4692G	66.67	68.20	-1.53	9.71	3	V	280	1.73	-
PK	5.5168G	114.95	Inf	-Inf	9.81	3	V	280	1.73	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.36	54.00	-4.64	9.68	3	H	278	2.09	-
AV	5.516G	104.81	Inf	-Inf	9.80	3	H	278	2.09	-
PK	5.4572G	65.32	74.00	-8.68	9.67	3	H	278	2.09	-
PK	5.4668G	67.36	68.20	-0.84	9.70	3	H	278	2.09	-
PK	5.5164G	115.15	Inf	-Inf	9.80	3	H	278	2.09	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 25  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4556G	49.99	54.00	-4.01	9.67	3	V	278	2.09	-
AV	5.554G	107.07	Inf	-Inf	9.84	3	V	278	2.09	-
PK	5.4548G	72.38	74.00	-1.62	9.67	3	V	278	2.09	-
PK	5.4612G	67.86	68.20	-0.34	9.69	3	V	278	2.09	-
PK	5.5532G	117.68	Inf	-Inf	9.84	3	V	278	2.09	-
PK	5.7268G	60.25	68.20	-7.95	9.91	3	V	278	2.09	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 25  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	48.17	54.00	-5.83	9.67	3	H	266	1.50	-
AV	5.5412G	104.92	Inf	-Inf	9.83	3	H	266	1.50	-
PK	5.4564G	65.38	74.00	-8.62	9.67	3	H	266	1.50	-
PK	5.466G	64.61	68.20	-3.59	9.70	3	H	266	1.50	-
PK	5.5404G	115.94	Inf	-Inf	9.83	3	H	266	1.50	-
PK	5.7308G	60.07	68.20	-8.13	9.91	3	H	266	1.50	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6612G	102.75	Inf	-Inf	9.89	3	V	266	1.38	-
PK	5.6612G	114.14	Inf	-Inf	9.89	3	V	266	1.38	-
PK	5.7356G	67.57	68.20	-0.63	9.91	3	V	266	1.38	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6732G	104.16	Inf	-Inf	9.89	3	H	286	1.52	-
PK	5.658G	114.35	Inf	-Inf	9.89	3	H	286	1.52	-
PK	5.7396G	66.58	68.20	-1.62	9.91	3	H	286	1.52	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4328G	47.57	54.00	-6.43	9.61	3	V	279	1.50	-
AV	5.7064G	108.19	Inf	-Inf	9.90	3	V	279	1.50	-
PK	5.416G	59.50	74.00	-14.50	9.56	3	V	279	1.50	-
PK	5.4652G	58.53	68.20	-9.67	9.70	3	V	279	1.50	-
PK	5.722G	118.79	Inf	-Inf	9.90	3	V	279	1.50	-
PK	5.9428G	61.45	68.20	-6.75	10.12	3	V	279	1.50	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4556G	47.48	54.00	-6.52	9.67	3	H	283	1.23	-
AV	5.7124G	108.12	Inf	-Inf	9.90	3	H	283	1.23	-
PK	5.4568G	59.13	74.00	-14.87	9.67	3	H	283	1.23	-
PK	5.4676G	59.21	68.20	-8.99	9.70	3	H	283	1.23	-
PK	5.7136G	117.93	Inf	-Inf	9.90	3	H	283	1.23	-
PK	5.938G	64.42	68.20	-3.78	10.11	3	H	283	1.23	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.747G	106.46	Inf	-Inf	9.91	3	V	275	2.22	-
PK	5.657G	71.42	73.38	-1.96	9.89	3	V	275	2.22	-
PK	5.739G	119.88	Inf	-Inf	9.91	3	V	275	2.22	-
PK	5.952G	60.70	68.20	-7.50	10.13	3	V	275	2.22	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.747G	107.83	Inf	-Inf	9.91	3	H	276	1.07	-
PK	5.639G	66.42	68.20	-1.78	9.89	3	H	276	1.07	-
PK	5.747G	118.51	Inf	-Inf	9.91	3	H	276	1.07	-
PK	5.96G	61.04	68.20	-7.16	10.14	3	H	276	1.07	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.804G	106.94	Inf	-Inf	9.93	3	V	270	1.31	-
PK	5.648G	60.05	68.20	-8.15	9.89	3	V	270	1.31	-
PK	5.804G	117.94	Inf	-Inf	9.93	3	V	270	1.31	-
PK	5.94G	63.62	68.20	-4.58	10.12	3	V	270	1.31	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.788G	106.28	Inf	-Inf	9.92	3	H	273	1.02	-
PK	5.646G	60.71	68.20	-7.49	9.89	3	H	273	1.02	-
PK	5.792G	118.39	Inf	-Inf	9.92	3	H	273	1.02	-
PK	5.926G	62.15	68.20	-6.05	10.10	3	H	273	1.02	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24 (升1 Over)  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.132G	50.17	54.00	-3.83	8.99	3	V	283	2.37	-
AV	5.223G	99.10	Inf	-Inf	9.20	3	V	283	2.37	-
AV	5.351G	48.23	54.00	-5.77	9.44	3	V	283	2.37	-
PK	5.149995G	66.18	74.00	-7.82	9.03	3	V	283	2.37	-
PK	5.224G	110.13	Inf	-Inf	9.21	3	V	283	2.37	-
PK	5.353G	60.70	74.00	-13.30	9.44	3	V	283	2.37	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.137G	49.07	54.00	-4.93	9.00	3	H	275	2.93	-
AV	5.242G	97.66	Inf	-Inf	9.24	3	H	275	2.93	-
AV	5.351G	47.73	54.00	-6.27	9.44	3	H	275	2.93	-
PK	5.134G	63.48	74.00	-10.52	9.00	3	H	275	2.93	-
PK	5.176G	108.53	Inf	-Inf	9.10	3	H	275	2.93	-
PK	5.36G	59.80	74.00	-14.20	9.45	3	H	275	2.93	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 24  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.144G	47.03	54.00	-6.97	9.02	3	V	303	1.37	-
AV	5.266G	99.42	Inf	-Inf	9.29	3	V	303	1.37	-
AV	5.351G	52.52	54.00	-1.48	9.44	3	V	303	1.37	-
PK	5.144G	61.08	74.00	-12.92	9.02	3	V	303	1.37	-
PK	5.266G	112.37	Inf	-Inf	9.29	3	V	303	1.37	-
PK	5.379G	72.29	74.00	-1.71	9.48	3	V	303	1.37	-



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24  
 04-R-1-10  
 FSU  
 ANT Skynet-WP(Patch/小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	47.29	54.00	-6.71	9.03	3	H	291	2.48	-
AV	5.313G	99.12	Inf	-Inf	9.37	3	H	291	2.48	-
AV	5.351G	53.36	54.00	-0.64	9.44	3	H	291	2.48	-
PK	5.132G	59.53	74.00	-14.47	8.99	3	H	291	2.48	-
PK	5.301G	111.06	Inf	-Inf	9.35	3	H	291	2.48	-
PK	5.354G	70.98	74.00	-3.02	9.44	3	H	291	2.48	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24 (升1 Over 5.29)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.455G	52.29	54.00	-1.71	9.67	3	V	283	1.50	-
AV	5.534G	100.62	Inf	-Inf	9.82	3	V	283	1.50	-
PK	5.456G	71.06	74.00	-2.94	9.67	3	V	283	1.50	-
PK	5.466G	65.87	68.20	-2.33	9.70	3	V	283	1.50	-
PK	5.559G	112.09	Inf	-Inf	9.84	3	V	283	1.50	-
PK	5.738G	60.19	68.20	-8.01	9.91	3	V	283	1.50	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24 (升1 Over 5.29)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	52.12	54.00	-1.88	9.68	3	H	271	1.50	-
AV	5.507G	100.91	Inf	-Inf	9.80	3	H	271	1.50	-
PK	5.459G	67.60	74.00	-6.40	9.68	3	H	271	1.50	-
PK	5.465G	66.02	68.20	-2.18	9.70	3	H	271	1.50	-
PK	5.498G	114.43	Inf	-Inf	9.78	3	H	271	1.50	-
PK	5.777G	60.68	68.20	-7.52	9.92	3	H	271	1.50	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 24  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	47.99	54.00	-6.01	9.68	3	V	270	1.49	-
AV	5.603G	99.72	Inf	-Inf	9.88	3	V	270	1.49	-
PK	5.453G	61.42	74.00	-12.58	9.66	3	V	270	1.49	-
PK	5.462G	59.60	68.20	-8.60	9.69	3	V	270	1.49	-
PK	5.602G	111.97	Inf	-Inf	9.88	3	V	270	1.49	-
PK	5.733G	68.05	68.20	-0.15	9.91	3	V	270	1.49	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 24  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	48.32	54.00	-5.68	9.68	3	H	283	1.86	-
AV	5.614G	101.21	Inf	-Inf	9.88	3	H	283	1.86	-
PK	5.454G	63.98	74.00	-10.02	9.67	3	H	283	1.86	-
PK	5.464G	66.32	68.20	-1.88	9.69	3	H	283	1.86	-
PK	5.623G	111.99	Inf	-Inf	9.88	3	H	283	1.86	-
PK	5.726G	67.95	68.20	-0.25	9.91	3	H	283	1.86	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170713  
 EUT X\_4TX  
 Setting 27 (升1 Over 2.41)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	51.36	54.00	-2.64	9.68	3	V	275	1.01	-
AV	5.7008G	103.00	Inf	-Inf	9.90	3	V	275	1.01	-
PK	5.4116G	66.43	74.00	-7.57	9.55	3	V	275	1.01	-
PK	5.4692G	67.16	68.20	-1.04	9.71	3	V	275	1.01	-
PK	5.702G	113.53	Inf	-Inf	9.90	3	V	275	1.01	-
PK	5.9624G	67.14	68.20	-1.06	10.15	3	V	275	1.01	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170713  
 EUT X\_4TX  
 Setting 27 (升1 Over 2.41)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	51.63	54.00	-2.37	9.68	3	H	283	2.38	-
AV	5.7044G	102.51	Inf	-Inf	9.90	3	H	283	2.38	-
PK	5.4584G	69.81	74.00	-4.19	9.68	3	H	283	2.38	-
PK	5.4656G	66.09	68.20	-2.11	9.70	3	H	283	2.38	-
PK	5.6864G	114.10	Inf	-Inf	9.90	3	H	283	2.38	-
PK	5.942G	66.89	68.20	-1.31	10.12	3	H	283	2.38	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 27  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.752G	101.80	Inf	-Inf	9.91	3	V	277	2.29	-
PK	5.638G	68.18	68.20	-0.02	9.89	3	V	277	2.29	-
PK	5.75G	113.36	Inf	-Inf	9.91	3	V	277	2.29	-
PK	5.938G	62.16	68.20	-6.04	10.11	3	V	277	2.29	-



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 27  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.758G	100.13	Inf	-Inf	9.91	3	H	305	1.42	-
PK	5.642G	68.17	68.20	-0.03	9.89	3	H	305	1.42	-
PK	5.742G	111.08	Inf	-Inf	9.91	3	H	305	1.42	-
PK	5.927G	63.67	68.20	-4.53	10.10	3	H	305	1.42	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 25 (升1 Over 1.13)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	49.64	54.00	-4.36	9.03	3	V	301	1.44	-
AV	5.1732G	104.02	Inf	-Inf	9.09	3	V	301	1.44	-
PK	5.149G	62.74	74.00	-11.26	9.03	3	V	307	1.44	-
PK	5.1786G	115.55	Inf	-Inf	9.11	3	V	301	1.44	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 25 (升1 Over 1.13)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1494G	50.54	54.00	-3.46	9.03	3	H	311	2.01	-
AV	5.1836G	104.39	Inf	-Inf	9.12	3	H	311	2.01	-
PK	5.1486G	64.26	74.00	-9.74	9.03	3	H	311	2.01	-
PK	5.1832G	115.32	Inf	-Inf	9.12	3	H	311	2.01	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 28(升1 Over 2.78)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	50.19	54.00	-3.81	9.03	3	V	317	1.46	-
AV	5.2084G	106.45	Inf	-Inf	9.18	3	V	317	1.46	-
PK	5.149995G	64.22	74.00	-9.78	9.03	3	V	317	1.46	-
PK	5.204G	117.91	Inf	-Inf	9.17	3	V	317	1.46	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 28(升1 Over 2.78)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	49.87	54.00	-4.13	9.03	3	H	256	2.01	-
AV	5.2024G	108.40	Inf	-Inf	9.16	3	H	256	2.01	-
PK	5.149995G	64.76	74.00	-9.24	9.03	3	H	256	2.01	-
PK	5.202G	120.01	Inf	-Inf	9.16	3	H	256	2.01	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1488G	47.77	54.00	-6.23	9.03	3	V	298	1.48	-
AV	5.2352G	109.80	Inf	-Inf	9.23	3	V	298	1.48	-
AV	5.3516G	47.71	54.00	-6.29	9.44	3	V	298	1.48	-
PK	5.1098G	59.44	74.00	-14.56	8.93	3	V	298	1.48	-
PK	5.2424G	121.85	Inf	-Inf	9.24	3	V	298	1.48	-
PK	5.3834G	60.47	74.00	-13.53	9.49	3	V	298	1.48	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1488G	47.78	54.00	-6.22	9.03	3	H	273	2.06	-
AV	5.2382G	110.02	Inf	-Inf	9.23	3	H	273	2.06	-
AV	5.3552G	47.78	54.00	-6.22	9.44	3	H	273	2.06	-
PK	5.144G	59.99	74.00	-14.01	9.02	3	H	273	2.06	-
PK	5.2424G	123.69	Inf	-Inf	9.24	3	H	273	2.06	-
PK	5.3768G	60.38	74.00	-13.62	9.48	3	H	273	2.06	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	47.23	54.00	-6.77	9.03	3	V	281	1.50	-
AV	5.2546G	110.03	Inf	-Inf	9.26	3	V	281	1.50	-
AV	5.350005G	49.75	54.00	-4.25	9.44	3	V	281	1.50	-
PK	5.1436G	60.30	74.00	-13.70	9.02	3	V	281	1.50	-
PK	5.2558G	121.32	Inf	-Inf	9.27	3	V	281	1.50	-
PK	5.353G	62.99	74.00	-11.01	9.44	3	V	281	1.50	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1478G	47.37	54.00	-6.63	9.03	3	H	293	1.56	-
AV	5.2624G	110.84	Inf	-Inf	9.28	3	H	293	1.56	-
AV	5.3506G	50.07	54.00	-3.93	9.44	3	H	293	1.56	-
PK	5.1406G	59.28	74.00	-14.72	9.01	3	H	293	1.56	-
PK	5.266G	121.47	Inf	-Inf	9.29	3	H	293	1.56	-
PK	5.353G	64.32	74.00	-9.68	9.44	3	H	293	1.56	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 28  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2956G	108.75	Inf	-Inf	9.34	3	V	277	1.58	-
AV	5.350005G	53.98	54.00	-0.02	9.44	3	V	277	1.58	-
PK	5.294G	120.72	Inf	-Inf	9.34	3	V	277	1.58	-
PK	5.3544G	67.44	74.00	-6.56	9.44	3	V	277	1.58	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 28  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3024G	111.63	Inf	-Inf	9.35	3	H	294	1.61	-
AV	5.3504G	53.91	54.00	-0.09	9.44	3	H	294	1.61	-
PK	5.2972G	119.91	Inf	-Inf	9.34	3	H	294	1.61	-
PK	5.3528G	67.60	74.00	-6.40	9.44	3	H	294	1.61	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 26(升1 Over 4.28)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.322G	108.40	Inf	-Inf	9.39	3	V	271	1.20	-
AV	5.3504G	51.89	54.00	-2.11	9.44	3	V	271	1.20	-
PK	5.3214G	120.52	Inf	-Inf	9.39	3	V	271	1.20	-
PK	5.3502G	67.00	74.00	-7.00	9.44	3	V	271	1.20	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 26(升1 Over 4.28)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3188G	107.21	Inf	-Inf	9.38	3	H	293	1.20	-
AV	5.350005G	51.67	54.00	-2.33	9.44	3	H	293	1.20	-
PK	5.3172G	120.36	Inf	-Inf	9.38	3	H	293	1.20	-
PK	5.3512G	65.48	74.00	-8.52	9.44	3	H	293	1.20	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 26(升1 Over 5.48)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	49.19	54.00	-4.81	9.68	3	V	277	1.01	-
AV	5.4976G	108.59	Inf	-Inf	9.78	3	V	277	1.01	-
PK	5.4572G	60.91	74.00	-13.09	9.67	3	V	277	1.01	-
PK	5.4696G	65.21	68.20	-2.99	9.71	3	V	277	1.01	-
PK	5.5008G	119.24	Inf	-Inf	9.79	3	V	277	1.01	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 26(升1 Over 5.48)  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	48.70	54.00	-5.30	9.68	3	H	302	2.99	-
AV	5.5012G	108.56	Inf	-Inf	9.79	3	H	302	2.99	-
PK	5.4464G	60.77	74.00	-13.23	9.65	3	H	302	2.99	-
PK	5.4692G	65.10	68.20	-3.10	9.71	3	H	302	2.99	-
PK	5.4992G	120.64	Inf	-Inf	9.79	3	H	302	2.99	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4568G	47.69	54.00	-6.31	9.67	3	V	307	1.44	-
AV	5.5776G	110.40	Inf	-Inf	9.86	3	V	307	1.44	-
PK	5.4544G	59.98	74.00	-14.02	9.67	3	V	307	1.44	-
PK	5.4632G	59.48	68.20	-8.72	9.69	3	V	307	1.44	-
PK	5.5744G	120.13	Inf	-Inf	9.86	3	V	307	1.44	-
PK	5.7512G	59.45	68.20	-8.75	9.91	3	V	307	1.44	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4592G	47.89	54.00	-6.11	9.68	3	H	276	1.03	-
AV	5.5872G	112.01	Inf	-Inf	9.87	3	H	276	1.03	-
PK	5.4016G	59.92	74.00	-14.08	9.52	3	H	276	1.03	-
PK	5.4648G	59.88	68.20	-8.32	9.69	3	H	276	1.03	-
PK	5.5856G	122.30	Inf	-Inf	9.87	3	H	276	1.03	-
PK	5.7624G	60.00	68.20	-8.20	9.91	3	H	276	1.03	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 26  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7022G	108.25	Inf	-Inf	9.90	3	V	275	1.48	-
PK	5.703G	119.57	Inf	-Inf	9.90	3	V	275	1.48	-
PK	5.7262G	67.94	68.20	-0.26	9.91	3	V	275	1.48	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 26  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.708G	106.18	Inf	-Inf	9.90	3	H	292	2.04	-
PK	5.7016G	117.55	Inf	-Inf	9.90	3	H	292	2.04	-
PK	5.7336G	67.06	68.20	-1.14	9.91	3	H	292	2.04	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4236G	47.34	54.00	-6.66	9.58	3	V	267	1.26	-
AV	5.714G	111.43	Inf	-Inf	9.90	3	V	267	1.26	-
PK	5.4212G	59.25	74.00	-14.75	9.58	3	V	267	1.26	-
PK	5.4668G	57.96	68.20	-10.24	9.70	3	V	267	1.26	-
PK	5.7176G	122.25	Inf	-Inf	9.90	3	V	267	1.26	-
PK	5.9732G	60.59	68.20	-7.61	10.16	3	V	267	1.26	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4344G	47.34	54.00	-6.66	9.61	3	H	290	2.05	-
AV	5.7224G	109.82	Inf	-Inf	9.90	3	H	290	2.05	-
PK	5.444G	59.32	74.00	-14.68	9.64	3	H	290	2.05	-
PK	5.4656G	59.32	68.20	-8.88	9.70	3	H	290	2.05	-
PK	5.7212G	119.97	Inf	-Inf	9.90	3	H	290	2.05	-
PK	5.9672G	60.10	68.20	-8.10	10.15	3	H	290	2.05	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.743G	108.96	Inf	-Inf	9.91	3	V	298	1.41	-
PK	5.63G	59.66	68.20	-8.54	9.89	3	V	298	1.41	-
PK	5.752G	119.31	Inf	-Inf	9.91	3	V	298	1.41	-
PK	5.926G	59.74	68.20	-8.46	10.10	3	V	298	1.41	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.747G	110.98	Inf	-Inf	9.91	3	H	278	1.13	-
PK	5.594G	60.40	68.20	-7.80	9.87	3	H	278	1.13	-
PK	5.749G	121.43	Inf	-Inf	9.91	3	H	278	1.13	-
PK	5.959G	60.37	68.20	-7.83	10.14	3	H	278	1.13	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.783G	110.71	Inf	-Inf	9.92	3	V	274	1.08	-
PK	5.617G	60.74	68.20	-7.46	9.88	3	V	274	1.08	-
PK	5.781G	122.23	Inf	-Inf	9.92	3	V	274	1.08	-
PK	5.985G	62.23	68.20	-5.97	10.18	3	V	274	1.08	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.792G	109.05	Inf	-Inf	9.92	3	H	300	2.30	-
PK	5.627G	60.65	68.20	-7.55	9.89	3	H	300	2.30	-
PK	5.788G	120.03	Inf	-Inf	9.92	3	H	300	2.30	-
PK	5.961G	60.45	68.20	-7.75	10.15	3	H	300	2.30	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.827G	109.16	Inf	-Inf	9.96	3	V	257	1.48	-
PK	5.624G	59.97	68.20	-8.23	9.88	3	V	257	1.48	-
PK	5.828G	118.93	Inf	-Inf	9.96	3	V	257	1.48	-
PK	5.935G	60.31	68.20	-7.89	10.11	3	V	257	1.48	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.833G	110.16	Inf	-Inf	9.97	3	H	281	1.69	-
PK	5.597G	60.61	68.20	-7.59	9.88	3	H	281	1.69	-
PK	5.831G	120.37	Inf	-Inf	9.96	3	H	281	1.69	-
PK	5.929G	60.87	68.20	-7.33	10.10	3	H	281	1.69	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 25  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	51.40	54.00	-2.60	9.03	3	V	267	1.07	-
AV	5.1868G	103.28	Inf	-Inf	9.13	3	V	267	1.07	-
PK	5.1496G	72.89	74.00	-1.11	9.03	3	V	267	1.07	-
PK	5.2004G	113.86	Inf	-Inf	9.16	3	V	267	1.07	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 25  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1488G	49.96	54.00	-4.04	9.03	3	H	257	1.87	-
AV	5.1936G	102.69	Inf	-Inf	9.14	3	H	257	1.87	-
PK	5.1496G	70.58	74.00	-3.42	9.03	3	H	257	1.87	-
PK	5.1824G	112.89	Inf	-Inf	9.12	3	H	257	1.87	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 28  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	50.50	54.00	-3.50	9.03	3	V	283	1.80	-
AV	5.238G	106.29	Inf	-Inf	9.23	3	V	283	1.80	-
PK	5.149995G	71.50	74.00	-2.50	9.03	3	V	283	1.80	-
PK	5.2388G	118.03	Inf	-Inf	9.23	3	V	283	1.80	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 28  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1472G	50.35	54.00	-3.65	9.03	3	H	295	1.37	-
AV	5.2216G	106.80	Inf	-Inf	9.20	3	H	295	1.37	-
PK	5.14995G	70.87	74.00	-3.13	9.03	3	H	295	1.37	-
PK	5.2212G	117.69	Inf	-Inf	9.20	3	H	295	1.37	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 26  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2736G	104.76	Inf	-Inf	9.30	3	V	271	1.47	-
AV	5.3512G	50.96	54.00	-3.04	9.44	3	V	271	1.47	-
PK	5.2524G	118.32	Inf	-Inf	9.26	3	V	271	1.47	-
PK	5.3544G	73.96	74.00	-0.04	9.44	3	V	271	1.47	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 26  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2584G	103.37	Inf	-Inf	9.27	3	H	271	1.43	-
AV	5.3564G	49.82	54.00	-4.18	9.45	3	H	271	1.43	-
PK	5.2644G	118.95	Inf	-Inf	9.28	3	H	271	1.43	-
PK	5.3576G	73.94	74.00	-0.06	9.45	3	H	271	1.43	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.322G	103.16	Inf	-Inf	9.39	3	V	280	1.02	-
AV	5.350005G	52.65	54.00	-1.35	9.44	3	V	280	1.02	-
PK	5.3216G	114.40	Inf	-Inf	9.39	3	V	280	1.02	-
PK	5.3564G	68.27	74.00	-5.73	9.45	3	V	280	1.02	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24  
 01-Z-1-10  
 FSP  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2992G	106.09	Inf	-Inf	9.35	3	H	275	1.85	-
AV	5.350005G	53.89	54.00	-0.11	9.44	3	H	275	1.85	-
PK	5.2984G	118.45	Inf	-Inf	9.35	3	H	275	1.85	-
PK	5.3604G	67.40	74.00	-6.60	9.45	3	H	275	1.85	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 25  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	51.26	54.00	-2.74	9.68	3	V	296	2.00	-
AV	5.4698G	51.62	54.00	-2.38	9.71	3	V	296	2.00	-
AV	5.5046G	105.91	Inf	-Inf	9.79	3	V	296	2.00	-
PK	5.459995G	71.88	74.00	-2.12	9.68	3	V	296	2.00	-
PK	5.4614G	73.74	74.00	-0.26	9.69	3	V	296	2.00	-
PK	5.5022G	120.55	Inf	-Inf	9.79	3	V	296	2.00	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 25  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	50.41	54.00	-3.59	9.68	3	H	280	2.74	-
AV	5.4692G	51.14	54.00	-2.86	9.71	3	H	280	2.74	-
AV	5.5178G	105.85	Inf	-Inf	9.81	3	H	280	2.74	-
PK	5.459995G	70.26	74.00	-3.74	9.68	3	H	280	2.74	-
PK	5.462G	73.98	74.00	-0.02	9.69	3	H	280	2.74	-
PK	5.5226G	118.07	Inf	-Inf	9.81	3	H	280	2.74	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 26  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4534G	49.87	54.00	-4.13	9.66	3	V	276	1.50	-
AV	5.466G	50.22	54.00	-3.78	9.70	3	V	276	1.50	-
AV	5.5536G	107.82	Inf	-Inf	9.84	3	V	276	1.50	-
PK	5.4564G	72.82	74.00	-1.18	9.67	3	V	276	1.50	-
PK	5.4666G	71.01	74.00	-2.99	9.70	3	V	276	1.50	-
PK	5.5356G	120.05	Inf	-Inf	9.82	3	V	276	1.50	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 26  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	49.96	54.00	-4.04	9.67	3	H	265	1.47	-
AV	5.4636G	50.17	54.00	-3.83	9.69	3	H	265	1.47	-
AV	5.5464G	105.57	Inf	-Inf	9.83	3	H	265	1.47	-
PK	5.4552G	71.44	74.00	-2.56	9.67	3	H	265	1.47	-
PK	5.4648G	73.87	74.00	-0.13	9.69	3	H	265	1.47	-
PK	5.5368G	117.73	Inf	-Inf	9.82	3	H	265	1.47	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6718G	103.20	Inf	-Inf	9.89	3	V	276	1.25	-
AV	5.7252G	50.18	54.00	-3.82	9.91	3	V	276	1.25	-
PK	5.6634G	115.70	Inf	-Inf	9.89	3	V	276	1.25	-
PK	5.7414G	68.94	74.00	-5.06	9.91	3	V	276	1.25	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6736G	105.67	Inf	-Inf	9.89	3	H	293	2.31	-
AV	5.7768G	52.55	54.00	-1.45	9.92	3	H	293	2.31	-
PK	5.6796G	115.28	Inf	-Inf	9.90	3	H	293	2.31	-
PK	5.7276G	73.63	74.00	-0.37	9.91	3	H	276	1.25	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.434G	47.81	54.00	-6.19	9.61	3	V	270	1.46	-
AV	5.4664G	47.53	54.00	-6.47	9.70	3	V	270	1.46	-
AV	5.7028G	108.97	Inf	-Inf	9.90	3	V	270	1.46	-
PK	5.4592G	60.65	74.00	-13.35	9.68	3	V	270	1.46	-
PK	5.4688G	59.21	74.00	-14.79	9.71	3	V	270	1.46	-
PK	5.7028G	121.36	Inf	-Inf	9.90	3	V	270	1.46	-
PK	5.962G	62.04	68.20	-6.16	10.15	3	V	270	1.46	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4532G	47.57	54.00	-6.43	9.66	3	H	289	1.76	-
AV	5.4688G	47.48	54.00	-6.52	9.71	3	H	289	1.76	-
AV	5.7184G	108.51	Inf	-Inf	9.90	3	H	289	1.76	-
PK	5.4304G	60.58	74.00	-13.42	9.60	3	H	289	1.76	-
PK	5.4628G	59.40	74.00	-14.60	9.69	3	H	289	1.76	-
PK	5.7016G	118.68	Inf	-Inf	9.90	3	H	289	1.76	-
PK	5.9368G	62.72	68.20	-5.48	10.11	3	H	289	1.76	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 29  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.749G	108.25	Inf	-Inf	9.91	3	V	273	1.50	-
PK	5.65G	68.05	68.20	-0.15	9.89	3	V	273	1.50	-
PK	5.77G	119.05	Inf	-Inf	9.91	3	V	273	1.50	-
PK	5.94G	60.47	68.20	-7.73	10.12	3	V	273	1.50	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.758G	109.27	Inf	-Inf	9.91	3	H	289	1.93	-
PK	5.759G	120.23	Inf	-Inf	9.91	3	H	289	1.93	-
PK	5.943G	60.58	68.20	-7.62	10.12	3	H	289	1.93	-
PK	5.641G	65.46	68.20	-2.74	9.89	3	H	289	1.93	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8G	106.90	Inf	-Inf	9.92	3	V	262	1.01	-
PK	5.649G	61.40	68.20	-6.80	9.89	3	V	262	1.01	-
PK	5.786G	117.96	Inf	-Inf	9.92	3	V	262	1.01	-
PK	5.937G	62.25	68.20	-5.95	10.11	3	V	262	1.01	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 29  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.79G	106.95	Inf	-Inf	9.92	3	H	298	2.98	-
PK	5.646G	62.28	68.20	-5.92	9.89	3	H	298	2.98	-
PK	5.806G	119.08	Inf	-Inf	9.93	3	H	298	2.98	-
PK	5.929G	63.67	68.20	-4.53	10.10	3	H	298	2.98	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 25  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.134G	53.10	54.00	-0.90	9.00	3	V	279	1.03	-
AV	5.1772G	101.29	Inf	-Inf	9.10	3	V	279	1.03	-
AV	5.350005G	49.54	54.00	-4.46	9.44	3	V	279	1.03	-
PK	5.1356G	73.69	74.00	-0.31	9.00	3	V	279	1.03	-
PK	5.1988G	112.33	Inf	-Inf	9.16	3	V	279	1.03	-
PK	5.3604G	62.94	74.00	-11.06	9.45	3	V	279	1.03	-



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 25  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	53.59	54.00	-0.41	9.02	3	H	261	1.54	-
AV	5.1796G	100.26	Inf	-Inf	9.11	3	H	261	1.54	-
AV	5.3556G	49.25	54.00	-4.75	9.44	3	H	261	1.54	-
PK	5.1444G	70.54	74.00	-3.46	9.02	3	H	261	1.54	-
PK	5.234G	110.44	Inf	-Inf	9.22	3	H	261	1.54	-
PK	5.366G	62.01	74.00	-11.99	9.46	3	H	261	1.54	-



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 24  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1324G	48.00	54.00	-6.00	8.99	3	V	275	1.48	-
AV	5.2572G	100.89	Inf	-Inf	9.27	3	V	275	1.48	-
AV	5.3652G	53.51	54.00	-0.49	9.46	3	V	275	1.48	-
PK	5.1356G	63.79	74.00	-10.21	9.00	3	V	275	1.48	-
PK	5.2748G	111.01	Inf	-Inf	9.30	3	V	275	1.48	-
PK	5.3548G	68.76	74.00	-5.24	9.44	3	V	275	1.48	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 24  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1332G	47.90	54.00	-6.10	8.99	3	H	270	1.02	-
AV	5.302G	101.44	Inf	-Inf	9.35	3	H	270	1.02	-
AV	5.3516G	53.84	54.00	-0.16	9.44	3	H	270	1.02	-
PK	5.122G	59.87	74.00	-14.13	8.96	3	H	270	1.02	-
PK	5.3012G	110.76	Inf	-Inf	9.35	3	H	270	1.02	-
PK	5.374G	73.14	74.00	-0.86	9.48	3	H	270	1.02	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 24  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	52.14	54.00	-1.86	9.68	3	V	280	1.85	-
AV	5.468G	52.12	54.00	-1.88	9.70	3	V	280	1.85	-
AV	5.534G	101.47	Inf	-Inf	9.82	3	V	280	1.85	-
AV	5.733G	48.61	54.00	-5.39	9.91	3	V	280	1.85	-
PK	5.437G	66.93	74.00	-7.07	9.62	3	V	280	1.85	-
PK	5.468G	66.91	74.00	-7.09	9.70	3	V	280	1.85	-
PK	5.547G	112.00	Inf	-Inf	9.83	3	V	280	1.85	-
PK	5.748G	61.36	74.00	-12.64	9.91	3	V	280	1.85	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 24  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	52.26	54.00	-1.74	9.67	3	H	265	1.21	-
AV	5.464G	53.74	54.00	-0.26	9.69	3	H	265	1.21	-
AV	5.502G	105.09	Inf	-Inf	9.79	3	H	265	1.21	-
AV	5.729G	48.60	54.00	-5.40	9.91	3	H	265	1.21	-
PK	5.445G	66.89	74.00	-7.11	9.64	3	H	265	1.21	-
PK	5.462G	66.78	74.00	-7.22	9.69	3	H	265	1.21	-
PK	5.54G	112.55	Inf	-Inf	9.83	3	H	265	1.21	-
PK	5.758G	60.37	74.00	-13.63	9.91	3	H	265	1.21	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 25  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	50.99	54.00	-3.01	9.67	3	V	274	1.39	-
AV	5.466G	49.84	54.00	-4.16	9.70	3	V	274	1.39	-
AV	5.633G	103.57	Inf	-Inf	9.89	3	V	274	1.39	-
AV	5.739G	53.98	54.00	-0.02	9.91	3	V	274	1.39	-
PK	5.454G	66.60	74.00	-7.40	9.67	3	V	274	1.39	-
PK	5.465G	63.85	74.00	-10.15	9.70	3	V	274	1.39	-
PK	5.629G	114.91	Inf	-Inf	9.89	3	V	274	1.39	-
PK	5.74G	70.51	74.00	-3.49	9.91	3	V	274	1.39	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 25  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.453G	50.99	54.00	-3.01	9.66	3	H	288	1.92	-
AV	5.469G	53.14	54.00	-0.86	9.71	3	H	288	1.92	-
AV	5.613G	102.38	Inf	-Inf	9.88	3	H	288	1.92	-
AV	5.735G	53.91	54.00	-0.09	9.91	3	H	288	1.92	-
PK	5.453G	67.83	74.00	-6.17	9.66	3	H	288	1.92	-
PK	5.460005G	64.96	74.00	-9.04	9.68	3	H	288	1.92	-
PK	5.584G	113.72	Inf	-Inf	9.87	3	H	288	1.92	-
PK	5.735G	73.35	74.00	-0.65	9.91	3	H	288	1.92	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 27  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4512G	51.84	54.00	-2.16	9.66	3	V	261	1.55	-
AV	5.4608G	50.44	54.00	-3.56	9.68	3	V	261	1.55	-
AV	5.714G	103.60	Inf	-Inf	9.90	3	V	261	1.55	-
PK	5.4308G	69.49	74.00	-4.51	9.60	3	V	261	1.55	-
PK	5.4692G	65.82	74.00	-8.18	9.71	3	V	261	1.55	-
PK	5.6936G	114.42	Inf	-Inf	9.90	3	V	261	1.55	-
PK	5.9576G	67.34	68.20	-0.86	10.14	3	V	261	1.55	-



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170713  
 EUT\_X\_4TX  
 Setting 27  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4452G	52.35	54.00	-1.65	9.64	3	H	279	1.53	-
AV	5.4632G	53.14	54.00	-0.86	9.69	3	H	279	1.53	-
AV	5.7176G	107.01	Inf	-Inf	9.90	3	H	279	1.53	-
PK	5.4416G	68.79	74.00	-5.21	9.63	3	H	279	1.53	-
PK	5.4644G	68.25	74.00	-5.75	9.69	3	H	279	1.53	-
PK	5.6816G	113.29	Inf	-Inf	9.90	3	H	279	1.53	-
PK	5.9504G	67.96	68.20	-0.24	10.13	3	H	279	1.53	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX




20170713  
 EUT X\_4TX  
 Setting 26  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.747G	106.11	Inf	-Inf	9.91	3	V	270	1.43	-
PK	5.648G	66.95	68.20	-1.25	9.89	3	V	270	1.43	-
PK	5.747G	116.18	Inf	-Inf	9.91	3	V	270	1.43	-
PK	5.93G	64.66	68.20	-3.54	10.10	3	V	270	1.43	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX



20170713  
 EUT\_X\_4TX  
 Setting 26  
 01-J-6-10  
 FSU  
 ANT Skynet-WP(Patch小方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.772G	102.40	Inf	-Inf	9.91	3	H	284	2.56	-
PK	5.648G	68.13	68.20	-0.07	9.89	3	H	284	2.56	-
PK	5.751G	116.52	Inf	-Inf	9.91	3	H	284	2.56	-
PK	5.931G	64.38	68.20	-3.82	10.10	3	H	284	2.56	-




For set 5 antenna  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz	Pass	AV	5.36G	53.98	54.00	-0.02	9.45	3	V	93	2.32	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20.5 (±0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-OC

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.90	54.00	-1.10	9.03	3	V	296	2.05	-
AV	5.1746G	109.30	Inf	-Inf	9.10	3	V	296	2.05	-
PK	5.142G	66.19	74.00	-7.81	9.02	3	V	296	2.05	-
PK	5.174G	119.92	Inf	-Inf	9.09	3	V	296	2.05	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20.5 (±0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-OC

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1486G	50.08	54.00	-3.92	9.03	3	H	360	1.19	-
AV	5.1796G	101.03	Inf	-Inf	9.11	3	H	360	1.19	-
PK	5.1484G	63.22	74.00	-10.78	9.03	3	H	360	1.19	-
PK	5.1816G	111.33	Inf	-Inf	9.11	3	H	360	1.19	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170721  
 EUT X 4TX  
 Setting 21.5  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-OC

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.89	54.00	-0.11	9.03	3	V	354	2.34	-
AV	5.1928G	111.58	Inf	-Inf	9.14	3	V	354	2.34	-
PK	5.14G	68.93	74.00	-5.07	9.01	3	V	354	2.34	-
PK	5.1932G	122.40	Inf	-Inf	9.14	3	V	354	2.34	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX



20170721  
 EUT X 4TX  
 Setting 21.5  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-OC


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1468G	47.95	54.00	-6.05	9.03	3	H	359	1.69	-
AV	5.2004G	99.49	Inf	-Inf	9.16	3	H	359	1.69	-
PK	5.1408G	61.69	74.00	-12.31	9.01	3	H	359	1.69	-
PK	5.2012G	109.87	Inf	-Inf	9.16	3	H	359	1.69	-





### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170721  
 EUT X 4TX  
 Setting 22.5 (≠0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1476G	50.98	54.00	-3.02	9.03	3	V	1	2.04	-
AV	5.2382G	112.92	Inf	-Inf	9.23	3	V	1	2.04	-
AV	5.350005G	48.53	54.00	-5.47	9.44	3	V	1	2.04	-
PK	5.147G	63.33	74.00	-10.67	9.03	3	V	1	2.04	-
PK	5.2382G	123.64	Inf	-Inf	9.23	3	V	1	2.04	-
PK	5.3558G	61.16	74.00	-12.84	9.44	3	V	1	2.04	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170721  
 EUT X 4TX  
 Setting 22.5 (≠0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1494G	47.31	54.00	-6.69	9.03	3	H	360	1.92	-
AV	5.2382G	103.48	Inf	-Inf	9.23	3	H	360	1.92	-
AV	5.350005G	47.20	54.00	-6.80	9.44	3	H	360	1.92	-
PK	5.1368G	69.86	74.00	-4.14	9.00	3	H	360	1.92	-
PK	5.2382G	113.64	Inf	-Inf	9.23	3	H	360	1.92	-
PK	5.351G	68.32	74.00	-5.68	9.44	3	H	360	1.92	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170721  
 EUT X 4TX  
 Setting 23 (升0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	49.35	54.00	-4.65	9.03	3	V	1	2.19	-
AV	5.2588G	112.88	Inf	-Inf	9.27	3	V	1	2.19	-
AV	5.3542G	52.75	54.00	-1.25	9.44	3	V	1	2.19	-
PK	5.149G	62.15	74.00	-11.85	9.03	3	V	1	2.19	-
PK	5.2582G	123.18	Inf	-Inf	9.27	3	V	1	2.19	-
PK	5.3554G	67.43	74.00	-6.57	9.44	3	V	1	2.19	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170721  
 EUT X 4TX  
 Setting 23 (↑0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1448G	46.37	54.00	-7.63	9.02	3	H	352	2.95	-
AV	5.2546G	104.75	Inf	-Inf	9.26	3	H	352	2.95	-
AV	5.3506G	48.68	54.00	-5.32	9.44	3	H	352	2.95	-
PK	5.1154G	58.60	74.00	-15.40	8.95	3	H	352	2.95	-
PK	5.254G	115.93	Inf	-Inf	9.26	3	H	352	2.95	-
PK	5.353G	62.06	74.00	-11.94	9.44	3	H	352	2.95	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170721  
 EUT X 4TX  
 Setting 22  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2984G	112.06	Inf	-Inf	9.35	3	V	1	2.10	-
AV	5.358G	53.84	54.00	-0.16	9.45	3	V	1	2.10	-
PK	5.2984G	122.34	Inf	-Inf	9.35	3	V	1	2.10	-
PK	5.3592G	69.04	74.00	-4.96	9.45	3	V	1	2.10	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170721  
 EUT X 4TX  
 Setting 22  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3032G	102.17	Inf	-Inf	9.36	3	H	273	2.90	-
AV	5.3516G	50.43	54.00	-3.57	9.44	3	H	273	2.90	-
PK	5.3028G	113.17	Inf	-Inf	9.35	3	H	273	2.90	-
PK	5.352G	64.94	74.00	-9.06	9.44	3	H	273	2.90	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.314G	109.01	Inf	-Inf	9.37	3	V	265	1.83	-
AV	5.353G	53.78	54.00	-0.22	9.44	3	V	265	1.83	-
PK	5.3136G	120.32	Inf	-Inf	9.37	3	V	265	1.83	-
PK	5.3522G	69.36	74.00	-4.64	9.44	3	V	265	1.83	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3232G	100.54	Inf	-Inf	9.39	3	H	272	2.92	-
AV	5.3522G	48.13	54.00	-5.87	9.44	3	H	272	2.92	-
PK	5.324G	110.84	Inf	-Inf	9.39	3	H	272	2.92	-
PK	5.3538G	61.38	74.00	-12.62	9.44	3	H	272	2.92	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45998G	49.98	54.00	-4.02	9.68	3	V	293	2.12	-
AV	5.506G	109.87	Inf	-Inf	9.80	3	V	293	2.12	-
PK	5.4592G	62.42	74.00	-11.58	9.68	3	V	293	2.12	-
PK	5.468G	68.18	68.20	-0.02	9.70	3	V	293	2.12	-
PK	5.506G	120.58	Inf	-Inf	9.80	3	V	293	2.12	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	46.91	54.00	-7.09	9.68	3	H	356	2.22	-
AV	5.5052G	100.75	Inf	-Inf	9.79	3	H	356	2.22	-
PK	5.4592G	59.31	74.00	-14.69	9.68	3	H	356	2.22	-
PK	5.466G	62.21	68.20	-5.99	9.70	3	H	356	2.22	-
PK	5.5056G	111.53	Inf	-Inf	9.80	3	H	356	2.22	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170721  
 EUT X 4TX  
 Setting 24  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4576G	53.74	54.00	-0.26	9.68	3	V	0	2.14	-
AV	5.5784G	114.02	Inf	-Inf	9.86	3	V	0	2.14	-
PK	5.4568G	68.39	74.00	-5.61	9.67	3	V	0	2.14	-
PK	5.4688G	67.78	68.20	-0.42	9.71	3	V	0	2.14	-
PK	5.5792G	124.67	Inf	-Inf	9.86	3	V	0	2.14	-
PK	5.728G	64.45	68.20	-3.75	9.91	3	V	0	2.14	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170721  
 EUT X 4TX  
 Setting 24  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4552G	50.09	54.00	-3.91	9.67	3	H	356	2.25	-
AV	5.588G	104.97	Inf	-Inf	9.87	3	H	356	2.25	-
PK	5.4568G	63.86	74.00	-10.14	9.67	3	H	356	2.25	-
PK	5.4648G	62.79	68.20	-5.41	9.69	3	H	356	2.25	-
PK	5.588G	117.15	Inf	-Inf	9.87	3	H	356	2.25	-
PK	5.7272G	60.26	68.20	-7.94	9.91	3	H	356	2.25	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20 (升0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6974G	109.00	Inf	-Inf	9.90	3	V	332	1.50	-
PK	5.6982G	119.25	Inf	-Inf	9.90	3	V	332	1.50	-
PK	5.7254G	66.60	68.20	-1.60	9.91	3	V	332	1.50	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20 (升0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7014G	99.72	Inf	-Inf	9.90	3	H	125	1.98	-
PK	5.7014G	111.19	Inf	-Inf	9.90	3	H	125	1.98	-
PK	5.7252G	62.25	68.20	-5.95	9.91	3	H	125	1.98	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170721  
 EUT X 4TX  
 Setting 25  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.426G	47.02	54.00	-6.98	9.59	3	V	45	2.06	-
AV	5.7176G	115.62	Inf	-Inf	9.90	3	V	45	2.06	-
PK	5.4536G	59.22	74.00	-14.78	9.66	3	V	45	2.06	-
PK	5.4632G	58.79	68.20	-9.41	9.69	3	V	45	2.06	-
PK	5.7176G	126.73	Inf	-Inf	9.90	3	V	45	2.06	-
PK	5.9408G	61.33	68.20	-6.87	10.12	3	V	45	2.06	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170721  
 EUT X 4TX  
 Setting 25  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4296G	46.69	54.00	-7.31	9.60	3	H	128	1.01	-
AV	5.7236G	105.21	Inf	-Inf	9.90	3	H	128	1.01	-
PK	5.4404G	59.00	74.00	-15.00	9.63	3	H	128	1.01	-
PK	5.462G	58.57	68.20	-9.63	9.69	3	H	128	1.01	-
PK	5.7236G	115.62	Inf	-Inf	9.90	3	H	128	1.01	-
PK	5.9264G	59.98	68.20	-8.22	10.10	3	H	128	1.01	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170721  
 EUT X 4TX  
 Setting 23 (↑0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.742G	112.96	Inf	-Inf	9.91	3	V	45	2.02	-
PK	5.647G	65.32	68.20	-2.88	9.89	3	V	45	2.02	-
PK	5.741G	123.47	Inf	-Inf	9.91	3	V	45	2.02	-
PK	5.93G	60.97	68.20	-7.23	10.10	3	V	45	2.02	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170721  
 EUT X 4TX  
 Setting 23 (↑0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.742G	98.20	Inf	-Inf	9.91	3	H	336	1.49	-
PK	5.64G	60.25	68.20	-7.95	9.89	3	H	336	1.49	-
PK	5.741G	108.63	Inf	-Inf	9.91	3	H	336	1.49	-
PK	5.973G	59.40	68.20	-8.80	10.16	3	H	336	1.49	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170721  
 EUT X 4TX  
 Setting 24  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.782G	113.80	Inf	-Inf	9.92	3	V	42	1.92	-
PK	5.646G	68.18	68.20	-0.02	9.89	3	V	42	1.92	-
PK	5.782G	124.40	Inf	-Inf	9.92	3	V	42	1.92	-
PK	5.928G	65.14	68.20	-3.06	10.10	3	V	42	1.92	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170721  
 EUT X 4TX  
 Setting 24  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.783G	97.76	Inf	-Inf	9.92	3	H	203	1.08	-
PK	5.578G	60.32	68.20	-7.88	9.86	3	H	203	1.08	-
PK	5.784G	108.16	Inf	-Inf	9.92	3	H	203	1.08	-
PK	5.955G	60.22	68.20	-7.98	10.14	3	H	203	1.08	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170721  
 EUT X 4TX  
 Setting 24  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.833G	112.77	Inf	-Inf	9.97	3	V	296	1.00	-
PK	5.647G	61.67	68.20	-6.53	9.89	3	V	296	1.00	-
PK	5.832G	123.13	Inf	-Inf	9.96	3	V	296	1.00	-
PK	5.925G	67.96	68.20	-0.24	10.09	3	V	296	1.00	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170721  
 EUT X 4TX  
 Setting 24  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.817G	95.07	Inf	-Inf	9.94	3	H	31	1.50	-
PK	5.578G	59.40	68.20	-8.80	9.86	3	H	31	1.50	-
PK	5.819G	105.43	Inf	-Inf	9.95	3	H	31	1.50	-
PK	5.99G	59.94	68.20	-8.26	10.19	3	H	31	1.50	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170721  
 EUT X 4TX  
 Setting 19  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1424G	53.77	54.00	-0.23	9.02	3	V	352	2.18	-
AV	5.182G	106.61	Inf	-Inf	9.11	3	V	352	2.18	-
PK	5.1428G	69.07	74.00	-4.93	9.02	3	V	352	2.18	-
PK	5.1824G	116.70	Inf	-Inf	9.12	3	V	352	2.18	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170721  
 EUT X 4TX  
 Setting 19  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1452G	47.93	54.00	-6.07	9.02	3	H	257	1.71	-
AV	5.1844G	95.16	Inf	-Inf	9.12	3	H	257	1.71	-
PK	5.1452G	61.38	74.00	-12.62	9.02	3	H	257	1.71	-
PK	5.1848G	105.65	Inf	-Inf	9.12	3	H	257	1.71	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20.5 (±0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1392G	52.48	54.00	-1.52	9.01	3	V	353	2.08	-
AV	5.2408G	107.84	Inf	-Inf	9.24	3	V	353	2.08	-
PK	5.1396G	66.87	74.00	-7.13	9.01	3	V	353	2.08	-
PK	5.2212G	117.95	Inf	-Inf	9.20	3	V	353	2.08	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20.5 (±0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1472G	48.69	54.00	-5.31	9.03	3	H	359	1.88	-
AV	5.2288G	98.96	Inf	-Inf	9.21	3	H	359	1.88	-
PK	5.1476G	62.33	74.00	-11.67	9.03	3	H	359	1.88	-
PK	5.2288G	108.54	Inf	-Inf	9.21	3	H	359	1.88	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2688G	107.27	Inf	-Inf	9.29	3	V	1	2.09	-
AV	5.350005G	53.78	54.00	-0.22	9.44	3	V	1	2.09	-
PK	5.2688G	116.94	Inf	-Inf	9.29	3	V	1	2.09	-
PK	5.3512G	65.32	74.00	-8.68	9.44	3	V	1	2.09	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2724G	98.28	Inf	-Inf	9.30	3	H	273	2.59	-
AV	5.3528G	48.33	54.00	-5.67	9.44	3	H	273	2.59	-
PK	5.272G	107.94	Inf	-Inf	9.30	3	H	273	2.59	-
PK	5.3528G	61.05	74.00	-12.95	9.44	3	H	273	2.59	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170721  
 EUT X 4TX  
 Setting 19  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3028G	106.76	Inf	-Inf	9.35	3	V	265	1.53	-
AV	5.364G	53.88	54.00	-0.12	9.46	3	V	265	1.53	-
PK	5.3024G	116.46	Inf	-Inf	9.35	3	V	265	1.53	-
PK	5.3628G	68.87	74.00	-5.13	9.46	3	V	265	1.53	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170721  
 EUT X 4TX  
 Setting 19  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3144G	97.13	Inf	-Inf	9.37	3	H	271	2.78	-
AV	5.3536G	49.04	54.00	-4.96	9.44	3	H	271	2.78	-
PK	5.3136G	107.23	Inf	-Inf	9.37	3	H	271	2.78	-
PK	5.3516G	62.08	74.00	-11.92	9.44	3	H	271	2.78	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170721  
 EUT X 4TX  
 Setting 18.5( 升0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4444G	49.49	54.00	-4.51	9.64	3	V	48	1.93	-
AV	5.5056G	105.39	Inf	-Inf	9.80	3	V	48	1.93	-
PK	5.4516G	63.29	74.00	-10.71	9.66	3	V	48	1.93	-
PK	5.4666G	66.39	68.20	-1.81	9.70	3	V	48	1.93	-
PK	5.5048G	115.57	Inf	-Inf	9.79	3	V	48	1.93	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170721  
 EUT X 4TX  
 Setting 18.5( 7±0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4556G	47.76	54.00	-6.24	9.67	3	H	355	2.04	-
AV	5.5156G	97.02	Inf	-Inf	9.80	3	H	355	2.04	-
PK	5.454G	60.91	74.00	-13.09	9.67	3	H	355	2.04	-
PK	5.4636G	60.09	68.20	-8.11	9.69	3	H	355	2.04	-
PK	5.5152G	107.34	Inf	-Inf	9.80	3	H	355	2.04	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20.5  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4564G	53.95	54.00	-0.05	9.67	3	V	290	2.06	-
AV	5.5578G	107.98	Inf	-Inf	9.84	3	V	290	2.06	-
PK	5.4564G	68.04	74.00	-5.96	9.67	3	V	290	2.06	-
PK	5.4696G	66.64	68.20	-1.56	9.71	3	V	290	2.06	-
PK	5.5572G	118.07	Inf	-Inf	9.84	3	V	290	2.06	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170721  
 EUT X 4TX  
 Setting 20.5  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	49.08	54.00	-4.92	9.67	3	H	354	1.93	-
AV	5.556G	99.31	Inf	-Inf	9.84	3	H	354	1.93	-
PK	5.4558G	61.39	74.00	-12.61	9.67	3	H	354	1.93	-
PK	5.469G	62.17	68.20	-6.03	9.71	3	H	354	1.93	-
PK	5.554G	108.69	Inf	-Inf	9.84	3	H	354	1.93	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170721  
 EUT X 4TX  
 Setting 19  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6684G	106.64	Inf	-Inf	9.89	3	V	225	1.96	-
PK	5.6688G	116.21	Inf	-Inf	9.89	3	V	225	1.96	-
PK	5.7288G	67.89	68.20	-0.31	9.91	3	V	225	1.96	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170721  
 EUT X 4TX  
 Setting 19  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6776G	97.67	Inf	-Inf	9.90	3	H	269	2.88	-
PK	5.6776G	107.95	Inf	-Inf	9.90	3	H	269	2.88	-
PK	5.7372G	59.79	68.20	-8.41	9.91	3	H	269	2.88	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170721  
 EUT X 4TX  
 Setting 24.5  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4352G	49.81	54.00	-4.19	9.62	3	V	224	1.92	-
AV	5.7088G	111.31	Inf	-Inf	9.90	3	V	224	1.92	-
PK	5.4508G	63.09	74.00	-10.91	9.66	3	V	224	1.92	-
PK	5.464G	63.05	68.20	-5.15	9.69	3	V	224	1.92	-
PK	5.7088G	121.62	Inf	-Inf	9.90	3	V	224	1.92	-
PK	5.9836G	68.17	68.20	-0.03	10.18	3	V	224	1.92	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170721  
 EUT X 4TX  
 Setting 24.5  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4496G	48.18	54.00	-5.82	9.65	3	H	128	1.93	-
AV	5.7136G	102.46	Inf	-Inf	9.90	3	H	128	1.93	-
PK	5.4484G	60.36	74.00	-13.64	9.65	3	H	128	1.93	-
PK	5.4664G	60.07	68.20	-8.13	9.70	3	H	128	1.93	-
PK	5.7136G	112.56	Inf	-Inf	9.90	3	H	128	1.93	-
PK	5.944G	62.09	68.20	-6.11	10.12	3	H	128	1.93	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170721  
 EUT X 4TX  
 Setting 21.5  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.752G	108.04	Inf	-Inf	9.91	3	V	44	2.02	-
PK	5.649G	67.82	68.20	-0.38	9.89	3	V	44	2.02	-
PK	5.751G	117.74	Inf	-Inf	9.91	3	V	44	2.02	-
PK	5.953G	60.90	68.20	-7.30	10.13	3	V	44	2.02	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX



20170721  
 EUT X 4TX  
 Setting 21.5  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.765G	94.50	Inf	-Inf	9.91	3	H	249	1.09	-
PK	5.642G	60.35	68.20	-7.85	9.89	3	H	249	1.09	-
PK	5.764G	103.81	Inf	-Inf	9.91	3	H	249	1.09	-
PK	5.99G	59.61	68.20	-8.59	10.19	3	H	249	1.09	-





### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170721  
 EUT X 4TX  
 Setting 23 (↑0.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.788G	109.43	Inf	-Inf	9.92	3	V	269	1.76	-
PK	5.647G	63.51	68.20	-4.69	9.89	3	V	269	1.76	-
PK	5.807G	119.07	Inf	-Inf	9.93	3	V	269	1.76	-
PK	5.928G	67.06	68.20	-1.14	10.10	3	V	269	1.76	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX



20170721  
 EUT X 4TX  
 Setting 23 (↑10.5 Over)  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.785G	100.55	Inf	-Inf	9.92	3	H	5	1.24	-
PK	5.647G	60.83	68.20	-7.37	9.89	3	H	5	1.24	-
PK	5.786G	111.54	Inf	-Inf	9.92	3	H	5	1.24	-
PK	5.934G	61.38	68.20	-6.82	10.11	3	H	5	1.24	-