


802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86916G	48.01	54.00	-5.99	18.06	3	V	261	1.03	-
PK	15.8632G	61.48	74.00	-12.52	18.06	3	V	261	1.03	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86892G	48.11	54.00	-5.89	18.06	3	H	281	2.95	-
PK	15.87208G	60.83	74.00	-13.17	18.07	3	H	281	2.95	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86548G	48.02	54.00	-5.98	18.06	3	V	41	1.50	-
PK	15.86676G	61.52	74.00	-12.48	18.06	3	V	41	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86372G	47.93	54.00	-6.07	18.06	3	H	175	1.50	-
PK	15.86012G	61.73	74.00	-12.27	18.06	3	H	175	1.50	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86624G	48.03	54.00	-5.97	18.06	3	V	95	1.50	-
PK	15.87408G	61.25	74.00	-12.75	18.07	3	V	95	1.50	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86772G	47.85	54.00	-6.15	18.06	3	H	64	1.50	-
PK	15.87516G	60.64	74.00	-13.36	18.07	3	H	64	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06708G	42.02	54.00	-11.98	15.84	3	V	332	1.50	-
PK	11.05256G	55.44	74.00	-18.56	15.83	3	V	332	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06472G	42.01	54.00	-11.99	15.84	3	H	164	1.50	-
PK	11.06116G	55.13	74.00	-18.87	15.84	3	H	164	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22204G	42.22	54.00	-11.78	15.95	3	V	240	1.43	-
PK	11.20974G	55.59	74.00	-18.41	15.94	3	V	240	1.43	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.23386G	42.13	54.00	-11.87	15.95	3	H	149	1.31	-
PK	11.21514G	54.98	74.00	-19.02	15.94	3	H	149	1.31	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06848G	42.86	54.00	-11.14	15.85	3	V	2	1.50	-
PK	11.05096G	55.92	74.00	-18.08	15.83	3	V	2	1.50	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0694G	42.73	54.00	-11.27	15.85	3	H	27	1.49	-
PK	11.0556G	55.74	74.00	-18.26	15.84	3	H	27	1.49	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.2276G	42.37	54.00	-11.63	15.95	3	V	178	2.03	-
PK	11.22136G	55.52	74.00	-18.48	15.95	3	V	178	2.03	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.2162G	42.39	54.00	-11.61	15.94	3	H	282	2.69	-
PK	11.21848G	55.59	74.00	-18.41	15.94	3	H	282	2.69	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37124G	42.51	54.00	-11.49	16.05	3	V	337	1.50	-
PK	11.37028G	56.07	74.00	-17.93	16.04	3	V	337	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38952G	42.42	54.00	-11.58	16.06	3	H	330	1.66	-
PK	11.3876G	55.60	74.00	-18.40	16.06	3	H	330	1.66	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0504G	42.01	54.00	-11.99	15.83	3	V	222	1.50	-
PK	11.06944G	55.10	74.00	-18.90	15.85	3	V	222	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0546G	42.08	54.00	-11.92	15.84	3	H	206	1.48	-
PK	11.05376G	55.03	74.00	-18.97	15.84	3	H	206	1.48	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.2232G	42.06	54.00	-11.94	15.95	3	V	114	1.50	-
PK	11.22992G	54.92	74.00	-19.08	15.95	3	V	114	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22128G	41.98	54.00	-12.02	15.95	3	H	217	1.50	-
PK	11.21496G	54.99	74.00	-19.01	15.94	3	H	217	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3736G	42.21	54.00	-11.79	16.05	3	V	16	1.48	-
PK	11.38668G	55.54	74.00	-18.46	16.06	3	V	16	1.48	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3724G	42.16	54.00	-11.84	16.05	3	H	112	1.79	-
PK	11.37328G	55.92	74.00	-18.08	16.05	3	H	112	1.79	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0489G	41.93	54.00	-12.07	15.83	3	V	199	2.28	-
PK	11.04608G	54.92	74.00	-19.08	15.83	3	V	199	2.28	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.04542G	41.93	54.00	-12.07	15.83	3	H	272	1.29	-
PK	11.04554G	55.10	74.00	-18.90	15.83	3	H	272	1.29	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170626
 EUT_X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22618G	41.55	54.00	-12.45	15.95	3	V	325	2.00	-
PK	11.21526G	54.62	74.00	-19.38	15.94	3	V	325	2.00	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.23002G	41.46	54.00	-12.54	15.95	3	H	153	2.21	-
PK	11.20818G	54.99	74.00	-19.01	15.94	3	H	153	2.21	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0654G	43.00	54.00	-11.00	15.84	3	V	89	1.50	-
PK	11.06652G	56.21	74.00	-17.79	15.84	3	V	89	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06384G	43.18	54.00	-10.82	15.84	3	H	6	1.48	-
PK	11.0618G	56.40	74.00	-17.60	15.84	3	H	6	1.48	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37132G	42.46	54.00	-11.54	16.05	3	V	129	1.50	-
PK	11.38844G	55.78	74.00	-18.22	16.06	3	V	129	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37028G	42.50	54.00	-11.50	16.04	3	H	129	1.50	-
PK	11.37948G	55.58	74.00	-18.42	16.05	3	H	129	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5690MHz Straddle 5.47-5.725GHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.20542G	42.14	54.00	-11.86	15.94	3	V	179	2.33	-
PK	11.20938G	55.59	74.00	-18.41	15.94	3	V	179	2.33	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5690MHz Straddle 5.47-5.725GHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.23068G	42.17	54.00	-11.83	15.95	3	H	241	1.11	-
PK	11.22966G	55.37	74.00	-18.63	15.95	3	H	241	1.11	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39296G	42.96	54.00	-11.04	16.06	3	V	157	1.61	-
PK	11.38456G	56.00	74.00	-18.00	16.05	3	V	157	1.61	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.386G	43.08	54.00	-10.92	16.05	3	H	57	1.06	-
PK	11.39332G	55.85	74.00	-18.15	16.06	3	H	57	1.06	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38768G	42.37	54.00	-11.63	16.06	3	V	150	2.38	-
PK	11.38654G	55.32	74.00	-18.68	16.06	3	V	150	2.38	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38426G	42.27	54.00	-11.73	16.05	3	H	253	1.65	-
PK	11.36914G	55.61	74.00	-18.39	16.04	3	H	253	1.65	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55196G	41.91	54.00	-12.09	16.16	3	V	313	1.03	-
PK	11.5408G	54.95	74.00	-19.05	16.16	3	V	313	1.03	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.549G	41.97	54.00	-12.03	16.16	3	H	344	1.50	-
PK	11.55332G	54.77	74.00	-19.23	16.17	3	H	344	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5548G	41.74	54.00	-12.26	16.17	3	V	68	1.50	-
PK	11.54048G	54.92	74.00	-19.08	16.16	3	V	68	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5444G	41.78	54.00	-12.22	16.16	3	H	263	1.50	-
PK	11.54076G	54.69	74.00	-19.31	16.16	3	H	263	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54944G	41.58	54.00	-12.42	16.16	3	V	205	1.50	-
PK	11.55756G	54.68	74.00	-19.32	16.17	3	V	205	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170625
 4T2S_80+80_EUT X_Ant Y(Patch大方)
 Setting 25
 04-P-1
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55096G	41.60	54.00	-12.40	16.16	3	H	221	2.97	-
PK	11.5434G	54.72	74.00	-19.28	16.16	3	H	221	2.97	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5614G	42.19	54.00	-11.81	16.17	3	V	122	1.36	-
PK	11.55936G	55.60	74.00	-18.40	16.17	3	V	122	1.36	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56008G	42.10	54.00	-11.90	16.17	3	H	311	1.77	-
PK	11.54622G	54.51	74.00	-19.49	16.16	3	H	311	1.77	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5690MHz,#5775MHz Straddle 5.725-5.85GHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54712G	41.80	54.00	-12.20	16.16	3	V	148	2.41	-
PK	11.5512G	54.81	74.00	-19.19	16.16	3	V	148	2.41	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5690MHz,#5775MHz Straddle 5.725-5.85GHz_TX




20170626
 EUT X_4TX ANT(Patch大方)
 Setting 25
 04-J-5
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56404G	41.91	54.00	-12.09	16.17	3	H	155	1.91	-
PK	11.55804G	54.73	74.00	-19.27	16.17	3	H	155	1.91	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6435G	43.90	54.00	-10.10	17.80	3	V	29	2.42	-
PK	15.62742G	57.50	74.00	-16.50	17.84	3	V	29	2.42	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.61734G	43.92	54.00	-10.08	17.86	3	H	241	2.24	-
PK	15.61968G	57.15	74.00	-16.85	17.86	3	H	241	2.24	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.63246G	43.93	54.00	-10.07	17.83	3	V	7	1.95	-
PK	15.61686G	56.82	74.00	-17.18	17.86	3	V	7	1.95	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170830
EUT X 4TX
Setting 29
02-Z-1
FSU
ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.64242G	43.86	54.00	-10.14	17.88	3	H	289	1.18	-
PK	15.6426G	57.18	74.00	-16.82	17.88	3	H	289	1.18	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62004G	43.81	54.00	-10.19	17.85	3	V	211	1.05	-
PK	15.63858G	56.78	74.00	-17.22	17.81	3	V	211	1.05	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6285G	43.87	54.00	-10.13	17.87	3	H	85	1.19	-
PK	15.64116G	57.39	74.00	-16.61	17.88	3	H	85	1.19	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.63702G	43.75	54.00	-10.25	17.82	3	V	236	1.20	-
PK	15.63762G	56.50	74.00	-17.50	17.82	3	V	236	1.20	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62784G	43.81	54.00	-10.19	17.87	3	H	252	1.07	-
PK	15.64224G	56.64	74.00	-17.36	17.88	3	H	252	1.07	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62088G	44.28	54.00	-9.72	17.85	3	V	110	2.02	-
PK	15.64416G	57.67	74.00	-16.33	17.80	3	V	110	2.02	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62682G	44.28	54.00	-9.72	17.87	3	H	123	1.75	-
PK	15.63594G	57.47	74.00	-16.53	17.88	3	H	123	1.75	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170830
EUT X 4TX
Setting 29
02-Z-1
FSU
ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86502G	43.00	54.00	-11.00	17.32	3	V	224	2.13	-
PK	15.85806G	56.00	74.00	-18.00	17.34	3	V	224	2.13	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87624G	43.69	54.00	-10.31	18.07	3	H	145	1.49	-
PK	15.86922G	56.79	74.00	-17.21	18.06	3	H	145	1.49	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88182G	43.04	54.00	-10.96	17.29	3	V	272	2.28	-
PK	15.86982G	56.84	74.00	-17.16	17.31	3	V	272	2.28	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88278G	43.74	54.00	-10.26	18.08	3	H	186	2.00	-
PK	15.86994G	56.57	74.00	-17.43	18.06	3	H	186	2.00	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8811G	42.82	54.00	-11.18	17.29	3	V	102	2.38	-
PK	15.8604G	55.71	74.00	-18.29	17.33	3	V	102	2.38	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170830
EUT X 4TX
Setting 29
02-Z-1
FSU
ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88488G	43.93	54.00	-10.07	18.08	3	H	140	2.15	-
PK	15.86754G	56.75	74.00	-17.25	18.06	3	H	140	2.15	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88344G	42.88	54.00	-11.12	17.28	3	V	122	1.55	-
PK	15.8649G	55.70	74.00	-18.30	17.32	3	V	122	1.55	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170830
EUT X 4TX
Setting 29
02-Z-1
FSU
ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88404G	43.58	54.00	-10.42	18.08	3	H	312	1.42	-
PK	15.8832G	56.63	74.00	-17.37	18.08	3	H	312	1.42	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88404G	42.65	54.00	-11.35	17.28	3	V	208	1.56	-
PK	15.85608G	55.82	74.00	-18.18	17.34	3	V	208	1.56	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86976G	43.50	54.00	-10.50	18.06	3	H	122	1.97	-
PK	15.88098G	56.66	74.00	-17.34	18.07	3	H	122	1.97	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05424G	41.43	54.00	-12.57	15.89	3	V	12	1.35	-
PK	11.05172G	54.56	74.00	-19.44	15.89	3	V	12	1.35	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06042G	41.42	54.00	-12.58	15.84	3	H	182	1.32	-
PK	11.06918G	54.00	74.00	-20.00	15.85	3	H	182	1.32	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.23308G	41.35	54.00	-12.65	16.08	3	V	87	1.24	-
PK	11.22774G	54.70	74.00	-19.30	16.08	3	V	87	1.24	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170830
EUT X 4TX
Setting 29
02-Z-1
FSU
ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22828G	41.31	54.00	-12.69	16.08	3	H	20	1.03	-
PK	11.2134G	55.02	74.00	-18.98	16.06	3	H	20	1.03	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05982G	41.46	54.00	-12.54	15.90	3	V	88	1.26	-
PK	11.04626G	54.32	74.00	-19.68	15.88	3	V	88	1.26	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05982G	41.38	54.00	-12.62	15.84	3	H	218	1.21	-
PK	11.05874G	54.13	74.00	-19.87	15.84	3	H	218	1.21	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.21784G	41.29	54.00	-12.71	16.07	3	V	337	2.40	-
PK	11.22972G	55.06	74.00	-18.94	16.08	3	V	337	2.40	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.20932G	41.29	54.00	-12.71	16.06	3	H	322	1.56	-
PK	11.23206G	54.60	74.00	-19.40	16.08	3	H	322	1.56	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5690MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38222G	41.94	54.00	-12.06	16.25	3	V	7	1.71	-
PK	11.38312G	54.99	74.00	-19.01	16.25	3	V	7	1.71	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5690MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38108G	41.98	54.00	-12.02	16.25	3	H	275	2.04	-
PK	11.38114G	55.21	74.00	-18.79	16.25	3	H	275	2.04	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06264G	41.33	54.00	-12.67	15.90	3	V	259	2.08	-
PK	11.07326G	54.81	74.00	-19.19	15.91	3	V	259	2.08	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0459G	41.35	54.00	-12.65	15.83	3	H	31	1.71	-
PK	11.04884G	54.52	74.00	-19.48	15.83	3	H	31	1.71	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.23056G	41.30	54.00	-12.70	16.08	3	V	317	2.09	-
PK	11.2143G	54.39	74.00	-19.61	16.06	3	V	317	2.09	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22852G	41.37	54.00	-12.63	16.08	3	H	4	1.30	-
PK	11.22138G	54.26	74.00	-19.74	16.07	3	H	4	1.30	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5690MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37874G	42.05	54.00	-11.95	16.24	3	V	133	1.17	-
PK	11.38246G	56.03	74.00	-17.97	16.25	3	V	133	1.17	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5690MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3923G	42.00	54.00	-12.00	16.26	3	H	208	1.70	-
PK	11.39368G	54.57	74.00	-19.43	16.26	3	H	208	1.70	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06114G	41.48	54.00	-12.52	15.90	3	V	147	2.28	-
PK	11.05904G	54.31	74.00	-19.69	15.89	3	V	147	2.28	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170830
EUT X 4TX
Setting 29
02-Z-1
FSU
ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.07494G	41.26	54.00	-12.74	15.85	3	H	222	2.43	-
PK	11.07134G	55.74	74.00	-18.26	15.85	3	H	222	2.43	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.21418G	41.36	54.00	-12.64	16.06	3	V	81	1.40	-
PK	11.20572G	55.12	74.00	-18.88	16.05	3	V	81	1.40	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22906G	41.33	54.00	-12.67	16.08	3	H	23	2.29	-
PK	11.22822G	54.31	74.00	-19.69	16.08	3	H	23	2.29	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.069G	41.31	54.00	-12.69	15.91	3	V	313	2.44	-
PK	11.0669G	54.53	74.00	-19.47	15.90	3	V	313	2.44	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.04992G	41.33	54.00	-12.67	15.83	3	H	209	1.28	-
PK	11.06294G	54.59	74.00	-19.41	15.84	3	H	209	1.28	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5690MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39146G	41.94	54.00	-12.06	16.26	3	V	177	1.47	-
PK	11.38252G	54.91	74.00	-19.09	16.25	3	V	177	1.47	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5690MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39452G	42.02	54.00	-11.98	16.26	3	H	341	2.26	-
PK	11.39446G	55.19	74.00	-18.81	16.26	3	H	341	2.26	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5690MHz,5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38504G	41.97	54.00	-12.03	16.25	3	V	66	2.29	-
PK	11.36518G	55.69	74.00	-18.31	16.23	3	V	66	2.29	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5690MHz,5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38906G	42.04	54.00	-11.96	16.25	3	H	18	1.16	-
PK	11.39152G	55.57	74.00	-18.43	16.26	3	H	18	1.16	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5386G	41.72	54.00	-12.28	16.42	3	V	241	2.33	-
PK	11.54322G	55.16	74.00	-18.84	16.42	3	V	241	2.33	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54742G	41.73	54.00	-12.27	16.43	3	H	191	1.46	-
PK	11.56422G	55.71	74.00	-18.29	16.44	3	H	191	1.46	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55672G	41.95	54.00	-12.05	16.44	3	V	233	1.58	-
PK	11.55756G	55.46	74.00	-18.54	16.44	3	V	233	1.58	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55258G	41.78	54.00	-12.22	16.43	3	H	88	1.34	-
PK	11.559G	55.33	74.00	-18.67	16.44	3	H	88	1.34	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.53524G	41.87	54.00	-12.13	16.41	3	V	140	1.90	-
PK	11.5488G	55.24	74.00	-18.76	16.43	3	V	140	1.90	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54484G	41.87	54.00	-12.13	16.42	3	H	148	1.82	-
PK	11.53794G	55.03	74.00	-18.97	16.42	3	H	148	1.82	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5572G	41.77	54.00	-12.23	16.44	3	V	109	2.42	-
PK	11.53734G	55.62	74.00	-18.38	16.42	3	V	109	2.42	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5509G	41.82	54.00	-12.18	16.43	3	H	284	2.02	-
PK	11.56368G	54.64	74.00	-19.36	16.44	3	H	284	2.02	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5690MHz,#5775MHz_TX




20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55288G	41.93	54.00	-12.07	16.43	3	V	150	1.82	-
PK	11.55282G	55.19	74.00	-18.81	16.43	3	V	150	1.82	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5690MHz,#5775MHz_TX



20170830
 EUT X 4TX
 Setting 29
 02-Z-1
 FSU
 ANT Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54688G	41.74	54.00	-12.26	16.43	3	H	219	2.46	-
PK	11.53752G	55.31	74.00	-18.69	16.42	3	H	219	2.46	-




For set 4 antenna / 4T2S

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz	Pass	AV	5.354G	53.99	54.00	-0.01	9.44	3	V	1	2.13	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170714
 EUT X_4TX
 Setting 20.5 (升0.5 Over)
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1252G	51.99	54.00	-2.01	8.97	3	V	268	1.43	-
AV	5.2324G	97.37	Inf	-Inf	9.22	3	V	268	1.43	-
AV	5.4084G	51.85	54.00	-2.15	9.54	3	V	268	1.43	-
PK	5.1324G	65.43	74.00	-8.57	8.99	3	V	268	1.43	-
PK	5.234G	108.69	Inf	-Inf	9.22	3	V	268	1.43	-
PK	5.4044G	64.43	74.00	-9.57	9.53	3	V	268	1.43	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170714
 EUT X_4TX
 Setting 20.5 (升0.5 Over)
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.77	54.00	-1.23	9.03	3	H	278	1.47	-
AV	5.2332G	98.39	Inf	-Inf	9.22	3	H	278	1.47	-
AV	5.4092G	52.32	54.00	-1.68	9.54	3	H	278	1.47	-
PK	5.1164G	66.81	74.00	-7.19	8.95	3	H	278	1.47	-
PK	5.2292G	109.45	Inf	-Inf	9.22	3	H	278	1.47	-
PK	5.406G	65.78	74.00	-8.22	9.54	3	H	278	1.47	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	53.27	54.00	-0.73	9.02	3	V	271	1.50	-
AV	5.2324G	97.47	Inf	-Inf	9.22	3	V	271	1.50	-
AV	5.3508G	51.41	54.00	-2.59	9.44	3	V	271	1.50	-
PK	5.1436G	68.21	74.00	-5.79	9.02	3	V	271	1.50	-
PK	5.2036G	108.75	Inf	-Inf	9.17	3	V	271	1.50	-
PK	5.3532G	63.30	74.00	-10.70	9.44	3	V	271	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	52.93	54.00	-1.07	9.03	3	H	282	1.67	-
AV	5.214G	98.74	Inf	-Inf	9.19	3	H	282	1.67	-
AV	5.350005G	51.84	54.00	-2.16	9.44	3	H	282	1.67	-
PK	5.149995G	66.47	74.00	-7.53	9.03	3	H	282	1.67	-
PK	5.2292G	110.41	Inf	-Inf	9.22	3	H	282	1.67	-
PK	5.3524G	65.26	74.00	-8.74	9.44	3	H	282	1.67	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170714
 EUT X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1404G	52.30	54.00	-1.70	9.01	3	V	264	1.44	-
AV	5.2316G	97.53	Inf	-Inf	9.22	3	V	264	1.44	-
AV	5.3508G	51.38	54.00	-2.62	9.44	3	V	264	1.44	-
PK	5.1372G	67.45	74.00	-6.55	9.00	3	V	264	1.44	-
PK	5.234G	108.41	Inf	-Inf	9.22	3	V	264	1.44	-
PK	5.3524G	62.44	74.00	-11.56	9.44	3	V	264	1.44	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1468G	52.60	54.00	-1.40	9.03	3	H	272	1.50	-
AV	5.2332G	98.72	Inf	-Inf	9.22	3	H	272	1.50	-
AV	5.3532G	51.47	54.00	-2.53	9.44	3	H	272	1.50	-
PK	5.1412G	67.09	74.00	-6.91	9.01	3	H	272	1.50	-
PK	5.2292G	109.43	Inf	-Inf	9.22	3	H	272	1.50	-
PK	5.354G	63.42	74.00	-10.58	9.44	3	H	272	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.70	54.00	-1.30	9.03	3	V	259	1.45	-
AV	5.232G	97.88	Inf	-Inf	9.22	3	V	259	1.45	-
AV	5.350005G	51.62	54.00	-2.38	9.44	3	V	259	1.45	-
PK	5.139G	68.18	74.00	-5.82	9.01	3	V	259	1.45	-
PK	5.234G	108.52	Inf	-Inf	9.22	3	V	259	1.45	-
PK	5.350005G	63.07	74.00	-10.93	9.44	3	V	259	1.45	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	52.80	54.00	-1.20	9.03	3	H	262	1.49	-
AV	5.214G	98.46	Inf	-Inf	9.19	3	H	262	1.49	-
AV	5.350005G	51.64	54.00	-2.36	9.44	3	H	262	1.49	-
PK	5.149G	66.18	74.00	-7.82	9.03	3	H	262	1.49	-
PK	5.227G	109.96	Inf	-Inf	9.21	3	H	262	1.49	-
PK	5.350005G	63.67	74.00	-10.33	9.44	3	H	262	1.49	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170713
 EUT X_4TX
 Setting 20
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	49.99	54.00	-4.01	9.03	3	V	265	1.49	-
AV	5.198G	95.91	Inf	-Inf	9.15	3	V	265	1.49	-
AV	5.353G	53.54	54.00	-0.46	9.44	3	V	265	1.49	-
PK	5.142G	64.81	74.00	-9.19	9.02	3	V	265	1.49	-
PK	5.231G	106.33	Inf	-Inf	9.22	3	V	265	1.49	-
PK	5.355G	66.82	74.00	-7.18	9.44	3	V	265	1.49	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170713
 EUT X_4TX
 Setting 20
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	50.37	54.00	-3.63	9.03	3	H	289	1.50	-
AV	5.234G	97.58	Inf	-Inf	9.22	3	H	289	1.50	-
AV	5.350005G	53.87	54.00	-0.13	9.44	3	H	289	1.50	-
PK	5.132G	63.29	74.00	-10.71	8.99	3	H	289	1.50	-
PK	5.229G	109.35	Inf	-Inf	9.22	3	H	289	1.50	-
PK	5.357G	65.13	74.00	-8.87	9.45	3	H	289	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170714
 EUT_X_4TX
 Setting 18.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	47.40	54.00	-6.60	9.03	3	V	254	1.50	-
AV	5.278G	96.41	Inf	-Inf	9.31	3	V	254	1.50	-
AV	5.354G	52.87	54.00	-1.13	9.44	3	V	254	1.50	-
PK	5G	59.72	74.00	-14.28	8.63	3	V	254	1.50	-
PK	5.314G	107.07	Inf	-Inf	9.37	3	V	254	1.50	-
PK	5.352G	64.56	74.00	-9.44	9.44	3	V	254	1.50	-
PK	5.464G	62.73	68.20	-5.47	9.69	3	V	254	1.50	-
PK	5.736G	62.08	68.20	-6.12	9.91	3	V	254	1.50	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170714
 EUT_X_4TX
 Setting 18.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.14G	47.21	54.00	-6.79	9.01	3	H	266	1.54	-
AV	5.314G	96.64	Inf	-Inf	9.37	3	H	266	1.54	-
AV	5.350005G	53.69	54.00	-0.31	9.44	3	H	266	1.54	-
PK	5.014G	59.05	74.00	-14.95	8.67	3	H	266	1.54	-
PK	5.308G	108.07	Inf	-Inf	9.36	3	H	266	1.54	-
PK	5.366G	65.44	74.00	-8.56	9.46	3	H	266	1.54	-
PK	5.464G	60.25	68.20	-7.95	9.69	3	H	266	1.54	-
PK	5.734G	60.67	68.20	-7.53	9.91	3	H	266	1.54	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170714
 EUT_X_4TX
 Setting 18.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.19	54.00	-6.81	9.03	3	V	258	1.48	-
AV	5.278G	95.37	Inf	-Inf	9.31	3	V	258	1.48	-
AV	5.3524G	51.19	54.00	-2.81	9.44	3	V	258	1.48	-
PK	5.146G	58.87	74.00	-15.13	9.02	3	V	258	1.48	-
PK	5.2772G	106.18	Inf	-Inf	9.31	3	V	258	1.48	-
PK	5.3588G	62.82	74.00	-11.18	9.45	3	V	258	1.48	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170714
 EUT_X_4TX
 Setting 18.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1468G	46.96	54.00	-7.04	9.03	3	H	265	1.49	-
AV	5.294G	96.09	Inf	-Inf	9.34	3	H	265	1.49	-
AV	5.3516G	52.83	54.00	-1.17	9.44	3	H	265	1.49	-
PK	5.1476G	59.36	74.00	-14.64	9.03	3	H	265	1.49	-
PK	5.3068G	107.45	Inf	-Inf	9.36	3	H	265	1.49	-
PK	5.354G	65.00	74.00	-9.00	9.44	3	H	265	1.49	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170714
 EUT_X_4TX
 Setting 18.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1428G	47.15	54.00	-6.85	9.02	3	V	246	1.49	-
AV	5.278G	95.61	Inf	-Inf	9.31	3	V	246	1.49	-
AV	5.3508G	51.32	54.00	-2.68	9.44	3	V	246	1.49	-
PK	5.114G	59.09	74.00	-14.91	8.95	3	V	246	1.49	-
PK	5.298G	106.16	Inf	-Inf	9.35	3	V	246	1.49	-
PK	5.354G	63.50	74.00	-10.50	9.44	3	V	246	1.49	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170714
 EUT X_4TX
 Setting 18.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1468G	46.98	54.00	-7.02	9.03	3	H	266	1.65	-
AV	5.294G	96.21	Inf	-Inf	9.34	3	H	266	1.65	-
AV	5.3516G	53.29	54.00	-0.71	9.44	3	H	266	1.65	-
PK	5.1228G	59.01	74.00	-14.99	8.97	3	H	266	1.65	-
PK	5.3092G	107.50	Inf	-Inf	9.37	3	H	266	1.65	-
PK	5.354G	66.85	74.00	-7.15	9.44	3	H	266	1.65	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170714
 EUT_X_4TX
 Setting 18.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.145G	46.92	54.00	-7.08	9.02	3	V	253	1.35	-
AV	5.278G	95.39	Inf	-Inf	9.31	3	V	253	1.35	-
AV	5.351G	51.26	54.00	-2.74	9.44	3	V	253	1.35	-
PK	5.117G	58.79	74.00	-15.21	8.95	3	V	253	1.35	-
PK	5.277G	106.17	Inf	-Inf	9.31	3	V	253	1.35	-
PK	5.351G	63.73	74.00	-10.27	9.44	3	V	253	1.35	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170714
 EUT_X_4TX
 Setting 18.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	46.99	54.00	-7.01	9.03	3	H	271	1.49	-
AV	5.293G	96.50	Inf	-Inf	9.34	3	H	271	1.49	-
AV	5.354G	52.91	54.00	-1.09	9.44	3	H	271	1.49	-
PK	5.101G	59.14	74.00	-14.86	8.91	3	H	271	1.49	-
PK	5.309G	107.43	Inf	-Inf	9.37	3	H	271	1.49	-
PK	5.356G	65.22	74.00	-8.78	9.45	3	H	271	1.49	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170714
 EUT X_4TX
 Setting 19
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.147G	48.94	54.00	-5.06	9.03	3	V	252	1.02	-
AV	5.294G	96.21	Inf	-Inf	9.34	3	V	252	1.02	-
AV	5.354G	52.37	54.00	-1.63	9.44	3	V	252	1.02	-
PK	5.144G	63.08	74.00	-10.92	9.02	3	V	252	1.02	-
PK	5.282G	107.75	Inf	-Inf	9.32	3	V	252	1.02	-
PK	5.357G	63.49	74.00	-10.51	9.45	3	V	252	1.02	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170714
 EUT_X_4TX
 Setting 19
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	48.85	54.00	-5.15	9.03	3	H	258	2.31	-
AV	5.302G	96.33	Inf	-Inf	9.35	3	H	258	2.31	-
AV	5.350005G	52.75	54.00	-1.25	9.44	3	H	258	2.31	-
PK	5.141G	61.58	74.00	-12.42	9.01	3	H	258	2.31	-
PK	5.306G	108.50	Inf	-Inf	9.36	3	H	258	2.31	-
PK	5.350005G	65.08	74.00	-8.92	9.44	3	H	258	2.31	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	52.30	54.00	-1.70	9.68	3	V	235	1.37	-
AV	5.513G	98.27	Inf	-Inf	9.80	3	V	235	1.37	-
PK	5.455G	66.27	74.00	-7.73	9.67	3	V	235	1.37	-
PK	5.464G	66.44	68.20	-1.76	9.69	3	V	235	1.37	-
PK	5.536G	108.94	Inf	-Inf	9.82	3	V	235	1.37	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170714
 EUT X_4TX
 Setting 20 (升0.5 Over)
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	52.32	54.00	-1.68	9.68	3	H	245	1.30	-
AV	5.534G	99.22	Inf	-Inf	9.82	3	H	245	1.30	-
PK	5.465G	65.16	68.20	-3.04	9.70	3	H	245	1.30	-
PK	5.534G	109.57	Inf	-Inf	9.82	3	H	245	1.30	-
PK	5.458G	66.35	74.00	-7.65	9.68	3	H	245	1.30	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	51.63	54.00	-2.37	9.68	3	V	223	1.50	-
AV	5.596G	98.74	Inf	-Inf	9.88	3	V	223	1.50	-
PK	5.456G	64.51	74.00	-9.49	9.67	3	V	223	1.50	-
PK	5.463G	65.23	68.20	-2.97	9.69	3	V	223	1.50	-
PK	5.604G	110.16	Inf	-Inf	9.88	3	V	223	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170714
 EUT X_4TX
 Setting 20.5 (±0.5 Over)
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.69	54.00	-3.31	9.68	3	H	227	1.49	-
AV	5.634G	99.40	Inf	-Inf	9.89	3	H	227	1.49	-
PK	5.46G	62.72	74.00	-11.28	9.68	3	H	227	1.49	-
PK	5.466G	63.95	68.20	-4.25	9.70	3	H	227	1.49	-
PK	5.629G	110.57	Inf	-Inf	9.89	3	H	227	1.49	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170714
 EUT_X_4TX
 Setting 19.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	51.87	54.00	-2.13	9.67	3	V	208	2.08	-
AV	5.5268G	98.42	Inf	-Inf	9.81	3	V	208	2.08	-
PK	5.4532G	66.13	74.00	-7.87	9.66	3	V	208	2.08	-
PK	5.4636G	67.39	68.20	-0.81	9.69	3	V	208	2.08	-
PK	5.5236G	109.66	Inf	-Inf	9.81	3	V	208	2.08	-
PK	5.726G	58.95	68.20	-9.25	9.91	3	V	208	2.08	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170714
 EUT_X_4TX
 Setting 19.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	53.14	54.00	-0.86	9.68	3	H	228	2.21	-
AV	5.5156G	99.21	Inf	-Inf	9.80	3	H	228	2.21	-
PK	5.4452G	67.03	74.00	-6.97	9.64	3	H	228	2.21	-
PK	5.4628G	66.87	68.20	-1.33	9.69	3	H	228	2.21	-
PK	5.5156G	110.30	Inf	-Inf	9.80	3	H	228	2.21	-
PK	5.726G	60.26	68.20	-7.94	9.91	3	H	228	2.21	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170714
 EUT X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	51.14	54.00	-2.86	9.68	3	V	205	2.03	-
AV	5.606G	99.14	Inf	-Inf	9.88	3	V	205	2.03	-
PK	5.4572G	62.90	74.00	-11.10	9.67	3	V	205	2.03	-
PK	5.4692G	65.97	68.20	-2.23	9.71	3	V	205	2.03	-
PK	5.5988G	110.05	Inf	-Inf	9.88	3	V	205	2.03	-
PK	5.7252G	67.65	68.20	-0.55	9.91	3	V	205	2.03	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	50.80	54.00	-3.20	9.68	3	H	224	2.16	-
AV	5.5932G	100.36	Inf	-Inf	9.87	3	H	224	2.16	-
PK	5.458G	62.48	74.00	-11.52	9.68	3	H	224	2.16	-
PK	5.4644G	63.54	68.20	-4.66	9.69	3	H	224	2.16	-
PK	5.5852G	112.25	Inf	-Inf	9.87	3	H	224	2.16	-
PK	5.73G	67.30	68.20	-0.90	9.91	3	H	224	2.16	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5690MHz_TX




20170714
 EUT X_4TX
 Setting 21.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.39G	53.41	54.00	-0.59	9.50	3	V	211	1.90	-
AV	5.6864G	100.13	Inf	-Inf	9.90	3	V	211	1.90	-
PK	5.396G	66.06	74.00	-7.94	9.51	3	V	211	1.90	-
PK	5.462G	62.54	68.20	-5.66	9.69	3	V	211	1.90	-
PK	5.7092G	110.39	Inf	-Inf	9.90	3	V	211	1.90	-
PK	5.9264G	61.02	68.20	-7.18	10.10	3	V	211	1.90	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5690MHz_TX




20170714
 EUT_X_4TX
 Setting 21.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3912G	53.67	54.00	-0.33	9.51	3	H	225	2.20	-
AV	5.6732G	100.87	Inf	-Inf	9.89	3	H	225	2.20	-
PK	5.4032G	66.86	74.00	-7.14	9.53	3	H	225	2.20	-
PK	5.460005G	62.62	68.20	-5.58	9.68	3	H	225	2.20	-
PK	5.6852G	112.13	Inf	-Inf	9.90	3	H	225	2.20	-
PK	5.9492G	60.29	68.20	-7.91	10.13	3	H	225	2.20	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170714
 EUT_X_4TX
 Setting 19
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.350005G	51.38	54.00	-2.62	9.44	3	V	196	2.05	-
AV	5.526G	97.71	Inf	-Inf	9.81	3	V	196	2.05	-
PK	5.354G	63.12	74.00	-10.88	9.44	3	V	196	2.05	-
PK	5.462G	63.88	68.20	-4.32	9.69	3	V	196	2.05	-
PK	5.524G	109.17	Inf	-Inf	9.81	3	V	196	2.05	-
PK	5.798G	61.88	68.20	-6.32	9.92	3	V	196	2.05	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170714
 EUT_X_4TX
 Setting 19
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.352G	53.54	54.00	-0.46	9.44	3	H	219	2.11	-
AV	5.514G	98.54	Inf	-Inf	9.80	3	H	219	2.11	-
PK	5.466G	63.97	68.20	-4.23	9.70	3	H	219	2.11	-
PK	5.546G	109.16	Inf	-Inf	9.83	3	H	219	2.11	-
PK	5.748G	64.08	68.20	-4.12	9.91	3	H	219	2.11	-
PK	5.356G	66.02	74.00	-7.98	9.45	3	H	219	2.11	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170714
 EUT X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	52.59	54.00	-1.41	9.67	3	V	200	2.01	-
AV	5.606G	99.92	Inf	-Inf	9.88	3	V	200	2.01	-
PK	5.4588G	65.44	74.00	-8.56	9.68	3	V	200	2.01	-
PK	5.4692G	67.10	68.20	-1.10	9.71	3	V	200	2.01	-
PK	5.5964G	110.02	Inf	-Inf	9.88	3	V	200	2.01	-
PK	5.7268G	67.66	68.20	-0.54	9.91	3	V	200	2.01	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.41G	51.83	54.00	-2.17	9.55	3	H	218	2.16	-
AV	5.5956G	100.21	Inf	-Inf	9.88	3	H	218	2.16	-
PK	5.4524G	64.60	74.00	-9.40	9.66	3	H	218	2.16	-
PK	5.4684G	64.88	68.20	-3.32	9.70	3	H	218	2.16	-
PK	5.6172G	111.02	Inf	-Inf	9.88	3	H	218	2.16	-
PK	5.7268G	67.14	68.20	-1.06	9.91	3	H	218	2.16	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5690MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.39G	52.60	54.00	-1.40	9.50	3	V	196	1.99	-
AV	5.666G	99.05	Inf	-Inf	9.89	3	V	196	1.99	-
PK	5.3948G	65.93	74.00	-8.07	9.51	3	V	196	1.99	-
PK	5.462G	59.92	68.20	-8.28	9.69	3	V	196	1.99	-
PK	5.6768G	109.21	Inf	-Inf	9.90	3	V	196	1.99	-
PK	5.9276G	59.65	68.20	-8.55	10.10	3	V	196	1.99	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5690MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.39G	53.47	54.00	-0.53	9.50	3	H	221	2.22	-
AV	5.672G	99.30	Inf	-Inf	9.89	3	H	221	2.22	-
PK	5.3936G	65.38	74.00	-8.62	9.51	3	H	221	2.22	-
PK	5.460005G	59.90	68.20	-8.30	9.68	3	H	221	2.22	-
PK	5.666G	109.84	Inf	-Inf	9.89	3	H	221	2.22	-
PK	5.9264G	60.09	68.20	-8.11	10.10	3	H	221	2.22	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	52.55	54.00	-1.45	9.68	3	V	261	1.59	-
AV	5.513G	98.42	Inf	-Inf	9.80	3	V	261	1.59	-
PK	5.455G	67.50	74.00	-6.50	9.67	3	V	261	1.59	-
PK	5.465G	65.43	68.20	-2.77	9.70	3	V	261	1.59	-
PK	5.505G	109.43	Inf	-Inf	9.79	3	V	261	1.59	-
PK	5.736G	60.96	68.20	-7.24	9.91	3	V	261	1.59	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170714
 EUT X_4TX
 Setting 20
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	53.07	54.00	-0.93	9.67	3	H	262	1.50	-
AV	5.534G	98.95	Inf	-Inf	9.82	3	H	262	1.50	-
PK	5.437G	66.12	74.00	-7.88	9.62	3	H	262	1.50	-
PK	5.463G	65.08	68.20	-3.12	9.69	3	H	262	1.50	-
PK	5.512G	109.45	Inf	-Inf	9.80	3	H	262	1.50	-
PK	5.726G	61.37	68.20	-6.83	9.91	3	H	262	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	51.82	54.00	-2.18	9.68	3	V	196	2.01	-
AV	5.607G	99.41	Inf	-Inf	9.88	3	V	196	2.01	-
PK	5.457G	65.82	74.00	-8.18	9.67	3	V	196	2.01	-
PK	5.463G	64.60	68.20	-3.60	9.69	3	V	196	2.01	-
PK	5.624G	109.38	Inf	-Inf	9.88	3	V	196	2.01	-
PK	5.755G	61.88	68.20	-6.32	9.91	3	V	196	2.01	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.14	54.00	-0.86	9.68	3	H	214	2.15	-
AV	5.596G	99.78	Inf	-Inf	9.88	3	H	214	2.15	-
PK	5.455G	67.16	74.00	-6.84	9.67	3	H	214	2.15	-
PK	5.464G	66.28	68.20	-1.92	9.69	3	H	214	2.15	-
PK	5.625G	111.07	Inf	-Inf	9.88	3	H	214	2.15	-
PK	5.729G	63.31	68.20	-4.89	9.91	3	H	214	2.15	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	52.80	54.00	-1.20	9.67	3	V	235	1.47	-
AV	5.514G	98.20	Inf	-Inf	9.80	3	V	235	1.47	-
PK	5.458G	66.27	74.00	-7.73	9.68	3	V	235	1.47	-
PK	5.468G	65.37	68.20	-2.83	9.70	3	V	235	1.47	-
PK	5.536G	109.61	Inf	-Inf	9.82	3	V	235	1.47	-
PK	5.856G	60.53	68.20	-7.67	10.00	3	V	235	1.47	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	53.63	54.00	-0.37	9.67	3	H	247	1.49	-
AV	5.534G	99.09	Inf	-Inf	9.82	3	H	247	1.49	-
PK	5.452G	65.88	74.00	-8.12	9.66	3	H	247	1.49	-
PK	5.468G	65.78	68.20	-2.42	9.70	3	H	247	1.49	-
PK	5.548G	110.08	Inf	-Inf	9.83	3	H	247	1.49	-
PK	5.862G	61.01	68.20	-7.19	10.01	3	H	247	1.49	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5690MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	51.89	54.00	-2.11	9.67	3	V	203	1.97	-
AV	5.694G	98.78	Inf	-Inf	9.90	3	V	203	1.97	-
PK	5.458G	65.20	74.00	-8.80	9.68	3	V	203	1.97	-
PK	5.462G	64.82	68.20	-3.38	9.69	3	V	203	1.97	-
PK	5.672G	108.72	Inf	-Inf	9.89	3	V	203	1.97	-
PK	5.928G	60.28	68.20	-7.92	10.10	3	V	203	1.97	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5690MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.05	54.00	-0.95	9.68	3	H	214	2.22	-
AV	5.672G	99.31	Inf	-Inf	9.89	3	H	214	2.22	-
PK	5.458G	65.44	74.00	-8.56	9.68	3	H	214	2.22	-
PK	5.462G	65.26	68.20	-2.94	9.69	3	H	214	2.22	-
PK	5.704G	109.86	Inf	-Inf	9.90	3	H	214	2.22	-
PK	5.96G	60.01	68.20	-8.19	10.14	3	H	214	2.22	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5690MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	49.34	54.00	-4.66	9.68	3	V	220	1.29	-
AV	5.6036G	98.73	Inf	-Inf	9.88	3	V	220	1.29	-
PK	5.4548G	60.61	74.00	-13.39	9.67	3	V	220	1.29	-
PK	5.4644G	61.53	68.20	-6.67	9.69	3	V	220	1.29	-
PK	5.6036G	110.55	Inf	-Inf	9.88	3	V	220	1.29	-
PK	5.938G	59.83	68.20	-8.37	10.11	3	V	220	1.29	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5690MHz_TX




20170714
 EUT X_4TX
 Setting 20.5 (±0.5 Over)
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	49.23	54.00	-4.77	9.68	3	H	233	1.44	-
AV	5.6132G	99.71	Inf	-Inf	9.88	3	H	233	1.44	-
PK	5.4564G	61.16	74.00	-12.84	9.67	3	H	233	1.44	-
PK	5.4644G	62.16	68.20	-6.04	9.69	3	H	233	1.44	-
PK	5.6292G	110.66	Inf	-Inf	9.89	3	H	233	1.44	-
PK	5.9492G	59.76	68.20	-8.44	10.13	3	H	233	1.44	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5690MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	48.95	54.00	-5.05	9.68	3	V	204	1.93	-
AV	5.6868G	98.95	Inf	-Inf	9.90	3	V	204	1.93	-
PK	5.459995G	60.98	74.00	-13.02	9.68	3	V	204	1.93	-
PK	5.466G	61.80	68.20	-6.40	9.70	3	V	204	1.93	-
PK	5.682G	109.70	Inf	-Inf	9.90	3	V	204	1.93	-
PK	5.962G	59.36	68.20	-8.84	10.15	3	V	204	1.93	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5690MHz_TX




20170714
 EUT X_4TX
 Setting 20.5 (±0.5 Over)
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	49.15	54.00	-4.85	9.68	3	H	215	2.03	-
AV	5.6724G	99.55	Inf	-Inf	9.89	3	H	215	2.03	-
PK	5.458G	60.40	74.00	-13.60	9.68	3	H	215	2.03	-
PK	5.466G	62.01	68.20	-6.19	9.70	3	H	215	2.03	-
PK	5.6964G	110.45	Inf	-Inf	9.90	3	H	215	2.03	-
PK	5.9844G	59.85	68.20	-8.35	10.18	3	H	215	2.03	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5690MHz,5775MHz_TX




20170714
 EUT_X_4TX
 Setting 21.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	48.39	54.00	-5.61	9.68	3	V	213	1.38	-
AV	5.7044G	99.40	Inf	-Inf	9.90	3	V	213	1.38	-
PK	5.4468G	60.08	74.00	-13.92	9.65	3	V	213	1.38	-
PK	5.4628G	60.12	68.20	-8.08	9.69	3	V	213	1.38	-
PK	5.658G	110.40	Inf	-Inf	9.89	3	V	213	1.38	-
PK	5.9284G	67.41	68.20	-0.79	10.10	3	V	213	1.38	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5690MHz,5775MHz_TX




20170714
 EUT_X_4TX
 Setting 21.5
 02-R-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	50.15	54.00	-3.85	9.68	3	H	220	1.53	-
AV	5.714G	100.15	Inf	-Inf	9.90	3	H	220	1.53	-
PK	5.4452G	62.62	74.00	-11.38	9.64	3	H	220	1.53	-
PK	5.4628G	62.38	68.20	-5.82	9.69	3	H	220	1.53	-
PK	5.7092G	111.28	Inf	-Inf	9.90	3	H	220	1.53	-
PK	5.9332G	68.15	68.20	-0.05	10.11	3	H	220	1.53	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170714
 EUT X_4TX
 Setting 20.5
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.751G	97.79	Inf	-Inf	9.91	3	V	207	1.90	-
PK	5.645G	68.14	68.20	-0.06	9.89	3	V	207	1.90	-
PK	5.757G	108.86	Inf	-Inf	9.91	3	V	207	1.90	-
PK	5.933G	63.36	68.20	-4.84	10.11	3	V	207	1.90	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170714
 EUT_X_4TX
 Setting 20.5
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.758G	99.61	Inf	-Inf	9.91	3	H	215	2.17	-
PK	5.637G	64.75	68.20	-3.45	9.89	3	H	215	2.17	-
PK	5.765G	110.26	Inf	-Inf	9.91	3	H	215	2.17	-
PK	5.951G	61.43	68.20	-6.77	10.13	3	H	215	2.17	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170714
 EUT_X_4TX
 Setting 18.5
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.748G	94.55	Inf	-Inf	9.91	3	V	210	2.01	-
PK	5.587G	60.76	68.20	-7.44	9.87	3	V	210	2.01	-
PK	5.747G	106.11	Inf	-Inf	9.91	3	V	210	2.01	-
PK	5.925G	61.15	68.20	-7.05	10.09	3	V	210	2.01	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170714
 EUT X_4TX
 Setting 18.5
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.758G	94.71	Inf	-Inf	9.91	3	H	192	2.16	-
PK	5.581G	61.57	68.20	-6.63	9.86	3	H	192	2.16	-
PK	5.747G	105.18	Inf	-Inf	9.91	3	H	192	2.16	-
PK	5.952G	59.37	68.20	-8.83	10.13	3	H	192	2.16	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.748G	98.15	Inf	-Inf	9.91	3	V	205	2.04	-
PK	5.598G	66.86	68.20	-1.34	9.88	3	V	205	2.04	-
PK	5.751G	109.53	Inf	-Inf	9.91	3	V	205	2.04	-
PK	5.946G	61.75	68.20	-6.45	10.12	3	V	205	2.04	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.758G	97.37	Inf	-Inf	9.91	3	H	225	1.92	-
PK	5.602G	66.08	68.20	-2.12	9.88	3	H	225	1.92	-
PK	5.749G	108.33	Inf	-Inf	9.91	3	H	225	1.92	-
PK	5.99G	61.54	68.20	-6.66	10.19	3	H	225	1.92	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.758G	96.49	Inf	-Inf	9.91	3	V	180	1.96	-
PK	5.537G	65.69	68.20	-2.51	9.82	3	V	180	1.96	-
PK	5.742G	108.33	Inf	-Inf	9.91	3	V	180	1.96	-
PK	5.955G	61.14	68.20	-7.06	10.14	3	V	180	1.96	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170714
 EUT_X_4TX
 Setting 20
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.761G	98.92	Inf	-Inf	9.91	3	H	212	2.25	-
PK	5.552G	67.67	68.20	-0.53	9.84	3	H	212	2.25	-
PK	5.77G	109.46	Inf	-Inf	9.91	3	H	212	2.25	-
PK	5.947G	61.64	68.20	-6.56	10.13	3	H	212	2.25	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5690MHz,#5775MHz_TX




20170714
 EUT X_4TX
 Setting 21.5
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.752G	99.65	Inf	-Inf	9.91	3	V	200	2.10	-
PK	5.752G	110.63	Inf	-Inf	9.91	3	V	200	2.10	-
PK	5.936G	68.14	68.20	-0.06	10.11	3	V	200	2.10	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5690MHz,#5775MHz_TX




20170714
 EUT X_4TX
 Setting 21.5
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.751G	98.93	Inf	-Inf	9.91	3	H	228	1.90	-
PK	5.743G	109.55	Inf	-Inf	9.91	3	H	228	1.90	-
PK	5.929G	67.63	68.20	-0.57	10.10	3	H	228	1.90	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	51.37	54.00	-2.63	9.03	3	V	358	1.00	-
AV	5.242G	99.57	Inf	-Inf	9.24	3	V	358	1.00	-
PK	5.1452G	63.31	74.00	-10.69	9.02	3	V	358	1.00	-
PK	5.238G	110.63	Inf	-Inf	9.23	3	V	358	1.00	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1468G	48.10	54.00	-5.90	9.03	3	H	336	1.07	-
AV	5.222G	94.26	Inf	-Inf	9.20	3	H	336	1.07	-
PK	5.1204G	60.31	74.00	-13.69	8.96	3	H	336	1.07	-
PK	5.218G	105.57	Inf	-Inf	9.19	3	H	336	1.07	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170826
 EUT_X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	53.96	54.00	-0.04	9.03	3	V	352	2.12	-
AV	5.222G	100.52	Inf	-Inf	9.20	3	V	352	2.12	-
AV	5.3516G	53.30	54.00	-0.70	9.44	3	V	352	2.12	-
PK	5.1444G	66.87	74.00	-7.13	9.02	3	V	352	2.12	-
PK	5.2276G	110.74	Inf	-Inf	9.21	3	V	352	2.12	-
PK	5.3524G	65.65	74.00	-8.35	9.44	3	V	352	2.12	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170826
 EUT X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	49.84	54.00	-4.16	9.03	3	H	328	2.24	-
AV	5.2372G	97.08	Inf	-Inf	9.23	3	H	328	2.24	-
AV	5.354G	49.61	54.00	-4.39	9.44	3	H	328	2.24	-
PK	5.149995G	62.03	74.00	-11.97	9.03	3	H	328	2.24	-
PK	5.2364G	108.25	Inf	-Inf	9.23	3	H	328	2.24	-
PK	5.3556G	62.52	74.00	-11.48	9.44	3	H	328	2.24	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	51.04	54.00	-2.96	9.03	3	V	1	2.24	-
AV	5.222G	99.74	Inf	-Inf	9.20	3	V	1	2.24	-
PK	5.1476G	63.38	74.00	-10.62	9.03	3	V	1	2.24	-
PK	5.2252G	110.48	Inf	-Inf	9.21	3	V	1	2.24	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1412G	48.95	54.00	-5.05	9.01	3	H	357	2.71	-
AV	5.242G	96.15	Inf	-Inf	9.24	3	H	357	2.71	-
PK	5.1468G	61.50	74.00	-12.50	9.03	3	H	357	2.71	-
PK	5.2428G	107.55	Inf	-Inf	9.24	3	H	357	2.71	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	50.43	54.00	-3.57	9.03	3	V	4	2.21	-
AV	5.222G	99.40	Inf	-Inf	9.20	3	V	4	2.21	-
PK	5.142G	64.01	74.00	-9.99	9.02	3	V	4	2.21	-
PK	5.228G	110.62	Inf	-Inf	9.21	3	V	4	2.21	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.147G	47.89	54.00	-6.11	9.03	3	H	341	2.03	-
AV	5.232G	95.87	Inf	-Inf	9.22	3	H	341	2.03	-
PK	5.139G	60.27	74.00	-13.73	9.01	3	H	341	2.03	-
PK	5.228G	106.58	Inf	-Inf	9.21	3	H	341	2.03	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.147G	49.21	54.00	-4.79	9.03	3	V	1	1.50	-
AV	5.175G	99.52	Inf	-Inf	9.10	3	V	1	1.50	-
AV	5.350005G	49.83	54.00	-4.17	9.44	3	V	1	1.50	-
PK	5.143G	63.75	74.00	-10.25	9.02	3	V	1	1.50	-
PK	5.188G	112.17	Inf	-Inf	9.13	3	V	1	1.50	-
PK	5.356G	70.06	74.00	-3.94	9.45	3	V	1	1.50	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.133G	48.82	54.00	-5.18	8.99	3	H	9	2.26	-
AV	5.198G	95.02	Inf	-Inf	9.15	3	H	9	2.26	-
AV	5.37G	49.92	54.00	-4.08	9.47	3	H	9	2.26	-
PK	5.149995G	62.01	74.00	-11.99	9.03	3	H	9	2.26	-
PK	5.188G	106.47	Inf	-Inf	9.13	3	H	9	2.26	-
PK	5.353G	71.79	74.00	-2.21	9.44	3	H	9	2.26	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170826
 EUT X_4TX
 Setting 23(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.064G	48.01	54.00	-5.99	8.81	3	V	8	2.02	-
AV	5.322G	98.53	Inf	-Inf	9.39	3	V	8	2.02	-
AV	5.352G	50.29	54.00	-3.71	9.44	3	V	8	2.02	-
PK	5.104G	59.55	74.00	-14.45	8.92	3	V	8	2.02	-
PK	5.3G	108.38	Inf	-Inf	9.35	3	V	8	2.02	-
PK	5.354G	63.12	74.00	-10.88	9.44	3	V	8	2.02	-
PK	5.460005G	61.56	68.20	-6.64	9.68	3	V	8	2.02	-
PK	5.738G	58.71	68.20	-9.49	9.91	3	V	8	2.02	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170826
 EUT X_4TX
 Setting 23(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.058G	47.37	54.00	-6.63	8.79	3	H	24	2.79	-
AV	5.318G	97.87	Inf	-Inf	9.38	3	H	24	2.79	-
AV	5.354G	50.18	54.00	-3.82	9.44	3	H	24	2.79	-
PK	5.046G	60.86	74.00	-13.14	8.76	3	H	24	2.79	-
PK	5.316G	108.91	Inf	-Inf	9.38	3	H	24	2.79	-
PK	5.350005G	62.34	74.00	-11.66	9.44	3	H	24	2.79	-
PK	5.464G	61.80	68.20	-6.40	9.69	3	H	24	2.79	-
PK	5.736G	59.25	68.20	-8.95	9.91	3	H	24	2.79	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170826
 EUT X_4TX
 Setting 22(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	46.85	54.00	-7.15	9.03	3	V	2	1.07	-
AV	5.322G	96.45	Inf	-Inf	9.39	3	V	2	1.07	-
AV	5.365G	49.56	54.00	-4.44	9.46	3	V	2	1.07	-
PK	5.058G	59.41	74.00	-14.59	8.79	3	V	2	1.07	-
PK	5.316G	107.97	Inf	-Inf	9.38	3	V	2	1.07	-
PK	5.356G	63.29	74.00	-10.71	9.45	3	V	2	1.07	-
PK	5.535G	62.20	68.20	-6.00	9.82	3	V	2	1.07	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170826
 EUT X_4TX
 Setting 22(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.134G	46.82	54.00	-7.18	9.00	3	H	13	2.79	-
AV	5.317G	96.42	Inf	-Inf	9.38	3	H	13	2.79	-
AV	5.350005G	48.78	54.00	-5.22	9.44	3	H	13	2.79	-
PK	5.089G	59.22	74.00	-14.78	8.88	3	H	13	2.79	-
PK	5.319G	107.49	Inf	-Inf	9.38	3	H	13	2.79	-
PK	5.368G	61.95	74.00	-12.05	9.47	3	H	13	2.79	-
PK	5.535G	62.95	68.20	-5.25	9.82	3	H	13	2.79	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170826
 EUT X_4TX
 Setting 23(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1428G	47.06	54.00	-6.94	9.02	3	V	14	1.17	-
AV	5.3228G	98.51	Inf	-Inf	9.39	3	V	14	1.17	-
AV	5.3508G	50.54	54.00	-3.46	9.44	3	V	14	1.17	-
PK	5.1452G	59.58	74.00	-14.42	9.02	3	V	14	1.17	-
PK	5.3228G	108.67	Inf	-Inf	9.39	3	V	14	1.17	-
PK	5.3532G	63.39	74.00	-10.61	9.44	3	V	14	1.17	-
PK	5.4636G	60.95	68.20	-7.25	9.69	3	V	14	1.17	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170826
 EUT_X_4TX
 Setting 23(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1476G	47.10	54.00	-6.90	9.03	3	H	27	2.79	-
AV	5.322G	98.12	Inf	-Inf	9.39	3	H	27	2.79	-
AV	5.3596G	50.29	54.00	-3.71	9.45	3	H	27	2.79	-
PK	5.106G	59.41	74.00	-14.59	8.93	3	H	27	2.79	-
PK	5.3252G	109.03	Inf	-Inf	9.39	3	H	27	2.79	-
PK	5.3652G	63.95	74.00	-10.05	9.46	3	H	27	2.79	-
PK	5.4684G	61.98	68.20	-6.22	9.70	3	H	27	2.79	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170826
 EUT_X_4TX
 Setting 24
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	47.75	54.00	-6.25	9.03	3	V	1	2.13	-
AV	5.322G	100.04	Inf	-Inf	9.39	3	V	1	2.13	-
AV	5.354G	53.99	54.00	-0.01	9.44	3	V	1	2.13	-
PK	5.127G	59.45	74.00	-14.55	8.98	3	V	1	2.13	-
PK	5.322G	110.30	Inf	-Inf	9.39	3	V	1	2.13	-
PK	5.354G	68.84	74.00	-5.16	9.44	3	V	1	2.13	-
PK	5.537G	60.53	68.20	-7.67	9.82	3	V	1	2.13	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170826
 EUT_X_4TX
 Setting 24
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.99	54.00	-6.01	9.03	3	H	13	2.78	-
AV	5.322G	98.18	Inf	-Inf	9.39	3	H	13	2.78	-
AV	5.350005G	53.95	54.00	-0.05	9.44	3	H	13	2.78	-
PK	5.14G	59.88	74.00	-14.12	9.01	3	H	13	2.78	-
PK	5.327G	109.43	Inf	-Inf	9.40	3	H	13	2.78	-
PK	5.355G	67.46	74.00	-6.54	9.44	3	H	13	2.78	-
PK	5.462G	60.67	68.20	-7.53	9.69	3	H	13	2.78	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.13G	48.10	54.00	-5.90	8.99	3	V	346	2.17	-
AV	5.298G	97.72	Inf	-Inf	9.35	3	V	346	2.17	-
AV	5.350005G	49.40	54.00	-4.60	9.44	3	V	346	2.17	-
PK	5.133G	61.75	74.00	-12.25	8.99	3	V	346	2.17	-
PK	5.283G	109.26	Inf	-Inf	9.32	3	V	346	2.17	-
PK	5.356G	67.52	74.00	-6.48	9.45	3	V	346	2.17	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.12	54.00	-5.88	9.03	3	H	16	1.12	-
AV	5.278G	94.82	Inf	-Inf	9.31	3	H	16	1.12	-
AV	5.353G	49.87	54.00	-4.13	9.44	3	H	16	1.12	-
PK	5.149995G	62.05	74.00	-11.95	9.03	3	H	16	1.12	-
PK	5.316G	105.11	Inf	-Inf	9.38	3	H	16	1.12	-
PK	5.357G	68.46	74.00	-5.54	9.45	3	H	16	1.12	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170828
 EUT_X_4TX
 Setting 25
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45999G	52.94	54.00	-1.06	9.68	3	V	359	1.22	-
AV	5.467G	53.90	54.00	-0.10	9.70	3	V	359	1.22	-
AV	5.547G	97.43	Inf	-Inf	9.83	3	V	359	1.22	-
PK	5.445G	66.51	74.00	-7.49	9.64	3	V	359	1.22	-
PK	5.464G	66.51	74.00	-7.49	9.69	3	V	359	1.22	-
PK	5.521G	108.62	Inf	-Inf	9.81	3	V	359	1.22	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170828
 EUT_X_4TX
 Setting 25
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45999G	51.68	54.00	-2.32	9.68	3	H	353	1.07	-
AV	5.462G	51.97	54.00	-2.03	9.69	3	H	353	1.07	-
AV	5.496G	100.88	Inf	-Inf	9.78	3	H	353	1.07	-
PK	5.441G	64.57	74.00	-9.43	9.63	3	H	353	1.07	-
PK	5.465G	65.26	74.00	-8.74	9.70	3	H	353	1.07	-
PK	5.562G	108.03	Inf	-Inf	9.85	3	H	353	1.07	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170828
 EUT_X_4TX
 Setting 27
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	52.47	54.00	-1.53	9.68	3	V	355	1.35	-
AV	5.468G	53.81	54.00	-0.19	9.70	3	V	355	1.35	-
AV	5.598G	102.01	Inf	-Inf	9.88	3	V	355	1.35	-
PK	5.459G	67.62	74.00	-6.38	9.68	3	V	355	1.35	-
PK	5.466G	67.51	74.00	-6.49	9.70	3	V	355	1.35	-
PK	5.64G	113.11	Inf	-Inf	9.89	3	V	355	1.35	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170828
 EUT_X_4TX
 Setting 27
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.49	54.00	-3.51	9.68	3	H	324	1.48	-
AV	5.468G	51.33	54.00	-2.67	9.70	3	H	324	1.48	-
AV	5.598G	98.02	Inf	-Inf	9.88	3	H	324	1.48	-
PK	5.454G	62.84	74.00	-11.16	9.67	3	H	324	1.48	-
PK	5.466G	65.13	74.00	-8.87	9.70	3	H	324	1.48	-
PK	5.618G	108.81	Inf	-Inf	9.88	3	H	324	1.48	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	50.67	54.00	-3.33	9.68	3	V	354	1.06	-
AV	5.518G	98.36	Inf	-Inf	9.81	3	V	354	1.06	-
PK	5.4588G	64.81	74.00	-9.19	9.68	3	V	354	1.06	-
PK	5.4644G	64.54	68.20	-3.66	9.69	3	V	354	1.06	-
PK	5.4948G	109.88	Inf	-Inf	9.78	3	V	354	1.06	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	49.98	54.00	-4.02	9.68	3	H	4	2.44	-
AV	5.522G	95.84	Inf	-Inf	9.81	3	H	4	2.44	-
PK	5.4548G	63.77	74.00	-10.23	9.67	3	H	4	2.44	-
PK	5.4692G	64.42	68.20	-3.78	9.71	3	H	4	2.44	-
PK	5.5004G	112.51	Inf	-Inf	9.79	3	H	4	2.44	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170826
 EUT_X_4TX
 Setting 26
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	50.46	54.00	-3.54	9.68	3	V	343	1.26	-
AV	5.622G	102.16	Inf	-Inf	9.88	3	V	343	1.26	-
PK	5.4588G	62.74	74.00	-11.26	9.68	3	V	343	1.26	-
PK	5.4692G	64.93	68.20	-3.27	9.71	3	V	343	1.26	-
PK	5.5876G	114.93	Inf	-Inf	9.87	3	V	343	1.26	-
PK	5.7324G	67.86	68.20	-0.34	9.91	3	V	343	1.26	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170826
 EUT_X_4TX
 Setting 26
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	49.90	54.00	-4.10	9.68	3	H	17	2.59	-
AV	5.5868G	100.51	Inf	-Inf	9.87	3	H	17	2.59	-
PK	5.458G	62.21	74.00	-11.79	9.68	3	H	17	2.59	-
PK	5.4684G	63.20	68.20	-5.00	9.70	3	H	17	2.59	-
PK	5.578G	111.60	Inf	-Inf	9.86	3	H	17	2.59	-
PK	5.7396G	67.36	68.20	-0.84	9.91	3	H	17	2.59	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170826
 EUT_X_4TX
 Setting 29
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.39G	52.27	54.00	-1.73	9.50	3	V	19	1.50	-
AV	5.6576G	103.58	Inf	-Inf	9.89	3	V	19	1.50	-
PK	5.3924G	66.38	74.00	-7.62	9.51	3	V	19	1.50	-
PK	5.4644G	60.34	68.20	-7.86	9.69	3	V	19	1.50	-
PK	5.6816G	112.66	Inf	-Inf	9.90	3	V	19	1.50	-
PK	5.9732G	60.88	68.20	-7.32	10.16	3	V	19	1.50	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170826
 EUT_X_4TX
 Setting 29
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4068G	48.05	54.00	-5.95	9.54	3	H	15	2.74	-
AV	5.6648G	105.87	Inf	-Inf	9.89	3	H	15	2.74	-
PK	5.4248G	61.01	74.00	-12.99	9.59	3	H	15	2.74	-
PK	5.468G	59.96	68.20	-8.24	9.70	3	H	15	2.74	-
PK	5.6912G	109.81	Inf	-Inf	9.90	3	H	15	2.74	-
PK	5.954G	60.93	68.20	-7.27	10.14	3	H	15	2.74	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170826
 EUT X_4TX
 Setting 23(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.06G	47.36	54.00	-6.64	8.80	3	V	7	1.40	-
AV	5.458G	50.49	54.00	-3.51	9.68	3	V	7	1.40	-
AV	5.518G	98.32	Inf	-Inf	9.81	3	V	7	1.40	-
PK	5.064G	60.79	74.00	-13.21	8.81	3	V	7	1.40	-
PK	5.364G	64.11	74.00	-9.89	9.46	3	V	7	1.40	-
PK	5.462G	61.48	68.20	-6.72	9.69	3	V	7	1.40	-
PK	5.534G	109.56	Inf	-Inf	9.82	3	V	7	1.40	-
PK	5.942G	59.81	68.20	-8.39	10.12	3	V	7	1.40	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170826
 EUT_X_4TX
 Setting 23(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.062G	47.71	54.00	-6.29	8.80	3	H	24	2.64	-
AV	5.458G	49.44	54.00	-4.56	9.68	3	H	24	2.64	-
AV	5.518G	97.19	Inf	-Inf	9.81	3	H	24	2.64	-
PK	5.108G	59.48	74.00	-14.52	8.93	3	H	24	2.64	-
PK	5.352G	65.52	74.00	-8.48	9.44	3	H	24	2.64	-
PK	5.464G	61.77	68.20	-6.43	9.69	3	H	24	2.64	-
PK	5.516G	107.67	Inf	-Inf	9.80	3	H	24	2.64	-
PK	5.82G	60.46	68.20	-7.74	9.95	3	H	24	2.64	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170826
 EUT X_4TX
 Setting 22(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.36G	49.30	54.00	-4.70	9.45	3	V	359	1.24	-
AV	5.622G	97.71	Inf	-Inf	9.88	3	V	359	1.24	-
PK	5.364G	62.16	74.00	-11.84	9.46	3	V	359	1.24	-
PK	5.464G	61.22	68.20	-6.98	9.69	3	V	359	1.24	-
PK	5.584G	108.69	Inf	-Inf	9.87	3	V	359	1.24	-
PK	5.84G	60.93	68.20	-7.27	9.98	3	V	359	1.24	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170826
 EUT X_4TX
 Setting 22(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.391G	48.55	54.00	-5.45	9.50	3	H	11	2.47	-
AV	5.585G	95.77	Inf	-Inf	9.87	3	H	11	2.47	-
PK	5.362G	63.69	74.00	-10.31	9.46	3	H	11	2.47	-
PK	5.465G	59.67	68.20	-8.53	9.70	3	H	11	2.47	-
PK	5.583G	106.85	Inf	-Inf	9.86	3	H	11	2.47	-
PK	5.726G	61.60	68.20	-6.60	9.91	3	H	11	2.47	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3996G	50.04	54.00	-3.96	9.52	3	V	1	1.41	-
AV	5.6948G	97.78	Inf	-Inf	9.90	3	V	1	1.41	-
PK	5.3948G	62.60	74.00	-11.40	9.51	3	V	1	1.41	-
PK	5.4644G	60.09	68.20	-8.11	9.69	3	V	1	1.41	-
PK	5.66G	111.81	Inf	-Inf	9.89	3	V	1	1.41	-
PK	5.9408G	59.62	68.20	-8.58	10.12	3	V	1	1.41	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170826
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.39G	50.50	54.00	-3.50	9.50	3	H	18	2.77	-
AV	5.684G	96.55	Inf	-Inf	9.90	3	H	18	2.77	-
PK	5.3924G	62.52	74.00	-11.48	9.51	3	H	18	2.77	-
PK	5.4632G	60.50	68.20	-7.70	9.69	3	H	18	2.77	-
PK	5.6804G	108.06	Inf	-Inf	9.90	3	H	18	2.77	-
PK	5.9756G	60.13	68.20	-8.07	10.17	3	H	18	2.77	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170828
 EUT X_4TX
 Setting 24 (升1 Over)
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45G	49.52	54.00	-4.48	9.66	3	V	8	2.13	-
AV	5.518G	93.56	Inf	-Inf	9.81	3	V	8	2.13	-
PK	5.434G	60.72	74.00	-13.28	9.61	3	V	8	2.13	-
PK	5.462G	61.71	68.20	-6.49	9.69	3	V	8	2.13	-
PK	5.503G	104.61	Inf	-Inf	9.79	3	V	8	2.13	-
PK	5.734G	60.00	68.20	-8.20	9.91	3	V	8	2.13	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170828
 EUT X_4TX
 Setting 24 (升1 Over)
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45G	49.75	54.00	-4.25	9.66	3	H	360	2.13	-
AV	5.539G	94.30	Inf	-Inf	9.83	3	H	360	2.13	-
PK	5.443G	63.20	74.00	-10.80	9.64	3	H	360	2.13	-
PK	5.465G	63.93	68.20	-4.27	9.70	3	H	360	2.13	-
PK	5.505G	105.61	Inf	-Inf	9.79	3	H	360	2.13	-
PK	5.742G	60.11	68.20	-8.09	9.91	3	H	360	2.13	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170828
 EUT_X_4TX
 Setting 24
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	52.00	54.00	-2.00	9.68	3	V	0	1.50	-
AV	5.622G	97.45	Inf	-Inf	9.88	3	V	0	1.50	-
PK	5.458G	64.61	74.00	-9.39	9.68	3	V	0	1.50	-
PK	5.463G	64.70	68.20	-3.50	9.69	3	V	0	1.50	-
PK	5.595G	107.71	Inf	-Inf	9.88	3	V	0	1.50	-
PK	5.738G	60.58	68.20	-7.62	9.91	3	V	0	1.50	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170828
 EUT_X_4TX
 Setting 24
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	50.59	54.00	-3.41	9.68	3	H	12	1.02	-
AV	5.578G	97.18	Inf	-Inf	9.86	3	H	12	1.02	-
PK	5.455G	62.84	74.00	-11.16	9.67	3	H	12	1.02	-
PK	5.465G	63.20	68.20	-5.00	9.70	3	H	12	1.02	-
PK	5.577G	108.40	Inf	-Inf	9.86	3	H	12	1.02	-
PK	5.753G	60.71	68.20	-7.49	9.91	3	H	12	1.02	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170828
 EUT_X_4TX
 Setting 26
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	52.84	54.00	-1.16	9.68	3	V	360	1.52	-
AV	5.466G	53.51	54.00	-0.49	9.70	3	V	360	1.52	-
AV	5.506G	101.72	Inf	-Inf	9.80	3	V	360	1.52	-
PK	5.459G	64.89	74.00	-9.11	9.68	3	V	360	1.52	-
PK	5.468G	66.84	74.00	-7.16	9.70	3	V	360	1.52	-
PK	5.532G	108.26	Inf	-Inf	9.82	3	V	360	1.52	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170828
 EUT_X_4TX
 Setting 26
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.448G	53.44	54.00	-0.56	9.65	3	H	3	1.77	-
AV	5.466G	53.96	54.00	-0.04	9.70	3	H	3	1.77	-
AV	5.504G	101.47	Inf	-Inf	9.79	3	H	3	1.77	-
PK	5.464G	66.56	74.00	-7.44	9.69	3	H	3	1.77	-
PK	5.469G	67.12	74.00	-6.88	9.71	3	H	3	1.77	-
PK	5.548G	108.33	Inf	-Inf	9.83	3	H	3	1.77	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170828
 EUT_X_4TX
 Setting 26
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.452G	51.45	54.00	-2.55	9.66	3	V	359	2.04	-
AV	5.466G	52.13	54.00	-1.87	9.70	3	V	359	2.04	-
AV	5.686G	96.67	Inf	-Inf	9.90	3	V	359	2.04	-
PK	5.458G	63.99	74.00	-10.01	9.68	3	V	359	2.04	-
PK	5.466G	65.15	74.00	-8.85	9.70	3	V	359	2.04	-
PK	5.662G	107.92	Inf	-Inf	9.89	3	V	359	2.04	-
PK	5.936G	59.36	68.20	-8.84	10.11	3	V	359	2.04	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170828
 EUT_X_4TX
 Setting 26
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.38	54.00	-0.62	9.68	3	H	18	1.98	-
AV	5.466G	53.97	54.00	-0.03	9.70	3	H	18	1.98	-
AV	5.666G	97.46	Inf	-Inf	9.89	3	H	18	1.98	-
PK	5.4599G	65.36	74.00	-8.64	9.68	3	H	18	1.98	-
PK	5.460005G	65.36	74.00	-8.64	9.68	3	H	18	1.98	-
PK	5.688G	108.08	Inf	-Inf	9.90	3	H	18	1.98	-
PK	5.988G	59.67	68.20	-8.53	10.18	3	H	18	1.98	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




20170828
 EUT_X_4TX
 Setting 27
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	52.30	54.00	-1.70	9.68	3	V	352	1.48	-
AV	5.4692G	53.53	54.00	-0.47	9.71	3	V	352	1.48	-
AV	5.7028G	101.18	Inf	-Inf	9.90	3	V	352	1.48	-
PK	5.458G	64.34	74.00	-9.66	9.68	3	V	352	1.48	-
PK	5.4628G	66.96	74.00	-7.04	9.69	3	V	352	1.48	-
PK	5.7012G	112.69	Inf	-Inf	9.90	3	V	352	1.48	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




20170828
 EUT_X_4TX
 Setting 27
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4564G	51.37	54.00	-2.63	9.67	3	H	323	1.36	-
AV	5.4676G	52.54	54.00	-1.46	9.70	3	H	323	1.36	-
AV	5.7028G	99.06	Inf	-Inf	9.90	3	H	323	1.36	-
PK	5.4564G	63.37	74.00	-10.63	9.67	3	H	323	1.36	-
PK	5.4644G	63.97	74.00	-10.03	9.69	3	H	323	1.36	-
PK	5.7028G	108.84	Inf	-Inf	9.90	3	H	323	1.36	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170826
 EUT X_4TX
 Setting 27(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.743G	100.76	Inf	-Inf	9.91	3	V	359	1.49	-
PK	5.649G	66.54	68.20	-1.66	9.89	3	V	359	1.49	-
PK	5.746G	111.74	Inf	-Inf	9.91	3	V	359	1.49	-
PK	5.929G	61.87	68.20	-6.33	10.10	3	V	359	1.49	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170826
 EUT X_4TX
 Setting 27(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.751G	105.36	Inf	-Inf	9.91	3	H	13	2.60	-
PK	5.646G	65.90	68.20	-2.30	9.89	3	H	13	2.60	-
PK	5.752G	118.22	Inf	-Inf	9.91	3	H	13	2.60	-
PK	5.932G	60.76	68.20	-7.44	10.10	3	H	13	2.60	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170826
 EUT X_4TX
 Setting 27(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.743G	100.46	Inf	-Inf	9.91	3	V	2	1.00	-
PK	5.65G	66.49	68.20	-1.71	9.89	3	V	2	1.00	-
PK	5.742G	111.94	Inf	-Inf	9.91	3	V	2	1.00	-
PK	5.927G	60.69	68.20	-7.51	10.10	3	V	2	1.00	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170826
 EUT X_4TX
 Setting 27(升1 OVER)
 02-J-6-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.753G	101.88	Inf	-Inf	9.91	3	H	17	1.50	-
PK	5.643G	66.83	68.20	-1.37	9.89	3	H	17	1.50	-
PK	5.767G	110.51	Inf	-Inf	9.91	3	H	17	1.50	-
PK	5.934G	61.74	68.20	-6.46	10.11	3	H	17	1.50	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170828
EUT_X_4TX
Setting 25
02-Z-1-10
FSU
Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.743G	99.08	Inf	-Inf	9.91	3	V	356	2.19	-
PK	5.741G	109.23	Inf	-Inf	9.91	3	V	356	2.19	-
PK	5.977G	59.79	68.20	-8.41	10.17	3	V	356	2.19	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170828
 EUT X_4TX
 Setting 25
 02-Z-1-10
 FSU
 Ant (Patch) Skynet-WP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.747G	97.43	Inf	-Inf	9.91	3	H	12	2.34	-
PK	5.756G	108.58	Inf	-Inf	9.91	3	H	12	2.34	-
PK	5.989G	61.46	68.20	-6.74	10.18	3	H	12	2.34	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170828
 EUT_X_4TX
 Setting 28
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	5.946G	67.82	68.20	-0.38	10.12	3	V	5	2.08	-
PK	5.748G	112.08	Inf	-Inf	9.91	3	V	5	2.08	-
AV	5.743G	101.42	Inf	-Inf	9.91	3	V	5	2.08	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170828
 EUT X_4TX
 Setting 28
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.763G	101.60	Inf	-Inf	9.91	3	H	16	1.01	-
PK	5.768G	112.36	Inf	-Inf	9.91	3	H	16	1.01	-
PK	5.939G	65.64	68.20	-2.56	10.11	3	H	16	1.01	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5690MHz,#5775MHz Straddle 5.725-5.85GHz_TX




20170828
 EUT_X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7638G	98.21	Inf	-Inf	9.91	3	V	359	2.11	-
PK	5.767G	109.85	Inf	-Inf	9.91	3	V	359	2.11	-
PK	5.9286G	68.18	68.20	-0.02	10.10	3	V	359	2.11	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5690MHz,#5775MHz Straddle 5.725-5.85GHz_TX



20170828
 EUT X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Patch) Skynet-NP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7878G	96.75	Inf	-Inf	9.92	3	H	5	2.67	-
PK	5.7894G	107.60	Inf	-Inf	9.92	3	H	5	2.67	-
PK	5.9334G	67.71	68.20	-0.49	10.11	3	H	5	2.67	-




For set 5 antenna / 4T2S

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT80+80_Nss2.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz	Pass	AV	5.350005G	53.99	54.00	-0.01	9.44	3	V	265	1.31	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170721
 EUT X_4TX
 Setting 19.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1396G	53.71	54.00	-0.29	9.01	3	V	204	2.05	-
AV	5.2324G	97.56	Inf	-Inf	9.22	3	V	204	2.05	-
AV	5.3508G	49.02	54.00	-4.98	9.44	3	V	204	2.05	-
PK	5.1364G	68.15	74.00	-5.85	9.00	3	V	204	2.05	-
PK	5.2292G	108.91	Inf	-Inf	9.22	3	V	204	2.05	-
PK	5.3532G	61.60	74.00	-12.40	9.44	3	V	204	2.05	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170721
 EUT_X_4TX
 Setting 19.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1436G	48.50	54.00	-5.50	9.02	3	H	268	1.16	-
AV	5.234G	90.47	Inf	-Inf	9.22	3	H	268	1.16	-
AV	5.354G	47.15	54.00	-6.85	9.44	3	H	268	1.16	-
PK	5.142G	61.48	74.00	-12.52	9.02	3	H	268	1.16	-
PK	5.234G	101.21	Inf	-Inf	9.22	3	H	268	1.16	-
PK	5.3548G	58.79	74.00	-15.21	9.44	3	H	268	1.16	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170721
 EUT X_4TX
 Setting 20
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1452G	53.21	54.00	-0.79	9.02	3	V	314	2.00	-
AV	5.2068G	98.37	Inf	-Inf	9.17	3	V	314	2.00	-
PK	5.1388G	67.64	74.00	-6.36	9.01	3	V	314	2.00	-
PK	5.2044G	108.90	Inf	-Inf	9.17	3	V	314	2.00	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170721
 EUT X_4TX
 Setting 20
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1348G	48.35	54.00	-5.65	9.00	3	H	268	1.15	-
AV	5.2332G	90.82	Inf	-Inf	9.22	3	H	268	1.15	-
PK	5.149995G	60.62	74.00	-13.38	9.03	3	H	268	1.15	-
PK	5.202G	101.99	Inf	-Inf	9.16	3	H	268	1.15	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170721
 EUT_X_4TX
 Setting 20
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1324G	53.73	54.00	-0.27	8.99	3	V	253	1.99	-
AV	5.218G	97.41	Inf	-Inf	9.19	3	V	253	1.99	-
AV	5.350005G	49.43	54.00	-4.57	9.44	3	V	253	1.99	-
PK	5.1388G	68.78	74.00	-5.22	9.01	3	V	253	1.99	-
PK	5.2252G	109.22	Inf	-Inf	9.21	3	V	253	1.99	-
PK	5.3516G	61.81	74.00	-12.19	9.44	3	V	253	1.99	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170721
 EUT_X_4TX
 Setting 20
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1348G	48.23	54.00	-5.77	9.00	3	H	271	1.17	-
AV	5.2332G	91.35	Inf	-Inf	9.22	3	H	271	1.17	-
AV	5.3516G	47.32	54.00	-6.68	9.44	3	H	271	1.17	-
PK	5.1332G	61.76	74.00	-12.24	8.99	3	H	271	1.17	-
PK	5.202G	101.91	Inf	-Inf	9.16	3	H	271	1.17	-
PK	5.3516G	59.38	74.00	-14.62	9.44	3	H	271	1.17	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170721
 EUT X_4TX
 Setting 20(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	51.87	54.00	-2.13	9.03	3	V	314	2.00	-
AV	5.206G	97.80	Inf	-Inf	9.17	3	V	314	2.00	-
PK	5.137G	67.48	74.00	-6.52	9.00	3	V	314	2.00	-
PK	5.207G	108.65	Inf	-Inf	9.17	3	V	314	2.00	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170721
 EUT X_4TX
 Setting 20(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.134G	48.67	54.00	-5.33	9.00	3	H	265	1.17	-
AV	5.234G	90.26	Inf	-Inf	9.22	3	H	265	1.17	-
PK	5.132G	61.20	74.00	-12.80	8.99	3	H	265	1.17	-
PK	5.234G	101.60	Inf	-Inf	9.22	3	H	265	1.17	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170721
 EUT X_4TX
 Setting 19.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	51.10	54.00	-2.90	9.03	3	V	314	2.00	-
AV	5.207G	97.44	Inf	-Inf	9.17	3	V	314	2.00	-
AV	5.351G	53.66	54.00	-0.34	9.44	3	V	314	2.00	-
PK	5.142G	66.93	74.00	-7.07	9.02	3	V	314	2.00	-
PK	5.207G	108.42	Inf	-Inf	9.17	3	V	314	2.00	-
PK	5.368G	65.91	74.00	-8.09	9.47	3	V	314	2.00	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170721
 EUT X_4TX
 Setting 19.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.147G	47.70	54.00	-6.30	9.03	3	H	266	1.17	-
AV	5.233G	90.60	Inf	-Inf	9.22	3	H	266	1.17	-
AV	5.350005G	49.64	54.00	-4.36	9.44	3	H	266	1.17	-
PK	5.137G	60.41	74.00	-13.59	9.00	3	H	266	1.17	-
PK	5.203G	101.59	Inf	-Inf	9.17	3	H	266	1.17	-
PK	5.351G	60.98	74.00	-13.02	9.44	3	H	266	1.17	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170721
 EUT X_4TX
 Setting 19.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.71	54.00	-6.29	9.03	3	V	344	2.19	-
AV	5.266G	97.54	Inf	-Inf	9.29	3	V	344	2.19	-
AV	5.354G	52.76	54.00	-1.24	9.44	3	V	344	2.19	-
PK	5.076G	59.97	74.00	-14.03	8.84	3	V	344	2.19	-
PK	5.264G	108.55	Inf	-Inf	9.28	3	V	344	2.19	-
PK	5.354G	65.25	74.00	-8.75	9.44	3	V	344	2.19	-
PK	5.464G	62.92	68.20	-5.28	9.69	3	V	344	2.19	-
PK	5.736G	60.26	68.20	-7.94	9.91	3	V	344	2.19	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170721
 EUT X_4TX
 Setting 19.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	46.73	54.00	-7.27	9.03	3	H	133	1.01	-
AV	5.298G	90.50	Inf	-Inf	9.35	3	H	133	1.01	-
AV	5.36G	48.48	54.00	-5.52	9.45	3	H	133	1.01	-
PK	5.044G	58.36	74.00	-15.64	8.75	3	H	133	1.01	-
PK	5.3G	101.33	Inf	-Inf	9.35	3	H	133	1.01	-
PK	5.376G	60.40	74.00	-13.60	9.48	3	H	133	1.01	-
PK	5.464G	58.95	68.20	-9.25	9.69	3	H	133	1.01	-
PK	5.748G	58.96	68.20	-9.24	9.91	3	H	133	1.01	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170721
 EUT X_4TX
 Setting 19.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.68	54.00	-6.32	9.03	3	V	345	2.20	-
AV	5.266G	97.23	Inf	-Inf	9.29	3	V	345	2.20	-
AV	5.3532G	52.40	54.00	-1.60	9.44	3	V	345	2.20	-
PK	5.1484G	60.01	74.00	-13.99	9.03	3	V	345	2.20	-
PK	5.2964G	107.91	Inf	-Inf	9.34	3	V	345	2.20	-
PK	5.3508G	65.16	74.00	-8.84	9.44	3	V	345	2.20	-
PK	5.4764G	61.27	68.20	-6.93	9.73	3	V	345	2.20	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170721
 EUT X_4TX
 Setting 19.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	46.63	54.00	-7.37	9.03	3	H	132	1.50	-
AV	5.286G	89.71	Inf	-Inf	9.32	3	H	132	1.50	-
AV	5.3524G	48.03	54.00	-5.97	9.44	3	H	132	1.50	-
PK	5.1396G	58.60	74.00	-15.40	9.01	3	H	132	1.50	-
PK	5.2868G	100.35	Inf	-Inf	9.32	3	H	132	1.50	-
PK	5.3532G	60.42	74.00	-13.58	9.44	3	H	132	1.50	-
PK	5.4652G	58.84	68.20	-9.36	9.70	3	H	132	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170721
 EUT X_4TX
 Setting 19.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.67	54.00	-6.33	9.03	3	V	343	2.20	-
AV	5.258G	97.19	Inf	-Inf	9.27	3	V	343	2.20	-
AV	5.3516G	52.88	54.00	-1.12	9.44	3	V	343	2.20	-
PK	5.102G	59.41	74.00	-14.59	8.92	3	V	343	2.20	-
PK	5.2644G	107.77	Inf	-Inf	9.28	3	V	343	2.20	-
PK	5.3572G	65.01	74.00	-8.99	9.45	3	V	343	2.20	-
PK	5.4884G	60.19	68.20	-8.01	9.76	3	V	343	2.20	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170721
 EUT X_4TX
 Setting 19.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1468G	46.67	54.00	-7.33	9.03	3	H	133	1.91	-
AV	5.278G	90.80	Inf	-Inf	9.31	3	H	133	1.91	-
AV	5.3516G	48.49	54.00	-5.51	9.44	3	H	133	1.91	-
PK	5.1444G	58.64	74.00	-15.36	9.02	3	H	133	1.91	-
PK	5.2868G	101.43	Inf	-Inf	9.32	3	H	133	1.91	-
PK	5.3572G	60.06	74.00	-13.94	9.45	3	H	133	1.91	-
PK	5.4716G	58.80	68.20	-9.40	9.71	3	H	133	1.91	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170721
 EUT X_4TX
 Setting 19.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.57	54.00	-6.43	9.03	3	V	346	2.18	-
AV	5.278G	97.49	Inf	-Inf	9.31	3	V	346	2.18	-
AV	5.352G	52.59	54.00	-1.41	9.44	3	V	346	2.18	-
PK	5.147G	59.17	74.00	-14.83	9.03	3	V	346	2.18	-
PK	5.263G	107.92	Inf	-Inf	9.28	3	V	346	2.18	-
PK	5.351G	64.78	74.00	-9.22	9.44	3	V	346	2.18	-
PK	5.461G	59.62	68.20	-8.58	9.68	3	V	346	2.18	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170721
 EUT X_4TX
 Setting 19.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.147G	46.80	54.00	-7.20	9.03	3	H	133	2.01	-
AV	5.302G	90.58	Inf	-Inf	9.35	3	H	133	2.01	-
AV	5.352G	48.34	54.00	-5.66	9.44	3	H	133	2.01	-
PK	5.128G	58.92	74.00	-15.08	8.98	3	H	133	2.01	-
PK	5.262G	100.84	Inf	-Inf	9.28	3	H	133	2.01	-
PK	5.352G	60.17	74.00	-13.83	9.44	3	H	133	2.01	-
PK	5.497G	59.74	68.20	-8.46	9.78	3	H	133	2.01	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170721
 EUT_X_4TX
 Setting 19.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.10	54.00	-5.90	9.03	3	V	265	1.31	-
AV	5.273G	96.89	Inf	-Inf	9.30	3	V	265	1.31	-
AV	5.350005G	53.99	54.00	-0.01	9.44	3	V	265	1.31	-
PK	5.117G	60.23	74.00	-13.77	8.95	3	V	265	1.31	-
PK	5.279G	107.42	Inf	-Inf	9.31	3	V	265	1.31	-
PK	5.355G	66.28	74.00	-7.72	9.44	3	V	265	1.31	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170721
 EUT X_4TX
 Setting 19.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.134G	47.27	54.00	-6.73	9.00	3	H	337	2.35	-
AV	5.298G	88.04	Inf	-Inf	9.35	3	H	337	2.35	-
AV	5.350005G	49.36	54.00	-4.64	9.44	3	H	337	2.35	-
PK	5.108G	60.23	74.00	-13.77	8.93	3	H	337	2.35	-
PK	5.296G	99.36	Inf	-Inf	9.34	3	H	337	2.35	-
PK	5.352G	61.79	74.00	-12.21	9.44	3	H	337	2.35	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170721
 EUT X_4TX
 Setting 19(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	51.73	54.00	-2.27	9.67	3	V	279	2.00	-
AV	5.513G	98.92	Inf	-Inf	9.80	3	V	279	2.00	-
PK	5.454G	66.81	74.00	-7.19	9.67	3	V	279	2.00	-
PK	5.464G	66.83	68.20	-1.37	9.69	3	V	279	2.00	-
PK	5.502G	109.94	Inf	-Inf	9.79	3	V	279	2.00	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170721
 EUT X_4TX
 Setting 19(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.432G	47.83	54.00	-6.17	9.61	3	H	123	1.96	-
AV	5.506G	89.59	Inf	-Inf	9.80	3	H	123	1.96	-
PK	5.460005G	59.92	68.20	-8.28	9.68	3	H	123	1.96	-
PK	5.504G	100.36	Inf	-Inf	9.79	3	H	123	1.96	-
PK	5.426G	59.25	74.00	-14.75	9.59	3	H	123	1.96	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170721
 EUT_X_4TX
 Setting 21
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.66	54.00	-0.34	9.68	3	V	288	1.95	-
AV	5.606G	101.69	Inf	-Inf	9.88	3	V	288	1.95	-
PK	5.457G	66.30	74.00	-7.70	9.67	3	V	288	1.95	-
PK	5.465G	67.34	68.20	-0.86	9.70	3	V	288	1.95	-
PK	5.604G	112.60	Inf	-Inf	9.88	3	V	288	1.95	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170721
 EUT_X_4TX
 Setting 21
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	47.71	54.00	-6.29	9.68	3	H	7	1.50	-
AV	5.622G	91.10	Inf	-Inf	9.88	3	H	7	1.50	-
PK	5.391G	60.22	74.00	-13.78	9.50	3	H	7	1.50	-
PK	5.468G	61.24	68.20	-6.96	9.70	3	H	7	1.50	-
PK	5.605G	101.90	Inf	-Inf	9.88	3	H	7	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170721
 EUT_X_4TX
 Setting 21
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4348G	53.79	54.00	-0.21	9.61	3	V	61	2.94	-
AV	5.5332G	92.02	Inf	-Inf	9.82	3	V	61	2.94	-
PK	5.4332G	65.16	74.00	-8.84	9.61	3	V	61	2.94	-
PK	5.4628G	65.46	68.20	-2.74	9.69	3	V	61	2.94	-
PK	5.5164G	102.42	Inf	-Inf	9.80	3	V	61	2.94	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170721
 EUT X_4TX
 Setting 21
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4324G	53.97	54.00	-0.03	9.61	3	H	60	2.94	-
AV	5.506G	91.72	Inf	-Inf	9.80	3	H	60	2.94	-
PK	5.462G	65.23	68.20	-2.97	9.69	3	H	60	2.94	-
PK	5.5164G	102.08	Inf	-Inf	9.80	3	H	60	2.94	-
PK	5.4332G	65.85	74.00	-8.15	9.61	3	H	60	2.94	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170721
 EUT_X_4TX
 Setting 21.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	53.98	54.00	-0.02	9.68	3	V	270	1.15	-
AV	5.5932G	99.12	Inf	-Inf	9.87	3	V	270	1.15	-
PK	5.458G	65.88	74.00	-8.12	9.68	3	V	270	1.15	-
PK	5.4668G	68.01	68.20	-0.19	9.70	3	V	270	1.15	-
PK	5.5988G	110.07	Inf	-Inf	9.88	3	V	270	1.15	-
PK	5.7636G	68.08	68.20	-0.12	9.91	3	V	270	1.15	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170721
 EUT X_4TX
 Setting 21.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	52.40	54.00	-1.60	9.68	3	H	356	1.50	-
AV	5.598G	91.13	Inf	-Inf	9.88	3	H	356	1.50	-
PK	5.4588G	64.79	74.00	-9.21	9.68	3	H	356	1.50	-
PK	5.4636G	65.32	68.20	-2.88	9.69	3	H	356	1.50	-
PK	5.5828G	102.00	Inf	-Inf	9.86	3	H	356	1.50	-
PK	5.7316G	67.49	68.20	-0.71	9.91	3	H	356	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT_X_4TX
 Setting 21.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.39G	51.06	54.00	-2.94	9.50	3	V	260	1.48	-
AV	5.666G	99.53	Inf	-Inf	9.89	3	V	260	1.48	-
PK	5.3912G	62.64	74.00	-11.36	9.51	3	V	260	1.48	-
PK	5.4668G	59.78	68.20	-8.42	9.70	3	V	260	1.48	-
PK	5.6624G	109.50	Inf	-Inf	9.89	3	V	260	1.48	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT X_4TX
 Setting 21.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	47.26	54.00	-6.74	9.68	3	H	54	2.19	-
AV	5.666G	91.61	Inf	-Inf	9.89	3	H	54	2.19	-
PK	5.4284G	59.09	74.00	-14.91	9.60	3	H	54	2.19	-
PK	5.4692G	59.14	68.20	-9.06	9.71	3	H	54	2.19	-
PK	5.666G	103.16	Inf	-Inf	9.89	3	H	54	2.19	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170721
 EUT_X_4TX
 Setting 19.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.092G	47.06	54.00	-6.94	8.89	3	V	353	2.10	-
AV	5.458G	53.65	54.00	-0.35	9.68	3	V	353	2.10	-
AV	5.504G	97.80	Inf	-Inf	9.79	3	V	353	2.10	-
PK	5.09G	59.78	74.00	-14.22	8.88	3	V	353	2.10	-
PK	5.456G	67.73	74.00	-6.27	9.67	3	V	353	2.10	-
PK	5.468G	66.06	68.20	-2.14	9.70	3	V	353	2.10	-
PK	5.502G	108.41	Inf	-Inf	9.79	3	V	353	2.10	-
PK	5.77G	65.34	68.20	-2.86	9.91	3	V	353	2.10	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170721
 EUT_X_4TX
 Setting 19.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	46.51	54.00	-7.49	9.03	3	H	187	2.94	-
AV	5.424G	48.30	54.00	-5.70	9.58	3	H	187	2.94	-
AV	5.518G	91.10	Inf	-Inf	9.81	3	H	187	2.94	-
PK	5.14G	57.98	74.00	-16.02	9.01	3	H	187	2.94	-
PK	5.43G	60.46	74.00	-13.54	9.60	3	H	187	2.94	-
PK	5.462G	60.05	68.20	-8.15	9.69	3	H	187	2.94	-
PK	5.504G	101.45	Inf	-Inf	9.79	3	H	187	2.94	-
PK	5.808G	61.50	68.20	-6.70	9.93	3	H	187	2.94	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170721
 EUT_X_4TX
 Setting 20.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.41G	52.10	54.00	-1.90	9.55	3	V	260	1.48	-
AV	5.586G	98.03	Inf	-Inf	9.87	3	V	260	1.48	-
PK	5.4156G	63.89	74.00	-10.11	9.56	3	V	260	1.48	-
PK	5.4684G	62.30	68.20	-5.90	9.70	3	V	260	1.48	-
PK	5.6036G	108.94	Inf	-Inf	9.88	3	V	260	1.48	-
PK	5.7252G	68.13	68.20	-0.07	9.91	3	V	260	1.48	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170721
 EUT_X_4TX
 Setting 20.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	47.64	54.00	-6.36	9.68	3	H	353	1.27	-
AV	5.598G	91.01	Inf	-Inf	9.88	3	H	353	1.27	-
PK	5.4556G	59.95	74.00	-14.05	9.67	3	H	353	1.27	-
PK	5.4692G	60.35	68.20	-7.85	9.71	3	H	353	1.27	-
PK	5.6052G	101.67	Inf	-Inf	9.88	3	H	353	1.27	-
PK	5.758G	61.25	68.20	-6.95	9.91	3	H	353	1.27	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT_X_4TX
 Setting 20.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.39G	53.93	54.00	-0.07	9.50	3	V	257	1.48	-
AV	5.666G	97.86	Inf	-Inf	9.89	3	V	257	1.48	-
PK	5.39G	65.76	74.00	-8.24	9.50	3	V	257	1.48	-
PK	5.4608G	59.03	68.20	-9.17	9.68	3	V	257	1.48	-
PK	5.6792G	107.89	Inf	-Inf	9.90	3	V	257	1.48	-
PK	5.9684G	60.40	68.20	-7.80	10.16	3	V	257	1.48	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT X_4TX
 Setting 20.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.39G	47.53	54.00	-6.47	9.50	3	H	353	1.08	-
AV	5.6576G	89.81	Inf	-Inf	9.89	3	H	353	1.08	-
PK	5.4032G	59.84	74.00	-14.16	9.53	3	H	353	1.08	-
PK	5.4644G	58.06	68.20	-10.14	9.69	3	H	353	1.08	-
PK	5.6624G	100.13	Inf	-Inf	9.89	3	H	353	1.08	-
PK	5.9624G	59.77	68.20	-8.43	10.15	3	H	353	1.08	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170721
 EUT_X_4TX
 Setting 19
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45G	53.77	54.00	-0.23	9.66	3	V	258	1.99	-
AV	5.513G	99.44	Inf	-Inf	9.80	3	V	258	1.99	-
PK	5.459G	66.26	74.00	-7.74	9.68	3	V	258	1.99	-
PK	5.468G	67.01	68.20	-1.19	9.70	3	V	258	1.99	-
PK	5.517G	111.93	Inf	-Inf	9.81	3	V	258	1.99	-
PK	5.734G	61.49	68.20	-6.71	9.91	3	V	258	1.99	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170721
 EUT_X_4TX
 Setting 19
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.446G	47.93	54.00	-6.07	9.64	3	H	124	1.97	-
AV	5.506G	89.64	Inf	-Inf	9.80	3	H	124	1.97	-
PK	5.427G	60.55	74.00	-13.45	9.59	3	H	124	1.97	-
PK	5.468G	60.00	68.20	-8.20	9.70	3	H	124	1.97	-
PK	5.546G	99.93	Inf	-Inf	9.83	3	H	124	1.97	-
PK	5.732G	59.61	68.20	-8.59	9.91	3	H	124	1.97	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170721
 EUT_X_4TX
 Setting 19.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.78	54.00	-0.22	9.68	3	V	263	1.47	-
AV	5.586G	96.89	Inf	-Inf	9.87	3	V	263	1.47	-
PK	5.444G	66.94	74.00	-7.06	9.64	3	V	263	1.47	-
PK	5.468G	66.42	68.20	-1.78	9.70	3	V	263	1.47	-
PK	5.582G	107.68	Inf	-Inf	9.86	3	V	263	1.47	-
PK	5.727G	62.18	68.20	-6.02	9.91	3	V	263	1.47	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170721
 EUT_X_4TX
 Setting 19.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	47.89	54.00	-6.11	9.68	3	H	358	1.27	-
AV	5.598G	90.04	Inf	-Inf	9.88	3	H	358	1.27	-
PK	5.459G	60.14	74.00	-13.86	9.68	3	H	358	1.27	-
PK	5.462G	60.38	68.20	-7.82	9.69	3	H	358	1.27	-
PK	5.593G	100.33	Inf	-Inf	9.87	3	H	358	1.27	-
PK	5.726G	60.64	68.20	-7.56	9.91	3	H	358	1.27	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170721
 EUT X_4TX
 Setting 19(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	52.04	54.00	-1.96	9.68	3	V	259	1.98	-
AV	5.516G	99.41	Inf	-Inf	9.80	3	V	259	1.98	-
PK	5.464G	64.84	68.20	-3.36	9.69	3	V	259	1.98	-
PK	5.504G	109.66	Inf	-Inf	9.79	3	V	259	1.98	-
PK	5.458G	64.48	74.00	-9.52	9.68	3	V	259	1.98	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170721
 EUT X_4TX
 Setting 19(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.444G	48.56	54.00	-5.44	9.64	3	H	321	2.94	-
AV	5.512G	91.34	Inf	-Inf	9.80	3	H	321	2.94	-
PK	5.426G	60.86	74.00	-13.14	9.59	3	H	321	2.94	-
PK	5.466G	60.88	68.20	-7.32	9.70	3	H	321	2.94	-
PK	5.546G	102.27	Inf	-Inf	9.83	3	H	321	2.94	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT_X_4TX
 Setting 22.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.666G	99.97	Inf	-Inf	9.89	3	V	263	1.49	-
PK	5.928G	67.68	68.20	-0.52	10.10	3	V	263	1.49	-
PK	5.676G	110.69	Inf	-Inf	9.90	3	V	263	1.49	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT X_4TX
 Setting 22.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.674G	92.54	Inf	-Inf	9.89	3	H	1	1.01	-
PK	5.7G	103.05	Inf	-Inf	9.90	3	H	1	1.01	-
PK	5.934G	62.25	68.20	-5.95	10.11	3	H	1	1.01	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5690MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT X_4TX
 Setting 20.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	50.62	54.00	-3.38	9.68	3	V	291	2.01	-
AV	5.6068G	101.14	Inf	-Inf	9.88	3	V	291	2.01	-
PK	5.458G	63.25	74.00	-10.75	9.68	3	V	291	2.01	-
PK	5.466G	64.67	68.20	-3.53	9.70	3	V	291	2.01	-
PK	5.6068G	112.18	Inf	-Inf	9.88	3	V	291	2.01	-
PK	5.9588G	59.85	68.20	-8.35	10.14	3	V	291	2.01	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5690MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT_X_4TX
 Setting 20.5(±0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4532G	47.14	54.00	-6.86	9.66	3	H	5	1.50	-
AV	5.6036G	90.26	Inf	-Inf	9.88	3	H	5	1.50	-
PK	5.4036G	58.69	74.00	-15.31	9.53	3	H	5	1.50	-
PK	5.4692G	59.06	68.20	-9.14	9.71	3	H	5	1.50	-
PK	5.602G	101.81	Inf	-Inf	9.88	3	H	5	1.50	-
PK	5.9492G	59.88	68.20	-8.32	10.13	3	H	5	1.50	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT_X_4TX
 Setting 20.5(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	50.32	54.00	-3.68	9.68	3	V	263	1.49	-
AV	5.666G	98.38	Inf	-Inf	9.89	3	V	263	1.49	-
PK	5.458G	62.43	74.00	-11.57	9.68	3	V	263	1.49	-
PK	5.4676G	63.53	68.20	-4.67	9.70	3	V	263	1.49	-
PK	5.6628G	108.63	Inf	-Inf	9.89	3	V	263	1.49	-
PK	5.9764G	59.89	68.20	-8.31	10.17	3	V	263	1.49	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT X_4TX
 Setting 20.5(±0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	47.38	54.00	-6.62	9.68	3	H	356	1.23	-
AV	5.6724G	89.57	Inf	-Inf	9.89	3	H	356	1.23	-
PK	5.3828G	59.15	74.00	-14.85	9.49	3	H	356	1.23	-
PK	5.4628G	60.63	68.20	-7.57	9.69	3	H	356	1.23	-
PK	5.6724G	100.42	Inf	-Inf	9.89	3	H	356	1.23	-
PK	5.9492G	59.97	68.20	-8.23	10.13	3	H	356	1.23	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT_X_4TX
 Setting 22
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.75	54.00	-0.25	9.68	3	V	339	2.12	-
AV	5.698G	101.89	Inf	-Inf	9.90	3	V	339	2.12	-
PK	5.459995G	66.30	74.00	-7.70	9.68	3	V	339	2.12	-
PK	5.4692G	66.57	68.20	-1.63	9.71	3	V	339	2.12	-
PK	5.706G	113.62	Inf	-Inf	9.90	3	V	339	2.12	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT_X_4TX
 Setting 22
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	49.47	54.00	-4.53	9.68	3	H	142	2.94	-
AV	5.722G	93.50	Inf	-Inf	9.90	3	H	142	2.94	-
PK	5.4292G	61.25	74.00	-12.75	9.60	3	H	142	2.94	-
PK	5.4612G	61.52	68.20	-6.68	9.69	3	H	142	2.94	-
PK	5.7188G	104.29	Inf	-Inf	9.90	3	H	142	2.94	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170721
 EUT X_4TX
 Setting 23
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.798G	100.34	Inf	-Inf	9.92	3	V	256	1.86	-
PK	5.65G	67.31	68.20	-0.89	9.89	3	V	256	1.86	-
PK	5.794G	111.88	Inf	-Inf	9.92	3	V	256	1.86	-
PK	5.937G	68.18	68.20	-0.02	10.11	3	V	256	1.86	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170721
 EUT X_4TX
 Setting 23
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.748G	92.19	Inf	-Inf	9.91	3	H	65	2.91	-
PK	5.649G	67.66	68.20	-0.54	9.89	3	H	65	2.91	-
PK	5.746G	102.80	Inf	-Inf	9.91	3	H	65	2.91	-
PK	5.927G	62.41	68.20	-5.79	10.10	3	H	65	2.91	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170721
 EUT X_4TX
 Setting 22
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.799G	99.22	Inf	-Inf	9.92	3	V	257	2.02	-
PK	5.65G	67.02	68.20	-1.18	9.89	3	V	257	2.02	-
PK	5.767G	109.36	Inf	-Inf	9.91	3	V	257	2.02	-
PK	5.928G	68.13	68.20	-0.07	10.10	3	V	257	2.02	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170721
 EUT_X_4TX
 Setting 22
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.751G	91.56	Inf	-Inf	9.91	3	H	56	1.04	-
PK	5.643G	64.83	68.20	-3.37	9.89	3	H	56	1.04	-
PK	5.748G	101.79	Inf	-Inf	9.91	3	H	56	1.04	-
PK	5.933G	62.05	68.20	-6.15	10.11	3	H	56	1.04	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170721
 EUT_X_4TX
 Setting 21.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	5.794G	109.98	Inf	-Inf	9.92	3	V	258	1.96	-
PK	5.928G	67.89	68.20	-0.31	10.10	3	V	258	1.96	-
AV	5.799G	98.55	Inf	-Inf	9.92	3	V	258	1.96	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170721
 EUT X_4TX
 Setting 21.5
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.751G	92.25	Inf	-Inf	9.91	3	H	56	1.02	-
PK	5.747G	102.24	Inf	-Inf	9.91	3	H	56	1.02	-
PK	5.925G	63.77	68.20	-4.43	10.09	3	H	56	1.02	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170721
 EUT X_4TX
 Setting 21(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.771G	99.13	Inf	-Inf	9.91	3	V	49	2.13	-
PK	5.769G	110.60	Inf	-Inf	9.91	3	V	49	2.13	-
PK	5.925G	65.53	68.20	-2.67	10.09	3	V	49	2.13	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170721
 EUT X_4TX
 Setting 21(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.743G	90.49	Inf	-Inf	9.91	3	H	28	2.93	-
PK	5.75G	101.46	Inf	-Inf	9.91	3	H	28	2.93	-
PK	5.927G	60.77	68.20	-7.43	10.10	3	H	28	2.93	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5690MHz,#5775MHz Straddle 5.725-5.85GHz_TX




20170721
 EUT X_4TX
 Setting 21(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.783G	99.53	Inf	-Inf	9.92	3	V	42	2.09	-
PK	5.7814G	111.54	Inf	-Inf	9.92	3	V	42	2.09	-
PK	5.9254G	66.55	68.20	-1.65	10.10	3	V	42	2.09	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5690MHz,#5775MHz Straddle 5.725-5.85GHz_TX




20170721
 EUT X_4TX
 Setting 21(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.799G	90.96	Inf	-Inf	9.92	3	H	290	2.48	-
PK	5.7942G	101.89	Inf	-Inf	9.92	3	H	290	2.48	-
PK	5.9286G	60.67	68.20	-7.53	10.10	3	H	290	2.48	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170727
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	50.56	54.00	-3.44	9.02	3	V	109	2.02	-
AV	5.2356G	98.52	Inf	-Inf	9.23	3	V	109	2.02	-
PK	5.1492G	62.78	74.00	-11.22	9.03	3	V	109	2.02	-
PK	5.2428G	110.21	Inf	-Inf	9.24	3	V	109	2.02	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170727
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1188G	52.38	54.00	-1.62	8.96	3	H	105	1.04	-
AV	5.198G	86.39	Inf	-Inf	9.15	3	H	105	1.04	-
PK	5.1324G	61.18	74.00	-12.82	8.99	3	H	105	1.04	-
PK	5.2036G	97.39	Inf	-Inf	9.17	3	H	105	1.04	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170727
 EUT_X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0988G	53.63	54.00	-0.37	8.91	3	V	101	2.01	-
AV	5.2412G	99.33	Inf	-Inf	9.24	3	V	101	2.01	-
PK	5.146G	65.91	74.00	-8.09	9.02	3	V	101	2.01	-
PK	5.2244G	111.48	Inf	-Inf	9.21	3	V	101	2.01	-
PK	5.3524G	66.90	74.00	-7.10	9.44	3	V	101	2.01	-
AV	5.350005G	53.62	54.00	-0.43	9.44	3	V	101	2.01	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170727
 EUT_X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0908G	47.20	54.00	-6.80	8.88	3	H	125	1.01	-
AV	5.2132G	88.00	Inf	-Inf	9.19	3	H	125	1.01	-
PK	5.098G	59.35	74.00	-14.65	8.90	3	H	125	1.01	-
PK	5.202G	100.38	Inf	-Inf	9.16	3	H	125	1.01	-
PK	5.39G	59.67	74.00	-14.33	9.50	3	H	125	1.01	-
AV	5.3516G	47.66	54.00	-6.34	9.44	3	H	125	1.01	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170727
 EUT X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	53.94	54.00	-0.06	9.03	3	V	105	2.01	-
AV	5.2412G	99.05	Inf	-Inf	9.24	3	V	105	2.01	-
AV	5.3508G	51.21	54.00	-2.79	9.44	3	V	105	2.01	-
PK	5.1468G	67.35	74.00	-6.65	9.03	3	V	105	2.01	-
PK	5.226G	110.91	Inf	-Inf	9.21	3	V	105	2.01	-
PK	5.3652G	64.19	74.00	-9.81	9.46	3	V	105	2.01	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170727
 EUT_X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	49.86	54.00	-4.14	9.03	3	H	72	2.66	-
AV	5.222G	88.23	Inf	-Inf	9.20	3	H	72	2.66	-
PK	5.149995G	61.12	74.00	-12.88	9.03	3	H	72	2.66	-
PK	5.2212G	98.44	Inf	-Inf	9.20	3	H	72	2.66	-
PK	5.3908G	58.70	74.00	-15.30	9.50	3	H	72	2.66	-
AV	5.3516G	47.24	54.00	-6.76	9.44	3	H	72	2.66	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170727
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	51.05	54.00	-2.95	9.03	3	V	94	2.03	-
AV	5.232G	97.83	Inf	-Inf	9.22	3	V	94	2.03	-
PK	5.138G	63.88	74.00	-10.12	9.00	3	V	94	2.03	-
PK	5.243G	108.80	Inf	-Inf	9.24	3	V	94	2.03	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170727
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	46.83	54.00	-7.17	9.02	3	H	120	1.04	-
AV	5.233G	87.53	Inf	-Inf	9.22	3	H	120	1.04	-
PK	5.142G	59.06	74.00	-14.94	9.02	3	H	120	1.04	-
PK	5.222G	98.54	Inf	-Inf	9.20	3	H	120	1.04	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170727
 EUT_X_4TX
 Setting 24
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.67	54.00	-0.33	9.03	3	V	98	1.50	-
AV	5.222G	98.00	Inf	-Inf	9.20	3	V	98	1.50	-
AV	5.353G	50.63	54.00	-3.37	9.44	3	V	98	1.50	-
PK	5.143G	65.05	74.00	-8.95	9.02	3	V	98	1.50	-
PK	5.231G	109.39	Inf	-Inf	9.22	3	V	98	1.50	-
PK	5.351G	66.52	74.00	-7.48	9.44	3	V	98	1.50	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170727
 EUT X_4TX
 Setting 24
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.143G	49.23	54.00	-4.77	9.02	3	H	55	2.91	-
AV	5.234G	90.88	Inf	-Inf	9.22	3	H	55	2.91	-
AV	5.366G	49.86	54.00	-4.14	9.46	3	H	55	2.91	-
PK	5.149995G	61.23	74.00	-12.77	9.03	3	H	55	2.91	-
PK	5.24G	101.72	Inf	-Inf	9.24	3	H	55	2.91	-
PK	5.364G	66.91	74.00	-7.09	9.46	3	H	55	2.91	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170727
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.006G	46.95	54.00	-7.05	8.65	3	V	114	1.04	-
AV	5.324G	96.64	Inf	-Inf	9.39	3	V	114	1.04	-
AV	5.358G	52.04	54.00	-1.96	9.45	3	V	114	1.04	-
PK	5.018G	58.87	74.00	-15.13	8.68	3	V	114	1.04	-
PK	5.326G	107.64	Inf	-Inf	9.39	3	V	114	1.04	-
PK	5.354G	65.81	74.00	-8.19	9.44	3	V	114	1.04	-
PK	5.466G	62.30	68.20	-5.90	9.70	3	V	114	1.04	-
PK	5.738G	58.73	68.20	-9.47	9.91	3	V	114	1.04	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170727
 EUT_X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	46.67	54.00	-7.33	9.03	3	H	74	1.08	-
AV	5.322G	87.92	Inf	-Inf	9.39	3	H	74	1.08	-
AV	5.350005G	48.05	54.00	-5.95	9.44	3	H	74	1.08	-
PK	5.116G	58.75	74.00	-15.25	8.95	3	H	74	1.08	-
PK	5.324G	97.76	Inf	-Inf	9.39	3	H	74	1.08	-
PK	5.374G	59.45	74.00	-14.55	9.48	3	H	74	1.08	-
PK	5.468G	59.20	68.20	-9.00	9.70	3	H	74	1.08	-
PK	5.73G	58.95	68.20	-9.25	9.91	3	H	74	1.08	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170727
 EUT_X_4TX
 Setting 23
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1292G	46.84	54.00	-7.16	8.98	3	V	109	2.06	-
AV	5.326G	96.59	Inf	-Inf	9.39	3	V	109	2.06	-
AV	5.350005G	53.30	54.00	-0.70	9.44	3	V	109	2.06	-
PK	5.1436G	59.96	74.00	-14.04	9.02	3	V	109	2.06	-
PK	5.3068G	107.19	Inf	-Inf	9.36	3	V	109	2.06	-
PK	5.3524G	65.15	74.00	-8.85	9.44	3	V	109	2.06	-
PK	5.4644G	61.38	68.20	-6.82	9.69	3	V	109	2.06	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170727
 EUT_X_4TX
 Setting 23
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	46.70	54.00	-7.30	9.03	3	H	72	1.09	-
AV	5.322G	87.25	Inf	-Inf	9.39	3	H	72	1.09	-
AV	5.3524G	47.66	54.00	-6.34	9.44	3	H	72	1.09	-
PK	5.0916G	58.99	74.00	-15.01	8.89	3	H	72	1.09	-
PK	5.3228G	98.03	Inf	-Inf	9.39	3	H	72	1.09	-
PK	5.3948G	59.62	74.00	-14.38	9.51	3	H	72	1.09	-
PK	5.4868G	59.08	68.20	-9.12	9.75	3	H	72	1.09	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170727
 EUT X_4TX
 Setting 23(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1476G	46.76	54.00	-7.24	9.03	3	V	112	2.05	-
AV	5.3156G	96.60	Inf	-Inf	9.38	3	V	112	2.05	-
AV	5.3508G	52.52	54.00	-1.48	9.44	3	V	112	2.05	-
PK	5.1036G	59.87	74.00	-14.13	8.92	3	V	112	2.05	-
PK	5.3084G	107.64	Inf	-Inf	9.36	3	V	112	2.05	-
PK	5.3724G	64.49	74.00	-9.51	9.47	3	V	112	2.05	-
PK	5.4868G	60.15	68.20	-8.05	9.75	3	V	112	2.05	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170727
 EUT_X_4TX
 Setting 23(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1436G	46.56	54.00	-7.44	9.02	3	H	127	1.97	-
AV	5.322G	87.36	Inf	-Inf	9.39	3	H	127	1.97	-
AV	5.3588G	47.99	54.00	-6.01	9.45	3	H	127	1.97	-
PK	5.1316G	59.08	74.00	-14.92	8.99	3	H	127	1.97	-
PK	5.3228G	98.57	Inf	-Inf	9.39	3	H	127	1.97	-
PK	5.3756G	60.36	74.00	-13.64	9.48	3	H	127	1.97	-
PK	5.4812G	58.79	68.20	-9.41	9.74	3	H	127	1.97	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170727
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.44	54.00	-6.56	9.03	3	V	55	2.03	-
AV	5.321G	96.92	Inf	-Inf	9.39	3	V	55	2.03	-
AV	5.361G	52.46	54.00	-1.54	9.45	3	V	55	2.03	-
PK	5.105G	59.26	74.00	-14.74	8.92	3	V	55	2.03	-
PK	5.325G	108.25	Inf	-Inf	9.39	3	V	55	2.03	-
PK	5.356G	65.75	74.00	-8.25	9.45	3	V	55	2.03	-
PK	5.486G	60.40	68.20	-7.80	9.75	3	V	55	2.03	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170727
 EUT_X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.117G	46.56	54.00	-7.44	8.95	3	H	127	2.00	-
AV	5.323G	88.13	Inf	-Inf	9.39	3	H	127	2.00	-
AV	5.359G	48.57	54.00	-5.43	9.45	3	H	127	2.00	-
PK	5.146G	59.57	74.00	-14.43	9.02	3	H	127	2.00	-
PK	5.325G	99.18	Inf	-Inf	9.39	3	H	127	2.00	-
PK	5.361G	60.90	74.00	-13.10	9.45	3	H	127	2.00	-
PK	5.507G	59.98	68.20	-8.22	9.80	3	H	127	2.00	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170727
 EUT X_4TX
 Setting 24
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	51.93	54.00	-2.07	9.03	3	V	102	2.07	-
AV	5.309G	100.01	Inf	-Inf	9.37	3	V	102	2.07	-
AV	5.365G	53.67	54.00	-0.33	9.46	3	V	102	2.07	-
PK	5.147G	65.33	74.00	-8.67	9.03	3	V	102	2.07	-
PK	5.297G	110.80	Inf	-Inf	9.34	3	V	102	2.07	-
PK	5.367G	73.28	74.00	-0.72	9.46	3	V	102	2.07	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170727
 EUT X_4TX
 Setting 24
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.143G	47.00	54.00	-7.00	9.02	3	H	70	1.09	-
AV	5.278G	90.53	Inf	-Inf	9.31	3	H	70	1.09	-
AV	5.367G	49.50	54.00	-4.50	9.46	3	H	70	1.09	-
PK	5.083G	59.16	74.00	-14.84	8.86	3	H	70	1.09	-
PK	5.273G	100.94	Inf	-Inf	9.30	3	H	70	1.09	-
PK	5.367G	67.83	74.00	-6.17	9.46	3	H	70	1.09	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170731
 EUT_X_4TX
 Setting 21
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.432G	48.57	54.00	-5.43	9.61	3	V	277	2.55	-
AV	5.536G	89.56	Inf	-Inf	9.82	3	V	277	2.55	-
PK	5.457G	65.43	74.00	-8.57	9.67	3	V	277	2.55	-
PK	5.465G	67.87	68.20	-0.33	9.71	3	V	277	2.55	-
PK	5.502G	111.28	Inf	-Inf	9.79	3	V	277	2.55	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170731
 EUT X_4TX
 Setting 21
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.455G	47.54	54.00	-6.46	9.67	3	H	40	2.94	-
AV	5.503G	88.64	Inf	-Inf	9.79	3	H	40	2.94	-
PK	5.399G	59.73	74.00	-14.27	9.52	3	H	40	2.94	-
PK	5.468G	59.33	68.20	-8.87	9.70	3	H	40	2.94	-
PK	5.563G	96.60	Inf	-Inf	9.85	3	H	40	2.94	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170731
 EUT_X_4TX
 Setting 20
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.05	54.00	-0.95	9.68	3	V	356	2.17	-
AV	5.578G	96.18	Inf	-Inf	9.86	3	V	356	2.17	-
PK	5.452G	69.79	74.00	-4.21	9.66	3	V	356	2.17	-
PK	5.467G	68.18	68.20	-0.02	9.70	3	V	356	2.17	-
PK	5.613G	108.84	Inf	-Inf	9.88	3	V	356	2.17	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170731
 EUT_X_4TX
 Setting 20
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45998G	48.91	54.00	-5.09	9.68	3	H	247	2.64	-
AV	5.593G	89.92	Inf	-Inf	9.87	3	H	247	2.64	-
PK	5.46G	62.31	74.00	-11.69	9.68	3	H	247	2.64	-
PK	5.466G	62.92	68.20	-5.28	9.70	3	H	247	2.64	-
PK	5.641G	101.48	Inf	-Inf	9.89	3	H	247	2.64	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170727
 EUT_X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	53.97	54.00	-0.03	9.68	3	V	107	2.06	-
AV	5.5572G	97.23	Inf	-Inf	9.84	3	V	107	2.06	-
PK	5.4452G	67.32	74.00	-6.68	9.64	3	V	107	2.06	-
PK	5.4652G	67.89	68.20	-0.31	9.70	3	V	107	2.06	-
PK	5.5156G	108.42	Inf	-Inf	9.80	3	V	107	2.06	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX




20170727
 EUT_X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	48.02	54.00	-5.98	9.68	3	H	114	1.50	-
AV	5.5532G	88.15	Inf	-Inf	9.84	3	H	114	1.50	-
PK	5.4532G	60.14	74.00	-13.86	9.66	3	H	114	1.50	-
PK	5.4636G	58.94	68.20	-9.26	9.69	3	H	114	1.50	-
PK	5.494G	103.16	Inf	-Inf	9.77	3	H	114	1.50	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170727
 EUT X_4TX
 Setting 26(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	51.64	54.00	-2.36	9.68	3	V	354	2.16	-
AV	5.6156G	98.67	Inf	-Inf	9.88	3	V	354	2.16	-
PK	5.4588G	63.51	74.00	-10.49	9.68	3	V	354	2.16	-
PK	5.4636G	65.80	68.20	-2.40	9.69	3	V	354	2.16	-
PK	5.626G	109.90	Inf	-Inf	9.89	3	V	354	2.16	-
PK	5.7268G	67.64	68.20	-0.56	9.91	3	V	354	2.16	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5610MHz_TX




20170727
 EUT X_4TX
 Setting 26(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.43G	47.48	54.00	-6.52	9.60	3	H	216	2.71	-
AV	5.578G	90.68	Inf	-Inf	9.86	3	H	216	2.71	-
PK	5.426G	59.08	74.00	-14.92	9.59	3	H	216	2.71	-
PK	5.4676G	58.89	68.20	-9.31	9.70	3	H	216	2.71	-
PK	5.5932G	108.39	Inf	-Inf	9.87	3	H	216	2.71	-
PK	5.7268G	63.35	68.20	-4.85	9.91	3	H	216	2.71	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170727
 EUT_X_4TX
 Setting 27
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.39G	53.91	54.00	-0.09	9.50	3	V	103	2.07	-
AV	5.7044G	98.53	Inf	-Inf	9.90	3	V	103	2.07	-
PK	5.3936G	66.31	74.00	-7.69	9.51	3	V	103	2.07	-
PK	5.460005G	60.94	68.20	-7.26	9.68	3	V	103	2.07	-
PK	5.7092G	111.04	Inf	-Inf	9.90	3	V	103	2.07	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170727
 EUT_X_4TX
 Setting 27
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4284G	48.58	54.00	-5.42	9.60	3	H	173	2.52	-
AV	5.714G	92.54	Inf	-Inf	9.90	3	H	173	2.52	-
PK	5.42G	59.71	74.00	-14.29	9.57	3	H	173	2.52	-
PK	5.468G	58.57	68.20	-9.63	9.70	3	H	173	2.52	-
PK	5.7248G	107.22	Inf	-Inf	9.90	3	H	173	2.52	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170727
 EUT_X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.066G	49.04	54.00	-4.96	8.81	3	V	67	2.15	-
AV	5.352G	52.21	54.00	-1.79	9.44	3	V	67	2.15	-
AV	5.536G	95.90	Inf	-Inf	9.82	3	V	67	2.15	-
PK	5.146G	60.54	74.00	-13.46	9.02	3	V	67	2.15	-
PK	5.350005G	65.56	74.00	-8.44	9.44	3	V	67	2.15	-
PK	5.464G	63.57	68.20	-4.63	9.69	3	V	67	2.15	-
PK	5.532G	107.74	Inf	-Inf	9.82	3	V	67	2.15	-
PK	5.772G	60.90	68.20	-7.30	9.91	3	V	67	2.15	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5530MHz_TX




20170727
 EUT X_4TX
 Setting 24(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.082G	46.65	54.00	-7.35	8.86	3	H	170	2.31	-
AV	5.374G	47.85	54.00	-6.15	9.48	3	H	170	2.31	-
AV	5.506G	90.62	Inf	-Inf	9.80	3	H	170	2.31	-
PK	5.134G	58.72	74.00	-15.28	9.00	3	H	170	2.31	-
PK	5.41G	59.72	74.00	-14.28	9.55	3	H	170	2.31	-
PK	5.466G	61.30	68.20	-6.90	9.70	3	H	170	2.31	-
PK	5.514G	101.00	Inf	-Inf	9.80	3	H	170	2.31	-
PK	5.846G	59.72	68.20	-8.48	9.98	3	H	170	2.31	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170727
 EUT_X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4148G	53.71	54.00	-0.29	9.56	3	V	355	2.15	-
AV	5.6164G	97.25	Inf	-Inf	9.88	3	V	355	2.15	-
PK	5.4124G	66.39	74.00	-7.61	9.55	3	V	355	2.15	-
PK	5.4676G	64.29	68.20	-3.91	9.70	3	V	355	2.15	-
PK	5.6076G	113.17	Inf	-Inf	9.88	3	V	355	2.15	-
PK	5.7324G	64.74	68.20	-3.46	9.91	3	V	355	2.15	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5610MHz_TX




20170727
 EUT_X_4TX
 Setting 25
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4116G	47.70	54.00	-6.30	9.55	3	H	167	1.01	-
AV	5.618G	87.59	Inf	-Inf	9.88	3	H	167	1.01	-
PK	5.418G	60.18	74.00	-13.82	9.57	3	H	167	1.01	-
PK	5.4652G	58.83	68.20	-9.37	9.70	3	H	167	1.01	-
PK	5.5956G	102.08	Inf	-Inf	9.88	3	H	167	1.01	-
PK	5.802G	59.77	68.20	-8.43	9.92	3	H	167	1.01	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170727
 EUT X_4TX
 Setting 25(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.39G	52.50	54.00	-1.50	9.50	3	V	94	1.50	-
AV	5.7224G	96.44	Inf	-Inf	9.90	3	V	94	1.50	-
PK	5.3948G	65.36	74.00	-8.64	9.51	3	V	94	1.50	-
PK	5.462G	59.94	68.20	-8.26	9.69	3	V	94	1.50	-
PK	5.6936G	105.96	Inf	-Inf	9.90	3	V	94	1.50	-
PK	5.9756G	60.14	68.20	-8.06	10.17	3	V	94	1.50	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170727
 EUT X_4TX
 Setting 25(升1 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.39G	47.51	54.00	-6.49	9.50	3	H	196	2.58	-
AV	5.726G	95.11	Inf	-Inf	9.91	3	H	196	2.58	-
PK	5.4284G	60.81	74.00	-13.19	9.60	3	H	196	2.58	-
PK	5.4668G	58.69	68.20	-9.51	9.70	3	H	196	2.58	-
PK	5.7068G	101.09	Inf	-Inf	9.90	3	H	196	2.58	-
PK	5.96G	59.84	68.20	-8.36	10.14	3	H	196	2.58	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170727
 EUT_X_4TX
 Setting 24
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.436G	51.55	54.00	-2.45	9.62	3	V	125	1.04	-
AV	5.465G	50.66	54.00	-3.34	9.70	3	V	125	1.04	-
AV	5.518G	97.69	Inf	-Inf	9.81	3	V	125	1.04	-
AV	5.727G	49.48	54.00	-4.52	9.91	3	V	125	1.04	-
PK	5.436G	73.94	74.00	-0.06	9.62	3	V	125	1.04	-
PK	5.469G	70.84	74.00	-3.16	9.71	3	V	125	1.04	-
PK	5.514G	108.30	Inf	-Inf	9.80	3	V	125	1.04	-
PK	5.73G	65.96	74.00	-8.04	9.91	3	V	125	1.04	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




20170727
 EUT_X_4TX
 Setting 24
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	50.38	54.00	-3.62	9.68	3	H	172	1.80	-
AV	5.468G	49.27	54.00	-4.73	9.70	3	H	172	1.80	-
AV	5.497G	92.06	Inf	-Inf	9.78	3	H	172	1.80	-
AV	5.728G	48.45	54.00	-5.55	9.91	3	H	172	1.80	-
PK	5.413G	67.58	74.00	-6.42	9.56	3	H	172	1.80	-
PK	5.465G	64.54	74.00	-9.46	9.70	3	H	172	1.80	-
PK	5.532G	102.31	Inf	-Inf	9.82	3	H	172	1.80	-
PK	5.727G	61.65	74.00	-12.35	9.91	3	H	172	1.80	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170727
 EUT_X_4TX
 Setting 24
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	51.61	54.00	-2.39	9.67	3	V	202	2.22	-
AV	5.465G	51.44	54.00	-2.56	9.70	3	V	202	2.22	-
AV	5.622G	98.37	Inf	-Inf	9.88	3	V	202	2.22	-
AV	5.727G	51.28	54.00	-2.72	9.91	3	V	202	2.22	-
PK	5.43G	73.78	74.00	-0.22	9.60	3	V	202	2.22	-
PK	5.460005G	71.02	74.00	-2.98	9.68	3	V	202	2.22	-
PK	5.618G	108.69	Inf	-Inf	9.88	3	V	202	2.22	-
PK	5.728G	67.26	74.00	-6.74	9.91	3	V	202	2.22	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




20170727
 EUT_X_4TX
 Setting 24
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.453G	48.75	54.00	-5.25	9.66	3	H	203	1.73	-
AV	5.466G	48.44	54.00	-5.56	9.70	3	H	203	1.73	-
AV	5.598G	88.98	Inf	-Inf	9.88	3	H	203	1.73	-
AV	5.739G	48.29	54.00	-5.71	9.91	3	H	203	1.73	-
PK	5.453G	64.93	74.00	-9.07	9.66	3	H	203	1.73	-
PK	5.469G	61.70	74.00	-12.30	9.71	3	H	203	1.73	-
PK	5.622G	98.81	Inf	-Inf	9.88	3	H	203	1.73	-
PK	5.747G	61.41	74.00	-12.59	9.91	3	H	203	1.73	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170731
 EUT_X_4TX
 Setting 23 (升1 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	52.51	54.00	-1.49	9.67	3	V	283	2.22	-
AV	5.562G	98.59	Inf	-Inf	9.85	3	V	283	2.22	-
PK	5.453G	66.07	74.00	-7.93	9.66	3	V	283	2.22	-
PK	5.468G	65.37	68.20	-2.83	9.70	3	V	283	2.22	-
PK	5.542G	109.68	Inf	-Inf	9.83	3	V	283	2.22	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5530MHz,5690MHz_TX




20170731
 EUT_X_4TX
 Setting 23 (升1 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45999G	48.37	54.00	-5.63	9.68	3	H	105	2.70	-
AV	5.534G	91.01	Inf	-Inf	9.82	3	H	105	2.70	-
PK	5.437G	61.02	74.00	-12.98	9.62	3	H	105	2.70	-
PK	5.468G	59.42	68.20	-8.78	9.70	3	H	105	2.70	-
PK	5.505G	104.98	Inf	-Inf	9.79	3	H	105	2.70	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170731
 EUT_X_4TX
 Setting 23
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4416G	51.27	54.00	-2.73	9.63	3	V	293	2.21	-
AV	5.6636G	98.27	Inf	-Inf	9.89	3	V	293	2.21	-
PK	5.444G	64.97	74.00	-9.03	9.64	3	V	293	2.21	-
PK	5.4692G	63.80	68.20	-4.40	9.71	3	V	293	2.21	-
PK	5.6636G	109.29	Inf	-Inf	9.89	3	V	293	2.21	-
PK	5.9468G	60.03	68.20	-8.17	10.13	3	V	293	2.21	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5690MHz Straddle 5.47-5.725GHz_TX




20170731
 EUT_X_4TX
 Setting 23
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4536G	47.36	54.00	-6.64	9.66	3	H	298	1.07	-
AV	5.702G	87.89	Inf	-Inf	9.90	3	H	298	1.07	-
PK	5.4272G	59.26	74.00	-14.74	9.59	3	H	298	1.07	-
PK	5.4668G	58.71	68.20	-9.49	9.70	3	H	298	1.07	-
PK	5.6756G	98.57	Inf	-Inf	9.90	3	H	298	1.07	-
PK	5.99G	59.50	68.20	-8.70	10.19	3	H	298	1.07	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




20170731
 EUT_X_4TX
 Setting 24
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	48.11	54.00	-5.89	9.68	3	V	291	1.50	-
AV	5.714G	98.09	Inf	-Inf	9.90	3	V	291	1.50	-
PK	5.4584G	61.93	74.00	-12.07	9.68	3	V	291	1.50	-
PK	5.4692G	63.20	68.20	-5.00	9.71	3	V	291	1.50	-
PK	5.7128G	109.75	Inf	-Inf	9.90	3	V	291	1.50	-
PK	5.9324G	67.46	68.20	-0.74	10.11	3	V	291	1.50	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

#5690MHz,5775MHz Straddle 5.47-5.725GHz_TX




20170731
 EUT X_4TX
 Setting 24
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4464G	47.37	54.00	-6.63	9.65	3	H	316	2.25	-
AV	5.696G	78.56	Inf	-Inf	9.90	3	H	316	2.25	-
PK	5.4176G	59.83	74.00	-14.17	9.57	3	H	316	2.25	-
PK	5.4668G	58.63	68.20	-9.57	9.70	3	H	316	2.25	-
PK	5.6888G	93.17	Inf	-Inf	9.90	3	H	316	2.25	-
PK	5.9396G	61.22	68.20	-6.98	10.12	3	H	316	2.25	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170727
 EUT X_4TX
 Setting 27
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.772G	102.00	Inf	-Inf	9.91	3	V	114	2.17	-
PK	5.645G	68.13	68.20	-0.07	9.89	3	V	114	2.17	-
PK	5.767G	109.02	Inf	-Inf	9.91	3	V	114	2.17	-
PK	5.925G	64.14	68.20	-4.06	10.09	3	V	114	2.17	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5210MHz,#5775MHz_TX




20170727
 EUT_X_4TX
 Setting 27
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.772G	94.48	Inf	-Inf	9.91	3	H	9	2.93	-
PK	5.638G	62.44	68.20	-5.76	9.89	3	H	9	2.93	-
PK	5.772G	105.49	Inf	-Inf	9.91	3	H	9	2.93	-
PK	5.965G	60.09	68.20	-8.11	10.15	3	H	9	2.93	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170727
 EUT_X_4TX
 Setting 28
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.744G	103.17	Inf	-Inf	9.91	3	V	77	2.00	-
PK	5.629G	68.19	68.20	-0.01	9.89	3	V	77	2.00	-
PK	5.742G	115.59	Inf	-Inf	9.91	3	V	77	2.00	-
PK	5.928G	66.63	68.20	-1.57	10.10	3	V	77	2.00	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5290MHz,#5775MHz_TX




20170727
 EUT_X_4TX
 Setting 28
 02-J-6-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.787G	95.11	Inf	-Inf	9.92	3	H	174	2.33	-
PK	5.617G	65.64	68.20	-2.56	9.88	3	H	174	2.33	-
PK	5.765G	108.52	Inf	-Inf	9.91	3	H	174	2.33	-
PK	5.926G	63.39	68.20	-4.81	10.10	3	H	174	2.33	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170731
 EUT_X_4TX
 Setting 21
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.778G	90.03	Inf	-Inf	9.92	3	V	52	2.10	-
PK	5.753G	102.88	Inf	-Inf	9.91	3	V	52	2.10	-
PK	5.936G	63.07	68.20	-5.13	10.11	3	V	52	2.10	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5530MHz,#5775MHz_TX




20170731
 EUT X_4TX
 Setting 21
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.786G	74.33	Inf	-Inf	9.92	3	H	136	1.50	-
PK	5.742G	90.68	Inf	-Inf	9.91	3	H	136	1.50	-
PK	5.982G	60.20	68.20	-8.00	10.17	3	H	136	1.50	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170731
 EUT X_4TX
 Setting 20
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.739G	91.91	Inf	-Inf	9.91	3	V	274	1.50	-
PK	5.76G	102.61	Inf	-Inf	9.91	3	V	274	1.50	-
PK	5.935G	66.00	68.20	-2.20	10.11	3	V	274	1.50	-



802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5610MHz,#5775MHz_TX




20170731
 EUT_X_4TX
 Setting 20
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.786G	81.78	Inf	-Inf	9.92	3	H	282	1.50	-
PK	5.785G	94.90	Inf	-Inf	9.92	3	H	282	1.50	-
PK	5.972G	59.61	68.20	-8.59	10.16	3	H	282	1.50	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5690MHz,#5775MHz Straddle 5.725-5.85GHz_TX




20170731
 EUT X_4TX
 Setting 24 (升1 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.771G	94.67	Inf	-Inf	9.91	3	V	178	1.50	-
PK	5.786G	106.65	Inf	-Inf	9.92	3	V	178	1.50	-
PK	5.929G	65.14	68.20	-3.06	10.10	3	V	178	1.50	-

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

5690MHz,#5775MHz Straddle 5.725-5.85GHz_TX



20170731
 EUT X_4TX
 Setting 24 (升1 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.807G	83.96	Inf	-Inf	9.93	3	H	248	2.94	-
PK	5.789G	98.69	Inf	-Inf	9.92	3	H	248	2.94	-
PK	5.928G	64.21	68.20	-3.99	10.10	3	H	248	2.94	-




For set 6 antenna / 4T2S
Band Edge Emission
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	AV	5.0828G	53.99	54.00	-0.01	8.86	3	V	99	2.84	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170720
 EUT X_4TX
 Setting 21
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.145G	53.73	54.00	-0.27	9.02	3	V	82	2.97	-
AV	5.186G	94.93	Inf	-Inf	9.12	3	V	82	2.97	-
AV	5.427G	53.33	54.00	-0.67	9.59	3	V	82	2.97	-
PK	5.147G	67.66	74.00	-6.34	9.03	3	V	82	2.97	-
PK	5.182G	105.27	Inf	-Inf	9.11	3	V	82	2.97	-
PK	5.421G	65.19	74.00	-8.81	9.58	3	V	82	2.97	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5530MHz_TX




20170720
 EUT X_4TX
 Setting 21
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.111G	53.91	54.00	-0.09	8.94	3	H	103	2.97	-
AV	5.232G	94.12	Inf	-Inf	9.22	3	H	103	2.97	-
AV	5.45G	53.93	54.00	-0.07	9.66	3	H	103	2.97	-
PK	5.139G	65.95	74.00	-8.05	9.01	3	H	103	2.97	-
PK	5.23G	104.87	Inf	-Inf	9.22	3	H	103	2.97	-
PK	5.45G	65.55	74.00	-8.45	9.66	3	H	103	2.97	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170720
 EUT X_4TX
 Setting 21
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.145G	52.35	54.00	-1.65	9.02	3	V	359	2.97	-
AV	5.187G	95.30	Inf	-Inf	9.13	3	V	359	2.97	-
AV	5.350005G	53.66	54.00	-0.34	9.44	3	V	359	2.97	-
PK	5.147G	66.66	74.00	-7.34	9.03	3	V	359	2.97	-
PK	5.182G	105.93	Inf	-Inf	9.11	3	V	359	2.97	-
PK	5.350005G	65.61	74.00	-8.39	9.44	3	V	359	2.97	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5610MHz_TX




20170720
 EUT X_4TX
 Setting 21
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.105G	53.91	54.00	-0.09	8.92	3	H	93	2.97	-
AV	5.233G	94.60	Inf	-Inf	9.22	3	H	93	2.97	-
AV	5.350005G	51.69	54.00	-2.31	9.44	3	H	93	2.97	-
PK	5.099G	67.62	74.00	-6.38	8.91	3	H	93	2.97	-
PK	5.233G	105.35	Inf	-Inf	9.22	3	H	93	2.97	-
PK	5.457G	63.22	74.00	-10.78	9.67	3	H	93	2.97	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170720
 EUT X_4TX
 Setting 20 (↑0.5 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.115G	52.00	54.00	-2.00	8.95	3	V	211	2.91	-
AV	5.234G	95.16	Inf	-Inf	9.22	3	V	211	2.91	-
AV	5.351G	50.05	54.00	-3.95	9.44	3	V	211	2.91	-
PK	5.125G	65.48	74.00	-8.52	8.97	3	V	211	2.91	-
PK	5.234G	105.65	Inf	-Inf	9.22	3	V	211	2.91	-
PK	5.352G	62.02	74.00	-11.98	9.44	3	V	211	2.91	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5690MHz_TX




20170720
 EUT X_4TX
 Setting 20 (升0.5 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.134G	51.84	54.00	-2.16	9.00	3	H	199	1.76	-
AV	5.222G	93.60	Inf	-Inf	9.20	3	H	199	1.76	-
AV	5.350005G	49.75	54.00	-4.25	9.44	3	H	199	1.76	-
PK	5.125G	65.05	74.00	-8.95	8.97	3	H	199	1.76	-
PK	5.227G	104.58	Inf	-Inf	9.21	3	H	199	1.76	-
PK	5.350005G	61.89	74.00	-12.11	9.44	3	H	199	1.76	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170720
 EUT X_4TX
 Setting 20.5 (↑0.5 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.136G	51.68	54.00	-2.32	9.00	3	V	195	2.84	-
AV	5.187G	94.98	Inf	-Inf	9.13	3	V	195	2.84	-
AV	5.350005G	50.57	54.00	-3.43	9.44	3	V	195	2.84	-
PK	5.149G	64.35	74.00	-9.65	9.03	3	V	195	2.84	-
PK	5.182G	105.92	Inf	-Inf	9.11	3	V	195	2.84	-
PK	5.351G	62.12	74.00	-11.88	9.44	3	V	195	2.84	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5775MHz_TX




20170720
 EUT X_4TX
 Setting 20.5 (±0.5 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.134G	51.82	54.00	-2.18	9.00	3	H	198	1.66	-
AV	5.222G	94.35	Inf	-Inf	9.20	3	H	198	1.66	-
AV	5.350005G	49.29	54.00	-4.71	9.44	3	H	198	1.66	-
PK	5.142G	64.41	74.00	-9.59	9.02	3	H	198	1.66	-
PK	5.226G	105.09	Inf	-Inf	9.21	3	H	198	1.66	-
PK	5.350005G	61.27	74.00	-12.73	9.44	3	H	198	1.66	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170720
 EUT X_4TX
 Setting 19.5
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.101G	49.33	54.00	-4.67	8.91	3	V	209	2.92	-
AV	5.225G	94.58	Inf	-Inf	9.21	3	V	209	2.92	-
AV	5.350005G	51.92	54.00	-2.08	9.44	3	V	209	2.92	-
PK	5.1G	61.60	74.00	-12.40	8.91	3	V	209	2.92	-
PK	5.225G	105.51	Inf	-Inf	9.21	3	V	209	2.92	-
PK	5.355G	64.10	74.00	-9.90	9.44	3	V	209	2.92	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5210MHz,5290MHz_TX




20170720
 EUT X_4TX
 Setting 19.5
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.143G	48.79	54.00	-5.21	9.02	3	H	193	1.76	-
AV	5.222G	92.59	Inf	-Inf	9.20	3	H	193	1.76	-
AV	5.357G	53.84	54.00	-0.16	9.45	3	H	193	1.76	-
PK	5.142G	63.41	74.00	-10.59	9.02	3	H	193	1.76	-
PK	5.226G	103.49	Inf	-Inf	9.21	3	H	193	1.76	-
PK	5.356G	64.48	74.00	-9.52	9.45	3	H	193	1.76	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170720
 EUT X_4TX
 Setting 20 (±0.5 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.19	54.00	-6.81	9.03	3	V	188	2.64	-
AV	5.266G	94.36	Inf	-Inf	9.29	3	V	188	2.64	-
AV	5.357G	51.78	54.00	-2.22	9.45	3	V	188	2.64	-
PK	5.113G	58.77	74.00	-15.23	8.94	3	V	188	2.64	-
PK	5.279G	105.27	Inf	-Inf	9.31	3	V	188	2.64	-
PK	5.355G	64.68	74.00	-9.32	9.44	3	V	188	2.64	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5530MHz_TX




20170720
 EUT X_4TX
 Setting 20 (升0.5 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	47.54	54.00	-6.46	9.03	3	H	187	1.56	-
AV	5.322G	93.79	Inf	-Inf	9.39	3	H	187	1.56	-
AV	5.354G	52.71	54.00	-1.29	9.44	3	H	187	1.56	-
PK	5.051G	59.99	74.00	-14.01	8.77	3	H	187	1.56	-
PK	5.273G	103.78	Inf	-Inf	9.30	3	H	187	1.56	-
PK	5.357G	64.50	74.00	-9.50	9.45	3	H	187	1.56	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170720
 EUT X_4TX
 Setting 20 (↑0.5 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	46.80	54.00	-7.20	9.03	3	V	191	2.65	-
AV	5.267G	94.28	Inf	-Inf	9.29	3	V	191	2.65	-
AV	5.364G	52.27	54.00	-1.73	9.46	3	V	191	2.65	-
PK	5.143G	59.24	74.00	-14.76	9.02	3	V	191	2.65	-
PK	5.262G	105.33	Inf	-Inf	9.28	3	V	191	2.65	-
PK	5.355G	65.44	74.00	-8.56	9.44	3	V	191	2.65	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5610MHz_TX




20170720
 EUT X_4TX
 Setting 20 (↑0.5 Over)
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.18	54.00	-6.82	9.03	3	H	187	1.50	-
AV	5.278G	93.29	Inf	-Inf	9.31	3	H	187	1.50	-
AV	5.352G	52.13	54.00	-1.87	9.44	3	H	187	1.50	-
PK	5.141G	59.26	74.00	-14.74	9.01	3	H	187	1.50	-
PK	5.273G	103.50	Inf	-Inf	9.30	3	H	187	1.50	-
PK	5.352G	64.92	74.00	-9.08	9.44	3	H	187	1.50	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170720
 EUT X_4TX
 Setting 20
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	46.72	54.00	-7.28	9.03	3	V	196	2.65	-
AV	5.266G	93.06	Inf	-Inf	9.29	3	V	196	2.65	-
AV	5.354G	53.97	54.00	-0.03	9.44	3	V	196	2.65	-
PK	5.07G	58.21	74.00	-15.79	8.83	3	V	196	2.65	-
PK	5.279G	103.01	Inf	-Inf	9.31	3	V	196	2.65	-
PK	5.357G	67.72	74.00	-6.28	9.45	3	V	196	2.65	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5690MHz_TX




20170720
 EUT X_4TX
 Setting 20
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.27	54.00	-6.73	9.03	3	H	186	1.60	-
AV	5.302G	92.98	Inf	-Inf	9.35	3	H	186	1.60	-
AV	5.351G	53.09	54.00	-0.91	9.44	3	H	186	1.60	-
PK	5.148G	58.91	74.00	-15.09	9.03	3	H	186	1.60	-
PK	5.306G	103.38	Inf	-Inf	9.36	3	H	186	1.60	-
PK	5.352G	65.80	74.00	-8.20	9.44	3	H	186	1.60	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170720
 EUT_X_4TX
 Setting 20
 02-J-6-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.02	54.00	-5.98	9.03	3	V	210	2.87	-
AV	5.297G	95.72	Inf	-Inf	9.34	3	V	210	2.87	-
AV	5.353G	51.79	54.00	-2.21	9.44	3	V	210	2.87	-
PK	5.142G	60.48	74.00	-13.52	9.02	3	V	210	2.87	-
PK	5.276G	106.44	Inf	-Inf	9.30	3	V	210	2.87	-
PK	5.374G	64.15	74.00	-9.85	9.48	3	V	210	2.87	-
PK	5.465G	58.96	68.20	-9.24	9.70	3	V	210	2.87	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5290MHz,5775MHz_TX




20170720
 EUT_X_4TX
 Setting 20
 02-J-6-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	48.23	54.00	-5.77	9.03	3	H	207	1.50	-
AV	5.278G	94.20	Inf	-Inf	9.31	3	H	207	1.50	-
AV	5.351G	53.90	54.00	-0.10	9.44	3	H	207	1.50	-
PK	5.145G	59.79	74.00	-14.21	9.02	3	H	207	1.50	-
PK	5.273G	104.53	Inf	-Inf	9.30	3	H	207	1.50	-
PK	5.359G	66.18	74.00	-7.82	9.45	3	H	207	1.50	-
PK	5.461G	59.79	68.20	-8.41	9.68	3	H	207	1.50	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170720
 EUT X_4TX
 Setting 19.5
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	47.92	54.00	-6.08	9.02	3	V	265	2.90	-
AV	5.294G	94.53	Inf	-Inf	9.34	3	V	265	2.90	-
AV	5.351G	51.64	54.00	-2.36	9.44	3	V	265	2.90	-
PK	5.141G	59.78	74.00	-14.22	9.01	3	V	265	2.90	-
PK	5.291G	105.63	Inf	-Inf	9.33	3	V	265	2.90	-
PK	5.356G	64.09	74.00	-9.91	9.45	3	V	265	2.90	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5290MHz_TX




20170720
 EUT X_4TX
 Setting 19.5
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.147G	48.72	54.00	-5.28	9.03	3	H	330	2.34	-
AV	5.273G	94.86	Inf	-Inf	9.30	3	H	330	2.34	-
AV	5.350005G	53.62	54.00	-0.38	9.44	3	H	330	2.34	-
PK	5.125G	61.11	74.00	-12.89	8.97	3	H	330	2.34	-
PK	5.265G	106.04	Inf	-Inf	9.28	3	H	330	2.34	-
PK	5.359G	66.17	74.00	-7.83	9.45	3	H	330	2.34	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170720
 EUT_X_4TX
 Setting 20
 02-J-6-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.52	54.00	-0.48	9.68	3	V	310	1.10	-
AV	5.538G	94.71	Inf	-Inf	9.82	3	V	310	1.10	-
PK	5.445G	67.57	74.00	-6.43	9.64	3	V	310	1.10	-
PK	5.467G	66.85	68.20	-1.35	9.70	3	V	310	1.10	-
PK	5.535G	105.25	Inf	-Inf	9.82	3	V	310	1.10	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5530MHz,5775MHz_TX




20170720
 EUT_X_4TX
 Setting 20
 02-J-6-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	53.91	54.00	-0.09	9.67	3	H	202	1.47	-
AV	5.513G	95.33	Inf	-Inf	9.80	3	H	202	1.47	-
PK	5.446G	66.21	74.00	-7.79	9.64	3	H	202	1.47	-
PK	5.467G	68.03	68.20	-0.17	9.70	3	H	202	1.47	-
PK	5.513G	105.68	Inf	-Inf	9.80	3	H	202	1.47	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170720
 EUT X_4TX
 Setting 21(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	50.74	54.00	-3.26	9.68	3	V	219	2.94	-
AV	5.634G	96.83	Inf	-Inf	9.89	3	V	219	2.94	-
PK	5.453G	62.59	74.00	-11.41	9.66	3	V	219	2.94	-
PK	5.468G	65.15	68.20	-3.05	9.70	3	V	219	2.94	-
PK	5.63G	107.63	Inf	-Inf	9.89	3	V	219	2.94	-



802.11ac VHT80+80_Nss2,(MCS0)_4TX

#5610MHz,5775MHz_TX




20170720
 EUT X_4TX
 Setting 21(升0.5 OVER)
 02-J-6-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	49.74	54.00	-4.26	9.68	3	H	199	1.63	-
AV	5.598G	96.46	Inf	-Inf	9.88	3	H	199	1.63	-
PK	5.459G	63.89	74.00	-10.11	9.68	3	H	199	1.63	-
PK	5.465G	63.03	68.20	-5.17	9.70	3	H	199	1.63	-
PK	5.593G	106.56	Inf	-Inf	9.87	3	H	199	1.63	-

802.11ac VHT80+80_Nss2,(MCS0)_4TX

5210MHz,#5530MHz_TX



20170720
 EUT X_4TX
 Setting 20
 02-Z-1-10
 FSU
 Ant (Omni) Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.93	54.00	-0.07	9.68	3	V	98	2.97	-
AV	5.498G	93.47	Inf	-Inf	9.78	3	V	98	2.97	-
PK	5.442G	64.27	74.00	-9.73	9.63	3	V	98	2.97	-
PK	5.468G	67.74	68.20	-0.46	9.70	3	V	98	2.97	-
PK	5.502G	104.21	Inf	-Inf	9.79	3	V	98	2.97	-
PK	5.778G	61.75	68.20	-6.45	9.92	3	V	98	2.97	-