




11a_Nss1_2TX

5320MHz_TX




20170621
 EUT Y_2TX
 Setting 18
 01-M-0
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3172G	105.78	Inf	-Inf	4.62	3	Horizontal	207	1.90
AV	5.3524G	52.01	54.00	-1.99	4.68	3	Horizontal	207	1.90
PK	5.318G	116.21	Inf	-Inf	4.62	3	Horizontal	207	1.90
PK	5.3528G	70.30	74.00	-3.70	4.69	3	Horizontal	207	1.90



11a_Nss1_2TX

5320MHz_TX




20170621
EUT Y_2TX
Setting 18
01-M-0
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height					
	(Hz)	(dBuv/m)	(dBuv/m)	(dB)	(dB)	(m)		(°)	(m)					
AV	15.95827G	50.26	54.00	-3.74	18.14	3	Vertical	190	1.50					
PK	15.96042G	63.44	74.00	-10.56	18.14	3	Vertical	190	1.50	-	45.30	39.58	13.11	34.55



11a_Nss1_2TX

5320MHz_TX




20170621
EUT Y_2TX
Setting 18
01-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuv/m)	Limit (dBuv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.95869G	50.27	54.00	-3.73	18.14	3	Horizontal	166	1.50
PK	15.96198G	63.66	74.00	-10.34	18.14	3	Horizontal	166	1.50



11a_Nss1_2TX

5500MHz_TX




20170621
EUT Y_2TX
Setting 16.5
01-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4592G	48.82	54.00	-5.18	4.92	3	Vertical	240	1.00
AV	5.4944G	105.78	Inf	-Inf	5.02	3	Vertical	240	1.00
PK	5.4388G	61.37	74.00	-12.63	4.87	3	Vertical	240	1.00
PK	5.4696G	68.19	68.20	-0.01	4.95	3	Vertical	240	1.00
PK	5.5036G	115.86	Inf	-Inf	5.04	3	Vertical	240	1.00



11a_Nss1_2TX

5500MHz_TX




20170621
 EUT Y_2TX
 Setting 16.5
 01-M-0
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4596G	48.69	54.00	-5.31	4.92	3	Horizontal	220	1.00
AV	5.5036G	105.73	Inf	-Inf	5.04	3	Horizontal	220	1.00
PK	5.4372G	61.40	74.00	-12.60	4.87	3	Horizontal	220	1.00
PK	5.4688G	68.12	68.20	-0.08	4.95	3	Horizontal	220	1.00
PK	5.5044G	115.67	Inf	-Inf	5.05	3	Horizontal	220	1.00



11a_Nss1_2TX

5500MHz_TX




20170621
 EUT Y_2TX
 Setting 16.5
 01-M-0
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.002G	44.24	54.00	-9.76	15.80	3	Vertical	216	1.50
PK	11.00069G	57.96	74.00	-16.04	15.80	3	Vertical	216	1.50



11a_Nss1_2TX

5500MHz_TX




20170621
 EUT Y_2TX
 Setting 16.5
 01-M-0
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.99934G	44.41	54.00	-9.59	15.80	3	Horizontal	190	1.50
PK	10.99914G	57.55	74.00	-16.45	15.80	3	Horizontal	190	1.50



11a_Nss1_2TX

5580MHz_TX




20170621
 EUT Y_2TX
 Setting 24
 01-M-0
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4444G	48.00	54.00	-6.00	4.89	3	Vertical	239	1.11
AV	5.5842G	111.91	Inf	-Inf	5.32	3	Vertical	239	1.11
PK	5.4558G	60.48	74.00	-13.52	4.92	3	Vertical	239	1.11
PK	5.4636G	60.51	68.20	-7.69	4.94	3	Vertical	239	1.11
PK	5.5788G	122.47	Inf	-Inf	5.31	3	Vertical	239	1.11
PK	5.7288G	60.38	68.20	-7.82	5.76	3	Vertical	239	1.11



11a_Nss1_2TX

5580MHz_TX




20170621
EUT Y_2TX
Setting 24
01-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.46G	48.22	54.00	-5.78	4.93	3	Horizontal	169	1.99
AV	5.5746G	111.61	Inf	-Inf	5.29	3	Horizontal	169	1.99
PK	5.4354G	60.38	74.00	-13.62	4.86	3	Horizontal	169	1.99
PK	5.4684G	60.48	68.20	-7.72	4.95	3	Horizontal	169	1.99
PK	5.5746G	122.08	Inf	-Inf	5.29	3	Horizontal	169	1.99
PK	5.73G	60.25	68.20	-7.95	5.76	3	Horizontal	169	1.99



11a_Nss1_2TX

5580MHz_TX




20170622
EUT Y_2TX
Setting 24
04-R-2
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuv/m)	(dBuv/m)	(dB)	(dB)	(m)		(°)	(m)
AV	11.15935G	44.33	54.00	-9.67	15.91	3	Vertical	156	1.50
PK	11.15834G	57.65	74.00	-16.35	15.90	3	Vertical	156	1.50
PK	16.7521G	64.16	68.20	-4.04	19.76	3	Vertical	287	1.66



11a_Nss1_2TX

5580MHz_TX




20170622
 EUT Y_2TX
 Setting 24
 04-R-2
 FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1424G	43.17	54.00	-10.83	15.89	3	Horizontal	4	2.13
PK	11.142G	55.74	74.00	-18.26	15.89	3	Horizontal	4	2.13
PK	16.7389G	68.18	68.20	-0.02	19.73	3	Horizontal	340	1.58



11a_Nss1_2TX

5700MHz_TX




20170621
 EUT Y_2TX
 Setting 16.5
 01-M-0
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.7036G	105.04	Inf	-Inf	5.69	3	Vertical	239	1.06
AV	5.7252G	53.95	54.00	-0.05	5.75	3	Vertical	239	1.06
PK	5.6992G	115.03	Inf	-Inf	5.68	3	Vertical	239	1.06
PK	5.7252G	73.25	74.00	-0.75	5.75	3	Vertical	239	1.06



11a_Nss1_2TX

5700MHz_TX




20170621
 EUT Y_2TX
 Setting 16.5
 01-M-0
 FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)
AV	5.704G	103.95	Inf	-Inf	5.69	3	Horizontal	245	1.08
AV	5.7252G	53.96	54.00	-0.04	5.75	3	Horizontal	245	1.08
PK	5.7044G	114.55	Inf	-Inf	5.69	3	Horizontal	245	1.08
PK	5.7288G	71.11	74.00	-2.89	5.76	3	Horizontal	245	1.08



11a_Nss1_2TX

5700MHz_TX




20170621
EUT Y_2TX
Setting 16.5
01-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)					
AV	11.39902G	44.56	54.00	-9.44	16.06	3	Vertical	114	1.50					
PK	11.40081G	57.93	74.00	-16.07	16.06	3	Vertical	114	1.50	-	41.86	39.38	11.74	35.06



11a_Nss1_2TX

5700MHz_TX




20170621
EUT Y_2TX
Setting 16.5
01-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.39769G	44.52	54.00	-9.48	16.06	3	Horizontal	146	1.50
PK	11.3981G	57.87	74.00	-16.13	16.06	3	Horizontal	146	1.50



802.11a_(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




20170629
 EUT Y_2TX
 Setting 24
 04-J-4-10
 FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	47.52	54.00	-6.48	5.98	3	V	237	1.80	-
AV	5.7224G	106.87	Inf	-Inf	7.02	3	V	237	1.80	-
PK	5.4584G	60.30	74.00	-13.70	5.97	3	V	237	1.80	-
PK	5.4632G	59.68	68.20	-8.52	5.99	3	V	237	1.80	-
PK	5.7224G	117.73	Inf	-Inf	7.02	3	V	237	1.80	-
PK	5.9456G	63.00	68.20	-5.20	8.13	3	V	237	1.80	-



802.11a_(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




20170629
EUT_Y_2TX
Setting 24
04-J-4-10
FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	47.43	54.00	-6.57	5.96	3	H	187	2.42	-
AV	5.714G	107.72	Inf	-Inf	7.00	3	H	187	2.42	-
PK	5.4272G	59.21	74.00	-14.79	5.83	3	H	187	2.42	-
PK	5.4656G	58.99	68.20	-9.21	6.00	3	H	187	2.42	-
PK	5.7152G	117.84	Inf	-Inf	7.00	3	H	187	2.42	-
PK	5.9768G	61.82	68.20	-6.38	8.33	3	H	187	2.42	-



802.11a_(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




20170629
 EUT Y_2TX
 Setting 24
 04-J-4
 FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43874G	44.09	54.00	-9.91	16.09	3	V	155	1.81	-
PK	11.44204G	57.06	74.00	-16.94	16.09	3	V	155	1.81	-



802.11a_(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




20170629
EUT Y_2TX
Setting 24
04-J-4
FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43316G	43.55	54.00	-10.45	16.09	3	H	177	2.37	-
PK	11.42854G	56.92	74.00	-17.08	16.08	3	H	177	2.37	-



VHT20_Nss1_2TX

5260MHz_TX




20170621
EUT_Y_2TX
Setting 24
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1112G	45.44	54.00	-8.56	5.18	3	Vertical	32	1.99
AV	5.2636G	105.03	Inf	-Inf	5.56	3	Vertical	32	1.99
AV	5.4064G	45.55	54.00	-8.45	5.73	3	Vertical	32	1.99
PK	5.122G	58.98	74.00	-15.02	5.22	3	Vertical	32	1.99
PK	5.2624G	116.39	Inf	-Inf	5.56	3	Vertical	32	1.99
PK	5.3602G	59.02	74.00	-14.98	5.66	3	Vertical	32	1.99



VHT20_Nss1_2TX

5260MHz_TX




20170621
EUT_Y_2TX
Setting 24
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1106G	45.44	54.00	-8.56	5.18	3	Horizontal	14	1.96
AV	5.2636G	104.39	Inf	-Inf	5.56	3	Horizontal	14	1.96
AV	5.4064G	45.63	54.00	-8.37	5.73	3	Horizontal	14	1.96
PK	5.128G	57.66	74.00	-16.34	5.24	3	Horizontal	14	1.96
PK	5.2648G	115.36	Inf	-Inf	5.56	3	Horizontal	14	1.96
PK	5.4064G	57.56	74.00	-16.44	5.73	3	Horizontal	14	1.96



VHT20_Nss1_2TX

5260MHz_TX




20170622
 EUT Y_2TX
 Setting 24
 04-R-2
 FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)
AV	15.7848G	48.60	54.00	-5.40	18.00	3	Vertical	287	1.86
PK	15.788G	62.58	74.00	-11.42	18.00	3	Vertical	287	1.86



VHT20_Nss1_2TX

5260MHz_TX




20170622
EUT Y_2TX
Setting 24
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.7744G	51.92	54.00	-2.08	17.99	3	Horizontal	220	1.28
PK	15.7768G	65.97	74.00	-8.03	17.99	3	Horizontal	220	1.28



VHT20_Nss1_2TX

5300MHz_TX




20170621
 EUT Y_2TX
 Setting 22
 04-M-0
 FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)
AV	5.304G	105.10	Inf	-Inf	5.60	3	Vertical	31	1.99
AV	5.3504G	53.98	54.00	-0.02	5.65	3	Vertical	31	1.99
PK	5.3056G	116.29	Inf	-Inf	5.61	3	Vertical	31	1.99
PK	5.3512G	68.25	74.00	-5.75	5.65	3	Vertical	31	1.99



VHT20_Nss1_2TX

5300MHz_TX




20170621
 EUT Y_2TX
 Setting 22
 04-M-0
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.302G	103.58	Inf	-Inf	5.60	3	Horizontal	328	1.00
AV	5.350005G	51.00	54.00	-3.00	5.65	3	Horizontal	328	1.00
PK	5.3024G	114.46	Inf	-Inf	5.60	3	Horizontal	328	1.00
PK	5.350005G	67.36	74.00	-6.64	5.65	3	Horizontal	328	1.00



VHT20_Nss1_2TX

5300MHz_TX




20170622
EUT Y_2TX
Setting 22
04-R-2
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuv/m)	(dBuv/m)	(dB)	(dB)	(m)		(°)	(m)
AV	15.8906G	47.53	54.00	-6.47	18.08	3	Vertical	153	2.37
PK	15.9072G	61.84	74.00	-12.16	18.09	3	Vertical	153	2.37



VHT20_Nss1_2TX

5300MHz_TX




20170622
EUT Y_2TX
Setting 22
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.8955G	50.90	54.00	-3.10	18.09	3	Horizontal	65	1.74
PK	15.8956G	63.73	74.00	-10.27	18.09	3	Horizontal	65	1.74



VHT20_Nss1_2TX

5320MHz_TX




20170621
EUT_Y_2TX
Setting 19
04-M-0
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)
AV	5.314G	102.22	Inf	-Inf	5.61	3	Vertical	55	1.11
AV	5.3524G	53.96	54.00	-0.04	5.65	3	Vertical	55	1.11
PK	5.3152G	113.16	Inf	-Inf	5.62	3	Vertical	55	1.11
PK	5.3552G	69.90	74.00	-4.10	5.66	3	Vertical	55	1.11



VHT20_Nss1_2TX

5320MHz_TX




20170621
EUT Y_2TX
Setting 19
04-M-0
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)
AV	5.3236G	100.60	Inf	-Inf	5.62	3	Horizontal	17	1.98
AV	5.350005G	53.93	54.00	-0.07	5.65	3	Horizontal	17	1.98
PK	5.3232G	111.81	Inf	-Inf	5.62	3	Horizontal	17	1.98
PK	5.352G	67.51	74.00	-6.49	5.65	3	Horizontal	17	1.98



VHT20_Nss1_2TX

5320MHz_TX




20170621
EUT Y_2TX
Setting 19
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.9419G	48.06	54.00	-5.94	18.12	3	Vertical	213	2.18
PK	15.9843G	61.50	74.00	-12.50	18.16	3	Vertical	213	2.18



VHT20_Nss1_2TX

5320MHz_TX




20170621
EUT_Y_2TX
Setting 19
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.9585G	48.94	54.00	-5.06	18.14	3	Horizontal	57	1.72
PK	15.9585G	62.39	74.00	-11.61	18.14	3	Horizontal	57	1.72



VHT20_Nss1_2TX

5500MHz_TX




20170621
EUT_Y_2TX
Setting 19
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4576G	47.06	54.00	-6.94	5.96	3	Vertical	344	1.98
AV	5.4696G	53.67	54.00	-0.33	6.02	3	Vertical	344	1.98
AV	5.4936G	101.50	Inf	-Inf	6.13	3	Vertical	344	1.98
PK	5.456G	61.43	74.00	-12.57	5.96	3	Vertical	344	1.98
PK	5.4696G	68.60	74.00	-5.40	6.02	3	Vertical	344	1.98
PK	5.4932G	112.30	Inf	-Inf	6.13	3	Vertical	344	1.98



VHT20_Nss1_2TX

5500MHz_TX




20170621
EUT_Y_2TX
Setting 19
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.46G	47.73	54.00	-6.27	5.98	3	Horizontal	348	1.99
AV	5.4696G	49.02	54.00	-4.98	6.02	3	Horizontal	348	1.99
AV	5.4972G	102.01	Inf	-Inf	6.15	3	Horizontal	348	1.99
PK	5.4584G	63.31	74.00	-10.69	5.97	3	Horizontal	348	1.99
PK	5.4696G	64.89	74.00	-9.11	6.02	3	Horizontal	348	1.99
PK	5.496G	112.70	Inf	-Inf	6.14	3	Horizontal	348	1.99



VHT20_Nss1_2TX

5500MHz_TX




20170622
EUT_Y_2TX
Setting 19
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0126G	42.50	54.00	-11.50	15.81	3	Vertical	102	1.36
PK	11.009G	56.29	74.00	-17.71	15.81	3	Vertical	102	1.36
PK	16.4958G	64.69	68.20	-3.51	19.22	3	Vertical	22	1.54



VHT20_Nss1_2TX

5500MHz_TX




20170621
EUT_Y_2TX
Setting 19
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0177G	42.43	54.00	-11.57	15.81	3	Horizontal	286	2.46
PK	11.0145G	56.34	74.00	-17.66	15.81	3	Horizontal	286	2.46
PK	16.4935G	64.35	68.20	-3.85	19.21	3	Horizontal	56	1.74



VHT20_Nss1_2TX

5580MHz_TX




20170621
EUT_Y_2TX
Setting 24
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4576G	45.63	54.00	-8.37	5.96	3	Vertical	344	1.87
AV	5.4684G	45.76	54.00	-8.24	6.01	3	Vertical	344	1.87
AV	5.5734G	106.62	Inf	-Inf	6.62	3	Vertical	344	1.87
AV	5.7276G	46.53	54.00	-7.47	7.03	3	Vertical	344	1.87
PK	5.4546G	58.86	74.00	-15.14	5.95	3	Vertical	344	1.87
PK	5.4654G	58.07	74.00	-15.93	6.00	3	Vertical	344	1.87
PK	5.5728G	117.52	Inf	-Inf	6.61	3	Vertical	344	1.87
PK	5.7264G	59.16	74.00	-14.84	7.03	3	Vertical	344	1.87



VHT20_Nss1_2TX

5580MHz_TX




20170621
EUT_Y_2TX
Setting 24
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4396G	45.66	54.00	-8.34	5.88	3	Horizontal	348	1.99
AV	5.4654G	45.73	54.00	-8.27	6.00	3	Horizontal	348	1.99
AV	5.5788G	105.65	Inf	-Inf	6.65	3	Horizontal	348	1.99
AV	5.7288G	46.44	54.00	-7.56	7.03	3	Horizontal	348	1.99
PK	5.4498G	58.73	74.00	-15.27	5.93	3	Horizontal	348	1.99
PK	5.4642G	58.55	74.00	-15.45	6.00	3	Horizontal	348	1.99
PK	5.577G	116.81	Inf	-Inf	6.64	3	Horizontal	348	1.99
PK	5.7288G	58.48	74.00	-15.52	7.03	3	Horizontal	348	1.99



VHT20_Nss1_2TX

5580MHz_TX




20170622
 EUT Y_2TX
 Setting 24
 04-R-2
 FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1434G	42.46	54.00	-11.54	15.89	3	Vertical	31	2.34
PK	11.1519G	55.97	74.00	-18.03	15.90	3	Vertical	31	2.34
PK	16.728G	62.36	68.20	-5.84	19.71	3	Vertical	150	1.94



VHT20_Nss1_2TX

5580MHz_TX




20170622
EUT Y_2TX
Setting 24
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1444G	42.42	54.00	-11.58	15.90	3	Horizontal	259	1.12
PK	11.1357G	55.80	74.00	-18.20	15.89	3	Horizontal	259	1.12
PK	16.7361G	67.73	68.20	-0.47	19.72	3	Horizontal	57	1.79



VHT20_Nss1_2TX

5700MHz_TX




20170621
EUT Y_2TX
Setting 17
04-M-0
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)
AV	5.7052G	100.01	Inf	-Inf	6.98	3	Vertical	47	1.99
AV	5.7252G	53.81	54.00	-0.19	7.02	3	Vertical	47	1.99
PK	5.7052G	111.42	Inf	-Inf	6.98	3	Vertical	47	1.99
PK	5.726G	71.30	74.00	-2.70	7.02	3	Vertical	47	1.99



VHT20_Nss1_2TX

5700MHz_TX




20170621
EUT Y_2TX
Setting 17
04-M-0
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)
AV	5.6988G	100.24	Inf	-Inf	6.97	3	Horizontal	5	1.98
AV	5.7252G	51.76	54.00	-2.24	7.02	3	Horizontal	5	1.98
PK	5.6964G	110.95	Inf	-Inf	6.96	3	Horizontal	5	1.98
PK	5.7252G	67.50	74.00	-6.50	7.02	3	Horizontal	5	1.98



VHT20_Nss1_2TX

5700MHz_TX




20170622
EUT Y_2TX
Setting 17
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.3882G	42.56	54.00	-11.44	16.06	3	Vertical	5	2.04
PK	11.3972G	56.04	74.00	-17.96	16.06	3	Vertical	5	2.04



VHT20_Nss1_2TX

5700MHz_TX




20170622
EUT Y_2TX
Setting 17
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.388G	42.53	54.00	-11.47	16.06	3	Horizontal	194	1.04
PK	11.397G	56.24	74.00	-17.76	16.06	3	Horizontal	194	1.04



802.11ac VHT20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




20170629
 EUT Y_2TX
 Setting 24
 04-J-4-10
 FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	46.91	54.00	-7.09	5.96	3	V	235	1.02	-
AV	5.714G	106.51	Inf	-Inf	7.00	3	V	235	1.02	-
PK	5.4296G	60.10	74.00	-13.90	5.84	3	V	235	1.02	-
PK	5.4692G	59.75	68.20	-8.45	6.02	3	V	235	1.02	-
PK	5.7164G	117.39	Inf	-Inf	7.00	3	V	235	1.02	-
PK	5.9876G	62.13	68.20	-6.07	8.40	3	V	235	1.02	-



802.11ac VHT20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




20170629
 EUT Y_2TX
 Setting 24
 04-J-4-10
 FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4584G	46.87	54.00	-7.13	5.97	3	H	185	2.39	-
AV	5.7188G	107.28	Inf	-Inf	7.01	3	H	185	2.39	-
PK	5.444G	59.48	74.00	-14.52	5.90	3	H	185	2.39	-
PK	5.4692G	59.28	68.20	-8.92	6.02	3	H	185	2.39	-
PK	5.7176G	118.46	Inf	-Inf	7.01	3	H	185	2.39	-
PK	5.9636G	62.54	68.20	-5.66	8.24	3	H	185	2.39	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




20170629
EUT_Y_2TX
Setting 24
04-J-4
FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42686G	42.87	54.00	-11.13	16.08	3	V	29	1.41	-
PK	11.44222G	56.55	74.00	-17.45	16.09	3	V	29	1.41	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



20170629
 EUT_Y_2TX
 Setting 24
 04-J-4
 FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43466G	42.82	54.00	-11.18	16.09	3	H	40	1.23	-
PK	11.45074G	56.83	74.00	-17.17	16.10	3	H	40	1.23	-



VHT40_Nss1_2TX

5270MHz_TX



20170621
 EUT Y_2TX
 Setting 21
 04-M-0
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1492G	46.65	54.00	-7.35	5.31	3	Vertical	67	1.30
AV	5.2636G	100.59	Inf	-Inf	5.56	3	Vertical	67	1.30
AV	5.350005G	53.98	54.00	-0.02	5.65	3	Vertical	67	1.30
PK	5.1468G	60.83	74.00	-13.17	5.30	3	Vertical	67	1.30
PK	5.2636G	111.54	Inf	-Inf	5.56	3	Vertical	67	1.30
PK	5.350005G	69.97	74.00	-4.03	5.65	3	Vertical	67	1.30



VHT40_Nss1_2TX

5270MHz_TX




20170621
EUT_Y_2TX
Setting 21
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1436G	47.04	54.00	-6.96	5.29	3	Horizontal	17	1.98
AV	5.274G	101.05	Inf	-Inf	5.57	3	Horizontal	17	1.98
AV	5.3596G	53.08	54.00	-0.92	5.66	3	Horizontal	17	1.98
PK	5.1428G	60.53	74.00	-13.47	5.29	3	Horizontal	17	1.98
PK	5.2732G	110.60	Inf	-Inf	5.57	3	Horizontal	17	1.98
PK	5.3572G	67.02	74.00	-6.98	5.66	3	Horizontal	17	1.98



VHT40_Nss1_2TX

5270MHz_TX




20170622
EUT Y_2TX
Setting 21
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.8037G	48.32	54.00	-5.68	18.01	3	Vertical	84	2.31
PK	15.8049G	61.03	74.00	-12.97	18.01	3	Vertical	84	2.31



VHT40_Nss1_2TX

5270MHz_TX




20170622
 EUT Y_2TX
 Setting Z1
 04-R-2
 FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)
AV	15.8044G	49.69	54.00	-4.31	18.01	3	Horizontal	54	1.72
PK	15.8239G	63.25	74.00	-10.75	18.03	3	Horizontal	54	1.72



VHT40_Nss1_2TX

5310MHz_TX




20170621
 EUT_Y_2TX
 Setting 16.5
 04-M-0
 FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)					
AV	5.3028G	98.04	Inf	-Inf	5.60	3	Vertical	43	1.11					
AV	5.3502G	53.99	54.00	-0.01	5.65	3	Vertical	43	1.11					
PK	5.3022G	108.34	Inf	-Inf	5.60	3	Vertical	43	1.11					
PK	5.352G	68.00	74.00	-6.00	5.65	3	Vertical	43	1.11	-	62.34	34.16	8.17	36.68



VHT40_Nss1_2TX

5310MHz_TX




20170621
 EUT Y_2TX
 Setting 16.5
 04-M-0
 FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)
AV	5.3148G	96.91	Inf	-Inf	5.61	3	Horizontal	18	1.95
AV	5.3538G	53.69	54.00	-0.31	5.65	3	Horizontal	18	1.95
PK	5.3154G	106.32	Inf	-Inf	5.62	3	Horizontal	18	1.95
PK	5.352G	68.72	74.00	-5.28	5.65	3	Horizontal	18	1.95



VHT40_Nss1_2TX

5310MHz_TX




20170622
EUT Y_2TX
Setting 16.5
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.9431G	48.65	54.00	-5.35	18.12	3	Vertical	4	1.99
PK	15.9484G	61.16	74.00	-12.84	18.13	3	Vertical	4	1.99



VHT40_Nss1_2TX

5310MHz_TX




20170622
EUT_Y_2TX
Setting 16.5
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.9399G	48.54	54.00	-5.46	18.12	3	Horizontal	47	2.33
PK	15.9399G	61.69	74.00	-12.31	18.12	3	Horizontal	47	2.33



VHT40_Nss1_2TX

5510MHz_TX




20170621
EUT_Y_2TX
Setting 17
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.46G	50.33	54.00	-3.67	5.98	3	Vertical	61	1.17
AV	5.466G	53.46	54.00	-0.54	6.00	3	Vertical	61	1.17
AV	5.5048G	96.46	Inf	-Inf	6.19	3	Vertical	61	1.17
PK	5.46G	63.81	74.00	-10.19	5.98	3	Vertical	61	1.17
PK	5.4684G	72.04	74.00	-1.96	6.01	3	Vertical	61	1.17
PK	5.5036G	108.76	Inf	-Inf	6.18	3	Vertical	61	1.17



VHT40_Nss1_2TX

5510MHz_TX




20170621
EUT_Y_2TX
Setting 17
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4496G	47.76	54.00	-6.24	5.93	3	Horizontal	345	1.94
AV	5.4688G	53.35	54.00	-0.65	6.02	3	Horizontal	345	1.94
AV	5.508G	96.19	Inf	-Inf	6.21	3	Horizontal	345	1.94
PK	5.4584G	62.46	74.00	-11.54	5.97	3	Horizontal	345	1.94
PK	5.4696G	70.76	74.00	-3.24	6.02	3	Horizontal	345	1.94
PK	5.5084G	107.71	Inf	-Inf	6.21	3	Horizontal	345	1.94



VHT40_Nss1_2TX

5510MHz_TX




20170622
EUT Y_2TX
Setting 17
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuv/m)	Limit (dBuv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0228G	42.30	54.00	-11.70	15.82	3	Vertical	261	2.05
PK	11.0187G	56.04	74.00	-17.96	15.81	3	Vertical	261	2.05



VHT40_Nss1_2TX

5510MHz_TX




20170622
EUT Y_2TX
Setting 17
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0202G	42.28	54.00	-11.72	15.81	3	Horizontal	351	2.13
PK	11.0132G	55.89	74.00	-18.11	15.81	3	Horizontal	351	2.13



VHT40_Nss1_2TX

5550MHz_TX




20170621
EUT_Y_2TX
Setting 21
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4576G	53.99	54.00	-0.01	5.96	3	Vertical	54	1.95
AV	5.460005G	53.91	54.00	-0.09	5.98	3	Vertical	54	1.95
AV	5.559G	103.92	Inf	-Inf	6.53	3	Vertical	54	1.95
PK	5.4576G	66.21	74.00	-7.79	5.96	3	Vertical	54	1.95
PK	5.4684G	69.10	74.00	-4.90	6.01	3	Vertical	54	1.95
PK	5.5578G	114.36	Inf	-Inf	6.52	3	Vertical	54	1.95



VHT40_Nss1_2TX

5550MHz_TX




20170621
EUT_Y_2TX
Setting 21
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4522G	49.31	54.00	-4.69	5.94	3	Horizontal	9	1.99
AV	5.4696G	52.84	54.00	-1.16	6.02	3	Horizontal	9	1.99
AV	5.5524G	102.86	Inf	-Inf	6.48	3	Horizontal	9	1.99
PK	5.4504G	62.85	74.00	-11.15	5.93	3	Horizontal	9	1.99
PK	5.4696G	66.21	74.00	-7.79	6.02	3	Horizontal	9	1.99
PK	5.553G	112.38	Inf	-Inf	6.49	3	Horizontal	9	1.99



VHT40_Nss1_2TX

5550MHz_TX




20170622
EUT Y_2TX
Setting 21
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0927G	42.95	54.00	-11.05	15.86	3	Vertical	47	1.94
PK	11.0761G	56.08	74.00	-17.92	15.85	3	Vertical	47	1.94
PK	16.6301G	62.17	68.20	-6.03	19.50	3	Vertical	90	2.49



VHT40_Nss1_2TX

5550MHz_TX




20170622
 EUT Y_2TX
 Setting Z1
 04-R-2
 FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	[Hz]	[dBuV/m]	[dBuV/m]	[dB]	[dB]	[m]		[°]	[m]
AV	11.0952G	42.89	54.00	-11.11	15.86	3	Horizontal	261	1.50
PK	11.1064G	55.95	74.00	-18.05	15.87	3	Horizontal	261	1.50
PK	16.6458G	64.89	68.20	-3.31	19.53	3	Horizontal	61	1.72



VHT40_Nss1_2TX

5670MHz_TX




20170621
 EUT Y_2TX
 Setting 19
 04-M-0
 FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)
AV	5.6684G	98.98	Inf	-Inf	6.91	3	Vertical	8	1.97
AV	5.73G	53.93	54.00	-0.07	7.03	3	Vertical	8	1.97
PK	5.6676G	109.90	Inf	-Inf	6.91	3	Vertical	8	1.97
PK	5.7292G	67.80	74.00	-6.20	7.03	3	Vertical	8	1.97



VHT40_Nss1_2TX

5670MHz_TX




20170621
 EUT Y_2TX
 Setting 19
 04-M-0
 FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)
AV	5.6684G	99.30	Inf	-Inf	6.91	3	Horizontal	9	1.99
AV	5.73G	51.97	54.00	-2.03	7.03	3	Horizontal	9	1.99
PK	5.6716G	108.83	Inf	-Inf	6.92	3	Horizontal	9	1.99
PK	5.7324G	65.56	74.00	-8.44	7.04	3	Horizontal	9	1.99



VHT40_Nss1_2TX

5670MHz_TX




20170622
EUT Y_2TX
Setting 19
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.3426G	42.17	54.00	-11.83	16.03	3	Vertical	299	1.87
PK	11.3494G	56.12	74.00	-17.88	16.03	3	Vertical	299	1.87



VHT40_Nss1_2TX

5670MHz_TX




20170622
EUT Y_2TX
Setting 19
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.3448G	44.18	54.00	-9.82	16.03	3	Horizontal	46	2.32
PK	11.3486G	57.87	74.00	-16.13	16.03	3	Horizontal	46	2.32



802.11ac VHT40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX




20170629
 EUT Y_2TX
 Setting 24
 04-J-4-10
 FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	47.40	54.00	-6.60	5.98	3	V	231	2.02	-
AV	5.716G	104.41	Inf	-Inf	7.00	3	V	231	2.02	-
PK	5.458G	59.54	74.00	-14.46	5.97	3	V	231	2.02	-
PK	5.4664G	58.94	68.20	-9.26	6.01	3	V	231	2.02	-
PK	5.7184G	114.54	Inf	-Inf	7.01	3	V	231	2.02	-
PK	5.9524G	61.73	68.20	-6.47	8.17	3	V	231	2.02	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




20170629
EUT Y_2TX
Setting 24
04-J-4-10
FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4424G	47.27	54.00	-6.73	5.90	3	H	189	2.29	-
AV	5.7076G	104.35	Inf	-Inf	6.99	3	H	189	2.29	-
PK	5.4364G	59.41	74.00	-14.59	5.87	3	H	189	2.29	-
PK	5.4688G	58.52	68.20	-9.68	6.02	3	H	189	2.29	-
PK	5.7088G	114.21	Inf	-Inf	6.99	3	H	189	2.29	-
PK	5.9728G	62.22	68.20	-5.98	8.30	3	H	189	2.29	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




20170629
 EUT Y_2TX
 Setting 24
 04-J-4
 FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40632G	43.59	54.00	-10.41	16.07	3	V	249	1.91	-
PK	11.41604G	56.75	74.00	-17.25	16.07	3	V	249	1.91	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




20170629
 EUT Y_2TX
 Setting 24
 04-J-4
 FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41598G	43.50	54.00	-10.50	16.07	3	H	193	2.24	-
PK	11.43362G	57.05	74.00	-16.95	16.09	3	H	193	2.24	-



VHT80_Nss1_2TX

5290MHz_TX




20170621
 EUT Y_2TX
 Setting 16
 04-M-0
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1412G	46.29	54.00	-7.71	5.28	3	Vertical	41	1.12
AV	5.3028G	91.37	Inf	-Inf	5.60	3	Vertical	41	1.12
AV	5.3628G	53.98	54.00	-0.02	5.66	3	Vertical	41	1.12
PK	5.0972G	59.60	74.00	-14.40	5.13	3	Vertical	41	1.12
PK	5.3028G	103.76	Inf	-Inf	5.60	3	Vertical	41	1.12
PK	5.3636G	68.87	74.00	-5.13	5.66	3	Vertical	41	1.12



VHT80_Nss1_2TX

5290MHz_TX




20170621
EUT_Y_2TX
Setting 16
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.106G	46.21	54.00	-7.79	5.16	3	Horizontal	353	1.97
AV	5.2884G	92.06	Inf	-Inf	5.59	3	Horizontal	353	1.97
AV	5.3516G	52.28	54.00	-1.72	5.65	3	Horizontal	353	1.97
PK	5.0956G	57.91	74.00	-16.09	5.12	3	Horizontal	353	1.97
PK	5.3108G	102.89	Inf	-Inf	5.61	3	Horizontal	353	1.97
PK	5.3532G	65.07	74.00	-8.93	5.65	3	Horizontal	353	1.97



VHT80_Nss1_2TX

5290MHz_TX




20170622
EUT Y_2TX
Setting 16
04-R-2
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height
	(Hz)	(dBuvv/m)	(dBuvv/m)	(dB)	(dB)	(m)		(°)	(m)
AV	15.8727G	47.32	54.00	-6.68	18.07	3	Vertical	174	1.24
PK	15.875G	61.32	74.00	-12.68	18.07	3	Vertical	174	1.24



VHT80_Nss1_2TX

5290MHz_TX




20170622
EUT Y_2TX
Setting 16
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.8719G	47.34	54.00	-6.66	18.07	3	Horizontal	210	1.32
PK	15.8794G	60.84	74.00	-13.16	18.07	3	Horizontal	210	1.32



802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




20170622
 EUT_Y_2TX
 Setting 19
 04-R-2
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.459995G	52.85	54.00	-1.15	5.98	3	Vertical	28	1.70
AV	5.4634G	53.97	54.00	-0.03	5.99	3	Vertical	28	1.70
AV	5.5444G	94.80	Inf	-Inf	6.44	3	Vertical	28	1.70
PK	5.4472G	68.82	74.00	-5.18	5.92	3	Vertical	28	1.70
PK	5.4664G	68.43	74.00	-5.57	6.01	3	Vertical	28	1.70
PK	5.5456G	104.90	Inf	-Inf	6.44	3	Vertical	28	1.70



802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




20170622
 EUT_Y_2TX
 Setting 19
 04-R-2
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4502G	52.22	54.00	-1.78	5.93	3	Horizontal	273	2.23
AV	5.4682G	53.99	54.00	-0.01	6.01	3	Horizontal	273	2.23
AV	5.551G	95.49	Inf	-Inf	6.48	3	Horizontal	273	2.23
PK	5.4532G	67.23	74.00	-6.77	5.94	3	Horizontal	273	2.23
PK	5.4658G	67.53	74.00	-6.47	6.00	3	Horizontal	273	2.23
PK	5.5522G	105.20	Inf	-Inf	6.48	3	Horizontal	273	2.23



VHT80_Nss1_2TX

5530MHz_TX




20170622
EUT Y_2TX
Setting 19
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0744G	42.92	54.00	-11.08	15.85	3	Vertical	132	1.40
PK	11.038G	55.99	74.00	-18.01	15.83	3	Vertical	132	1.40



VHT80_Nss1_2TX

5530MHz_TX




20170622
EUT Y_2TX
Setting 19
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0839G	42.91	54.00	-11.09	15.86	3	Horizontal	256	1.59
PK	11.0658G	56.43	74.00	-17.57	15.84	3	Horizontal	256	1.59



VHT80_Nss1_2TX

5610MHz_TX




20170621
EUT_Y_2TX
Setting 20
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.459995G	49.83	54.00	-4.17	5.98	3	Vertical	54	1.93
AV	5.460005G	49.83	54.00	-4.17	5.98	3	Vertical	54	1.93
AV	5.6188G	98.14	Inf	-Inf	6.82	3	Vertical	54	1.93
AV	5.7404G	53.99	54.00	-0.01	7.05	3	Vertical	54	1.93
PK	5.459995G	62.57	74.00	-11.43	5.98	3	Vertical	54	1.93
PK	5.460005G	62.57	74.00	-11.43	5.98	3	Vertical	54	1.93
PK	5.6188G	107.91	Inf	-Inf	6.82	3	Vertical	54	1.93
PK	5.7884G	71.69	74.00	-2.31	7.16	3	Vertical	54	1.93



VHT80_Nss1_2TX

5610MHz_TX




20170621
EUT Y_2TX
Setting 20
04-M-0
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.449G	48.66	54.00	-5.34	5.93	3	Horizontal	349	1.98
AV	5.469G	50.66	54.00	-3.34	6.02	3	Horizontal	349	1.98
AV	5.589G	97.11	Inf	-Inf	6.71	3	Horizontal	349	1.98
AV	5.73G	52.78	54.00	-1.22	7.03	3	Horizontal	349	1.98
PK	5.449G	62.76	74.00	-11.24	5.93	3	Horizontal	349	1.98
PK	5.468G	63.51	74.00	-10.49	6.01	3	Horizontal	349	1.98
PK	5.608G	106.70	Inf	-Inf	6.80	3	Horizontal	349	1.98
PK	5.732G	66.01	74.00	-7.99	7.04	3	Horizontal	349	1.98



VHT80_Nss1_2TX

5610MHz_TX




20170622
EUT Y_2TX
Setting 20
04-R-2
FSP(100056)

Type	Freq (Hz)	Level (dBuvv/m)	Limit (dBuvv/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.2098G	42.56	54.00	-11.44	15.94	3	Vertical	242	1.63
PK	11.2424G	55.84	74.00	-18.16	15.96	3	Vertical	242	1.63



VHT80_Nss1_2TX

5610MHz_TX




20170622
 EUT Y_2TX
 Setting 20
 04-R-2
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.2289G	42.51	54.00	-11.49	15.95	3	Horizontal	72	1.75
PK	11.2103G	55.34	74.00	-18.66	15.94	3	Horizontal	72	1.75



802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




20170629
EUT_Y_2TX
Setting 24
04-J-4-10
FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	52.15	54.00	-1.85	5.98	3	V	231	1.04	-
AV	5.6836G	100.79	Inf	-Inf	6.94	3	V	231	1.04	-
PK	5.459995G	64.86	74.00	-9.14	5.98	3	V	231	1.04	-
PK	5.4612G	65.21	68.20	-2.99	5.98	3	V	231	1.04	-
PK	5.6644G	110.76	Inf	-Inf	6.90	3	V	231	1.04	-
PK	5.9428G	66.29	68.20	-1.91	8.11	3	V	231	1.04	-



802.11ac VHT80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




20170629
 EUT Y_2TX
 Setting 24
 04-J-4-10
 FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45G	51.04	54.00	-2.96	5.93	3	H	187	2.26	-
AV	5.6884G	101.69	Inf	-Inf	6.95	3	H	187	2.26	-
PK	5.4484G	65.05	74.00	-8.95	5.92	3	H	187	2.26	-
PK	5.466G	65.01	68.20	-3.19	6.00	3	H	187	2.26	-
PK	5.6884G	112.32	Inf	-Inf	6.95	3	H	187	2.26	-
PK	5.9348G	67.11	68.20	-1.09	8.06	3	H	187	2.26	-



802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




20170629
 EUT Y_2TX
 Setting 24
 04-J-4
 FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3875G	43.41	54.00	-10.59	16.06	3	V	324	1.94	-
PK	11.39146G	57.15	74.00	-16.85	16.06	3	V	324	1.94	-



802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



20170629
 EUT Y_2TX
 Setting 24
 04-J-4
 FSP

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38666G	43.38	54.00	-10.62	16.06	3	H	185	2.03	-
PK	11.3896G	56.05	74.00	-17.95	16.06	3	H	185	2.03	-




<For Beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz	Pass	AV	5.3828G	53.87	54.00	-0.13	5.68	3	V	243	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
------	--------	------	-----------	----------------	----------------	-------------	-------------	----------	------------	-------------	------------	----------

**802.11ac VHT20-BF_Nss1,(MCS0)_2TX
5260MHz_TX**




20170622
EUT Y_2TX
Setting 24
04-E-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1172G	46.01	54.00	-7.99	5.20	3	V	67	1.71	-
AV	5.2618G	99.16	Inf	-Inf	5.56	3	V	67	1.71	-
AV	5.3986G	46.64	54.00	-7.36	5.70	3	V	67	1.71	-
PK	5.1184G	57.58	74.00	-16.42	5.20	3	V	67	1.71	-
PK	5.2624G	109.40	Inf	-Inf	5.56	3	V	67	1.71	-
PK	5.4022G	58.05	74.00	-15.95	5.71	3	V	67	1.71	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
------	--------	------	-----------	----------------	----------------	-------------	-------------	----------	------------	-------------	------------	----------

**802.11ac VHT20-BF_Nss1,(MCS0)_2TX
5260MHz_TX**




20170622
EUT_Y_2TX
Setting 24
04-E-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1232G	45.99	54.00	-8.01	5.22	3	H	26	1.43	-
AV	5.2666G	97.28	Inf	-Inf	5.56	3	H	26	1.43	-
AV	5.4082G	46.85	54.00	-7.15	5.74	3	H	26	1.43	-
PK	5.1394G	57.70	74.00	-16.30	5.28	3	H	26	1.43	-
PK	5.257G	108.48	Inf	-Inf	5.55	3	H	26	1.43	-
PK	5.4022G	59.02	74.00	-14.98	5.71	3	H	26	1.43	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
------	--------	------	-----------	----------------	----------------	-------------	-------------	----------	------------	-------------	------------	----------

**802.11ac VHT20-BF_Nss1,(MCS0)_2TX
5260MHz_TX**




20170622
EUT Y_2TX
Setting 24
04-E-2
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.79128G	48.09	54.00	-5.91	18.00	3	V	271	2.07	-
PK	15.7791G	60.55	74.00	-13.45	17.99	3	V	271	2.07	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
------	--------	------	-----------	----------------	----------------	-------------	-------------	----------	------------	-------------	------------	----------

**802.11ac VHT20-BF_Nss1,(MCS0)_2TX
5260MHz_TX**




20170622
EUT Y_2TX
Setting 24
04-E-2
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78006G	48.05	54.00	-5.95	17.99	3	H	203	1.49	-
PK	15.7908G	60.38	74.00	-13.62	18.00	3	H	203	1.49	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




20170622
 EUT_Y_2TX
 Setting 24
 04-E-2-10
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.298G	102.99	Inf	-Inf	5.60	3	V	61	1.50	-
AV	5.3972G	47.30	54.00	-6.70	5.70	3	V	61	1.50	-
PK	5.2972G	111.97	Inf	-Inf	5.60	3	V	61	1.50	-
PK	5.3932G	59.56	74.00	-14.44	5.69	3	V	61	1.50	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




20170622
 EUT_Y_2TX
 Setting 24
 04-E-2-10
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3064G	100.45	Inf	-Inf	5.61	3	H	20	1.50	-
AV	5.3996G	47.40	54.00	-6.60	5.70	3	H	20	1.50	-
PK	5.2968G	110.32	Inf	-Inf	5.60	3	H	20	1.50	-
PK	5.3916G	59.27	74.00	-14.73	5.69	3	H	20	1.50	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




20170622
 EUT Y_2TX
 Setting 24
 04-E-2
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.69094G	44.53	54.00	-9.47	15.33	3	V	123	1.81	-
PK	10.688G	56.88	74.00	-17.12	15.33	3	V	123	1.81	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




20170622
 EUT Y_2TX
 Setting 24
 04-E-2
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.69406G	44.61	54.00	-9.39	15.33	3	H	105	1.98	-
PK	10.7078G	57.51	74.00	-16.49	15.36	3	H	105	1.98	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




20170622
 EUT Y_2TX
 Setting 24
 04-E-2-10
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3232G	97.44	Inf	-Inf	5.62	3	V	44	1.04	-
AV	5.3504G	51.52	54.00	-2.48	5.65	3	V	44	1.04	-
PK	5.3228G	111.17	Inf	-Inf	5.62	3	V	44	1.04	-
PK	5.3564G	68.12	74.00	-5.88	5.66	3	V	44	1.04	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




20170622
EUT_Y_2TX
Setting 24
04-E-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3188G	97.83	Inf	-Inf	5.62	3	H	37	1.25	-
AV	5.350005G	51.21	54.00	-2.79	5.65	3	H	37	1.25	-
PK	5.3228G	108.87	Inf	-Inf	5.62	3	H	37	1.25	-
PK	5.350005G	67.39	74.00	-6.61	5.65	3	H	37	1.25	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




20170622
EUT_Y_2TX
Setting 24
04-E-2
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6295G	44.71	54.00	-9.29	15.24	3	V	354	1.26	-
PK	10.6367G	57.50	74.00	-16.50	15.25	3	V	354	1.26	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX



20170622
EUT Y_2TX
Setting 24
04-E-2
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.62506G	44.71	54.00	-9.29	15.23	3	H	327	2.48	-
PK	10.64192G	58.28	74.00	-15.72	15.26	3	H	327	2.48	-