


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5775MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	65.35	68.20	-2.85	8.66	3	Vertical	235	2.92	-
PK	5.784G	116.19	Inf	-Inf	8.88	3	Vertical	235	2.92	-
AV	5.788G	102.84	Inf	-Inf	8.87	3	Vertical	235	2.92	-
PK	5.926G	60.21	68.20	-7.99	8.93	3	Vertical	235	2.92	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5775MHz_TX



EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	59.47	68.20	-8.73	8.67	3	Horizontal	351	2.50	-
PK	5.794G	108.29	Inf	-Inf	8.89	3	Horizontal	351	2.50	-
AV	5.744G	99.27	Inf	-Inf	8.82	3	Horizontal	351	2.50	-
PK	5.959G	58.38	68.20	-9.82	8.93	3	Horizontal	351	2.50	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.54168G	42.32	54.00	-11.68	16.07	3	Horizontal	276	1.21	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5180MHz_TX



EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.52704G	55.86	74.00	-18.14	16.10	3	Vertical	227	1.65	-
AV	15.543G	42.29	54.00	-11.71	16.07	3	Vertical	227	1.65	-



802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5180MHz_TX




EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53754G	55.52	74.00	-18.48	16.08	3	Horizontal	276	1.21	-
AV	15.54168G	42.32	54.00	-11.68	16.07	3	Horizontal	276	1.21	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5200MHz_TX



EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.59352G	55.30	74.00	-18.70	15.93	3	Vertical	206	1.36	-
AV	15.6084G	41.92	54.00	-12.08	15.89	3	Vertical	206	1.36	-



802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5200MHz_TX



EUT Z_4TX
 Setting 27
 02-L-3
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60198G	55.25	74.00	-18.75	15.90	3	Horizontal	181	2.10	-
AV	15.6108G	41.85	54.00	-12.15	15.88	3	Horizontal	181	2.10	-



802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5240MHz_TX



EUT Z_4TX
 Setting 27
 02-L-3
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72528G	55.40	74.00	-18.60	15.59	3	Vertical	208	2.04	-
AV	15.72858G	41.85	54.00	-12.15	15.58	3	Vertical	208	2.04	-



802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5240MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71652G	55.52	74.00	-18.48	15.61	3	Horizontal	157	1.91	-
AV	15.72948G	41.83	54.00	-12.17	15.57	3	Horizontal	157	1.91	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5745MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.50434G	54.12	74.00	-19.88	14.91	3	Vertical	181	1.87	-
AV	11.49252G	40.54	54.00	-13.46	14.89	3	Vertical	181	1.87	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5745MHz_TX



EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49468G	53.64	74.00	-20.36	14.90	3	Horizontal	138	1.81	-
AV	11.47692G	40.48	54.00	-13.52	14.87	3	Horizontal	138	1.81	-



802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5785MHz_TX




EUT Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4852G	53.37	74.00	-20.63	14.89	3	Vertical	114	1.77	-
AV	11.48112G	40.23	54.00	-13.77	14.87	3	Vertical	114	1.77	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5785MHz_TX



EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49012G	53.75	74.00	-20.25	14.89	3	Horizontal	157	2.09	-
AV	11.49666G	40.49	54.00	-13.51	14.90	3	Horizontal	157	2.09	-



802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5825MHz_TX



EUT Z_4TX
 Setting 27
 02-L-3
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.63896G	53.72	74.00	-20.28	15.08	3	Vertical	140	2.03	-
AV	11.63596G	40.46	54.00	-13.54	15.08	3	Vertical	140	2.03	-



802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5825MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.66236G	54.18	74.00	-19.82	15.11	3	Horizontal	179	1.84	-
AV	11.65G	40.58	54.00	-13.42	15.09	3	Horizontal	179	1.84	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5180MHz_TX




EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53906G	55.45	74.00	-18.55	16.08	3	Vertical	147	1.95	-
AV	15.53906G	41.04	54.00	-12.96	16.08	3	Vertical	147	1.95	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5180MHz_TX



EUT Z_4TX
Setting 27
02-L-3
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53888G	54.83	74.00	-19.17	16.08	3	Horizontal	150	1.74	-
AV	15.53908G	41.11	54.00	-12.89	16.08	3	Horizontal	150	1.74	-



802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5200MHz_TX



EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60364G	55.18	74.00	-18.82	15.90	3	Vertical	175	1.66	-
AV	15.59568G	40.90	54.00	-13.10	15.92	3	Vertical	175	1.66	-



802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5200MHz_TX




EUT Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5954G	54.81	74.00	-19.19	15.92	3	Horizontal	208	1.83	-
AV	15.59832G	40.93	54.00	-13.07	15.91	3	Horizontal	208	1.83	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5240MHz_TX




EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72134G	54.70	74.00	-19.30	15.60	3	Vertical	169	1.87	-
AV	15.71786G	40.89	54.00	-13.11	15.61	3	Vertical	169	1.87	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5240MHz_TX




EUT Z_4TX
Setting 27
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7205G	55.04	74.00	-18.96	15.60	3	Horizontal	147	1.74	-
AV	15.71696G	40.82	54.00	-13.18	15.61	3	Horizontal	147	1.74	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5745MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.50428G	54.10	74.00	-19.90	14.91	3	Vertical	124	1.65	-
AV	11.48136G	39.71	54.00	-14.29	14.89	3	Vertical	124	1.65	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5745MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4846G	53.79	74.00	-20.21	14.89	3	Horizontal	154	1.74	-
AV	11.5008G	39.72	54.00	-14.28	14.91	3	Horizontal	154	1.74	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5785MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56322G	54.19	74.00	-19.81	14.99	3	Vertical	186	1.48	-
AV	11.58308G	40.06	54.00	-13.94	15.02	3	Vertical	186	1.48	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5785MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56874G	53.42	74.00	-20.58	14.99	3	Horizontal	158	1.41	-
AV	11.58392G	40.03	54.00	-13.97	15.02	3	Horizontal	158	1.41	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5825MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65474G	54.18	74.00	-19.82	15.10	3	Vertical	213	1.66	-
AV	11.63998G	40.08	54.00	-13.92	15.08	3	Vertical	213	1.66	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5825MHz_TX




EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65654G	53.59	74.00	-20.41	15.11	3	Horizontal	190	1.58	-
AV	11.6455G	40.11	54.00	-13.89	15.09	3	Horizontal	190	1.58	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5190MHz_TX




EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.57176G	55.41	74.00	-18.59	15.99	3	Vertical	193	1.59	-
AV	15.56744G	40.96	54.00	-13.04	16.00	3	Vertical	193	1.59	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5190MHz_TX



EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56864G	54.74	74.00	-19.26	16.00	3	Horizontal	161	1.54	-
AV	15.57476G	40.93	54.00	-13.07	15.98	3	Horizontal	161	1.54	-



802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5230MHz_TX




EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68892G	54.83	74.00	-19.17	15.68	3	Vertical	200	1.57	-
AV	15.6871G	40.83	54.00	-13.17	15.69	3	Vertical	200	1.57	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5230MHz_TX




EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68654G	55.09	74.00	-18.91	15.69	3	Horizontal	227	1.42	-
AV	15.6862G	40.86	54.00	-13.14	15.69	3	Horizontal	227	1.42	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5755MHz_TX



EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51398G	54.06	74.00	-19.94	14.92	3	Vertical	227	1.50	-
AV	11.51126G	39.81	54.00	-14.19	14.92	3	Vertical	227	1.50	-



802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5755MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51072G	53.63	74.00	-20.37	14.92	3	Horizontal	199	1.44	-
AV	11.50636G	39.76	54.00	-14.24	14.92	3	Horizontal	199	1.44	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5795MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5943G	54.25	74.00	-19.75	15.03	3	Vertical	140	1.71	-
AV	11.59132G	40.08	54.00	-13.92	15.02	3	Vertical	140	1.71	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5795MHz_TX




EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5915G	54.67	74.00	-19.33	15.02	3	Horizontal	173	1.49	-
AV	11.59302G	40.05	54.00	-13.95	15.02	3	Horizontal	173	1.49	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/07/2019

5210MHz_TX




EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.6263G	56.22	74.00	-17.78	15.84	3	Vertical	112	1.58	-
AV	15.63494G	40.99	54.00	-13.01	15.82	3	Vertical	112	1.58	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/07/2019

5210MHz_TX




EUT_Z_4TX
Setting 27
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.63208G	54.65	74.00	-19.35	15.83	3	Horizontal	143	1.67	-
AV	15.63356G	40.95	54.00	-13.05	15.82	3	Horizontal	143	1.67	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/07/2019

5775MHz_TX



EUT Z_4TX
 Setting 27
 02-L-3
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54554G	53.71	74.00	-20.29	14.97	3	Vertical	176	1.56	-
AV	11.54656G	39.78	54.00	-14.22	14.97	3	Vertical	176	1.56	-



802.11ax HEW80_Nss1,(MCS0)_4TX

05/07/2019

5775MHz_TX



EUT_Z_4TX
 Setting 27
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54848G	54.42	74.00	-19.58	14.97	3	Horizontal	207	1.64	-
AV	11.54942G	39.84	54.00	-14.16	14.97	3	Horizontal	207	1.64	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	15.53938G	42.98	54.00	-11.02	16.08	3	Vertical	281	1.67	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5180MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53928G	57.07	74.00	-16.93	16.08	3	Vertical	281	1.67	-
AV	15.53938G	42.98	54.00	-11.02	16.08	3	Vertical	281	1.67	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5180MHz_TX



EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.54094G	55.99	74.00	-18.01	16.07	3	Horizontal	340	1.70	-
AV	15.53929G	42.87	54.00	-11.13	16.08	3	Horizontal	340	1.70	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5200MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.59919G	56.07	74.00	-17.93	15.91	3	Vertical	190	1.59	-
AV	15.60065G	42.21	54.00	-11.79	15.91	3	Vertical	190	1.59	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5200MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60008G	56.09	74.00	-17.91	15.91	3	Horizontal	46	1.13	-
AV	15.59979G	42.20	54.00	-11.80	15.91	3	Horizontal	46	1.13	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5240MHz_TX



EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72014G	55.79	74.00	-18.21	15.60	3	Vertical	207	1.64	-
AV	15.71914G	42.05	54.00	-11.95	15.60	3	Vertical	207	1.64	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5240MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72076G	55.37	74.00	-18.63	15.60	3	Horizontal	223	2.42	-
AV	15.72034G	41.93	54.00	-12.07	15.60	3	Horizontal	223	2.42	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49027G	54.21	74.00	-19.79	14.89	3	Vertical	48	1.89	-
AV	11.49011G	40.73	54.00	-13.27	14.89	3	Vertical	48	1.89	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48916G	53.84	74.00	-20.16	14.89	3	Horizontal	31	2.44	-
AV	11.48904G	40.55	54.00	-13.45	14.89	3	Horizontal	31	2.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5785MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56994G	55.32	74.00	-18.68	15.00	3	Vertical	66	1.39	-
AV	11.56926G	40.73	54.00	-13.27	15.00	3	Vertical	66	1.39	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5785MHz_TX




EUT_Z_4TX
 Setting 28
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56942G	54.38	74.00	-19.62	15.00	3	Horizontal	124	1.50	-
AV	11.571G	40.72	54.00	-13.28	15.00	3	Horizontal	124	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5825MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64916G	54.90	74.00	-19.10	15.09	3	Vertical	191	2.14	-
AV	11.6509G	40.81	54.00	-13.19	15.09	3	Vertical	191	2.14	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5825MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65027G	54.58	74.00	-19.42	15.09	3	Horizontal	240	1.47	-
AV	11.6505G	40.70	54.00	-13.30	15.09	3	Horizontal	240	1.47	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5190MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5699G	55.74	74.00	-18.26	16.00	3	Vertical	272	1.43	-
AV	15.56972G	41.82	54.00	-12.18	16.00	3	Vertical	272	1.43	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5190MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56926G	55.14	74.00	-18.86	16.00	3	Horizontal	193	2.04	-
AV	15.57048G	41.89	54.00	-12.11	16.00	3	Horizontal	193	2.04	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5230MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.69004G	55.57	74.00	-18.43	15.68	3	Vertical	352	1.64	-
AV	15.69005G	41.54	54.00	-12.46	15.68	3	Vertical	352	1.64	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5230MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68998G	55.31	74.00	-18.69	15.68	3	Horizontal	134	2.17	-
AV	15.68907G	41.61	54.00	-12.39	15.68	3	Horizontal	134	2.17	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5755MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.50986G	54.28	74.00	-19.72	14.92	3	Vertical	269	2.36	-
AV	11.51043G	40.56	54.00	-13.44	14.92	3	Vertical	269	2.36	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5755MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51018G	54.54	74.00	-19.46	14.92	3	Horizontal	95	1.45	-
AV	11.5094G	40.45	54.00	-13.55	14.92	3	Horizontal	95	1.45	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5795MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58979G	54.00	74.00	-20.00	15.02	3	Vertical	337	1.48	-
AV	11.59016G	40.78	54.00	-13.22	15.02	3	Vertical	337	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5795MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58997G	53.88	74.00	-20.12	15.02	3	Horizontal	257	1.58	-
AV	11.5895G	40.89	54.00	-13.11	15.02	3	Horizontal	257	1.58	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

06/07/2019

5210MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.63095G	55.29	74.00	-18.71	15.83	3	Vertical	202	1.37	-
AV	15.62988G	41.68	54.00	-12.32	15.83	3	Vertical	202	1.37	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

06/07/2019

5210MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.63008G	55.35	74.00	-18.65	15.83	3	Horizontal	34	1.80	-
AV	15.63076G	41.64	54.00	-12.36	15.83	3	Horizontal	34	1.80	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

06/07/2019

5775MHz_TX




EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55085G	53.66	74.00	-20.34	14.97	3	Vertical	190	1.11	-
AV	11.55049G	40.44	54.00	-13.56	14.97	3	Vertical	190	1.11	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

06/07/2019

5775MHz_TX



EUT_Z_4TX
Setting 28
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55041G	54.02	74.00	-19.98	14.97	3	Horizontal	291	1.94	-
AV	11.54974G	40.47	54.00	-13.53	14.97	3	Horizontal	291	1.94	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.95	54.00	-0.05	7.94	3	Vertical	181	1.97	-

802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5180MHz_TX



EUT_Z_1TX
Setting 24.5
02-J-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	67.35	74.00	-6.65	7.94	3	Vertical	164	1.36	-
AV	5.15G	53.63	54.00	-0.37	7.94	3	Vertical	164	1.36	-
PK	5.1824G	116.45	Inf	-Inf	8.02	3	Vertical	164	1.36	-
AV	5.1832G	106.38	Inf	-Inf	8.02	3	Vertical	164	1.36	-



802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5180MHz_TX




EUT_Z_1TX
 Setting 24.5
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	67.06	74.00	-6.94	7.94	3	Horizontal	175	1.91	-
AV	5.15G	53.32	54.00	-0.68	7.94	3	Horizontal	175	1.91	-
PK	5.1776G	116.41	Inf	-Inf	8.02	3	Horizontal	175	1.91	-
AV	5.1788G	106.19	Inf	-Inf	8.02	3	Horizontal	175	1.91	-

802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5200MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	61.23	74.00	-12.77	7.94	3	Vertical	166	1.57	-
AV	5.1496G	48.79	54.00	-5.21	7.94	3	Vertical	166	1.57	-
PK	5.2028G	117.75	Inf	-Inf	8.06	3	Vertical	166	1.57	-
AV	5.2032G	107.69	Inf	-Inf	8.06	3	Vertical	166	1.57	-

802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5200MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1468G	62.52	74.00	-11.48	7.94	3	Horizontal	176	1.24	-
AV	5.1496G	48.97	54.00	-5.03	7.94	3	Horizontal	176	1.24	-
PK	5.2032G	117.85	Inf	-Inf	8.06	3	Horizontal	176	1.24	-
AV	5.2032G	107.68	Inf	-Inf	8.06	3	Horizontal	176	1.24	-

802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5240MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1194G	60.73	74.00	-13.27	7.88	3	Vertical	180	1.49	-
AV	5.138G	46.05	54.00	-7.95	7.92	3	Vertical	180	1.49	-
PK	5.2364G	119.80	Inf	-Inf	8.11	3	Vertical	180	1.49	-
AV	5.2424G	108.99	Inf	-Inf	8.12	3	Vertical	180	1.49	-
PK	5.3606G	61.49	74.00	-12.51	8.29	3	Vertical	180	1.49	-
AV	5.3852G	46.44	54.00	-7.56	8.32	3	Vertical	180	1.49	-

802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5240MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.12G	60.53	74.00	-13.47	7.88	3	Horizontal	171	1.30	-
AV	5.1422G	46.21	54.00	-7.79	7.94	3	Horizontal	171	1.30	-
PK	5.2364G	119.69	Inf	-Inf	8.11	3	Horizontal	171	1.30	-
AV	5.237G	108.77	Inf	-Inf	8.11	3	Horizontal	171	1.30	-
PK	5.3612G	61.23	74.00	-12.77	8.29	3	Horizontal	171	1.30	-
AV	5.3534G	46.56	54.00	-7.44	8.28	3	Horizontal	171	1.30	-

802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5745MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.625G	60.35	68.20	-7.85	8.63	3	Vertical	170	1.14	-
PK	5.746G	116.97	Inf	-Inf	8.82	3	Vertical	170	1.14	-
AV	5.748G	105.99	Inf	-Inf	8.82	3	Vertical	170	1.14	-
PK	5.972G	58.93	68.20	-9.27	8.93	3	Vertical	170	1.14	-

802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5745MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.624G	59.82	68.20	-8.38	8.61	3	Horizontal	148	2.13	-
PK	5.748G	116.41	Inf	-Inf	8.82	3	Horizontal	148	2.13	-
AV	5.748G	106.19	Inf	-Inf	8.82	3	Horizontal	148	2.13	-
PK	5.989G	58.83	68.20	-9.37	8.93	3	Horizontal	148	2.13	-

802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5785MHz_TX




EUT Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6G	60.47	68.20	-7.73	8.58	3	Vertical	172	1.26	-
PK	5.782G	115.94	Inf	-Inf	8.88	3	Vertical	172	1.26	-
AV	5.782G	105.75	Inf	-Inf	8.88	3	Vertical	172	1.26	-
PK	5.982G	59.15	68.20	-9.05	8.94	3	Vertical	172	1.26	-

802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5785MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	58.75	68.20	-9.45	8.67	3	Horizontal	148	2.19	-
PK	5.783G	116.36	Inf	-Inf	8.88	3	Horizontal	148	2.19	-
AV	5.787G	106.04	Inf	-Inf	8.88	3	Horizontal	148	2.19	-
PK	5.959G	59.08	68.20	-9.12	8.93	3	Horizontal	148	2.19	-

802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5825MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.617G	58.89	68.20	-9.31	8.60	3	Vertical	166	1.09	-
PK	5.824G	114.38	Inf	-Inf	8.90	3	Vertical	166	1.09	-
AV	5.824G	103.91	Inf	-Inf	8.90	3	Vertical	166	1.09	-
PK	5.95G	59.14	68.20	-9.06	8.93	3	Vertical	166	1.09	-

802.11a_Nss1,(6Mbps)_1TX

06/07/2019

5825MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.633G	58.84	68.20	-9.36	8.64	3	Horizontal	143	1.58	-
PK	5.83G	114.23	Inf	-Inf	8.91	3	Horizontal	143	1.58	-
AV	5.828G	104.21	Inf	-Inf	8.91	3	Horizontal	143	1.58	-
PK	5.969G	58.85	68.20	-9.35	8.93	3	Horizontal	143	1.58	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5180MHz_TX




EUT_Z_1TX
 Setting 24.5
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	68.76	74.00	-5.24	7.94	3	Vertical	181	1.97	-
AV	5.15G	53.95	54.00	-0.05	7.94	3	Vertical	181	1.97	-
PK	5.1752G	118.39	Inf	-Inf	8.01	3	Vertical	181	1.97	-
AV	5.176G	105.23	Inf	-Inf	8.01	3	Vertical	181	1.97	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5180MHz_TX




EUT_Z_1TX
 Setting 24.5
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	68.75	74.00	-5.25	7.94	3	Horizontal	169	1.50	-
AV	5.15G	53.85	54.00	-0.15	7.94	3	Horizontal	169	1.50	-
PK	5.1836G	118.38	Inf	-Inf	8.03	3	Horizontal	169	1.50	-
AV	5.182G	104.70	Inf	-Inf	8.02	3	Horizontal	169	1.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5200MHz_TX




EUT_Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	64.45	74.00	-9.55	7.94	3	Vertical	167	1.42	-
AV	5.15G	49.81	54.00	-4.19	7.94	3	Vertical	167	1.42	-
PK	5.1976G	120.48	Inf	-Inf	8.06	3	Vertical	167	1.42	-
AV	5.1968G	106.85	Inf	-Inf	8.06	3	Vertical	167	1.42	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5200MHz_TX




EUT_Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	62.61	74.00	-11.39	7.94	3	Horizontal	164	2.07	-
AV	5.15G	49.70	54.00	-4.30	7.94	3	Horizontal	164	2.07	-
PK	5.204G	120.30	Inf	-Inf	8.06	3	Horizontal	164	2.07	-
AV	5.2024G	106.83	Inf	-Inf	8.06	3	Horizontal	164	2.07	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5240MHz_TX




EUT_Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1206G	58.91	74.00	-15.09	7.88	3	Vertical	171	1.33	-
AV	5.1476G	45.80	54.00	-8.20	7.94	3	Vertical	171	1.33	-
PK	5.2436G	120.45	Inf	-Inf	8.12	3	Vertical	171	1.33	-
AV	5.243G	107.64	Inf	-Inf	8.12	3	Vertical	171	1.33	-
PK	5.36G	61.32	74.00	-12.68	8.29	3	Vertical	171	1.33	-
AV	5.3678G	46.20	54.00	-7.80	8.29	3	Vertical	171	1.33	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5240MHz_TX




EUT Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0978G	58.47	74.00	-15.53	7.84	3	Horizontal	166	1.26	-
AV	5.1446G	45.73	54.00	-8.27	7.94	3	Horizontal	166	1.26	-
PK	5.2376G	121.14	Inf	-Inf	8.12	3	Horizontal	166	1.26	-
AV	5.2376G	107.97	Inf	-Inf	8.12	3	Horizontal	166	1.26	-
PK	5.3594G	59.85	74.00	-14.15	8.29	3	Horizontal	166	1.26	-
AV	5.354G	46.18	54.00	-7.82	8.28	3	Horizontal	166	1.26	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5745MHz_TX




EUT_Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.625G	60.01	68.20	-8.19	8.63	3	Vertical	178	1.15	-
PK	5.748G	117.68	Inf	-Inf	8.82	3	Vertical	178	1.15	-
AV	5.747G	104.93	Inf	-Inf	8.82	3	Vertical	178	1.15	-
PK	5.976G	59.08	68.20	-9.12	8.94	3	Vertical	178	1.15	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5745MHz_TX




EUT_Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.624G	60.30	68.20	-7.90	8.61	3	Horizontal	179	1.31	-
PK	5.747G	116.60	Inf	-Inf	8.82	3	Horizontal	179	1.31	-
AV	5.744G	103.71	Inf	-Inf	8.82	3	Horizontal	179	1.31	-
PK	5.989G	59.11	68.20	-9.09	8.93	3	Horizontal	179	1.31	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5785MHz_TX




EUT_Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.588G	59.34	68.20	-8.86	8.57	3	Vertical	184	1.04	-
PK	5.786G	117.06	Inf	-Inf	8.88	3	Vertical	184	1.04	-
AV	5.786G	103.98	Inf	-Inf	8.88	3	Vertical	184	1.04	-
PK	5.948G	59.37	68.20	-8.83	8.94	3	Vertical	184	1.04	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5785MHz_TX




EUT_Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.616G	59.42	68.20	-8.78	8.61	3	Horizontal	136	2.52	-
PK	5.782G	117.80	Inf	-Inf	8.88	3	Horizontal	136	2.52	-
AV	5.781G	104.66	Inf	-Inf	8.88	3	Horizontal	136	2.52	-
PK	5.987G	59.27	68.20	-8.93	8.93	3	Horizontal	136	2.52	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5825MHz_TX




EUT_Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.625G	58.95	68.20	-9.25	8.63	3	Vertical	178	1.10	-
PK	5.822G	115.91	Inf	-Inf	8.90	3	Vertical	178	1.10	-
AV	5.823G	103.16	Inf	-Inf	8.90	3	Vertical	178	1.10	-
PK	5.983G	58.58	68.20	-9.62	8.94	3	Vertical	178	1.10	-

802.11ax HEW20_Nss1,(MCS0)_1TX

06/07/2019

5825MHz_TX




EUT_Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.635G	59.18	68.20	-9.02	8.64	3	Horizontal	173	1.38	-
PK	5.826G	115.14	Inf	-Inf	8.91	3	Horizontal	173	1.38	-
AV	5.821G	101.81	Inf	-Inf	8.90	3	Horizontal	173	1.38	-
PK	5.925G	59.69	68.20	-8.51	8.93	3	Horizontal	173	1.38	-

802.11ax HEW40_Nss1,(MCS0)_1TX

06/07/2019

5190MHz_TX




EUT_Z_1TX
 Setting 22.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	67.03	74.00	-6.97	7.94	3	Vertical	154	1.36	-
AV	5.15G	53.67	54.00	-0.33	7.94	3	Vertical	154	1.36	-
PK	5.1808G	114.09	Inf	-Inf	8.02	3	Vertical	154	1.36	-
AV	5.1832G	100.33	Inf	-Inf	8.02	3	Vertical	154	1.36	-

802.11ax HEW40_Nss1,(MCS0)_1TX

06/07/2019

5190MHz_TX




EUT_Z_1TX
 Setting 22.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	65.65	74.00	-8.35	7.94	3	Horizontal	154	2.09	-
AV	5.15G	52.33	54.00	-1.67	7.94	3	Horizontal	154	2.09	-
PK	5.1848G	114.02	Inf	-Inf	8.03	3	Horizontal	154	2.09	-
AV	5.1852G	99.97	Inf	-Inf	8.03	3	Horizontal	154	2.09	-

802.11ax HEW40_Nss1,(MCS0)_1TX

06/07/2019

5230MHz_TX




EUT Z_1TX
 Setting 26.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	67.36	74.00	-6.64	7.94	3	Vertical	155	1.46	-
AV	5.15G	53.59	54.00	-0.41	7.94	3	Vertical	155	1.46	-
PK	5.2294G	117.16	Inf	-Inf	8.11	3	Vertical	155	1.46	-
AV	5.2282G	104.14	Inf	-Inf	8.10	3	Vertical	155	1.46	-
PK	5.3506G	63.53	74.00	-10.47	8.28	3	Vertical	155	1.46	-
AV	5.3518G	46.99	54.00	-7.01	8.28	3	Vertical	155	1.46	-

802.11ax HEW40_Nss1,(MCS0)_1TX

06/07/2019

5230MHz_TX




EUT_Z_1TX
Setting 26.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	68.95	74.00	-5.05	7.94	3	Horizontal	158	1.37	-
AV	5.15G	53.51	54.00	-0.49	7.94	3	Horizontal	158	1.37	-
PK	5.2354G	117.51	Inf	-Inf	8.11	3	Horizontal	158	1.37	-
AV	5.2342G	104.63	Inf	-Inf	8.11	3	Horizontal	158	1.37	-
PK	5.35G	62.89	74.00	-11.11	8.28	3	Horizontal	158	1.37	-
AV	5.35G	47.57	54.00	-6.43	8.28	3	Horizontal	158	1.37	-

802.11ax HEW40_Nss1,(MCS0)_1TX

06/07/2019

5755MHz_TX




EUT_Z_1TX
 Setting 26
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	65.00	68.20	-3.20	8.66	3	Vertical	173	1.22	-
PK	5.758G	115.91	Inf	-Inf	8.84	3	Vertical	173	1.22	-
AV	5.757G	102.34	Inf	-Inf	8.83	3	Vertical	173	1.22	-
PK	5.953G	58.73	68.20	-9.47	8.92	3	Vertical	173	1.22	-

802.11ax HEW40_Nss1,(MCS0)_1TX

06/07/2019

5755MHz_TX




EUT Z_1TX
Setting 26
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.653G	65.21	70.42	-5.21	8.66	3	Horizontal	128	2.44	-
PK	5.761G	115.62	Inf	-Inf	8.85	3	Horizontal	128	2.44	-
AV	5.754G	102.49	Inf	-Inf	8.83	3	Horizontal	128	2.44	-
PK	5.95G	59.91	68.20	-8.29	8.93	3	Horizontal	128	2.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

06/07/2019

5795MHz_TX




EUT_Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	64.59	68.20	-3.61	8.66	3	Vertical	125	1.70	-
PK	5.791G	112.97	Inf	-Inf	8.88	3	Vertical	125	1.70	-
AV	5.788G	99.93	Inf	-Inf	8.87	3	Vertical	125	1.70	-
PK	5.933G	64.21	68.20	-3.99	8.93	3	Vertical	125	1.70	-

802.11ax HEW40_Nss1,(MCS0)_1TX

06/07/2019

5795MHz_TX




EUT_Z_1TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	65.68	68.20	-2.52	8.66	3	Horizontal	140	2.62	-
PK	5.797G	117.25	Inf	-Inf	8.90	3	Horizontal	140	2.62	-
AV	5.793G	103.70	Inf	-Inf	8.89	3	Horizontal	140	2.62	-
PK	5.925G	67.64	68.20	-0.56	8.93	3	Horizontal	140	2.62	-

802.11ax HEW80_Nss1,(MCS0)_1TX

06/07/2019

5210MHz_TX




EUT_Z_1TX
Setting 22
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	67.93	74.00	-6.07	7.94	3	Vertical	169	1.51	-
AV	5.149G	51.92	54.00	-2.08	7.94	3	Vertical	169	1.51	-
PK	5.216G	110.41	Inf	-Inf	8.08	3	Vertical	169	1.51	-
AV	5.228G	96.66	Inf	-Inf	8.10	3	Vertical	169	1.51	-
PK	5.389G	59.31	74.00	-14.69	8.33	3	Vertical	169	1.51	-
AV	5.352G	46.31	54.00	-7.69	8.28	3	Vertical	169	1.51	-

802.11ax HEW80_Nss1,(MCS0)_1TX

06/07/2019

5210MHz_TX




EUT Z_1TX
Setting 22
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.48	74.00	-7.52	7.94	3	Horizontal	166	1.46	-
AV	5.15G	52.43	54.00	-1.57	7.94	3	Horizontal	166	1.46	-
PK	5.226G	110.25	Inf	-Inf	8.10	3	Horizontal	166	1.46	-
AV	5.232G	96.93	Inf	-Inf	8.11	3	Horizontal	166	1.46	-
PK	5.351G	59.03	74.00	-14.97	8.28	3	Horizontal	166	1.46	-
AV	5.35G	46.50	54.00	-7.50	8.28	3	Horizontal	166	1.46	-

802.11ax HEW80_Nss1,(MCS0)_1TX

06/07/2019

5775MHz_TX




EUT Z_1TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	67.36	68.20	-0.84	8.66	3	Vertical	167	1.13	-
PK	5.769G	110.54	Inf	-Inf	8.85	3	Vertical	167	1.13	-
AV	5.771G	97.43	Inf	-Inf	8.85	3	Vertical	167	1.13	-
PK	5.928G	61.72	68.20	-6.48	8.93	3	Vertical	167	1.13	-

802.11ax HEW80_Nss1,(MCS0)_1TX

06/07/2019

5775MHz_TX



EUT_Z_1TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.652G	66.92	69.68	-2.76	8.66	3	Horizontal	149	2.52	-
PK	5.767G	111.71	Inf	-Inf	8.85	3	Horizontal	149	2.52	-
AV	5.772G	97.50	Inf	-Inf	8.85	3	Horizontal	149	2.52	-
PK	5.925G	61.82	68.20	-6.38	8.93	3	Horizontal	149	2.52	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.65G	68.18	68.20	-0.02	8.66	3	Vertical	195	1.95	-

802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5180MHz_TX



EUT_Z_2TX
Setting 24
02-J-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1464G	65.51	74.00	-8.49	7.94	3	Vertical	188	2.16	-
AV	5.15G	52.90	54.00	-1.10	7.94	3	Vertical	188	2.16	-
PK	5.176G	121.93	Inf	-Inf	8.01	3	Vertical	188	2.16	-
AV	5.1812G	112.20	Inf	-Inf	8.02	3	Vertical	188	2.16	-



802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5180MHz_TX




EUT_Z_2TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	65.34	74.00	-8.66	7.94	3	Horizontal	177	1.89	-
AV	5.1484G	52.98	54.00	-1.02	7.94	3	Horizontal	177	1.89	-
PK	5.1828G	120.52	Inf	-Inf	8.02	3	Horizontal	177	1.89	-
AV	5.1828G	110.95	Inf	-Inf	8.02	3	Horizontal	177	1.89	-

802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5200MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	63.35	74.00	-10.65	7.94	3	Vertical	185	2.05	-
AV	5.15G	50.88	54.00	-3.12	7.94	3	Vertical	185	2.05	-
PK	5.2044G	124.29	Inf	-Inf	8.07	3	Vertical	185	2.05	-
AV	5.1948G	114.02	Inf	-Inf	8.05	3	Vertical	185	2.05	-

802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5200MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	63.66	74.00	-10.34	7.94	3	Horizontal	175	2.01	-
AV	5.15G	50.41	54.00	-3.59	7.94	3	Horizontal	175	2.01	-
PK	5.2028G	123.06	Inf	-Inf	8.06	3	Horizontal	175	2.01	-
AV	5.2024G	112.94	Inf	-Inf	8.06	3	Horizontal	175	2.01	-

802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5240MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1206G	59.52	74.00	-14.48	7.88	3	Vertical	175	2.12	-
AV	5.0984G	46.56	54.00	-7.44	7.84	3	Vertical	175	2.12	-
PK	5.237G	123.67	Inf	-Inf	8.11	3	Vertical	175	2.12	-
AV	5.2412G	113.69	Inf	-Inf	8.12	3	Vertical	175	2.12	-
PK	5.3612G	59.38	74.00	-14.62	8.29	3	Vertical	175	2.12	-
AV	5.3648G	46.83	54.00	-7.17	8.29	3	Vertical	175	2.12	-

802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5240MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1182G	60.10	74.00	-13.90	7.88	3	Horizontal	168	1.49	-
AV	5.1434G	46.36	54.00	-7.64	7.94	3	Horizontal	168	1.49	-
PK	5.2376G	122.86	Inf	-Inf	8.12	3	Horizontal	168	1.49	-
AV	5.243G	112.72	Inf	-Inf	8.12	3	Horizontal	168	1.49	-
PK	5.366G	61.69	74.00	-12.31	8.29	3	Horizontal	168	1.49	-
AV	5.3594G	46.68	54.00	-7.32	8.29	3	Horizontal	168	1.49	-

802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5745MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	61.06	68.20	-7.14	8.66	3	Vertical	189	1.84	-
PK	5.748G	121.52	Inf	-Inf	8.82	3	Vertical	189	1.84	-
AV	5.748G	111.54	Inf	-Inf	8.82	3	Vertical	189	1.84	-
PK	5.942G	59.22	68.20	-8.98	8.94	3	Vertical	189	1.84	-

802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5745MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.56G	60.44	68.20	-7.76	8.56	3	Horizontal	199	2.21	-
PK	5.741G	119.84	Inf	-Inf	8.80	3	Horizontal	199	2.21	-
AV	5.746G	110.03	Inf	-Inf	8.82	3	Horizontal	199	2.21	-
PK	5.953G	58.59	68.20	-9.61	8.92	3	Horizontal	199	2.21	-

802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5785MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.588G	59.89	68.20	-8.31	8.57	3	Vertical	191	1.86	-
PK	5.78G	120.11	Inf	-Inf	8.87	3	Vertical	191	1.86	-
AV	5.78G	110.42	Inf	-Inf	8.87	3	Vertical	191	1.86	-
PK	5.969G	59.61	68.20	-8.59	8.93	3	Vertical	191	1.86	-

802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5785MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.59G	60.84	68.20	-7.36	8.57	3	Horizontal	205	1.91	-
PK	5.784G	120.01	Inf	-Inf	8.88	3	Horizontal	205	1.91	-
AV	5.788G	109.93	Inf	-Inf	8.87	3	Horizontal	205	1.91	-
PK	5.951G	58.77	68.20	-9.43	8.92	3	Horizontal	205	1.91	-

802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5825MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.636G	59.79	68.20	-8.41	8.64	3	Vertical	191	1.90	-
PK	5.822G	120.65	Inf	-Inf	8.90	3	Vertical	191	1.90	-
AV	5.828G	110.56	Inf	-Inf	8.91	3	Vertical	191	1.90	-
PK	5.946G	59.57	68.20	-8.63	8.94	3	Vertical	191	1.90	-

802.11a_Nss1,(6Mbps)_2TX

05/07/2019

5825MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.629G	59.83	68.20	-8.37	8.63	3	Horizontal	199	2.23	-
PK	5.826G	118.84	Inf	-Inf	8.91	3	Horizontal	199	2.23	-
AV	5.826G	108.88	Inf	-Inf	8.91	3	Horizontal	199	2.23	-
PK	5.969G	59.25	68.20	-8.95	8.93	3	Horizontal	199	2.23	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5180MHz_TX




EUT_Z_2TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.45	74.00	-7.55	7.94	3	Vertical	185	2.15	-
AV	5.15G	53.16	54.00	-0.84	7.94	3	Vertical	185	2.15	-
PK	5.1808G	124.36	Inf	-Inf	8.02	3	Vertical	185	2.15	-
AV	5.1812G	111.11	Inf	-Inf	8.02	3	Vertical	185	2.15	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5180MHz_TX




EUT_Z_2TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	65.43	74.00	-8.57	7.94	3	Horizontal	169	1.46	-
AV	5.15G	52.85	54.00	-1.15	7.94	3	Horizontal	169	1.46	-
PK	5.1812G	121.54	Inf	-Inf	8.02	3	Horizontal	169	1.46	-
AV	5.1812G	109.03	Inf	-Inf	8.02	3	Horizontal	169	1.46	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5200MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	65.22	74.00	-8.78	7.94	3	Vertical	185	2.05	-
AV	5.15G	52.34	54.00	-1.66	7.94	3	Vertical	185	2.05	-
PK	5.1984G	125.36	Inf	-Inf	8.06	3	Vertical	185	2.05	-
AV	5.1992G	113.13	Inf	-Inf	8.06	3	Vertical	185	2.05	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5200MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	64.55	74.00	-9.45	7.94	3	Horizontal	174	1.98	-
AV	5.15G	52.15	54.00	-1.85	7.94	3	Horizontal	174	1.98	-
PK	5.2064G	125.27	Inf	-Inf	8.07	3	Horizontal	174	1.98	-
AV	5.2056G	111.42	Inf	-Inf	8.07	3	Horizontal	174	1.98	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5240MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1482G	59.22	74.00	-14.78	7.94	3	Vertical	184	2.03	-
AV	5.1494G	46.42	54.00	-7.58	7.94	3	Vertical	184	2.03	-
PK	5.2352G	126.55	Inf	-Inf	8.11	3	Vertical	184	2.03	-
AV	5.2442G	113.37	Inf	-Inf	8.12	3	Vertical	184	2.03	-
PK	5.3852G	59.60	74.00	-14.40	8.32	3	Vertical	184	2.03	-
AV	5.3564G	46.73	54.00	-7.27	8.28	3	Vertical	184	2.03	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5240MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1086G	58.78	74.00	-15.22	7.86	3	Horizontal	171	1.47	-
AV	5.1482G	45.99	54.00	-8.01	7.94	3	Horizontal	171	1.47	-
PK	5.2466G	124.24	Inf	-Inf	8.13	3	Horizontal	171	1.47	-
AV	5.2364G	111.76	Inf	-Inf	8.11	3	Horizontal	171	1.47	-
PK	5.3816G	59.07	74.00	-14.93	8.32	3	Horizontal	171	1.47	-
AV	5.3546G	46.39	54.00	-7.61	8.28	3	Horizontal	171	1.47	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5745MHz_TX




EUT_Z_2TX
 Setting 27
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.545G	60.81	68.20	-7.39	8.55	3	Vertical	191	1.95	-
PK	5.746G	121.49	Inf	-Inf	8.82	3	Vertical	191	1.95	-
AV	5.746G	109.28	Inf	-Inf	8.82	3	Vertical	191	1.95	-
PK	5.934G	58.56	68.20	-9.64	8.93	3	Vertical	191	1.95	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5745MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.621G	60.46	68.20	-7.74	8.61	3	Horizontal	184	1.98	-
PK	5.745G	120.70	Inf	-Inf	8.82	3	Horizontal	184	1.98	-
AV	5.744G	109.14	Inf	-Inf	8.82	3	Horizontal	184	1.98	-
PK	5.955G	59.34	68.20	-8.86	8.92	3	Horizontal	184	1.98	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5785MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.596G	59.97	68.20	-8.23	8.58	3	Vertical	188	1.93	-
PK	5.786G	121.67	Inf	-Inf	8.88	3	Vertical	188	1.93	-
AV	5.786G	109.07	Inf	-Inf	8.88	3	Vertical	188	1.93	-
PK	5.955G	58.85	68.20	-9.35	8.92	3	Vertical	188	1.93	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5785MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.597G	60.14	68.20	-8.06	8.58	3	Horizontal	202	2.28	-
PK	5.782G	122.12	Inf	-Inf	8.88	3	Horizontal	202	2.28	-
AV	5.782G	109.11	Inf	-Inf	8.88	3	Horizontal	202	2.28	-
PK	5.955G	59.27	68.20	-8.93	8.92	3	Horizontal	202	2.28	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5825MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.64G	60.04	68.20	-8.16	8.65	3	Vertical	191	1.90	-
PK	5.83G	121.64	Inf	-Inf	8.91	3	Vertical	191	1.90	-
AV	5.829G	108.94	Inf	-Inf	8.91	3	Vertical	191	1.90	-
PK	5.932G	59.36	68.20	-8.84	8.93	3	Vertical	191	1.90	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/07/2019

5825MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.637G	59.61	68.20	-8.59	8.64	3	Horizontal	199	2.13	-
PK	5.827G	120.94	Inf	-Inf	8.91	3	Horizontal	199	2.13	-
AV	5.826G	108.26	Inf	-Inf	8.91	3	Horizontal	199	2.13	-
PK	5.959G	58.90	68.20	-9.30	8.93	3	Horizontal	199	2.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/07/2019

5190MHz_TX




EUT_Z_2TX
Setting 22
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	68.05	74.00	-5.95	7.94	3	Vertical	177	1.96	-
AV	5.15G	53.97	54.00	-0.03	7.94	3	Vertical	177	1.96	-
PK	5.1892G	119.43	Inf	-Inf	8.04	3	Vertical	177	1.96	-
AV	5.198G	106.32	Inf	-Inf	8.06	3	Vertical	177	1.96	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/07/2019

5190MHz_TX




EUT_Z_2TX
Setting 22
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1468G	65.75	74.00	-8.25	7.94	3	Horizontal	171	1.89	-
AV	5.1472G	51.92	54.00	-2.08	7.94	3	Horizontal	171	1.89	-
PK	5.1968G	117.90	Inf	-Inf	8.06	3	Horizontal	171	1.89	-
AV	5.196G	104.82	Inf	-Inf	8.06	3	Horizontal	171	1.89	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/07/2019

5230MHz_TX




EUT_Z_2TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1418G	68.08	74.00	-5.92	7.94	3	Vertical	186	2.13	-
AV	5.15G	52.76	54.00	-1.24	7.94	3	Vertical	186	2.13	-
PK	5.2318G	122.94	Inf	-Inf	8.11	3	Vertical	186	2.13	-
AV	5.2312G	110.54	Inf	-Inf	8.11	3	Vertical	186	2.13	-
PK	5.35G	62.66	74.00	-11.34	8.28	3	Vertical	186	2.13	-
AV	5.35G	48.47	54.00	-5.53	8.28	3	Vertical	186	2.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/07/2019

5230MHz_TX




EUT_Z_2TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.50	74.00	-7.50	7.94	3	Horizontal	177	2.07	-
AV	5.149G	53.62	54.00	-0.38	7.94	3	Horizontal	177	2.07	-
PK	5.2372G	121.19	Inf	-Inf	8.11	3	Horizontal	177	2.07	-
AV	5.2372G	108.83	Inf	-Inf	8.11	3	Horizontal	177	2.07	-
PK	5.35G	62.17	74.00	-11.83	8.28	3	Horizontal	177	2.07	-
AV	5.3542G	47.66	54.00	-6.34	8.28	3	Horizontal	177	2.07	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/07/2019

5755MHz_TX




EUT_Z_2TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	68.18	68.20	-0.02	8.66	3	Vertical	195	1.95	-
PK	5.759G	121.58	Inf	-Inf	8.85	3	Vertical	195	1.95	-
AV	5.758G	109.00	Inf	-Inf	8.84	3	Vertical	195	1.95	-
PK	5.989G	59.32	68.20	-8.88	8.93	3	Vertical	195	1.95	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/07/2019

5755MHz_TX




EUT_Z_2TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	67.16	68.20	-1.04	8.66	3	Horizontal	205	2.10	-
PK	5.745G	120.04	Inf	-Inf	8.82	3	Horizontal	205	2.10	-
AV	5.754G	107.80	Inf	-Inf	8.83	3	Horizontal	205	2.10	-
PK	5.93G	59.29	68.20	-8.91	8.93	3	Horizontal	205	2.10	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/07/2019

5795MHz_TX




EUT_Z_2TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.634G	65.96	68.20	-2.24	8.64	3	Vertical	193	1.93	-
PK	5.787G	122.67	Inf	-Inf	8.88	3	Vertical	193	1.93	-
AV	5.787G	109.32	Inf	-Inf	8.88	3	Vertical	193	1.93	-
PK	5.93G	68.15	68.20	-0.05	8.93	3	Vertical	193	1.93	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/07/2019

5795MHz_TX




EUT_Z_2TX
 Setting 27
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	67.25	68.20	-0.95	8.67	3	Horizontal	206	1.97	-
PK	5.792G	121.03	Inf	-Inf	8.89	3	Horizontal	206	1.97	-
AV	5.791G	108.14	Inf	-Inf	8.88	3	Horizontal	206	1.97	-
PK	5.936G	64.50	68.20	-3.70	8.93	3	Horizontal	206	1.97	-

802.11ax HEW80_Nss1,(MCS0)_2TX

05/07/2019

5210MHz_TX




EUT_Z_2TX
Setting 21.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	66.91	74.00	-7.09	7.94	3	Vertical	186	2.03	-
AV	5.146G	53.04	54.00	-0.96	7.94	3	Vertical	186	2.03	-
PK	5.206G	115.66	Inf	-Inf	8.07	3	Vertical	186	2.03	-
AV	5.216G	103.15	Inf	-Inf	8.08	3	Vertical	186	2.03	-
PK	5.418G	60.40	74.00	-13.60	8.37	3	Vertical	186	2.03	-
AV	5.355G	47.51	54.00	-6.49	8.28	3	Vertical	186	2.03	-

802.11ax HEW80_Nss1,(MCS0)_2TX

05/07/2019

5210MHz_TX




EUT_Z_2TX
 Setting 21.5
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.137G	67.29	74.00	-6.71	7.92	3	Horizontal	173	1.55	-
AV	5.148G	52.21	54.00	-1.79	7.94	3	Horizontal	173	1.55	-
PK	5.206G	114.19	Inf	-Inf	8.07	3	Horizontal	173	1.55	-
AV	5.207G	101.18	Inf	-Inf	8.07	3	Horizontal	173	1.55	-
PK	5.424G	60.04	74.00	-13.96	8.38	3	Horizontal	173	1.55	-
AV	5.355G	46.97	54.00	-7.03	8.28	3	Horizontal	173	1.55	-

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2019

5775MHz_TX




EUT_Z_2TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	68.17	68.20	-0.03	8.67	3	Vertical	186	2.02	-
PK	5.765G	114.11	Inf	-Inf	8.84	3	Vertical	186	2.02	-
AV	5.776G	101.76	Inf	-Inf	8.87	3	Vertical	186	2.02	-
PK	5.926G	60.53	68.20	-7.67	8.93	3	Vertical	186	2.02	-

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2019

5775MHz_TX



EUT_Z_2TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	67.93	68.20	-0.27	8.66	3	Horizontal	204	1.92	-
PK	5.771G	113.83	Inf	-Inf	8.85	3	Horizontal	204	1.92	-
AV	5.771G	101.69	Inf	-Inf	8.85	3	Horizontal	204	1.92	-
PK	5.929G	61.00	68.20	-7.20	8.93	3	Horizontal	204	1.92	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.146G	53.26	54.00	-0.74	7.94	3	Horizontal	177	1.20	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5180MHz_TX



EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	61.93	74.00	-12.07	7.94	3	Vertical	171	1.56	-
AV	5.1496G	47.47	54.00	-6.53	7.94	3	Vertical	171	1.56	-
PK	5.1854G	122.09	Inf	-Inf	8.03	3	Vertical	171	1.56	-
AV	5.1842G	108.91	Inf	-Inf	8.03	3	Vertical	171	1.56	-



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5180MHz_TX




EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	62.90	74.00	-11.10	7.94	3	Horizontal	172	1.51	-
AV	5.15G	47.93	54.00	-6.07	7.94	3	Horizontal	172	1.51	-
PK	5.1842G	121.11	Inf	-Inf	8.03	3	Horizontal	172	1.51	-
AV	5.1832G	108.55	Inf	-Inf	8.02	3	Horizontal	172	1.51	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5200MHz_TX




EUT_Z_2TX
 Setting 25
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1468G	60.18	74.00	-13.82	7.94	3	Vertical	184	2.34	-
AV	5.1488G	46.70	54.00	-7.30	7.94	3	Vertical	184	2.34	-
PK	5.2056G	121.00	Inf	-Inf	8.07	3	Vertical	184	2.34	-
AV	5.1968G	108.79	Inf	-Inf	8.06	3	Vertical	184	2.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5200MHz_TX




EUT_Z_2TX
 Setting 25
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.122G	59.52	74.00	-14.48	7.88	3	Horizontal	180	1.75	-
AV	5.1424G	46.62	54.00	-7.38	7.94	3	Horizontal	180	1.75	-
PK	5.1948G	120.61	Inf	-Inf	8.05	3	Horizontal	180	1.75	-
AV	5.1948G	107.40	Inf	-Inf	8.05	3	Horizontal	180	1.75	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5240MHz_TX




EUT_Z_2TX
 Setting 25
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1224G	58.56	74.00	-15.44	7.88	3	Vertical	190	1.30	-
AV	5.108G	45.94	54.00	-8.06	7.86	3	Vertical	190	1.30	-
PK	5.2436G	121.56	Inf	-Inf	8.12	3	Vertical	190	1.30	-
AV	5.2436G	108.00	Inf	-Inf	8.12	3	Vertical	190	1.30	-
PK	5.3654G	58.38	74.00	-15.62	8.29	3	Vertical	190	1.30	-
AV	5.354G	46.58	54.00	-7.42	8.28	3	Vertical	190	1.30	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5240MHz_TX




EUT_Z_2TX
 Setting 25
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1002G	58.93	74.00	-15.07	7.84	3	Horizontal	194	2.77	-
AV	5.1488G	45.92	54.00	-8.08	7.94	3	Horizontal	194	2.77	-
PK	5.2388G	120.54	Inf	-Inf	8.12	3	Horizontal	194	2.77	-
AV	5.2382G	107.19	Inf	-Inf	8.12	3	Horizontal	194	2.77	-
PK	5.3672G	59.13	74.00	-14.87	8.29	3	Horizontal	194	2.77	-
AV	5.3552G	46.31	54.00	-7.69	8.28	3	Horizontal	194	2.77	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5745MHz_TX




EUT_Z_2TX
 Setting 25
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	59.09	68.20	-9.11	8.67	3	Vertical	193	1.38	-
PK	5.741G	118.60	Inf	-Inf	8.80	3	Vertical	193	1.38	-
AV	5.741G	106.23	Inf	-Inf	8.80	3	Vertical	193	1.38	-
PK	5.927G	58.93	68.20	-9.27	8.93	3	Vertical	193	1.38	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5745MHz_TX




EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.51G	59.74	68.20	-8.46	8.53	3	Horizontal	187	1.44	-
PK	5.747G	117.77	Inf	-Inf	8.82	3	Horizontal	187	1.44	-
AV	5.747G	105.88	Inf	-Inf	8.82	3	Horizontal	187	1.44	-
PK	5.945G	58.76	68.20	-9.44	8.94	3	Horizontal	187	1.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5785MHz_TX




EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6G	59.57	68.20	-8.63	8.58	3	Vertical	165	1.47	-
PK	5.779G	117.38	Inf	-Inf	8.87	3	Vertical	165	1.47	-
AV	5.783G	104.44	Inf	-Inf	8.88	3	Vertical	165	1.47	-
PK	5.945G	58.80	68.20	-9.40	8.94	3	Vertical	165	1.47	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5785MHz_TX




EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.597G	59.72	68.20	-8.48	8.58	3	Horizontal	194	1.87	-
PK	5.789G	118.83	Inf	-Inf	8.88	3	Horizontal	194	1.87	-
AV	5.786G	108.20	Inf	-Inf	8.88	3	Horizontal	194	1.87	-
PK	5.929G	58.84	68.20	-9.36	8.93	3	Horizontal	194	1.87	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5825MHz_TX




EUT_Z_2TX
 Setting 25
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.639G	58.98	68.20	-9.22	8.64	3	Vertical	192	1.45	-
PK	5.82G	116.52	Inf	-Inf	8.90	3	Vertical	192	1.45	-
AV	5.824G	104.74	Inf	-Inf	8.90	3	Vertical	192	1.45	-
PK	5.929G	58.54	68.20	-9.66	8.93	3	Vertical	192	1.45	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

06/07/2019

5825MHz_TX




EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	59.23	68.20	-8.97	8.65	3	Horizontal	191	1.57	-
PK	5.828G	116.27	Inf	-Inf	8.91	3	Horizontal	191	1.57	-
AV	5.829G	104.61	Inf	-Inf	8.91	3	Horizontal	191	1.57	-
PK	5.95G	59.55	68.20	-8.65	8.93	3	Horizontal	191	1.57	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

06/07/2019

5190MHz_TX




EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1388G	70.33	74.00	-3.67	7.92	3	Vertical	181	1.48	-
AV	5.1452G	51.62	54.00	-2.38	7.94	3	Vertical	181	1.48	-
PK	5.1892G	118.26	Inf	-Inf	8.04	3	Vertical	181	1.48	-
AV	5.1984G	105.88	Inf	-Inf	8.06	3	Vertical	181	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

06/07/2019

5190MHz_TX




EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1436G	70.46	74.00	-3.54	7.94	3	Horizontal	196	2.45	-
AV	5.1408G	51.26	54.00	-2.74	7.93	3	Horizontal	196	2.45	-
PK	5.1784G	117.62	Inf	-Inf	8.02	3	Horizontal	196	2.45	-
AV	5.2064G	106.22	Inf	-Inf	8.07	3	Horizontal	196	2.45	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

06/07/2019

5230MHz_TX



EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0992G	59.08	74.00	-14.92	7.84	3	Vertical	190	1.59	-
AV	5.15G	46.65	54.00	-7.35	7.94	3	Vertical	190	1.59	-
PK	5.2408G	118.39	Inf	-Inf	8.12	3	Vertical	190	1.59	-
AV	5.2408G	105.61	Inf	-Inf	8.12	3	Vertical	190	1.59	-
PK	5.3512G	59.60	74.00	-14.40	8.28	3	Vertical	190	1.59	-
AV	5.3542G	46.55	54.00	-7.45	8.28	3	Vertical	190	1.59	-



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

06/07/2019

5230MHz_TX




EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	58.48	74.00	-15.52	7.94	3	Horizontal	190	2.77	-
AV	5.1454G	46.19	54.00	-7.81	7.94	3	Horizontal	190	2.77	-
PK	5.2384G	117.01	Inf	-Inf	8.12	3	Horizontal	190	2.77	-
AV	5.2378G	104.05	Inf	-Inf	8.12	3	Horizontal	190	2.77	-
PK	5.374G	59.25	74.00	-14.75	8.30	3	Horizontal	190	2.77	-
AV	5.3752G	46.34	54.00	-7.66	8.31	3	Horizontal	190	2.77	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

06/07/2019

5755MHz_TX




EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.635G	59.68	68.20	-8.52	8.64	3	Vertical	181	1.48	-
PK	5.756G	116.96	Inf	-Inf	8.83	3	Vertical	181	1.48	-
AV	5.753G	105.00	Inf	-Inf	8.83	3	Vertical	181	1.48	-
PK	5.958G	58.28	68.20	-9.92	8.92	3	Vertical	181	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

06/07/2019

5755MHz_TX




EUT_Z_2TX
 Setting 25
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.506G	58.96	68.20	-9.24	8.52	3	Horizontal	191	2.89	-
PK	5.744G	114.39	Inf	-Inf	8.82	3	Horizontal	191	2.89	-
AV	5.747G	102.94	Inf	-Inf	8.82	3	Horizontal	191	2.89	-
PK	5.943G	59.06	68.20	-9.14	8.94	3	Horizontal	191	2.89	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

06/07/2019

5795MHz_TX




EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.598G	58.77	68.20	-9.43	8.58	3	Vertical	178	2.67	-
PK	5.791G	116.60	Inf	-Inf	8.88	3	Vertical	178	2.67	-
AV	5.788G	103.77	Inf	-Inf	8.87	3	Vertical	178	2.67	-
PK	5.951G	58.58	68.20	-9.62	8.92	3	Vertical	178	2.67	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

06/07/2019

5795MHz_TX




EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.64G	58.59	68.20	-9.61	8.65	3	Horizontal	180	2.88	-
PK	5.781G	115.19	Inf	-Inf	8.88	3	Horizontal	180	2.88	-
AV	5.791G	103.86	Inf	-Inf	8.88	3	Horizontal	180	2.88	-
PK	5.932G	59.71	68.20	-8.49	8.93	3	Horizontal	180	2.88	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

06/07/2019

5210MHz_TX




EUT Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.114G	68.41	74.00	-5.59	7.87	3	Vertical	181	2.66	-
AV	5.148G	52.56	54.00	-1.44	7.94	3	Vertical	181	2.66	-
PK	5.222G	115.02	Inf	-Inf	8.10	3	Vertical	181	2.66	-
AV	5.207G	106.28	Inf	-Inf	8.07	3	Vertical	181	2.66	-
PK	5.41G	59.48	74.00	-14.52	8.35	3	Vertical	181	2.66	-
AV	5.351G	47.69	54.00	-6.31	8.28	3	Vertical	181	2.66	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

06/07/2019

5210MHz_TX




EUT Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	67.69	74.00	-6.31	7.94	3	Horizontal	177	1.20	-
AV	5.146G	53.26	54.00	-0.74	7.94	3	Horizontal	177	1.20	-
PK	5.227G	113.18	Inf	-Inf	8.10	3	Horizontal	177	1.20	-
AV	5.224G	101.32	Inf	-Inf	8.10	3	Horizontal	177	1.20	-
PK	5.357G	60.08	74.00	-13.92	8.28	3	Horizontal	177	1.20	-
AV	5.351G	47.59	54.00	-6.41	8.28	3	Horizontal	177	1.20	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

06/07/2019

5775MHz_TX




EUT Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	62.22	68.20	-5.98	8.67	3	Vertical	191	1.43	-
PK	5.779G	113.06	Inf	-Inf	8.87	3	Vertical	191	1.43	-
AV	5.776G	100.57	Inf	-Inf	8.87	3	Vertical	191	1.43	-
PK	5.935G	59.23	68.20	-8.97	8.93	3	Vertical	191	1.43	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

06/07/2019

5775MHz_TX



EUT_Z_2TX
Setting 25
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.651G	63.07	68.94	-5.87	8.66	3	Horizontal	192	3.00	-
PK	5.738G	112.13	Inf	-Inf	8.80	3	Horizontal	192	3.00	-
AV	5.771G	99.25	Inf	-Inf	8.85	3	Horizontal	192	3.00	-
PK	5.951G	59.53	68.20	-8.67	8.92	3	Horizontal	192	3.00	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.148G	53.96	54.00	-0.04	7.94	3	Horizontal	188	2.29	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5180MHz_TX



EUT_Z_4TX
Setting 23
02-L-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	65.63	74.00	-8.37	7.94	3	Vertical	174	1.60	-
AV	5.1494G	52.27	54.00	-1.73	7.94	3	Vertical	174	1.60	-
PK	5.176G	124.30	Inf	-Inf	8.01	3	Vertical	174	1.60	-
AV	5.1752G	114.26	Inf	-Inf	8.01	3	Vertical	174	1.60	-



802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5180MHz_TX




EUT_Z_4TX
Setting 23
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1498G	66.90	74.00	-7.10	7.94	3	Horizontal	195	1.87	-
AV	5.15G	53.38	54.00	-0.62	7.94	3	Horizontal	195	1.87	-
PK	5.1774G	124.77	Inf	-Inf	8.02	3	Horizontal	195	1.87	-
AV	5.1772G	114.65	Inf	-Inf	8.01	3	Horizontal	195	1.87	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5200MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	68.39	74.00	-5.61	7.94	3	Vertical	178	1.43	-
AV	5.1476G	52.27	54.00	-1.73	7.94	3	Vertical	178	1.43	-
PK	5.2012G	127.64	Inf	-Inf	8.06	3	Vertical	178	1.43	-
AV	5.2012G	117.86	Inf	-Inf	8.06	3	Vertical	178	1.43	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5200MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	67.64	74.00	-6.36	7.94	3	Horizontal	205	1.66	-
AV	5.15G	53.40	54.00	-0.60	7.94	3	Horizontal	205	1.66	-
PK	5.204G	126.75	Inf	-Inf	8.06	3	Horizontal	205	1.66	-
AV	5.2032G	116.65	Inf	-Inf	8.06	3	Horizontal	205	1.66	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5240MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1446G	59.49	74.00	-14.51	7.94	3	Vertical	185	1.53	-
AV	5.147G	46.83	54.00	-7.17	7.94	3	Vertical	185	1.53	-
PK	5.2436G	127.24	Inf	-Inf	8.12	3	Vertical	185	1.53	-
AV	5.2436G	117.15	Inf	-Inf	8.12	3	Vertical	185	1.53	-
PK	5.354G	59.44	74.00	-14.56	8.28	3	Vertical	185	1.53	-
AV	5.3504G	47.25	54.00	-6.75	8.28	3	Vertical	185	1.53	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5240MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1146G	60.01	74.00	-13.99	7.87	3	Horizontal	186	1.64	-
AV	5.1428G	47.19	54.00	-6.81	7.94	3	Horizontal	186	1.64	-
PK	5.2418G	128.00	Inf	-Inf	8.12	3	Horizontal	186	1.64	-
AV	5.2412G	117.70	Inf	-Inf	8.12	3	Horizontal	186	1.64	-
PK	5.366G	59.60	74.00	-14.40	8.29	3	Horizontal	186	1.64	-
AV	5.3594G	47.29	54.00	-6.71	8.29	3	Horizontal	186	1.64	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	60.79	68.20	-7.41	8.67	3	Vertical	179	1.44	-
PK	5.748G	125.46	Inf	-Inf	8.82	3	Vertical	179	1.44	-
AV	5.748G	115.16	Inf	-Inf	8.82	3	Vertical	179	1.44	-
PK	5.961G	58.95	68.20	-9.25	8.93	3	Vertical	179	1.44	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	61.33	68.20	-6.87	8.67	3	Horizontal	169	2.28	-
PK	5.747G	125.34	Inf	-Inf	8.82	3	Horizontal	169	2.28	-
AV	5.746G	115.58	Inf	-Inf	8.82	3	Horizontal	169	2.28	-
PK	5.945G	59.34	68.20	-8.86	8.94	3	Horizontal	169	2.28	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5785MHz_TX



EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.624G	60.15	68.20	-8.05	8.61	3	Vertical	193	1.64	-
PK	5.784G	124.35	Inf	-Inf	8.88	3	Vertical	193	1.64	-
AV	5.784G	114.57	Inf	-Inf	8.88	3	Vertical	193	1.64	-
PK	5.949G	59.38	68.20	-8.82	8.94	3	Vertical	193	1.64	-



802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5785MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.586G	60.24	68.20	-7.96	8.57	3	Horizontal	189	1.62	-
PK	5.781G	124.91	Inf	-Inf	8.88	3	Horizontal	189	1.62	-
AV	5.782G	115.17	Inf	-Inf	8.88	3	Horizontal	189	1.62	-
PK	5.989G	59.41	68.20	-8.79	8.93	3	Horizontal	189	1.62	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5825MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.629G	60.70	68.20	-7.50	8.63	3	Vertical	164	1.47	-
PK	5.823G	124.18	Inf	-Inf	8.90	3	Vertical	164	1.47	-
AV	5.823G	113.68	Inf	-Inf	8.90	3	Vertical	164	1.47	-
PK	5.927G	59.67	68.20	-8.53	8.93	3	Vertical	164	1.47	-

802.11a_Nss1,(6Mbps)_4TX

05/07/2019

5825MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	60.81	68.20	-7.39	8.66	3	Horizontal	188	2.36	-
PK	5.832G	124.66	Inf	-Inf	8.91	3	Horizontal	188	2.36	-
AV	5.832G	114.31	Inf	-Inf	8.91	3	Horizontal	188	2.36	-
PK	5.944G	59.67	68.20	-8.53	8.94	3	Horizontal	188	2.36	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5180MHz_TX




EUT_Z_4TX
 Setting 23
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1452G	67.66	74.00	-6.34	7.94	3	Vertical	175	1.41	-
AV	5.1448G	53.66	54.00	-0.34	7.94	3	Vertical	175	1.41	-
PK	5.1852G	125.74	Inf	-Inf	8.03	3	Vertical	175	1.41	-
AV	5.1846G	112.83	Inf	-Inf	8.03	3	Vertical	175	1.41	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5180MHz_TX




EUT_Z_4TX
Setting 23
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.137G	66.54	74.00	-7.46	7.92	3	Horizontal	186	2.40	-
AV	5.148G	52.87	54.00	-1.13	7.94	3	Horizontal	186	2.40	-
PK	5.176G	126.16	Inf	-Inf	8.01	3	Horizontal	186	2.40	-
AV	5.176G	113.44	Inf	-Inf	8.01	3	Horizontal	186	2.40	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5200MHz_TX




EUT_Z_4TX
 Setting 26
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1436G	66.90	74.00	-7.10	7.94	3	Vertical	165	2.22	-
AV	5.1436G	52.05	54.00	-1.95	7.94	3	Vertical	165	2.22	-
PK	5.2044G	128.19	Inf	-Inf	8.07	3	Vertical	165	2.22	-
AV	5.2032G	116.40	Inf	-Inf	8.06	3	Vertical	165	2.22	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5200MHz_TX




EUT_Z_4TX
Setting 26
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	68.30	74.00	-5.70	7.94	3	Horizontal	189	2.26	-
AV	5.15G	53.66	54.00	-0.34	7.94	3	Horizontal	189	2.26	-
PK	5.1992G	129.23	Inf	-Inf	8.06	3	Horizontal	189	2.26	-
AV	5.1992G	117.26	Inf	-Inf	8.06	3	Horizontal	189	2.26	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5240MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1188G	60.34	74.00	-13.66	7.88	3	Vertical	177	1.71	-
AV	5.1494G	46.61	54.00	-7.39	7.94	3	Vertical	177	1.71	-
PK	5.2352G	128.92	Inf	-Inf	8.11	3	Vertical	177	1.71	-
AV	5.2358G	116.80	Inf	-Inf	8.11	3	Vertical	177	1.71	-
PK	5.3612G	61.23	74.00	-12.77	8.29	3	Vertical	177	1.71	-
AV	5.3762G	47.68	54.00	-6.32	8.31	3	Vertical	177	1.71	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5240MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1284G	59.56	74.00	-14.44	7.91	3	Horizontal	178	1.57	-
AV	5.15G	46.44	54.00	-7.56	7.94	3	Horizontal	178	1.57	-
PK	5.2454G	128.79	Inf	-Inf	8.12	3	Horizontal	178	1.57	-
AV	5.2454G	116.41	Inf	-Inf	8.12	3	Horizontal	178	1.57	-
PK	5.3552G	59.88	74.00	-14.12	8.28	3	Horizontal	178	1.57	-
AV	5.3864G	46.76	54.00	-7.24	8.33	3	Horizontal	178	1.57	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.651G	61.83	68.94	-7.11	8.66	3	Vertical	170	2.10	-
PK	5.748G	126.52	Inf	-Inf	8.82	3	Vertical	170	2.10	-
AV	5.747G	114.48	Inf	-Inf	8.82	3	Vertical	170	2.10	-
PK	5.971G	58.99	68.20	-9.21	8.93	3	Vertical	170	2.10	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.571G	61.27	68.20	-6.93	8.56	3	Horizontal	193	2.48	-
PK	5.736G	126.98	Inf	-Inf	8.81	3	Horizontal	193	2.48	-
AV	5.736G	114.61	Inf	-Inf	8.81	3	Horizontal	193	2.48	-
PK	5.968G	60.00	68.20	-8.20	8.93	3	Horizontal	193	2.48	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5785MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.639G	60.90	68.20	-7.30	8.64	3	Vertical	178	1.52	-
PK	5.781G	126.29	Inf	-Inf	8.88	3	Vertical	178	1.52	-
AV	5.781G	114.22	Inf	-Inf	8.88	3	Vertical	178	1.52	-
PK	5.95G	59.20	68.20	-9.00	8.93	3	Vertical	178	1.52	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5785MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.595G	60.69	68.20	-7.51	8.58	3	Horizontal	172	2.16	-
PK	5.786G	128.69	Inf	-Inf	8.88	3	Horizontal	172	2.16	-
AV	5.786G	115.23	Inf	-Inf	8.88	3	Horizontal	172	2.16	-
PK	5.948G	59.89	68.20	-8.31	8.94	3	Horizontal	172	2.16	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5825MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.638G	60.38	68.20	-7.82	8.64	3	Vertical	173	1.99	-
PK	5.824G	124.74	Inf	-Inf	8.90	3	Vertical	173	1.99	-
AV	5.823G	112.85	Inf	-Inf	8.90	3	Vertical	173	1.99	-
PK	5.927G	59.94	68.20	-8.26	8.93	3	Vertical	173	1.99	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/07/2019

5825MHz_TX




EUT_Z_4TX
Setting 27
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.626G	61.11	68.20	-7.09	8.63	3	Horizontal	186	2.51	-
PK	5.833G	125.27	Inf	-Inf	8.91	3	Horizontal	186	2.51	-
AV	5.833G	113.40	Inf	-Inf	8.91	3	Horizontal	186	2.51	-
PK	5.93G	60.32	68.20	-7.88	8.93	3	Horizontal	186	2.51	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5190MHz_TX




EUT_Z_4TX
 Setting 21
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.134G	63.58	74.00	-10.42	7.92	3	Vertical	167	2.13	-
AV	5.15G	50.90	54.00	-3.10	7.94	3	Vertical	167	2.13	-
PK	5.192G	121.46	Inf	-Inf	8.04	3	Vertical	167	2.13	-
AV	5.1932G	109.03	Inf	-Inf	8.04	3	Vertical	167	2.13	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5190MHz_TX




EUT_Z_4TX
Setting 21
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1428G	66.35	74.00	-7.65	7.94	3	Horizontal	175	2.28	-
AV	5.1444G	53.43	54.00	-0.57	7.94	3	Horizontal	175	2.28	-
PK	5.1828G	122.57	Inf	-Inf	8.02	3	Horizontal	175	2.28	-
AV	5.1836G	108.85	Inf	-Inf	8.03	3	Horizontal	175	2.28	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5230MHz_TX




EUT_Z_4TX
Setting 24.5
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	65.45	74.00	-8.55	7.94	3	Vertical	184	1.51	-
AV	5.1472G	51.08	54.00	-2.92	7.94	3	Vertical	184	1.51	-
PK	5.2354G	125.58	Inf	-Inf	8.11	3	Vertical	184	1.51	-
AV	5.2354G	112.42	Inf	-Inf	8.11	3	Vertical	184	1.51	-
PK	5.3554G	61.27	74.00	-12.73	8.28	3	Vertical	184	1.51	-
AV	5.3548G	48.09	54.00	-5.91	8.28	3	Vertical	184	1.51	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5230MHz_TX




EUT_Z_4TX
 Setting 24.5
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	66.83	74.00	-7.17	7.94	3	Horizontal	193	2.38	-
AV	5.146G	52.52	54.00	-1.48	7.94	3	Horizontal	193	2.38	-
PK	5.227G	125.36	Inf	-Inf	8.10	3	Horizontal	193	2.38	-
AV	5.2264G	112.74	Inf	-Inf	8.10	3	Horizontal	193	2.38	-
PK	5.359G	60.47	74.00	-13.53	8.28	3	Horizontal	193	2.38	-
AV	5.35G	47.60	54.00	-6.40	8.28	3	Horizontal	193	2.38	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5755MHz_TX




EUT_Z_4TX
Setting 25
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	67.84	68.20	-0.36	8.66	3	Vertical	178	1.52	-
PK	5.756G	124.35	Inf	-Inf	8.83	3	Vertical	178	1.52	-
AV	5.756G	111.46	Inf	-Inf	8.83	3	Vertical	178	1.52	-
PK	5.94G	59.90	68.20	-8.30	8.93	3	Vertical	178	1.52	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5755MHz_TX




EUT_Z_4TX
 Setting 25
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	68.07	68.20	-0.13	8.66	3	Horizontal	187	2.14	-
PK	5.747G	125.39	Inf	-Inf	8.82	3	Horizontal	187	2.14	-
AV	5.747G	112.32	Inf	-Inf	8.82	3	Horizontal	187	2.14	-
PK	5.953G	59.15	68.20	-9.05	8.92	3	Horizontal	187	2.14	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5795MHz_TX




EUT_Z_4TX
Setting 25.5
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	65.55	68.20	-2.65	8.65	3	Vertical	189	1.42	-
PK	5.801G	124.90	Inf	-Inf	8.90	3	Vertical	189	1.42	-
AV	5.781G	111.63	Inf	-Inf	8.88	3	Vertical	189	1.42	-
PK	5.929G	65.49	68.20	-2.71	8.93	3	Vertical	189	1.42	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/07/2019

5795MHz_TX




EUT_Z_4TX
 Setting 25.5
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	66.28	68.20	-1.92	8.66	3	Horizontal	187	2.16	-
PK	5.787G	124.95	Inf	-Inf	8.88	3	Horizontal	187	2.16	-
AV	5.786G	112.74	Inf	-Inf	8.88	3	Horizontal	187	2.16	-
PK	5.927G	65.46	68.20	-2.74	8.93	3	Horizontal	187	2.16	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/07/2019

5210MHz_TX




EUT_Z_4TX
Setting 19.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.134G	65.15	74.00	-8.85	7.92	3	Vertical	175	2.14	-
AV	5.133G	52.40	54.00	-1.60	7.92	3	Vertical	175	2.14	-
PK	5.193G	118.07	Inf	-Inf	8.04	3	Vertical	175	2.14	-
AV	5.214G	104.97	Inf	-Inf	8.08	3	Vertical	175	2.14	-
PK	5.352G	59.53	74.00	-14.47	8.28	3	Vertical	175	2.14	-
AV	5.354G	47.27	54.00	-6.73	8.28	3	Vertical	175	2.14	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/07/2019

5210MHz_TX




EUT_Z_4TX
 Setting 19.5
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	67.26	74.00	-6.74	7.94	3	Horizontal	188	2.29	-
AV	5.148G	53.96	54.00	-0.04	7.94	3	Horizontal	188	2.29	-
PK	5.209G	118.47	Inf	-Inf	8.07	3	Horizontal	188	2.29	-
AV	5.209G	105.62	Inf	-Inf	8.07	3	Horizontal	188	2.29	-
PK	5.363G	60.01	74.00	-13.99	8.29	3	Horizontal	188	2.29	-
AV	5.35G	47.52	54.00	-6.48	8.28	3	Horizontal	188	2.29	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/07/2019

5775MHz_TX



EUT_Z_4TX
 Setting 21.5
 02-J-5-10
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	65.73	68.20	-2.47	8.65	3	Vertical	188	1.44	-
PK	5.761G	118.41	Inf	-Inf	8.85	3	Vertical	188	1.44	-
AV	5.76G	105.37	Inf	-Inf	8.85	3	Vertical	188	1.44	-
PK	5.935G	59.54	68.20	-8.66	8.93	3	Vertical	188	1.44	-



802.11ax HEW80_Nss1,(MCS0)_4TX

05/07/2019

5775MHz_TX



EUT_Z_4TX
 Setting 21.5
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	67.58	68.20	-0.62	8.66	3	Horizontal	186	2.15	-
PK	5.766G	119.65	Inf	-Inf	8.85	3	Horizontal	186	2.15	-
AV	5.767G	106.81	Inf	-Inf	8.85	3	Horizontal	186	2.15	-
PK	5.928G	60.01	68.20	-8.19	8.93	3	Horizontal	186	2.15	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1492G	53.52	54.00	-0.48	7.94	3	Vertical	190	1.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5180MHz_TX




EUT_Z_4TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	63.48	74.00	-10.52	7.94	3	Vertical	156	1.50	-
AV	5.15G	50.22	54.00	-3.78	7.94	3	Vertical	156	1.50	-
PK	5.185G	124.31	Inf	-Inf	8.03	3	Vertical	156	1.50	-
AV	5.184G	111.73	Inf	-Inf	8.03	3	Vertical	156	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5180MHz_TX




EUT_Z_4TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1486G	63.90	74.00	-10.10	7.94	3	Horizontal	193	2.80	-
AV	5.15G	50.71	54.00	-3.29	7.94	3	Horizontal	193	2.80	-
PK	5.1858G	124.72	Inf	-Inf	8.03	3	Horizontal	193	2.80	-
AV	5.1794G	112.06	Inf	-Inf	8.02	3	Horizontal	193	2.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5200MHz_TX




EUT_Z_4TX
 Setting 28
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0968G	59.72	74.00	-14.28	7.84	3	Vertical	171	1.07	-
AV	5.1064G	47.45	54.00	-6.55	7.86	3	Vertical	171	1.07	-
PK	5.1976G	125.77	Inf	-Inf	8.06	3	Vertical	171	1.07	-
AV	5.203G	113.15	Inf	-Inf	8.06	3	Vertical	171	1.07	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5200MHz_TX




EUT_Z_4TX
 Setting 28
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1196G	58.79	74.00	-15.21	7.88	3	Horizontal	181	2.77	-
AV	5.1484G	47.04	54.00	-6.96	7.94	3	Horizontal	181	2.77	-
PK	5.1994G	125.19	Inf	-Inf	8.06	3	Horizontal	181	2.77	-
AV	5.1982G	112.88	Inf	-Inf	8.06	3	Horizontal	181	2.77	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5240MHz_TX




EUT_Z_4TX
Setting 28
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1422G	59.32	74.00	-14.68	7.94	3	Vertical	161	1.40	-
AV	5.1416G	47.12	54.00	-6.88	7.94	3	Vertical	161	1.40	-
PK	5.2388G	125.65	Inf	-Inf	8.12	3	Vertical	161	1.40	-
AV	5.2412G	114.19	Inf	-Inf	8.12	3	Vertical	161	1.40	-
PK	5.3516G	59.53	74.00	-14.47	8.28	3	Vertical	161	1.40	-
AV	5.3804G	47.20	54.00	-6.80	8.32	3	Vertical	161	1.40	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5240MHz_TX




EUT_Z_4TX
Setting 28
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1482G	59.57	74.00	-14.43	7.94	3	Horizontal	179	2.75	-
AV	5.1476G	46.92	54.00	-7.08	7.94	3	Horizontal	179	2.75	-
PK	5.243G	126.81	Inf	-Inf	8.12	3	Horizontal	179	2.75	-
AV	5.2382G	113.95	Inf	-Inf	8.12	3	Horizontal	179	2.75	-
PK	5.3696G	59.52	74.00	-14.48	8.30	3	Horizontal	179	2.75	-
AV	5.3852G	47.29	54.00	-6.71	8.32	3	Horizontal	179	2.75	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	61.62	68.20	-6.58	8.66	3	Vertical	183	1.43	-
PK	5.744G	124.31	Inf	-Inf	8.82	3	Vertical	183	1.43	-
AV	5.743G	112.39	Inf	-Inf	8.82	3	Vertical	183	1.43	-
PK	5.952G	58.90	68.20	-9.30	8.92	3	Vertical	183	1.43	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	59.80	68.20	-8.40	8.65	3	Horizontal	165	1.40	-
PK	5.744G	120.20	Inf	-Inf	8.82	3	Horizontal	165	1.40	-
AV	5.744G	108.12	Inf	-Inf	8.82	3	Horizontal	165	1.40	-
PK	5.934G	58.48	68.20	-9.72	8.93	3	Horizontal	165	1.40	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5785MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	59.55	68.20	-8.65	8.66	3	Vertical	188	1.27	-
PK	5.778G	121.96	Inf	-Inf	8.87	3	Vertical	188	1.27	-
AV	5.776G	111.03	Inf	-Inf	8.87	3	Vertical	188	1.27	-
PK	5.93G	58.76	68.20	-9.44	8.93	3	Vertical	188	1.27	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5785MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.601G	59.25	68.20	-8.95	8.58	3	Horizontal	194	1.52	-
PK	5.786G	121.95	Inf	-Inf	8.88	3	Horizontal	194	1.52	-
AV	5.784G	110.07	Inf	-Inf	8.88	3	Horizontal	194	1.52	-
PK	5.927G	58.71	68.20	-9.49	8.93	3	Horizontal	194	1.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5825MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.637G	60.62	68.20	-7.58	8.64	3	Vertical	181	1.48	-
PK	5.828G	121.38	Inf	-Inf	8.91	3	Vertical	181	1.48	-
AV	5.816G	109.17	Inf	-Inf	8.91	3	Vertical	181	1.48	-
PK	5.945G	59.15	68.20	-9.05	8.94	3	Vertical	181	1.48	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

06/07/2019

5825MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.635G	59.60	68.20	-8.60	8.64	3	Horizontal	192	1.38	-
PK	5.823G	122.71	Inf	-Inf	8.90	3	Horizontal	192	1.38	-
AV	5.824G	111.02	Inf	-Inf	8.90	3	Horizontal	192	1.38	-
PK	5.974G	59.78	68.20	-8.42	8.93	3	Horizontal	192	1.38	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5190MHz_TX




EUT_Z_4TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1276G	72.39	74.00	-1.61	7.90	3	Vertical	190	1.41	-
AV	5.1492G	53.52	54.00	-0.48	7.94	3	Vertical	190	1.41	-
PK	5.1936G	121.91	Inf	-Inf	8.04	3	Vertical	190	1.41	-
AV	5.2056G	110.15	Inf	-Inf	8.07	3	Vertical	190	1.41	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5190MHz_TX




EUT_Z_4TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	71.84	74.00	-2.16	7.94	3	Horizontal	182	1.36	-
AV	5.1476G	52.12	54.00	-1.88	7.94	3	Horizontal	182	1.36	-
PK	5.198G	118.51	Inf	-Inf	8.06	3	Horizontal	182	1.36	-
AV	5.18G	104.46	Inf	-Inf	8.02	3	Horizontal	182	1.36	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5230MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.137G	65.02	74.00	-8.98	7.92	3	Vertical	185	1.53	-
AV	5.15G	48.27	54.00	-5.73	7.94	3	Vertical	185	1.53	-
PK	5.2396G	121.89	Inf	-Inf	8.12	3	Vertical	185	1.53	-
AV	5.2378G	110.43	Inf	-Inf	8.12	3	Vertical	185	1.53	-
PK	5.3512G	60.53	74.00	-13.47	8.28	3	Vertical	185	1.53	-
AV	5.3764G	47.72	54.00	-6.28	8.31	3	Vertical	185	1.53	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5230MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	66.87	74.00	-7.13	7.94	3	Horizontal	205	1.39	-
AV	5.1412G	48.49	54.00	-5.51	7.94	3	Horizontal	205	1.39	-
PK	5.2282G	121.26	Inf	-Inf	8.10	3	Horizontal	205	1.39	-
AV	5.2282G	108.01	Inf	-Inf	8.10	3	Horizontal	205	1.39	-
PK	5.35G	59.02	74.00	-14.98	8.28	3	Horizontal	205	1.39	-
AV	5.377G	46.64	54.00	-7.36	8.31	3	Horizontal	205	1.39	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5755MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.633G	61.54	68.20	-6.66	8.64	3	Vertical	198	1.55	-
PK	5.753G	121.72	Inf	-Inf	8.83	3	Vertical	198	1.55	-
AV	5.749G	109.04	Inf	-Inf	8.82	3	Vertical	198	1.55	-
PK	5.938G	58.99	68.20	-9.21	8.93	3	Vertical	198	1.55	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5755MHz_TX




EUT_Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	62.82	68.20	-5.38	8.67	3	Horizontal	183	1.51	-
PK	5.763G	118.85	Inf	-Inf	8.84	3	Horizontal	183	1.51	-
AV	5.763G	107.11	Inf	-Inf	8.84	3	Horizontal	183	1.51	-
PK	5.956G	59.53	68.20	-8.67	8.92	3	Horizontal	183	1.51	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5795MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	61.34	68.20	-6.86	8.67	3	Vertical	171	1.48	-
PK	5.785G	119.87	Inf	-Inf	8.88	3	Vertical	171	1.48	-
AV	5.785G	107.42	Inf	-Inf	8.88	3	Vertical	171	1.48	-
PK	5.984G	59.89	68.20	-8.31	8.93	3	Vertical	171	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/07/2019

5795MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	59.89	68.20	-8.31	8.66	3	Horizontal	181	1.39	-
PK	5.786G	119.01	Inf	-Inf	8.88	3	Horizontal	181	1.39	-
AV	5.79G	104.80	Inf	-Inf	8.88	3	Horizontal	181	1.39	-
PK	5.928G	58.67	68.20	-9.53	8.93	3	Horizontal	181	1.39	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

06/07/2019

5210MHz_TX




EUT_Z_4TX
Setting 26
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.138G	64.81	74.00	-9.19	7.92	3	Vertical	197	1.15	-
AV	5.149G	52.04	54.00	-1.96	7.94	3	Vertical	197	1.15	-
PK	5.194G	118.89	Inf	-Inf	8.04	3	Vertical	197	1.15	-
AV	5.197G	105.63	Inf	-Inf	8.06	3	Vertical	197	1.15	-
PK	5.351G	59.85	74.00	-14.15	8.28	3	Vertical	197	1.15	-
AV	5.35G	47.16	54.00	-6.84	8.28	3	Vertical	197	1.15	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

06/07/2019

5210MHz_TX




EUT_Z_4TX
 Setting 26
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.137G	64.99	74.00	-9.01	7.92	3	Horizontal	198	1.37	-
AV	5.15G	50.09	54.00	-3.91	7.94	3	Horizontal	198	1.37	-
PK	5.196G	119.25	Inf	-Inf	8.06	3	Horizontal	198	1.37	-
AV	5.202G	102.42	Inf	-Inf	8.06	3	Horizontal	198	1.37	-
PK	5.357G	59.78	74.00	-14.22	8.28	3	Horizontal	198	1.37	-
AV	5.363G	47.17	54.00	-6.83	8.29	3	Horizontal	198	1.37	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

06/07/2019

5775MHz_TX




EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	66.46	68.20	-1.74	8.66	3	Vertical	195	1.44	-
PK	5.776G	119.33	Inf	-Inf	8.87	3	Vertical	195	1.44	-
AV	5.776G	106.16	Inf	-Inf	8.87	3	Vertical	195	1.44	-
PK	5.925G	60.67	68.20	-7.53	8.93	3	Vertical	195	1.44	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

06/07/2019

5775MHz_TX



EUT_Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	67.52	68.20	-0.68	8.65	3	Horizontal	174	1.50	-
PK	5.759G	115.49	Inf	-Inf	8.85	3	Horizontal	174	1.50	-
AV	5.76G	102.74	Inf	-Inf	8.85	3	Horizontal	174	1.50	-
PK	5.933G	59.90	68.20	-8.30	8.93	3	Horizontal	174	1.50	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.53336G	43.95	54.00	-10.05	16.09	3	Vertical	306	2.07	-

802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5180MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53428G	57.90	74.00	-16.10	16.09	3	Vertical	306	2.07	-
AV	15.53336G	43.95	54.00	-10.05	16.09	3	Vertical	306	2.07	-

802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5180MHz_TX



EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53236G	55.91	74.00	-18.09	16.10	3	Horizontal	22	2.97	-
AV	15.53258G	42.20	54.00	-11.80	16.10	3	Horizontal	22	2.97	-



802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5200MHz_TX




EUT Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60027G	57.01	74.00	-16.99	15.91	3	Vertical	335	2.38	-
AV	15.59979G	43.20	54.00	-10.80	15.91	3	Vertical	335	2.38	-

802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5200MHz_TX



EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60136G	56.65	74.00	-17.35	15.91	3	Horizontal	25	2.31	-
AV	15.60167G	42.44	54.00	-11.56	15.91	3	Horizontal	25	2.31	-



802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5240MHz_TX



EUT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71902G	56.90	74.00	-17.10	15.60	3	Vertical	321	2.21	-
AV	15.71826G	43.71	54.00	-10.29	15.61	3	Vertical	321	2.21	-



802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5240MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71962G	56.58	74.00	-17.42	15.60	3	Horizontal	26	1.95	-
AV	15.71962G	42.69	54.00	-11.31	15.60	3	Horizontal	26	1.95	-

802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49212G	54.65	74.00	-19.35	14.89	3	Vertical	198	1.55	-
AV	11.48396G	41.08	54.00	-12.92	14.89	3	Vertical	198	1.55	-

802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5745MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48902G	54.79	74.00	-19.21	14.89	3	Horizontal	176	1.31	-
AV	11.48936G	41.00	54.00	-13.00	14.89	3	Horizontal	176	1.31	-

802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5785MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57116G	55.73	74.00	-18.27	15.00	3	Vertical	342	1.98	-
AV	11.56774G	41.75	54.00	-12.25	14.99	3	Vertical	342	1.98	-

802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5785MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57116G	54.40	74.00	-19.60	15.00	3	Horizontal	117	1.76	-
AV	11.568G	40.69	54.00	-13.31	14.99	3	Horizontal	117	1.76	-

802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5825MHz_TX



EUT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65215G	55.38	74.00	-18.62	15.10	3	Vertical	227	2.14	-
AV	11.64907G	41.73	54.00	-12.27	15.09	3	Vertical	227	2.14	-



802.11a_Nss1,(6Mbps)_4TX

04/07/2019

5825MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64801G	54.18	74.00	-19.82	15.09	3	Horizontal	344	1.88	-
AV	11.65047G	40.58	54.00	-13.42	15.09	3	Horizontal	344	1.88	-

802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5180MHz_TX




EUT Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.54062G	56.12	74.00	-17.88	16.07	3	Vertical	354	2.24	-
AV	15.53895G	42.27	54.00	-11.73	16.08	3	Vertical	354	2.24	-

802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5180MHz_TX




EUT Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.54094G	55.37	74.00	-18.63	16.07	3	Horizontal	34	1.91	-
AV	15.54183G	41.21	54.00	-12.79	16.07	3	Horizontal	34	1.91	-

802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5200MHz_TX




EUT Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5976G	56.70	74.00	-17.30	15.92	3	Vertical	25	2.13	-
AV	15.59828G	42.55	54.00	-11.45	15.91	3	Vertical	25	2.13	-

802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5200MHz_TX




EUT Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.6012G	55.27	74.00	-18.73	15.91	3	Horizontal	346	1.20	-
AV	15.6017G	41.13	54.00	-12.87	15.91	3	Horizontal	346	1.20	-

802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5240MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72166G	56.41	74.00	-17.59	15.60	3	Vertical	94	2.15	-
AV	15.72224G	42.51	54.00	-11.49	15.60	3	Vertical	94	2.15	-

802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5240MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71751G	55.23	74.00	-18.77	15.61	3	Horizontal	350	1.25	-
AV	15.71821G	41.88	54.00	-12.12	15.61	3	Horizontal	350	1.25	-

802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48809G	55.63	74.00	-18.37	14.89	3	Vertical	116	2.23	-
AV	11.48966G	41.78	54.00	-12.22	14.89	3	Vertical	116	2.23	-

802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5745MHz_TX



EUT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49092G	54.26	74.00	-19.74	14.89	3	Horizontal	270	1.17	-
AV	11.49042G	40.55	54.00	-13.45	14.89	3	Horizontal	270	1.17	-



802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5785MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57146G	55.06	74.00	-18.94	15.00	3	Vertical	56	1.67	-
AV	11.5682G	41.09	54.00	-12.91	14.99	3	Vertical	56	1.67	-

802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5785MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56986G	54.28	74.00	-19.72	15.00	3	Horizontal	87	1.53	-
AV	11.56893G	40.12	54.00	-13.88	15.00	3	Horizontal	87	1.53	-

802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5825MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57198G	55.02	74.00	-18.98	15.00	3	Vertical	178	2.07	-
AV	11.5688G	41.12	54.00	-12.88	15.00	3	Vertical	178	2.07	-

802.11ax HEW20_Nss1,(MCS0)_4TX

04/07/2019

5825MHz_TX




EUT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56943G	54.72	74.00	-19.28	15.00	3	Horizontal	231	1.53	-
AV	11.5694G	40.15	54.00	-13.85	15.00	3	Horizontal	231	1.53	-

802.11ax HEW40_Nss1,(MCS0)_4TX

04/07/2019

5190MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56798G	55.88	74.00	-18.12	16.00	3	Vertical	117	1.82	-
AV	15.57031G	42.12	54.00	-11.88	16.00	3	Vertical	117	1.82	-

802.11ax HEW40_Nss1,(MCS0)_4TX

04/07/2019

5190MHz_TX




EUT Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56782G	54.58	74.00	-19.42	16.00	3	Horizontal	348	1.28	-
AV	15.57144G	40.98	54.00	-13.02	15.99	3	Horizontal	348	1.28	-

802.11ax HEW40_Nss1,(MCS0)_4TX

04/07/2019

5230MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68851G	56.81	74.00	-17.19	15.68	3	Vertical	304	2.18	-
AV	15.69137G	42.50	54.00	-11.50	15.68	3	Vertical	304	2.18	-

802.11ax HEW40_Nss1,(MCS0)_4TX

04/07/2019

5230MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68974G	55.78	74.00	-18.22	15.68	3	Horizontal	161	2.29	-
AV	15.69202G	41.41	54.00	-12.59	15.67	3	Horizontal	161	2.29	-

802.11ax HEW40_Nss1,(MCS0)_4TX

04/07/2019

5755MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51028G	54.71	74.00	-19.29	14.92	3	Vertical	342	1.78	-
AV	11.51151G	41.15	54.00	-12.85	14.92	3	Vertical	342	1.78	-

802.11ax HEW40_Nss1,(MCS0)_4TX

04/07/2019

5755MHz_TX




EUT Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.50993G	54.77	74.00	-19.23	14.92	3	Horizontal	105	1.33	-
AV	11.51249G	40.92	54.00	-13.08	14.92	3	Horizontal	105	1.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX

04/07/2019

5795MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58789G	55.20	74.00	-18.80	15.02	3	Vertical	64	2.16	-
AV	11.59019G	41.24	54.00	-12.76	15.02	3	Vertical	64	2.16	-

802.11ax HEW40_Nss1,(MCS0)_4TX

04/07/2019

5795MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5904G	54.70	74.00	-19.30	15.02	3	Horizontal	329	1.87	-
AV	11.59113G	40.21	54.00	-13.79	15.02	3	Horizontal	329	1.87	-

802.11ax HEW80_Nss1,(MCS0)_4TX

04/07/2019

5210MHz_TX



EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.63014G	54.69	74.00	-19.31	15.83	3	Vertical	326	1.49	-
AV	15.63081G	40.94	54.00	-13.06	15.83	3	Vertical	326	1.49	-



802.11ax HEW80_Nss1,(MCS0)_4TX

04/07/2019

5210MHz_TX




EUT Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.63135G	54.74	74.00	-19.26	15.83	3	Horizontal	244	1.91	-
AV	15.62845G	40.91	54.00	-13.09	15.84	3	Horizontal	244	1.91	-

802.11ax HEW80_Nss1,(MCS0)_4TX

04/07/2019

5775MHz_TX




EUT_Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54878G	55.02	74.00	-18.98	14.97	3	Vertical	283	2.16	-
AV	11.5487G	40.55	54.00	-13.45	14.97	3	Vertical	283	2.16	-

802.11ax HEW80_Nss1,(MCS0)_4TX

04/07/2019

5775MHz_TX



EUT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55165G	54.99	74.00	-19.01	14.97	3	Horizontal	25	1.48	-
AV	11.54831G	40.03	54.00	-13.97	14.97	3	Horizontal	25	1.48	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	15.52908G	42.89	54.00	-11.11	16.10	3	Vertical	28	1.54	-

ax20,BF,Z_Nss1,(MCS0)_4TX

05/07/2019

5180MHz_TX




EUT_Z_4TX
Setting 30
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.52698G	56.34	74.00	-17.66	16.10	3	Vertical	28	1.54	-
AV	15.52908G	42.89	54.00	-11.11	16.10	3	Vertical	28	1.54	-

ax20,BF,Z_Nss1,(MCS0)_4TX

05/07/2019

5180MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5286G	56.35	74.00	-17.65	16.10	3	Horizontal	164	1.98	-
AV	15.52554G	42.53	54.00	-11.47	16.11	3	Horizontal	164	1.98	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/07/2019

5200MHz_TX



EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.59854G	55.23	74.00	-18.77	15.91	3	Vertical	258	1.47	-
AV	15.59996G	41.76	54.00	-12.24	15.91	3	Vertical	258	1.47	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/07/2019

5200MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60756G	55.24	74.00	-18.76	15.89	3	Horizontal	50	2.14	-
AV	15.60304G	41.73	54.00	-12.27	15.90	3	Horizontal	50	2.14	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/07/2019

5240MHz_TX



EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71586G	55.35	74.00	-18.65	15.61	3	Vertical	267	1.41	-
AV	15.71828G	41.62	54.00	-12.38	15.61	3	Vertical	267	1.41	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/07/2019

5240MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72212G	55.19	74.00	-18.81	15.60	3	Horizontal	211	1.54	-
AV	15.7242G	41.68	54.00	-12.32	15.59	3	Horizontal	211	1.54	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 30
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49414G	53.97	74.00	-20.03	14.90	3	Vertical	204	1.15	-
AV	11.4884G	40.40	54.00	-13.60	14.89	3	Vertical	204	1.15	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/07/2019

5745MHz_TX




EUT_Z_4TX
Setting 30
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4917G	53.75	74.00	-20.25	14.89	3	Horizontal	271	2.09	-
AV	11.49098G	40.55	54.00	-13.45	14.89	3	Horizontal	271	2.09	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/07/2019

5785MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56734G	54.39	74.00	-19.61	14.99	3	Vertical	162	1.59	-
AV	11.57462G	40.89	54.00	-13.11	15.00	3	Vertical	162	1.59	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/07/2019

5785MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57088G	53.73	74.00	-20.27	15.00	3	Horizontal	258	1.35	-
AV	11.56882G	40.73	54.00	-13.27	15.00	3	Horizontal	258	1.35	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/07/2019

5825MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64562G	54.71	74.00	-19.29	15.09	3	Vertical	55	1.61	-
AV	11.65154G	40.72	54.00	-13.28	15.10	3	Vertical	55	1.61	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/07/2019

5825MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.6454G	54.37	74.00	-19.63	15.09	3	Horizontal	177	1.35	-
AV	11.6513G	40.62	54.00	-13.38	15.10	3	Horizontal	177	1.35	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/07/2019

5190MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56764G	55.21	74.00	-18.79	16.00	3	Vertical	181	1.67	-
AV	15.56634G	41.55	54.00	-12.45	16.01	3	Vertical	181	1.67	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/07/2019

5190MHz_TX




EUT_Z_4TX
Setting 30
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.57332G	54.65	74.00	-19.35	15.99	3	Horizontal	96	2.00	-
AV	15.56946G	41.88	54.00	-12.12	16.00	3	Horizontal	96	2.00	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/07/2019

5230MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.6942G	55.14	74.00	-18.86	15.67	3	Vertical	257	1.22	-
AV	15.69038G	41.50	54.00	-12.50	15.68	3	Vertical	257	1.22	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/07/2019

5230MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.69282G	55.10	74.00	-18.90	15.67	3	Horizontal	96	1.74	-
AV	15.68982G	41.52	54.00	-12.48	15.68	3	Horizontal	96	1.74	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/07/2019

5755MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51122G	54.26	74.00	-19.74	14.92	3	Vertical	53	1.08	-
AV	11.51098G	40.54	54.00	-13.46	14.92	3	Vertical	53	1.08	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/07/2019

5755MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51052G	54.39	74.00	-19.61	14.92	3	Horizontal	292	1.49	-
AV	11.51182G	40.57	54.00	-13.43	14.92	3	Horizontal	292	1.49	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/07/2019

5795MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58558G	54.69	74.00	-19.31	15.02	3	Vertical	123	1.97	-
AV	11.58736G	40.75	54.00	-13.25	15.02	3	Vertical	123	1.97	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/07/2019

5795MHz_TX



EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59498G	54.44	74.00	-19.56	15.04	3	Horizontal	73	2.28	-
AV	11.5939G	40.84	54.00	-13.16	15.03	3	Horizontal	73	2.28	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/07/2019

5210MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.62704G	54.96	74.00	-19.04	15.84	3	Vertical	113	2.18	-
AV	15.62698G	41.68	54.00	-12.32	15.84	3	Vertical	113	2.18	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/07/2019

5210MHz_TX



EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.64086G	55.00	74.00	-19.00	15.80	3	Horizontal	94	1.61	-
AV	15.62094G	41.66	54.00	-12.34	15.85	3	Horizontal	94	1.61	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/07/2019

5775MHz_TX




EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54524G	54.34	74.00	-19.66	14.97	3	Vertical	77	1.62	-
AV	11.54984G	40.57	54.00	-13.43	14.97	3	Vertical	77	1.62	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/07/2019

5775MHz_TX



EUT_Z_4TX
 Setting 30
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55454G	53.94	74.00	-20.06	14.97	3	Horizontal	29	1.12	-
AV	11.55034G	40.68	54.00	-13.32	14.97	3	Horizontal	29	1.12	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.149G	53.98	54.00	-0.02	7.94	3	Horizontal	179	1.71	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5180MHz_TX




EUT_Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	65.42	74.00	-8.58	7.94	3	Vertical	168	2.05	-
AV	5.15G	51.72	54.00	-2.28	7.94	3	Vertical	168	2.05	-
PK	5.18G	118.99	Inf	-Inf	8.02	3	Vertical	168	2.05	-
AV	5.1828G	108.95	Inf	-Inf	8.02	3	Vertical	168	2.05	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5180MHz_TX




EUT_Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	65.52	74.00	-8.48	7.94	3	Horizontal	175	1.89	-
AV	5.15G	53.11	54.00	-0.89	7.94	3	Horizontal	175	1.89	-
PK	5.1788G	118.61	Inf	-Inf	8.02	3	Horizontal	175	1.89	-
AV	5.1768G	108.70	Inf	-Inf	8.01	3	Horizontal	175	1.89	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5200MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	63.83	74.00	-10.17	7.94	3	Vertical	170	2.09	-
AV	5.15G	51.19	54.00	-2.81	7.94	3	Vertical	170	2.09	-
PK	5.1968G	120.71	Inf	-Inf	8.06	3	Vertical	170	2.09	-
AV	5.1968G	110.59	Inf	-Inf	8.06	3	Vertical	170	2.09	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5200MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	64.71	74.00	-9.29	7.94	3	Horizontal	178	1.69	-
AV	5.15G	50.32	54.00	-3.68	7.94	3	Horizontal	178	1.69	-
PK	5.1948G	120.69	Inf	-Inf	8.05	3	Horizontal	178	1.69	-
AV	5.1968G	109.58	Inf	-Inf	8.06	3	Horizontal	178	1.69	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5240MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.12G	62.62	74.00	-11.38	7.88	3	Vertical	174	1.68	-
AV	5.0996G	46.59	54.00	-7.41	7.84	3	Vertical	174	1.68	-
PK	5.2436G	122.62	Inf	-Inf	8.12	3	Vertical	174	1.68	-
AV	5.243G	112.37	Inf	-Inf	8.12	3	Vertical	174	1.68	-
PK	5.36G	63.75	74.00	-10.25	8.29	3	Vertical	174	1.68	-
AV	5.3642G	47.54	54.00	-6.46	8.29	3	Vertical	174	1.68	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5240MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1206G	62.66	74.00	-11.34	7.88	3	Horizontal	174	1.73	-
AV	5.105G	46.58	54.00	-7.42	7.85	3	Horizontal	174	1.73	-
PK	5.243G	121.54	Inf	-Inf	8.12	3	Horizontal	174	1.73	-
AV	5.243G	111.35	Inf	-Inf	8.12	3	Horizontal	174	1.73	-
PK	5.3594G	63.53	74.00	-10.47	8.29	3	Horizontal	174	1.73	-
AV	5.3672G	47.19	54.00	-6.81	8.29	3	Horizontal	174	1.73	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5745MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.637G	59.54	68.20	-8.66	8.64	3	Vertical	178	1.45	-
PK	5.743G	120.03	Inf	-Inf	8.82	3	Vertical	178	1.45	-
AV	5.742G	109.63	Inf	-Inf	8.81	3	Vertical	178	1.45	-
PK	5.951G	58.96	68.20	-9.24	8.92	3	Vertical	178	1.45	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5745MHz_TX




EUT Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.73G	58.92	68.20	-9.28	8.56	3	Horizontal	183	2.02	-
PK	5.742G	118.31	Inf	-Inf	8.81	3	Horizontal	183	2.02	-
AV	5.742G	108.08	Inf	-Inf	8.81	3	Horizontal	183	2.02	-
PK	5.945G	59.50	68.20	-8.70	8.94	3	Horizontal	183	2.02	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5785MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.565G	59.24	68.20	-8.96	8.56	3	Vertical	174	1.59	-
PK	5.788G	117.21	Inf	-Inf	8.87	3	Vertical	174	1.59	-
AV	5.788G	106.88	Inf	-Inf	8.87	3	Vertical	174	1.59	-
PK	5.966G	59.12	68.20	-9.08	8.93	3	Vertical	174	1.59	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5785MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.59G	59.26	68.20	-8.94	8.57	3	Horizontal	173	2.00	-
PK	5.788G	115.83	Inf	-Inf	8.87	3	Horizontal	173	2.00	-
AV	5.788G	105.50	Inf	-Inf	8.87	3	Horizontal	173	2.00	-
PK	5.93G	58.63	68.20	-9.57	8.93	3	Horizontal	173	2.00	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5825MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.637G	59.25	68.20	-8.95	8.64	3	Vertical	181	1.26	-
PK	5.818G	115.79	Inf	-Inf	8.90	3	Vertical	181	1.26	-
AV	5.82G	105.57	Inf	-Inf	8.90	3	Vertical	181	1.26	-
PK	5.985G	59.20	68.20	-9.00	8.93	3	Vertical	181	1.26	-

802.11a_Nss1,(6Mbps)_1TX

04/07/2019

5825MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.635G	60.02	68.20	-8.18	8.64	3	Horizontal	182	1.99	-
PK	5.823G	116.51	Inf	-Inf	8.90	3	Horizontal	182	1.99	-
AV	5.82G	105.93	Inf	-Inf	8.90	3	Horizontal	182	1.99	-
PK	5.962G	58.86	68.20	-9.34	8.93	3	Horizontal	182	1.99	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5180MHz_TX




EUT_Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.40	74.00	-7.60	7.94	3	Vertical	173	1.85	-
AV	5.15G	52.31	54.00	-1.69	7.94	3	Vertical	173	1.85	-
PK	5.1768G	121.15	Inf	-Inf	8.01	3	Vertical	173	1.85	-
AV	5.178G	107.95	Inf	-Inf	8.02	3	Vertical	173	1.85	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5180MHz_TX




EUT_Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	67.57	74.00	-6.43	7.94	3	Horizontal	183	1.49	-
AV	5.15G	53.23	54.00	-0.77	7.94	3	Horizontal	183	1.49	-
PK	5.1764G	120.18	Inf	-Inf	8.01	3	Horizontal	183	1.49	-
AV	5.1776G	107.04	Inf	-Inf	8.02	3	Horizontal	183	1.49	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5200MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	65.61	74.00	-8.39	7.94	3	Vertical	174	1.62	-
AV	5.15G	51.95	54.00	-2.05	7.94	3	Vertical	174	1.62	-
PK	5.1988G	122.59	Inf	-Inf	8.06	3	Vertical	174	1.62	-
AV	5.1948G	109.28	Inf	-Inf	8.05	3	Vertical	174	1.62	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5200MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	66.91	74.00	-7.09	7.94	3	Horizontal	178	1.65	-
AV	5.15G	51.71	54.00	-2.29	7.94	3	Horizontal	178	1.65	-
PK	5.2016G	122.01	Inf	-Inf	8.06	3	Horizontal	178	1.65	-
AV	5.1956G	108.75	Inf	-Inf	8.06	3	Horizontal	178	1.65	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5240MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.12G	61.54	74.00	-12.46	7.88	3	Vertical	178	1.60	-
AV	5.1044G	46.33	54.00	-7.67	7.84	3	Vertical	178	1.60	-
PK	5.2466G	124.81	Inf	-Inf	8.13	3	Vertical	178	1.60	-
AV	5.2436G	110.97	Inf	-Inf	8.12	3	Vertical	178	1.60	-
PK	5.3612G	63.00	74.00	-11.00	8.29	3	Vertical	178	1.60	-
AV	5.3708G	46.85	54.00	-7.15	8.30	3	Vertical	178	1.60	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5240MHz_TX




EUT Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1182G	60.84	74.00	-13.16	7.88	3	Horizontal	180	1.93	-
AV	5.105G	46.33	54.00	-7.67	7.85	3	Horizontal	180	1.93	-
PK	5.2388G	123.97	Inf	-Inf	8.12	3	Horizontal	180	1.93	-
AV	5.2382G	110.45	Inf	-Inf	8.12	3	Horizontal	180	1.93	-
PK	5.3612G	60.84	74.00	-13.16	8.29	3	Horizontal	180	1.93	-
AV	5.384G	46.63	54.00	-7.37	8.32	3	Horizontal	180	1.93	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5745MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.532G	58.96	68.20	-9.24	8.54	3	Vertical	183	1.48	-
PK	5.747G	121.59	Inf	-Inf	8.82	3	Vertical	183	1.48	-
AV	5.742G	108.14	Inf	-Inf	8.81	3	Vertical	183	1.48	-
PK	5.94G	58.62	68.20	-9.58	8.93	3	Vertical	183	1.48	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5745MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.531G	59.00	68.20	-9.20	8.54	3	Horizontal	181	2.09	-
PK	5.742G	120.08	Inf	-Inf	8.81	3	Horizontal	181	2.09	-
AV	5.741G	106.80	Inf	-Inf	8.80	3	Horizontal	181	2.09	-
PK	5.977G	58.72	68.20	-9.48	8.94	3	Horizontal	181	2.09	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5785MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.595G	59.05	68.20	-9.15	8.58	3	Vertical	174	1.52	-
PK	5.782G	118.61	Inf	-Inf	8.88	3	Vertical	174	1.52	-
AV	5.783G	105.22	Inf	-Inf	8.88	3	Vertical	174	1.52	-
PK	5.973G	58.61	68.20	-9.59	8.93	3	Vertical	174	1.52	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5785MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.638G	59.93	68.20	-8.27	8.64	3	Horizontal	176	2.10	-
PK	5.78G	117.27	Inf	-Inf	8.87	3	Horizontal	176	2.10	-
AV	5.779G	104.38	Inf	-Inf	8.87	3	Horizontal	176	2.10	-
PK	5.95G	59.59	68.20	-8.61	8.93	3	Horizontal	176	2.10	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5825MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	59.94	68.20	-8.26	8.66	3	Vertical	176	1.71	-
PK	5.822G	117.45	Inf	-Inf	8.90	3	Vertical	176	1.71	-
AV	5.821G	104.74	Inf	-Inf	8.90	3	Vertical	176	1.71	-
PK	5.977G	58.82	68.20	-9.38	8.94	3	Vertical	176	1.71	-

802.11ax HEW20_Nss1,(MCS0)_1TX

04/07/2019

5825MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.632G	59.38	68.20	-8.82	8.63	3	Horizontal	179	1.99	-
PK	5.826G	117.56	Inf	-Inf	8.91	3	Horizontal	179	1.99	-
AV	5.82G	104.54	Inf	-Inf	8.90	3	Horizontal	179	1.99	-
PK	5.957G	58.50	68.20	-9.70	8.92	3	Horizontal	179	1.99	-

802.11ax HEW40_Nss1,(MCS0)_1TX

04/07/2019

5190MHz_TX




EUT_Z_1TX
 Setting 22
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	68.06	74.00	-5.94	7.94	3	Vertical	172	1.49	-
AV	5.15G	52.93	54.00	-1.07	7.94	3	Vertical	172	1.49	-
PK	5.1804G	116.24	Inf	-Inf	8.02	3	Vertical	172	1.49	-
AV	5.1832G	102.63	Inf	-Inf	8.02	3	Vertical	172	1.49	-

802.11ax HEW40_Nss1,(MCS0)_1TX

04/07/2019

5190MHz_TX




EUT_Z_1TX
Setting 22
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	65.43	74.00	-8.57	7.94	3	Horizontal	170	1.50	-
AV	5.15G	50.97	54.00	-3.03	7.94	3	Horizontal	170	1.50	-
PK	5.1852G	115.59	Inf	-Inf	8.03	3	Horizontal	170	1.50	-
AV	5.1808G	101.74	Inf	-Inf	8.02	3	Horizontal	170	1.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX

04/07/2019

5230MHz_TX




EUT_Z_1TX
 Setting 26.5
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	68.22	74.00	-5.78	7.94	3	Vertical	172	1.65	-
AV	5.15G	53.91	54.00	-0.09	7.94	3	Vertical	172	1.65	-
PK	5.2354G	120.53	Inf	-Inf	8.11	3	Vertical	172	1.65	-
AV	5.2414G	107.28	Inf	-Inf	8.12	3	Vertical	172	1.65	-
PK	5.35G	66.88	74.00	-7.12	8.28	3	Vertical	172	1.65	-
AV	5.3512G	48.54	54.00	-5.46	8.28	3	Vertical	172	1.65	-

802.11ax HEW40_Nss1,(MCS0)_1TX

04/07/2019

5230MHz_TX




EUT_Z_1TX
Setting 26.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	68.79	74.00	-5.21	7.94	3	Horizontal	179	1.91	-
AV	5.15G	53.34	54.00	-0.66	7.94	3	Horizontal	179	1.91	-
PK	5.2408G	119.87	Inf	-Inf	8.12	3	Horizontal	179	1.91	-
AV	5.2384G	107.07	Inf	-Inf	8.12	3	Horizontal	179	1.91	-
PK	5.35G	65.09	74.00	-8.91	8.28	3	Horizontal	179	1.91	-
AV	5.3506G	48.23	54.00	-5.77	8.28	3	Horizontal	179	1.91	-

802.11ax HEW40_Nss1,(MCS0)_1TX

04/07/2019

5755MHz_TX




EUT Z_1TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	68.15	68.20	-0.05	8.66	3	Vertical	184	1.50	-
PK	5.758G	117.91	Inf	-Inf	8.84	3	Vertical	184	1.50	-
AV	5.747G	105.30	Inf	-Inf	8.82	3	Vertical	184	1.50	-
PK	5.992G	59.07	68.20	-9.13	8.94	3	Vertical	184	1.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX

04/07/2019

5755MHz_TX




EUT_Z_1TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	67.57	68.20	-0.63	8.67	3	Horizontal	177	2.15	-
PK	5.745G	117.04	Inf	-Inf	8.82	3	Horizontal	177	2.15	-
AV	5.748G	103.92	Inf	-Inf	8.82	3	Horizontal	177	2.15	-
PK	5.985G	58.55	68.20	-9.65	8.93	3	Horizontal	177	2.15	-

802.11ax HEW40_Nss1,(MCS0)_1TX

04/07/2019

5795MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	62.67	68.20	-5.53	8.66	3	Vertical	175	1.60	-
PK	5.802G	117.40	Inf	-Inf	8.90	3	Vertical	175	1.60	-
AV	5.791G	104.21	Inf	-Inf	8.88	3	Vertical	175	1.60	-
PK	5.929G	59.41	68.20	-8.79	8.93	3	Vertical	175	1.60	-

802.11ax HEW40_Nss1,(MCS0)_1TX

04/07/2019

5795MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.638G	61.53	68.20	-6.67	8.64	3	Horizontal	179	2.06	-
PK	5.802G	116.60	Inf	-Inf	8.90	3	Horizontal	179	2.06	-
AV	5.801G	103.49	Inf	-Inf	8.90	3	Horizontal	179	2.06	-
PK	5.926G	61.54	68.20	-6.66	8.93	3	Horizontal	179	2.06	-

802.11ax HEW80_Nss1,(MCS0)_1TX

04/07/2019

5210MHz_TX




EUT_Z_1TX
Setting 22
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	68.66	74.00	-5.34	7.94	3	Vertical	179	1.70	-
AV	5.15G	53.96	54.00	-0.04	7.94	3	Vertical	179	1.70	-
PK	5.227G	112.04	Inf	-Inf	8.10	3	Vertical	179	1.70	-
AV	5.24G	99.18	Inf	-Inf	8.12	3	Vertical	179	1.70	-
PK	5.352G	60.62	74.00	-13.38	8.28	3	Vertical	179	1.70	-
AV	5.351G	47.36	54.00	-6.64	8.28	3	Vertical	179	1.70	-

802.11ax HEW80_Nss1,(MCS0)_1TX

04/07/2019

5210MHz_TX




EUT_Z_1TX
Setting 22
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	69.80	74.00	-4.20	7.94	3	Horizontal	179	1.71	-
AV	5.149G	53.98	54.00	-0.02	7.94	3	Horizontal	179	1.71	-
PK	5.235G	112.12	Inf	-Inf	8.11	3	Horizontal	179	1.71	-
AV	5.237G	98.72	Inf	-Inf	8.11	3	Horizontal	179	1.71	-
PK	5.372G	59.83	74.00	-14.17	8.30	3	Horizontal	179	1.71	-
AV	5.35G	46.91	54.00	-7.09	8.28	3	Horizontal	179	1.71	-

802.11ax HEW80_Nss1,(MCS0)_1TX

04/07/2019

5775MHz_TX




EUT Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.643G	66.52	68.20	-1.68	8.66	3	Vertical	185	1.50	-
PK	5.749G	112.51	Inf	-Inf	8.82	3	Vertical	185	1.50	-
AV	5.75G	99.24	Inf	-Inf	8.83	3	Vertical	185	1.50	-
PK	5.936G	59.52	68.20	-8.68	8.93	3	Vertical	185	1.50	-

802.11ax HEW80_Nss1,(MCS0)_1TX

04/07/2019

5775MHz_TX



EUT Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	66.83	68.20	-1.37	8.66	3	Horizontal	179	2.15	-
PK	5.754G	111.13	Inf	-Inf	8.83	3	Horizontal	179	2.15	-
AV	5.747G	97.55	Inf	-Inf	8.82	3	Horizontal	179	2.15	-
PK	5.943G	59.63	68.20	-8.57	8.94	3	Horizontal	179	2.15	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1496G	53.95	54.00	-0.05	7.94	3	Horizontal	178	1.86	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5180MHz_TX




EUT_Z_2TX
Setting 23
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	65.32	74.00	-8.68	7.94	3	Vertical	180	1.69	-
AV	5.15G	53.00	54.00	-1.00	7.94	3	Vertical	180	1.69	-
PK	5.1806G	122.87	Inf	-Inf	8.02	3	Vertical	180	1.69	-
AV	5.1754G	113.29	Inf	-Inf	8.01	3	Vertical	180	1.69	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5180MHz_TX




EUT_Z_2TX
Setting 23
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	66.52	74.00	-7.48	7.94	3	Horizontal	178	1.86	-
AV	5.1496G	53.95	54.00	-0.05	7.94	3	Horizontal	178	1.86	-
PK	5.1838G	124.03	Inf	-Inf	8.03	3	Horizontal	178	1.86	-
AV	5.1788G	113.33	Inf	-Inf	8.02	3	Horizontal	178	1.86	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5200MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	65.49	74.00	-8.51	7.94	3	Vertical	169	1.96	-
AV	5.148G	52.82	54.00	-1.18	7.94	3	Vertical	169	1.96	-
PK	5.1968G	125.82	Inf	-Inf	8.06	3	Vertical	169	1.96	-
AV	5.1968G	115.59	Inf	-Inf	8.06	3	Vertical	169	1.96	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5200MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	67.54	74.00	-6.46	7.94	3	Horizontal	176	1.77	-
AV	5.15G	53.47	54.00	-0.53	7.94	3	Horizontal	176	1.77	-
PK	5.2028G	126.37	Inf	-Inf	8.06	3	Horizontal	176	1.77	-
AV	5.2032G	116.23	Inf	-Inf	8.06	3	Horizontal	176	1.77	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5240MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1194G	62.38	74.00	-11.62	7.88	3	Vertical	181	1.83	-
AV	5.0978G	47.44	54.00	-6.56	7.84	3	Vertical	181	1.83	-
PK	5.246G	126.31	Inf	-Inf	8.13	3	Vertical	181	1.83	-
AV	5.2406G	116.47	Inf	-Inf	8.12	3	Vertical	181	1.83	-
PK	5.3612G	63.28	74.00	-10.72	8.29	3	Vertical	181	1.83	-
AV	5.3558G	48.33	54.00	-5.67	8.28	3	Vertical	181	1.83	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5240MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.12G	62.16	74.00	-11.84	7.88	3	Horizontal	174	1.51	-
AV	5.15G	47.49	54.00	-6.51	7.94	3	Horizontal	174	1.51	-
PK	5.2412G	126.05	Inf	-Inf	8.12	3	Horizontal	174	1.51	-
AV	5.2364G	116.22	Inf	-Inf	8.11	3	Horizontal	174	1.51	-
PK	5.3606G	64.18	74.00	-9.82	8.29	3	Horizontal	174	1.51	-
AV	5.3654G	48.25	54.00	-5.75	8.29	3	Horizontal	174	1.51	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5745MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.625G	63.26	68.20	-4.94	8.63	3	Vertical	177	1.85	-
PK	5.739G	125.25	Inf	-Inf	8.80	3	Vertical	177	1.85	-
AV	5.748G	115.40	Inf	-Inf	8.82	3	Vertical	177	1.85	-
PK	5.925G	59.31	68.20	-8.89	8.93	3	Vertical	177	1.85	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5745MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.625G	60.90	68.20	-7.30	8.63	3	Horizontal	180	1.49	-
PK	5.739G	124.57	Inf	-Inf	8.80	3	Horizontal	180	1.49	-
AV	5.748G	114.52	Inf	-Inf	8.82	3	Horizontal	180	1.49	-
PK	5.964G	59.24	68.20	-8.96	8.93	3	Horizontal	180	1.49	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5785MHz_TX




EUT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.599G	61.30	68.20	-6.90	8.58	3	Vertical	175	1.67	-
PK	5.78G	123.12	Inf	-Inf	8.87	3	Vertical	175	1.67	-
AV	5.78G	113.38	Inf	-Inf	8.87	3	Vertical	175	1.67	-
PK	5.931G	59.37	68.20	-8.83	8.93	3	Vertical	175	1.67	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5785MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.596G	60.64	68.20	-7.56	8.58	3	Horizontal	180	1.78	-
PK	5.788G	124.14	Inf	-Inf	8.87	3	Horizontal	180	1.78	-
AV	5.788G	113.80	Inf	-Inf	8.87	3	Horizontal	180	1.78	-
PK	5.979G	58.98	68.20	-9.22	8.94	3	Horizontal	180	1.78	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5825MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.628G	62.47	68.20	-5.73	8.63	3	Vertical	180	1.66	-
PK	5.824G	123.49	Inf	-Inf	8.90	3	Vertical	180	1.66	-
AV	5.824G	113.75	Inf	-Inf	8.90	3	Vertical	180	1.66	-
PK	5.926G	59.53	68.20	-8.67	8.93	3	Vertical	180	1.66	-

802.11a_Nss1,(6Mbps)_2TX

04/07/2019

5825MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.628G	60.95	68.20	-7.25	8.63	3	Horizontal	178	1.83	-
PK	5.828G	124.63	Inf	-Inf	8.91	3	Horizontal	178	1.83	-
AV	5.828G	114.41	Inf	-Inf	8.91	3	Horizontal	178	1.83	-
PK	5.963G	59.73	68.20	-8.47	8.93	3	Horizontal	178	1.83	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5180MHz_TX




EUT_Z_2TX
Setting 23
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	67.19	74.00	-6.81	7.94	3	Vertical	170	1.98	-
AV	5.15G	53.68	54.00	-0.32	7.94	3	Vertical	170	1.98	-
PK	5.1794G	125.49	Inf	-Inf	8.02	3	Vertical	170	1.98	-
AV	5.179G	112.50	Inf	-Inf	8.02	3	Vertical	170	1.98	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5180MHz_TX



P2


EUT_Z_2TX
Setting 23
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.11	74.00	-7.89	7.94	3	Horizontal	182	1.75	-
AV	5.15G	53.79	54.00	-0.21	7.94	3	Horizontal	182	1.75	-
PK	5.182G	125.02	Inf	-Inf	8.02	3	Horizontal	182	1.75	-
AV	5.1814G	112.68	Inf	-Inf	8.02	3	Horizontal	182	1.75	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5200MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	67.13	74.00	-6.87	7.94	3	Vertical	183	1.86	-
AV	5.148G	53.52	54.00	-0.48	7.94	3	Vertical	183	1.86	-
PK	5.198G	126.94	Inf	-Inf	8.06	3	Vertical	183	1.86	-
AV	5.1968G	114.94	Inf	-Inf	8.06	3	Vertical	183	1.86	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5200MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	66.49	74.00	-7.51	7.94	3	Horizontal	182	1.99	-
AV	5.1452G	52.62	54.00	-1.38	7.94	3	Horizontal	182	1.99	-
PK	5.2028G	128.29	Inf	-Inf	8.06	3	Horizontal	182	1.99	-
AV	5.204G	115.67	Inf	-Inf	8.06	3	Horizontal	182	1.99	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5240MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1194G	61.45	74.00	-12.55	7.88	3	Vertical	182	1.86	-
AV	5.1008G	46.99	54.00	-7.01	7.84	3	Vertical	182	1.86	-
PK	5.2424G	128.96	Inf	-Inf	8.12	3	Vertical	182	1.86	-
AV	5.2418G	116.07	Inf	-Inf	8.12	3	Vertical	182	1.86	-
PK	5.3594G	61.62	74.00	-12.38	8.29	3	Vertical	182	1.86	-
AV	5.3852G	47.81	54.00	-6.19	8.32	3	Vertical	182	1.86	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5240MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1014G	60.06	74.00	-13.94	7.84	3	Horizontal	178	1.84	-
AV	5.1488G	47.63	54.00	-6.37	7.94	3	Horizontal	178	1.84	-
PK	5.2472G	127.97	Inf	-Inf	8.13	3	Horizontal	178	1.84	-
AV	5.237G	115.92	Inf	-Inf	8.11	3	Horizontal	178	1.84	-
PK	5.3612G	62.15	74.00	-11.85	8.29	3	Horizontal	178	1.84	-
AV	5.3582G	47.94	54.00	-6.06	8.28	3	Horizontal	178	1.84	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5745MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.629G	61.80	68.20	-6.40	8.63	3	Vertical	179	1.50	-
PK	5.743G	126.48	Inf	-Inf	8.82	3	Vertical	179	1.50	-
AV	5.742G	114.04	Inf	-Inf	8.81	3	Vertical	179	1.50	-
PK	5.955G	59.48	68.20	-8.72	8.92	3	Vertical	179	1.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5745MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.549G	61.98	68.20	-6.22	8.55	3	Horizontal	175	1.82	-
PK	5.742G	126.82	Inf	-Inf	8.81	3	Horizontal	175	1.82	-
AV	5.741G	114.48	Inf	-Inf	8.80	3	Horizontal	175	1.82	-
PK	5.937G	60.53	68.20	-7.67	8.93	3	Horizontal	175	1.82	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5785MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.588G	61.50	68.20	-6.70	8.57	3	Vertical	179	1.55	-
PK	5.778G	125.36	Inf	-Inf	8.87	3	Vertical	179	1.55	-
AV	5.788G	112.49	Inf	-Inf	8.87	3	Vertical	179	1.55	-
PK	5.968G	60.22	68.20	-7.98	8.93	3	Vertical	179	1.55	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5785MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.586G	61.79	68.20	-6.41	8.57	3	Horizontal	180	1.88	-
PK	5.788G	125.08	Inf	-Inf	8.87	3	Horizontal	180	1.88	-
AV	5.787G	112.73	Inf	-Inf	8.88	3	Horizontal	180	1.88	-
PK	5.936G	59.76	68.20	-8.44	8.93	3	Horizontal	180	1.88	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5825MHz_TX




EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.64G	61.24	68.20	-6.96	8.65	3	Vertical	183	1.92	-
PK	5.827G	124.28	Inf	-Inf	8.91	3	Vertical	183	1.92	-
AV	5.826G	112.07	Inf	-Inf	8.91	3	Vertical	183	1.92	-
PK	5.95G	59.24	68.20	-8.96	8.93	3	Vertical	183	1.92	-

802.11ax HEW20_Nss1,(MCS0)_2TX

04/07/2019

5825MHz_TX



EUT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.631G	60.93	68.20	-7.27	8.63	3	Horizontal	178	1.90	-
PK	5.823G	125.35	Inf	-Inf	8.90	3	Horizontal	178	1.90	-
AV	5.822G	113.59	Inf	-Inf	8.90	3	Horizontal	178	1.90	-
PK	5.939G	60.01	68.20	-8.19	8.93	3	Horizontal	178	1.90	-