


802.11ax HEW40_Nss1,(MCS0)_4TX

24/07/2019

5670MHz_TX




EUT Z_4TX_ANT Z
Setting 22.5
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6814G	120.23	Inf	-Inf	8.72	3	Vertical	311	2.10	-
AV	5.6808G	107.51	Inf	-Inf	8.72	3	Vertical	311	2.10	-
PK	5.7252G	68.02	68.20	-0.18	8.79	3	Vertical	311	2.10	-

802.11ax HEW40_Nss1,(MCS0)_4TX

24/07/2019

5670MHz_TX




EUT Z_4TX_ANT Z
 Setting 22.5
 02-B-4-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6736G	113.62	Inf	-Inf	8.70	3	Horizontal	84	1.91	-
AV	5.6742G	101.26	Inf	-Inf	8.70	3	Horizontal	84	1.91	-
PK	5.7252G	65.45	68.20	-2.75	8.79	3	Horizontal	84	1.91	-

802.11ax HEW40_Nss1,(MCS0)_4TX

24/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX_ANT Z
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4508G	59.18	74.00	-14.82	8.44	3	Vertical	312	2.19	-
AV	5.4532G	45.95	54.00	-8.05	8.44	3	Vertical	312	2.19	-
PK	5.4652G	58.35	68.20	-9.85	8.45	3	Vertical	312	2.19	-
PK	5.7064G	122.26	Inf	-Inf	8.76	3	Vertical	312	2.19	-
AV	5.7052G	110.03	Inf	-Inf	8.76	3	Vertical	312	2.19	-
PK	5.8576G	67.41	68.20	-0.79	8.90	3	Vertical	312	2.19	-

802.11ax HEW40_Nss1,(MCS0)_4TX

24/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX_ANT Z
 Setting 27
 02-B-4-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.44G	58.24	74.00	-15.76	8.41	3	Horizontal	331	2.17	-
AV	5.4448G	45.53	54.00	-8.47	8.42	3	Horizontal	331	2.17	-
PK	5.4688G	57.57	68.20	-10.63	8.46	3	Horizontal	331	2.17	-
PK	5.7076G	116.24	Inf	-Inf	8.76	3	Horizontal	331	2.17	-
AV	5.7076G	104.17	Inf	-Inf	8.76	3	Horizontal	331	2.17	-
PK	5.8552G	64.22	68.20	-3.98	8.90	3	Horizontal	331	2.17	-

802.11ax HEW80_Nss1,(MCS0)_4TX

24/07/2019

5290MHz_TX




EUT_Z_4TX_ANT Z
Setting 21
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.145G	60.47	74.00	-13.53	7.94	3	Vertical	275	2.83	-
AV	5.146G	47.78	54.00	-6.22	7.94	3	Vertical	275	2.83	-
PK	5.284G	117.25	Inf	-Inf	8.19	3	Vertical	275	2.83	-
AV	5.284G	104.79	Inf	-Inf	8.19	3	Vertical	275	2.83	-
PK	5.361G	67.78	74.00	-6.22	8.29	3	Vertical	275	2.83	-
AV	5.362G	53.56	54.00	-0.44	8.29	3	Vertical	275	2.83	-
PK	5.538G	59.81	68.20	-8.39	8.54	3	Vertical	275	2.83	-

802.11ax HEW80_Nss1,(MCS0)_4TX

24/07/2019

5290MHz_TX




EUT_Z_4TX_ANT Z
Setting 21
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.085G	58.81	74.00	-15.19	7.80	3	Horizontal	307	2.97	-
AV	5.15G	45.75	54.00	-8.25	7.94	3	Horizontal	307	2.97	-
PK	5.3G	108.85	Inf	-Inf	8.21	3	Horizontal	307	2.97	-
AV	5.299G	96.68	Inf	-Inf	8.21	3	Horizontal	307	2.97	-
PK	5.51G	58.71	68.20	-9.49	8.53	3	Horizontal	307	2.97	-
AV	5.361G	48.51	54.00	-5.49	8.29	3	Horizontal	307	2.97	-
PK	5.361G	62.36	74.00	-11.64	8.29	3	Horizontal	307	2.97	-

802.11ax HEW80_Nss1,(MCS0)_4TX

24/07/2019

5530MHz_TX




EUT_Z_4TX_ANT_Z
Setting 20.5
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.305G	58.98	68.20	-9.22	8.22	3	Vertical	334	2.20	-
PK	5.449G	65.64	74.00	-8.36	8.42	3	Vertical	334	2.20	-
AV	5.45G	52.63	54.00	-1.37	8.44	3	Vertical	334	2.20	-
PK	5.467G	67.76	68.20	-0.44	8.46	3	Vertical	334	2.20	-
PK	5.528G	115.34	Inf	-Inf	8.54	3	Vertical	334	2.20	-
AV	5.528G	102.20	Inf	-Inf	8.54	3	Vertical	334	2.20	-
PK	5.773G	59.63	68.20	-8.57	8.85	3	Vertical	334	2.20	-

802.11ax HEW80_Nss1,(MCS0)_4TX

24/07/2019

5530MHz_TX




EUT_Z_4TX_ANT Z
Setting 20.5
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.298G	58.43	68.20	-9.77	8.21	3	Horizontal	245	2.20	-
PK	5.451G	63.27	74.00	-10.73	8.44	3	Horizontal	245	2.20	-
AV	5.453G	49.22	54.00	-4.78	8.44	3	Horizontal	245	2.20	-
PK	5.466G	62.87	68.20	-5.33	8.46	3	Horizontal	245	2.20	-
PK	5.533G	110.12	Inf	-Inf	8.54	3	Horizontal	245	2.20	-
AV	5.532G	97.01	Inf	-Inf	8.54	3	Horizontal	245	2.20	-
PK	5.758G	62.85	68.20	-5.35	8.84	3	Horizontal	245	2.20	-

802.11ax HEW80_Nss1,(MCS0)_4TX

24/07/2019

5610MHz_TX




EUT_Z_4TX_ANT Z
Setting 21
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.408G	59.46	74.00	-14.54	8.35	3	Vertical	336	2.26	-
PK	5.4699G	62.44	68.20	-5.76	8.46	3	Vertical	336	2.26	-
AV	5.449G	46.97	54.00	-7.03	8.42	3	Vertical	336	2.26	-
PK	5.609G	116.18	Inf	-Inf	8.60	3	Vertical	336	2.26	-
AV	5.609G	103.62	Inf	-Inf	8.60	3	Vertical	336	2.26	-
PK	5.726G	67.70	68.20	-0.50	8.79	3	Vertical	336	2.26	-

802.11ax HEW80_Nss1,(MCS0)_4TX

24/07/2019

5610MHz_TX




EUT_Z_4TX_ANT Z
Setting 21
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.389G	58.54	74.00	-15.46	8.33	3	Horizontal	305	2.23	-
PK	5.47G	58.04	68.20	-10.16	8.46	3	Horizontal	305	2.23	-
AV	5.45G	45.67	54.00	-8.33	8.44	3	Horizontal	305	2.23	-
PK	5.622G	109.90	Inf	-Inf	8.61	3	Horizontal	305	2.23	-
AV	5.621G	96.96	Inf	-Inf	8.61	3	Horizontal	305	2.23	-
PK	5.772G	65.95	68.20	-2.25	8.85	3	Horizontal	305	2.23	-

802.11ax HEW80_Nss1,(MCS0)_4TX

24/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX_ANT Z
Setting 24
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4572G	60.05	74.00	-13.95	8.44	3	Vertical	333	2.20	-
AV	5.4596G	46.60	54.00	-7.40	8.45	3	Vertical	333	2.20	-
PK	5.4656G	59.18	68.20	-9.02	8.46	3	Vertical	333	2.20	-
PK	5.6768G	119.40	Inf	-Inf	8.72	3	Vertical	333	2.20	-
AV	5.6972G	105.92	Inf	-Inf	8.75	3	Vertical	333	2.20	-
PK	5.8556G	65.98	68.20	-2.22	8.90	3	Vertical	333	2.20	-

802.11ax HEW80_Nss1,(MCS0)_4TX

24/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX_ANT Z
Setting 24
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4272G	58.95	74.00	-15.05	8.40	3	Horizontal	312	2.11	-
PK	5.4632G	58.35	68.20	-9.85	8.45	3	Horizontal	312	2.11	-
AV	5.4596G	45.62	54.00	-8.38	8.45	3	Horizontal	312	2.11	-
PK	5.6948G	112.40	Inf	-Inf	8.74	3	Horizontal	312	2.11	-
AV	5.6948G	99.66	Inf	-Inf	8.74	3	Horizontal	312	2.11	-
PK	5.852G	61.96	68.20	-6.24	8.90	3	Horizontal	312	2.11	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.46G	46.75	54.00	-7.25	8.45	3	Vertical	105	2.13	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5260MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	59.00	74.00	-15.00	7.94	3	Vertical	96	2.37	-
AV	5.119G	45.86	54.00	-8.14	7.88	3	Vertical	96	2.37	-
PK	5.2636G	118.72	Inf	-Inf	8.16	3	Vertical	96	2.37	-
AV	5.263G	106.80	Inf	-Inf	8.16	3	Vertical	96	2.37	-
PK	5.3548G	58.88	74.00	-15.12	8.28	3	Vertical	96	2.37	-
AV	5.3512G	46.54	54.00	-7.46	8.28	3	Vertical	96	2.37	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5260MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1436G	57.69	74.00	-16.31	7.94	3	Horizontal	261	1.96	-
AV	5.1412G	45.69	54.00	-8.31	7.94	3	Horizontal	261	1.96	-
PK	5.2564G	109.60	Inf	-Inf	8.15	3	Horizontal	261	1.96	-
AV	5.2564G	97.85	Inf	-Inf	8.15	3	Horizontal	261	1.96	-
PK	5.371G	58.75	74.00	-15.25	8.30	3	Horizontal	261	1.96	-
AV	5.4082G	45.63	54.00	-8.37	8.35	3	Horizontal	261	1.96	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5300MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.296G	116.47	Inf	-Inf	8.21	3	Vertical	333	2.90	-
AV	5.2972G	104.75	Inf	-Inf	8.21	3	Vertical	333	2.90	-
PK	5.3516G	59.90	74.00	-14.10	8.28	3	Vertical	333	2.90	-
AV	5.3512G	46.18	54.00	-7.82	8.28	3	Vertical	333	2.90	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5300MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2972G	109.18	Inf	-Inf	8.21	3	Horizontal	54	1.50	-
AV	5.2952G	95.93	Inf	-Inf	8.20	3	Horizontal	54	1.50	-
PK	5.3752G	58.10	74.00	-15.90	8.31	3	Horizontal	54	1.50	-
AV	5.3616G	45.46	54.00	-8.54	8.29	3	Horizontal	54	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5320MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3242G	116.22	Inf	-Inf	8.24	3	Vertical	279	2.30	-
AV	5.3238G	103.08	Inf	-Inf	8.24	3	Vertical	279	2.30	-
PK	5.3582G	58.36	74.00	-15.64	8.28	3	Vertical	279	2.30	-
AV	5.3508G	46.17	54.00	-7.83	8.28	3	Vertical	279	2.30	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5320MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3192G	112.96	Inf	-Inf	8.23	3	Horizontal	243	2.22	-
AV	5.3216G	98.93	Inf	-Inf	8.23	3	Horizontal	243	2.22	-
PK	5.3592G	57.81	74.00	-16.19	8.29	3	Horizontal	243	2.22	-
AV	5.3526G	45.60	54.00	-8.40	8.28	3	Horizontal	243	2.22	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5500MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4084G	59.66	74.00	-14.34	8.35	3	Vertical	228	2.37	-
AV	5.404G	46.01	54.00	-7.99	8.35	3	Vertical	228	2.37	-
PK	5.4644G	59.46	68.20	-8.74	8.45	3	Vertical	228	2.37	-
PK	5.4996G	117.26	Inf	-Inf	8.52	3	Vertical	228	2.37	-
AV	5.4976G	104.61	Inf	-Inf	8.52	3	Vertical	228	2.37	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5500MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4444G	58.01	74.00	-15.99	8.42	3	Horizontal	279	2.34	-
AV	5.4336G	45.54	54.00	-8.46	8.40	3	Horizontal	279	2.34	-
PK	5.464G	57.49	68.20	-10.71	8.45	3	Horizontal	279	2.34	-
PK	5.4924G	108.66	Inf	-Inf	8.51	3	Horizontal	279	2.34	-
AV	5.4908G	98.05	Inf	-Inf	8.51	3	Horizontal	279	2.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5580MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.396G	58.04	74.00	-15.96	8.34	3	Vertical	28	2.19	-
PK	5.4688G	57.01	68.20	-11.19	8.46	3	Vertical	28	2.19	-
AV	5.4376G	45.57	54.00	-8.43	8.41	3	Vertical	28	2.19	-
PK	5.5816G	116.17	Inf	-Inf	8.57	3	Vertical	28	2.19	-
AV	5.584G	104.00	Inf	-Inf	8.57	3	Vertical	28	2.19	-
PK	5.7432G	58.99	68.20	-9.21	8.82	3	Vertical	28	2.19	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5580MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4064G	57.77	74.00	-16.23	8.35	3	Horizontal	245	2.32	-
AV	5.4168G	45.54	54.00	-8.46	8.37	3	Horizontal	245	2.32	-
PK	5.4632G	57.41	68.20	-10.79	8.45	3	Horizontal	245	2.32	-
PK	5.5768G	110.99	Inf	-Inf	8.57	3	Horizontal	245	2.32	-
AV	5.5776G	98.06	Inf	-Inf	8.57	3	Horizontal	245	2.32	-
PK	5.7368G	58.53	68.20	-9.67	8.81	3	Horizontal	245	2.32	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5700MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6978G	117.77	Inf	-Inf	8.75	3	Vertical	310	2.01	-
AV	5.6954G	104.92	Inf	-Inf	8.74	3	Vertical	310	2.01	-
PK	5.7422G	59.23	68.20	-8.97	8.81	3	Vertical	310	2.01	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5700MHz_TX




EUT Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7032G	110.93	Inf	-Inf	8.75	3	Horizontal	251	1.88	-
AV	5.704G	98.25	Inf	-Inf	8.76	3	Horizontal	251	1.88	-
PK	5.7418G	58.36	68.20	-9.84	8.81	3	Horizontal	251	1.88	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3798G	58.16	74.00	-15.84	8.32	3	Vertical	229	2.17	-
PK	5.4624G	57.95	68.20	-10.25	8.45	3	Vertical	229	2.17	-
AV	5.4414G	45.54	54.00	-8.46	8.41	3	Vertical	229	2.17	-
PK	5.72G	116.31	Inf	-Inf	8.78	3	Vertical	229	2.17	-
AV	5.7186G	103.51	Inf	-Inf	8.77	3	Vertical	229	2.17	-
PK	5.925G	58.83	68.20	-9.37	8.93	3	Vertical	229	2.17	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX_ANT_Z
 Setting 24
 02-E-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4428G	57.90	74.00	-16.10	8.42	3	Horizontal	235	2.02	-
AV	5.3938G	45.54	54.00	-8.46	8.33	3	Horizontal	235	2.02	-
PK	5.4638G	56.53	68.20	-11.67	8.45	3	Horizontal	235	2.02	-
PK	5.7144G	109.59	Inf	-Inf	8.77	3	Horizontal	235	2.02	-
AV	5.7158G	98.44	Inf	-Inf	8.77	3	Horizontal	235	2.02	-
PK	5.9496G	58.63	68.20	-9.57	8.94	3	Horizontal	235	2.02	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5270MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1386G	57.35	74.00	-16.65	7.92	3	Vertical	110	1.50	-
AV	5.1452G	45.40	54.00	-8.60	7.94	3	Vertical	110	1.50	-
PK	5.2652G	111.16	Inf	-Inf	8.16	3	Vertical	110	1.50	-
AV	5.261G	99.20	Inf	-Inf	8.15	3	Vertical	110	1.50	-
PK	5.3978G	58.16	74.00	-15.84	8.34	3	Vertical	110	1.50	-
AV	5.3564G	45.71	54.00	-8.29	8.28	3	Vertical	110	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5270MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1296G	57.62	74.00	-16.38	7.91	3	Horizontal	230	1.50	-
AV	5.12G	45.28	54.00	-8.72	7.88	3	Horizontal	230	1.50	-
PK	5.2742G	107.42	Inf	-Inf	8.17	3	Horizontal	230	1.50	-
AV	5.2748G	95.08	Inf	-Inf	8.17	3	Horizontal	230	1.50	-
PK	5.3846G	57.66	74.00	-16.34	8.32	3	Horizontal	230	1.50	-
AV	5.393G	45.35	54.00	-8.65	8.33	3	Horizontal	230	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5310MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3212G	112.35	Inf	-Inf	8.23	3	Vertical	208	2.97	-
AV	5.3204G	99.70	Inf	-Inf	8.23	3	Vertical	208	2.97	-
PK	5.358G	60.53	74.00	-13.47	8.28	3	Vertical	208	2.97	-
AV	5.35G	47.02	54.00	-6.98	8.28	3	Vertical	208	2.97	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5310MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3112G	107.33	Inf	-Inf	8.22	3	Horizontal	250	2.37	-
AV	5.312G	95.10	Inf	-Inf	8.22	3	Horizontal	250	2.37	-
PK	5.3576G	58.06	74.00	-15.94	8.28	3	Horizontal	250	2.37	-
AV	5.3524G	45.58	54.00	-8.42	8.28	3	Horizontal	250	2.37	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5510MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.452G	61.30	74.00	-12.70	8.44	3	Vertical	227	1.50	-
AV	5.418G	45.90	54.00	-8.10	8.37	3	Vertical	227	1.50	-
PK	5.468G	58.32	68.20	-9.88	8.46	3	Vertical	227	1.50	-
PK	5.5068G	113.23	Inf	-Inf	8.52	3	Vertical	227	1.50	-
AV	5.5076G	100.56	Inf	-Inf	8.52	3	Vertical	227	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5510MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.446G	58.05	74.00	-15.95	8.42	3	Horizontal	311	2.15	-
AV	5.4248G	45.67	54.00	-8.33	8.38	3	Horizontal	311	2.15	-
PK	5.4632G	57.87	68.20	-10.33	8.45	3	Horizontal	311	2.15	-
PK	5.5212G	108.48	Inf	-Inf	8.53	3	Horizontal	311	2.15	-
AV	5.5216G	96.54	Inf	-Inf	8.53	3	Horizontal	311	2.15	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5550MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4324G	59.26	74.00	-14.74	8.40	3	Vertical	277	2.11	-
AV	5.4396G	45.68	54.00	-8.32	8.41	3	Vertical	277	2.11	-
PK	5.466G	57.87	68.20	-10.33	8.46	3	Vertical	277	2.11	-
PK	5.5412G	113.20	Inf	-Inf	8.54	3	Vertical	277	2.11	-
AV	5.5412G	100.91	Inf	-Inf	8.54	3	Vertical	277	2.11	-
PK	5.75G	59.20	68.20	-9.00	8.83	3	Vertical	277	2.11	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5550MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4236G	57.66	74.00	-16.34	8.38	3	Horizontal	244	2.11	-
AV	5.4196G	45.52	54.00	-8.48	8.38	3	Horizontal	244	2.11	-
PK	5.466G	57.95	68.20	-10.25	8.46	3	Horizontal	244	2.11	-
PK	5.538G	108.07	Inf	-Inf	8.54	3	Horizontal	244	2.11	-
AV	5.5372G	96.49	Inf	-Inf	8.54	3	Horizontal	244	2.11	-
PK	5.738G	58.28	68.20	-9.92	8.80	3	Horizontal	244	2.11	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5670MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6728G	114.20	Inf	-Inf	8.70	3	Vertical	287	2.20	-
AV	5.6716G	102.00	Inf	-Inf	8.70	3	Vertical	287	2.20	-
PK	5.7604G	59.06	68.20	-9.14	8.85	3	Vertical	287	2.20	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5670MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6676G	106.98	Inf	-Inf	8.69	3	Horizontal	241	1.50	-
AV	5.6688G	94.50	Inf	-Inf	8.70	3	Horizontal	241	1.50	-
PK	5.7336G	58.61	68.20	-9.59	8.80	3	Horizontal	241	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX_ANT_Z
 Setting 24
 02-E-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4468G	57.85	74.00	-16.15	8.42	3	Vertical	276	1.98	-
AV	5.4132G	45.62	54.00	-8.38	8.36	3	Vertical	276	1.98	-
PK	5.4692G	57.47	68.20	-10.73	8.46	3	Vertical	276	1.98	-
PK	5.696G	113.41	Inf	-Inf	8.74	3	Vertical	276	1.98	-
AV	5.7002G	102.26	Inf	-Inf	8.75	3	Vertical	276	1.98	-
PK	5.9746G	58.56	68.20	-9.64	8.93	3	Vertical	276	1.98	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.388G	58.22	74.00	-15.78	8.33	3	Horizontal	344	1.94	-
AV	5.3824G	45.52	54.00	-8.48	8.32	3	Horizontal	344	1.94	-
PK	5.47G	57.15	68.20	-11.05	8.46	3	Horizontal	344	1.94	-
PK	5.7016G	106.00	Inf	-Inf	8.75	3	Horizontal	344	1.94	-
AV	5.7016G	94.23	Inf	-Inf	8.75	3	Horizontal	344	1.94	-
PK	5.9452G	59.28	68.20	-8.92	8.94	3	Horizontal	344	1.94	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2019

5290MHz_TX




EUT_Z_4TX_ANT_Z
 Setting 24
 02-E-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.131G	58.27	74.00	-15.73	7.91	3	Vertical	81	2.36	-
AV	5.091G	45.53	54.00	-8.47	7.82	3	Vertical	81	2.36	-
PK	5.272G	111.59	Inf	-Inf	8.17	3	Vertical	81	2.36	-
AV	5.288G	98.19	Inf	-Inf	8.20	3	Vertical	81	2.36	-
PK	5.354G	60.28	74.00	-13.72	8.28	3	Vertical	81	2.36	-
AV	5.354G	46.73	54.00	-7.27	8.28	3	Vertical	81	2.36	-
PK	5.497G	58.43	68.20	-9.77	8.52	3	Vertical	81	2.36	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2019

5290MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.101G	58.58	74.00	-15.42	7.84	3	Horizontal	249	1.92	-
AV	5.101G	45.43	54.00	-8.57	7.84	3	Horizontal	249	1.92	-
PK	5.27G	106.38	Inf	-Inf	8.16	3	Horizontal	249	1.92	-
AV	5.269G	93.88	Inf	-Inf	8.16	3	Horizontal	249	1.92	-
PK	5.353G	58.10	74.00	-15.90	8.28	3	Horizontal	249	1.92	-
AV	5.354G	46.15	54.00	-7.85	8.28	3	Horizontal	249	1.92	-
PK	5.515G	57.63	68.20	-10.57	8.53	3	Horizontal	249	1.92	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2019

5530MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.28G	57.75	68.20	-10.45	8.18	3	Vertical	105	2.13	-
PK	5.422G	58.70	74.00	-15.30	8.38	3	Vertical	105	2.13	-
PK	5.468G	57.93	68.20	-10.27	8.46	3	Vertical	105	2.13	-
AV	5.46G	46.75	54.00	-7.25	8.45	3	Vertical	105	2.13	-
PK	5.529G	110.81	Inf	-Inf	8.54	3	Vertical	105	2.13	-
AV	5.525G	98.17	Inf	-Inf	8.53	3	Vertical	105	2.13	-
PK	5.731G	59.17	68.20	-9.03	8.80	3	Vertical	105	2.13	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2019

5530MHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.343G	57.52	68.20	-10.68	8.27	3	Horizontal	288	1.50	-
PK	5.456G	57.96	74.00	-16.04	8.44	3	Horizontal	288	1.50	-
AV	5.43G	45.51	54.00	-8.49	8.40	3	Horizontal	288	1.50	-
PK	5.465G	57.60	68.20	-10.60	8.45	3	Horizontal	288	1.50	-
PK	5.525G	104.40	Inf	-Inf	8.53	3	Horizontal	288	1.50	-
AV	5.521G	94.37	Inf	-Inf	8.53	3	Horizontal	288	1.50	-
PK	5.777G	58.30	68.20	-9.90	8.87	3	Horizontal	288	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2019

5610MHz_TX




EUT_Z_4TX_ANT_Z
 Setting 24
 02-E-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.429G	58.44	74.00	-15.56	8.40	3	Vertical	100	2.08	-
AV	5.439G	45.68	54.00	-8.32	8.41	3	Vertical	100	2.08	-
PK	5.47G	57.67	68.20	-10.53	8.46	3	Vertical	100	2.08	-
PK	5.604G	113.73	Inf	-Inf	8.59	3	Vertical	100	2.08	-
AV	5.63G	97.61	Inf	-Inf	8.63	3	Vertical	100	2.08	-
PK	5.726G	59.77	68.20	-8.43	8.79	3	Vertical	100	2.08	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2019

5610MHz_TX




EUT_Z_4TX_ANT_Z
 Setting 24
 02-E-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.402G	57.80	74.00	-16.20	8.34	3	Horizontal	242	2.03	-
PK	5.462G	57.76	68.20	-10.44	8.45	3	Horizontal	242	2.03	-
AV	5.444G	45.53	54.00	-8.47	8.42	3	Horizontal	242	2.03	-
PK	5.613G	105.38	Inf	-Inf	8.61	3	Horizontal	242	2.03	-
AV	5.592G	94.82	Inf	-Inf	8.58	3	Horizontal	242	2.03	-
PK	5.737G	58.72	68.20	-9.48	8.81	3	Horizontal	242	2.03	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX_ANT_Z
Setting 24
02-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.42G	58.07	74.00	-15.93	8.38	3	Vertical	274	2.21	-
AV	5.4212G	45.50	54.00	-8.50	8.38	3	Vertical	274	2.21	-
PK	5.4632G	56.86	68.20	-11.34	8.45	3	Vertical	274	2.21	-
PK	5.6708G	109.84	Inf	-Inf	8.70	3	Vertical	274	2.21	-
AV	5.6708G	97.54	Inf	-Inf	8.70	3	Vertical	274	2.21	-
PK	5.9384G	58.55	68.20	-9.65	8.93	3	Vertical	274	2.21	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX_ANT_Z
 Setting 24
 02-E-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	57.79	74.00	-16.21	8.45	3	Horizontal	234	1.50	-
AV	5.4476G	45.50	54.00	-8.50	8.42	3	Horizontal	234	1.50	-
PK	5.4692G	58.13	68.20	-10.07	8.46	3	Horizontal	234	1.50	-
PK	5.6732G	105.13	Inf	-Inf	8.70	3	Horizontal	234	1.50	-
AV	5.684G	95.21	Inf	-Inf	8.72	3	Horizontal	234	1.50	-
PK	5.9684G	58.47	68.20	-9.73	8.93	3	Horizontal	234	1.50	-



RSE TX above 1GHz Result_Radiated Emission / Antenna Set 5 Appendix D.22

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.77562G	43.16	54.00	-10.84	15.45	3	Vertical	19	2.08	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5260MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7749G	56.23	74.00	-17.77	15.45	3	Vertical	19	2.08	-
AV	15.77562G	43.16	54.00	-10.84	15.45	3	Vertical	19	2.08	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5260MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.77514G	54.80	74.00	-19.20	15.45	3	Horizontal	133	1.92	-
AV	15.76716G	41.48	54.00	-12.52	15.47	3	Horizontal	133	1.92	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5300MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.89658G	54.19	74.00	-19.81	15.14	3	Vertical	334	2.07	-
AV	15.89832G	41.73	54.00	-12.27	15.13	3	Vertical	334	2.07	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5300MHz_TX



EUT Z_4TX
 Setting 27
 02-J-5
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.90756G	54.01	74.00	-19.99	15.11	3	Horizontal	73	1.11	-
AV	15.89796G	40.61	54.00	-13.39	15.14	3	Horizontal	73	1.11	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5320MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.65416G	53.57	74.00	-20.43	14.48	3	Vertical	82	2.14	-
AV	10.64938G	40.05	54.00	-13.95	14.49	3	Vertical	82	2.14	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5320MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.63646G	54.01	74.00	-19.99	14.49	3	Horizontal	311	1.06	-
AV	10.62578G	40.02	54.00	-13.98	14.49	3	Horizontal	311	1.06	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5500MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00486G	53.28	74.00	-20.72	14.26	3	Vertical	187	2.42	-
AV	11.0063G	39.80	54.00	-14.20	14.27	3	Vertical	187	2.42	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5500MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00894G	53.02	74.00	-20.98	14.27	3	Horizontal	54	1.77	-
AV	11.01494G	39.71	54.00	-14.29	14.28	3	Horizontal	54	1.77	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5580MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.15994G	53.18	74.00	-20.82	14.46	3	Vertical	49	1.83	-
AV	11.17422G	39.56	54.00	-14.44	14.48	3	Vertical	49	1.83	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5580MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1585G	52.66	74.00	-21.34	14.46	3	Horizontal	335	2.37	-
AV	11.16822G	39.64	54.00	-14.36	14.47	3	Horizontal	335	2.37	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5700MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4114G	53.62	74.00	-20.38	14.79	3	Vertical	153	1.47	-
AV	11.4036G	40.43	54.00	-13.57	14.77	3	Vertical	153	1.47	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5700MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40002G	54.05	74.00	-19.95	14.77	3	Horizontal	136	1.92	-
AV	11.39994G	40.27	54.00	-13.73	14.77	3	Horizontal	136	1.92	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43628G	53.92	74.00	-20.08	14.82	3	Vertical	298	1.19	-
AV	11.4376G	40.30	54.00	-13.70	14.82	3	Vertical	298	1.19	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4331G	53.65	74.00	-20.35	14.82	3	Horizontal	294	2.06	-
AV	11.43514G	40.35	54.00	-13.65	14.82	3	Horizontal	294	2.06	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5260MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.76884G	54.95	74.00	-19.05	15.46	3	Vertical	226	1.84	-
AV	15.7659G	40.78	54.00	-13.22	15.47	3	Vertical	226	1.84	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5260MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.78534G	54.80	74.00	-19.20	15.42	3	Horizontal	41	1.65	-
AV	15.76752G	40.78	54.00	-13.22	15.46	3	Horizontal	41	1.65	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5300MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.90072G	53.83	74.00	-20.17	15.13	3	Vertical	179	1.49	-
AV	15.89574G	39.83	54.00	-14.17	15.14	3	Vertical	179	1.49	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5300MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9108G	54.24	74.00	-19.76	15.10	3	Horizontal	45	1.35	-
AV	15.90774G	39.84	54.00	-14.16	15.11	3	Horizontal	45	1.35	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5320MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.63382G	53.27	74.00	-20.73	14.49	3	Vertical	148	2.27	-
AV	10.63712G	39.43	54.00	-14.57	14.49	3	Vertical	148	2.27	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5320MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.63952G	53.21	74.00	-20.79	14.49	3	Horizontal	49	1.91	-
AV	10.64058G	39.40	54.00	-14.60	14.49	3	Horizontal	49	1.91	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5500MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01176G	52.99	74.00	-21.01	14.28	3	Vertical	154	2.08	-
AV	11.01164G	39.24	54.00	-14.76	14.28	3	Vertical	154	2.08	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5500MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00918G	53.26	74.00	-20.74	14.27	3	Horizontal	109	1.67	-
AV	11.01086G	39.25	54.00	-14.75	14.28	3	Horizontal	109	1.67	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5580MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1714G	52.71	74.00	-21.29	14.48	3	Vertical	123	1.18	-
AV	11.175G	39.24	54.00	-14.76	14.48	3	Vertical	123	1.18	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5580MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.15208G	52.63	74.00	-21.37	14.45	3	Horizontal	211	2.17	-
AV	11.17248G	39.04	54.00	-14.96	14.48	3	Horizontal	211	2.17	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5700MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40516G	53.98	74.00	-20.02	14.77	3	Vertical	82	1.33	-
AV	11.40636G	39.81	54.00	-14.19	14.79	3	Vertical	82	1.33	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5700MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.41416G	53.97	74.00	-20.03	14.79	3	Horizontal	107	1.85	-
AV	11.41536G	39.73	54.00	-14.27	14.75	3	Horizontal	107	1.85	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.44078G	53.79	74.00	-20.21	14.82	3	Vertical	205	2.33	-
AV	11.4268G	39.90	54.00	-14.10	14.81	3	Vertical	205	2.33	-



802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.44588G	53.82	74.00	-20.18	14.84	3	Horizontal	104	1.41	-
AV	11.42536G	39.84	54.00	-14.16	14.81	3	Horizontal	104	1.41	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5270MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.82368G	54.34	74.00	-19.66	15.32	3	Vertical	181	1.38	-
AV	15.7989G	40.05	54.00	-13.95	15.38	3	Vertical	181	1.38	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5270MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.80688G	54.27	74.00	-19.73	15.37	3	Horizontal	246	2.44	-
AV	15.7953G	40.08	54.00	-13.92	15.39	3	Horizontal	246	2.44	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5310MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9369G	53.56	74.00	-20.44	15.02	3	Vertical	202	1.97	-
AV	15.936G	39.94	54.00	-14.06	15.03	3	Vertical	202	1.97	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5310MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.93614G	53.56	74.00	-20.44	15.03	3	Horizontal	212	1.83	-
AV	15.9447G	39.91	54.00	-14.09	15.00	3	Horizontal	212	1.83	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5510MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.02328G	53.08	74.00	-20.92	14.29	3	Vertical	19	1.54	-
AV	11.02642G	39.44	54.00	-14.56	14.29	3	Vertical	19	1.54	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5510MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.02856G	53.48	74.00	-20.52	14.30	3	Horizontal	89	1.93	-
AV	11.02936G	39.63	54.00	-14.37	14.30	3	Horizontal	89	1.93	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5550MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.08518G	52.95	74.00	-21.05	14.38	3	Vertical	111	1.74	-
AV	11.08674G	39.17	54.00	-14.83	14.38	3	Vertical	111	1.74	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5550MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.09388G	53.25	74.00	-20.75	14.39	3	Horizontal	274	1.09	-
AV	11.08584G	39.18	54.00	-14.82	14.38	3	Horizontal	274	1.09	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5670MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.35434G	52.75	74.00	-21.25	14.72	3	Vertical	196	1.82	-
AV	11.35182G	39.04	54.00	-14.96	14.72	3	Vertical	196	1.82	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5670MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.35062G	53.18	74.00	-20.82	14.72	3	Horizontal	173	2.03	-
AV	11.3538G	39.07	54.00	-14.93	14.72	3	Horizontal	173	2.03	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.41118G	53.51	74.00	-20.49	14.79	3	Vertical	141	1.71	-
AV	11.42348G	39.94	54.00	-14.06	14.80	3	Vertical	141	1.71	-



802.11ax HEW40_Nss1,(MCS0)_4TX

17/07/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40896G	53.65	74.00	-20.35	14.79	3	Horizontal	21	2.01	-
AV	11.40692G	39.97	54.00	-14.03	14.79	3	Horizontal	21	2.01	-



802.11ax HEW80_Nss1,(MCS0)_4TX

17/07/2019

5290MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.87168G	53.93	74.00	-20.07	15.20	3	Vertical	105	1.77	-
AV	15.87155G	40.10	54.00	-13.90	15.20	3	Vertical	105	1.77	-



802.11ax HEW80_Nss1,(MCS0)_4TX

17/07/2019

5290MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.86682G	53.60	74.00	-20.40	15.22	3	Horizontal	191	2.25	-
AV	15.8607G	40.04	54.00	-13.96	15.22	3	Horizontal	191	2.25	-



802.11ax HEW80_Nss1,(MCS0)_4TX

17/07/2019

5610MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.22722G	53.29	74.00	-20.71	14.53	3	Vertical	161	1.78	-
AV	11.22654G	39.05	54.00	-14.95	14.55	3	Vertical	161	1.78	-



802.11ax HEW80_Nss1,(MCS0)_4TX

17/07/2019

5610MHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.23422G	53.28	74.00	-20.72	14.56	3	Horizontal	196	1.81	-
AV	11.22642G	39.12	54.00	-14.88	14.55	3	Horizontal	196	1.81	-



802.11ax HEW80_Nss1,(MCS0)_4TX

17/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 27
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.38042G	53.99	74.00	-20.01	14.74	3	Vertical	146	1.76	-
AV	11.38996G	39.71	54.00	-14.29	14.76	3	Vertical	146	1.76	-



802.11ax HEW80_Nss1,(MCS0)_4TX

17/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Z_4TX
Setting 27
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39086G	54.16	74.00	-19.84	14.76	3	Horizontal	153	1.98	-
AV	11.39302G	39.75	54.00	-14.25	14.76	3	Horizontal	153	1.98	-



RSE TX above 1GHz Result_Radiated Emission / Antenna Set 5 Appendix D.23

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	15.76752G	41.94	54.00	-12.06	15.46	3	Vertical	304	2.34	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/07/2019

5260MHz_TX




EUT Z_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.78018G	55.69	74.00	-18.31	15.44	3	Vertical	304	2.34	-
AV	15.76752G	41.94	54.00	-12.06	15.46	3	Vertical	304	2.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/07/2019

5260MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.77154G	54.72	74.00	-19.28	15.45	3	Horizontal	126	1.52	-
AV	15.76572G	41.85	54.00	-12.15	15.47	3	Horizontal	126	1.52	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/07/2019

5300MHz_TX




EUT Z_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.90552G	54.14	74.00	-19.86	15.11	3	Vertical	232	2.34	-
AV	15.89562G	41.04	54.00	-12.96	15.14	3	Vertical	232	2.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/07/2019

5300MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9018G	55.56	74.00	-18.44	15.12	3	Horizontal	66	1.58	-
AV	15.91068G	40.95	54.00	-13.05	15.10	3	Horizontal	66	1.58	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/07/2019

5320MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.64894G	53.92	74.00	-20.08	14.48	3	Vertical	190	1.41	-
AV	10.6466G	40.28	54.00	-13.72	14.48	3	Vertical	190	1.41	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/07/2019

5320MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.64966G	53.63	74.00	-20.37	14.48	3	Horizontal	158	1.68	-
AV	10.64584G	40.32	54.00	-13.68	14.49	3	Horizontal	158	1.68	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5500MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.015G	53.74	74.00	-20.26	14.28	3	Vertical	35	1.07	-
AV	11.01428G	40.20	54.00	-13.80	14.28	3	Vertical	35	1.07	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5500MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0021G	53.40	74.00	-20.60	14.26	3	Horizontal	300	1.42	-
AV	11.01464G	40.10	54.00	-13.90	14.28	3	Horizontal	300	1.42	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5580MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1555G	53.34	74.00	-20.66	14.45	3	Vertical	244	1.92	-
AV	11.16264G	39.98	54.00	-14.02	14.47	3	Vertical	244	1.92	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5580MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16114G	53.18	74.00	-20.82	14.47	3	Horizontal	277	1.33	-
AV	11.163G	39.90	54.00	-14.10	14.47	3	Horizontal	277	1.33	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5700MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40424G	54.03	74.00	-19.97	14.77	3	Vertical	159	1.01	-
AV	11.40492G	40.65	54.00	-13.35	14.77	3	Vertical	159	1.01	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5700MHz_TX




EUT Z_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40588G	54.06	74.00	-19.94	14.78	3	Horizontal	173	2.37	-
AV	11.41044G	40.54	54.00	-13.46	14.79	3	Horizontal	173	2.37	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42788G	54.12	74.00	-19.88	14.81	3	Vertical	149	1.78	-
AV	11.42602G	40.63	54.00	-13.37	14.81	3	Vertical	149	1.78	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43712G	54.03	74.00	-19.97	14.82	3	Horizontal	219	1.42	-
AV	11.43364G	40.61	54.00	-13.39	14.82	3	Horizontal	219	1.42	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5270MHz_TX




EUT Z_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.8028G	54.25	74.00	-19.75	15.37	3	Vertical	293	2.23	-
AV	15.7968G	40.95	54.00	-13.05	15.39	3	Vertical	293	2.23	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5270MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.81396G	54.10	74.00	-19.90	15.35	3	Horizontal	254	1.41	-
AV	15.79746G	40.79	54.00	-13.21	15.39	3	Horizontal	254	1.41	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5310MHz_TX



EUT Z_4TX
 Setting 24
 02-J-5
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9441G	54.50	74.00	-19.50	15.00	3	Vertical	258	2.47	-
AV	15.94422G	40.71	54.00	-13.29	15.00	3	Vertical	258	2.47	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5310MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.94434G	54.21	74.00	-19.79	15.00	3	Horizontal	151	1.24	-
AV	15.9365G	40.68	54.00	-13.32	15.02	3	Horizontal	151	1.24	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5510MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.03008G	53.44	74.00	-20.56	14.30	3	Vertical	88	1.98	-
AV	11.02828G	40.17	54.00	-13.83	14.29	3	Vertical	88	1.98	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5510MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.02258G	53.58	74.00	-20.42	14.29	3	Horizontal	173	2.12	-
AV	11.024G	40.03	54.00	-13.97	14.28	3	Horizontal	173	2.12	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5550MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0862G	52.82	74.00	-21.18	14.38	3	Vertical	126	1.22	-
AV	11.09046G	39.73	54.00	-14.27	14.38	3	Vertical	126	1.22	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5550MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.11272G	53.56	74.00	-20.44	14.41	3	Horizontal	146	1.95	-
AV	11.08506G	39.79	54.00	-14.21	14.38	3	Horizontal	146	1.95	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5670MHz_TX




EUT Z_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34686G	52.83	74.00	-21.17	14.68	3	Vertical	123	1.62	-
AV	11.34678G	39.56	54.00	-14.44	14.71	3	Vertical	123	1.62	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5670MHz_TX




EUT Z_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3526G	52.91	74.00	-21.09	14.72	3	Horizontal	135	2.17	-
AV	11.35356G	39.69	54.00	-14.31	14.72	3	Horizontal	135	2.17	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4281G	53.47	74.00	-20.53	14.81	3	Vertical	195	1.43	-
AV	11.43314G	40.45	54.00	-13.55	14.82	3	Vertical	195	1.43	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42672G	53.94	74.00	-20.06	14.81	3	Horizontal	267	2.35	-
AV	11.4206G	40.57	54.00	-13.43	14.80	3	Horizontal	267	2.35	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5290MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.85956G	53.73	74.00	-20.27	15.23	3	Vertical	309	1.07	-
AV	15.8664G	40.65	54.00	-13.35	15.22	3	Vertical	309	1.07	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5290MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.88494G	54.20	74.00	-19.80	15.16	3	Horizontal	277	1.48	-
AV	15.88506G	40.67	54.00	-13.33	15.24	3	Horizontal	277	1.48	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5530MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.07422G	54.44	74.00	-19.56	14.36	3	Vertical	278	1.09	-
AV	11.06408G	39.91	54.00	-14.09	14.34	3	Vertical	278	1.09	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5530MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.07158G	53.33	74.00	-20.67	14.36	3	Horizontal	113	2.07	-
AV	11.06864G	39.88	54.00	-14.12	14.35	3	Horizontal	113	2.07	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5610MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.23488G	53.52	74.00	-20.48	14.56	3	Vertical	171	1.36	-
AV	11.2329G	39.57	54.00	-14.43	14.56	3	Vertical	171	1.36	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5610MHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.22354G	52.73	74.00	-21.27	14.55	3	Horizontal	126	1.17	-
AV	11.23026G	39.62	54.00	-14.38	14.55	3	Horizontal	126	1.17	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.37628G	54.03	74.00	-19.97	14.74	3	Vertical	140	1.18	-
AV	11.39464G	40.22	54.00	-13.78	14.77	3	Vertical	140	1.18	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Z_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.38204G	53.81	74.00	-20.19	14.75	3	Horizontal	289	2.13	-
AV	11.39158G	40.25	54.00	-13.75	14.76	3	Horizontal	289	2.13	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	68.15	68.20	-0.05	8.79	3	Vertical	183	1.35	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5260MHz_TX




EUT_Z_1TX
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1268G	58.30	74.00	-15.70	7.90	3	Vertical	184	1.96	-
AV	5.1484G	46.00	54.00	-8.00	7.94	3	Vertical	184	1.96	-
PK	5.263G	118.47	Inf	-Inf	8.16	3	Vertical	184	1.96	-
AV	5.263G	108.43	Inf	-Inf	8.16	3	Vertical	184	1.96	-
PK	5.3788G	60.01	74.00	-13.99	8.32	3	Vertical	184	1.96	-
AV	5.3506G	46.23	54.00	-7.77	8.28	3	Vertical	184	1.96	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5260MHz_TX




EUT_Z_1TX
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1394G	61.06	74.00	-12.94	7.93	3	Horizontal	167	1.42	-
AV	5.143G	45.92	54.00	-8.08	7.94	3	Horizontal	167	1.42	-
PK	5.263G	118.82	Inf	-Inf	8.16	3	Horizontal	167	1.42	-
AV	5.2636G	108.65	Inf	-Inf	8.16	3	Horizontal	167	1.42	-
PK	5.3794G	61.98	74.00	-12.02	8.32	3	Horizontal	167	1.42	-
AV	5.353G	46.50	54.00	-7.50	8.28	3	Horizontal	167	1.42	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5300MHz_TX




EUT_Z_1TX
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3028G	118.74	Inf	-Inf	8.21	3	Vertical	178	1.29	-
AV	5.3028G	108.50	Inf	-Inf	8.21	3	Vertical	178	1.29	-
PK	5.352G	62.96	74.00	-11.04	8.28	3	Vertical	178	1.29	-
AV	5.35G	49.71	54.00	-4.29	8.28	3	Vertical	178	1.29	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5300MHz_TX




EUT_Z_1TX
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3028G	118.71	Inf	-Inf	8.21	3	Horizontal	174	1.28	-
AV	5.3032G	108.61	Inf	-Inf	8.21	3	Horizontal	174	1.28	-
PK	5.3512G	63.02	74.00	-10.98	8.28	3	Horizontal	174	1.28	-
AV	5.3504G	49.44	54.00	-4.56	8.28	3	Horizontal	174	1.28	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5320MHz_TX




EUT_Z_1TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3184G	115.56	Inf	-Inf	8.23	3	Vertical	172	1.60	-
AV	5.3234G	105.53	Inf	-Inf	8.24	3	Vertical	172	1.60	-
PK	5.35G	66.45	74.00	-7.55	8.28	3	Vertical	172	1.60	-
AV	5.3504G	52.76	54.00	-1.24	8.28	3	Vertical	172	1.60	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5320MHz_TX




EUT_Z_1TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3222G	115.73	Inf	-Inf	8.23	3	Horizontal	165	1.30	-
AV	5.3188G	105.82	Inf	-Inf	8.23	3	Horizontal	165	1.30	-
PK	5.35G	67.53	74.00	-6.47	8.28	3	Horizontal	165	1.30	-
AV	5.3502G	53.20	54.00	-0.80	8.28	3	Horizontal	165	1.30	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5500MHz_TX




EUT_Z_1TX
Setting 24.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	62.38	74.00	-11.62	8.45	3	Vertical	178	1.37	-
AV	5.46G	48.81	54.00	-5.19	8.45	3	Vertical	178	1.37	-
PK	5.47G	68.05	68.20	-0.15	8.46	3	Vertical	178	1.37	-
PK	5.5042G	116.39	Inf	-Inf	8.52	3	Vertical	178	1.37	-
AV	5.5028G	106.48	Inf	-Inf	8.52	3	Vertical	178	1.37	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5500MHz_TX




EUT_Z_1TX
Setting 24.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4598G	63.09	74.00	-10.91	8.45	3	Horizontal	173	1.31	-
AV	5.4598G	48.44	54.00	-5.56	8.45	3	Horizontal	173	1.31	-
PK	5.47G	67.45	68.20	-0.75	8.46	3	Horizontal	173	1.31	-
PK	5.4984G	116.71	Inf	-Inf	8.52	3	Horizontal	173	1.31	-
AV	5.5034G	106.23	Inf	-Inf	8.52	3	Horizontal	173	1.31	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5580MHz_TX




EUT Z_1TX
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4594G	59.97	74.00	-14.03	8.45	3	Vertical	182	1.41	-
AV	5.4312G	46.16	54.00	-7.84	8.40	3	Vertical	182	1.41	-
PK	5.4606G	58.95	68.20	-9.25	8.45	3	Vertical	182	1.41	-
PK	5.5782G	118.42	Inf	-Inf	8.57	3	Vertical	182	1.41	-
AV	5.5824G	108.20	Inf	-Inf	8.57	3	Vertical	182	1.41	-
PK	5.7282G	57.69	68.20	-10.51	8.80	3	Vertical	182	1.41	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5580MHz_TX




EUT_Z_1TX
 Setting 27
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	61.27	74.00	-12.73	8.45	3	Horizontal	175	1.43	-
AV	5.4366G	46.27	54.00	-7.73	8.41	3	Horizontal	175	1.43	-
PK	5.4612G	60.36	68.20	-7.84	8.45	3	Horizontal	175	1.43	-
PK	5.5782G	118.71	Inf	-Inf	8.57	3	Horizontal	175	1.43	-
AV	5.583G	108.38	Inf	-Inf	8.57	3	Horizontal	175	1.43	-
PK	5.727G	58.20	68.20	-10.00	8.80	3	Horizontal	175	1.43	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5700MHz_TX




EUT Z_1TX
Setting 23
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7022G	115.06	Inf	-Inf	8.75	3	Vertical	168	1.05	-
AV	5.7028G	105.03	Inf	-Inf	8.75	3	Vertical	168	1.05	-
PK	5.7262G	67.05	68.20	-1.15	8.79	3	Vertical	168	1.05	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5700MHz_TX




EUT Z_1TX
 Setting 23
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7018G	113.69	Inf	-Inf	8.75	3	Horizontal	177	1.32	-
AV	5.7024G	103.40	Inf	-Inf	8.75	3	Horizontal	177	1.32	-
PK	5.7256G	65.27	68.20	-2.93	8.79	3	Horizontal	177	1.32	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4236G	58.24	74.00	-15.76	8.38	3	Vertical	181	1.02	-
AV	5.4212G	46.21	54.00	-7.79	8.38	3	Vertical	181	1.02	-
PK	5.47G	58.22	68.20	-9.98	8.46	3	Vertical	181	1.02	-
PK	5.7224G	116.17	Inf	-Inf	8.78	3	Vertical	181	1.02	-
AV	5.7224G	106.34	Inf	-Inf	8.78	3	Vertical	181	1.02	-
PK	5.9384G	58.50	68.20	-9.70	8.93	3	Vertical	181	1.02	-

802.11a_Nss1,(6Mbps)_1TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.42G	58.65	74.00	-15.35	8.38	3	Horizontal	183	1.40	-
AV	5.438G	46.19	54.00	-7.81	8.41	3	Horizontal	183	1.40	-
PK	5.46G	58.03	68.20	-10.17	8.45	3	Horizontal	183	1.40	-
PK	5.7176G	114.99	Inf	-Inf	8.77	3	Horizontal	183	1.40	-
AV	5.7128G	105.03	Inf	-Inf	8.77	3	Horizontal	183	1.40	-
PK	5.9288G	58.99	68.20	-9.21	8.93	3	Horizontal	183	1.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5260MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	59.12	74.00	-14.88	7.94	3	Vertical	181	1.50	-
AV	5.1448G	45.88	54.00	-8.12	7.94	3	Vertical	181	1.50	-
PK	5.263G	120.62	Inf	-Inf	8.16	3	Vertical	181	1.50	-
AV	5.2618G	107.79	Inf	-Inf	8.15	3	Vertical	181	1.50	-
PK	5.3794G	61.65	74.00	-12.35	8.32	3	Vertical	181	1.50	-
AV	5.3506G	46.51	54.00	-7.49	8.28	3	Vertical	181	1.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5260MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1394G	59.92	74.00	-14.08	7.93	3	Horizontal	168	1.44	-
AV	5.15G	45.98	54.00	-8.02	7.94	3	Horizontal	168	1.44	-
PK	5.2642G	121.19	Inf	-Inf	8.16	3	Horizontal	168	1.44	-
AV	5.2648G	108.18	Inf	-Inf	8.16	3	Horizontal	168	1.44	-
PK	5.3788G	62.04	74.00	-11.96	8.32	3	Horizontal	168	1.44	-
AV	5.3686G	46.56	54.00	-7.44	8.30	3	Horizontal	168	1.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5300MHz_TX




EUT Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2984G	120.51	Inf	-Inf	8.21	3	Vertical	175	1.30	-
AV	5.2984G	107.53	Inf	-Inf	8.21	3	Vertical	175	1.30	-
PK	5.3508G	64.55	74.00	-9.45	8.28	3	Vertical	175	1.30	-
AV	5.35G	50.28	54.00	-3.72	8.28	3	Vertical	175	1.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5300MHz_TX




EUT Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3052G	121.09	Inf	-Inf	8.22	3	Horizontal	169	1.37	-
AV	5.2988G	107.92	Inf	-Inf	8.21	3	Horizontal	169	1.37	-
PK	5.3504G	65.24	74.00	-8.76	8.28	3	Horizontal	169	1.37	-
AV	5.35G	50.41	54.00	-3.59	8.28	3	Horizontal	169	1.37	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5320MHz_TX




EUT Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3212G	118.02	Inf	-Inf	8.23	3	Vertical	178	1.53	-
AV	5.3216G	104.68	Inf	-Inf	8.23	3	Vertical	178	1.53	-
PK	5.35G	68.28	74.00	-5.72	8.28	3	Vertical	178	1.53	-
AV	5.35G	52.70	54.00	-1.30	8.28	3	Vertical	178	1.53	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5320MHz_TX




EUT Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3184G	118.11	Inf	-Inf	8.23	3	Horizontal	174	1.31	-
AV	5.318G	104.64	Inf	-Inf	8.23	3	Horizontal	174	1.31	-
PK	5.3508G	67.14	74.00	-6.86	8.28	3	Horizontal	174	1.31	-
AV	5.35G	52.66	54.00	-1.34	8.28	3	Horizontal	174	1.31	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5500MHz_TX




EUT_Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	60.85	74.00	-13.15	8.45	3	Vertical	179	1.30	-
AV	5.4592G	48.64	54.00	-5.36	8.45	3	Vertical	179	1.30	-
PK	5.47G	66.16	68.20	-2.04	8.46	3	Vertical	179	1.30	-
PK	5.5018G	118.28	Inf	-Inf	8.52	3	Vertical	179	1.30	-
AV	5.5018G	104.90	Inf	-Inf	8.52	3	Vertical	179	1.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5500MHz_TX




EUT_Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	60.96	74.00	-13.04	8.45	3	Horizontal	177	1.32	-
AV	5.4598G	48.07	54.00	-5.93	8.45	3	Horizontal	177	1.32	-
PK	5.4694G	67.16	68.20	-1.04	8.46	3	Horizontal	177	1.32	-
PK	5.5012G	117.60	Inf	-Inf	8.52	3	Horizontal	177	1.32	-
AV	5.5024G	104.79	Inf	-Inf	8.52	3	Horizontal	177	1.32	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5580MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	60.15	74.00	-13.85	8.45	3	Vertical	185	1.57	-
AV	5.3888G	45.98	54.00	-8.02	8.33	3	Vertical	185	1.57	-
PK	5.4648G	58.81	68.20	-9.39	8.45	3	Vertical	185	1.57	-
PK	5.5752G	119.59	Inf	-Inf	8.57	3	Vertical	185	1.57	-
AV	5.5768G	106.96	Inf	-Inf	8.57	3	Vertical	185	1.57	-
PK	5.7624G	59.04	68.20	-9.16	8.85	3	Vertical	185	1.57	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5580MHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3872G	59.46	74.00	-14.54	8.33	3	Horizontal	175	1.44	-
AV	5.3888G	46.11	54.00	-7.89	8.33	3	Horizontal	175	1.44	-
PK	5.4608G	58.67	68.20	-9.53	8.45	3	Horizontal	175	1.44	-
PK	5.5784G	120.54	Inf	-Inf	8.57	3	Horizontal	175	1.44	-
AV	5.5784G	107.55	Inf	-Inf	8.57	3	Horizontal	175	1.44	-
PK	5.7448G	58.88	68.20	-9.32	8.82	3	Horizontal	175	1.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5700MHz_TX




EUT Z_1TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.702G	116.07	Inf	-Inf	8.75	3	Vertical	182	1.38	-
AV	5.7016G	102.60	Inf	-Inf	8.75	3	Vertical	182	1.38	-
PK	5.7252G	66.34	68.20	-1.86	8.79	3	Vertical	182	1.38	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5700MHz_TX




EUT Z_1TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.696G	115.75	Inf	-Inf	8.74	3	Horizontal	182	1.38	-
AV	5.6964G	102.64	Inf	-Inf	8.74	3	Horizontal	182	1.38	-
PK	5.7268G	65.81	68.20	-2.39	8.79	3	Horizontal	182	1.38	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4392G	58.86	74.00	-15.14	8.41	3	Vertical	182	1.02	-
PK	5.4608G	58.38	68.20	-9.82	8.45	3	Vertical	182	1.02	-
AV	5.4524G	45.88	54.00	-8.12	8.44	3	Vertical	182	1.02	-
PK	5.726G	117.98	Inf	-Inf	8.79	3	Vertical	182	1.02	-
AV	5.7176G	104.87	Inf	-Inf	8.77	3	Vertical	182	1.02	-
PK	5.8856G	59.20	68.20	-9.00	8.91	3	Vertical	182	1.02	-

802.11ax HEW20_Nss1,(MCS0)_1TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.438G	58.77	74.00	-15.23	8.41	3	Horizontal	186	1.39	-
AV	5.4272G	45.85	54.00	-8.15	8.40	3	Horizontal	186	1.39	-
PK	5.4656G	58.14	68.20	-10.06	8.46	3	Horizontal	186	1.39	-
PK	5.7164G	116.95	Inf	-Inf	8.77	3	Horizontal	186	1.39	-
AV	5.7152G	104.28	Inf	-Inf	8.77	3	Horizontal	186	1.39	-
PK	5.93G	58.44	68.20	-9.76	8.93	3	Horizontal	186	1.39	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5270MHz_TX




EUT Z_1TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.141G	58.57	74.00	-15.43	7.94	3	Vertical	183	1.45	-
AV	5.1494G	45.62	54.00	-8.38	7.94	3	Vertical	183	1.45	-
PK	5.2688G	116.74	Inf	-Inf	8.16	3	Vertical	183	1.45	-
AV	5.2766G	103.51	Inf	-Inf	8.17	3	Vertical	183	1.45	-
PK	5.35G	65.42	74.00	-8.58	8.28	3	Vertical	183	1.45	-
AV	5.35G	51.23	54.00	-2.77	8.28	3	Vertical	183	1.45	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5270MHz_TX




EUT_Z_1TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	58.80	74.00	-15.20	7.94	3	Horizontal	172	1.32	-
AV	5.1458G	45.71	54.00	-8.29	7.94	3	Horizontal	172	1.32	-
PK	5.267G	117.30	Inf	-Inf	8.16	3	Horizontal	172	1.32	-
AV	5.2688G	103.68	Inf	-Inf	8.16	3	Horizontal	172	1.32	-
PK	5.3522G	65.73	74.00	-8.27	8.28	3	Horizontal	172	1.32	-
AV	5.35G	51.52	54.00	-2.48	8.28	3	Horizontal	172	1.32	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5310MHz_TX




EUT Z_1TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3046G	114.37	Inf	-Inf	8.22	3	Vertical	179	1.36	-
AV	5.307G	100.89	Inf	-Inf	8.22	3	Vertical	179	1.36	-
PK	5.358G	67.04	74.00	-6.96	8.28	3	Vertical	179	1.36	-
AV	5.35G	53.15	54.00	-0.85	8.28	3	Vertical	179	1.36	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5310MHz_TX




EUT_Z_1TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2986G	114.35	Inf	-Inf	8.21	3	Horizontal	171	1.36	-
AV	5.304G	100.74	Inf	-Inf	8.21	3	Horizontal	171	1.36	-
PK	5.3556G	67.96	74.00	-6.04	8.28	3	Horizontal	171	1.36	-
AV	5.3514G	53.22	54.00	-0.78	8.28	3	Horizontal	171	1.36	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5510MHz_TX




EUT_Z_1TX
Setting 22.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	65.24	74.00	-8.76	8.44	3	Vertical	176	1.40	-
PK	5.462G	65.35	68.20	-2.85	8.45	3	Vertical	176	1.40	-
AV	5.46G	49.27	54.00	-4.73	8.45	3	Vertical	176	1.40	-
PK	5.5064G	113.29	Inf	-Inf	8.52	3	Vertical	176	1.40	-
AV	5.5124G	100.55	Inf	-Inf	8.53	3	Vertical	176	1.40	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5510MHz_TX




EUT_Z_1TX
Setting 22.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4536G	63.68	74.00	-10.32	8.44	3	Horizontal	171	1.42	-
AV	5.4584G	48.84	54.00	-5.16	8.45	3	Horizontal	171	1.42	-
PK	5.4692G	65.58	68.20	-2.62	8.46	3	Horizontal	171	1.42	-
PK	5.5124G	112.90	Inf	-Inf	8.53	3	Horizontal	171	1.42	-
AV	5.5064G	100.22	Inf	-Inf	8.52	3	Horizontal	171	1.42	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5550MHz_TX




EUT_Z_1TX
Setting 25.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4588G	61.33	74.00	-12.67	8.45	3	Vertical	179	1.07	-
AV	5.4596G	48.35	54.00	-5.65	8.45	3	Vertical	179	1.07	-
PK	5.4684G	67.83	68.20	-0.37	8.46	3	Vertical	179	1.07	-
PK	5.5404G	116.50	Inf	-Inf	8.54	3	Vertical	179	1.07	-
AV	5.5508G	103.46	Inf	-Inf	8.55	3	Vertical	179	1.07	-
PK	5.7284G	58.62	68.20	-9.58	8.80	3	Vertical	179	1.07	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5550MHz_TX




EUT_Z_1TX
Setting 25.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	60.95	74.00	-13.05	8.45	3	Horizontal	174	1.32	-
AV	5.4596G	48.22	54.00	-5.78	8.45	3	Horizontal	174	1.32	-
PK	5.4692G	66.55	68.20	-1.65	8.46	3	Horizontal	174	1.32	-
PK	5.5468G	115.86	Inf	-Inf	8.55	3	Horizontal	174	1.32	-
AV	5.5484G	102.90	Inf	-Inf	8.55	3	Horizontal	174	1.32	-
PK	5.7284G	58.78	68.20	-9.42	8.80	3	Horizontal	174	1.32	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5670MHz_TX




EUT_Z_1TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6628G	112.73	Inf	-Inf	8.69	3	Vertical	183	1.35	-
AV	5.6652G	99.16	Inf	-Inf	8.69	3	Vertical	183	1.35	-
PK	5.7252G	68.15	68.20	-0.05	8.79	3	Vertical	183	1.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5670MHz_TX




EUT_Z_1TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6652G	111.99	Inf	-Inf	8.69	3	Horizontal	181	1.29	-
AV	5.6616G	99.04	Inf	-Inf	8.69	3	Horizontal	181	1.29	-
PK	5.7282G	67.37	68.20	-0.83	8.80	3	Horizontal	181	1.29	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4208G	58.17	74.00	-15.83	8.38	3	Vertical	178	1.04	-
AV	5.4196G	45.62	54.00	-8.38	8.38	3	Vertical	178	1.04	-
PK	5.4676G	57.27	68.20	-10.93	8.46	3	Vertical	178	1.04	-
PK	5.7064G	116.15	Inf	-Inf	8.76	3	Vertical	178	1.04	-
AV	5.7052G	103.91	Inf	-Inf	8.76	3	Vertical	178	1.04	-
PK	5.85G	62.55	68.20	-5.65	8.90	3	Vertical	178	1.04	-

802.11ax HEW40_Nss1,(MCS0)_1TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.416G	58.57	74.00	-15.43	8.36	3	Horizontal	179	1.29	-
AV	5.4328G	45.61	54.00	-8.39	8.40	3	Horizontal	179	1.29	-
PK	5.4688G	57.71	68.20	-10.49	8.46	3	Horizontal	179	1.29	-
PK	5.7052G	115.73	Inf	-Inf	8.76	3	Horizontal	179	1.29	-
AV	5.7088G	103.38	Inf	-Inf	8.77	3	Horizontal	179	1.29	-
PK	5.85G	65.07	68.20	-3.13	8.90	3	Horizontal	179	1.29	-

802.11ax HEW80_Nss1,(MCS0)_1TX

18/07/2019

5290MHz_TX




EUT Z_1TX
Setting 22.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.063G	58.27	74.00	-15.73	7.74	3	Vertical	180	1.25	-
AV	5.15G	45.67	54.00	-8.33	7.94	3	Vertical	180	1.25	-
PK	5.287G	111.61	Inf	-Inf	8.19	3	Vertical	180	1.25	-
AV	5.286G	97.45	Inf	-Inf	8.19	3	Vertical	180	1.25	-
PK	5.361G	67.41	74.00	-6.59	8.29	3	Vertical	180	1.25	-
AV	5.354G	52.51	54.00	-1.49	8.28	3	Vertical	180	1.25	-
PK	5.503G	58.25	68.20	-9.95	8.52	3	Vertical	180	1.25	-

802.11ax HEW80_Nss1,(MCS0)_1TX

18/07/2019

5290MHz_TX




EUT Z_1TX
Setting 22.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.124G	58.98	74.00	-15.02	7.89	3	Horizontal	171	1.33	-
AV	5.149G	45.73	54.00	-8.27	7.94	3	Horizontal	171	1.33	-
PK	5.284G	110.33	Inf	-Inf	8.19	3	Horizontal	171	1.33	-
AV	5.285G	97.49	Inf	-Inf	8.19	3	Horizontal	171	1.33	-
PK	5.35G	68.78	74.00	-5.22	8.28	3	Horizontal	171	1.33	-
AV	5.352G	52.26	54.00	-1.74	8.28	3	Horizontal	171	1.33	-
PK	5.537G	58.91	68.20	-9.29	8.54	3	Horizontal	171	1.33	-

802.11ax HEW80_Nss1,(MCS0)_1TX

18/07/2019

5530MHz_TX




EUT_Z_1TX
Setting 22.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.283G	57.69	68.20	-10.51	8.18	3	Vertical	175	1.11	-
PK	5.445G	67.48	74.00	-6.52	8.42	3	Vertical	175	1.11	-
PK	5.466G	68.05	68.20	-0.15	8.46	3	Vertical	175	1.11	-
AV	5.46G	52.59	54.00	-1.41	8.45	3	Vertical	175	1.11	-
PK	5.524G	110.28	Inf	-Inf	8.53	3	Vertical	175	1.11	-
AV	5.542G	97.51	Inf	-Inf	8.55	3	Vertical	175	1.11	-
PK	5.752G	58.43	68.20	-9.77	8.83	3	Vertical	175	1.11	-

802.11ax HEW80_Nss1,(MCS0)_1TX

18/07/2019

5530MHz_TX




EUT_Z_1TX
Setting 22.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.34G	58.82	68.20	-9.38	8.26	3	Horizontal	176	1.40	-
PK	5.459G	67.62	74.00	-6.38	8.45	3	Horizontal	176	1.40	-
AV	5.459G	52.77	54.00	-1.23	8.45	3	Horizontal	176	1.40	-
PK	5.465G	68.07	68.20	-0.13	8.45	3	Horizontal	176	1.40	-
PK	5.514G	111.00	Inf	-Inf	8.53	3	Horizontal	176	1.40	-
AV	5.535G	97.12	Inf	-Inf	8.54	3	Horizontal	176	1.40	-
PK	5.748G	58.69	68.20	-9.51	8.82	3	Horizontal	176	1.40	-

802.11ax HEW80_Nss1,(MCS0)_1TX

18/07/2019

5610MHz_TX




EUT_Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	61.77	74.00	-12.23	8.45	3	Vertical	185	1.46	-
AV	5.46G	49.00	54.00	-5.00	8.45	3	Vertical	185	1.46	-
PK	5.467G	63.78	68.20	-4.42	8.46	3	Vertical	185	1.46	-
PK	5.612G	110.81	Inf	-Inf	8.61	3	Vertical	185	1.46	-
AV	5.602G	97.73	Inf	-Inf	8.58	3	Vertical	185	1.46	-
PK	5.73G	66.24	68.20	-1.96	8.80	3	Vertical	185	1.46	-

802.11ax HEW80_Nss1,(MCS0)_1TX

18/07/2019

5610MHz_TX




EUT_Z_1TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.453G	61.65	74.00	-12.35	8.44	3	Horizontal	177	1.24	-
AV	5.46G	48.97	54.00	-5.03	8.45	3	Horizontal	177	1.24	-
PK	5.469G	64.45	68.20	-3.75	8.46	3	Horizontal	177	1.24	-
PK	5.589G	110.87	Inf	-Inf	8.57	3	Horizontal	177	1.24	-
AV	5.614G	98.70	Inf	-Inf	8.61	3	Horizontal	177	1.24	-
PK	5.727G	67.91	68.20	-0.29	8.80	3	Horizontal	177	1.24	-

802.11ax HEW80_Nss1,(MCS0)_1TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 26.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	62.22	74.00	-11.78	8.44	3	Vertical	181	1.04	-
AV	5.4596G	48.74	54.00	-5.26	8.45	3	Vertical	181	1.04	-
PK	5.4692G	64.04	68.20	-4.16	8.46	3	Vertical	181	1.04	-
PK	5.6852G	112.57	Inf	-Inf	8.72	3	Vertical	181	1.04	-
AV	5.6876G	99.54	Inf	-Inf	8.72	3	Vertical	181	1.04	-
PK	5.85G	67.98	68.20	-0.22	8.90	3	Vertical	181	1.04	-

802.11ax HEW80_Nss1,(MCS0)_1TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_1TX
Setting 26.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4368G	61.56	74.00	-12.44	8.41	3	Horizontal	181	1.31	-
PK	5.468G	62.38	68.20	-5.82	8.46	3	Horizontal	181	1.31	-
AV	5.4584G	48.80	54.00	-5.20	8.45	3	Horizontal	181	1.31	-
PK	5.6972G	112.16	Inf	-Inf	8.75	3	Horizontal	181	1.31	-
AV	5.6936G	99.74	Inf	-Inf	8.74	3	Horizontal	181	1.31	-
PK	5.8544G	68.15	68.20	-0.05	8.90	3	Horizontal	181	1.31	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.47G	68.15	68.20	-0.05	8.46	3	Vertical	181	1.85	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.125G	58.46	74.00	-15.54	7.89	3	Vertical	180	2.17	-
AV	5.1238G	46.33	54.00	-7.67	7.89	3	Vertical	180	2.17	-
PK	5.2648G	123.02	Inf	-Inf	8.16	3	Vertical	180	2.17	-
AV	5.2654G	113.35	Inf	-Inf	8.16	3	Vertical	180	2.17	-
PK	5.38G	61.21	74.00	-12.79	8.32	3	Vertical	180	2.17	-
AV	5.3614G	47.12	54.00	-6.88	8.29	3	Vertical	180	2.17	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1412G	59.28	74.00	-14.72	7.94	3	Horizontal	160	1.94	-
AV	5.1226G	46.05	54.00	-7.95	7.88	3	Horizontal	160	1.94	-
PK	5.2558G	121.86	Inf	-Inf	8.15	3	Horizontal	160	1.94	-
AV	5.2564G	112.05	Inf	-Inf	8.15	3	Horizontal	160	1.94	-
PK	5.3566G	60.44	74.00	-13.56	8.28	3	Horizontal	160	1.94	-
AV	5.3572G	46.95	54.00	-7.05	8.28	3	Horizontal	160	1.94	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5300MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2948G	123.08	Inf	-Inf	8.20	3	Vertical	171	2.15	-
AV	5.2948G	113.37	Inf	-Inf	8.20	3	Vertical	171	2.15	-
PK	5.35G	64.34	74.00	-9.66	8.28	3	Vertical	171	2.15	-
AV	5.35G	50.84	54.00	-3.16	8.28	3	Vertical	171	2.15	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5300MHz_TX




EUT_Z_2TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2968G	122.37	Inf	-Inf	8.21	3	Horizontal	169	1.79	-
AV	5.2968G	112.03	Inf	-Inf	8.21	3	Horizontal	169	1.79	-
PK	5.3564G	64.14	74.00	-9.86	8.28	3	Horizontal	169	1.79	-
AV	5.352G	50.29	54.00	-3.71	8.28	3	Horizontal	169	1.79	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5320MHz_TX




EUT_Z_2TX
Setting 23.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3192G	119.99	Inf	-Inf	8.23	3	Vertical	172	1.74	-
AV	5.3192G	110.05	Inf	-Inf	8.23	3	Vertical	172	1.74	-
PK	5.35G	66.43	74.00	-7.57	8.28	3	Vertical	172	1.74	-
AV	5.35G	53.63	54.00	-0.37	8.28	3	Vertical	172	1.74	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5320MHz_TX




EUT_Z_2TX
Setting 23.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3138G	119.22	Inf	-Inf	8.23	3	Horizontal	165	1.71	-
AV	5.3234G	109.49	Inf	-Inf	8.24	3	Horizontal	165	1.71	-
PK	5.353G	67.80	74.00	-6.20	8.28	3	Horizontal	165	1.71	-
AV	5.3536G	52.58	54.00	-1.42	8.28	3	Horizontal	165	1.71	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 23.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	64.07	74.00	-9.93	8.45	3	Vertical	181	1.85	-
AV	5.46G	49.82	54.00	-4.18	8.45	3	Vertical	181	1.85	-
PK	5.47G	68.15	68.20	-0.05	8.46	3	Vertical	181	1.85	-
PK	5.5044G	120.13	Inf	-Inf	8.52	3	Vertical	181	1.85	-
AV	5.505G	110.12	Inf	-Inf	8.52	3	Vertical	181	1.85	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5500MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	62.06	74.00	-11.94	8.45	3	Horizontal	177	2.07	-
AV	5.4566G	48.61	54.00	-5.39	8.44	3	Horizontal	177	2.07	-
PK	5.47G	66.28	68.20	-1.92	8.46	3	Horizontal	177	2.07	-
PK	5.501G	120.13	Inf	-Inf	8.52	3	Horizontal	177	2.07	-
AV	5.5012G	110.12	Inf	-Inf	8.52	3	Horizontal	177	2.07	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	60.59	74.00	-13.41	8.45	3	Vertical	178	1.65	-
AV	5.3888G	47.21	54.00	-6.79	8.33	3	Vertical	178	1.65	-
PK	5.4632G	58.25	68.20	-9.95	8.45	3	Vertical	178	1.65	-
PK	5.5752G	122.96	Inf	-Inf	8.57	3	Vertical	178	1.65	-
AV	5.5744G	113.13	Inf	-Inf	8.56	3	Vertical	178	1.65	-
PK	5.7472G	59.32	68.20	-8.88	8.82	3	Vertical	178	1.65	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4376G	59.26	74.00	-14.74	8.41	3	Horizontal	166	1.94	-
AV	5.3872G	47.67	54.00	-6.33	8.33	3	Horizontal	166	1.94	-
PK	5.4664G	59.44	68.20	-8.76	8.46	3	Horizontal	166	1.94	-
PK	5.5784G	122.53	Inf	-Inf	8.57	3	Horizontal	166	1.94	-
AV	5.5792G	112.29	Inf	-Inf	8.57	3	Horizontal	166	1.94	-
PK	5.7648G	59.41	68.20	-8.79	8.84	3	Horizontal	166	1.94	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5700MHz_TX




EUT Z_2TX
 Setting 22
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6968G	118.75	Inf	-Inf	8.75	3	Vertical	187	2.09	-
AV	5.6968G	108.43	Inf	-Inf	8.75	3	Vertical	187	2.09	-
PK	5.726G	65.92	68.20	-2.28	8.79	3	Vertical	187	2.09	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5700MHz_TX




EUT Z_2TX
Setting 22
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6956G	118.47	Inf	-Inf	8.74	3	Horizontal	181	2.06	-
AV	5.6954G	108.47	Inf	-Inf	8.74	3	Horizontal	181	2.06	-
PK	5.7254G	66.36	68.20	-1.84	8.79	3	Horizontal	181	2.06	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4296G	58.81	74.00	-15.19	8.40	3	Vertical	185	1.90	-
AV	5.4248G	46.51	54.00	-7.49	8.38	3	Vertical	185	1.90	-
PK	5.4644G	59.11	68.20	-9.09	8.45	3	Vertical	185	1.90	-
PK	5.7212G	120.34	Inf	-Inf	8.78	3	Vertical	185	1.90	-
AV	5.7212G	110.38	Inf	-Inf	8.78	3	Vertical	185	1.90	-
PK	5.8556G	58.97	68.20	-9.23	8.90	3	Vertical	185	1.90	-

802.11a_Nss1,(6Mbps)_2TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4236G	58.75	74.00	-15.25	8.38	3	Horizontal	172	1.98	-
AV	5.4356G	46.75	54.00	-7.25	8.41	3	Horizontal	172	1.98	-
PK	5.4668G	58.17	68.20	-10.03	8.46	3	Horizontal	172	1.98	-
PK	5.7152G	120.05	Inf	-Inf	8.77	3	Horizontal	172	1.98	-
AV	5.7152G	110.32	Inf	-Inf	8.77	3	Horizontal	172	1.98	-
PK	5.8724G	59.06	68.20	-9.14	8.91	3	Horizontal	172	1.98	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 27
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1406G	61.31	74.00	-12.69	7.93	3	Vertical	183	2.06	-
AV	5.149G	46.56	54.00	-7.44	7.94	3	Vertical	183	2.06	-
PK	5.2636G	126.53	Inf	-Inf	8.16	3	Vertical	183	2.06	-
AV	5.2636G	113.63	Inf	-Inf	8.16	3	Vertical	183	2.06	-
PK	5.3878G	59.90	74.00	-14.10	8.33	3	Vertical	183	2.06	-
AV	5.3602G	47.29	54.00	-6.71	8.29	3	Vertical	183	2.06	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 27
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	59.43	74.00	-14.57	7.94	3	Horizontal	176	2.04	-
AV	5.146G	46.14	54.00	-7.86	7.94	3	Horizontal	176	2.04	-
PK	5.2618G	124.07	Inf	-Inf	8.15	3	Horizontal	176	2.04	-
AV	5.2624G	111.45	Inf	-Inf	8.15	3	Horizontal	176	2.04	-
PK	5.3794G	60.85	74.00	-13.15	8.32	3	Horizontal	176	2.04	-
AV	5.3566G	46.89	54.00	-7.11	8.28	3	Horizontal	176	2.04	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5300MHz_TX



EUT_Z_2TX
Setting 27
02-J-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3028G	125.71	Inf	-Inf	8.21	3	Vertical	179	2.04	-
AV	5.3024G	112.98	Inf	-Inf	8.21	3	Vertical	179	2.04	-
PK	5.362G	65.47	74.00	-8.53	8.29	3	Vertical	179	2.04	-
AV	5.35G	51.58	54.00	-2.42	8.28	3	Vertical	179	2.04	-



802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5300MHz_TX




EUT Z_2TX
Setting 27
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3028G	123.98	Inf	-Inf	8.21	3	Horizontal	177	2.18	-
AV	5.302G	111.60	Inf	-Inf	8.21	3	Horizontal	177	2.18	-
PK	5.3508G	65.08	74.00	-8.92	8.28	3	Horizontal	177	2.18	-
AV	5.3504G	51.47	54.00	-2.53	8.28	3	Horizontal	177	2.18	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5320MHz_TX



EUT_Z_2TX
Setting 23.5
02-J-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3176G	123.35	Inf	-Inf	8.23	3	Vertical	176	2.13	-
AV	5.3176G	110.34	Inf	-Inf	8.23	3	Vertical	176	2.13	-
PK	5.35G	67.27	74.00	-6.73	8.28	3	Vertical	176	2.13	-
AV	5.35G	53.43	54.00	-0.57	8.28	3	Vertical	176	2.13	-



802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5320MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3216G	122.43	Inf	-Inf	8.23	3	Horizontal	168	1.68	-
AV	5.322G	108.72	Inf	-Inf	8.23	3	Horizontal	168	1.68	-
PK	5.3508G	68.29	74.00	-5.71	8.28	3	Horizontal	168	1.68	-
AV	5.3504G	53.86	54.00	-0.14	8.28	3	Horizontal	168	1.68	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 23.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4538G	61.85	74.00	-12.15	8.44	3	Vertical	181	1.49	-
AV	5.455G	48.87	54.00	-5.13	8.44	3	Vertical	181	1.49	-
PK	5.4652G	67.23	68.20	-0.97	8.45	3	Vertical	181	1.49	-
PK	5.5048G	121.74	Inf	-Inf	8.52	3	Vertical	181	1.49	-
AV	5.5036G	109.29	Inf	-Inf	8.52	3	Vertical	181	1.49	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 23.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4586G	62.96	74.00	-11.04	8.45	3	Horizontal	178	2.09	-
AV	5.458G	49.96	54.00	-4.04	8.45	3	Horizontal	178	2.09	-
PK	5.4688G	68.02	68.20	-0.18	8.46	3	Horizontal	178	2.09	-
PK	5.5054G	122.64	Inf	-Inf	8.52	3	Horizontal	178	2.09	-
AV	5.5066G	109.50	Inf	-Inf	8.52	3	Horizontal	178	2.09	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5580MHz_TX




EUT Z_2TX
Setting 27
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4594G	60.18	74.00	-13.82	8.45	3	Vertical	181	1.72	-
AV	5.4384G	46.30	54.00	-7.70	8.41	3	Vertical	181	1.72	-
PK	5.4606G	59.54	68.20	-8.66	8.45	3	Vertical	181	1.72	-
PK	5.5842G	124.98	Inf	-Inf	8.57	3	Vertical	181	1.72	-
AV	5.5842G	112.02	Inf	-Inf	8.57	3	Vertical	181	1.72	-
PK	5.7252G	58.54	68.20	-9.66	8.79	3	Vertical	181	1.72	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 27
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.436G	59.00	74.00	-15.00	8.41	3	Horizontal	178	1.98	-
AV	5.436G	46.34	54.00	-7.66	8.41	3	Horizontal	178	1.98	-
PK	5.4672G	58.94	68.20	-9.26	8.46	3	Horizontal	178	1.98	-
PK	5.5854G	125.67	Inf	-Inf	8.57	3	Horizontal	178	1.98	-
AV	5.5764G	112.72	Inf	-Inf	8.57	3	Horizontal	178	1.98	-
PK	5.7288G	58.58	68.20	-9.62	8.80	3	Horizontal	178	1.98	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5700MHz_TX




EUT_Z_2TX
Setting 22
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7012G	119.56	Inf	-Inf	8.75	3	Vertical	185	1.82	-
AV	5.7012G	107.22	Inf	-Inf	8.75	3	Vertical	185	1.82	-
PK	5.7264G	65.15	68.20	-3.05	8.79	3	Vertical	185	1.82	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5700MHz_TX




EUT Z_2TX
Setting 22
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7036G	119.95	Inf	-Inf	8.75	3	Horizontal	187	1.98	-
AV	5.7024G	107.57	Inf	-Inf	8.75	3	Horizontal	187	1.98	-
PK	5.7268G	65.91	68.20	-2.29	8.79	3	Horizontal	187	1.98	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 27
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7212G	122.56	Inf	-Inf	8.78	3	Vertical	191	1.92	-
AV	5.7224G	109.84	Inf	-Inf	8.78	3	Vertical	191	1.92	-
PK	5.8508G	59.16	68.20	-9.04	8.90	3	Vertical	191	1.92	-

802.11ax HEW20_Nss1,(MCS0)_2TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 27
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7248G	120.70	Inf	-Inf	8.78	3	Horizontal	183	1.46	-
AV	5.7248G	108.25	Inf	-Inf	8.78	3	Horizontal	183	1.46	-
PK	5.8574G	59.34	68.20	-8.86	8.90	3	Horizontal	183	1.46	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5270MHz_TX




EUT Z_2TX
Setting 25.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.135G	58.83	74.00	-15.17	7.92	3	Vertical	177	2.07	-
AV	5.15G	46.65	54.00	-7.35	7.94	3	Vertical	177	2.07	-
PK	5.2706G	123.04	Inf	-Inf	8.16	3	Vertical	177	2.07	-
AV	5.2712G	109.58	Inf	-Inf	8.17	3	Vertical	177	2.07	-
PK	5.3516G	68.00	74.00	-6.00	8.28	3	Vertical	177	2.07	-
AV	5.35G	53.89	54.00	-0.11	8.28	3	Vertical	177	2.07	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5270MHz_TX




EUT_Z_2TX
Setting 25.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	58.75	74.00	-15.25	7.94	3	Horizontal	170	1.91	-
AV	5.1494G	46.61	54.00	-7.39	7.94	3	Horizontal	170	1.91	-
PK	5.2784G	121.72	Inf	-Inf	8.17	3	Horizontal	170	1.91	-
AV	5.2682G	108.55	Inf	-Inf	8.16	3	Horizontal	170	1.91	-
PK	5.3528G	67.67	74.00	-6.33	8.28	3	Horizontal	170	1.91	-
AV	5.35G	52.51	54.00	-1.49	8.28	3	Horizontal	170	1.91	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5310MHz_TX




EUT_Z_2TX
Setting 22
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3184G	118.90	Inf	-Inf	8.23	3	Vertical	177	2.22	-
AV	5.2996G	105.75	Inf	-Inf	8.21	3	Vertical	177	2.22	-
PK	5.3512G	67.40	74.00	-6.60	8.28	3	Vertical	177	2.22	-
AV	5.35G	53.93	54.00	-0.07	8.28	3	Vertical	177	2.22	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5310MHz_TX




EUT Z_2TX
Setting 22
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.308G	118.29	Inf	-Inf	8.22	3	Horizontal	176	2.09	-
AV	5.3088G	105.18	Inf	-Inf	8.22	3	Horizontal	176	2.09	-
PK	5.35G	66.49	74.00	-7.51	8.28	3	Horizontal	176	2.09	-
AV	5.35G	53.28	54.00	-0.72	8.28	3	Horizontal	176	2.09	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5510MHz_TX




EUT_Z_2TX
Setting 21.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4572G	64.14	74.00	-9.86	8.44	3	Vertical	179	1.73	-
AV	5.4568G	49.87	54.00	-4.13	8.44	3	Vertical	179	1.73	-
PK	5.468G	65.67	68.20	-2.53	8.46	3	Vertical	179	1.73	-
PK	5.5064G	117.78	Inf	-Inf	8.52	3	Vertical	179	1.73	-
AV	5.5056G	104.82	Inf	-Inf	8.52	3	Vertical	179	1.73	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5510MHz_TX




EUT_Z_2TX
Setting 21.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	64.32	74.00	-9.68	8.45	3	Horizontal	176	2.00	-
AV	5.4572G	50.20	54.00	-3.80	8.44	3	Horizontal	176	2.00	-
PK	5.4656G	67.44	68.20	-0.76	8.46	3	Horizontal	176	2.00	-
PK	5.5068G	118.59	Inf	-Inf	8.52	3	Horizontal	176	2.00	-
AV	5.5064G	105.81	Inf	-Inf	8.52	3	Horizontal	176	2.00	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5550MHz_TX




EUT_Z_2TX
Setting 24.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4534G	62.97	74.00	-11.03	8.44	3	Vertical	175	1.75	-
AV	5.4534G	48.97	54.00	-5.03	8.44	3	Vertical	175	1.75	-
PK	5.4624G	64.86	68.20	-3.34	8.45	3	Vertical	175	1.75	-
PK	5.5524G	120.11	Inf	-Inf	8.55	3	Vertical	175	1.75	-
AV	5.5524G	107.61	Inf	-Inf	8.55	3	Vertical	175	1.75	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5550MHz_TX




EUT_Z_2TX
 Setting 24.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4558G	62.38	74.00	-11.62	8.44	3	Horizontal	181	2.06	-
AV	5.457G	49.67	54.00	-4.33	8.44	3	Horizontal	181	2.06	-
PK	5.4684G	67.78	68.20	-0.42	8.46	3	Horizontal	181	2.06	-
PK	5.5584G	120.46	Inf	-Inf	8.56	3	Horizontal	181	2.06	-
AV	5.547G	108.55	Inf	-Inf	8.55	3	Horizontal	181	2.06	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5670MHz_TX




EUT Z_2TX
Setting 22
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6728G	117.57	Inf	-Inf	8.70	3	Vertical	168	1.49	-
AV	5.672G	103.95	Inf	-Inf	8.70	3	Vertical	168	1.49	-
PK	5.7312G	65.05	68.20	-3.15	8.80	3	Vertical	168	1.49	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5670MHz_TX




EUT Z_2TX
Setting 22
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.672G	119.03	Inf	-Inf	8.70	3	Horizontal	181	1.98	-
AV	5.6708G	105.67	Inf	-Inf	8.70	3	Horizontal	181	1.98	-
PK	5.7252G	67.46	68.20	-0.74	8.79	3	Horizontal	181	1.98	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.434G	59.31	74.00	-14.69	8.40	3	Vertical	186	1.93	-
AV	5.434G	46.52	54.00	-7.48	8.40	3	Vertical	186	1.93	-
PK	5.4616G	59.65	68.20	-8.55	8.45	3	Vertical	186	1.93	-
PK	5.692G	121.24	Inf	-Inf	8.74	3	Vertical	186	1.93	-
AV	5.7016G	109.15	Inf	-Inf	8.75	3	Vertical	186	1.93	-
PK	5.8564G	65.62	68.20	-2.58	8.90	3	Vertical	186	1.93	-

802.11ax HEW40_Nss1,(MCS0)_2TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4292G	59.50	74.00	-14.50	8.40	3	Horizontal	183	2.05	-
AV	5.4352G	46.76	54.00	-7.24	8.41	3	Horizontal	183	2.05	-
PK	5.4616G	59.51	68.20	-8.69	8.45	3	Horizontal	183	2.05	-
PK	5.7112G	120.34	Inf	-Inf	8.77	3	Horizontal	183	2.05	-
AV	5.7004G	108.05	Inf	-Inf	8.75	3	Horizontal	183	2.05	-
PK	5.8576G	62.94	68.20	-5.26	8.90	3	Horizontal	183	2.05	-

802.11ax HEW80_Nss1,(MCS0)_2TX

18/07/2019

5290MHz_TX




EUT_Z_2TX
Setting 23.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.086G	59.24	74.00	-14.76	7.80	3	Vertical	174	1.98	-
AV	5.104G	46.25	54.00	-7.75	7.84	3	Vertical	174	1.98	-
PK	5.294G	119.12	Inf	-Inf	8.20	3	Vertical	174	1.98	-
AV	5.284G	106.38	Inf	-Inf	8.19	3	Vertical	174	1.98	-
PK	5.354G	66.79	74.00	-7.21	8.28	3	Vertical	174	1.98	-
AV	5.353G	52.84	54.00	-1.16	8.28	3	Vertical	174	1.98	-

802.11ax HEW80_Nss1,(MCS0)_2TX

18/07/2019

5290MHz_TX




EUT_Z_2TX
Setting 23.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.107G	59.88	74.00	-14.12	7.86	3	Horizontal	177	1.91	-
AV	5.094G	46.26	54.00	-7.74	7.82	3	Horizontal	177	1.91	-
PK	5.284G	120.10	Inf	-Inf	8.19	3	Horizontal	177	1.91	-
AV	5.285G	106.86	Inf	-Inf	8.19	3	Horizontal	177	1.91	-
PK	5.353G	67.70	74.00	-6.30	8.28	3	Horizontal	177	1.91	-
AV	5.354G	52.60	54.00	-1.40	8.28	3	Horizontal	177	1.91	-

802.11ax HEW80_Nss1,(MCS0)_2TX

18/07/2019

5530MHz_TX




EUT Z_2TX
Setting 22.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.325G	58.48	68.20	-9.72	8.25	3	Vertical	188	2.04	-
PK	5.459G	63.34	74.00	-10.66	8.45	3	Vertical	188	2.04	-
AV	5.459G	49.61	54.00	-4.39	8.45	3	Vertical	188	2.04	-
PK	5.47G	66.51	68.20	-1.69	8.46	3	Vertical	188	2.04	-
PK	5.528G	118.73	Inf	-Inf	8.54	3	Vertical	188	2.04	-
AV	5.528G	106.30	Inf	-Inf	8.54	3	Vertical	188	2.04	-
PK	5.767G	58.60	68.20	-9.60	8.85	3	Vertical	188	2.04	-

802.11ax HEW80_Nss1,(MCS0)_2TX

18/07/2019

5530MHz_TX




EUT_Z_2TX
Setting 22.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.316G	59.64	68.20	-8.56	8.23	3	Horizontal	185	1.97	-
PK	5.457G	61.85	74.00	-12.15	8.44	3	Horizontal	185	1.97	-
AV	5.459G	49.22	54.00	-4.78	8.45	3	Horizontal	185	1.97	-
PK	5.468G	67.84	68.20	-0.36	8.46	3	Horizontal	185	1.97	-
PK	5.527G	119.49	Inf	-Inf	8.54	3	Horizontal	185	1.97	-
AV	5.527G	106.33	Inf	-Inf	8.54	3	Horizontal	185	1.97	-
PK	5.743G	58.97	68.20	-9.23	8.82	3	Horizontal	185	1.97	-

802.11ax HEW80_Nss1,(MCS0)_2TX

18/07/2019

5610MHz_TX




EUT_Z_2TX
Setting 26
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.44G	60.85	74.00	-13.15	8.41	3	Vertical	192	2.04	-
AV	5.46G	47.97	54.00	-6.03	8.45	3	Vertical	192	2.04	-
PK	5.47G	61.34	68.20	-6.86	8.46	3	Vertical	192	2.04	-
PK	5.618G	121.76	Inf	-Inf	8.61	3	Vertical	192	2.04	-
AV	5.609G	109.39	Inf	-Inf	8.60	3	Vertical	192	2.04	-
PK	5.726G	67.86	68.20	-0.34	8.79	3	Vertical	192	2.04	-

802.11ax HEW80_Nss1,(MCS0)_2TX

18/07/2019

5610MHz_TX




EUT_Z_2TX
Setting 26
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.427G	60.74	74.00	-13.26	8.40	3	Horizontal	171	1.90	-
AV	5.458G	48.14	54.00	-5.86	8.45	3	Horizontal	171	1.90	-
PK	5.465G	62.06	68.20	-6.14	8.45	3	Horizontal	171	1.90	-
PK	5.606G	122.40	Inf	-Inf	8.59	3	Horizontal	171	1.90	-
AV	5.605G	109.76	Inf	-Inf	8.59	3	Horizontal	171	1.90	-
PK	5.727G	65.29	68.20	-2.91	8.80	3	Horizontal	171	1.90	-

802.11ax HEW80_Nss1,(MCS0)_2TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.451G	58.88	74.00	-15.12	8.44	3	Vertical	179	1.49	-
AV	5.455G	46.48	54.00	-7.52	8.44	3	Vertical	179	1.49	-
PK	5.465G	58.72	68.20	-9.48	8.45	3	Vertical	179	1.49	-
PK	5.692G	120.02	Inf	-Inf	8.74	3	Vertical	179	1.49	-
AV	5.682G	108.23	Inf	-Inf	8.72	3	Vertical	179	1.49	-
PK	5.85G	62.22	68.20	-5.98	8.90	3	Vertical	179	1.49	-

802.11ax HEW80_Nss1,(MCS0)_2TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.455G	60.11	74.00	-13.89	8.44	3	Horizontal	188	2.05	-
AV	5.453G	46.72	54.00	-7.28	8.44	3	Horizontal	188	2.05	-
PK	5.464G	60.17	68.20	-8.03	8.45	3	Horizontal	188	2.05	-
PK	5.692G	122.68	Inf	-Inf	8.74	3	Horizontal	188	2.05	-
AV	5.691G	110.04	Inf	-Inf	8.73	3	Horizontal	188	2.05	-
PK	5.85G	63.86	68.20	-4.34	8.90	3	Horizontal	188	2.05	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.464G	67.95	68.20	-0.25	8.45	3	Horizontal	187	1.90	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.131G	58.10	74.00	-15.90	7.91	3	Vertical	193	2.63	-
AV	5.1466G	45.95	54.00	-8.05	7.94	3	Vertical	193	2.63	-
PK	5.2648G	119.21	Inf	-Inf	8.16	3	Vertical	193	2.63	-
AV	5.2666G	107.72	Inf	-Inf	8.16	3	Vertical	193	2.63	-
PK	5.3524G	59.13	74.00	-14.87	8.28	3	Vertical	193	2.63	-
AV	5.3632G	46.45	54.00	-7.55	8.29	3	Vertical	193	2.63	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1124G	58.26	74.00	-15.74	7.86	3	Horizontal	198	2.23	-
AV	5.1346G	45.95	54.00	-8.05	7.92	3	Horizontal	198	2.23	-
PK	5.2648G	119.73	Inf	-Inf	8.16	3	Horizontal	198	2.23	-
AV	5.2636G	107.49	Inf	-Inf	8.16	3	Horizontal	198	2.23	-
PK	5.3818G	58.94	74.00	-15.06	8.32	3	Horizontal	198	2.23	-
AV	5.359G	46.58	54.00	-7.42	8.28	3	Horizontal	198	2.23	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5300MHz_TX




EUT_Z_2TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3012G	119.32	Inf	-Inf	8.21	3	Vertical	164	1.60	-
AV	5.3048G	106.88	Inf	-Inf	8.22	3	Vertical	164	1.60	-
PK	5.384G	59.40	74.00	-14.60	8.32	3	Vertical	164	1.60	-
AV	5.352G	46.56	54.00	-7.44	8.28	3	Vertical	164	1.60	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5300MHz_TX




EUT_Z_2TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3052G	120.22	Inf	-Inf	8.22	3	Horizontal	163	1.54	-
AV	5.3048G	107.67	Inf	-Inf	8.22	3	Horizontal	163	1.54	-
PK	5.3692G	58.99	74.00	-15.01	8.30	3	Horizontal	163	1.54	-
AV	5.3512G	46.50	54.00	-7.50	8.28	3	Horizontal	163	1.54	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5320MHz_TX




EUT_Z_2TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.324G	120.45	Inf	-Inf	8.24	3	Vertical	184	1.59	-
AV	5.3224G	107.56	Inf	-Inf	8.23	3	Vertical	184	1.59	-
PK	5.3512G	60.80	74.00	-13.20	8.28	3	Vertical	184	1.59	-
AV	5.3508G	48.48	54.00	-5.52	8.28	3	Vertical	184	1.59	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5320MHz_TX




EUT_Z_2TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3156G	119.51	Inf	-Inf	8.23	3	Horizontal	169	1.63	-
AV	5.312G	106.90	Inf	-Inf	8.22	3	Horizontal	169	1.63	-
PK	5.3548G	60.22	74.00	-13.78	8.28	3	Horizontal	169	1.63	-
AV	5.3504G	47.75	54.00	-6.25	8.28	3	Horizontal	169	1.63	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	59.34	74.00	-14.66	8.45	3	Vertical	176	1.39	-
AV	5.46G	47.41	54.00	-6.59	8.45	3	Vertical	176	1.39	-
PK	5.4676G	61.90	68.20	-6.30	8.46	3	Vertical	176	1.39	-
PK	5.5016G	121.25	Inf	-Inf	8.52	3	Vertical	176	1.39	-
AV	5.5084G	108.11	Inf	-Inf	8.53	3	Vertical	176	1.39	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	59.57	74.00	-14.43	8.45	3	Horizontal	174	1.39	-
AV	5.4592G	46.93	54.00	-7.07	8.45	3	Horizontal	174	1.39	-
PK	5.4696G	61.14	68.20	-7.06	8.46	3	Horizontal	174	1.39	-
PK	5.5036G	120.29	Inf	-Inf	8.52	3	Horizontal	174	1.39	-
AV	5.504G	107.96	Inf	-Inf	8.52	3	Horizontal	174	1.39	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4354G	59.05	74.00	-14.95	8.41	3	Vertical	187	1.45	-
AV	5.4384G	46.28	54.00	-7.72	8.41	3	Vertical	187	1.45	-
PK	5.463G	58.54	68.20	-9.66	8.45	3	Vertical	187	1.45	-
PK	5.5818G	120.34	Inf	-Inf	8.57	3	Vertical	187	1.45	-
AV	5.583G	107.19	Inf	-Inf	8.57	3	Vertical	187	1.45	-
PK	5.7294G	58.13	68.20	-10.07	8.80	3	Vertical	187	1.45	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4396G	58.37	74.00	-15.63	8.41	3	Horizontal	176	1.44	-
AV	5.433G	46.16	54.00	-7.84	8.40	3	Horizontal	176	1.44	-
PK	5.4648G	58.04	68.20	-10.16	8.45	3	Horizontal	176	1.44	-
PK	5.5812G	120.21	Inf	-Inf	8.57	3	Horizontal	176	1.44	-
AV	5.577G	106.47	Inf	-Inf	8.57	3	Horizontal	176	1.44	-
PK	5.7288G	58.09	68.20	-10.11	8.80	3	Horizontal	176	1.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5700MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7044G	118.75	Inf	-Inf	8.76	3	Vertical	176	1.53	-
AV	5.7014G	105.40	Inf	-Inf	8.75	3	Vertical	176	1.53	-
PK	5.7294G	61.25	68.20	-6.95	8.80	3	Vertical	176	1.53	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5700MHz_TX




EUT Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.696G	117.58	Inf	-Inf	8.74	3	Horizontal	188	1.71	-
AV	5.701G	105.58	Inf	-Inf	8.75	3	Horizontal	188	1.71	-
PK	5.725G	63.47	68.20	-4.73	8.79	3	Horizontal	188	1.71	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7248G	117.34	Inf	-Inf	8.78	3	Vertical	192	1.53	-
AV	5.7168G	104.88	Inf	-Inf	8.77	3	Vertical	192	1.53	-
PK	5.856G	58.69	68.20	-9.51	8.90	3	Vertical	192	1.53	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7144G	117.50	Inf	-Inf	8.77	3	Horizontal	192	2.18	-
AV	5.7144G	105.24	Inf	-Inf	8.77	3	Horizontal	192	2.18	-
PK	5.9128G	59.47	68.20	-8.73	8.93	3	Horizontal	192	2.18	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5270MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1458G	58.39	74.00	-15.61	7.94	3	Vertical	188	2.59	-
AV	5.1224G	45.77	54.00	-8.23	7.88	3	Vertical	188	2.59	-
PK	5.2652G	117.60	Inf	-Inf	8.16	3	Vertical	188	2.59	-
AV	5.2658G	105.04	Inf	-Inf	8.16	3	Vertical	188	2.59	-
PK	5.3612G	59.16	74.00	-14.84	8.29	3	Vertical	188	2.59	-
AV	5.3648G	46.57	54.00	-7.43	8.29	3	Vertical	188	2.59	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5270MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1206G	58.16	74.00	-15.84	7.88	3	Horizontal	173	1.10	-
AV	5.1452G	45.83	54.00	-8.17	7.94	3	Horizontal	173	1.10	-
PK	5.2622G	114.88	Inf	-Inf	8.15	3	Horizontal	173	1.10	-
AV	5.2766G	102.73	Inf	-Inf	8.17	3	Horizontal	173	1.10	-
PK	5.39G	59.15	74.00	-14.85	8.33	3	Horizontal	173	1.10	-
AV	5.369G	46.14	54.00	-7.86	8.30	3	Horizontal	173	1.10	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5310MHz_TX




EUT_Z_2TX
 Setting 24
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3076G	116.49	Inf	-Inf	8.22	3	Vertical	180	2.80	-
AV	5.3064G	105.21	Inf	-Inf	8.22	3	Vertical	180	2.80	-
PK	5.36G	72.04	74.00	-1.96	8.29	3	Vertical	180	2.80	-
AV	5.3504G	48.81	54.00	-5.19	8.28	3	Vertical	180	2.80	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5310MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2996G	116.91	Inf	-Inf	8.21	3	Horizontal	175	1.37	-
AV	5.3048G	104.77	Inf	-Inf	8.22	3	Horizontal	175	1.37	-
PK	5.3664G	65.96	74.00	-8.04	8.29	3	Horizontal	175	1.37	-
AV	5.3512G	50.34	54.00	-3.66	8.28	3	Horizontal	175	1.37	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5510MHz_TX



EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4452G	61.85	74.00	-12.15	8.42	3	Vertical	170	1.60	-
AV	5.46G	49.81	54.00	-4.19	8.45	3	Vertical	170	1.60	-
PK	5.4688G	63.87	68.20	-4.33	8.46	3	Vertical	170	1.60	-
AV	5.4696G	51.68	Inf	-Inf	8.46	3	Vertical	170	1.60	-
PK	5.5032G	118.33	Inf	-Inf	8.52	3	Vertical	170	1.60	-
AV	5.5036G	106.20	Inf	-Inf	8.52	3	Vertical	170	1.60	-



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5510MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.44G	66.38	74.00	-7.62	8.41	3	Horizontal	187	1.59	-
AV	5.46G	48.59	54.00	-5.41	8.45	3	Horizontal	187	1.59	-
PK	5.4684G	62.62	68.20	-5.58	8.46	3	Horizontal	187	1.59	-
PK	5.5004G	116.10	Inf	-Inf	8.52	3	Horizontal	187	1.59	-
AV	5.5072G	103.44	Inf	-Inf	8.52	3	Horizontal	187	1.59	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5550MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4282G	59.17	74.00	-14.83	8.40	3	Vertical	169	2.18	-
AV	5.415G	46.34	54.00	-7.66	8.36	3	Vertical	169	2.18	-
PK	5.4648G	57.97	68.20	-10.23	8.45	3	Vertical	169	2.18	-
PK	5.5392G	116.99	Inf	-Inf	8.54	3	Vertical	169	2.18	-
AV	5.5536G	103.45	Inf	-Inf	8.55	3	Vertical	169	2.18	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5550MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.442G	59.07	74.00	-14.93	8.41	3	Horizontal	156	1.48	-
AV	5.4396G	46.00	54.00	-8.00	8.41	3	Horizontal	156	1.48	-
PK	5.4648G	59.78	68.20	-8.42	8.45	3	Horizontal	156	1.48	-
PK	5.553G	115.47	Inf	-Inf	8.55	3	Horizontal	156	1.48	-
AV	5.5488G	102.01	Inf	-Inf	8.55	3	Horizontal	156	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5670MHz_TX




EUT Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6668G	115.75	Inf	-Inf	8.69	3	Vertical	190	1.56	-
AV	5.6732G	102.25	Inf	-Inf	8.70	3	Vertical	190	1.56	-
PK	5.7272G	62.07	68.20	-6.13	8.80	3	Vertical	190	1.56	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5670MHz_TX




EUT Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6576G	114.22	Inf	-Inf	8.67	3	Horizontal	183	1.51	-
AV	5.6764G	101.56	Inf	-Inf	8.72	3	Horizontal	183	1.51	-
PK	5.7292G	66.26	68.20	-1.94	8.80	3	Horizontal	183	1.51	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4448G	58.41	74.00	-15.59	8.42	3	Vertical	191	1.54	-
AV	5.4436G	46.05	54.00	-7.95	8.42	3	Vertical	191	1.54	-
PK	5.4664G	58.30	68.20	-9.90	8.46	3	Vertical	191	1.54	-
PK	5.7076G	115.30	Inf	-Inf	8.76	3	Vertical	191	1.54	-
AV	5.704G	104.08	Inf	-Inf	8.76	3	Vertical	191	1.54	-
PK	5.986G	58.68	68.20	-9.52	8.93	3	Vertical	191	1.54	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

19/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4268G	57.92	74.00	-16.08	8.39	3	Horizontal	186	1.70	-
AV	5.4184G	46.12	54.00	-7.88	8.37	3	Horizontal	186	1.70	-
PK	5.46G	57.60	68.20	-10.60	8.45	3	Horizontal	186	1.70	-
PK	5.7172G	114.11	Inf	-Inf	8.77	3	Horizontal	186	1.70	-
AV	5.704G	104.73	Inf	-Inf	8.76	3	Horizontal	186	1.70	-
PK	5.9296G	58.80	68.20	-9.40	8.93	3	Horizontal	186	1.70	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

19/07/2019

5290MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.089G	58.36	74.00	-15.64	7.82	3	Vertical	179	2.67	-
AV	5.132G	46.17	54.00	-7.83	7.92	3	Vertical	179	2.67	-
PK	5.263G	116.48	Inf	-Inf	8.16	3	Vertical	179	2.67	-
AV	5.286G	101.49	Inf	-Inf	8.19	3	Vertical	179	2.67	-
PK	5.35G	65.27	74.00	-8.73	8.28	3	Vertical	179	2.67	-
AV	5.354G	51.57	54.00	-2.43	8.28	3	Vertical	179	2.67	-
PK	5.498G	58.24	68.20	-9.96	8.52	3	Vertical	179	2.67	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

19/07/2019

5290MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.14G	58.54	74.00	-15.46	7.93	3	Horizontal	153	1.75	-
AV	5.138G	45.92	54.00	-8.08	7.92	3	Horizontal	153	1.75	-
PK	5.261G	112.72	Inf	-Inf	8.15	3	Horizontal	153	1.75	-
AV	5.257G	99.84	Inf	-Inf	8.15	3	Horizontal	153	1.75	-
PK	5.41G	62.20	74.00	-11.80	8.35	3	Horizontal	153	1.75	-
AV	5.353G	48.47	54.00	-5.53	8.28	3	Horizontal	153	1.75	-
PK	5.468G	58.39	68.20	-9.81	8.46	3	Horizontal	153	1.75	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

19/07/2019

5530MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.307G	58.91	68.20	-9.29	8.22	3	Vertical	183	1.60	-
PK	5.455G	64.15	74.00	-9.85	8.44	3	Vertical	183	1.60	-
AV	5.453G	51.25	54.00	-2.75	8.44	3	Vertical	183	1.60	-
PK	5.461G	63.41	68.20	-4.79	8.45	3	Vertical	183	1.60	-
PK	5.514G	112.54	Inf	-Inf	8.53	3	Vertical	183	1.60	-
AV	5.51G	99.91	Inf	-Inf	8.53	3	Vertical	183	1.60	-
PK	5.73G	58.30	68.20	-9.90	8.80	3	Vertical	183	1.60	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

19/07/2019

5530MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.309G	58.00	68.20	-10.20	8.22	3	Horizontal	187	1.90	-
PK	5.434G	71.81	74.00	-2.19	8.40	3	Horizontal	187	1.90	-
AV	5.46G	52.51	54.00	-1.49	8.45	3	Horizontal	187	1.90	-
PK	5.464G	67.95	68.20	-0.25	8.45	3	Horizontal	187	1.90	-
PK	5.493G	114.00	Inf	-Inf	8.51	3	Horizontal	187	1.90	-
AV	5.528G	101.01	Inf	-Inf	8.54	3	Horizontal	187	1.90	-
PK	5.726G	58.63	68.20	-9.57	8.79	3	Horizontal	187	1.90	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

19/07/2019

5610MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	59.20	74.00	-14.80	8.45	3	Vertical	191	1.54	-
AV	5.457G	46.80	54.00	-7.20	8.44	3	Vertical	191	1.54	-
PK	5.461G	58.97	68.20	-9.23	8.45	3	Vertical	191	1.54	-
PK	5.612G	112.57	Inf	-Inf	8.61	3	Vertical	191	1.54	-
AV	5.61G	100.87	Inf	-Inf	8.60	3	Vertical	191	1.54	-
PK	5.732G	61.11	68.20	-7.09	8.80	3	Vertical	191	1.54	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

19/07/2019

5610MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.448G	58.99	74.00	-15.01	8.42	3	Horizontal	193	1.49	-
AV	5.453G	46.45	54.00	-7.55	8.44	3	Horizontal	193	1.49	-
PK	5.467G	60.11	68.20	-8.09	8.46	3	Horizontal	193	1.49	-
PK	5.599G	111.80	Inf	-Inf	8.58	3	Horizontal	193	1.49	-
AV	5.588G	101.96	Inf	-Inf	8.57	3	Horizontal	193	1.49	-
PK	5.727G	61.94	68.20	-6.26	8.80	3	Horizontal	193	1.49	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

19/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.447G	58.79	74.00	-15.21	8.42	3	Vertical	184	2.34	-
AV	5.449G	46.02	54.00	-7.98	8.42	3	Vertical	184	2.34	-
PK	5.466G	57.62	68.20	-10.58	8.46	3	Vertical	184	2.34	-
PK	5.664G	112.90	Inf	-Inf	8.69	3	Vertical	184	2.34	-
AV	5.685G	98.90	Inf	-Inf	8.72	3	Vertical	184	2.34	-
PK	5.871G	59.43	68.20	-8.77	8.91	3	Vertical	184	2.34	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

19/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.443G	58.28	74.00	-15.72	8.42	3	Horizontal	204	2.16	-
AV	5.442G	45.77	54.00	-8.23	8.41	3	Horizontal	204	2.16	-
PK	5.466G	57.80	68.20	-10.40	8.46	3	Horizontal	204	2.16	-
PK	5.697G	112.66	Inf	-Inf	8.75	3	Horizontal	204	2.16	-
AV	5.661G	103.50	Inf	-Inf	8.69	3	Horizontal	204	2.16	-
PK	5.886G	58.75	68.20	-9.45	8.91	3	Horizontal	204	2.16	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.7258G	68.17	68.20	-0.03	8.79	3	Vertical	191	1.49	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.14G	59.03	74.00	-14.97	7.93	3	Vertical	191	1.41	-
AV	5.14G	46.46	54.00	-7.54	7.93	3	Vertical	191	1.41	-
PK	5.2672G	128.02	Inf	-Inf	8.16	3	Vertical	191	1.41	-
AV	5.2666G	117.60	Inf	-Inf	8.16	3	Vertical	191	1.41	-
PK	5.356G	60.62	74.00	-13.38	8.28	3	Vertical	191	1.41	-
AV	5.3638G	48.18	54.00	-5.82	8.29	3	Vertical	191	1.41	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1394G	58.95	74.00	-15.05	7.93	3	Horizontal	199	1.56	-
AV	5.1124G	46.32	54.00	-7.68	7.86	3	Horizontal	199	1.56	-
PK	5.257G	128.09	Inf	-Inf	8.15	3	Horizontal	199	1.56	-
AV	5.257G	117.46	Inf	-Inf	8.15	3	Horizontal	199	1.56	-
PK	5.3536G	60.50	74.00	-13.50	8.28	3	Horizontal	199	1.56	-
AV	5.3542G	48.13	54.00	-5.87	8.28	3	Horizontal	199	1.56	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5300MHz_TX




EUT_Z_4TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.303G	127.27	Inf	-Inf	8.21	3	Vertical	202	1.24	-
AV	5.303G	117.10	Inf	-Inf	8.21	3	Vertical	202	1.24	-
PK	5.3516G	65.94	74.00	-8.06	8.28	3	Vertical	202	1.24	-
AV	5.35G	52.52	54.00	-1.48	8.28	3	Vertical	202	1.24	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5300MHz_TX




EUT_Z_4TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3024G	127.19	Inf	-Inf	8.21	3	Horizontal	173	1.20	-
AV	5.3024G	117.48	Inf	-Inf	8.21	3	Horizontal	173	1.20	-
PK	5.35G	67.04	74.00	-6.96	8.28	3	Horizontal	173	1.20	-
AV	5.35G	53.00	54.00	-1.00	8.28	3	Horizontal	173	1.20	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 21.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3212G	124.15	Inf	-Inf	8.23	3	Vertical	188	1.43	-
AV	5.3208G	113.89	Inf	-Inf	8.23	3	Vertical	188	1.43	-
PK	5.3608G	66.25	74.00	-7.75	8.29	3	Vertical	188	1.43	-
AV	5.36G	51.23	54.00	-2.77	8.29	3	Vertical	188	1.43	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5320MHz_TX




EUT_Z_4TX
 Setting 21.5
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3128G	122.51	Inf	-Inf	8.22	3	Horizontal	174	1.55	-
AV	5.3132G	112.64	Inf	-Inf	8.22	3	Horizontal	174	1.55	-
PK	5.3528G	68.60	74.00	-5.40	8.28	3	Horizontal	174	1.55	-
AV	5.352G	53.96	54.00	-0.04	8.28	3	Horizontal	174	1.55	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	67.09	74.00	-6.91	8.45	3	Vertical	180	2.10	-
AV	5.4586G	52.87	54.00	-1.13	8.45	3	Vertical	180	2.10	-
PK	5.4688G	68.12	68.20	-0.08	8.46	3	Vertical	180	2.10	-
PK	5.4988G	124.04	Inf	-Inf	8.52	3	Vertical	180	2.10	-
AV	5.4988G	114.47	Inf	-Inf	8.52	3	Vertical	180	2.10	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4598G	67.87	74.00	-6.13	8.45	3	Horizontal	191	1.37	-
AV	5.4598G	53.34	54.00	-0.66	8.45	3	Horizontal	191	1.37	-
PK	5.461G	68.05	68.20	-0.15	8.45	3	Horizontal	191	1.37	-
PK	5.5012G	125.44	Inf	-Inf	8.52	3	Horizontal	191	1.37	-
AV	5.5012G	114.84	Inf	-Inf	8.52	3	Horizontal	191	1.37	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5580MHz_TX



EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4264G	60.51	74.00	-13.49	8.39	3	Vertical	181	2.15	-
AV	5.3824G	48.04	54.00	-5.96	8.32	3	Vertical	181	2.15	-
PK	5.4672G	59.45	68.20	-8.75	8.46	3	Vertical	181	2.15	-
PK	5.5736G	128.31	Inf	-Inf	8.56	3	Vertical	181	2.15	-
AV	5.5744G	118.13	Inf	-Inf	8.56	3	Vertical	181	2.15	-
PK	5.768G	60.37	68.20	-7.83	8.85	3	Vertical	181	2.15	-



802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3904G	59.86	74.00	-14.14	8.33	3	Horizontal	182	1.29	-
AV	5.3896G	47.84	54.00	-6.16	8.33	3	Horizontal	182	1.29	-
PK	5.464G	60.48	68.20	-7.72	8.45	3	Horizontal	182	1.29	-
PK	5.5832G	127.83	Inf	-Inf	8.57	3	Horizontal	182	1.29	-
AV	5.5824G	117.55	Inf	-Inf	8.57	3	Horizontal	182	1.29	-
PK	5.7656G	60.28	68.20	-7.92	8.85	3	Horizontal	182	1.29	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5700MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6952G	120.81	Inf	-Inf	8.74	3	Vertical	191	1.52	-
AV	5.6946G	111.36	Inf	-Inf	8.74	3	Vertical	191	1.52	-
PK	5.7348G	60.85	68.20	-7.35	8.81	3	Vertical	191	1.52	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5700MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7066G	122.08	Inf	-Inf	8.76	3	Horizontal	189	2.26	-
AV	5.7072G	112.34	Inf	-Inf	8.76	3	Horizontal	189	2.26	-
PK	5.7264G	66.20	68.20	-2.00	8.79	3	Horizontal	189	2.26	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	60.13	74.00	-13.87	8.44	3	Vertical	192	1.49	-
AV	5.438G	46.86	54.00	-7.14	8.41	3	Vertical	192	1.49	-
PK	5.4644G	59.86	68.20	-8.34	8.45	3	Vertical	192	1.49	-
PK	5.726G	125.16	Inf	-Inf	8.79	3	Vertical	192	1.49	-
AV	5.7248G	114.84	Inf	-Inf	8.78	3	Vertical	192	1.49	-
PK	5.8748G	58.75	68.20	-9.45	8.91	3	Vertical	192	1.49	-

802.11a_Nss1,(6Mbps)_4TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	59.98	74.00	-14.02	8.44	3	Horizontal	180	1.35	-
AV	5.4452G	46.86	54.00	-7.14	8.42	3	Horizontal	180	1.35	-
PK	5.462G	59.20	68.20	-9.00	8.45	3	Horizontal	180	1.35	-
PK	5.7164G	125.34	Inf	-Inf	8.77	3	Horizontal	180	1.35	-
AV	5.7164G	114.79	Inf	-Inf	8.77	3	Horizontal	180	1.35	-
PK	5.9852G	58.86	68.20	-9.34	8.93	3	Horizontal	180	1.35	-

802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1148G	59.83	74.00	-14.17	7.87	3	Vertical	172	1.49	-
AV	5.15G	46.51	54.00	-7.49	7.94	3	Vertical	172	1.49	-
PK	5.2606G	129.81	Inf	-Inf	8.15	3	Vertical	172	1.49	-
AV	5.2612G	117.99	Inf	-Inf	8.15	3	Vertical	172	1.49	-
PK	5.356G	61.40	74.00	-12.60	8.28	3	Vertical	172	1.49	-
AV	5.3578G	48.88	54.00	-5.12	8.28	3	Vertical	172	1.49	-

802.11ax HEW20_Nss1,(MCS0)_4TX

17/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	60.04	74.00	-13.96	7.94	3	Horizontal	171	1.47	-
AV	5.15G	46.06	54.00	-7.94	7.94	3	Horizontal	171	1.47	-
PK	5.2654G	128.41	Inf	-Inf	8.16	3	Horizontal	171	1.47	-
AV	5.266G	116.43	Inf	-Inf	8.16	3	Horizontal	171	1.47	-
PK	5.3602G	60.28	74.00	-13.72	8.29	3	Horizontal	171	1.47	-
AV	5.3626G	47.77	54.00	-6.23	8.29	3	Horizontal	171	1.47	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5300MHz_TX




EUT_Z_4TX
Setting 25.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3024G	127.90	Inf	-Inf	8.21	3	Vertical	177	1.61	-
AV	5.3024G	115.48	Inf	-Inf	8.21	3	Vertical	177	1.61	-
PK	5.351G	65.64	74.00	-8.36	8.28	3	Vertical	177	1.61	-
AV	5.35G	51.73	54.00	-2.27	8.28	3	Vertical	177	1.61	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5300MHz_TX




EUT_Z_4TX
Setting 25.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2994G	128.45	Inf	-Inf	8.21	3	Horizontal	177	1.58	-
AV	5.2982G	116.21	Inf	-Inf	8.21	3	Horizontal	177	1.58	-
PK	5.35G	66.24	74.00	-7.76	8.28	3	Horizontal	177	1.58	-
AV	5.35G	53.09	54.00	-0.91	8.28	3	Horizontal	177	1.58	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 21.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3256G	125.47	Inf	-Inf	8.25	3	Vertical	187	1.64	-
AV	5.3248G	112.20	Inf	-Inf	8.24	3	Vertical	187	1.64	-
PK	5.3644G	63.68	74.00	-10.32	8.29	3	Vertical	187	1.64	-
AV	5.3572G	50.71	54.00	-3.29	8.28	3	Vertical	187	1.64	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5320MHz_TX




EUT_Z_4TX
 Setting 21.5
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3148G	125.41	Inf	-Inf	8.23	3	Horizontal	198	2.39	-
AV	5.3156G	112.73	Inf	-Inf	8.23	3	Horizontal	198	2.39	-
PK	5.3568G	68.73	74.00	-5.27	8.28	3	Horizontal	198	2.39	-
AV	5.3556G	53.90	54.00	-0.10	8.28	3	Horizontal	198	2.39	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 22.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.455G	62.89	74.00	-11.11	8.44	3	Vertical	174	1.45	-
PK	5.464G	67.81	68.20	-0.39	8.45	3	Vertical	174	1.45	-
AV	5.4598G	50.25	54.00	-3.75	8.45	3	Vertical	174	1.45	-
PK	5.5024G	127.02	Inf	-Inf	8.52	3	Vertical	174	1.45	-
AV	5.5024G	114.55	Inf	-Inf	8.52	3	Vertical	174	1.45	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 22.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4544G	65.79	74.00	-8.21	8.44	3	Horizontal	186	2.27	-
AV	5.4538G	51.89	54.00	-2.11	8.44	3	Horizontal	186	2.27	-
PK	5.47G	67.36	68.20	-0.84	8.46	3	Horizontal	186	2.27	-
PK	5.4952G	127.37	Inf	-Inf	8.51	3	Horizontal	186	2.27	-
AV	5.494G	114.81	Inf	-Inf	8.51	3	Horizontal	186	2.27	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4488G	60.19	74.00	-13.81	8.42	3	Vertical	194	1.71	-
AV	5.3856G	47.47	54.00	-6.53	8.32	3	Vertical	194	1.71	-
PK	5.468G	59.44	68.20	-8.76	8.46	3	Vertical	194	1.71	-
PK	5.5848G	129.05	Inf	-Inf	8.57	3	Vertical	194	1.71	-
AV	5.5856G	116.76	Inf	-Inf	8.57	3	Vertical	194	1.71	-
PK	5.756G	59.62	68.20	-8.58	8.83	3	Vertical	194	1.71	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4312G	61.13	74.00	-12.87	8.40	3	Horizontal	193	1.73	-
AV	5.3896G	47.29	54.00	-6.71	8.33	3	Horizontal	193	1.73	-
PK	5.4696G	60.98	68.20	-7.22	8.46	3	Horizontal	193	1.73	-
PK	5.576G	129.72	Inf	-Inf	8.57	3	Horizontal	193	1.73	-
AV	5.576G	117.68	Inf	-Inf	8.57	3	Horizontal	193	1.73	-
PK	5.7568G	60.03	68.20	-8.17	8.83	3	Horizontal	193	1.73	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5700MHz_TX




EUT_Z_4TX
Setting 22
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6994G	124.70	Inf	-Inf	8.75	3	Vertical	191	1.49	-
AV	5.6982G	111.84	Inf	-Inf	8.75	3	Vertical	191	1.49	-
PK	5.7258G	68.17	68.20	-0.03	8.79	3	Vertical	191	1.49	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5700MHz_TX




EUT_Z_4TX
Setting 22
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6982G	124.43	Inf	-Inf	8.75	3	Horizontal	179	2.25	-
AV	5.6976G	111.91	Inf	-Inf	8.75	3	Horizontal	179	2.25	-
PK	5.7264G	68.12	68.20	-0.08	8.79	3	Horizontal	179	2.25	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4284G	60.28	74.00	-13.72	8.40	3	Vertical	192	1.53	-
PK	5.462G	60.70	68.20	-7.50	8.45	3	Vertical	192	1.53	-
AV	5.4476G	46.92	54.00	-7.08	8.42	3	Vertical	192	1.53	-
PK	5.7224G	126.29	Inf	-Inf	8.78	3	Vertical	192	1.53	-
AV	5.7212G	113.69	Inf	-Inf	8.78	3	Vertical	192	1.53	-
PK	5.9276G	59.71	68.20	-8.49	8.93	3	Vertical	192	1.53	-

802.11ax HEW20_Nss1,(MCS0)_4TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4344G	59.96	74.00	-14.04	8.40	3	Horizontal	202	2.35	-
AV	5.4452G	46.98	54.00	-7.02	8.42	3	Horizontal	202	2.35	-
PK	5.4656G	59.00	68.20	-9.20	8.46	3	Horizontal	202	2.35	-
PK	5.714G	128.19	Inf	-Inf	8.77	3	Horizontal	202	2.35	-
AV	5.714G	116.19	Inf	-Inf	8.77	3	Horizontal	202	2.35	-
PK	5.9288G	59.16	68.20	-9.04	8.93	3	Horizontal	202	2.35	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5270MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1482G	59.79	74.00	-14.21	7.94	3	Vertical	185	2.15	-
AV	5.1458G	46.81	54.00	-7.19	7.94	3	Vertical	185	2.15	-
PK	5.2652G	125.63	Inf	-Inf	8.16	3	Vertical	185	2.15	-
AV	5.2658G	113.14	Inf	-Inf	8.16	3	Vertical	185	2.15	-
PK	5.35G	65.94	74.00	-8.06	8.28	3	Vertical	185	2.15	-
AV	5.35G	52.17	54.00	-1.83	8.28	3	Vertical	185	2.15	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5270MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	59.74	74.00	-14.26	7.94	3	Horizontal	181	2.30	-
AV	5.1464G	46.85	54.00	-7.15	7.94	3	Horizontal	181	2.30	-
PK	5.2658G	126.02	Inf	-Inf	8.16	3	Horizontal	181	2.30	-
AV	5.2664G	113.64	Inf	-Inf	8.16	3	Horizontal	181	2.30	-
PK	5.3576G	66.65	74.00	-7.35	8.28	3	Horizontal	181	2.30	-
AV	5.35G	53.42	54.00	-0.58	8.28	3	Horizontal	181	2.30	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 20
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3184G	121.56	Inf	-Inf	8.23	3	Vertical	173	2.17	-
AV	5.2992G	108.64	Inf	-Inf	8.21	3	Vertical	173	2.17	-
PK	5.3586G	65.67	74.00	-8.33	8.28	3	Vertical	173	2.17	-
AV	5.3592G	52.92	54.00	-1.08	8.29	3	Vertical	173	2.17	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 20
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3082G	122.30	Inf	-Inf	8.22	3	Horizontal	185	1.70	-
AV	5.3082G	109.05	Inf	-Inf	8.22	3	Horizontal	185	1.70	-
PK	5.35G	65.35	74.00	-8.65	8.28	3	Horizontal	185	1.70	-
AV	5.35G	53.75	54.00	-0.25	8.28	3	Horizontal	185	1.70	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5510MHz_TX




EUT_Z_4TX
Setting 20
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	63.86	74.00	-10.14	8.44	3	Vertical	174	1.56	-
AV	5.456G	51.62	54.00	-2.38	8.44	3	Vertical	174	1.56	-
PK	5.468G	62.54	68.20	-5.66	8.46	3	Vertical	174	1.56	-
PK	5.516G	122.91	Inf	-Inf	8.53	3	Vertical	174	1.56	-
AV	5.516G	109.20	Inf	-Inf	8.53	3	Vertical	174	1.56	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5510MHz_TX




EUT_Z_4TX
Setting 20
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4464G	64.29	74.00	-9.71	8.42	3	Horizontal	190	2.26	-
AV	5.4464G	51.04	54.00	-2.96	8.42	3	Horizontal	190	2.26	-
PK	5.4668G	67.83	68.20	-0.37	8.46	3	Horizontal	190	2.26	-
PK	5.5064G	121.69	Inf	-Inf	8.52	3	Horizontal	190	2.26	-
AV	5.5064G	109.84	Inf	-Inf	8.52	3	Horizontal	190	2.26	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5550MHz_TX




EUT_Z_4TX
Setting 23.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.454G	66.07	74.00	-7.93	8.44	3	Vertical	168	2.17	-
AV	5.4534G	50.75	54.00	-3.25	8.44	3	Vertical	168	2.17	-
PK	5.4684G	65.11	68.20	-3.09	8.46	3	Vertical	168	2.17	-
PK	5.5536G	124.61	Inf	-Inf	8.55	3	Vertical	168	2.17	-
AV	5.5542G	112.00	Inf	-Inf	8.55	3	Vertical	168	2.17	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5550MHz_TX




EUT_Z_4TX
Setting 23.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4432G	63.28	74.00	-10.72	8.42	3	Horizontal	191	2.44	-
AV	5.4432G	49.71	54.00	-4.29	8.42	3	Horizontal	191	2.44	-
PK	5.4618G	67.53	68.20	-0.67	8.45	3	Horizontal	191	2.44	-
PK	5.544G	125.43	Inf	-Inf	8.55	3	Horizontal	191	2.44	-
AV	5.544G	112.74	Inf	-Inf	8.55	3	Horizontal	191	2.44	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5670MHz_TX




EUT_Z_4TX
Setting 21
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6628G	120.48	Inf	-Inf	8.69	3	Vertical	182	1.98	-
AV	5.6628G	107.16	Inf	-Inf	8.69	3	Vertical	182	1.98	-
PK	5.7252G	64.24	68.20	-3.96	8.79	3	Vertical	182	1.98	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5670MHz_TX




EUT Z_4TX
Setting 21
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6616G	122.66	Inf	-Inf	8.69	3	Horizontal	178	2.16	-
AV	5.6616G	109.88	Inf	-Inf	8.69	3	Horizontal	178	2.16	-
PK	5.7252G	66.70	68.20	-1.50	8.79	3	Horizontal	178	2.16	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 26
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.434G	60.37	74.00	-13.63	8.40	3	Vertical	189	2.69	-
AV	5.434G	46.97	54.00	-7.03	8.40	3	Vertical	189	2.69	-
PK	5.4664G	59.56	68.20	-8.64	8.46	3	Vertical	189	2.69	-
PK	5.698G	124.49	Inf	-Inf	8.75	3	Vertical	189	2.69	-
AV	5.698G	112.74	Inf	-Inf	8.75	3	Vertical	189	2.69	-
PK	5.8612G	65.58	68.20	-2.62	8.91	3	Vertical	189	2.69	-

802.11ax HEW40_Nss1,(MCS0)_4TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 26
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4436G	60.41	74.00	-13.59	8.42	3	Horizontal	189	2.24	-
AV	5.4136G	47.10	54.00	-6.90	8.36	3	Horizontal	189	2.24	-
PK	5.4628G	59.38	68.20	-8.82	8.45	3	Horizontal	189	2.24	-
PK	5.7028G	126.85	Inf	-Inf	8.75	3	Horizontal	189	2.24	-
AV	5.704G	114.02	Inf	-Inf	8.76	3	Horizontal	189	2.24	-
PK	5.854G	65.31	68.20	-2.89	8.90	3	Horizontal	189	2.24	-

802.11ax HEW80_Nss1,(MCS0)_4TX

18/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 20
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.123G	59.71	74.00	-14.29	7.89	3	Vertical	194	2.40	-
AV	5.136G	46.75	54.00	-7.25	7.92	3	Vertical	194	2.40	-
PK	5.276G	119.70	Inf	-Inf	8.17	3	Vertical	194	2.40	-
AV	5.296G	106.30	Inf	-Inf	8.21	3	Vertical	194	2.40	-
PK	5.376G	66.58	74.00	-7.42	8.31	3	Vertical	194	2.40	-
AV	5.356G	53.66	54.00	-0.34	8.28	3	Vertical	194	2.40	-
PK	5.501G	60.41	68.20	-7.79	8.52	3	Vertical	194	2.40	-

802.11ax HEW80_Nss1,(MCS0)_4TX

18/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 20
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.116G	59.05	74.00	-14.95	7.87	3	Horizontal	193	2.40	-
AV	5.136G	46.71	54.00	-7.29	7.92	3	Horizontal	193	2.40	-
PK	5.296G	118.31	Inf	-Inf	8.21	3	Horizontal	193	2.40	-
AV	5.296G	106.43	Inf	-Inf	8.21	3	Horizontal	193	2.40	-
PK	5.376G	66.62	74.00	-7.38	8.31	3	Horizontal	193	2.40	-
AV	5.356G	53.34	54.00	-0.66	8.28	3	Horizontal	193	2.40	-
PK	5.535G	60.23	68.20	-7.97	8.54	3	Horizontal	193	2.40	-

802.11ax HEW80_Nss1,(MCS0)_4TX

18/07/2019

5530MHz_TX




EUT_Z_4TX
Setting 19
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.347G	59.10	68.20	-9.10	8.27	3	Vertical	176	2.08	-
PK	5.455G	66.99	74.00	-7.01	8.44	3	Vertical	176	2.08	-
AV	5.453G	52.70	54.00	-1.30	8.44	3	Vertical	176	2.08	-
PK	5.461G	62.38	68.20	-5.82	8.45	3	Vertical	176	2.08	-
PK	5.534G	117.20	Inf	-Inf	8.54	3	Vertical	176	2.08	-
AV	5.533G	104.51	Inf	-Inf	8.54	3	Vertical	176	2.08	-
PK	5.728G	59.39	68.20	-8.81	8.80	3	Vertical	176	2.08	-

802.11ax HEW80_Nss1,(MCS0)_4TX

18/07/2019

5530MHz_TX




EUT_Z_4TX
Setting 19
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.311G	58.31	68.20	-9.89	8.22	3	Horizontal	191	2.57	-
PK	5.444G	64.38	74.00	-9.62	8.42	3	Horizontal	191	2.57	-
AV	5.443G	52.19	54.00	-1.81	8.42	3	Horizontal	191	2.57	-
PK	5.462G	67.94	68.20	-0.26	8.45	3	Horizontal	191	2.57	-
PK	5.524G	118.38	Inf	-Inf	8.53	3	Horizontal	191	2.57	-
AV	5.523G	105.31	Inf	-Inf	8.53	3	Horizontal	191	2.57	-
PK	5.751G	59.66	68.20	-8.54	8.83	3	Horizontal	191	2.57	-

802.11ax HEW80_Nss1,(MCS0)_4TX

18/07/2019

5610MHz_TX




EUT_Z_4TX
Setting 21
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.44G	60.95	74.00	-13.05	8.41	3	Vertical	182	1.63	-
AV	5.452G	47.79	54.00	-6.21	8.44	3	Vertical	182	1.63	-
PK	5.465G	62.74	68.20	-5.46	8.45	3	Vertical	182	1.63	-
PK	5.613G	118.21	Inf	-Inf	8.61	3	Vertical	182	1.63	-
AV	5.613G	106.07	Inf	-Inf	8.61	3	Vertical	182	1.63	-
PK	5.734G	66.07	68.20	-2.13	8.80	3	Vertical	182	1.63	-

802.11ax HEW80_Nss1,(MCS0)_4TX

18/07/2019

5610MHz_TX




EUT_Z_4TX
Setting 21
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.443G	60.29	74.00	-13.71	8.42	3	Horizontal	186	1.58	-
AV	5.46G	47.57	54.00	-6.43	8.45	3	Horizontal	186	1.58	-
PK	5.47G	61.34	68.20	-6.86	8.46	3	Horizontal	186	1.58	-
PK	5.622G	117.73	Inf	-Inf	8.61	3	Horizontal	186	1.58	-
AV	5.603G	105.59	Inf	-Inf	8.58	3	Horizontal	186	1.58	-
PK	5.726G	66.09	68.20	-2.11	8.79	3	Horizontal	186	1.58	-

802.11ax HEW80_Nss1,(MCS0)_4TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4128G	59.61	74.00	-14.39	8.36	3	Vertical	176	1.36	-
AV	5.4596G	47.43	54.00	-6.57	8.45	3	Vertical	176	1.36	-
PK	5.4692G	60.31	68.20	-7.89	8.46	3	Vertical	176	1.36	-
PK	5.6948G	120.05	Inf	-Inf	8.74	3	Vertical	176	1.36	-
AV	5.6756G	107.10	Inf	-Inf	8.72	3	Vertical	176	1.36	-
PK	5.85G	67.45	68.20	-0.75	8.90	3	Vertical	176	1.36	-

802.11ax HEW80_Nss1,(MCS0)_4TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4524G	60.77	74.00	-13.23	8.44	3	Horizontal	176	2.17	-
AV	5.4596G	48.23	54.00	-5.77	8.45	3	Horizontal	176	2.17	-
PK	5.468G	60.84	68.20	-7.36	8.46	3	Horizontal	176	2.17	-
PK	5.7008G	121.67	Inf	-Inf	8.75	3	Horizontal	176	2.17	-
AV	5.6816G	108.98	Inf	-Inf	8.72	3	Horizontal	176	2.17	-
PK	5.8616G	65.26	68.20	-2.94	8.91	3	Horizontal	176	2.17	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4692G	66.84	68.20	-1.36	8.46	3	Vertical	189	1.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1226G	58.15	74.00	-15.85	7.88	3	Vertical	184	1.51	-
AV	5.1346G	45.64	54.00	-8.36	7.92	3	Vertical	184	1.51	-
PK	5.2648G	120.72	Inf	-Inf	8.16	3	Vertical	184	1.51	-
AV	5.2672G	108.57	Inf	-Inf	8.16	3	Vertical	184	1.51	-
PK	5.3608G	59.33	74.00	-14.67	8.29	3	Vertical	184	1.51	-
AV	5.3638G	47.16	54.00	-6.84	8.29	3	Vertical	184	1.51	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.128G	58.52	74.00	-15.48	7.91	3	Horizontal	193	1.38	-
AV	5.1214G	45.66	54.00	-8.34	7.88	3	Horizontal	193	1.38	-
PK	5.2552G	120.22	Inf	-Inf	8.15	3	Horizontal	193	1.38	-
AV	5.2624G	107.23	Inf	-Inf	8.15	3	Horizontal	193	1.38	-
PK	5.3512G	59.49	74.00	-14.51	8.28	3	Horizontal	193	1.38	-
AV	5.3524G	47.23	54.00	-6.77	8.28	3	Horizontal	193	1.38	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5300MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3006G	121.29	Inf	-Inf	8.21	3	Vertical	170	1.20	-
AV	5.2994G	109.39	Inf	-Inf	8.21	3	Vertical	170	1.20	-
PK	5.3708G	58.91	74.00	-15.09	8.30	3	Vertical	170	1.20	-
AV	5.3948G	46.96	54.00	-7.04	8.33	3	Vertical	170	1.20	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5300MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3078G	119.64	Inf	-Inf	8.22	3	Horizontal	194	2.74	-
AV	5.3084G	108.20	Inf	-Inf	8.22	3	Horizontal	194	2.74	-
PK	5.3924G	58.89	74.00	-15.11	8.33	3	Horizontal	194	2.74	-
AV	5.4044G	46.52	54.00	-7.48	8.35	3	Horizontal	194	2.74	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3248G	116.23	Inf	-Inf	8.24	3	Vertical	167	1.16	-
AV	5.324G	104.50	Inf	-Inf	8.24	3	Vertical	167	1.16	-
PK	5.35G	59.19	74.00	-14.81	8.28	3	Vertical	167	1.16	-
AV	5.3504G	46.72	54.00	-7.28	8.28	3	Vertical	167	1.16	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3184G	117.47	Inf	-Inf	8.23	3	Horizontal	168	2.70	-
AV	5.3164G	104.67	Inf	-Inf	8.23	3	Horizontal	168	2.70	-
PK	5.3732G	58.69	74.00	-15.31	8.30	3	Horizontal	168	2.70	-
AV	5.4124G	46.33	54.00	-7.67	8.36	3	Horizontal	168	2.70	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4514G	59.91	74.00	-14.09	8.44	3	Vertical	188	1.58	-
AV	5.4592G	47.55	54.00	-6.45	8.45	3	Vertical	188	1.58	-
PK	5.4694G	64.43	68.20	-3.77	8.46	3	Vertical	188	1.58	-
PK	5.503G	122.00	Inf	-Inf	8.52	3	Vertical	188	1.58	-
AV	5.4982G	109.53	Inf	-Inf	8.52	3	Vertical	188	1.58	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4598G	60.22	74.00	-13.78	8.45	3	Horizontal	199	2.35	-
AV	5.4598G	47.99	54.00	-6.01	8.45	3	Horizontal	199	2.35	-
PK	5.47G	64.12	68.20	-4.08	8.46	3	Horizontal	199	2.35	-
PK	5.5072G	121.67	Inf	-Inf	8.52	3	Horizontal	199	2.35	-
AV	5.5084G	109.25	Inf	-Inf	8.53	3	Horizontal	199	2.35	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5580MHz_TX




EUT_Z_4TX
 Setting 24
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	58.66	74.00	-15.34	8.45	3	Vertical	195	1.47	-
AV	5.392G	46.23	54.00	-7.77	8.33	3	Vertical	195	1.47	-
PK	5.4672G	57.33	68.20	-10.87	8.46	3	Vertical	195	1.47	-
PK	5.5784G	121.93	Inf	-Inf	8.57	3	Vertical	195	1.47	-
AV	5.5824G	109.41	Inf	-Inf	8.57	3	Vertical	195	1.47	-
PK	5.7624G	59.15	68.20	-9.05	8.85	3	Vertical	195	1.47	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.416G	58.37	74.00	-15.63	8.36	3	Horizontal	189	2.78	-
AV	5.436G	46.27	54.00	-7.73	8.41	3	Horizontal	189	2.78	-
PK	5.4608G	58.28	68.20	-9.92	8.45	3	Horizontal	189	2.78	-
PK	5.5816G	122.11	Inf	-Inf	8.57	3	Horizontal	189	2.78	-
AV	5.5768G	109.39	Inf	-Inf	8.57	3	Horizontal	189	2.78	-
PK	5.772G	58.78	68.20	-9.42	8.85	3	Horizontal	189	2.78	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5700MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6982G	120.65	Inf	-Inf	8.75	3	Vertical	181	1.11	-
AV	5.699G	108.05	Inf	-Inf	8.75	3	Vertical	181	1.11	-
PK	5.7252G	60.68	68.20	-7.52	8.79	3	Vertical	181	1.11	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5700MHz_TX




EUT Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7042G	122.01	Inf	-Inf	8.76	3	Horizontal	194	2.56	-
AV	5.7044G	108.81	Inf	-Inf	8.76	3	Horizontal	194	2.56	-
PK	5.7252G	61.97	68.20	-6.23	8.79	3	Horizontal	194	2.56	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4428G	58.41	74.00	-15.59	8.42	3	Vertical	168	1.52	-
AV	5.4584G	45.86	54.00	-8.14	8.45	3	Vertical	168	1.52	-
PK	5.4656G	57.66	68.20	-10.54	8.46	3	Vertical	168	1.52	-
PK	5.7212G	121.17	Inf	-Inf	8.78	3	Vertical	168	1.52	-
AV	5.7236G	107.41	Inf	-Inf	8.78	3	Vertical	168	1.52	-
PK	5.9036G	58.60	68.20	-9.60	8.92	3	Vertical	168	1.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4368G	58.70	74.00	-15.30	8.41	3	Horizontal	187	2.79	-
AV	5.4248G	45.91	54.00	-8.09	8.38	3	Horizontal	187	2.79	-
PK	5.4644G	57.88	68.20	-10.32	8.45	3	Horizontal	187	2.79	-
PK	5.7176G	118.26	Inf	-Inf	8.77	3	Horizontal	187	2.79	-
AV	5.7116G	107.13	Inf	-Inf	8.78	3	Horizontal	187	2.79	-
PK	5.87G	58.77	68.20	-9.43	8.91	3	Horizontal	187	2.79	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5270MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.138G	57.89	74.00	-16.11	7.92	3	Vertical	185	1.48	-
AV	5.1416G	45.91	54.00	-8.09	7.94	3	Vertical	185	1.48	-
PK	5.2724G	119.39	Inf	-Inf	8.17	3	Vertical	185	1.48	-
AV	5.2676G	107.72	Inf	-Inf	8.16	3	Vertical	185	1.48	-
PK	5.399G	59.57	74.00	-14.43	8.34	3	Vertical	185	1.48	-
AV	5.3762G	47.29	54.00	-6.71	8.31	3	Vertical	185	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5270MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	58.05	74.00	-15.95	7.94	3	Horizontal	191	2.80	-
AV	5.1452G	45.94	54.00	-8.06	7.94	3	Horizontal	191	2.80	-
PK	5.276G	118.67	Inf	-Inf	8.17	3	Horizontal	191	2.80	-
AV	5.2598G	106.15	Inf	-Inf	8.15	3	Horizontal	191	2.80	-
PK	5.3744G	58.97	74.00	-15.03	8.30	3	Horizontal	191	2.80	-
AV	5.369G	46.91	54.00	-7.09	8.30	3	Horizontal	191	2.80	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.304G	119.10	Inf	-Inf	8.21	3	Vertical	169	1.13	-
AV	5.3034G	106.30	Inf	-Inf	8.21	3	Vertical	169	1.13	-
PK	5.3514G	62.26	74.00	-11.74	8.28	3	Vertical	169	1.13	-
AV	5.3526G	48.83	54.00	-5.17	8.28	3	Vertical	169	1.13	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3148G	117.75	Inf	-Inf	8.23	3	Horizontal	191	2.80	-
AV	5.3196G	105.73	Inf	-Inf	8.23	3	Horizontal	191	2.80	-
PK	5.3598G	61.29	74.00	-12.71	8.29	3	Horizontal	191	2.80	-
AV	5.355G	48.10	54.00	-5.90	8.28	3	Horizontal	191	2.80	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5510MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	63.01	74.00	-10.99	8.45	3	Vertical	189	1.41	-
AV	5.46G	50.87	54.00	-3.13	8.45	3	Vertical	189	1.41	-
PK	5.4692G	66.84	68.20	-1.36	8.46	3	Vertical	189	1.41	-
PK	5.513G	119.94	Inf	-Inf	8.53	3	Vertical	189	1.41	-
AV	5.5148G	108.17	Inf	-Inf	8.53	3	Vertical	189	1.41	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5510MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	63.29	74.00	-10.71	8.45	3	Horizontal	199	2.45	-
AV	5.4596G	51.03	54.00	-2.97	8.45	3	Horizontal	199	2.45	-
PK	5.4692G	64.18	68.20	-4.02	8.46	3	Horizontal	199	2.45	-
PK	5.5076G	119.91	Inf	-Inf	8.52	3	Horizontal	199	2.45	-
AV	5.5058G	107.68	Inf	-Inf	8.52	3	Horizontal	199	2.45	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5550MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4468G	59.56	74.00	-14.44	8.42	3	Vertical	171	1.07	-
AV	5.4486G	47.07	54.00	-6.93	8.42	3	Vertical	171	1.07	-
PK	5.4654G	58.52	68.20	-9.68	8.46	3	Vertical	171	1.07	-
PK	5.553G	119.47	Inf	-Inf	8.55	3	Vertical	171	1.07	-
AV	5.5518G	107.22	Inf	-Inf	8.55	3	Vertical	171	1.07	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5550MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4252G	58.76	74.00	-15.24	8.39	3	Horizontal	180	1.77	-
AV	5.445G	46.76	54.00	-7.24	8.42	3	Horizontal	180	1.77	-
PK	5.4648G	58.67	68.20	-9.53	8.45	3	Horizontal	180	1.77	-
PK	5.5572G	118.82	Inf	-Inf	8.55	3	Horizontal	180	1.77	-
AV	5.5602G	105.75	Inf	-Inf	8.56	3	Horizontal	180	1.77	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5670MHz_TX




EUT Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6706G	118.14	Inf	-Inf	8.70	3	Vertical	170	1.08	-
AV	5.6712G	105.48	Inf	-Inf	8.70	3	Vertical	170	1.08	-
PK	5.7636G	59.84	68.20	-8.36	8.84	3	Vertical	170	1.08	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5670MHz_TX




EUT Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6724G	119.95	Inf	-Inf	8.70	3	Horizontal	196	2.70	-
AV	5.6652G	107.92	Inf	-Inf	8.69	3	Horizontal	196	2.70	-
PK	5.7318G	60.34	68.20	-7.86	8.80	3	Horizontal	196	2.70	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4412G	58.73	74.00	-15.27	8.41	3	Vertical	176	1.31	-
AV	5.4328G	46.08	54.00	-7.92	8.40	3	Vertical	176	1.31	-
PK	5.4652G	57.59	68.20	-10.61	8.45	3	Vertical	176	1.31	-
PK	5.722G	117.25	Inf	-Inf	8.78	3	Vertical	176	1.31	-
AV	5.7136G	105.33	Inf	-Inf	8.77	3	Vertical	176	1.31	-
PK	5.9164G	58.79	68.20	-9.41	8.93	3	Vertical	176	1.31	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

19/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4556G	58.31	74.00	-15.69	8.44	3	Horizontal	187	2.57	-
AV	5.4292G	46.24	54.00	-7.76	8.40	3	Horizontal	187	2.57	-
PK	5.4616G	57.97	68.20	-10.23	8.45	3	Horizontal	187	2.57	-
PK	5.7052G	118.29	Inf	-Inf	8.76	3	Horizontal	187	2.57	-
AV	5.7052G	106.52	Inf	-Inf	8.76	3	Horizontal	187	2.57	-
PK	5.9152G	59.42	68.20	-8.78	8.93	3	Horizontal	187	2.57	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.112G	59.10	74.00	-14.90	7.86	3	Vertical	188	1.47	-
AV	5.14G	45.98	54.00	-8.02	7.93	3	Vertical	188	1.47	-
PK	5.275G	116.68	Inf	-Inf	8.17	3	Vertical	188	1.47	-
AV	5.278G	103.85	Inf	-Inf	8.17	3	Vertical	188	1.47	-
PK	5.368G	61.75	74.00	-12.25	8.29	3	Vertical	188	1.47	-
AV	5.353G	48.72	54.00	-5.28	8.28	3	Vertical	188	1.47	-
PK	5.523G	58.76	68.20	-9.44	8.53	3	Vertical	188	1.47	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.141G	58.46	74.00	-15.54	7.94	3	Horizontal	195	2.33	-
AV	5.07G	46.11	54.00	-7.89	7.76	3	Horizontal	195	2.33	-
PK	5.301G	114.73	Inf	-Inf	8.21	3	Horizontal	195	2.33	-
AV	5.305G	101.66	Inf	-Inf	8.22	3	Horizontal	195	2.33	-
PK	5.361G	64.42	74.00	-9.58	8.29	3	Horizontal	195	2.33	-
AV	5.352G	49.46	54.00	-4.54	8.28	3	Horizontal	195	2.33	-
PK	5.512G	58.80	68.20	-9.40	8.53	3	Horizontal	195	2.33	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5530MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.291G	58.98	68.20	-9.22	8.20	3	Vertical	189	1.07	-
PK	5.459G	61.95	74.00	-12.05	8.45	3	Vertical	189	1.07	-
AV	5.44G	48.66	54.00	-5.34	8.41	3	Vertical	189	1.07	-
PK	5.462G	64.87	68.20	-3.33	8.45	3	Vertical	189	1.07	-
PK	5.537G	116.39	Inf	-Inf	8.54	3	Vertical	189	1.07	-
AV	5.528G	104.13	Inf	-Inf	8.54	3	Vertical	189	1.07	-
PK	5.744G	59.07	68.20	-9.13	8.82	3	Vertical	189	1.07	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5530MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.313G	58.38	68.20	-9.82	8.22	3	Horizontal	176	1.78	-
PK	5.458G	61.56	74.00	-12.44	8.45	3	Horizontal	176	1.78	-
AV	5.459G	48.02	54.00	-5.98	8.45	3	Horizontal	176	1.78	-
PK	5.462G	62.72	68.20	-5.48	8.45	3	Horizontal	176	1.78	-
PK	5.507G	116.12	Inf	-Inf	8.52	3	Horizontal	176	1.78	-
AV	5.493G	102.76	Inf	-Inf	8.51	3	Horizontal	176	1.78	-
PK	5.732G	59.48	68.20	-8.72	8.80	3	Horizontal	176	1.78	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5610MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.451G	59.10	74.00	-14.90	8.44	3	Vertical	180	1.48	-
AV	5.448G	46.32	54.00	-7.68	8.42	3	Vertical	180	1.48	-
PK	5.461G	57.88	68.20	-10.32	8.45	3	Vertical	180	1.48	-
PK	5.586G	116.82	Inf	-Inf	8.57	3	Vertical	180	1.48	-
AV	5.583G	103.31	Inf	-Inf	8.57	3	Vertical	180	1.48	-
PK	5.73G	60.99	68.20	-7.21	8.80	3	Vertical	180	1.48	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5610MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.431G	58.69	74.00	-15.31	8.40	3	Horizontal	189	1.13	-
AV	5.439G	46.61	54.00	-7.39	8.41	3	Horizontal	189	1.13	-
PK	5.468G	58.44	68.20	-9.76	8.46	3	Horizontal	189	1.13	-
PK	5.585G	116.75	Inf	-Inf	8.57	3	Horizontal	189	1.13	-
AV	5.581G	103.38	Inf	-Inf	8.57	3	Horizontal	189	1.13	-
PK	5.73G	59.75	68.20	-8.45	8.80	3	Horizontal	189	1.13	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4308G	59.41	74.00	-14.59	8.40	3	Vertical	166	1.71	-
AV	5.4212G	46.35	54.00	-7.65	8.38	3	Vertical	166	1.71	-
PK	5.4692G	57.60	68.20	-10.60	8.46	3	Vertical	166	1.71	-
PK	5.6828G	113.33	Inf	-Inf	8.73	3	Vertical	166	1.71	-
AV	5.69G	101.16	Inf	-Inf	8.73	3	Vertical	166	1.71	-
PK	5.9792G	59.08	68.20	-9.12	8.94	3	Vertical	166	1.71	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.444G	58.29	74.00	-15.71	8.42	3	Horizontal	192	2.69	-
AV	5.4068G	45.99	54.00	-8.01	8.35	3	Horizontal	192	2.69	-
PK	5.4632G	58.10	68.20	-10.10	8.45	3	Horizontal	192	2.69	-
PK	5.7044G	115.18	Inf	-Inf	8.76	3	Horizontal	192	2.69	-
AV	5.7056G	103.07	Inf	-Inf	8.76	3	Horizontal	192	2.69	-
PK	5.8832G	58.76	68.20	-9.44	8.92	3	Horizontal	192	2.69	-



RSE TX above 1GHz Result_Radiated Emission / Antenna Set 6 Appendix D.29

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	11.43976G	42.63	54.00	-11.37	14.82	3	Vertical	243	2.09	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5260MHz_TX



EUT Z_4TX
 Setting 27
 02-J-1
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.76722G	54.17	74.00	-19.83	15.47	3	Vertical	222	2.55	-
AV	15.77538G	40.79	54.00	-13.21	15.45	3	Vertical	222	2.55	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5260MHz_TX



EUT Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.77724G	53.98	74.00	-20.02	15.45	3	Horizontal	123	2.35	-
AV	15.77106G	40.45	54.00	-13.55	15.45	3	Horizontal	123	2.35	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5300MHz_TX



EUT Z_4TX
 Setting 27
 02-J-1
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.90408G	54.00	74.00	-20.00	15.12	3	Vertical	181	2.03	-
AV	15.90438G	40.83	54.00	-13.17	15.12	3	Vertical	181	2.03	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5300MHz_TX



EUT Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.8883G	53.41	74.00	-20.59	15.15	3	Horizontal	202	2.06	-
AV	15.9018G	40.03	54.00	-13.97	15.12	3	Horizontal	202	2.06	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5320MHz_TX



EUT Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.966G	54.48	74.00	-19.52	14.95	3	Vertical	153	1.97	-
AV	15.96708G	40.55	54.00	-13.45	14.95	3	Vertical	153	1.97	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5320MHz_TX



EUT_Z_4TX
 Setting 27
 02-J-1
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.94758G	53.09	74.00	-20.91	14.99	3	Horizontal	191	2.01	-
AV	15.96396G	39.70	54.00	-14.30	14.95	3	Horizontal	191	2.01	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5500MHz_TX



EUT Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01056G	52.92	74.00	-21.08	14.28	3	Vertical	31	1.50	-
AV	11.00414G	39.33	54.00	-14.67	14.26	3	Vertical	31	1.50	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5500MHz_TX



EUT Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.98908G	52.24	74.00	-21.76	14.27	3	Horizontal	231	1.38	-
AV	11.01482G	39.39	54.00	-14.61	14.28	3	Horizontal	231	1.38	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5580MHz_TX



EUT Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1648G	55.12	74.00	-18.88	14.47	3	Vertical	147	2.21	-
AV	11.16348G	41.95	54.00	-12.05	14.47	3	Vertical	147	2.21	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5580MHz_TX



EUT Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1567G	52.74	74.00	-21.26	14.46	3	Horizontal	322	1.19	-
AV	11.17122G	39.44	54.00	-14.56	14.48	3	Horizontal	322	1.19	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5700MHz_TX



EUT Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39436G	55.31	74.00	-18.69	14.77	3	Vertical	205	2.74	-
AV	11.39262G	41.47	54.00	-12.53	14.76	3	Vertical	205	2.74	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5700MHz_TX



EUT_Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39484G	53.46	74.00	-20.54	14.77	3	Horizontal	311	1.50	-
AV	11.38884G	40.00	54.00	-14.00	14.76	3	Horizontal	311	1.50	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.44138G	55.91	74.00	-18.09	14.82	3	Vertical	243	2.09	-
AV	11.43976G	42.63	54.00	-11.37	14.82	3	Vertical	243	2.09	-



802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 27
02-J-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42542G	53.40	74.00	-20.60	14.81	3	Horizontal	171	1.68	-
AV	11.44264G	40.31	54.00	-13.69	14.82	3	Horizontal	171	1.68	-

802.11ax HEW20_Nss1,(MCS0)_4TX

15/07/2019

5260MHz_TX



EUT Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.77946G	53.61	74.00	-20.39	15.44	3	Vertical	220	1.59	-
AV	15.76512G	40.18	54.00	-13.82	15.47	3	Vertical	220	1.59	-



802.11ax HEW20_Nss1,(MCS0)_4TX

15/07/2019

5260MHz_TX



EUT Z_4TX
Setting 27
02-J-1
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7695G	54.21	74.00	-19.79	15.46	3	Horizontal	301	1.79	-
AV	15.7671G	40.01	54.00	-13.99	15.47	3	Horizontal	301	1.79	-



802.11ax HEW20_Nss1,(MCS0)_4TX

15/07/2019

5300MHz_TX



EUT Z_4TX
Setting 27
02-J-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.888G	53.37	74.00	-20.63	15.15	3	Vertical	190	2.32	-
AV	15.88728G	39.77	54.00	-14.23	15.16	3	Vertical	190	2.32	-