


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

20/07/2019

5320MHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3244G	119.03	Inf	-Inf	8.24	3	Vertical	340	2.09	-
AV	5.3236G	106.31	Inf	-Inf	8.24	3	Vertical	340	2.09	-
PK	5.3512G	60.51	74.00	-13.49	8.28	3	Vertical	340	2.09	-
AV	5.35G	48.27	54.00	-5.73	8.28	3	Vertical	340	2.09	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

20/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4586G	60.53	74.00	-13.47	8.45	3	Vertical	52	2.01	-
AV	5.4596G	46.81	54.00	-7.19	8.45	3	Vertical	52	2.01	-
PK	5.4664G	59.94	68.20	-8.26	8.46	3	Vertical	52	2.01	-
PK	5.4962G	121.26	Inf	-Inf	8.52	3	Vertical	52	2.01	-
AV	5.4956G	108.37	Inf	-Inf	8.51	3	Vertical	52	2.01	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

20/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4504G	59.31	74.00	-14.69	8.44	3	Vertical	71	2.13	-
AV	5.4336G	46.14	54.00	-7.86	8.40	3	Vertical	71	2.13	-
PK	5.4672G	57.66	68.20	-10.54	8.46	3	Vertical	71	2.13	-
PK	5.5776G	121.66	Inf	-Inf	8.57	3	Vertical	71	2.13	-
AV	5.5768G	107.90	Inf	-Inf	8.57	3	Vertical	71	2.13	-
PK	5.768G	59.52	68.20	-8.68	8.85	3	Vertical	71	2.13	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

20/07/2019

5700MHz_TX




EUT Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7022G	120.56	Inf	-Inf	8.75	3	Vertical	356	1.97	-
AV	5.7048G	108.39	Inf	-Inf	8.76	3	Vertical	356	1.97	-
PK	5.727G	64.61	68.20	-3.59	8.80	3	Vertical	356	1.97	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

20/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4572G	58.46	74.00	-15.54	8.44	3	Vertical	294	2.27	-
AV	5.4224G	46.06	54.00	-7.94	8.38	3	Vertical	294	2.27	-
PK	5.4632G	57.68	68.20	-10.52	8.45	3	Vertical	294	2.27	-
PK	5.7188G	118.62	Inf	-Inf	8.77	3	Vertical	294	2.27	-
AV	5.7164G	106.83	Inf	-Inf	8.77	3	Vertical	294	2.27	-
PK	5.8796G	58.96	68.20	-9.24	8.92	3	Vertical	294	2.27	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

20/07/2019

5270MHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1302G	58.23	74.00	-15.77	7.91	3	Vertical	347	1.91	-
AV	5.129G	45.98	54.00	-8.02	7.91	3	Vertical	347	1.91	-
PK	5.2652G	117.70	Inf	-Inf	8.16	3	Vertical	347	1.91	-
AV	5.2622G	105.03	Inf	-Inf	8.15	3	Vertical	347	1.91	-
PK	5.3756G	59.30	74.00	-14.70	8.31	3	Vertical	347	1.91	-
AV	5.351G	46.42	54.00	-7.58	8.28	3	Vertical	347	1.91	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

20/07/2019

5310MHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3204G	116.09	Inf	-Inf	8.23	3	Vertical	359	1.41	-
AV	5.3004G	104.65	Inf	-Inf	8.21	3	Vertical	359	1.41	-
PK	5.352G	61.00	74.00	-13.00	8.28	3	Vertical	359	1.41	-
AV	5.35G	49.90	54.00	-4.10	8.28	3	Vertical	359	1.41	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

20/07/2019

5510MHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4556G	68.13	74.00	-5.87	8.44	3	Vertical	13	2.13	-
AV	5.46G	47.36	54.00	-6.64	8.45	3	Vertical	13	2.13	-
PK	5.4628G	66.39	68.20	-1.81	8.45	3	Vertical	13	2.13	-
PK	5.4976G	115.91	Inf	-Inf	8.52	3	Vertical	13	2.13	-
AV	5.4944G	104.13	Inf	-Inf	8.51	3	Vertical	13	2.13	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

20/07/2019

5550MHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4228G	58.48	74.00	-15.52	8.38	3	Horizontal	47	1.91	-
AV	5.439G	46.35	54.00	-7.65	8.41	3	Horizontal	47	1.91	-
PK	5.463G	58.26	68.20	-9.94	8.45	3	Horizontal	47	1.91	-
PK	5.5386G	116.94	Inf	-Inf	8.54	3	Horizontal	47	1.91	-
AV	5.5404G	104.32	Inf	-Inf	8.54	3	Horizontal	47	1.91	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

20/07/2019

5670MHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6676G	118.95	Inf	-Inf	8.69	3	Vertical	158	1.91	-
AV	5.6684G	105.43	Inf	-Inf	8.70	3	Vertical	158	1.91	-
PK	5.7424G	64.04	68.20	-4.16	8.82	3	Vertical	158	1.91	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

20/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4244G	58.99	74.00	-15.01	8.38	3	Vertical	172	2.68	-
PK	5.4676G	57.41	68.20	-10.79	8.46	3	Vertical	172	2.68	-
AV	5.4568G	46.18	54.00	-7.82	8.44	3	Vertical	172	2.68	-
PK	5.6944G	118.01	Inf	-Inf	8.74	3	Vertical	172	2.68	-
AV	5.6956G	107.49	Inf	-Inf	8.74	3	Vertical	172	2.68	-
PK	5.8564G	59.48	68.20	-8.72	8.90	3	Vertical	172	2.68	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

20/07/2019

5290MHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.106G	59.38	74.00	-14.62	7.86	3	Vertical	9	2.12	-
AV	5.1308G	46.71	54.00	-7.29	7.91	3	Vertical	9	2.12	-
PK	5.2548G	115.50	Inf	-Inf	8.15	3	Vertical	9	2.12	-
AV	5.2556G	106.56	Inf	-Inf	8.15	3	Vertical	9	2.12	-
PK	5.4116G	63.31	74.00	-10.69	8.36	3	Vertical	9	2.12	-
AV	5.3508G	50.61	54.00	-3.39	8.28	3	Vertical	9	2.12	-
PK	5.4844G	58.68	68.20	-9.52	8.50	3	Vertical	9	2.12	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

20/07/2019

5530MHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.308G	58.60	68.20	-9.60	8.22	3	Vertical	42	1.87	-
PK	5.445G	65.78	74.00	-8.22	8.42	3	Vertical	42	1.87	-
PK	5.463G	67.11	68.20	-1.09	8.45	3	Vertical	42	1.87	-
AV	5.458G	52.34	54.00	-1.66	8.45	3	Vertical	42	1.87	-
PK	5.505G	114.44	Inf	-Inf	8.52	3	Vertical	42	1.87	-
AV	5.508G	102.57	Inf	-Inf	8.52	3	Vertical	42	1.87	-
PK	5.727G	58.51	68.20	-9.69	8.80	3	Vertical	42	1.87	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

20/07/2019

5610MHz_TX




EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4412G	60.07	74.00	-13.93	8.41	3	Vertical	45	2.13	-
AV	5.454G	47.53	54.00	-6.47	8.44	3	Vertical	45	2.13	-
PK	5.4684G	60.14	68.20	-8.06	8.46	3	Vertical	45	2.13	-
PK	5.5756G	117.33	Inf	-Inf	8.57	3	Vertical	45	2.13	-
AV	5.6044G	102.81	Inf	-Inf	8.59	3	Vertical	45	2.13	-
PK	5.7268G	64.61	68.20	-3.59	8.79	3	Vertical	45	2.13	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

20/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 24
01-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.408G	58.55	74.00	-15.45	8.35	3	Vertical	165	1.99	-
PK	5.4644G	58.96	68.20	-9.24	8.45	3	Vertical	165	1.99	-
AV	5.438G	46.24	54.00	-7.76	8.41	3	Vertical	165	1.99	-
PK	5.6768G	114.92	Inf	-Inf	8.72	3	Vertical	165	1.99	-
AV	5.6528G	102.27	Inf	-Inf	8.66	3	Vertical	165	1.99	-
PK	5.8808G	59.78	68.20	-8.42	8.92	3	Vertical	165	1.99	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.8592G	68.16	68.20	-0.04	8.91	3	Vertical	175	2.00	-

802.11a_Nss1,(6Mbps)_4TX

19/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1226G	59.21	74.00	-14.79	7.88	3	Vertical	155	2.09	-
AV	5.1496G	47.07	54.00	-6.93	7.94	3	Vertical	155	2.09	-
PK	5.2672G	129.04	Inf	-Inf	8.16	3	Vertical	155	2.09	-
AV	5.2672G	119.07	Inf	-Inf	8.16	3	Vertical	155	2.09	-
PK	5.3566G	61.32	74.00	-12.68	8.28	3	Vertical	155	2.09	-
AV	5.3518G	48.36	54.00	-5.64	8.28	3	Vertical	155	2.09	-

802.11a_Nss1,(6Mbps)_4TX

19/07/2019

5300MHz_TX




EUT_Z_4TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.303G	128.02	Inf	-Inf	8.21	3	Vertical	147	2.17	-
AV	5.3024G	118.06	Inf	-Inf	8.21	3	Vertical	147	2.17	-
PK	5.363G	66.45	74.00	-7.55	8.29	3	Vertical	147	2.17	-
AV	5.35G	53.68	54.00	-0.32	8.28	3	Vertical	147	2.17	-

802.11a_Nss1,(6Mbps)_4TX

19/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3228G	125.65	Inf	-Inf	8.24	3	Vertical	188	2.00	-
AV	5.3232G	115.92	Inf	-Inf	8.24	3	Vertical	188	2.00	-
PK	5.35G	67.39	74.00	-6.61	8.28	3	Vertical	188	2.00	-
AV	5.35G	53.73	54.00	-0.27	8.28	3	Vertical	188	2.00	-

802.11a_Nss1,(6Mbps)_4TX

19/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 23
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4568G	67.51	74.00	-6.49	8.44	3	Vertical	181	2.09	-
AV	5.4562G	52.69	54.00	-1.31	8.44	3	Vertical	181	2.09	-
PK	5.47G	67.81	68.20	-0.39	8.46	3	Vertical	181	2.09	-
PK	5.4964G	125.95	Inf	-Inf	8.52	3	Vertical	181	2.09	-
AV	5.4958G	115.75	Inf	-Inf	8.51	3	Vertical	181	2.09	-

802.11a_Nss1,(6Mbps)_4TX

19/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4528G	61.37	74.00	-12.63	8.44	3	Vertical	175	1.95	-
AV	5.388G	48.01	54.00	-5.99	8.33	3	Vertical	175	1.95	-
PK	5.4616G	60.14	68.20	-8.06	8.45	3	Vertical	175	1.95	-
PK	5.5784G	129.00	Inf	-Inf	8.57	3	Vertical	175	1.95	-
AV	5.5792G	119.04	Inf	-Inf	8.57	3	Vertical	175	1.95	-
PK	5.7776G	60.90	68.20	-7.30	8.87	3	Vertical	175	1.95	-

802.11a_Nss1,(6Mbps)_4TX

19/07/2019

5700MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7028G	124.12	Inf	-Inf	8.75	3	Vertical	125	1.97	-
AV	5.7032G	114.58	Inf	-Inf	8.75	3	Vertical	125	1.97	-
PK	5.7252G	67.87	68.20	-0.33	8.79	3	Vertical	125	1.97	-

802.11a_Nss1,(6Mbps)_4TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4572G	59.56	74.00	-14.44	8.44	3	Vertical	132	2.05	-
AV	5.4464G	47.09	54.00	-6.91	8.42	3	Vertical	132	2.05	-
PK	5.4692G	59.67	68.20	-8.53	8.46	3	Vertical	132	2.05	-
PK	5.7236G	128.04	Inf	-Inf	8.78	3	Vertical	132	2.05	-
AV	5.7236G	118.07	Inf	-Inf	8.78	3	Vertical	132	2.05	-
PK	5.8772G	60.00	68.20	-8.20	8.92	3	Vertical	132	2.05	-

802.11ax HEW20_Nss1,(MCS0)_4TX

19/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1334G	60.12	74.00	-13.88	7.92	3	Vertical	24	2.16	-
AV	5.1436G	46.74	54.00	-7.26	7.94	3	Vertical	24	2.16	-
PK	5.2678G	129.85	Inf	-Inf	8.16	3	Vertical	24	2.16	-
AV	5.2678G	116.91	Inf	-Inf	8.16	3	Vertical	24	2.16	-
PK	5.3734G	60.73	74.00	-13.27	8.30	3	Vertical	24	2.16	-
AV	5.35G	47.99	54.00	-6.01	8.28	3	Vertical	24	2.16	-

802.11ax HEW20_Nss1,(MCS0)_4TX

19/07/2019

5300MHz_TX




EUT Z_4TX
Setting 25.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2988G	129.77	Inf	-Inf	8.21	3	Vertical	137	1.93	-
AV	5.2982G	116.81	Inf	-Inf	8.21	3	Vertical	137	1.93	-
PK	5.36G	67.55	74.00	-6.45	8.29	3	Vertical	137	1.93	-
AV	5.35G	53.60	54.00	-0.40	8.28	3	Vertical	137	1.93	-

802.11ax HEW20_Nss1,(MCS0)_4TX

19/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 22
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3188G	126.27	Inf	-Inf	8.23	3	Vertical	139	2.04	-
AV	5.3188G	113.76	Inf	-Inf	8.23	3	Vertical	139	2.04	-
PK	5.358G	67.52	74.00	-6.48	8.28	3	Vertical	139	2.04	-
AV	5.358G	53.73	54.00	-0.27	8.28	3	Vertical	139	2.04	-

802.11ax HEW20_Nss1,(MCS0)_4TX

19/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 22
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4598G	62.07	74.00	-11.93	8.45	3	Vertical	178	2.09	-
AV	5.4094G	48.92	54.00	-5.08	8.35	3	Vertical	178	2.09	-
PK	5.4652G	67.85	68.20	-0.35	8.45	3	Vertical	178	2.09	-
PK	5.5048G	126.92	Inf	-Inf	8.52	3	Vertical	178	2.09	-
AV	5.5054G	114.40	Inf	-Inf	8.52	3	Vertical	178	2.09	-

802.11ax HEW20_Nss1,(MCS0)_4TX

19/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	61.62	74.00	-12.38	8.45	3	Vertical	194	2.19	-
AV	5.3912G	47.38	54.00	-6.62	8.33	3	Vertical	194	2.19	-
PK	5.4664G	60.04	68.20	-8.16	8.46	3	Vertical	194	2.19	-
PK	5.5832G	130.07	Inf	-Inf	8.57	3	Vertical	194	2.19	-
AV	5.5824G	117.68	Inf	-Inf	8.57	3	Vertical	194	2.19	-
PK	5.7736G	61.66	68.20	-6.54	8.86	3	Vertical	194	2.19	-

802.11ax HEW20_Nss1,(MCS0)_4TX

19/07/2019

5700MHz_TX




EUT Z_4TX
Setting 21.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.696G	127.62	Inf	-Inf	8.74	3	Vertical	161	2.04	-
AV	5.696G	114.34	Inf	-Inf	8.74	3	Vertical	161	2.04	-
PK	5.725G	68.15	68.20	-0.05	8.79	3	Vertical	161	2.04	-

802.11ax HEW20_Nss1,(MCS0)_4TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4332G	58.96	74.00	-15.04	8.40	3	Vertical	180	2.91	-
AV	5.432G	46.53	54.00	-7.47	8.40	3	Vertical	180	2.91	-
PK	5.4632G	59.11	68.20	-9.09	8.45	3	Vertical	180	2.91	-
PK	5.7236G	130.36	Inf	-Inf	8.78	3	Vertical	180	2.91	-
AV	5.7224G	117.25	Inf	-Inf	8.78	3	Vertical	180	2.91	-
PK	5.8724G	61.03	68.20	-7.17	8.91	3	Vertical	180	2.91	-

802.11ax HEW40_Nss1,(MCS0)_4TX

19/07/2019

5270MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1266G	60.26	74.00	-13.74	7.90	3	Vertical	143	2.10	-
AV	5.1452G	47.13	54.00	-6.87	7.94	3	Vertical	143	2.10	-
PK	5.2862G	126.04	Inf	-Inf	8.19	3	Vertical	143	2.10	-
AV	5.2658G	113.56	Inf	-Inf	8.16	3	Vertical	143	2.10	-
PK	5.351G	65.49	74.00	-8.51	8.28	3	Vertical	143	2.10	-
AV	5.35G	52.22	54.00	-1.78	8.28	3	Vertical	143	2.10	-

802.11ax HEW40_Nss1,(MCS0)_4TX

19/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3028G	123.26	Inf	-Inf	8.21	3	Vertical	160	2.13	-
AV	5.3034G	109.76	Inf	-Inf	8.21	3	Vertical	160	2.13	-
PK	5.3628G	67.72	74.00	-6.28	8.29	3	Vertical	160	2.13	-
AV	5.3634G	53.78	54.00	-0.22	8.29	3	Vertical	160	2.13	-

802.11ax HEW40_Nss1,(MCS0)_4TX

20/07/2019

5510MHz_TX




EUT_Z_4TX
Setting 20
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4464G	64.00	74.00	-10.00	8.42	3	Vertical	159	2.03	-
AV	5.4458G	50.38	54.00	-3.62	8.42	3	Vertical	159	2.03	-
PK	5.4656G	68.05	68.20	-0.15	8.46	3	Vertical	159	2.03	-
PK	5.5064G	123.33	Inf	-Inf	8.52	3	Vertical	159	2.03	-
AV	5.5058G	109.75	Inf	-Inf	8.52	3	Vertical	159	2.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX

20/07/2019

5550MHz_TX




EUT_Z_4TX
Setting 23.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4504G	64.29	74.00	-9.71	8.44	3	Vertical	125	1.94	-
AV	5.451G	50.64	54.00	-3.36	8.44	3	Vertical	125	1.94	-
PK	5.469G	68.09	68.20	-0.11	8.46	3	Vertical	125	1.94	-
PK	5.5506G	126.17	Inf	-Inf	8.55	3	Vertical	125	1.94	-
AV	5.5506G	112.71	Inf	-Inf	8.55	3	Vertical	125	1.94	-

802.11ax HEW40_Nss1,(MCS0)_4TX

20/07/2019

5670MHz_TX




EUT Z_4TX
Setting 20.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6652G	123.40	Inf	-Inf	8.69	3	Vertical	175	2.08	-
AV	5.6652G	110.31	Inf	-Inf	8.69	3	Vertical	175	2.08	-
PK	5.7252G	68.02	68.20	-0.18	8.79	3	Vertical	175	2.08	-

802.11ax HEW40_Nss1,(MCS0)_4TX

20/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 25.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.446G	60.11	74.00	-13.89	8.42	3	Vertical	177	2.01	-
AV	5.46G	47.04	54.00	-6.96	8.45	3	Vertical	177	2.01	-
PK	5.46G	59.47	68.20	-8.73	8.45	3	Vertical	177	2.01	-
AV	5.46G	47.04	Inf	-Inf	8.45	3	Vertical	177	2.01	-
PK	5.7052G	127.99	Inf	-Inf	8.76	3	Vertical	177	2.01	-
PK	5.8552G	67.86	68.20	-0.34	8.90	3	Vertical	177	2.01	-

802.11ax HEW80_Nss1,(MCS0)_4TX

20/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 20
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	60.28	74.00	-13.72	7.94	3	Vertical	163	2.03	-
AV	5.15G	47.04	54.00	-6.96	7.94	3	Vertical	163	2.03	-
PK	5.272G	119.41	Inf	-Inf	8.17	3	Vertical	163	2.03	-
AV	5.274G	106.93	Inf	-Inf	8.17	3	Vertical	163	2.03	-
PK	5.354G	66.20	74.00	-7.80	8.28	3	Vertical	163	2.03	-
AV	5.354G	53.77	54.00	-0.23	8.28	3	Vertical	163	2.03	-
PK	5.472G	59.26	68.20	-8.94	8.46	3	Vertical	163	2.03	-

802.11ax HEW80_Nss1,(MCS0)_4TX

20/07/2019

5530MHz_TX




EUT_Z_4TX
Setting 19
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.349G	58.89	68.20	-9.31	8.27	3	Vertical	189	2.06	-
PK	5.442G	66.51	74.00	-7.49	8.41	3	Vertical	189	2.06	-
AV	5.442G	52.89	54.00	-1.11	8.41	3	Vertical	189	2.06	-
PK	5.462G	67.84	68.20	-0.36	8.45	3	Vertical	189	2.06	-
PK	5.542G	117.85	Inf	-Inf	8.55	3	Vertical	189	2.06	-
AV	5.522G	105.70	Inf	-Inf	8.53	3	Vertical	189	2.06	-
PK	5.74G	59.32	68.20	-8.88	8.80	3	Vertical	189	2.06	-

802.11ax HEW80_Nss1,(MCS0)_4TX

20/07/2019

5610MHz_TX




EUT_Z_4TX
Setting 20.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.454G	59.34	74.00	-14.66	8.44	3	Vertical	172	1.95	-
AV	5.446G	47.61	54.00	-6.39	8.42	3	Vertical	172	1.95	-
PK	5.467G	60.80	68.20	-7.40	8.46	3	Vertical	172	1.95	-
PK	5.606G	120.02	Inf	-Inf	8.59	3	Vertical	172	1.95	-
AV	5.605G	106.70	Inf	-Inf	8.59	3	Vertical	172	1.95	-
PK	5.727G	67.88	68.20	-0.32	8.80	3	Vertical	172	1.95	-

802.11ax HEW80_Nss1,(MCS0)_4TX

20/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4464G	60.62	74.00	-13.38	8.42	3	Vertical	175	2.00	-
PK	5.4668G	61.36	68.20	-6.84	8.46	3	Vertical	175	2.00	-
AV	5.4596G	47.87	54.00	-6.13	8.45	3	Vertical	175	2.00	-
PK	5.7056G	123.82	Inf	-Inf	8.76	3	Vertical	175	2.00	-
AV	5.6864G	110.77	Inf	-Inf	8.72	3	Vertical	175	2.00	-
PK	5.8592G	68.16	68.20	-0.04	8.91	3	Vertical	175	2.00	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.466G	67.05	68.20	-1.15	8.46	3	Vertical	161	1.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

20/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.134G	58.55	74.00	-15.45	7.92	3	Vertical	334	2.22	-
AV	5.1484G	46.13	54.00	-7.87	7.94	3	Vertical	334	2.22	-
PK	5.2624G	121.28	Inf	-Inf	8.15	3	Vertical	334	2.22	-
AV	5.269G	109.34	Inf	-Inf	8.16	3	Vertical	334	2.22	-
PK	5.3626G	58.94	74.00	-15.06	8.29	3	Vertical	334	2.22	-
AV	5.3554G	46.72	54.00	-7.28	8.28	3	Vertical	334	2.22	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

20/07/2019

5300MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3048G	121.55	Inf	-Inf	8.22	3	Vertical	102	2.01	-
AV	5.298G	109.57	Inf	-Inf	8.21	3	Vertical	102	2.01	-
PK	5.3952G	59.31	74.00	-14.69	8.33	3	Vertical	102	2.01	-
AV	5.3988G	47.29	54.00	-6.71	8.34	3	Vertical	102	2.01	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

20/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3232G	122.75	Inf	-Inf	8.24	3	Vertical	140	1.89	-
AV	5.324G	109.68	Inf	-Inf	8.24	3	Vertical	140	1.89	-
PK	5.3522G	61.78	74.00	-12.22	8.28	3	Vertical	140	1.89	-
AV	5.3502G	48.69	54.00	-5.31	8.28	3	Vertical	140	1.89	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

20/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	62.90	74.00	-11.10	8.45	3	Vertical	220	1.95	-
AV	5.4598G	48.98	54.00	-5.02	8.45	3	Vertical	220	1.95	-
PK	5.4696G	66.41	68.20	-1.79	8.46	3	Vertical	220	1.95	-
PK	5.4992G	123.15	Inf	-Inf	8.52	3	Vertical	220	1.95	-
AV	5.5058G	110.29	Inf	-Inf	8.52	3	Vertical	220	1.95	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

20/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.42G	59.52	74.00	-14.48	8.38	3	Vertical	216	2.21	-
AV	5.4448G	46.52	54.00	-7.48	8.42	3	Vertical	216	2.21	-
PK	5.4664G	58.89	68.20	-9.31	8.46	3	Vertical	216	2.21	-
PK	5.5816G	122.54	Inf	-Inf	8.57	3	Vertical	216	2.21	-
AV	5.5832G	110.48	Inf	-Inf	8.57	3	Vertical	216	2.21	-
PK	5.7544G	59.39	68.20	-8.81	8.83	3	Vertical	216	2.21	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

20/07/2019

5700MHz_TX




EUT Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6952G	124.07	Inf	-Inf	8.74	3	Vertical	113	2.85	-
AV	5.6948G	110.87	Inf	-Inf	8.74	3	Vertical	113	2.85	-
PK	5.74G	60.51	68.20	-7.69	8.80	3	Vertical	113	2.85	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

20/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.426G	58.61	74.00	-15.39	8.39	3	Vertical	241	2.56	-
AV	5.4416G	46.20	54.00	-7.80	8.41	3	Vertical	241	2.56	-
PK	5.4608G	58.09	68.20	-10.11	8.45	3	Vertical	241	2.56	-
PK	5.714G	121.08	Inf	-Inf	8.77	3	Vertical	241	2.56	-
AV	5.7116G	109.72	Inf	-Inf	8.78	3	Vertical	241	2.56	-
PK	5.8616G	59.16	68.20	-9.04	8.91	3	Vertical	241	2.56	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

20/07/2019

5270MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1446G	58.85	74.00	-15.15	7.94	3	Vertical	195	2.20	-
AV	5.138G	45.93	54.00	-8.07	7.92	3	Vertical	195	2.20	-
PK	5.264G	118.95	Inf	-Inf	8.16	3	Vertical	195	2.20	-
AV	5.2628G	105.73	Inf	-Inf	8.16	3	Vertical	195	2.20	-
PK	5.3702G	60.16	74.00	-13.84	8.30	3	Vertical	195	2.20	-
AV	5.3642G	46.89	54.00	-7.11	8.29	3	Vertical	195	2.20	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

20/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3036G	119.50	Inf	-Inf	8.21	3	Vertical	105	1.90	-
AV	5.2984G	106.36	Inf	-Inf	8.21	3	Vertical	105	1.90	-
PK	5.352G	60.68	74.00	-13.32	8.28	3	Vertical	105	1.90	-
AV	5.35G	48.24	54.00	-5.76	8.28	3	Vertical	105	1.90	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

20/07/2019

5510MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4524G	61.70	74.00	-12.30	8.44	3	Vertical	185	2.03	-
PK	5.4672G	67.00	68.20	-1.20	8.46	3	Vertical	185	2.03	-
AV	5.46G	49.45	54.00	-4.55	8.45	3	Vertical	185	2.03	-
PK	5.5036G	120.65	Inf	-Inf	8.52	3	Vertical	185	2.03	-
AV	5.5064G	108.26	Inf	-Inf	8.52	3	Vertical	185	2.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

20/07/2019

5550MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4384G	60.34	74.00	-13.66	8.41	3	Vertical	154	1.91	-
AV	5.448G	47.40	54.00	-6.60	8.42	3	Vertical	154	1.91	-
PK	5.4648G	60.06	68.20	-8.14	8.45	3	Vertical	154	1.91	-
PK	5.5434G	118.75	Inf	-Inf	8.55	3	Vertical	154	1.91	-
AV	5.5434G	106.20	Inf	-Inf	8.55	3	Vertical	154	1.91	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

20/07/2019

5670MHz_TX




EUT Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6664G	120.07	Inf	-Inf	8.69	3	Vertical	212	2.31	-
AV	5.6656G	108.31	Inf	-Inf	8.69	3	Vertical	212	2.31	-
PK	5.7284G	60.52	68.20	-7.68	8.80	3	Vertical	212	2.31	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

20/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4256G	59.52	74.00	-14.48	8.39	3	Vertical	19	1.90	-
AV	5.44G	46.04	54.00	-7.96	8.41	3	Vertical	19	1.90	-
PK	5.4628G	58.03	68.20	-10.17	8.45	3	Vertical	19	1.90	-
PK	5.7124G	118.54	Inf	-Inf	8.78	3	Vertical	19	1.90	-
AV	5.7088G	105.57	Inf	-Inf	8.77	3	Vertical	19	1.90	-
PK	5.98G	59.40	68.20	-8.80	8.94	3	Vertical	19	1.90	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

20/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1028G	58.48	74.00	-15.52	7.84	3	Vertical	94	1.89	-
AV	5.1444G	46.16	54.00	-7.84	7.94	3	Vertical	94	1.89	-
PK	5.2956G	115.65	Inf	-Inf	8.20	3	Vertical	94	1.89	-
AV	5.2636G	107.72	Inf	-Inf	8.16	3	Vertical	94	1.89	-
PK	5.3501G	62.25	74.00	-11.75	8.28	3	Vertical	94	1.89	-
AV	5.3844G	47.79	54.00	-6.21	8.32	3	Vertical	94	1.89	-
PK	5.4676G	58.76	68.20	-9.44	8.46	3	Vertical	94	1.89	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

20/07/2019

5530MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.281G	58.82	68.20	-9.38	8.18	3	Vertical	161	1.95	-
PK	5.446G	63.70	74.00	-10.30	8.42	3	Vertical	161	1.95	-
AV	5.455G	49.30	54.00	-4.70	8.44	3	Vertical	161	1.95	-
PK	5.466G	67.05	68.20	-1.15	8.46	3	Vertical	161	1.95	-
PK	5.526G	117.26	Inf	-Inf	8.54	3	Vertical	161	1.95	-
AV	5.52G	104.15	Inf	-Inf	8.53	3	Vertical	161	1.95	-
PK	5.757G	58.88	68.20	-9.32	8.83	3	Vertical	161	1.95	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

20/07/2019

5610MHz_TX




EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4364G	58.88	74.00	-15.12	8.41	3	Vertical	203	1.82	-
AV	5.434G	46.30	54.00	-7.70	8.40	3	Vertical	203	1.82	-
PK	5.4652G	57.57	68.20	-10.63	8.45	3	Vertical	203	1.82	-
PK	5.6004G	114.97	Inf	-Inf	8.58	3	Vertical	203	1.82	-
AV	5.5876G	107.18	Inf	-Inf	8.57	3	Vertical	203	1.82	-
PK	5.7308G	59.92	68.20	-8.28	8.80	3	Vertical	203	1.82	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

20/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4488G	58.18	74.00	-15.82	8.42	3	Vertical	208	2.16	-
AV	5.4596G	46.07	54.00	-7.93	8.45	3	Vertical	208	2.16	-
PK	5.4668G	58.29	68.20	-9.91	8.46	3	Vertical	208	2.16	-
PK	5.684G	117.14	Inf	-Inf	8.72	3	Vertical	208	2.16	-
AV	5.6528G	108.55	Inf	-Inf	8.66	3	Vertical	208	2.16	-
PK	5.8604G	59.71	68.20	-8.49	8.91	3	Vertical	208	2.16	-



RSE TX above 1GHz Result_Radiated Emission / Antenna Set 2 Appendix E.9


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.77978G	40.54	54.00	-13.46	15.44	3	Vertical	360	1.50	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5260MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.78328G	54.03	74.00	-19.97	15.43	3	Vertical	360	1.50	-
AV	15.77978G	40.54	54.00	-13.46	15.44	3	Vertical	360	1.50	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5260MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.77758G	54.30	74.00	-19.70	15.45	3	Horizontal	140	1.35	-
AV	15.7819G	40.52	54.00	-13.48	15.43	3	Horizontal	140	1.35	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5300MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.89832G	53.00	74.00	-21.00	15.13	3	Vertical	234	1.18	-
AV	15.8977G	39.68	54.00	-14.32	15.14	3	Vertical	234	1.18	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5300MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.89724G	53.55	74.00	-20.45	15.14	3	Horizontal	314	1.21	-
AV	15.901G	39.70	54.00	-14.30	15.13	3	Horizontal	314	1.21	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5320MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.95822G	53.88	74.00	-20.12	14.97	3	Vertical	108	2.45	-
AV	15.95748G	39.70	54.00	-14.30	14.97	3	Vertical	108	2.45	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5320MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9589G	53.37	74.00	-20.63	14.97	3	Horizontal	138	1.97	-
AV	15.9572G	39.71	54.00	-14.29	14.97	3	Horizontal	138	1.97	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5500MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00488G	52.68	74.00	-21.32	14.26	3	Vertical	155	1.07	-
AV	11.002G	39.05	54.00	-14.95	14.26	3	Vertical	155	1.07	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5500MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.99888G	52.27	74.00	-21.73	14.26	3	Horizontal	134	2.88	-
AV	11.00072G	39.06	54.00	-14.94	14.26	3	Horizontal	134	2.88	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5580MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1579G	52.65	74.00	-21.35	14.46	3	Vertical	136	1.94	-
AV	11.15674G	38.98	54.00	-15.02	14.46	3	Vertical	136	1.94	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5580MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.161G	52.58	74.00	-21.42	14.47	3	Horizontal	38	1.33	-
AV	11.1625G	39.07	54.00	-14.93	14.47	3	Horizontal	38	1.33	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5700MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40322G	53.88	74.00	-20.12	14.77	3	Vertical	27	1.70	-
AV	11.40404G	39.93	54.00	-14.07	14.77	3	Vertical	27	1.70	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5700MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39774G	53.19	74.00	-20.81	14.77	3	Horizontal	53	2.63	-
AV	11.40384G	39.72	54.00	-14.28	14.77	3	Horizontal	53	2.63	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.44278G	53.25	74.00	-20.75	14.82	3	Vertical	12	1.15	-
AV	11.44232G	39.87	54.00	-14.13	14.82	3	Vertical	12	1.15	-

802.11a_Nss1,(6Mbps)_4TX

27/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43754G	53.38	74.00	-20.62	14.82	3	Horizontal	235	2.74	-
AV	11.4432G	39.81	54.00	-14.19	14.82	3	Horizontal	235	2.74	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5260MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.78068G	53.92	74.00	-20.08	15.44	3	Vertical	106	1.26	-
AV	15.77888G	40.40	54.00	-13.60	15.44	3	Vertical	106	1.26	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5260MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.78178G	53.76	74.00	-20.24	15.43	3	Horizontal	263	1.18	-
AV	15.77544G	40.51	54.00	-13.49	15.45	3	Horizontal	263	1.18	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5300MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.89762G	53.53	74.00	-20.47	15.14	3	Vertical	25	2.17	-
AV	15.89704G	39.49	54.00	-14.51	15.14	3	Vertical	25	2.17	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5300MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.89974G	53.12	74.00	-20.88	15.13	3	Horizontal	189	2.01	-
AV	15.90066G	39.58	54.00	-14.42	15.13	3	Horizontal	189	2.01	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5320MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9574G	53.08	74.00	-20.92	14.97	3	Vertical	357	1.06	-
AV	15.95688G	38.53	54.00	-15.47	14.98	3	Vertical	357	1.06	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5320MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9569G	52.69	74.00	-21.31	14.97	3	Horizontal	227	2.12	-
AV	15.95878G	38.50	54.00	-15.50	14.97	3	Horizontal	227	2.12	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5500MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0004G	52.24	74.00	-21.76	14.26	3	Vertical	67	2.39	-
AV	10.99676G	38.89	54.00	-15.11	14.26	3	Vertical	67	2.39	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5500MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.99986G	53.54	74.00	-20.46	14.26	3	Horizontal	114	2.02	-
AV	10.99852G	39.02	54.00	-14.98	14.26	3	Horizontal	114	2.02	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5580MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16346G	52.15	74.00	-21.85	14.47	3	Vertical	245	2.03	-
AV	11.1645G	38.82	54.00	-15.18	14.47	3	Vertical	245	2.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5580MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16298G	53.77	74.00	-20.23	14.47	3	Horizontal	326	1.86	-
AV	11.15912G	39.03	54.00	-14.97	14.46	3	Horizontal	326	1.86	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5700MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40012G	53.37	74.00	-20.63	14.77	3	Vertical	56	1.91	-
AV	11.40302G	39.62	54.00	-14.38	14.77	3	Vertical	56	1.91	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5700MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3972G	53.16	74.00	-20.84	14.77	3	Horizontal	73	2.85	-
AV	11.3978G	39.56	54.00	-14.44	14.77	3	Horizontal	73	2.85	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43716G	53.08	74.00	-20.92	14.82	3	Vertical	244	2.56	-
AV	11.43682G	38.74	54.00	-15.26	14.82	3	Vertical	244	2.56	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4433G	53.47	74.00	-20.53	14.82	3	Horizontal	336	1.32	-
AV	11.43648G	38.73	54.00	-15.27	14.82	3	Horizontal	336	1.32	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5270MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.81098G	52.93	74.00	-21.07	15.36	3	Vertical	276	2.21	-
AV	15.80894G	39.67	54.00	-14.33	15.36	3	Vertical	276	2.21	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5270MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.80672G	53.54	74.00	-20.46	15.37	3	Horizontal	348	2.39	-
AV	15.80688G	39.64	54.00	-14.36	15.37	3	Horizontal	348	2.39	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5310MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.93442G	53.01	74.00	-20.99	15.03	3	Vertical	241	2.86	-
AV	15.932G	39.57	54.00	-14.43	15.04	3	Vertical	241	2.86	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5310MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.92852G	53.07	74.00	-20.93	15.05	3	Horizontal	115	2.17	-
AV	15.93218G	39.65	54.00	-14.35	15.04	3	Horizontal	115	2.17	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5510MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.02006G	52.66	74.00	-21.34	14.29	3	Vertical	129	1.62	-
AV	11.0219G	39.19	54.00	-14.81	14.29	3	Vertical	129	1.62	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5510MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01908G	52.86	74.00	-21.14	14.29	3	Horizontal	116	1.36	-
AV	11.0157G	39.19	54.00	-14.81	14.28	3	Horizontal	116	1.36	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5550MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1005G	53.40	74.00	-20.60	14.39	3	Vertical	352	1.76	-
AV	11.10172G	38.86	54.00	-15.14	14.39	3	Vertical	352	1.76	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5550MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.09602G	52.34	74.00	-21.66	14.39	3	Horizontal	229	2.58	-
AV	11.09518G	38.88	54.00	-15.12	14.39	3	Horizontal	229	2.58	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5670MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34364G	52.22	74.00	-21.78	14.70	3	Vertical	342	1.91	-
AV	11.33666G	38.78	54.00	-15.22	14.70	3	Vertical	342	1.91	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5670MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34312G	52.58	74.00	-21.42	14.70	3	Horizontal	314	1.96	-
AV	11.33588G	37.79	54.00	-16.21	14.70	3	Horizontal	314	1.96	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42308G	53.46	74.00	-20.54	14.80	3	Vertical	223	1.22	-
AV	11.4206G	39.66	54.00	-14.34	14.80	3	Vertical	223	1.22	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.41722G	53.04	74.00	-20.96	14.79	3	Horizontal	12	1.72	-
AV	11.4237G	38.81	54.00	-15.19	14.80	3	Horizontal	12	1.72	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/07/2019

5290MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.86836G	54.77	74.00	-19.23	15.21	3	Vertical	238	2.74	-
AV	15.86612G	39.74	54.00	-14.26	15.22	3	Vertical	238	2.74	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/07/2019

5290MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.86768G	53.29	74.00	-20.71	15.21	3	Horizontal	143	1.81	-
AV	15.8748G	39.65	54.00	-14.35	15.19	3	Horizontal	143	1.81	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/07/2019

5530MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.06042G	52.62	74.00	-21.38	14.34	3	Vertical	208	2.96	-
AV	11.05834G	39.19	54.00	-14.81	14.34	3	Vertical	208	2.96	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/07/2019

5530MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.05872G	52.83	74.00	-21.17	14.34	3	Horizontal	322	1.95	-
AV	11.05688G	39.25	54.00	-14.75	14.34	3	Horizontal	322	1.95	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/07/2019

5610MHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.22412G	52.83	74.00	-21.17	14.55	3	Vertical	124	1.79	-
AV	11.22452G	38.92	54.00	-15.08	14.55	3	Vertical	124	1.79	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/07/2019

5610MHz_TX




EUT X_4TX_ANT Y
 Setting 27
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.21604G	52.29	74.00	-21.71	14.53	3	Horizontal	176	2.79	-
AV	11.2207G	38.94	54.00	-15.06	14.55	3	Horizontal	176	2.79	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3839G	53.07	74.00	-20.93	14.75	3	Vertical	188	2.41	-
AV	11.38434G	39.54	54.00	-14.46	14.75	3	Vertical	188	2.41	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT X_4TX_ANT Y
Setting 27
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3751G	53.08	74.00	-20.92	14.74	3	Horizontal	281	2.70	-
AV	11.38072G	39.66	54.00	-14.34	14.74	3	Horizontal	281	2.70	-



RSE TX above 1GHz Result_Radiated Emission / Antenna Set 3 Appendix E.10


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	15.76572G	41.71	54.00	-12.29	15.47	3	Horizontal	156	1.43	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5260MHz_TX




EUT X_ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.78018G	54.91	74.00	-19.09	15.44	3	Vertical	218	2.59	-
AV	15.76752G	41.47	54.00	-12.53	15.46	3	Vertical	218	2.59	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5260MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.77154G	54.52	74.00	-19.48	15.45	3	Horizontal	156	1.43	-
AV	15.76572G	41.71	54.00	-12.29	15.47	3	Horizontal	156	1.43	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5300MHz_TX




EUT X_ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.90552G	54.61	74.00	-19.39	15.11	3	Vertical	145	2.52	-
AV	15.89562G	41.43	54.00	-12.57	15.14	3	Vertical	145	2.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5300MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9018G	55.18	74.00	-18.82	15.12	3	Horizontal	42	1.29	-
AV	15.91068G	40.29	54.00	-13.71	15.10	3	Horizontal	42	1.29	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5320MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.64894G	53.21	74.00	-20.79	14.48	3	Vertical	137	1.52	-
AV	10.6466G	40.05	54.00	-13.95	14.48	3	Vertical	137	1.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5320MHz_TX




EUT X_ANT Y_4TX
 Setting 24
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.64966G	53.25	74.00	-20.75	14.48	3	Horizontal	85	1.79	-
AV	10.64584G	40.02	54.00	-13.98	14.48	3	Horizontal	85	1.79	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5500MHz_TX




EUT X_ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.015G	53.17	74.00	-20.83	14.28	3	Vertical	19	1.27	-
AV	11.01428G	40.06	54.00	-13.94	14.28	3	Vertical	19	1.27	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5500MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0021G	53.12	74.00	-20.88	14.26	3	Horizontal	120	1.95	-
AV	11.01464G	40.32	54.00	-13.68	14.28	3	Horizontal	120	1.95	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5580MHz_TX




EUT X,ANT Y_4TX
 Setting 24
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1555G	53.46	74.00	-20.54	14.45	3	Vertical	165	1.72	-
AV	11.16264G	39.27	54.00	-14.73	14.47	3	Vertical	165	1.72	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5580MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16114G	53.39	74.00	-20.61	14.47	3	Horizontal	157	1.85	-
AV	11.163G	39.14	54.00	-14.86	14.47	3	Horizontal	157	1.85	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5700MHz_TX




EUT X_ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40424G	54.57	74.00	-19.43	14.77	3	Vertical	197	1.26	-
AV	11.40492G	40.35	54.00	-13.65	14.77	3	Vertical	197	1.26	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5700MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40588G	54.57	74.00	-19.43	14.78	3	Horizontal	152	2.30	-
AV	11.41044G	40.14	54.00	-13.86	14.79	3	Horizontal	152	2.30	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_ANT Y_4TX
 Setting 24
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42788G	54.74	74.00	-19.26	14.81	3	Vertical	274	1.81	-
AV	11.42602G	40.12	54.00	-13.88	14.81	3	Vertical	274	1.81	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43712G	54.34	74.00	-19.66	14.82	3	Horizontal	115	1.31	-
AV	11.43364G	40.75	54.00	-13.25	14.82	3	Horizontal	115	1.31	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5270MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.8028G	54.46	74.00	-19.54	15.37	3	Vertical	136	2.17	-
AV	15.7968G	40.58	54.00	-13.42	15.39	3	Vertical	136	2.17	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5270MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.81396G	54.51	74.00	-19.49	15.35	3	Horizontal	174	1.11	-
AV	15.79746G	40.93	54.00	-13.07	15.39	3	Horizontal	174	1.11	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5310MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9441G	54.59	74.00	-19.41	15.00	3	Vertical	56	2.01	-
AV	15.94422G	40.47	54.00	-13.53	15.00	3	Vertical	56	2.01	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5310MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.94434G	53.29	74.00	-20.71	15.00	3	Horizontal	132	1.14	-
AV	15.9365G	40.12	54.00	-13.88	15.02	3	Horizontal	132	1.14	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5510MHz_TX




EUT X_ANT Y_4TX
 Setting 24
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.03008G	53.71	74.00	-20.29	14.30	3	Vertical	124	1.41	-
AV	11.02828G	40.29	54.00	-13.71	14.29	3	Vertical	124	1.41	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5510MHz_TX




EUT X_ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.02258G	53.71	74.00	-20.29	14.29	3	Horizontal	73	2.65	-
AV	11.024G	40.19	54.00	-13.81	14.29	3	Horizontal	73	2.65	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5550MHz_TX




EUT X_ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0862G	52.41	74.00	-21.59	14.38	3	Vertical	21	1.36	-
AV	11.09046G	39.29	54.00	-14.71	14.38	3	Vertical	21	1.36	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5550MHz_TX




EUT X_ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.11272G	53.42	74.00	-20.58	14.41	3	Horizontal	7	1.15	-
AV	11.08506G	39.67	54.00	-14.33	14.38	3	Horizontal	7	1.15	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5670MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34686G	52.34	74.00	-21.66	14.71	3	Vertical	23	1.29	-
AV	11.34678G	39.62	54.00	-14.38	14.71	3	Vertical	23	1.29	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5670MHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3526G	52.47	74.00	-21.53	14.72	3	Horizontal	357	2.68	-
AV	11.35356G	39.12	54.00	-14.88	14.72	3	Horizontal	357	2.68	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_ANT Y_4TX
 Setting 24
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4281G	53.69	74.00	-20.31	14.81	3	Vertical	114	1.33	-
AV	11.43314G	40.36	54.00	-13.64	14.82	3	Vertical	114	1.33	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X,ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42672G	53.44	74.00	-20.56	14.81	3	Horizontal	138	2.15	-
AV	11.4206G	40.71	54.00	-13.29	14.80	3	Horizontal	138	2.15	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/10/2019

5290MHz_TX




EUT X_ANT Y_4TX
 Setting 24
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.85956G	53.38	74.00	-20.62	15.23	3	Vertical	215	1.19	-
AV	15.8664G	40.51	54.00	-13.49	15.22	3	Vertical	215	1.19	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/10/2019

5290MHz_TX




EUT X_ANT Y_4TX
 Setting 24
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.88494G	54.61	74.00	-19.39	15.16	3	Horizontal	97	1.58	-
AV	15.88506G	40.32	54.00	-13.68	15.16	3	Horizontal	97	1.58	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/10/2019

5530MHz_TX




EUT X_ANT Y_4TX
 Setting 24
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.07422G	54.78	74.00	-19.22	14.36	3	Vertical	198	1.36	-
AV	11.06408G	39.56	54.00	-14.44	14.34	3	Vertical	198	1.36	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/10/2019

5530MHz_TX




EUT X_ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.07158G	53.57	74.00	-20.43	14.36	3	Horizontal	126	1.95	-
AV	11.06864G	39.23	54.00	-14.77	14.35	3	Horizontal	126	1.95	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/10/2019

5610MHz_TX




EUT X_ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.23488G	53.71	74.00	-20.29	14.56	3	Vertical	11	1.50	-
AV	11.2329G	39.62	54.00	-14.38	14.56	3	Vertical	11	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/10/2019

5610MHz_TX




EUT X_ANT Y_4TX
 Setting 24
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.22354G	52.45	74.00	-21.55	14.55	3	Horizontal	236	1.71	-
AV	11.23026G	39.22	54.00	-14.78	14.55	3	Horizontal	236	1.71	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_ANT Y_4TX
 Setting 24
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.37628G	54.52	74.00	-19.48	14.74	3	Vertical	235	1.39	-
AV	11.39464G	40.90	54.00	-13.10	14.77	3	Vertical	235	1.39	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/10/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT X_ANT Y_4TX
Setting 24
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.38204G	53.65	74.00	-20.35	14.75	3	Horizontal	123	2.16	-
AV	11.39158G	40.52	54.00	-13.48	14.76	3	Horizontal	123	2.16	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.8528G	68.07	68.20	-0.13	8.90	3	Horizontal	272	1.66

802.11a_Nss1,(6Mbps)_1TX

27/07/2019

5260MHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1208G	57.65	74.00	-16.35	7.88	3	Vertical	289	1.49	-
AV	5.137G	45.11	54.00	-8.89	7.92	3	Vertical	289	1.49	-
PK	5.2618G	110.92	Inf	-Inf	8.15	3	Vertical	289	1.49	-
AV	5.263G	100.54	Inf	-Inf	8.16	3	Vertical	289	1.49	-
PK	5.395G	58.30	74.00	-15.70	8.33	3	Vertical	289	1.49	-
AV	5.3842G	45.40	54.00	-8.60	8.32	3	Vertical	289	1.49	-

802.11a_Nss1,(6Mbps)_1TX

27/07/2019

5260MHz_TX




EUT X_1TX_ANT_Y
 Setting 27
 02-B-4-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1394G	58.78	74.00	-15.22	7.93	3	Horizontal	278	1.61	-
AV	5.1268G	45.52	54.00	-8.48	7.90	3	Horizontal	278	1.61	-
PK	5.2534G	116.25	Inf	-Inf	8.14	3	Horizontal	278	1.61	-
AV	5.257G	106.11	Inf	-Inf	8.15	3	Horizontal	278	1.61	-
PK	5.3788G	59.84	74.00	-14.16	8.32	3	Horizontal	278	1.61	-
AV	5.3662G	45.98	54.00	-8.02	8.29	3	Horizontal	278	1.61	-

802.11a_Nss1,(6Mbps)_1TX

27/07/2019

5300MHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3028G	112.09	Inf	-Inf	8.21	3	Vertical	45	1.24	-
AV	5.3028G	101.44	Inf	-Inf	8.21	3	Vertical	45	1.24	-
PK	5.3604G	58.27	74.00	-15.73	8.29	3	Vertical	45	1.24	-
AV	5.3504G	45.67	54.00	-8.33	8.28	3	Vertical	45	1.24	-

802.11a_Nss1,(6Mbps)_1TX

27/07/2019

5300MHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3032G	116.07	Inf	-Inf	8.21	3	Horizontal	263	1.83	-
AV	5.3032G	106.06	Inf	-Inf	8.21	3	Horizontal	263	1.83	-
PK	5.3512G	62.04	74.00	-11.96	8.28	3	Horizontal	263	1.83	-
AV	5.35G	48.44	54.00	-5.56	8.28	3	Horizontal	263	1.83	-

802.11a_Nss1,(6Mbps)_1TX

28/07/2019

5320MHz_TX




EUT X_1TX_ANT_Y
Setting 24.5
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3156G	108.65	Inf	-Inf	8.23	3	Vertical	286	1.48	-
AV	5.319G	98.31	Inf	-Inf	8.23	3	Vertical	286	1.48	-
PK	5.3502G	62.00	74.00	-12.00	8.28	3	Vertical	286	1.48	-
AV	5.3504G	48.19	54.00	-5.81	8.28	3	Vertical	286	1.48	-

802.11a_Nss1,(6Mbps)_1TX

28/07/2019

5320MHz_TX




EUT X_1TX_ANT_Y
Setting 24.5
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3172G	115.15	Inf	-Inf	8.23	3	Horizontal	277	1.77	-
AV	5.3232G	104.69	Inf	-Inf	8.24	3	Horizontal	277	1.77	-
PK	5.35G	68.91	74.00	-5.09	8.28	3	Horizontal	277	1.77	-
AV	5.35G	53.75	54.00	-0.25	8.28	3	Horizontal	277	1.77	-

802.11a_Nss1,(6Mbps)_1TX

28/07/2019

5500MHz_TX




EUT_X_1TX_ANT_Y
Setting 24
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4598G	58.40	74.00	-15.60	8.45	3	Vertical	299	1.70	-
AV	5.4594G	45.89	54.00	-8.11	8.45	3	Vertical	299	1.70	-
PK	5.47G	62.38	68.20	-5.82	8.46	3	Vertical	299	1.70	-
PK	5.502G	107.54	Inf	-Inf	8.52	3	Vertical	299	1.70	-
AV	5.5034G	97.69	Inf	-Inf	8.52	3	Vertical	299	1.70	-

802.11a_Nss1,(6Mbps)_1TX

28/07/2019

5500MHz_TX




EUT_X_1TX_ANT_Y
Setting 24
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	62.36	74.00	-11.64	8.45	3	Horizontal	269	1.78	-
AV	5.4598G	47.90	54.00	-6.10	8.45	3	Horizontal	269	1.78	-
PK	5.47G	66.77	68.20	-1.43	8.46	3	Horizontal	269	1.78	-
PK	5.5028G	114.59	Inf	-Inf	8.52	3	Horizontal	269	1.78	-
AV	5.5026G	104.06	Inf	-Inf	8.52	3	Horizontal	269	1.78	-

802.11a_Nss1,(6Mbps)_1TX

28/07/2019

5580MHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4144G	58.05	74.00	-15.95	8.36	3	Vertical	258	1.62	-
AV	5.4344G	45.23	54.00	-8.77	8.40	3	Vertical	258	1.62	-
PK	5.4664G	57.00	68.20	-11.20	8.46	3	Vertical	258	1.62	-
PK	5.5856G	111.27	Inf	-Inf	8.57	3	Vertical	258	1.62	-
AV	5.5832G	100.69	Inf	-Inf	8.57	3	Vertical	258	1.62	-
PK	5.7712G	58.68	68.20	-9.52	8.85	3	Vertical	258	1.62	-

802.11a_Nss1,(6Mbps)_1TX

28/07/2019

5580MHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	58.94	74.00	-15.06	8.45	3	Horizontal	275	1.47	-
AV	5.4504G	45.57	54.00	-8.43	8.44	3	Horizontal	275	1.47	-
PK	5.4624G	58.93	68.20	-9.27	8.45	3	Horizontal	275	1.47	-
PK	5.5864G	117.24	Inf	-Inf	8.57	3	Horizontal	275	1.47	-
AV	5.5832G	106.50	Inf	-Inf	8.57	3	Horizontal	275	1.47	-
PK	5.7688G	58.77	68.20	-9.43	8.85	3	Horizontal	275	1.47	-

802.11a_Nss1,(6Mbps)_1TX

28/07/2019

5700MHz_TX




EUT X_1TX_ANT_Y
Setting 23
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7018G	108.48	Inf	-Inf	8.75	3	Vertical	303	1.68	-
AV	5.695G	98.41	Inf	-Inf	8.74	3	Vertical	303	1.68	-
PK	5.7264G	64.15	68.20	-4.05	8.79	3	Vertical	303	1.68	-

802.11a_Nss1,(6Mbps)_1TX

28/07/2019

5700MHz_TX




EUT X_1TX_ANT_Y
Setting 23
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.697G	113.06	Inf	-Inf	8.75	3	Horizontal	267	1.32	-
AV	5.6968G	102.95	Inf	-Inf	8.75	3	Horizontal	267	1.32	-
PK	5.7262G	68.04	68.20	-0.16	8.79	3	Horizontal	267	1.32	-

802.11a_Nss1,(6Mbps)_1TX

28/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX_ANT_Y
 Setting 27
 02-B-4-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4548G	57.52	74.00	-16.48	8.44	3	Vertical	303	1.58	-
AV	5.4368G	45.20	54.00	-8.80	8.41	3	Vertical	303	1.58	-
PK	5.462G	57.34	68.20	-10.86	8.45	3	Vertical	303	1.58	-
PK	5.7212G	111.14	Inf	-Inf	8.78	3	Vertical	303	1.58	-
AV	5.7236G	100.73	Inf	-Inf	8.78	3	Vertical	303	1.58	-
PK	5.912G	58.66	68.20	-9.54	8.93	3	Vertical	303	1.58	-

802.11a_Nss1,(6Mbps)_1TX

28/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.438G	58.10	74.00	-15.90	8.41	3	Horizontal	282	1.81	-
AV	5.4452G	45.58	54.00	-8.42	8.42	3	Horizontal	282	1.81	-
PK	5.47G	57.92	68.20	-10.28	8.46	3	Horizontal	282	1.81	-
PK	5.7212G	115.53	Inf	-Inf	8.78	3	Horizontal	282	1.81	-
AV	5.7224G	105.42	Inf	-Inf	8.78	3	Horizontal	282	1.81	-
PK	5.9156G	58.70	68.20	-9.50	8.93	3	Horizontal	282	1.81	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5260MHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	58.74	74.00	-15.26	7.94	3	Vertical	290	1.51	-
AV	5.143G	44.81	54.00	-9.19	7.94	3	Vertical	290	1.51	-
PK	5.2546G	112.40	Inf	-Inf	8.15	3	Vertical	290	1.51	-
AV	5.263G	99.38	Inf	-Inf	8.16	3	Vertical	290	1.51	-
PK	5.3914G	57.62	74.00	-16.38	8.33	3	Vertical	290	1.51	-
AV	5.3764G	44.99	54.00	-9.01	8.31	3	Vertical	290	1.51	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5260MHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.116G	58.90	74.00	-15.10	7.87	3	Horizontal	285	1.46	-
AV	5.128G	45.25	54.00	-8.75	7.91	3	Horizontal	285	1.46	-
PK	5.2558G	117.72	Inf	-Inf	8.15	3	Horizontal	285	1.46	-
AV	5.2546G	104.56	Inf	-Inf	8.15	3	Horizontal	285	1.46	-
PK	5.3686G	58.08	74.00	-15.92	8.30	3	Horizontal	285	1.46	-
AV	5.3626G	45.24	54.00	-8.76	8.29	3	Horizontal	285	1.46	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5300MHz_TX




EUT X_1TX_ANT_Y
 Setting 27
 02-B-4-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3056G	113.38	Inf	-Inf	8.22	3	Vertical	52	1.26	-
AV	5.3016G	100.14	Inf	-Inf	8.21	3	Vertical	52	1.26	-
PK	5.3572G	58.18	74.00	-15.82	8.28	3	Vertical	52	1.26	-
AV	5.3512G	45.53	54.00	-8.47	8.28	3	Vertical	52	1.26	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5300MHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3052G	117.66	Inf	-Inf	8.22	3	Horizontal	272	2.30	-
AV	5.302G	104.84	Inf	-Inf	8.21	3	Horizontal	272	2.30	-
PK	5.35G	61.19	74.00	-12.81	8.28	3	Horizontal	272	2.30	-
AV	5.35G	48.41	54.00	-5.59	8.28	3	Horizontal	272	2.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5320MHz_TX




EUT X_1TX_ANT_Y
 Setting 24
 02-B-4-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3206G	110.38	Inf	-Inf	8.23	3	Vertical	289	1.45	-
AV	5.3174G	96.90	Inf	-Inf	8.23	3	Vertical	289	1.45	-
PK	5.3508G	62.20	74.00	-11.80	8.28	3	Vertical	289	1.45	-
AV	5.35G	47.23	54.00	-6.77	8.28	3	Vertical	289	1.45	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5320MHz_TX




EUT X_1TX_ANT_Y
Setting 24
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3188G	116.69	Inf	-Inf	8.23	3	Horizontal	271	1.80	-
AV	5.322G	103.08	Inf	-Inf	8.23	3	Horizontal	271	1.80	-
PK	5.3504G	66.68	74.00	-7.32	8.28	3	Horizontal	271	1.80	-
AV	5.35G	51.69	54.00	-2.31	8.28	3	Horizontal	271	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5500MHz_TX




EUT X_1TX_ANT_Y
Setting 24
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4506G	58.45	74.00	-15.55	8.44	3	Vertical	54	1.22	-
PK	5.4686G	61.81	68.20	-6.39	8.46	3	Vertical	54	1.22	-
AV	5.46G	45.49	54.00	-8.51	8.45	3	Vertical	54	1.22	-
PK	5.495G	109.48	Inf	-Inf	8.51	3	Vertical	54	1.22	-
AV	5.4978G	95.97	Inf	-Inf	8.52	3	Vertical	54	1.22	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5500MHz_TX




EUT X_1TX_ANT_Y
 Setting 24
 02-B-4-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4564G	60.83	74.00	-13.17	8.44	3	Horizontal	265	1.81	-
AV	5.4596G	47.98	54.00	-6.02	8.45	3	Horizontal	265	1.81	-
PK	5.4688G	67.95	68.20	-0.25	8.46	3	Horizontal	265	1.81	-
PK	5.5014G	117.18	Inf	-Inf	8.52	3	Horizontal	265	1.81	-
AV	5.5028G	102.91	Inf	-Inf	8.52	3	Horizontal	265	1.81	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5580MHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4456G	57.53	74.00	-16.47	8.42	3	Vertical	241	1.52	-
AV	5.4232G	44.95	54.00	-9.05	8.38	3	Vertical	241	1.52	-
PK	5.4616G	57.23	68.20	-10.97	8.45	3	Vertical	241	1.52	-
PK	5.5808G	112.65	Inf	-Inf	8.57	3	Vertical	241	1.52	-
AV	5.5784G	99.28	Inf	-Inf	8.57	3	Vertical	241	1.52	-
PK	5.7288G	58.29	68.20	-9.91	8.80	3	Vertical	241	1.52	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5580MHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.444G	58.63	74.00	-15.37	8.42	3	Horizontal	272	1.48	-
PK	5.468G	58.17	68.20	-10.03	8.46	3	Horizontal	272	1.48	-
AV	5.46G	45.29	54.00	-8.71	8.45	3	Horizontal	272	1.48	-
PK	5.5856G	118.53	Inf	-Inf	8.57	3	Horizontal	272	1.48	-
AV	5.5832G	105.37	Inf	-Inf	8.57	3	Horizontal	272	1.48	-
PK	5.768G	59.31	68.20	-8.89	8.85	3	Horizontal	272	1.48	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5700MHz_TX




EUT X_1TX_ANT_Y
 Setting 23
 02-B-4-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6972G	112.23	Inf	-Inf	8.75	3	Vertical	304	1.68	-
AV	5.6982G	97.88	Inf	-Inf	8.75	3	Vertical	304	1.68	-
PK	5.7258G	65.24	68.20	-2.96	8.79	3	Vertical	304	1.68	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5700MHz_TX




EUT X_1TX_ANT_Y
Setting 23
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7026G	115.14	Inf	-Inf	8.75	3	Horizontal	277	1.57	-
AV	5.7018G	101.58	Inf	-Inf	8.75	3	Horizontal	277	1.57	-
PK	5.7262G	67.87	68.20	-0.33	8.79	3	Horizontal	277	1.57	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.444G	57.45	74.00	-16.55	8.42	3	Vertical	302	1.51	-
AV	5.4344G	44.97	54.00	-9.03	8.40	3	Vertical	302	1.51	-
PK	5.462G	57.57	68.20	-10.63	8.45	3	Vertical	302	1.51	-
PK	5.7188G	112.03	Inf	-Inf	8.77	3	Vertical	302	1.51	-
AV	5.7224G	99.12	Inf	-Inf	8.78	3	Vertical	302	1.51	-
PK	5.9204G	58.77	68.20	-9.43	8.92	3	Vertical	302	1.51	-

802.11ax HEW20_Nss1,(MCS0)_1TX

28/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4488G	58.11	74.00	-15.89	8.42	3	Horizontal	265	1.40	-
AV	5.4464G	45.25	54.00	-8.75	8.42	3	Horizontal	265	1.40	-
PK	5.4656G	58.40	68.20	-9.80	8.46	3	Horizontal	265	1.40	-
PK	5.7212G	117.97	Inf	-Inf	8.78	3	Horizontal	265	1.40	-
AV	5.7224G	103.89	Inf	-Inf	8.78	3	Horizontal	265	1.40	-
PK	5.9384G	58.95	68.20	-9.25	8.93	3	Horizontal	265	1.40	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5270MHz_TX




EUT X_1TX_ANT_Y
Setting 26.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	58.14	74.00	-15.86	7.94	3	Vertical	43	1.41	-
AV	5.1476G	45.05	54.00	-8.95	7.94	3	Vertical	43	1.41	-
PK	5.2754G	111.32	Inf	-Inf	8.17	3	Vertical	43	1.41	-
AV	5.2778G	97.82	Inf	-Inf	8.17	3	Vertical	43	1.41	-
PK	5.3504G	60.84	74.00	-13.16	8.28	3	Vertical	43	1.41	-
AV	5.35G	47.98	54.00	-6.02	8.28	3	Vertical	43	1.41	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5270MHz_TX




EUT X_1TX_ANT_Y
 Setting 26.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	58.61	74.00	-15.39	7.94	3	Horizontal	278	1.43	-
AV	5.1476G	45.86	54.00	-8.14	7.94	3	Horizontal	278	1.43	-
PK	5.2658G	116.05	Inf	-Inf	8.16	3	Horizontal	278	1.43	-
AV	5.2664G	102.18	Inf	-Inf	8.16	3	Horizontal	278	1.43	-
PK	5.3522G	66.92	74.00	-7.08	8.28	3	Horizontal	278	1.43	-
AV	5.35G	52.08	54.00	-1.92	8.28	3	Horizontal	278	1.43	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5310MHz_TX




EUT X_1TX_ANT_Y
 Setting 23.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3082G	108.27	Inf	-Inf	8.22	3	Vertical	317	2.31	-
AV	5.3076G	94.46	Inf	-Inf	8.22	3	Vertical	317	2.31	-
PK	5.35G	64.25	74.00	-9.75	8.28	3	Vertical	317	2.31	-
AV	5.3514G	48.38	54.00	-5.62	8.28	3	Vertical	317	2.31	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5310MHz_TX




EUT X_1TX_ANT_Y
 Setting 23.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.313G	113.28	Inf	-Inf	8.22	3	Horizontal	276	1.57	-
AV	5.3082G	99.64	Inf	-Inf	8.22	3	Horizontal	276	1.57	-
PK	5.3628G	67.73	74.00	-6.27	8.29	3	Horizontal	276	1.57	-
AV	5.35G	53.86	54.00	-0.14	8.28	3	Horizontal	276	1.57	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5510MHz_TX




EUT X_1TX_ANT_Y
 Setting 22
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	60.75	74.00	-13.25	8.45	3	Vertical	242	2.88	-
AV	5.4592G	46.61	54.00	-7.39	8.45	3	Vertical	242	2.88	-
PK	5.468G	62.06	68.20	-6.14	8.46	3	Vertical	242	2.88	-
PK	5.52G	107.97	Inf	-Inf	8.53	3	Vertical	242	2.88	-
AV	5.5124G	93.93	Inf	-Inf	8.53	3	Vertical	242	2.88	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5510MHz_TX




EUT X_1TX_ANT_Y
Setting 22
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	63.73	74.00	-10.27	8.45	3	Horizontal	283	2.04	-
AV	5.4592G	48.80	54.00	-5.20	8.45	3	Horizontal	283	2.04	-
PK	5.4692G	67.40	68.20	-0.80	8.46	3	Horizontal	283	2.04	-
PK	5.5088G	112.50	Inf	-Inf	8.53	3	Horizontal	283	2.04	-
AV	5.5084G	98.90	Inf	-Inf	8.53	3	Horizontal	283	2.04	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5550MHz_TX




EUT X_1TX_ANT_Y
 Setting 25.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4588G	58.85	74.00	-15.15	8.45	3	Vertical	309	1.80	-
AV	5.4596G	46.41	54.00	-7.59	8.45	3	Vertical	309	1.80	-
PK	5.4692G	62.03	68.20	-6.17	8.46	3	Vertical	309	1.80	-
PK	5.5628G	110.28	Inf	-Inf	8.56	3	Vertical	309	1.80	-
AV	5.554G	97.03	Inf	-Inf	8.55	3	Vertical	309	1.80	-
PK	5.7412G	58.64	68.20	-9.56	8.80	3	Vertical	309	1.80	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5550MHz_TX




EUT X_1TX_ANT_Y
 Setting 25.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4588G	62.69	74.00	-11.31	8.45	3	Horizontal	264	1.46	-
AV	5.4596G	49.39	54.00	-4.61	8.45	3	Horizontal	264	1.46	-
PK	5.4684G	67.83	68.20	-0.37	8.46	3	Horizontal	264	1.46	-
PK	5.5372G	115.94	Inf	-Inf	8.54	3	Horizontal	264	1.46	-
AV	5.5428G	102.95	Inf	-Inf	8.55	3	Horizontal	264	1.46	-
PK	5.7412G	58.92	68.20	-9.28	8.80	3	Horizontal	264	1.46	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5670MHz_TX




EUT X_1TX_ANT_Y
 Setting 22.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6736G	109.01	Inf	-Inf	8.70	3	Vertical	311	1.58	-
AV	5.672G	95.75	Inf	-Inf	8.70	3	Vertical	311	1.58	-
PK	5.7256G	63.16	68.20	-5.04	8.79	3	Vertical	311	1.58	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5670MHz_TX




EUT X_1TX_ANT_Y
 Setting 22.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6716G	113.87	Inf	-Inf	8.70	3	Horizontal	273	1.86	-
AV	5.6716G	99.83	Inf	-Inf	8.70	3	Horizontal	273	1.86	-
PK	5.7252G	66.19	68.20	-2.01	8.79	3	Horizontal	273	1.86	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4292G	58.00	74.00	-16.00	8.40	3	Vertical	315	1.69	-
AV	5.4316G	45.13	54.00	-8.87	8.40	3	Vertical	315	1.69	-
PK	5.4688G	57.82	68.20	-10.38	8.46	3	Vertical	315	1.69	-
PK	5.6932G	112.51	Inf	-Inf	8.74	3	Vertical	315	1.69	-
AV	5.698G	99.32	Inf	-Inf	8.75	3	Vertical	315	1.69	-
PK	5.85G	65.01	68.20	-3.19	8.90	3	Vertical	315	1.69	-

802.11ax HEW40_Nss1,(MCS0)_1TX

28/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX_ANT_Y
Setting 27
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4136G	58.21	74.00	-15.79	8.36	3	Horizontal	272	1.66	-
PK	5.4688G	58.62	68.20	-9.58	8.46	3	Horizontal	272	1.66	-
AV	5.4472G	45.55	54.00	-8.45	8.42	3	Horizontal	272	1.66	-
PK	5.704G	115.84	Inf	-Inf	8.76	3	Horizontal	272	1.66	-
AV	5.7088G	103.52	Inf	-Inf	8.77	3	Horizontal	272	1.66	-
PK	5.8528G	68.07	68.20	-0.13	8.90	3	Horizontal	272	1.66	-

802.11ax HEW80_Nss1,(MCS0)_1TX

28/07/2019

5290MHz_TX




EUT X_1TX_ANT_Y
Setting 23
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1244G	58.34	74.00	-15.66	7.89	3	Vertical	46	1.25	-
AV	5.15G	45.01	54.00	-8.99	7.94	3	Vertical	46	1.25	-
PK	5.3012G	104.07	Inf	-Inf	8.21	3	Vertical	46	1.25	-
AV	5.302G	91.07	Inf	-Inf	8.21	3	Vertical	46	1.25	-
PK	5.3612G	62.12	74.00	-11.88	8.29	3	Vertical	46	1.25	-
AV	5.3524G	47.90	54.00	-6.10	8.28	3	Vertical	46	1.25	-
PK	5.4676G	57.93	68.20	-10.27	8.46	3	Vertical	46	1.25	-

802.11ax HEW80_Nss1,(MCS0)_1TX

28/07/2019

5290MHz_TX




EUT X_1TX_ANT_Y
Setting 23
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	58.80	74.00	-15.20	7.94	3	Horizontal	270	1.80	-
AV	5.15G	45.71	54.00	-8.29	7.94	3	Horizontal	270	1.80	-
PK	5.2948G	109.57	Inf	-Inf	8.20	3	Horizontal	270	1.80	-
AV	5.2852G	96.09	Inf	-Inf	8.19	3	Horizontal	270	1.80	-
PK	5.3524G	70.07	74.00	-3.93	8.28	3	Horizontal	270	1.80	-
AV	5.3516G	53.02	54.00	-0.98	8.28	3	Horizontal	270	1.80	-
PK	5.4636G	58.49	68.20	-9.71	8.45	3	Horizontal	270	1.80	-

802.11ax HEW80_Nss1,(MCS0)_1TX

28/07/2019

5530MHz_TX




EUT X_1TX_ANT_Y
 Setting 21.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.339G	57.72	68.20	-10.48	8.26	3	Vertical	301	1.78	-
PK	5.448G	60.32	74.00	-13.68	8.42	3	Vertical	301	1.78	-
PK	5.469G	60.57	68.20	-7.63	8.46	3	Vertical	301	1.78	-
AV	5.46G	47.12	54.00	-6.88	8.45	3	Vertical	301	1.78	-
PK	5.529G	104.05	Inf	-Inf	8.54	3	Vertical	301	1.78	-
AV	5.527G	90.80	Inf	-Inf	8.54	3	Vertical	301	1.78	-
PK	5.753G	58.37	68.20	-9.83	8.83	3	Vertical	301	1.78	-

802.11ax HEW80_Nss1,(MCS0)_1TX

28/07/2019

5530MHz_TX




EUT X_1TX_ANT_Y
 Setting 21.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.319G	58.08	68.20	-10.12	8.23	3	Horizontal	237	1.56	-
PK	5.457G	66.35	74.00	-7.65	8.44	3	Horizontal	237	1.56	-
AV	5.46G	51.92	54.00	-2.08	8.45	3	Horizontal	237	1.56	-
PK	5.469G	66.83	68.20	-1.37	8.46	3	Horizontal	237	1.56	-
PK	5.527G	109.57	Inf	-Inf	8.54	3	Horizontal	237	1.56	-
AV	5.535G	96.15	Inf	-Inf	8.54	3	Horizontal	237	1.56	-
PK	5.73G	58.48	68.20	-9.72	8.80	3	Horizontal	237	1.56	-

802.11ax HEW80_Nss1,(MCS0)_1TX

28/07/2019

5610MHz_TX




EUT X_1TX_ANT_Y
 Setting 23.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	59.06	74.00	-14.94	8.45	3	Vertical	295	1.86	-
AV	5.4596G	46.40	54.00	-7.60	8.45	3	Vertical	295	1.86	-
PK	5.462G	59.71	68.20	-8.49	8.45	3	Vertical	295	1.86	-
PK	5.5876G	106.01	Inf	-Inf	8.57	3	Vertical	295	1.86	-
AV	5.6148G	92.70	Inf	-Inf	8.61	3	Vertical	295	1.86	-
PK	5.7316G	63.93	68.20	-4.27	8.80	3	Vertical	295	1.86	-

802.11ax HEW80_Nss1,(MCS0)_1TX

28/07/2019

5610MHz_TX




EUT X_1TX_ANT_V
Setting 23.5
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4548G	63.34	74.00	-10.66	8.44	3	Horizontal	259	1.54	-
AV	5.4596G	49.23	54.00	-4.77	8.45	3	Horizontal	259	1.54	-
PK	5.4676G	64.19	68.20	-4.01	8.46	3	Horizontal	259	1.54	-
PK	5.606G	111.23	Inf	-Inf	8.59	3	Horizontal	259	1.54	-
AV	5.6052G	97.88	Inf	-Inf	8.59	3	Horizontal	259	1.54	-
PK	5.7292G	67.60	68.20	-0.60	8.80	3	Horizontal	259	1.54	-

802.11ax HEW80_Nss1,(MCS0)_1TX

28/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX_ANT_Y
 Setting 25.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4524G	58.37	74.00	-15.63	8.44	3	Vertical	316	1.66	-
AV	5.4548G	45.31	54.00	-8.69	8.44	3	Vertical	316	1.66	-
PK	5.4692G	57.64	68.20	-10.56	8.46	3	Vertical	316	1.66	-
PK	5.6852G	108.09	Inf	-Inf	8.72	3	Vertical	316	1.66	-
AV	5.6888G	95.12	Inf	-Inf	8.72	3	Vertical	316	1.66	-
PK	5.8616G	62.70	68.20	-5.50	8.91	3	Vertical	316	1.66	-

802.11ax HEW80_Nss1,(MCS0)_1TX

28/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT X_1TX_ANT_Y
 Setting 25.5
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4572G	59.64	74.00	-14.36	8.44	3	Horizontal	273	1.96	-
AV	5.4584G	47.47	54.00	-6.53	8.45	3	Horizontal	273	1.96	-
PK	5.4668G	62.76	68.20	-5.44	8.46	3	Horizontal	273	1.96	-
PK	5.6744G	111.83	Inf	-Inf	8.70	3	Horizontal	273	1.96	-
AV	5.684G	98.96	Inf	-Inf	8.72	3	Horizontal	273	1.96	-
PK	5.8544G	65.89	68.20	-2.31	8.90	3	Horizontal	273	1.96	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3512G	53.91	54.00	-0.09	8.28	3	Horizontal	289	1.72	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5260MHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1298G	58.16	74.00	-15.84	7.91	3	Vertical	289	1.51	-
AV	5.1112G	45.60	54.00	-8.40	7.86	3	Vertical	289	1.51	-
PK	5.263G	113.45	Inf	-Inf	8.16	3	Vertical	289	1.51	-
AV	5.2636G	103.37	Inf	-Inf	8.16	3	Vertical	289	1.51	-
PK	5.3554G	58.18	74.00	-15.82	8.28	3	Vertical	289	1.51	-
AV	5.3638G	45.69	54.00	-8.31	8.29	3	Vertical	289	1.51	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5260MHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1388G	59.31	74.00	-14.69	7.92	3	Horizontal	283	1.56	-
AV	5.1142G	46.30	54.00	-7.70	7.87	3	Horizontal	283	1.56	-
PK	5.254G	121.53	Inf	-Inf	8.14	3	Horizontal	283	1.56	-
AV	5.2594G	111.83	Inf	-Inf	8.15	3	Horizontal	283	1.56	-
PK	5.3758G	58.85	74.00	-15.15	8.31	3	Horizontal	283	1.56	-
AV	5.35G	46.86	54.00	-7.14	8.28	3	Horizontal	283	1.56	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5300MHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.302G	113.59	Inf	-Inf	8.21	3	Vertical	230	1.50	-
AV	5.3024G	103.49	Inf	-Inf	8.21	3	Vertical	230	1.50	-
PK	5.3528G	58.33	74.00	-15.67	8.28	3	Vertical	230	1.50	-
AV	5.352G	46.20	54.00	-7.80	8.28	3	Vertical	230	1.50	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5300MHz_TX




EUT X_2TX_ANT_Y
 Setting 27
 02-B-4-10
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2968G	120.65	Inf	-Inf	8.21	3	Horizontal	276	1.64	-
AV	5.2968G	110.37	Inf	-Inf	8.21	3	Horizontal	276	1.64	-
PK	5.352G	62.58	74.00	-11.42	8.28	3	Horizontal	276	1.64	-
AV	5.3512G	48.97	54.00	-5.03	8.28	3	Horizontal	276	1.64	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5320MHz_TX




EUT X_2TX_ANT_Y
Setting 24.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3208G	111.38	Inf	-Inf	8.23	3	Vertical	14	3.00	-
AV	5.3262G	101.96	Inf	-Inf	8.25	3	Vertical	14	3.00	-
PK	5.3502G	64.63	74.00	-9.37	8.28	3	Vertical	14	3.00	-
AV	5.3506G	50.08	54.00	-3.92	8.28	3	Vertical	14	3.00	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5320MHz_TX




EUT X_2TX_ANT_Y
Setting 24.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3186G	119.52	Inf	-Inf	8.23	3	Horizontal	290	1.71	-
AV	5.3186G	109.58	Inf	-Inf	8.23	3	Horizontal	290	1.71	-
PK	5.35G	68.80	74.00	-5.20	8.28	3	Horizontal	290	1.71	-
AV	5.35G	53.86	54.00	-0.14	8.28	3	Horizontal	290	1.71	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5500MHz_TX




EUT_X_2TX_ANT_Y
Setting 23.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	58.59	74.00	-15.41	8.45	3	Vertical	310	1.92	-
AV	5.46G	45.91	54.00	-8.09	8.45	3	Vertical	310	1.92	-
PK	5.4696G	61.13	68.20	-7.07	8.46	3	Vertical	310	1.92	-
PK	5.4992G	112.27	Inf	-Inf	8.52	3	Vertical	310	1.92	-
AV	5.4992G	102.52	Inf	-Inf	8.52	3	Vertical	310	1.92	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5500MHz_TX




EUT_X_2TX_ANT_Y
Setting 23.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4598G	62.37	74.00	-11.63	8.45	3	Horizontal	283	2.16	-
AV	5.4596G	48.65	54.00	-5.35	8.45	3	Horizontal	283	2.16	-
PK	5.4694G	67.41	68.20	-0.79	8.46	3	Horizontal	283	2.16	-
PK	5.5038G	118.29	Inf	-Inf	8.52	3	Horizontal	283	2.16	-
AV	5.5034G	108.21	Inf	-Inf	8.52	3	Horizontal	283	2.16	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5580MHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4184G	57.62	74.00	-16.38	8.37	3	Vertical	231	2.93	-
AV	5.4168G	45.46	54.00	-8.54	8.37	3	Vertical	231	2.93	-
PK	5.464G	57.33	68.20	-10.87	8.45	3	Vertical	231	2.93	-
PK	5.5768G	115.96	Inf	-Inf	8.57	3	Vertical	231	2.93	-
AV	5.5816G	105.67	Inf	-Inf	8.57	3	Vertical	231	2.93	-
PK	5.7392G	58.24	68.20	-9.96	8.80	3	Vertical	231	2.93	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5580MHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3944G	59.46	74.00	-14.54	8.33	3	Horizontal	269	1.96	-
AV	5.3848G	46.73	54.00	-7.27	8.32	3	Horizontal	269	1.96	-
PK	5.4608G	59.11	68.20	-9.09	8.45	3	Horizontal	269	1.96	-
PK	5.5768G	120.53	Inf	-Inf	8.57	3	Horizontal	269	1.96	-
AV	5.5768G	110.29	Inf	-Inf	8.57	3	Horizontal	269	1.96	-
PK	5.7328G	59.38	68.20	-8.82	8.80	3	Horizontal	269	1.96	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5700MHz_TX




EUT X_2TX_ANT_Y
Setting 23
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6936G	112.18	Inf	-Inf	8.74	3	Vertical	304	1.83	-
AV	5.7032G	102.33	Inf	-Inf	8.75	3	Vertical	304	1.83	-
PK	5.7268G	64.06	68.20	-4.14	8.79	3	Vertical	304	1.83	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5700MHz_TX




EUT X_2TX_ANT_Y
 Setting 23
 02-B-4-10
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7022G	116.92	Inf	-Inf	8.75	3	Horizontal	279	1.64	-
AV	5.7026G	107.22	Inf	-Inf	8.75	3	Horizontal	279	1.64	-
PK	5.727G	68.10	68.20	-0.10	8.80	3	Horizontal	279	1.64	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.438G	57.63	74.00	-16.37	8.41	3	Vertical	303	1.75	-
AV	5.4344G	45.40	54.00	-8.60	8.40	3	Vertical	303	1.75	-
PK	5.4632G	59.04	68.20	-9.16	8.45	3	Vertical	303	1.75	-
PK	5.7236G	114.82	Inf	-Inf	8.78	3	Vertical	303	1.75	-
AV	5.7236G	104.72	Inf	-Inf	8.78	3	Vertical	303	1.75	-
PK	5.9228G	58.35	68.20	-9.85	8.92	3	Vertical	303	1.75	-

802.11a_Nss1,(6Mbps)_2TX

27/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4524G	58.97	74.00	-15.03	8.44	3	Horizontal	279	1.88	-
AV	5.4284G	45.93	54.00	-8.07	8.40	3	Horizontal	279	1.88	-
PK	5.462G	58.18	68.20	-10.02	8.45	3	Horizontal	279	1.88	-
PK	5.7188G	118.09	Inf	-Inf	8.77	3	Horizontal	279	1.88	-
AV	5.7224G	108.61	Inf	-Inf	8.78	3	Horizontal	279	1.88	-
PK	5.882G	58.82	68.20	-9.38	8.92	3	Horizontal	279	1.88	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5260MHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.125G	57.80	74.00	-16.20	7.89	3	Vertical	274	1.50	-
AV	5.1466G	44.80	54.00	-9.20	7.94	3	Vertical	274	1.50	-
PK	5.2618G	114.33	Inf	-Inf	8.15	3	Vertical	274	1.50	-
AV	5.2618G	101.57	Inf	-Inf	8.15	3	Vertical	274	1.50	-
PK	5.3992G	57.76	74.00	-16.24	8.34	3	Vertical	274	1.50	-
AV	5.3956G	44.97	54.00	-9.03	8.34	3	Vertical	274	1.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5260MHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1382G	58.72	74.00	-15.28	7.92	3	Horizontal	282	1.57	-
AV	5.1172G	45.70	54.00	-8.30	7.88	3	Horizontal	282	1.57	-
PK	5.2534G	123.08	Inf	-Inf	8.14	3	Horizontal	282	1.57	-
AV	5.254G	110.46	Inf	-Inf	8.14	3	Horizontal	282	1.57	-
PK	5.3614G	58.31	74.00	-15.69	8.29	3	Horizontal	282	1.57	-
AV	5.35G	45.91	54.00	-8.09	8.28	3	Horizontal	282	1.57	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5300MHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2992G	115.24	Inf	-Inf	8.21	3	Vertical	232	1.50	-
AV	5.2992G	101.81	Inf	-Inf	8.21	3	Vertical	232	1.50	-
PK	5.3764G	58.57	74.00	-15.43	8.31	3	Vertical	232	1.50	-
AV	5.3512G	46.00	54.00	-8.00	8.28	3	Vertical	232	1.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5300MHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3064G	121.66	Inf	-Inf	8.22	3	Horizontal	287	1.42	-
AV	5.2976G	109.44	Inf	-Inf	8.21	3	Horizontal	287	1.42	-
PK	5.3504G	62.60	74.00	-11.40	8.28	3	Horizontal	287	1.42	-
AV	5.35G	48.87	54.00	-5.13	8.28	3	Horizontal	287	1.42	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5320MHz_TX




EUT X_2TX_ANT_Y
Setting 24.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3166G	113.11	Inf	-Inf	8.23	3	Vertical	235	2.68	-
AV	5.3158G	100.60	Inf	-Inf	8.23	3	Vertical	235	2.68	-
PK	5.3546G	61.45	74.00	-12.55	8.28	3	Vertical	235	2.68	-
AV	5.3548G	47.81	54.00	-6.19	8.28	3	Vertical	235	2.68	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5320MHz_TX




EUT X_2TX_ANT_Y
 Setting 24.5
 02-B-4-10
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3234G	121.44	Inf	-Inf	8.24	3	Horizontal	289	1.72	-
AV	5.3226G	108.51	Inf	-Inf	8.23	3	Horizontal	289	1.72	-
PK	5.3516G	69.23	74.00	-4.77	8.28	3	Horizontal	289	1.72	-
AV	5.3512G	53.91	54.00	-0.09	8.28	3	Horizontal	289	1.72	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5500MHz_TX




EUT_X_2TX_ANT_Y
Setting 23.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4538G	58.56	74.00	-15.44	8.44	3	Vertical	305	1.94	-
AV	5.4534G	45.72	54.00	-8.28	8.44	3	Vertical	305	1.94	-
PK	5.4654G	60.58	68.20	-7.62	8.46	3	Vertical	305	1.94	-
PK	5.5036G	115.27	Inf	-Inf	8.52	3	Vertical	305	1.94	-
AV	5.504G	101.76	Inf	-Inf	8.52	3	Vertical	305	1.94	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5500MHz_TX




EUT X_2TX_ANT_Y
Setting 23.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.453G	61.01	74.00	-12.99	8.44	3	Horizontal	286	2.18	-
AV	5.4548G	47.32	54.00	-6.68	8.44	3	Horizontal	286	2.18	-
PK	5.47G	67.99	68.20	-0.21	8.46	3	Horizontal	286	2.18	-
PK	5.5018G	120.69	Inf	-Inf	8.52	3	Horizontal	286	2.18	-
AV	5.5026G	107.30	Inf	-Inf	8.52	3	Horizontal	286	2.18	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5580MHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4368G	58.23	74.00	-15.77	8.41	3	Vertical	236	2.93	-
AV	5.4432G	45.11	54.00	-8.89	8.42	3	Vertical	236	2.93	-
PK	5.4672G	58.11	68.20	-10.09	8.46	3	Vertical	236	2.93	-
PK	5.5776G	117.68	Inf	-Inf	8.57	3	Vertical	236	2.93	-
AV	5.5776G	104.65	Inf	-Inf	8.57	3	Vertical	236	2.93	-
PK	5.7512G	58.18	68.20	-10.02	8.83	3	Vertical	236	2.93	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5580MHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3856G	59.91	74.00	-14.09	8.32	3	Horizontal	283	2.03	-
AV	5.396G	45.97	54.00	-8.03	8.34	3	Horizontal	283	2.03	-
PK	5.468G	58.76	68.20	-9.44	8.46	3	Horizontal	283	2.03	-
PK	5.5776G	121.39	Inf	-Inf	8.57	3	Horizontal	283	2.03	-
AV	5.5768G	109.34	Inf	-Inf	8.57	3	Horizontal	283	2.03	-
PK	5.7752G	59.22	68.20	-8.98	8.87	3	Horizontal	283	2.03	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5700MHz_TX




EUT X_2TX_ANT_Y
Setting 22.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6964G	113.49	Inf	-Inf	8.74	3	Vertical	297	1.83	-
AV	5.6962G	100.97	Inf	-Inf	8.74	3	Vertical	297	1.83	-
PK	5.7252G	65.14	68.20	-3.06	8.79	3	Vertical	297	1.83	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5700MHz_TX




EUT X_2TX_ANT_Y
Setting 22.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7038G	119.14	Inf	-Inf	8.75	3	Horizontal	284	1.54	-
AV	5.7042G	105.63	Inf	-Inf	8.76	3	Horizontal	284	1.54	-
PK	5.7266G	68.07	68.20	-0.13	8.79	3	Horizontal	284	1.54	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.438G	57.65	74.00	-16.35	8.41	3	Vertical	298	1.91	-
AV	5.426G	45.03	54.00	-8.97	8.39	3	Vertical	298	1.91	-
PK	5.462G	57.14	68.20	-11.06	8.45	3	Vertical	298	1.91	-
PK	5.7224G	114.94	Inf	-Inf	8.78	3	Vertical	298	1.91	-
AV	5.7212G	103.19	Inf	-Inf	8.78	3	Vertical	298	1.91	-
PK	5.9624G	58.52	68.20	-9.68	8.93	3	Vertical	298	1.91	-

802.11ax HEW20_Nss1,(MCS0)_2TX

27/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4224G	58.38	74.00	-15.62	8.38	3	Horizontal	277	1.33	-
AV	5.4332G	45.41	54.00	-8.59	8.40	3	Horizontal	277	1.33	-
PK	5.47G	57.71	68.20	-10.49	8.46	3	Horizontal	277	1.33	-
PK	5.7188G	120.98	Inf	-Inf	8.77	3	Horizontal	277	1.33	-
AV	5.7176G	107.97	Inf	-Inf	8.77	3	Horizontal	277	1.33	-
PK	5.8664G	58.90	68.20	-9.30	8.91	3	Horizontal	277	1.33	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5270MHz_TX




EUT X_2TX_ANT_Y
Setting 26
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1266G	57.52	74.00	-16.48	7.90	3	Vertical	51	1.18	-
AV	5.1476G	44.83	54.00	-9.17	7.94	3	Vertical	51	1.18	-
PK	5.2718G	111.92	Inf	-Inf	8.17	3	Vertical	51	1.18	-
AV	5.2724G	98.97	Inf	-Inf	8.17	3	Vertical	51	1.18	-
PK	5.3516G	60.14	74.00	-13.86	8.28	3	Vertical	51	1.18	-
AV	5.35G	46.63	54.00	-7.37	8.28	3	Vertical	51	1.18	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5270MHz_TX




EUT X_2TX_ANT_Y
Setting 26
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1404G	59.78	74.00	-14.22	7.93	3	Horizontal	287	1.65	-
AV	5.1488G	46.59	54.00	-7.41	7.94	3	Horizontal	287	1.65	-
PK	5.2688G	120.10	Inf	-Inf	8.16	3	Horizontal	287	1.65	-
AV	5.2688G	107.13	Inf	-Inf	8.16	3	Horizontal	287	1.65	-
PK	5.35G	66.19	74.00	-7.81	8.28	3	Horizontal	287	1.65	-
AV	5.35G	52.25	54.00	-1.75	8.28	3	Horizontal	287	1.65	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5310MHz_TX




EUT X_2TX_ANT_Y
Setting 23
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3052G	110.65	Inf	-Inf	8.22	3	Vertical	235	2.58	-
AV	5.3052G	97.10	Inf	-Inf	8.22	3	Vertical	235	2.58	-
PK	5.3556G	63.50	74.00	-10.50	8.28	3	Vertical	235	2.58	-
AV	5.3544G	47.99	54.00	-6.01	8.28	3	Vertical	235	2.58	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5310MHz_TX




EUT X_2TX_ANT_Y
Setting 23
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3032G	117.02	Inf	-Inf	8.21	3	Horizontal	283	1.43	-
AV	5.312G	103.66	Inf	-Inf	8.22	3	Horizontal	283	1.43	-
PK	5.3512G	67.73	74.00	-6.27	8.28	3	Horizontal	283	1.43	-
AV	5.3512G	53.27	54.00	-0.73	8.28	3	Horizontal	283	1.43	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5510MHz_TX




EUT X_2TX_ANT_Y
Setting 22
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4564G	60.85	74.00	-13.15	8.44	3	Vertical	235	2.86	-
AV	5.4548G	46.05	54.00	-7.95	8.44	3	Vertical	235	2.86	-
PK	5.4652G	62.20	68.20	-6.00	8.45	3	Vertical	235	2.86	-
PK	5.5136G	110.99	Inf	-Inf	8.53	3	Vertical	235	2.86	-
AV	5.504G	97.48	Inf	-Inf	8.52	3	Vertical	235	2.86	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5510MHz_TX




EUT_X_2TX_ANT_Y
Setting 22
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4568G	66.39	74.00	-7.61	8.44	3	Horizontal	282	2.26	-
AV	5.4548G	48.97	54.00	-5.03	8.44	3	Horizontal	282	2.26	-
PK	5.464G	68.09	68.20	-0.11	8.45	3	Horizontal	282	2.26	-
PK	5.5128G	116.11	Inf	-Inf	8.53	3	Horizontal	282	2.26	-
AV	5.5128G	102.80	Inf	-Inf	8.53	3	Horizontal	282	2.26	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5550MHz_TX




EUT X_2TX_ANT_Y
Setting 25
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4438G	58.39	74.00	-15.61	8.42	3	Vertical	313	1.74	-
PK	5.4642G	60.64	68.20	-7.56	8.45	3	Vertical	313	1.74	-
AV	5.46G	46.05	54.00	-7.95	8.45	3	Vertical	313	1.74	-
PK	5.553G	114.26	Inf	-Inf	8.55	3	Vertical	313	1.74	-
AV	5.553G	100.95	Inf	-Inf	8.55	3	Vertical	313	1.74	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5550MHz_TX




EUT_X_2TX_ANT_Y
Setting 25
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.454G	61.73	74.00	-12.27	8.44	3	Horizontal	271	1.87	-
AV	5.46G	48.65	54.00	-5.35	8.45	3	Horizontal	271	1.87	-
PK	5.47G	66.65	68.20	-1.55	8.46	3	Horizontal	271	1.87	-
PK	5.544G	119.96	Inf	-Inf	8.55	3	Horizontal	271	1.87	-
AV	5.553G	106.81	Inf	-Inf	8.55	3	Horizontal	271	1.87	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5670MHz_TX




EUT X_2TX_ANT_Y
Setting 22.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6664G	110.96	Inf	-Inf	8.69	3	Vertical	325	2.97	-
AV	5.6668G	98.31	Inf	-Inf	8.69	3	Vertical	325	2.97	-
PK	5.7256G	62.53	68.20	-5.67	8.79	3	Vertical	325	2.97	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5670MHz_TX




EUT X_2TX_ANT_Y
 Setting 22.5
 02-B-4-10
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6712G	116.32	Inf	-Inf	8.70	3	Horizontal	276	1.90	-
AV	5.6716G	103.00	Inf	-Inf	8.70	3	Horizontal	276	1.90	-
PK	5.7256G	67.92	68.20	-0.28	8.79	3	Horizontal	276	1.90	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4532G	59.17	74.00	-14.83	8.44	3	Vertical	301	1.75	-
AV	5.46G	45.08	54.00	-8.92	8.45	3	Vertical	301	1.75	-
PK	5.4676G	57.25	68.20	-10.95	8.46	3	Vertical	301	1.75	-
PK	5.7076G	114.63	Inf	-Inf	8.76	3	Vertical	301	1.75	-
AV	5.7064G	101.80	Inf	-Inf	8.76	3	Vertical	301	1.75	-
PK	5.85G	63.88	68.20	-4.32	8.90	3	Vertical	301	1.75	-

802.11ax HEW40_Nss1,(MCS0)_2TX

27/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX_ANT_Y
Setting 27
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4184G	58.22	74.00	-15.78	8.37	3	Horizontal	285	1.66	-
PK	5.47G	57.96	68.20	-10.24	8.46	3	Horizontal	285	1.66	-
AV	5.4568G	45.74	54.00	-8.26	8.44	3	Horizontal	285	1.66	-
PK	5.7052G	119.24	Inf	-Inf	8.76	3	Horizontal	285	1.66	-
AV	5.7052G	106.50	Inf	-Inf	8.76	3	Horizontal	285	1.66	-
PK	5.8576G	67.28	68.20	-0.92	8.90	3	Horizontal	285	1.66	-

802.11ax HEW80_Nss1,(MCS0)_2TX

27/07/2019

5290MHz_TX




EUT X_2TX_ANT_Y
Setting 22.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1412G	57.84	74.00	-16.16	7.94	3	Vertical	244	2.97	-
AV	5.1164G	44.92	54.00	-9.08	7.87	3	Vertical	244	2.97	-
PK	5.2756G	107.87	Inf	-Inf	8.17	3	Vertical	244	2.97	-
AV	5.2772G	94.82	Inf	-Inf	8.17	3	Vertical	244	2.97	-
PK	5.3644G	62.62	74.00	-11.38	8.29	3	Vertical	244	2.97	-
AV	5.3548G	48.13	54.00	-5.87	8.28	3	Vertical	244	2.97	-
PK	5.482G	57.83	68.20	-10.37	8.49	3	Vertical	244	2.97	-

802.11ax HEW80_Nss1,(MCS0)_2TX

27/07/2019

5290MHz_TX




EUT X_2TX_ANT_Y
Setting 22.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0932G	58.95	74.00	-15.05	7.82	3	Horizontal	287	1.52	-
AV	5.1444G	46.31	54.00	-7.69	7.94	3	Horizontal	287	1.52	-
PK	5.2924G	112.86	Inf	-Inf	8.20	3	Horizontal	287	1.52	-
AV	5.2732G	100.35	Inf	-Inf	8.17	3	Horizontal	287	1.52	-
PK	5.3532G	67.16	74.00	-6.84	8.28	3	Horizontal	287	1.52	-
AV	5.3524G	52.13	54.00	-1.87	8.28	3	Horizontal	287	1.52	-
PK	5.4692G	58.49	68.20	-9.71	8.46	3	Horizontal	287	1.52	-

802.11ax HEW80_Nss1,(MCS0)_2TX

27/07/2019

5530MHz_TX




EUT X_2TX_ANT_Y
Setting 21.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.341G	57.75	68.20	-10.45	8.27	3	Vertical	314	1.83	-
PK	5.455G	63.10	74.00	-10.90	8.44	3	Vertical	314	1.83	-
AV	5.455G	48.28	54.00	-5.72	8.44	3	Vertical	314	1.83	-
PK	5.463G	62.74	68.20	-5.46	8.45	3	Vertical	314	1.83	-
PK	5.525G	108.08	Inf	-Inf	8.53	3	Vertical	314	1.83	-
AV	5.524G	94.83	Inf	-Inf	8.53	3	Vertical	314	1.83	-
PK	5.734G	58.44	68.20	-9.76	8.80	3	Vertical	314	1.83	-

802.11ax HEW80_Nss1,(MCS0)_2TX

27/07/2019

5530MHz_TX




EUT X_2TX_ANT_Y
Setting 21.5
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.289G	58.43	68.20	-9.77	8.20	3	Horizontal	283	2.16	-
PK	5.454G	66.92	74.00	-7.08	8.44	3	Horizontal	283	2.16	-
AV	5.454G	53.72	54.00	-0.28	8.44	3	Horizontal	283	2.16	-
PK	5.464G	67.45	68.20	-0.75	8.45	3	Horizontal	283	2.16	-
PK	5.543G	112.74	Inf	-Inf	8.55	3	Horizontal	283	2.16	-
AV	5.523G	100.06	Inf	-Inf	8.53	3	Horizontal	283	2.16	-
PK	5.763G	59.52	68.20	-8.68	8.84	3	Horizontal	283	2.16	-

802.11ax HEW80_Nss1,(MCS0)_2TX

27/07/2019

5610MHz_TX




EUT X_2TX_ANT_Y
Setting 23
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.459G	58.71	74.00	-15.29	8.45	3	Vertical	309	1.89	-
AV	5.459G	46.26	54.00	-7.74	8.45	3	Vertical	309	1.89	-
PK	5.469G	59.41	68.20	-8.79	8.46	3	Vertical	309	1.89	-
PK	5.617G	108.51	Inf	-Inf	8.60	3	Vertical	309	1.89	-
AV	5.618G	95.29	Inf	-Inf	8.61	3	Vertical	309	1.89	-
PK	5.726G	64.77	68.20	-3.43	8.79	3	Vertical	309	1.89	-

802.11ax HEW80_Nss1,(MCS0)_2TX

27/07/2019

5610MHz_TX




EUT X_2TX_ANT_Y
Setting 23
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.459G	64.34	74.00	-9.66	8.45	3	Horizontal	267	1.60	-
AV	5.457G	49.43	54.00	-4.57	8.44	3	Horizontal	267	1.60	-
PK	5.467G	65.47	68.20	-2.73	8.46	3	Horizontal	267	1.60	-
PK	5.587G	113.42	Inf	-Inf	8.57	3	Horizontal	267	1.60	-
AV	5.607G	100.65	Inf	-Inf	8.59	3	Horizontal	267	1.60	-
PK	5.726G	67.38	68.20	-0.82	8.79	3	Horizontal	267	1.60	-

802.11ax HEW80_Nss1,(MCS0)_2TX

27/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX_ANT_Y
Setting 25
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.402G	57.44	74.00	-16.56	8.34	3	Vertical	301	1.83	-
PK	5.4632G	57.93	68.20	-10.27	8.45	3	Vertical	301	1.83	-
AV	5.4536G	45.31	54.00	-8.69	8.44	3	Vertical	301	1.83	-
PK	5.6912G	109.99	Inf	-Inf	8.73	3	Vertical	301	1.83	-
AV	5.6912G	97.34	Inf	-Inf	8.73	3	Vertical	301	1.83	-
PK	5.8508G	64.64	68.20	-3.56	8.90	3	Vertical	301	1.83	-

802.11ax HEW80_Nss1,(MCS0)_2TX

27/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_X_2TX_ANT_Y
Setting 25
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	59.34	74.00	-14.66	8.45	3	Horizontal	280	1.58	-
AV	5.4596G	46.67	54.00	-7.33	8.45	3	Horizontal	280	1.58	-
PK	5.4692G	60.43	68.20	-7.77	8.46	3	Horizontal	280	1.58	-
PK	5.6996G	115.79	Inf	-Inf	8.75	3	Horizontal	280	1.58	-
AV	5.7008G	102.26	Inf	-Inf	8.75	3	Horizontal	280	1.58	-
PK	5.85G	68.00	68.20	-0.20	8.90	3	Horizontal	280	1.58	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.46G	52.33	54.00	-1.67	8.45	3	Horizontal	278	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5260MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1304G	57.91	74.00	-16.09	7.91	3	Vertical	59	1.43	-
AV	5.1184G	45.35	54.00	-8.65	7.88	3	Vertical	59	1.43	-
PK	5.2606G	111.84	Inf	-Inf	8.15	3	Vertical	59	1.43	-
AV	5.2558G	98.39	Inf	-Inf	8.15	3	Vertical	59	1.43	-
PK	5.3608G	58.22	74.00	-15.78	8.29	3	Vertical	59	1.43	-
AV	5.3638G	45.36	54.00	-8.64	8.29	3	Vertical	59	1.43	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5260MHz_TX




EUT X_2TX_ANT_Y
 Setting 24
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1424G	58.10	74.00	-15.90	7.94	3	Horizontal	284	1.62	-
AV	5.1202G	45.84	54.00	-8.16	7.88	3	Horizontal	284	1.62	-
PK	5.2564G	119.24	Inf	-Inf	8.15	3	Horizontal	284	1.62	-
AV	5.2564G	106.59	Inf	-Inf	8.15	3	Horizontal	284	1.62	-
PK	5.3992G	58.45	74.00	-15.55	8.34	3	Horizontal	284	1.62	-
AV	5.3548G	45.93	54.00	-8.07	8.28	3	Horizontal	284	1.62	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5300MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3068G	108.11	Inf	-Inf	8.22	3	Vertical	54	1.62	-
AV	5.3072G	95.83	Inf	-Inf	8.22	3	Vertical	54	1.62	-
PK	5.3692G	57.92	74.00	-16.08	8.30	3	Vertical	54	1.62	-
AV	5.3912G	45.34	54.00	-8.66	8.33	3	Vertical	54	1.62	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5300MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.298G	117.95	Inf	-Inf	8.21	3	Horizontal	289	1.78	-
AV	5.2984G	105.36	Inf	-Inf	8.21	3	Horizontal	289	1.78	-
PK	5.3516G	58.50	74.00	-15.50	8.28	3	Horizontal	289	1.78	-
AV	5.3636G	46.00	54.00	-8.00	8.29	3	Horizontal	289	1.78	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5320MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3192G	110.05	Inf	-Inf	8.23	3	Vertical	297	2.27	-
AV	5.3188G	98.36	Inf	-Inf	8.23	3	Vertical	297	2.27	-
PK	5.4156G	58.33	74.00	-15.67	8.36	3	Vertical	297	2.27	-
AV	5.3588G	45.54	54.00	-8.46	8.28	3	Vertical	297	2.27	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5320MHz_TX




EUT X_2TX_ANT_Y
 Setting 24
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3216G	117.26	Inf	-Inf	8.23	3	Horizontal	275	1.57	-
AV	5.3192G	104.99	Inf	-Inf	8.23	3	Horizontal	275	1.57	-
PK	5.386G	59.23	74.00	-14.77	8.32	3	Horizontal	275	1.57	-
AV	5.35G	47.16	54.00	-6.84	8.28	3	Horizontal	275	1.57	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5500MHz_TX




EUT_X_2TX_ANT_Y
 Setting 24
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4328G	57.95	74.00	-16.05	8.40	3	Vertical	311	1.84	-
PK	5.462G	57.84	68.20	-10.36	8.45	3	Vertical	311	1.84	-
AV	5.4484G	45.52	54.00	-8.48	8.42	3	Vertical	311	1.84	-
PK	5.4996G	112.39	Inf	-Inf	8.52	3	Vertical	311	1.84	-
AV	5.5016G	100.32	Inf	-Inf	8.52	3	Vertical	311	1.84	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5500MHz_TX




EUT_X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	58.79	74.00	-15.21	8.44	3	Horizontal	277	1.72	-
AV	5.4596G	46.60	54.00	-7.40	8.45	3	Horizontal	277	1.72	-
PK	5.466G	59.84	68.20	-8.36	8.46	3	Horizontal	277	1.72	-
PK	5.504G	117.53	Inf	-Inf	8.52	3	Horizontal	277	1.72	-
AV	5.5024G	105.51	Inf	-Inf	8.52	3	Horizontal	277	1.72	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5580MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4472G	58.54	74.00	-15.46	8.42	3	Vertical	297	1.81	-
AV	5.4344G	45.53	54.00	-8.47	8.40	3	Vertical	297	1.81	-
PK	5.4672G	56.94	68.20	-11.26	8.46	3	Vertical	297	1.81	-
PK	5.5768G	111.94	Inf	-Inf	8.57	3	Vertical	297	1.81	-
AV	5.5816G	100.18	Inf	-Inf	8.57	3	Vertical	297	1.81	-
PK	5.756G	58.80	68.20	-9.40	8.83	3	Vertical	297	1.81	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5580MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4208G	58.46	74.00	-15.54	8.38	3	Horizontal	291	1.84	-
PK	5.4608G	58.14	68.20	-10.06	8.45	3	Horizontal	291	1.84	-
AV	5.4448G	46.04	54.00	-7.96	8.42	3	Horizontal	291	1.84	-
PK	5.5808G	117.39	Inf	-Inf	8.57	3	Horizontal	291	1.84	-
AV	5.5776G	105.38	Inf	-Inf	8.57	3	Horizontal	291	1.84	-
PK	5.7712G	58.88	68.20	-9.32	8.85	3	Horizontal	291	1.84	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5700MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7016G	112.35	Inf	-Inf	8.75	3	Vertical	306	1.83	-
AV	5.7016G	101.03	Inf	-Inf	8.75	3	Vertical	306	1.83	-
PK	5.7252G	60.68	68.20	-7.52	8.79	3	Vertical	306	1.83	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5700MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7008G	117.76	Inf	-Inf	8.75	3	Horizontal	284	1.51	-
AV	5.708G	105.24	Inf	-Inf	8.76	3	Horizontal	284	1.51	-
PK	5.7256G	62.90	68.20	-5.30	8.79	3	Horizontal	284	1.51	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX_ANT_Y
 Setting 24
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4272G	58.43	74.00	-15.57	8.40	3	Vertical	306	1.57	-
AV	5.4416G	45.53	54.00	-8.47	8.41	3	Vertical	306	1.57	-
PK	5.46G	56.81	68.20	-11.39	8.45	3	Vertical	306	1.57	-
PK	5.7188G	112.25	Inf	-Inf	8.77	3	Vertical	306	1.57	-
AV	5.7176G	99.35	Inf	-Inf	8.77	3	Vertical	306	1.57	-
PK	5.9348G	59.16	68.20	-9.04	8.93	3	Vertical	306	1.57	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

28/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX_ANT_Y
 Setting 24
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4212G	58.12	74.00	-15.88	8.38	3	Horizontal	280	1.48	-
AV	5.4368G	45.78	54.00	-8.22	8.41	3	Horizontal	280	1.48	-
PK	5.4692G	57.95	68.20	-10.25	8.46	3	Horizontal	280	1.48	-
PK	5.7176G	116.53	Inf	-Inf	8.77	3	Horizontal	280	1.48	-
AV	5.7248G	104.31	Inf	-Inf	8.78	3	Horizontal	280	1.48	-
PK	5.8544G	59.22	68.20	-8.98	8.90	3	Horizontal	280	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

28/07/2019

5270MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1242G	57.41	74.00	-16.59	7.89	3	Vertical	315	2.44	-
AV	5.141G	45.22	54.00	-8.78	7.94	3	Vertical	315	2.44	-
PK	5.2544G	110.34	Inf	-Inf	8.15	3	Vertical	315	2.44	-
AV	5.2544G	99.86	Inf	-Inf	8.15	3	Vertical	315	2.44	-
PK	5.4152G	59.02	74.00	-14.98	8.36	3	Vertical	315	2.44	-
AV	5.3576G	45.47	54.00	-8.53	8.28	3	Vertical	315	2.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

28/07/2019

5270MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1398G	57.92	74.00	-16.08	7.93	3	Horizontal	287	1.51	-
AV	5.1368G	45.48	54.00	-8.52	7.92	3	Horizontal	287	1.51	-
PK	5.2646G	117.38	Inf	-Inf	8.16	3	Horizontal	287	1.51	-
AV	5.267G	106.72	Inf	-Inf	8.16	3	Horizontal	287	1.51	-
PK	5.3588G	59.11	74.00	-14.89	8.28	3	Horizontal	287	1.51	-
AV	5.35G	46.12	54.00	-7.88	8.28	3	Horizontal	287	1.51	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

28/07/2019

5310MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3232G	106.27	Inf	-Inf	8.24	3	Vertical	309	2.76	-
AV	5.2996G	98.85	Inf	-Inf	8.21	3	Vertical	309	2.76	-
PK	5.3636G	59.63	74.00	-14.37	8.29	3	Vertical	309	2.76	-
AV	5.3524G	45.43	54.00	-8.57	8.28	3	Vertical	309	2.76	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

28/07/2019

5310MHz_TX




EUT X_2TX_ANT_Y
 Setting 24
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3044G	115.03	Inf	-Inf	8.21	3	Horizontal	283	1.25	-
AV	5.3008G	103.35	Inf	-Inf	8.21	3	Horizontal	283	1.25	-
PK	5.3616G	68.16	74.00	-5.84	8.29	3	Horizontal	283	1.25	-
AV	5.35G	46.96	54.00	-7.04	8.28	3	Horizontal	283	1.25	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/07/2019

5510MHz_TX




EUT_X_2TX_ANT_Y
 Setting 24
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4564G	65.05	74.00	-8.95	8.44	3	Vertical	302	1.68	-
AV	5.438G	46.87	54.00	-7.13	8.41	3	Vertical	302	1.68	-
PK	5.4624G	65.06	68.20	-3.14	8.45	3	Vertical	302	1.68	-
PK	5.506G	112.13	Inf	-Inf	8.52	3	Vertical	302	1.68	-
AV	5.5012G	99.78	Inf	-Inf	8.52	3	Vertical	302	1.68	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/07/2019

5510MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4572G	71.43	74.00	-2.57	8.44	3	Horizontal	283	1.58	-
AV	5.46G	49.98	54.00	-4.02	8.45	3	Horizontal	283	1.58	-
PK	5.47G	66.04	68.20	-2.16	8.46	3	Horizontal	283	1.58	-
PK	5.5024G	117.16	Inf	-Inf	8.52	3	Horizontal	283	1.58	-
AV	5.504G	104.90	Inf	-Inf	8.52	3	Horizontal	283	1.58	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/07/2019

5550MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3988G	58.35	74.00	-15.65	8.34	3	Vertical	312	1.79	-
AV	5.362G	45.91	54.00	-8.09	8.29	3	Vertical	312	1.79	-
PK	5.4612G	57.90	68.20	-10.30	8.45	3	Vertical	312	1.79	-
PK	5.5516G	110.56	Inf	-Inf	8.55	3	Vertical	312	1.79	-
AV	5.542G	101.25	Inf	-Inf	8.55	3	Vertical	312	1.79	-
PK	5.7316G	58.78	68.20	-9.42	8.80	3	Vertical	312	1.79	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/07/2019

5550MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.406G	59.22	74.00	-14.78	8.35	3	Horizontal	281	1.55	-
PK	5.4668G	58.75	68.20	-9.45	8.46	3	Horizontal	281	1.55	-
AV	5.4588G	46.52	54.00	-7.48	8.45	3	Horizontal	281	1.55	-
PK	5.5444G	116.54	Inf	-Inf	8.55	3	Horizontal	281	1.55	-
AV	5.5364G	104.01	Inf	-Inf	8.54	3	Horizontal	281	1.55	-
PK	5.7284G	58.86	68.20	-9.34	8.80	3	Horizontal	281	1.55	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/07/2019

5670MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6736G	110.71	Inf	-Inf	8.70	3	Vertical	314	1.75	-
AV	5.6556G	100.20	Inf	-Inf	8.67	3	Vertical	314	1.75	-
PK	5.7356G	63.58	68.20	-4.62	8.81	3	Vertical	314	1.75	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/07/2019

5670MHz_TX




EUT X_2TX_ANT_Y
 Setting 24
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6672G	115.69	Inf	-Inf	8.69	3	Horizontal	282	1.56	-
AV	5.656G	104.54	Inf	-Inf	8.67	3	Horizontal	282	1.56	-
PK	5.734G	64.77	68.20	-3.43	8.80	3	Horizontal	282	1.56	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	57.97	74.00	-16.03	8.45	3	Vertical	316	1.49	-
AV	5.4352G	45.85	54.00	-8.15	8.41	3	Vertical	316	1.49	-
PK	5.464G	58.13	68.20	-10.07	8.45	3	Vertical	316	1.49	-
PK	5.7076G	111.11	Inf	-Inf	8.76	3	Vertical	316	1.49	-
AV	5.7112G	97.81	Inf	-Inf	8.77	3	Vertical	316	1.49	-
PK	5.95G	59.38	68.20	-8.82	8.93	3	Vertical	316	1.49	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

29/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4172G	59.21	74.00	-14.79	8.37	3	Horizontal	283	1.12	-
AV	5.41G	45.99	54.00	-8.01	8.35	3	Horizontal	283	1.12	-
PK	5.4628G	57.61	68.20	-10.59	8.45	3	Horizontal	283	1.12	-
PK	5.7076G	116.48	Inf	-Inf	8.76	3	Horizontal	283	1.12	-
AV	5.7076G	103.31	Inf	-Inf	8.76	3	Horizontal	283	1.12	-
PK	5.8528G	59.08	68.20	-9.12	8.90	3	Horizontal	283	1.12	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/07/2019

5290MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1088G	58.10	74.00	-15.90	7.86	3	Vertical	241	1.47	-
AV	5.1052G	45.67	54.00	-8.33	7.85	3	Vertical	241	1.47	-
PK	5.2852G	104.74	Inf	-Inf	8.19	3	Vertical	241	1.47	-
AV	5.2852G	93.47	Inf	-Inf	8.19	3	Vertical	241	1.47	-
PK	5.458G	59.22	74.00	-14.78	8.45	3	Vertical	241	1.47	-
AV	5.3908G	46.02	54.00	-7.98	8.33	3	Vertical	241	1.47	-
PK	5.4952G	58.01	68.20	-10.19	8.51	3	Vertical	241	1.47	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/07/2019

5290MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1436G	59.37	74.00	-14.63	7.94	3	Horizontal	293	1.54	-
AV	5.1064G	46.67	54.00	-7.33	7.86	3	Horizontal	293	1.54	-
PK	5.2624G	113.17	Inf	-Inf	8.15	3	Horizontal	293	1.54	-
AV	5.2588G	106.60	Inf	-Inf	8.15	3	Horizontal	293	1.54	-
PK	5.4112G	62.18	74.00	-11.82	8.35	3	Horizontal	293	1.54	-
AV	5.3512G	47.47	54.00	-6.53	8.28	3	Horizontal	293	1.54	-
PK	5.4904G	59.11	68.20	-9.09	8.51	3	Horizontal	293	1.54	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/07/2019

5530MHz_TX




EUT_X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.317G	58.89	68.20	-9.31	8.23	3	Vertical	321	2.99	-
PK	5.46G	59.43	74.00	-14.57	8.45	3	Vertical	321	2.99	-
AV	5.458G	47.19	54.00	-6.81	8.45	3	Vertical	321	2.99	-
PK	5.466G	59.67	68.20	-8.53	8.46	3	Vertical	321	2.99	-
PK	5.513G	108.98	Inf	-Inf	8.53	3	Vertical	321	2.99	-
AV	5.493G	97.32	Inf	-Inf	8.51	3	Vertical	321	2.99	-
PK	5.751G	58.52	68.20	-9.68	8.83	3	Vertical	321	2.99	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

29/07/2019

5530MHz_TX




EUT_X_2TX_ANT_Y
Setting 24
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.29G	58.72	68.20	-9.48	8.20	3	Horizontal	278	1.80	-
PK	5.459G	66.28	74.00	-7.72	8.45	3	Horizontal	278	1.80	-
AV	5.46G	52.33	54.00	-1.67	8.45	3	Horizontal	278	1.80	-
PK	5.463G	66.23	68.20	-1.97	8.45	3	Horizontal	278	1.80	-
PK	5.504G	116.56	Inf	-Inf	8.52	3	Horizontal	278	1.80	-
AV	5.518G	100.42	Inf	-Inf	8.53	3	Horizontal	278	1.80	-
PK	5.741G	59.47	68.20	-8.73	8.80	3	Horizontal	278	1.80	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

30/07/2019

5610MHz_TX




EUT_X_2TX_ANT_Y
 Setting 24
 02-C-4-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4412G	58.06	74.00	-15.94	8.41	3	Vertical	294	3.00	-
AV	5.4364G	45.92	54.00	-8.08	8.41	3	Vertical	294	3.00	-
PK	5.4644G	58.02	68.20	-10.18	8.45	3	Vertical	294	3.00	-
PK	5.6244G	109.14	Inf	-Inf	8.61	3	Vertical	294	3.00	-
AV	5.6252G	96.28	Inf	-Inf	8.63	3	Vertical	294	3.00	-
PK	5.7276G	60.09	68.20	-8.11	8.80	3	Vertical	294	3.00	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

30/07/2019

5610MHz_TX




EUT X_2TX_ANT_Y
Setting 24
02-C-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4124G	58.89	74.00	-15.11	8.36	3	Horizontal	271	1.15	-
PK	5.4692G	59.07	68.20	-9.13	8.46	3	Horizontal	271	1.15	-
AV	5.442G	46.41	54.00	-7.59	8.41	3	Horizontal	271	1.15	-
PK	5.6076G	112.27	Inf	-Inf	8.59	3	Horizontal	271	1.15	-
AV	5.5844G	103.83	Inf	-Inf	8.57	3	Horizontal	271	1.15	-
PK	5.7252G	62.79	68.20	-5.41	8.79	3	Horizontal	271	1.15	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

30/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT X_2TX_ANT_Y
Setting 24
02-C-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4344G	58.78	74.00	-15.22	8.40	3	Vertical	276	1.82	-
AV	5.4236G	46.35	54.00	-7.65	8.38	3	Vertical	276	1.82	-
PK	5.47G	58.33	68.20	-9.87	8.46	3	Vertical	276	1.82	-
PK	5.6972G	111.98	Inf	-Inf	8.75	3	Vertical	276	1.82	-
AV	5.6996G	99.56	Inf	-Inf	8.75	3	Vertical	276	1.82	-
PK	5.8832G	59.43	68.20	-8.77	8.92	3	Vertical	276	1.82	-