


802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0696G	61.38	74.00	-12.62	7.76	3	Vertical	179	1.86	-
AV	5.0744G	48.92	54.00	-5.08	7.77	3	Vertical	179	1.86	-
PK	5.256G	126.05	Inf	-Inf	8.15	3	Vertical	179	1.86	-
AV	5.2616G	116.35	Inf	-Inf	8.15	3	Vertical	179	1.86	-
PK	5.4568G	61.69	74.00	-12.31	8.44	3	Vertical	179	1.86	-
AV	5.4472G	49.66	54.00	-4.34	8.42	3	Vertical	179	1.86	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1408G	61.05	74.00	-12.95	7.93	3	Horizontal	175	1.75	-
AV	5.0712G	48.95	54.00	-5.05	7.76	3	Horizontal	175	1.75	-
PK	5.2632G	126.33	Inf	-Inf	8.16	3	Horizontal	175	1.75	-
AV	5.2624G	116.39	Inf	-Inf	8.15	3	Horizontal	175	1.75	-
PK	5.38G	63.51	74.00	-10.49	8.32	3	Horizontal	175	1.75	-
AV	5.4496G	49.30	54.00	-4.70	8.42	3	Horizontal	175	1.75	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5300MHz_TX




EUT_Z_2TX
Setting 26.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3028G	125.67	Inf	-Inf	8.21	3	Vertical	172	1.87	-
AV	5.3032G	115.90	Inf	-Inf	8.21	3	Vertical	172	1.87	-
PK	5.3532G	67.77	74.00	-6.23	8.28	3	Vertical	172	1.87	-
AV	5.3528G	53.62	54.00	-0.38	8.28	3	Vertical	172	1.87	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5300MHz_TX




EUT Z_2TX
Setting 26.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2992G	126.19	Inf	-Inf	8.21	3	Horizontal	174	1.58	-
AV	5.2992G	115.79	Inf	-Inf	8.21	3	Horizontal	174	1.58	-
PK	5.3584G	66.78	74.00	-7.22	8.28	3	Horizontal	174	1.58	-
AV	5.35G	53.36	54.00	-0.64	8.28	3	Horizontal	174	1.58	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5320MHz_TX




EUT_Z_2TX
Setting 21.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3208G	122.22	Inf	-Inf	8.23	3	Vertical	176	1.91	-
AV	5.3208G	112.31	Inf	-Inf	8.23	3	Vertical	176	1.91	-
PK	5.3512G	66.79	74.00	-7.21	8.28	3	Vertical	176	1.91	-
AV	5.3512G	53.95	54.00	-0.05	8.28	3	Vertical	176	1.91	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5320MHz_TX




EUT_Z_2TX
Setting 21.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3176G	122.06	Inf	-Inf	8.23	3	Horizontal	180	1.77	-
AV	5.318G	111.93	Inf	-Inf	8.23	3	Horizontal	180	1.77	-
PK	5.3528G	66.63	74.00	-7.37	8.28	3	Horizontal	180	1.77	-
AV	5.3524G	53.31	54.00	-0.69	8.28	3	Horizontal	180	1.77	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 22
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	64.00	74.00	-10.00	8.45	3	Vertical	176	1.89	-
AV	5.4582G	49.97	54.00	-4.03	8.45	3	Vertical	176	1.89	-
PK	5.4678G	68.14	68.20	-0.06	8.46	3	Vertical	176	1.89	-
PK	5.5022G	122.00	Inf	-Inf	8.52	3	Vertical	176	1.89	-
AV	5.5028G	112.27	Inf	-Inf	8.52	3	Vertical	176	1.89	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 22
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4598G	64.01	74.00	-9.99	8.45	3	Horizontal	172	1.78	-
AV	5.4594G	49.67	54.00	-4.33	8.45	3	Horizontal	172	1.78	-
PK	5.4688G	66.66	68.20	-1.54	8.46	3	Horizontal	172	1.78	-
PK	5.4992G	122.40	Inf	-Inf	8.52	3	Horizontal	172	1.78	-
AV	5.4992G	112.20	Inf	-Inf	8.52	3	Horizontal	172	1.78	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.459999G	62.16	74.00	-11.84	8.45	3	Vertical	173	1.82	-
AV	5.3928G	49.65	54.00	-4.35	8.33	3	Vertical	173	1.82	-
PK	5.4616G	61.67	68.20	-6.53	8.45	3	Vertical	173	1.82	-
PK	5.5792G	127.05	Inf	-Inf	8.57	3	Vertical	173	1.82	-
AV	5.5792G	116.85	Inf	-Inf	8.57	3	Vertical	173	1.82	-
PK	5.7752G	61.32	68.20	-6.88	8.87	3	Vertical	173	1.82	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	62.96	74.00	-11.04	8.45	3	Horizontal	174	1.87	-
AV	5.3904G	49.07	54.00	-4.93	8.33	3	Horizontal	174	1.87	-
PK	5.4608G	60.30	68.20	-7.90	8.45	3	Horizontal	174	1.87	-
PK	5.5768G	126.82	Inf	-Inf	8.57	3	Horizontal	174	1.87	-
AV	5.5768G	116.36	Inf	-Inf	8.57	3	Horizontal	174	1.87	-
PK	5.7384G	61.91	68.20	-6.29	8.80	3	Horizontal	174	1.87	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5700MHz_TX




EUT_Z_2TX
 Setting 21
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.696G	122.20	Inf	-Inf	8.74	3	Vertical	173	1.75	-
AV	5.701G	112.19	Inf	-Inf	8.75	3	Vertical	173	1.75	-
PK	5.7256G	66.03	68.20	-2.17	8.79	3	Vertical	173	1.75	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5700MHz_TX




EUT_Z_2TX
Setting 21
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7026G	121.25	Inf	-Inf	8.75	3	Horizontal	171	1.71	-
AV	5.7028G	110.88	Inf	-Inf	8.75	3	Horizontal	171	1.71	-
PK	5.727G	64.13	68.20	-4.07	8.80	3	Horizontal	171	1.71	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.444G	60.96	74.00	-13.04	8.42	3	Vertical	161	1.80	-
AV	5.4464G	48.16	54.00	-5.84	8.42	3	Vertical	161	1.80	-
PK	5.4692G	59.86	68.20	-8.34	8.46	3	Vertical	161	1.80	-
PK	5.7212G	124.88	Inf	-Inf	8.78	3	Vertical	161	1.80	-
AV	5.7212G	115.19	Inf	-Inf	8.78	3	Vertical	161	1.80	-
PK	5.8976G	59.78	68.20	-8.42	8.92	3	Vertical	161	1.80	-

802.11a_Nss1,(6Mbps)_2TX

16/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4524G	60.13	74.00	-13.87	8.44	3	Horizontal	164	1.80	-
AV	5.4368G	47.93	54.00	-6.07	8.41	3	Horizontal	164	1.80	-
PK	5.47G	59.35	68.20	-8.85	8.46	3	Horizontal	164	1.80	-
PK	5.7236G	125.44	Inf	-Inf	8.78	3	Horizontal	164	1.80	-
AV	5.7236G	115.36	Inf	-Inf	8.78	3	Horizontal	164	1.80	-
PK	5.864G	59.89	68.20	-8.31	8.91	3	Horizontal	164	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.072G	61.34	74.00	-12.66	7.76	3	Vertical	177	1.92	-
AV	5.0712G	48.43	54.00	-5.57	7.76	3	Vertical	177	1.92	-
PK	5.2632G	128.20	Inf	-Inf	8.16	3	Vertical	177	1.92	-
AV	5.2624G	115.68	Inf	-Inf	8.15	3	Vertical	177	1.92	-
PK	5.4544G	61.31	74.00	-12.69	8.44	3	Vertical	177	1.92	-
AV	5.4536G	49.24	54.00	-4.76	8.44	3	Vertical	177	1.92	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0736G	61.12	74.00	-12.88	7.77	3	Horizontal	177	1.65	-
AV	5.0736G	48.69	54.00	-5.31	7.77	3	Horizontal	177	1.65	-
PK	5.264G	128.00	Inf	-Inf	8.16	3	Horizontal	177	1.65	-
AV	5.2648G	115.61	Inf	-Inf	8.16	3	Horizontal	177	1.65	-
PK	5.38G	62.79	74.00	-11.21	8.32	3	Horizontal	177	1.65	-
AV	5.4448G	48.99	54.00	-5.01	8.42	3	Horizontal	177	1.65	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5300MHz_TX




EUT Z_2TX
Setting 26.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.298G	127.04	Inf	-Inf	8.21	3	Vertical	181	1.93	-
AV	5.2972G	114.78	Inf	-Inf	8.21	3	Vertical	181	1.93	-
PK	5.3568G	67.16	74.00	-6.84	8.28	3	Vertical	181	1.93	-
AV	5.3568G	52.80	54.00	-1.20	8.28	3	Vertical	181	1.93	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5300MHz_TX




EUT Z_2TX
Setting 26.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2968G	127.78	Inf	-Inf	8.21	3	Horizontal	177	1.50	-
AV	5.2976G	115.09	Inf	-Inf	8.21	3	Horizontal	177	1.50	-
PK	5.3572G	67.75	74.00	-6.25	8.28	3	Horizontal	177	1.50	-
AV	5.35G	52.81	54.00	-1.19	8.28	3	Horizontal	177	1.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5320MHz_TX




EUT Z_2TX
Setting 21.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3208G	124.62	Inf	-Inf	8.23	3	Vertical	170	1.87	-
AV	5.3216G	111.36	Inf	-Inf	8.23	3	Vertical	170	1.87	-
PK	5.3512G	66.58	74.00	-7.42	8.28	3	Vertical	170	1.87	-
AV	5.3512G	53.96	54.00	-0.04	8.28	3	Vertical	170	1.87	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5320MHz_TX




EUT Z_2TX
Setting 21.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3252G	123.96	Inf	-Inf	8.25	3	Horizontal	175	1.77	-
AV	5.3156G	110.66	Inf	-Inf	8.23	3	Horizontal	175	1.77	-
PK	5.3548G	67.52	74.00	-6.48	8.28	3	Horizontal	175	1.77	-
AV	5.3544G	52.59	54.00	-1.41	8.28	3	Horizontal	175	1.77	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 22
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.455G	63.12	74.00	-10.88	8.44	3	Vertical	170	1.80	-
AV	5.4546G	49.73	54.00	-4.27	8.44	3	Vertical	170	1.80	-
PK	5.4656G	66.43	68.20	-1.77	8.46	3	Vertical	170	1.80	-
PK	5.505G	123.83	Inf	-Inf	8.52	3	Vertical	170	1.80	-
AV	5.5038G	111.02	Inf	-Inf	8.52	3	Vertical	170	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 22
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	64.70	74.00	-9.30	8.45	3	Horizontal	175	1.78	-
AV	5.4596G	50.40	54.00	-3.60	8.45	3	Horizontal	175	1.78	-
PK	5.4682G	67.90	68.20	-0.30	8.46	3	Horizontal	175	1.78	-
PK	5.499G	124.38	Inf	-Inf	8.52	3	Horizontal	175	1.78	-
AV	5.4982G	111.38	Inf	-Inf	8.52	3	Horizontal	175	1.78	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3928G	61.52	74.00	-12.48	8.33	3	Vertical	175	1.79	-
AV	5.392G	48.97	54.00	-5.03	8.33	3	Vertical	175	1.79	-
PK	5.4608G	60.64	68.20	-7.56	8.45	3	Vertical	175	1.79	-
PK	5.5728G	128.97	Inf	-Inf	8.56	3	Vertical	175	1.79	-
AV	5.5832G	115.70	Inf	-Inf	8.57	3	Vertical	175	1.79	-
PK	5.7416G	60.56	68.20	-7.64	8.80	3	Vertical	175	1.79	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	61.01	74.00	-12.99	8.45	3	Horizontal	174	1.85	-
AV	5.3968G	48.09	54.00	-5.91	8.34	3	Horizontal	174	1.85	-
PK	5.4608G	59.72	68.20	-8.48	8.45	3	Horizontal	174	1.85	-
PK	5.5784G	127.19	Inf	-Inf	8.57	3	Horizontal	174	1.85	-
AV	5.5784G	115.26	Inf	-Inf	8.57	3	Horizontal	174	1.85	-
PK	5.7712G	60.35	68.20	-7.85	8.85	3	Horizontal	174	1.85	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5700MHz_TX




EUT Z_2TX
Setting 21
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6968G	124.00	Inf	-Inf	8.75	3	Vertical	166	1.77	-
AV	5.697G	111.40	Inf	-Inf	8.75	3	Vertical	166	1.77	-
PK	5.727G	68.00	68.20	-0.20	8.80	3	Vertical	166	1.77	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5700MHz_TX




EUT Z_2TX
Setting 21
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.701G	122.50	Inf	-Inf	8.75	3	Horizontal	171	1.81	-
AV	5.7024G	109.50	Inf	-Inf	8.75	3	Horizontal	171	1.81	-
PK	5.7264G	66.31	68.20	-1.89	8.79	3	Horizontal	171	1.81	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4476G	60.49	74.00	-13.51	8.42	3	Vertical	178	1.84	-
AV	5.4536G	47.70	54.00	-6.30	8.44	3	Vertical	178	1.84	-
PK	5.4692G	60.31	68.20	-7.89	8.46	3	Vertical	178	1.84	-
PK	5.7128G	126.59	Inf	-Inf	8.77	3	Vertical	178	1.84	-
AV	5.7224G	114.40	Inf	-Inf	8.78	3	Vertical	178	1.84	-
PK	5.8772G	59.87	68.20	-8.33	8.92	3	Vertical	178	1.84	-

802.11ax HEW20_Nss1,(MCS0)_2TX

16/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.42G	60.64	74.00	-13.36	8.38	3	Horizontal	179	1.74	-
AV	5.4404G	47.61	54.00	-6.39	8.41	3	Horizontal	179	1.74	-
PK	5.4644G	59.28	68.20	-8.92	8.45	3	Horizontal	179	1.74	-
PK	5.726G	126.66	Inf	-Inf	8.79	3	Horizontal	179	1.74	-
AV	5.726G	114.09	Inf	-Inf	8.79	3	Horizontal	179	1.74	-
PK	5.8796G	60.00	68.20	-8.20	8.92	3	Horizontal	179	1.74	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5270MHz_TX




EUT_Z_2TX
Setting 24.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.095G	61.54	74.00	-12.46	7.82	3	Vertical	162	1.77	-
AV	5.084G	47.80	54.00	-6.20	7.80	3	Vertical	162	1.77	-
PK	5.266G	123.22	Inf	-Inf	8.16	3	Vertical	162	1.77	-
AV	5.276G	111.09	Inf	-Inf	8.17	3	Vertical	162	1.77	-
PK	5.354G	65.50	74.00	-8.50	8.28	3	Vertical	162	1.77	-
AV	5.354G	51.85	54.00	-2.15	8.28	3	Vertical	162	1.77	-
PK	5.466G	60.94	68.20	-7.26	8.46	3	Vertical	162	1.77	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5270MHz_TX




EUT_Z_2TX
Setting 24.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	61.16	74.00	-12.84	7.94	3	Horizontal	175	1.63	-
AV	5.088G	47.83	54.00	-6.17	7.81	3	Horizontal	175	1.63	-
PK	5.269G	124.27	Inf	-Inf	8.16	3	Horizontal	175	1.63	-
AV	5.269G	111.60	Inf	-Inf	8.16	3	Horizontal	175	1.63	-
PK	5.35G	66.11	74.00	-7.89	8.28	3	Horizontal	175	1.63	-
AV	5.35G	53.14	54.00	-0.86	8.28	3	Horizontal	175	1.63	-
PK	5.511G	60.24	68.20	-7.96	8.53	3	Horizontal	175	1.63	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5310MHz_TX




EUT_Z_2TX
Setting 20.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.077G	59.17	74.00	-14.83	7.78	3	Vertical	164	1.85	-
AV	5.102G	46.40	54.00	-7.60	7.84	3	Vertical	164	1.85	-
PK	5.321G	120.14	Inf	-Inf	8.23	3	Vertical	164	1.85	-
AV	5.311G	106.96	Inf	-Inf	8.22	3	Vertical	164	1.85	-
PK	5.351G	65.68	74.00	-8.32	8.28	3	Vertical	164	1.85	-
AV	5.351G	53.70	54.00	-0.30	8.28	3	Vertical	164	1.85	-
PK	5.525G	60.18	68.20	-8.02	8.53	3	Vertical	164	1.85	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5310MHz_TX




EUT_Z_2TX
Setting 20.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.09G	59.33	74.00	-14.67	7.82	3	Horizontal	159	1.75	-
AV	5.106G	46.59	54.00	-7.41	7.86	3	Horizontal	159	1.75	-
PK	5.304G	119.91	Inf	-Inf	8.21	3	Horizontal	159	1.75	-
AV	5.306G	107.01	Inf	-Inf	8.22	3	Horizontal	159	1.75	-
PK	5.355G	66.26	74.00	-7.74	8.28	3	Horizontal	159	1.75	-
AV	5.355G	53.31	54.00	-0.69	8.28	3	Horizontal	159	1.75	-
PK	5.485G	60.05	68.20	-8.15	8.50	3	Horizontal	159	1.75	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5510MHz_TX




EUT_Z_2TX
Setting 20.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4554G	65.06	74.00	-8.94	8.44	3	Vertical	175	1.65	-
AV	5.4566G	51.34	54.00	-2.66	8.44	3	Vertical	175	1.65	-
PK	5.4668G	68.11	68.20	-0.09	8.46	3	Vertical	175	1.65	-
PK	5.5058G	120.70	Inf	-Inf	8.52	3	Vertical	175	1.65	-
AV	5.5166G	107.63	Inf	-Inf	8.53	3	Vertical	175	1.65	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5510MHz_TX




EUT_Z_2TX
Setting 20.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4536G	63.36	74.00	-10.64	8.44	3	Horizontal	174	1.78	-
AV	5.4536G	50.53	54.00	-3.47	8.44	3	Horizontal	174	1.78	-
PK	5.462G	64.80	68.20	-3.40	8.45	3	Horizontal	174	1.78	-
PK	5.5148G	119.58	Inf	-Inf	8.53	3	Horizontal	174	1.78	-
AV	5.5136G	107.55	Inf	-Inf	8.53	3	Horizontal	174	1.78	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5550MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.457G	65.50	74.00	-8.50	8.44	3	Vertical	181	1.78	-
AV	5.4546G	50.90	54.00	-3.10	8.44	3	Vertical	181	1.78	-
PK	5.4618G	66.59	68.20	-1.61	8.45	3	Vertical	181	1.78	-
PK	5.5422G	124.59	Inf	-Inf	8.55	3	Vertical	181	1.78	-
AV	5.5428G	111.34	Inf	-Inf	8.55	3	Vertical	181	1.78	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5550MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4546G	63.27	74.00	-10.73	8.44	3	Horizontal	169	1.88	-
AV	5.459999G	50.69	54.00	-3.31	8.45	3	Horizontal	169	1.88	-
PK	5.469999G	65.79	68.20	-2.41	8.46	3	Horizontal	169	1.88	-
PK	5.5482G	122.63	Inf	-Inf	8.55	3	Horizontal	169	1.88	-
AV	5.5488G	109.58	Inf	-Inf	8.55	3	Horizontal	169	1.88	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5670MHz_TX




EUT Z_2TX
Setting 21.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6628G	121.66	Inf	-Inf	8.69	3	Vertical	178	1.77	-
AV	5.6712G	108.71	Inf	-Inf	8.70	3	Vertical	178	1.77	-
PK	5.7252G	66.59	68.20	-1.61	8.79	3	Vertical	178	1.77	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5670MHz_TX




EUT_Z_2TX
 Setting 21.5
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6676G	121.11	Inf	-Inf	8.69	3	Horizontal	170	1.89	-
AV	5.6682G	108.26	Inf	-Inf	8.70	3	Horizontal	170	1.89	-
PK	5.7288G	67.94	68.20	-0.26	8.80	3	Horizontal	170	1.89	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 27
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.702G	123.67	Inf	-Inf	8.75	3	Vertical	175	1.78	-
AV	5.7012G	109.99	Inf	-Inf	8.75	3	Vertical	175	1.78	-
PK	5.8772G	59.26	68.20	-8.94	8.92	3	Vertical	175	1.78	-

802.11ax HEW40_Nss1,(MCS0)_2TX

16/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 27
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7164G	121.93	Inf	-Inf	8.77	3	Horizontal	185	1.80	-
AV	5.7164G	109.03	Inf	-Inf	8.77	3	Horizontal	185	1.80	-
PK	5.8804G	59.32	68.20	-8.88	8.92	3	Horizontal	185	1.80	-

802.11ax HEW80_Nss1,(MCS0)_2TX

16/07/2019

5290MHz_TX




EUT_Z_2TX
Setting 21
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	60.06	74.00	-13.94	7.94	3	Vertical	187	1.74	-
AV	5.147G	47.31	54.00	-6.69	7.94	3	Vertical	187	1.74	-
PK	5.313G	116.51	Inf	-Inf	8.22	3	Vertical	187	1.74	-
AV	5.276G	104.22	Inf	-Inf	8.17	3	Vertical	187	1.74	-
PK	5.373G	67.35	74.00	-6.65	8.30	3	Vertical	187	1.74	-
AV	5.356G	53.92	54.00	-0.08	8.28	3	Vertical	187	1.74	-
PK	5.477G	59.92	68.20	-8.28	8.48	3	Vertical	187	1.74	-

802.11ax HEW80_Nss1,(MCS0)_2TX

16/07/2019

5290MHz_TX




EUT_Z_2TX
Setting 21
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.109G	59.82	74.00	-14.18	7.86	3	Horizontal	179	1.84	-
AV	5.143G	47.42	54.00	-6.58	7.94	3	Horizontal	179	1.84	-
PK	5.281G	117.35	Inf	-Inf	8.18	3	Horizontal	179	1.84	-
AV	5.282G	105.03	Inf	-Inf	8.18	3	Horizontal	179	1.84	-
PK	5.355G	66.51	74.00	-7.49	8.28	3	Horizontal	179	1.84	-
AV	5.351G	53.52	54.00	-0.48	8.28	3	Horizontal	179	1.84	-
PK	5.522G	60.14	68.20	-8.06	8.53	3	Horizontal	179	1.84	-

802.11ax HEW80_Nss1,(MCS0)_2TX

16/07/2019

5530MHz_TX




EUT Z_2TX
Setting 19.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.309G	59.91	68.20	-8.29	8.22	3	Vertical	177	1.85	-
PK	5.455G	66.43	74.00	-7.57	8.44	3	Vertical	177	1.85	-
AV	5.459G	53.58	54.00	-0.42	8.45	3	Vertical	177	1.85	-
PK	5.469G	66.27	68.20	-1.93	8.46	3	Vertical	177	1.85	-
PK	5.519G	116.51	Inf	-Inf	8.53	3	Vertical	177	1.85	-
AV	5.529G	103.92	Inf	-Inf	8.54	3	Vertical	177	1.85	-
PK	5.774G	59.00	68.20	-9.20	8.86	3	Vertical	177	1.85	-

802.11ax HEW80_Nss1,(MCS0)_2TX

16/07/2019

5530MHz_TX




EUT_Z_2TX
Setting 19.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.344G	58.80	68.20	-9.40	8.27	3	Horizontal	185	1.87	-
PK	5.458G	65.32	74.00	-8.68	8.45	3	Horizontal	185	1.87	-
AV	5.455G	52.35	54.00	-1.65	8.44	3	Horizontal	185	1.87	-
PK	5.463G	64.71	68.20	-3.49	8.45	3	Horizontal	185	1.87	-
PK	5.525G	115.45	Inf	-Inf	8.53	3	Horizontal	185	1.87	-
AV	5.515G	102.98	Inf	-Inf	8.53	3	Horizontal	185	1.87	-
PK	5.761G	59.22	68.20	-8.98	8.85	3	Horizontal	185	1.87	-

802.11ax HEW80_Nss1,(MCS0)_2TX

16/07/2019

5610MHz_TX




EUT_Z_2TX
Setting 21.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.457G	61.62	74.00	-12.38	8.44	3	Vertical	180	1.78	-
AV	5.459G	49.08	54.00	-4.92	8.45	3	Vertical	180	1.78	-
PK	5.468G	62.90	68.20	-5.30	8.46	3	Vertical	180	1.78	-
PK	5.608G	117.74	Inf	-Inf	8.59	3	Vertical	180	1.78	-
AV	5.618G	105.90	Inf	-Inf	8.61	3	Vertical	180	1.78	-
PK	5.729G	67.54	68.20	-0.66	8.80	3	Vertical	180	1.78	-

802.11ax HEW80_Nss1,(MCS0)_2TX

16/07/2019

5610MHz_TX




EUT_Z_2TX
Setting 21.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.454G	60.71	74.00	-13.29	8.44	3	Horizontal	183	1.81	-
AV	5.454G	48.42	54.00	-5.58	8.44	3	Horizontal	183	1.81	-
PK	5.464G	61.79	68.20	-6.41	8.45	3	Horizontal	183	1.81	-
PK	5.602G	118.39	Inf	-Inf	8.58	3	Horizontal	183	1.81	-
AV	5.602G	104.54	Inf	-Inf	8.58	3	Horizontal	183	1.81	-
PK	5.733G	67.95	68.20	-0.25	8.80	3	Horizontal	183	1.81	-

802.11ax HEW80_Nss1,(MCS0)_2TX

16/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.453G	60.97	74.00	-13.03	8.44	3	Vertical	178	1.74	-
PK	5.465G	62.40	68.20	-5.80	8.45	3	Vertical	178	1.74	-
AV	5.459999G	48.92	54.00	-5.08	8.45	3	Vertical	178	1.74	-
PK	5.692G	121.89	Inf	-Inf	8.74	3	Vertical	178	1.74	-
AV	5.692G	108.67	Inf	-Inf	8.74	3	Vertical	178	1.74	-
PK	5.851G	67.77	68.20	-0.43	8.90	3	Vertical	178	1.74	-

802.11ax HEW80_Nss1,(MCS0)_2TX

16/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 24.5
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.452G	61.17	74.00	-12.83	8.44	3	Horizontal	178	1.89	-
AV	5.459G	48.45	54.00	-5.55	8.45	3	Horizontal	178	1.89	-
PK	5.468G	61.76	68.20	-6.44	8.46	3	Horizontal	178	1.89	-
PK	5.699G	120.19	Inf	-Inf	8.75	3	Horizontal	178	1.89	-
AV	5.668G	106.96	Inf	-Inf	8.70	3	Horizontal	178	1.89	-
PK	5.858G	67.50	68.20	-0.70	8.90	3	Horizontal	178	1.89	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.732G	68.09	68.20	-0.11	8.80	3	Horizontal	172	1.84	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1376G	58.71	74.00	-15.29	7.92	3	Vertical	193	1.46	-
AV	5.1196G	46.19	54.00	-7.81	7.88	3	Vertical	193	1.46	-
PK	5.2594G	121.77	Inf	-Inf	8.15	3	Vertical	193	1.46	-
AV	5.2546G	109.41	Inf	-Inf	8.15	3	Vertical	193	1.46	-
PK	5.404G	59.58	74.00	-14.42	8.35	3	Vertical	193	1.46	-
AV	5.4058G	46.88	54.00	-7.12	8.35	3	Vertical	193	1.46	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5260MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1466G	59.50	74.00	-14.50	7.94	3	Horizontal	179	1.76	-
AV	5.1424G	46.70	54.00	-7.30	7.94	3	Horizontal	179	1.76	-
PK	5.2582G	123.52	Inf	-Inf	8.15	3	Horizontal	179	1.76	-
AV	5.2624G	110.68	Inf	-Inf	8.15	3	Horizontal	179	1.76	-
PK	5.3608G	60.75	74.00	-13.25	8.29	3	Horizontal	179	1.76	-
AV	5.3524G	47.94	54.00	-6.06	8.28	3	Horizontal	179	1.76	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5300MHz_TX




EUT Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3012G	122.29	Inf	-Inf	8.21	3	Vertical	168	2.16	-
AV	5.3036G	109.49	Inf	-Inf	8.21	3	Vertical	168	2.16	-
PK	5.3528G	61.13	74.00	-12.87	8.28	3	Vertical	168	2.16	-
AV	5.3512G	47.66	54.00	-6.34	8.28	3	Vertical	168	2.16	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5300MHz_TX




EUT Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2972G	124.45	Inf	-Inf	8.21	3	Horizontal	180	1.70	-
AV	5.2976G	111.02	Inf	-Inf	8.21	3	Horizontal	180	1.70	-
PK	5.3528G	60.85	74.00	-13.15	8.28	3	Horizontal	180	1.70	-
AV	5.3512G	48.44	54.00	-5.56	8.28	3	Horizontal	180	1.70	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5320MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3224G	123.86	Inf	-Inf	8.23	3	Vertical	179	1.39	-
AV	5.3224G	111.47	Inf	-Inf	8.23	3	Vertical	179	1.39	-
PK	5.3534G	61.79	74.00	-12.21	8.28	3	Vertical	179	1.39	-
AV	5.35G	49.51	54.00	-4.49	8.28	3	Vertical	179	1.39	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5320MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3212G	123.47	Inf	-Inf	8.23	3	Horizontal	185	1.80	-
AV	5.3168G	110.45	Inf	-Inf	8.23	3	Horizontal	185	1.80	-
PK	5.35G	66.65	74.00	-7.35	8.28	3	Horizontal	185	1.80	-
AV	5.35G	50.94	54.00	-3.06	8.28	3	Horizontal	185	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	61.35	74.00	-12.65	8.45	3	Vertical	182	1.50	-
AV	5.4588G	49.01	54.00	-4.99	8.45	3	Vertical	182	1.50	-
PK	5.4662G	64.20	68.20	-4.00	8.46	3	Vertical	182	1.50	-
PK	5.501G	123.56	Inf	-Inf	8.52	3	Vertical	182	1.50	-
AV	5.4996G	109.97	Inf	-Inf	8.52	3	Vertical	182	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5500MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4552G	60.29	74.00	-13.71	8.44	3	Horizontal	184	1.88	-
AV	5.46G	48.25	54.00	-5.75	8.45	3	Horizontal	184	1.88	-
PK	5.4698G	62.93	68.20	-5.27	8.46	3	Horizontal	184	1.88	-
PK	5.5018G	123.94	Inf	-Inf	8.52	3	Horizontal	184	1.88	-
AV	5.502G	110.28	Inf	-Inf	8.52	3	Horizontal	184	1.88	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	61.54	74.00	-12.46	8.45	3	Vertical	174	1.57	-
AV	5.3848G	47.30	54.00	-6.70	8.32	3	Vertical	174	1.57	-
PK	5.4632G	58.88	68.20	-9.32	8.45	3	Vertical	174	1.57	-
PK	5.5824G	122.93	Inf	-Inf	8.57	3	Vertical	174	1.57	-
AV	5.5848G	110.58	Inf	-Inf	8.57	3	Vertical	174	1.57	-
PK	5.7384G	59.59	68.20	-8.61	8.80	3	Vertical	174	1.57	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5580MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4168G	59.84	74.00	-14.16	8.37	3	Horizontal	177	1.81	-
AV	5.3832G	47.44	54.00	-6.56	8.32	3	Horizontal	177	1.81	-
PK	5.4624G	59.18	68.20	-9.02	8.45	3	Horizontal	177	1.81	-
PK	5.5816G	122.70	Inf	-Inf	8.57	3	Horizontal	177	1.81	-
AV	5.584G	110.69	Inf	-Inf	8.57	3	Horizontal	177	1.81	-
PK	5.772G	60.40	68.20	-7.80	8.85	3	Horizontal	177	1.81	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5700MHz_TX




EUT Z_2TX
Setting 23
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6982G	121.88	Inf	-Inf	8.75	3	Vertical	178	1.50	-
AV	5.6972G	109.95	Inf	-Inf	8.75	3	Vertical	178	1.50	-
PK	5.7286G	64.28	68.20	-3.92	8.80	3	Vertical	178	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5700MHz_TX




EUT Z_2TX
Setting 23
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.697G	121.25	Inf	-Inf	8.75	3	Horizontal	175	1.84	-
AV	5.695G	109.25	Inf	-Inf	8.74	3	Horizontal	175	1.84	-
PK	5.7256G	64.74	68.20	-3.46	8.79	3	Horizontal	175	1.84	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7216G	120.23	Inf	-Inf	8.78	3	Vertical	199	1.97	-
AV	5.7248G	107.52	Inf	-Inf	8.78	3	Vertical	199	1.97	-
PK	5.86G	59.56	68.20	-8.64	8.91	3	Vertical	199	1.97	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7216G	123.84	Inf	-Inf	8.78	3	Horizontal	177	1.78	-
AV	5.7192G	110.98	Inf	-Inf	8.77	3	Horizontal	177	1.78	-
PK	5.9104G	59.34	68.20	-8.86	8.93	3	Horizontal	177	1.78	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5270MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.12G	59.15	74.00	-14.85	7.88	3	Vertical	185	1.41	-
AV	5.1422G	46.45	54.00	-7.55	7.94	3	Vertical	185	1.41	-
PK	5.2784G	122.63	Inf	-Inf	8.17	3	Vertical	185	1.41	-
AV	5.2772G	109.38	Inf	-Inf	8.17	3	Vertical	185	1.41	-
PK	5.3906G	61.04	74.00	-12.96	8.33	3	Vertical	185	1.41	-
AV	5.354G	47.53	54.00	-6.47	8.28	3	Vertical	185	1.41	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5270MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.132G	59.25	74.00	-14.75	7.92	3	Horizontal	184	1.76	-
AV	5.1482G	47.05	54.00	-6.95	7.94	3	Horizontal	184	1.76	-
PK	5.2784G	121.25	Inf	-Inf	8.17	3	Horizontal	184	1.76	-
AV	5.279G	108.23	Inf	-Inf	8.17	3	Horizontal	184	1.76	-
PK	5.35G	65.67	74.00	-8.33	8.28	3	Horizontal	184	1.76	-
AV	5.351G	48.25	54.00	-5.75	8.28	3	Horizontal	184	1.76	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5310MHz_TX




EUT Z_2TX
Setting 23
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3228G	118.07	Inf	-Inf	8.24	3	Vertical	181	1.46	-
AV	5.3004G	107.10	Inf	-Inf	8.21	3	Vertical	181	1.46	-
PK	5.3724G	67.27	74.00	-6.73	8.30	3	Vertical	181	1.46	-
AV	5.354G	50.14	54.00	-3.86	8.28	3	Vertical	181	1.46	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5310MHz_TX




EUT Z_2TX
Setting 23
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.304G	120.00	Inf	-Inf	8.21	3	Horizontal	178	1.77	-
AV	5.3028G	109.37	Inf	-Inf	8.21	3	Horizontal	178	1.77	-
PK	5.3568G	73.02	74.00	-0.98	8.28	3	Horizontal	178	1.77	-
AV	5.3504G	51.50	54.00	-2.50	8.28	3	Horizontal	178	1.77	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5510MHz_TX




EUT_Z_2TX
Setting 22
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4496G	66.14	74.00	-7.86	8.42	3	Vertical	177	2.09	-
AV	5.46G	51.25	54.00	-2.75	8.45	3	Vertical	177	2.09	-
PK	5.4676G	66.11	68.20	-2.09	8.46	3	Vertical	177	2.09	-
PK	5.5188G	118.72	Inf	-Inf	8.53	3	Vertical	177	2.09	-
AV	5.5044G	107.29	Inf	-Inf	8.52	3	Vertical	177	2.09	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5510MHz_TX




EUT_Z_2TX
Setting 22
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.442G	62.69	74.00	-11.31	8.41	3	Horizontal	184	1.80	-
AV	5.4588G	49.84	54.00	-4.16	8.45	3	Horizontal	184	1.80	-
PK	5.47G	65.72	68.20	-2.48	8.46	3	Horizontal	184	1.80	-
PK	5.5016G	118.63	Inf	-Inf	8.52	3	Horizontal	184	1.80	-
AV	5.5068G	107.30	Inf	-Inf	8.52	3	Horizontal	184	1.80	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5550MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	60.41	74.00	-13.59	8.45	3	Vertical	177	1.57	-
AV	5.458G	47.65	54.00	-6.35	8.45	3	Vertical	177	1.57	-
PK	5.4604G	59.56	68.20	-8.64	8.45	3	Vertical	177	1.57	-
PK	5.5452G	121.63	Inf	-Inf	8.55	3	Vertical	177	1.57	-
AV	5.5348G	110.33	Inf	-Inf	8.54	3	Vertical	177	1.57	-
PK	5.7372G	60.09	68.20	-8.11	8.81	3	Vertical	177	1.57	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5550MHz_TX




EUT Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.454G	59.96	74.00	-14.04	8.44	3	Horizontal	179	1.90	-
AV	5.4524G	47.62	54.00	-6.38	8.44	3	Horizontal	179	1.90	-
PK	5.466G	60.46	68.20	-7.74	8.46	3	Horizontal	179	1.90	-
PK	5.546G	119.34	Inf	-Inf	8.55	3	Horizontal	179	1.90	-
AV	5.5468G	108.52	Inf	-Inf	8.55	3	Horizontal	179	1.90	-
PK	5.7356G	59.14	68.20	-9.06	8.81	3	Horizontal	179	1.90	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5670MHz_TX




EUT Z_2TX
Setting 23
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6624G	118.92	Inf	-Inf	8.69	3	Vertical	167	1.46	-
AV	5.6632G	106.94	Inf	-Inf	8.69	3	Vertical	167	1.46	-
PK	5.7312G	66.01	68.20	-2.19	8.80	3	Vertical	167	1.46	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5670MHz_TX




EUT Z_2TX
Setting 23
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6644G	119.65	Inf	-Inf	8.69	3	Horizontal	172	1.84	-
AV	5.666G	106.72	Inf	-Inf	8.69	3	Horizontal	172	1.84	-
PK	5.732G	68.09	68.20	-0.11	8.80	3	Horizontal	172	1.84	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7188G	119.89	Inf	-Inf	8.77	3	Vertical	171	1.55	-
AV	5.7044G	109.32	Inf	-Inf	8.76	3	Vertical	171	1.55	-
PK	5.8524G	59.17	68.20	-9.03	8.90	3	Vertical	171	1.55	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

17/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7156G	118.97	Inf	-Inf	8.77	3	Horizontal	185	1.78	-
AV	5.7164G	105.91	Inf	-Inf	8.77	3	Horizontal	185	1.78	-
PK	5.8932G	58.88	68.20	-9.32	8.92	3	Horizontal	185	1.78	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

17/07/2019

5290MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.147G	58.99	74.00	-15.01	7.94	3	Vertical	164	2.24	-
AV	5.106G	46.59	54.00	-7.41	7.86	3	Vertical	164	2.24	-
PK	5.256G	118.76	Inf	-Inf	8.15	3	Vertical	164	2.24	-
AV	5.304G	103.92	Inf	-Inf	8.21	3	Vertical	164	2.24	-
PK	5.396G	65.07	74.00	-8.93	8.34	3	Vertical	164	2.24	-
AV	5.35G	50.95	54.00	-3.05	8.28	3	Vertical	164	2.24	-
PK	5.473G	59.06	68.20	-9.14	8.46	3	Vertical	164	2.24	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

17/07/2019

5290MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.129G	60.89	74.00	-13.11	7.91	3	Horizontal	179	1.84	-
AV	5.15G	47.30	54.00	-6.70	7.94	3	Horizontal	179	1.84	-
PK	5.284G	116.98	Inf	-Inf	8.19	3	Horizontal	179	1.84	-
AV	5.265G	108.25	Inf	-Inf	8.16	3	Horizontal	179	1.84	-
PK	5.356G	69.11	74.00	-4.89	8.28	3	Horizontal	179	1.84	-
AV	5.352G	52.16	54.00	-1.84	8.28	3	Horizontal	179	1.84	-
PK	5.507G	60.00	68.20	-8.20	8.52	3	Horizontal	179	1.84	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

17/07/2019

5530MHz_TX




EUT_Z_2TX
Setting 23
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.332G	59.51	68.20	-8.69	8.26	3	Vertical	178	1.78	-
PK	5.439G	67.18	74.00	-6.82	8.41	3	Vertical	178	1.78	-
AV	5.453G	52.83	54.00	-1.17	8.44	3	Vertical	178	1.78	-
PK	5.465G	65.95	68.20	-2.25	8.45	3	Vertical	178	1.78	-
PK	5.536G	115.42	Inf	-Inf	8.54	3	Vertical	178	1.78	-
AV	5.514G	103.89	Inf	-Inf	8.53	3	Vertical	178	1.78	-
PK	5.761G	63.65	68.20	-4.55	8.85	3	Vertical	178	1.78	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

17/07/2019

5530MHz_TX




EUT_Z_2TX
Setting 23
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.309G	59.31	68.20	-8.89	8.22	3	Horizontal	176	1.79	-
PK	5.434G	68.55	74.00	-5.45	8.40	3	Horizontal	176	1.79	-
AV	5.455G	53.15	54.00	-0.85	8.44	3	Horizontal	176	1.79	-
PK	5.466G	65.90	68.20	-2.30	8.46	3	Horizontal	176	1.79	-
PK	5.493G	116.60	Inf	-Inf	8.51	3	Horizontal	176	1.79	-
AV	5.512G	103.72	Inf	-Inf	8.53	3	Horizontal	176	1.79	-
PK	5.76G	60.25	68.20	-7.95	8.85	3	Horizontal	176	1.79	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

17/07/2019

5610MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.432G	60.08	74.00	-13.92	8.40	3	Vertical	176	1.58	-
AV	5.46G	47.98	54.00	-6.02	8.45	3	Vertical	176	1.58	-
PK	5.462G	60.65	68.20	-7.55	8.45	3	Vertical	176	1.58	-
PK	5.579G	120.68	Inf	-Inf	8.57	3	Vertical	176	1.58	-
AV	5.573G	108.98	Inf	-Inf	8.56	3	Vertical	176	1.58	-
PK	5.73G	65.93	68.20	-2.27	8.80	3	Vertical	176	1.58	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

17/07/2019

5610MHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	59.73	74.00	-14.27	8.45	3	Horizontal	175	1.90	-
AV	5.446G	47.89	54.00	-6.11	8.42	3	Horizontal	175	1.90	-
PK	5.462G	59.39	68.20	-8.81	8.45	3	Horizontal	175	1.90	-
PK	5.586G	115.31	Inf	-Inf	8.57	3	Horizontal	175	1.90	-
AV	5.582G	109.63	Inf	-Inf	8.57	3	Horizontal	175	1.90	-
PK	5.731G	65.27	68.20	-2.93	8.80	3	Horizontal	175	1.90	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

17/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.457G	59.29	74.00	-14.71	8.44	3	Vertical	181	1.47	-
PK	5.461G	58.62	68.20	-9.58	8.45	3	Vertical	181	1.47	-
AV	5.46G	46.72	54.00	-7.28	8.45	3	Vertical	181	1.47	-
PK	5.666G	117.59	Inf	-Inf	8.69	3	Vertical	181	1.47	-
AV	5.673G	105.03	Inf	-Inf	8.70	3	Vertical	181	1.47	-
PK	5.855G	58.91	68.20	-9.29	8.90	3	Vertical	181	1.47	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

17/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 24
02-J-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.445G	58.93	74.00	-15.07	8.42	3	Horizontal	169	1.80	-
PK	5.465G	60.02	68.20	-8.18	8.45	3	Horizontal	169	1.80	-
AV	5.46G	46.58	54.00	-7.42	8.45	3	Horizontal	169	1.80	-
PK	5.663G	120.44	Inf	-Inf	8.69	3	Horizontal	169	1.80	-
AV	5.668G	107.71	Inf	-Inf	8.70	3	Horizontal	169	1.80	-
PK	5.883G	59.47	68.20	-8.73	8.92	3	Horizontal	169	1.80	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.4674G	68.17	68.20	-0.03	8.46	3	Horizontal	187	1.43	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0728G	61.75	74.00	-12.25	7.76	3	Vertical	177	1.55	-
AV	5.0728G	49.84	54.00	-4.16	7.76	3	Vertical	177	1.55	-
PK	5.2664G	130.65	Inf	-Inf	8.16	3	Vertical	177	1.55	-
AV	5.2664G	121.93	Inf	-Inf	8.16	3	Vertical	177	1.55	-
PK	5.364G	62.73	74.00	-11.27	8.29	3	Vertical	177	1.55	-
AV	5.4536G	50.72	54.00	-3.28	8.44	3	Vertical	177	1.55	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0632G	61.43	74.00	-12.57	7.74	3	Horizontal	179	1.56	-
AV	5.0648G	49.96	54.00	-4.04	7.74	3	Horizontal	179	1.56	-
PK	5.2552G	129.44	Inf	-Inf	8.15	3	Horizontal	179	1.56	-
AV	5.2568G	120.87	Inf	-Inf	8.15	3	Horizontal	179	1.56	-
PK	5.3792G	62.38	74.00	-11.62	8.32	3	Horizontal	179	1.56	-
AV	5.3552G	50.42	54.00	-3.58	8.28	3	Horizontal	179	1.56	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5300MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3024G	128.84	Inf	-Inf	8.21	3	Vertical	179	1.43	-
AV	5.3024G	119.20	Inf	-Inf	8.21	3	Vertical	179	1.43	-
PK	5.399G	62.95	74.00	-11.05	8.34	3	Vertical	179	1.43	-
AV	5.399G	51.47	54.00	-2.53	8.34	3	Vertical	179	1.43	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5300MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2934G	128.58	Inf	-Inf	8.20	3	Horizontal	180	1.43	-
AV	5.2934G	118.62	Inf	-Inf	8.20	3	Horizontal	180	1.43	-
PK	5.3522G	69.26	74.00	-4.74	8.28	3	Horizontal	180	1.43	-
AV	5.3516G	53.66	54.00	-0.34	8.28	3	Horizontal	180	1.43	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3232G	124.91	Inf	-Inf	8.24	3	Vertical	177	1.49	-
AV	5.3232G	115.17	Inf	-Inf	8.24	3	Vertical	177	1.49	-
PK	5.352G	67.41	74.00	-6.59	8.28	3	Vertical	177	1.49	-
AV	5.352G	53.87	54.00	-0.13	8.28	3	Vertical	177	1.49	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.318G	126.11	Inf	-Inf	8.23	3	Horizontal	187	1.73	-
AV	5.3188G	116.14	Inf	-Inf	8.23	3	Horizontal	187	1.73	-
PK	5.358G	68.75	74.00	-5.25	8.28	3	Horizontal	187	1.73	-
AV	5.3584G	53.78	54.00	-0.22	8.28	3	Horizontal	187	1.73	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3488G	60.14	68.20	-8.06	8.27	3	Vertical	179	1.73	-
PK	5.4568G	65.80	74.00	-8.20	8.44	3	Vertical	179	1.73	-
AV	5.4576G	51.06	54.00	-2.94	8.44	3	Vertical	179	1.73	-
PK	5.4688G	62.85	68.20	-5.35	8.46	3	Vertical	179	1.73	-
PK	5.4968G	126.72	Inf	-Inf	8.52	3	Vertical	179	1.73	-
AV	5.4968G	116.65	Inf	-Inf	8.52	3	Vertical	179	1.73	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3448G	59.52	68.20	-8.68	8.27	3	Horizontal	184	1.65	-
PK	5.4072G	63.65	74.00	-10.35	8.35	3	Horizontal	184	1.65	-
AV	5.4064G	52.09	54.00	-1.91	8.35	3	Horizontal	184	1.65	-
PK	5.4656G	67.17	68.20	-1.03	8.46	3	Horizontal	184	1.65	-
PK	5.504G	126.35	Inf	-Inf	8.52	3	Horizontal	184	1.65	-
AV	5.5032G	116.87	Inf	-Inf	8.52	3	Horizontal	184	1.65	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3896G	62.69	74.00	-11.31	8.33	3	Vertical	180	1.50	-
AV	5.3904G	49.88	54.00	-4.12	8.33	3	Vertical	180	1.50	-
PK	5.4672G	61.44	68.20	-6.76	8.46	3	Vertical	180	1.50	-
PK	5.5784G	129.78	Inf	-Inf	8.57	3	Vertical	180	1.50	-
AV	5.5792G	120.77	Inf	-Inf	8.57	3	Vertical	180	1.50	-
PK	5.7712G	61.09	68.20	-7.11	8.85	3	Vertical	180	1.50	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3952G	61.22	74.00	-12.78	8.33	3	Horizontal	181	1.49	-
AV	5.3944G	49.41	54.00	-4.59	8.33	3	Horizontal	181	1.49	-
PK	5.4624G	61.09	68.20	-7.11	8.45	3	Horizontal	181	1.49	-
PK	5.5872G	129.50	Inf	-Inf	8.57	3	Horizontal	181	1.49	-
AV	5.5872G	120.17	Inf	-Inf	8.57	3	Horizontal	181	1.49	-
PK	5.7272G	61.60	68.20	-6.60	8.80	3	Horizontal	181	1.49	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5700MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6934G	126.66	Inf	-Inf	8.74	3	Vertical	181	1.70	-
AV	5.694G	116.46	Inf	-Inf	8.74	3	Vertical	181	1.70	-
PK	5.7258G	67.93	68.20	-0.27	8.79	3	Vertical	181	1.70	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5700MHz_TX




EUT Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7006G	125.47	Inf	-Inf	8.75	3	Horizontal	186	1.70	-
AV	5.6994G	115.85	Inf	-Inf	8.75	3	Horizontal	186	1.70	-
PK	5.7264G	65.13	68.20	-3.07	8.79	3	Horizontal	186	1.70	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4284G	60.93	74.00	-13.07	8.40	3	Vertical	182	1.74	-
AV	5.4536G	48.51	54.00	-5.49	8.44	3	Vertical	182	1.74	-
PK	5.4644G	60.90	68.20	-7.30	8.45	3	Vertical	182	1.74	-
PK	5.7236G	129.91	Inf	-Inf	8.78	3	Vertical	182	1.74	-
AV	5.7236G	121.02	Inf	-Inf	8.78	3	Vertical	182	1.74	-
PK	5.9144G	60.76	68.20	-7.44	8.93	3	Vertical	182	1.74	-

802.11a_Nss1,(6Mbps)_4TX

15/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4536G	61.03	74.00	-12.97	8.44	3	Horizontal	184	1.83	-
AV	5.4332G	48.33	54.00	-5.67	8.40	3	Horizontal	184	1.83	-
PK	5.462G	59.71	68.20	-8.49	8.45	3	Horizontal	184	1.83	-
PK	5.714G	129.44	Inf	-Inf	8.77	3	Horizontal	184	1.83	-
AV	5.7128G	119.76	Inf	-Inf	8.77	3	Horizontal	184	1.83	-
PK	5.9444G	60.77	68.20	-7.43	8.94	3	Horizontal	184	1.83	-

802.11ax HEW20_Nss1,(MCS0)_4TX

15/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0672G	61.98	74.00	-12.02	7.75	3	Vertical	187	1.60	-
AV	5.0656G	49.59	54.00	-4.41	7.75	3	Vertical	187	1.60	-
PK	5.2592G	129.73	Inf	-Inf	8.15	3	Vertical	187	1.60	-
AV	5.2584G	121.88	Inf	-Inf	8.15	3	Vertical	187	1.60	-
PK	5.352G	64.58	74.00	-9.42	8.28	3	Vertical	187	1.60	-
AV	5.352G	50.75	54.00	-3.25	8.28	3	Vertical	187	1.60	-

802.11ax HEW20_Nss1,(MCS0)_4TX

15/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0728G	63.50	74.00	-10.50	7.76	3	Horizontal	178	1.65	-
AV	5.072G	49.82	54.00	-4.18	7.76	3	Horizontal	178	1.65	-
PK	5.2648G	131.05	Inf	-Inf	8.16	3	Horizontal	178	1.65	-
AV	5.264G	121.18	Inf	-Inf	8.16	3	Horizontal	178	1.65	-
PK	5.364G	63.22	74.00	-10.78	8.29	3	Horizontal	178	1.65	-
AV	5.3616G	50.75	54.00	-3.25	8.29	3	Horizontal	178	1.65	-

802.11ax HEW20_Nss1,(MCS0)_4TX

15/07/2019

5300MHz_TX




EUT Z_4TX
Setting 24.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3012G	129.34	Inf	-Inf	8.21	3	Vertical	186	1.50	-
AV	5.3006G	118.30	Inf	-Inf	8.21	3	Vertical	186	1.50	-
PK	5.36G	67.35	74.00	-6.65	8.29	3	Vertical	186	1.50	-
AV	5.36G	52.00	54.00	-2.00	8.29	3	Vertical	186	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

15/07/2019

5300MHz_TX




EUT Z_4TX
Setting 24.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.306G	129.54	Inf	-Inf	8.22	3	Horizontal	180	1.43	-
AV	5.306G	118.50	Inf	-Inf	8.22	3	Horizontal	180	1.43	-
PK	5.35G	65.59	74.00	-8.41	8.28	3	Horizontal	180	1.43	-
AV	5.35G	52.98	54.00	-1.02	8.28	3	Horizontal	180	1.43	-

802.11ax HEW20_Nss1,(MCS0)_4TX

15/07/2019

5320MHz_TX




EUT_Z_4TX
 Setting 21
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3208G	128.87	Inf	-Inf	8.23	3	Vertical	189	1.47	-
AV	5.3208G	116.20	Inf	-Inf	8.23	3	Vertical	189	1.47	-
PK	5.3604G	67.42	74.00	-6.58	8.29	3	Vertical	189	1.47	-
AV	5.36G	53.81	54.00	-0.19	8.29	3	Vertical	189	1.47	-

802.11ax HEW20_Nss1,(MCS0)_4TX

15/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.326G	128.44	Inf	-Inf	8.25	3	Horizontal	185	1.43	-
AV	5.3252G	115.64	Inf	-Inf	8.25	3	Horizontal	185	1.43	-
PK	5.366G	67.63	74.00	-6.37	8.29	3	Horizontal	185	1.43	-
AV	5.35G	52.71	54.00	-1.29	8.28	3	Horizontal	185	1.43	-

802.11ax HEW20_Nss1,(MCS0)_4TX

15/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	66.26	74.00	-7.74	8.45	3	Vertical	180	1.73	-
AV	5.458G	53.02	54.00	-0.98	8.45	3	Vertical	180	1.73	-
PK	5.4688G	64.83	68.20	-3.37	8.46	3	Vertical	180	1.73	-
PK	5.4976G	128.32	Inf	-Inf	8.52	3	Vertical	180	1.73	-
AV	5.4982G	115.96	Inf	-Inf	8.52	3	Vertical	180	1.73	-

802.11ax HEW20_Nss1,(MCS0)_4TX

15/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 21
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4064G	63.58	74.00	-10.42	8.35	3	Horizontal	176	1.79	-
AV	5.4058G	50.87	54.00	-3.13	8.35	3	Horizontal	176	1.79	-
PK	5.4634G	68.11	68.20	-0.09	8.45	3	Horizontal	176	1.79	-
PK	5.5018G	129.07	Inf	-Inf	8.52	3	Horizontal	176	1.79	-
AV	5.5036G	116.42	Inf	-Inf	8.52	3	Horizontal	176	1.79	-

802.11ax HEW20_Nss1,(MCS0)_4TX

16/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3864G	62.01	74.00	-11.99	8.33	3	Vertical	187	1.50	-
AV	5.3864G	49.75	54.00	-4.25	8.33	3	Vertical	187	1.50	-
PK	5.464G	62.36	68.20	-5.84	8.45	3	Vertical	187	1.50	-
PK	5.58G	130.26	Inf	-Inf	8.57	3	Vertical	187	1.50	-
AV	5.5792G	120.57	Inf	-Inf	8.57	3	Vertical	187	1.50	-
PK	5.7736G	62.03	68.20	-6.17	8.86	3	Vertical	187	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

16/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3856G	62.14	74.00	-11.86	8.32	3	Horizontal	178	1.53	-
AV	5.3928G	49.37	54.00	-4.63	8.33	3	Horizontal	178	1.53	-
PK	5.4672G	61.16	68.20	-7.04	8.46	3	Horizontal	178	1.53	-
PK	5.5856G	130.67	Inf	-Inf	8.57	3	Horizontal	178	1.53	-
AV	5.584G	121.05	Inf	-Inf	8.57	3	Horizontal	178	1.53	-
PK	5.7352G	62.29	68.20	-5.91	8.81	3	Horizontal	178	1.53	-

802.11ax HEW20_Nss1,(MCS0)_4TX

16/07/2019

5700MHz_TX




EUT_Z_4TX
Setting 20
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7018G	126.86	Inf	-Inf	8.75	3	Vertical	187	1.66	-
AV	5.7006G	114.78	Inf	-Inf	8.75	3	Vertical	187	1.66	-
PK	5.7252G	66.44	68.20	-1.76	8.79	3	Vertical	187	1.66	-

802.11ax HEW20_Nss1,(MCS0)_4TX

16/07/2019

5700MHz_TX




EUT Z_4TX
Setting 20
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7054G	126.48	Inf	-Inf	8.76	3	Horizontal	182	1.72	-
AV	5.7054G	114.17	Inf	-Inf	8.76	3	Horizontal	182	1.72	-
PK	5.7276G	68.04	68.20	-0.16	8.80	3	Horizontal	182	1.72	-

802.11ax HEW20_Nss1,(MCS0)_4TX

16/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4272G	60.84	74.00	-13.16	8.40	3	Vertical	186	1.75	-
PK	5.4644G	61.59	68.20	-6.61	8.45	3	Vertical	186	1.75	-
AV	5.4596G	47.82	54.00	-6.18	8.45	3	Vertical	186	1.75	-
PK	5.7212G	130.27	Inf	-Inf	8.78	3	Vertical	186	1.75	-
AV	5.7212G	119.08	Inf	-Inf	8.78	3	Vertical	186	1.75	-
PK	5.8652G	60.34	68.20	-7.86	8.91	3	Vertical	186	1.75	-

802.11ax HEW20_Nss1,(MCS0)_4TX

16/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4416G	61.15	74.00	-12.85	8.41	3	Horizontal	182	1.77	-
AV	5.4416G	47.83	54.00	-6.17	8.41	3	Horizontal	182	1.77	-
PK	5.4632G	59.73	68.20	-8.47	8.45	3	Horizontal	182	1.77	-
PK	5.726G	129.89	Inf	-Inf	8.79	3	Horizontal	182	1.77	-
AV	5.726G	119.09	Inf	-Inf	8.79	3	Horizontal	182	1.77	-
PK	5.852G	60.09	68.20	-8.11	8.90	3	Horizontal	182	1.77	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5270MHz_TX




EUT_Z_4TX
Setting 22
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1266G	60.15	74.00	-13.85	7.90	3	Vertical	185	1.67	-
AV	5.1476G	47.51	54.00	-6.49	7.94	3	Vertical	185	1.67	-
PK	5.2682G	127.28	Inf	-Inf	8.16	3	Vertical	185	1.67	-
AV	5.2682G	114.91	Inf	-Inf	8.16	3	Vertical	185	1.67	-
PK	5.351G	66.58	74.00	-7.42	8.28	3	Vertical	185	1.67	-
AV	5.35G	53.62	54.00	-0.38	8.28	3	Vertical	185	1.67	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5270MHz_TX




EUT_Z_4TX
Setting 22
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	59.85	74.00	-14.15	7.94	3	Horizontal	182	1.64	-
AV	5.15G	47.16	54.00	-6.84	7.94	3	Horizontal	182	1.64	-
PK	5.274G	128.24	Inf	-Inf	8.17	3	Horizontal	182	1.64	-
AV	5.274G	115.02	Inf	-Inf	8.17	3	Horizontal	182	1.64	-
PK	5.357G	67.10	74.00	-6.90	8.28	3	Horizontal	182	1.64	-
AV	5.354G	52.84	54.00	-1.16	8.28	3	Horizontal	182	1.64	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 16.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3196G	121.76	Inf	-Inf	8.23	3	Vertical	184	1.44	-
AV	5.3202G	108.93	Inf	-Inf	8.23	3	Vertical	184	1.44	-
PK	5.3604G	65.43	74.00	-8.57	8.29	3	Vertical	184	1.44	-
AV	5.3598G	52.52	54.00	-1.48	8.29	3	Vertical	184	1.44	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 16.5
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2968G	121.47	Inf	-Inf	8.21	3	Horizontal	186	1.51	-
AV	5.3166G	108.29	Inf	-Inf	8.23	3	Horizontal	186	1.51	-
PK	5.3562G	67.42	74.00	-6.58	8.28	3	Horizontal	186	1.51	-
AV	5.3562G	53.91	54.00	-0.09	8.28	3	Horizontal	186	1.51	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5510MHz_TX




EUT_Z_4TX
Setting 19
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.453G	65.65	74.00	-8.35	8.44	3	Vertical	183	1.52	-
AV	5.4536G	52.84	54.00	-1.16	8.44	3	Vertical	183	1.52	-
PK	5.4698G	65.04	68.20	-3.16	8.46	3	Vertical	183	1.52	-
PK	5.5142G	123.22	Inf	-Inf	8.53	3	Vertical	183	1.52	-
AV	5.5136G	110.69	Inf	-Inf	8.53	3	Vertical	183	1.52	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5510MHz_TX




EUT_Z_4TX
Setting 19
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4482G	65.07	74.00	-8.93	8.42	3	Horizontal	187	1.43	-
AV	5.4482G	51.94	54.00	-2.06	8.42	3	Horizontal	187	1.43	-
PK	5.4674G	68.17	68.20	-0.03	8.46	3	Horizontal	187	1.43	-
PK	5.5076G	122.38	Inf	-Inf	8.52	3	Horizontal	187	1.43	-
AV	5.5088G	111.04	Inf	-Inf	8.53	3	Horizontal	187	1.43	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5550MHz_TX




EUT_Z_4TX
Setting 22.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4456G	63.39	74.00	-10.61	8.42	3	Vertical	183	1.80	-
AV	5.445G	50.70	54.00	-3.30	8.42	3	Vertical	183	1.80	-
PK	5.4654G	67.77	68.20	-0.43	8.46	3	Vertical	183	1.80	-
PK	5.5434G	127.74	Inf	-Inf	8.55	3	Vertical	183	1.80	-
AV	5.5434G	115.32	Inf	-Inf	8.55	3	Vertical	183	1.80	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5550MHz_TX




EUT_Z_4TX
Setting 22.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4486G	65.43	74.00	-8.57	8.42	3	Horizontal	181	1.80	-
AV	5.4492G	51.59	54.00	-2.41	8.42	3	Horizontal	181	1.80	-
PK	5.4684G	67.53	68.20	-0.67	8.46	3	Horizontal	181	1.80	-
PK	5.5488G	128.13	Inf	-Inf	8.55	3	Horizontal	181	1.80	-
AV	5.5482G	115.00	Inf	-Inf	8.55	3	Horizontal	181	1.80	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5670MHz_TX




EUT_Z_4TX
Setting 21
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6766G	124.53	Inf	-Inf	8.72	3	Vertical	180	1.28	-
AV	5.6754G	112.56	Inf	-Inf	8.72	3	Vertical	180	1.28	-
PK	5.736G	66.43	68.20	-1.77	8.81	3	Vertical	180	1.28	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5670MHz_TX




EUT_Z_4TX
Setting 21
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6718G	124.80	Inf	-Inf	8.70	3	Horizontal	186	1.48	-
AV	5.6718G	112.05	Inf	-Inf	8.70	3	Horizontal	186	1.48	-
PK	5.7306G	67.99	68.20	-0.21	8.80	3	Horizontal	186	1.48	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 25.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4172G	61.83	74.00	-12.17	8.37	3	Vertical	167	1.41	-
AV	5.4592G	48.22	54.00	-5.78	8.45	3	Vertical	167	1.41	-
PK	5.46G	61.06	68.20	-7.14	8.45	3	Vertical	167	1.41	-
PK	5.7076G	128.73	Inf	-Inf	8.76	3	Vertical	167	1.41	-
AV	5.7064G	116.51	Inf	-Inf	8.76	3	Vertical	167	1.41	-
PK	5.8552G	65.81	68.20	-2.39	8.90	3	Vertical	167	1.41	-

802.11ax HEW40_Nss1,(MCS0)_4TX

16/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 25.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4412G	60.47	74.00	-13.53	8.41	3	Horizontal	174	1.40	-
AV	5.4376G	48.20	54.00	-5.80	8.41	3	Horizontal	174	1.40	-
PK	5.4688G	60.73	68.20	-7.47	8.46	3	Horizontal	174	1.40	-
PK	5.7004G	129.50	Inf	-Inf	8.75	3	Horizontal	174	1.40	-
AV	5.7004G	116.59	Inf	-Inf	8.75	3	Horizontal	174	1.40	-
PK	5.8576G	68.12	68.20	-0.08	8.90	3	Horizontal	174	1.40	-

802.11ax HEW80_Nss1,(MCS0)_4TX

16/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 18.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.117G	60.00	74.00	-14.00	7.88	3	Vertical	177	1.42	-
AV	5.15G	47.73	54.00	-6.27	7.94	3	Vertical	177	1.42	-
PK	5.303G	119.47	Inf	-Inf	8.21	3	Vertical	177	1.42	-
AV	5.305G	107.67	Inf	-Inf	8.22	3	Vertical	177	1.42	-
PK	5.365G	66.06	74.00	-7.94	8.29	3	Vertical	177	1.42	-
AV	5.365G	53.34	54.00	-0.66	8.29	3	Vertical	177	1.42	-
PK	5.475G	59.76	68.20	-8.44	8.48	3	Vertical	177	1.42	-

802.11ax HEW80_Nss1,(MCS0)_4TX

16/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 18.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.107G	59.84	74.00	-14.16	7.86	3	Horizontal	184	1.43	-
AV	5.146G	47.08	54.00	-6.92	7.94	3	Horizontal	184	1.43	-
PK	5.3G	120.22	Inf	-Inf	8.21	3	Horizontal	184	1.43	-
AV	5.28G	107.24	Inf	-Inf	8.18	3	Horizontal	184	1.43	-
PK	5.352G	67.46	74.00	-6.54	8.28	3	Horizontal	184	1.43	-
AV	5.36G	53.95	54.00	-0.05	8.29	3	Horizontal	184	1.43	-
PK	5.498G	60.20	68.20	-8.00	8.52	3	Horizontal	184	1.43	-

802.11ax HEW80_Nss1,(MCS0)_4TX

16/07/2019

5530MHz_TX




EUT_Z_4TX
Setting 17
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.33G	58.97	68.20	-9.23	8.25	3	Vertical	174	1.80	-
PK	5.454G	67.98	74.00	-6.02	8.44	3	Vertical	174	1.80	-
AV	5.454G	53.77	54.00	-0.23	8.44	3	Vertical	174	1.80	-
PK	5.47G	63.72	68.20	-4.48	8.46	3	Vertical	174	1.80	-
PK	5.555G	119.37	Inf	-Inf	8.55	3	Vertical	174	1.80	-
AV	5.533G	106.86	Inf	-Inf	8.54	3	Vertical	174	1.80	-
PK	5.74G	59.51	68.20	-8.69	8.80	3	Vertical	174	1.80	-

802.11ax HEW80_Nss1,(MCS0)_4TX

16/07/2019

5530MHz_TX




EUT_Z_4TX
Setting 17
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.348G	58.73	68.20	-9.47	8.27	3	Horizontal	179	1.74	-
PK	5.448G	66.46	74.00	-7.54	8.42	3	Horizontal	179	1.74	-
AV	5.448G	53.59	54.00	-0.41	8.42	3	Horizontal	179	1.74	-
PK	5.468G	68.02	68.20	-0.18	8.46	3	Horizontal	179	1.74	-
PK	5.548G	119.02	Inf	-Inf	8.55	3	Horizontal	179	1.74	-
AV	5.528G	106.66	Inf	-Inf	8.54	3	Horizontal	179	1.74	-
PK	5.757G	59.57	68.20	-8.63	8.83	3	Horizontal	179	1.74	-

802.11ax HEW80_Nss1,(MCS0)_4TX

16/07/2019

5610MHz_TX




EUT_Z_4TX
Setting 20
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	61.64	74.00	-12.36	8.44	3	Vertical	179	1.35	-
AV	5.455G	48.65	54.00	-5.35	8.44	3	Vertical	179	1.35	-
PK	5.468G	60.87	68.20	-7.33	8.46	3	Vertical	179	1.35	-
PK	5.616G	121.40	Inf	-Inf	8.61	3	Vertical	179	1.35	-
AV	5.615G	108.85	Inf	-Inf	8.61	3	Vertical	179	1.35	-
PK	5.737G	65.89	68.20	-2.31	8.81	3	Vertical	179	1.35	-

802.11ax HEW80_Nss1,(MCS0)_4TX

16/07/2019

5610MHz_TX




EUT_Z_4TX
Setting 20
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.446G	61.01	74.00	-12.99	8.42	3	Horizontal	172	1.25	-
AV	5.458G	48.61	54.00	-5.39	8.45	3	Horizontal	172	1.25	-
PK	5.462G	60.91	68.20	-7.29	8.45	3	Horizontal	172	1.25	-
PK	5.621G	120.96	Inf	-Inf	8.61	3	Horizontal	172	1.25	-
AV	5.6G	108.66	Inf	-Inf	8.58	3	Horizontal	172	1.25	-
PK	5.74G	64.68	68.20	-3.52	8.80	3	Horizontal	172	1.25	-

802.11ax HEW80_Nss1,(MCS0)_4TX

16/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 23.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4404G	61.63	74.00	-12.37	8.41	3	Vertical	177	1.40	-
AV	5.4596G	49.07	54.00	-4.93	8.45	3	Vertical	177	1.40	-
PK	5.4632G	62.11	68.20	-6.09	8.45	3	Vertical	177	1.40	-
PK	5.6972G	123.57	Inf	-Inf	8.75	3	Vertical	177	1.40	-
AV	5.696G	111.64	Inf	-Inf	8.74	3	Vertical	177	1.40	-
PK	5.8568G	67.87	68.20	-0.33	8.90	3	Vertical	177	1.40	-

802.11ax HEW80_Nss1,(MCS0)_4TX

16/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 23.5
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4236G	61.48	74.00	-12.52	8.38	3	Horizontal	177	1.43	-
AV	5.4596G	48.97	54.00	-5.03	8.45	3	Horizontal	177	1.43	-
PK	5.4668G	62.00	68.20	-6.20	8.46	3	Horizontal	177	1.43	-
PK	5.7008G	124.65	Inf	-Inf	8.75	3	Horizontal	177	1.43	-
AV	5.6804G	111.83	Inf	-Inf	8.72	3	Horizontal	177	1.43	-
PK	5.8616G	68.03	68.20	-0.17	8.91	3	Horizontal	177	1.43	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3526G	53.78	54.00	-0.22	8.28	3	Vertical	170	1.45	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1334G	58.89	74.00	-15.11	7.92	3	Vertical	185	1.60	-
AV	5.1226G	46.31	54.00	-7.69	7.88	3	Vertical	185	1.60	-
PK	5.2588G	127.43	Inf	-Inf	8.15	3	Vertical	185	1.60	-
AV	5.2612G	113.56	Inf	-Inf	8.15	3	Vertical	185	1.60	-
PK	5.3626G	61.14	74.00	-12.86	8.29	3	Vertical	185	1.60	-
AV	5.353G	48.69	54.00	-5.31	8.28	3	Vertical	185	1.60	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/07/2019

5260MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1424G	59.53	74.00	-14.47	7.94	3	Horizontal	176	1.63	-
AV	5.1124G	46.77	54.00	-7.23	7.86	3	Horizontal	176	1.63	-
PK	5.254G	123.58	Inf	-Inf	8.14	3	Horizontal	176	1.63	-
AV	5.2534G	111.71	Inf	-Inf	8.14	3	Horizontal	176	1.63	-
PK	5.3536G	61.87	74.00	-12.13	8.28	3	Horizontal	176	1.63	-
AV	5.35G	49.33	54.00	-4.67	8.28	3	Horizontal	176	1.63	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/07/2019

5300MHz_TX




EUT Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.297G	128.37	Inf	-Inf	8.21	3	Vertical	183	1.50	-
AV	5.297G	114.92	Inf	-Inf	8.21	3	Vertical	183	1.50	-
PK	5.3996G	62.27	74.00	-11.73	8.34	3	Vertical	183	1.50	-
AV	5.4002G	49.70	54.00	-4.30	8.34	3	Vertical	183	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/07/2019

5300MHz_TX




EUT Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2994G	122.58	Inf	-Inf	8.21	3	Horizontal	182	1.61	-
AV	5.3012G	110.25	Inf	-Inf	8.21	3	Horizontal	182	1.61	-
PK	5.393G	60.85	74.00	-13.15	8.33	3	Horizontal	182	1.61	-
AV	5.3954G	49.17	54.00	-4.83	8.33	3	Horizontal	182	1.61	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3158G	126.27	Inf	-Inf	8.23	3	Vertical	188	1.53	-
AV	5.3188G	113.85	Inf	-Inf	8.23	3	Vertical	188	1.53	-
PK	5.4196G	62.07	74.00	-11.93	8.38	3	Vertical	188	1.53	-
AV	5.4154G	49.49	54.00	-4.51	8.36	3	Vertical	188	1.53	-
PK	5.4646G	59.15	68.20	-9.05	8.45	3	Vertical	188	1.53	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/07/2019

5320MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3236G	120.35	Inf	-Inf	8.24	3	Horizontal	197	1.39	-
AV	5.3236G	106.74	Inf	-Inf	8.24	3	Horizontal	197	1.39	-
PK	5.3518G	63.59	74.00	-10.41	8.28	3	Horizontal	197	1.39	-
AV	5.35G	49.87	54.00	-4.13	8.28	3	Horizontal	197	1.39	-
PK	5.4622G	59.27	68.20	-8.93	8.45	3	Horizontal	197	1.39	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4538G	63.54	74.00	-10.46	8.44	3	Vertical	172	1.91	-
AV	5.4598G	50.71	54.00	-3.29	8.45	3	Vertical	172	1.91	-
PK	5.4694G	66.85	68.20	-1.35	8.46	3	Vertical	172	1.91	-
PK	5.4976G	125.48	Inf	-Inf	8.52	3	Vertical	172	1.91	-
AV	5.4982G	113.35	Inf	-Inf	8.52	3	Vertical	172	1.91	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/07/2019

5500MHz_TX




EUT_Z_4TX
Setting 24
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4586G	63.92	74.00	-10.08	8.45	3	Horizontal	183	1.06	-
AV	5.4598G	50.52	54.00	-3.48	8.45	3	Horizontal	183	1.06	-
PK	5.4694G	67.11	68.20	-1.09	8.46	3	Horizontal	183	1.06	-
PK	5.4988G	125.75	Inf	-Inf	8.52	3	Horizontal	183	1.06	-
AV	5.5018G	112.64	Inf	-Inf	8.52	3	Horizontal	183	1.06	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4384G	59.74	74.00	-14.26	8.41	3	Vertical	176	1.84	-
AV	5.388G	46.96	54.00	-7.04	8.33	3	Vertical	176	1.84	-
PK	5.4608G	58.44	68.20	-9.76	8.45	3	Vertical	176	1.84	-
PK	5.5824G	123.81	Inf	-Inf	8.57	3	Vertical	176	1.84	-
AV	5.584G	112.70	Inf	-Inf	8.57	3	Vertical	176	1.84	-
PK	5.7328G	59.70	68.20	-8.50	8.80	3	Vertical	176	1.84	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/07/2019

5580MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4504G	59.76	74.00	-14.24	8.44	3	Horizontal	175	1.84	-
AV	5.3872G	47.40	54.00	-6.60	8.33	3	Horizontal	175	1.84	-
PK	5.4616G	59.27	68.20	-8.93	8.45	3	Horizontal	175	1.84	-
PK	5.5824G	123.52	Inf	-Inf	8.57	3	Horizontal	175	1.84	-
AV	5.5784G	110.29	Inf	-Inf	8.57	3	Horizontal	175	1.84	-
PK	5.7288G	60.05	68.20	-8.15	8.80	3	Horizontal	175	1.84	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/07/2019

5700MHz_TX




EUT Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7042G	124.84	Inf	-Inf	8.76	3	Vertical	181	1.65	-
AV	5.7012G	112.63	Inf	-Inf	8.75	3	Vertical	181	1.65	-
PK	5.7252G	65.82	68.20	-2.38	8.79	3	Vertical	181	1.65	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/07/2019

5700MHz_TX




EUT Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7012G	124.14	Inf	-Inf	8.75	3	Horizontal	174	1.52	-
AV	5.7024G	111.56	Inf	-Inf	8.75	3	Horizontal	174	1.52	-
PK	5.7258G	63.17	68.20	-5.03	8.79	3	Horizontal	174	1.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4308G	59.54	74.00	-14.46	8.40	3	Vertical	190	1.48	-
AV	5.4404G	46.55	54.00	-7.45	8.41	3	Vertical	190	1.48	-
PK	5.468G	59.35	68.20	-8.85	8.46	3	Vertical	190	1.48	-
PK	5.7176G	123.15	Inf	-Inf	8.77	3	Vertical	190	1.48	-
AV	5.7116G	110.14	Inf	-Inf	8.78	3	Vertical	190	1.48	-
PK	5.9192G	59.34	68.20	-8.86	8.92	3	Vertical	190	1.48	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4356G	58.81	74.00	-15.19	8.41	3	Horizontal	171	1.52	-
AV	5.432G	46.73	54.00	-7.27	8.40	3	Horizontal	171	1.52	-
PK	5.4632G	58.11	68.20	-10.09	8.45	3	Horizontal	171	1.52	-
PK	5.714G	121.64	Inf	-Inf	8.77	3	Horizontal	171	1.52	-
AV	5.7116G	110.97	Inf	-Inf	8.78	3	Horizontal	171	1.52	-
PK	5.9192G	59.23	68.20	-8.97	8.92	3	Horizontal	171	1.52	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5270MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	59.53	74.00	-14.47	7.94	3	Vertical	176	1.55	-
AV	5.15G	46.52	54.00	-7.48	7.94	3	Vertical	176	1.55	-
PK	5.2676G	124.72	Inf	-Inf	8.16	3	Vertical	176	1.55	-
AV	5.2664G	112.14	Inf	-Inf	8.16	3	Vertical	176	1.55	-
PK	5.381G	60.75	74.00	-13.25	8.32	3	Vertical	176	1.55	-
AV	5.3522G	49.63	54.00	-4.37	8.28	3	Vertical	176	1.55	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5270MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1296G	58.94	74.00	-15.06	7.91	3	Horizontal	176	1.63	-
AV	5.1428G	46.41	54.00	-7.59	7.94	3	Horizontal	176	1.63	-
PK	5.2622G	122.83	Inf	-Inf	8.15	3	Horizontal	176	1.63	-
AV	5.2598G	110.83	Inf	-Inf	8.15	3	Horizontal	176	1.63	-
PK	5.3534G	61.16	74.00	-12.84	8.28	3	Horizontal	176	1.63	-
AV	5.3528G	49.23	54.00	-4.77	8.28	3	Horizontal	176	1.63	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3142G	123.88	Inf	-Inf	8.23	3	Vertical	170	1.45	-
AV	5.307G	110.77	Inf	-Inf	8.22	3	Vertical	170	1.45	-
PK	5.3508G	67.44	74.00	-6.56	8.28	3	Vertical	170	1.45	-
AV	5.3526G	53.78	54.00	-0.22	8.28	3	Vertical	170	1.45	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5310MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2998G	119.62	Inf	-Inf	8.21	3	Horizontal	198	1.40	-
AV	5.3004G	107.72	Inf	-Inf	8.21	3	Horizontal	198	1.40	-
PK	5.3562G	67.44	74.00	-6.56	8.28	3	Horizontal	198	1.40	-
AV	5.35G	51.76	54.00	-2.24	8.28	3	Horizontal	198	1.40	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5510MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.447G	63.49	74.00	-10.51	8.42	3	Vertical	180	1.48	-
AV	5.46G	50.07	54.00	-3.93	8.45	3	Vertical	180	1.48	-
PK	5.4692G	67.51	68.20	-0.69	8.46	3	Vertical	180	1.48	-
PK	5.5112G	123.96	Inf	-Inf	8.53	3	Vertical	180	1.48	-
AV	5.5046G	110.54	Inf	-Inf	8.52	3	Vertical	180	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5510MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4494G	61.09	74.00	-12.91	8.42	3	Horizontal	173	1.90	-
AV	5.46G	48.55	54.00	-5.45	8.45	3	Horizontal	173	1.90	-
PK	5.468G	62.56	68.20	-5.64	8.46	3	Horizontal	173	1.90	-
PK	5.5004G	118.84	Inf	-Inf	8.52	3	Horizontal	173	1.90	-
AV	5.5028G	111.42	Inf	-Inf	8.52	3	Horizontal	173	1.90	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5550MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4402G	60.69	74.00	-13.31	8.41	3	Vertical	187	1.50	-
AV	5.4468G	49.14	54.00	-4.86	8.42	3	Vertical	187	1.50	-
PK	5.4612G	60.25	68.20	-7.95	8.45	3	Vertical	187	1.50	-
PK	5.5488G	122.81	Inf	-Inf	8.55	3	Vertical	187	1.50	-
AV	5.5434G	109.97	Inf	-Inf	8.55	3	Vertical	187	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5550MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4594G	59.87	74.00	-14.13	8.45	3	Horizontal	176	2.53	-
AV	5.46G	47.05	54.00	-6.95	8.45	3	Horizontal	176	2.53	-
PK	5.4636G	58.82	68.20	-9.38	8.45	3	Horizontal	176	2.53	-
PK	5.5626G	116.76	Inf	-Inf	8.56	3	Horizontal	176	2.53	-
AV	5.5482G	106.70	Inf	-Inf	8.55	3	Horizontal	176	2.53	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5670MHz_TX




EUT Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6778G	124.26	Inf	-Inf	8.72	3	Vertical	176	1.47	-
AV	5.6718G	110.90	Inf	-Inf	8.70	3	Vertical	176	1.47	-
PK	5.7288G	63.09	68.20	-5.11	8.80	3	Vertical	176	1.47	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5670MHz_TX




EUT Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.655G	120.22	Inf	-Inf	8.67	3	Horizontal	181	1.37	-
AV	5.6574G	108.08	Inf	-Inf	8.67	3	Horizontal	181	1.37	-
PK	5.73G	61.13	68.20	-7.07	8.80	3	Horizontal	181	1.37	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4364G	58.74	74.00	-15.26	8.41	3	Vertical	190	1.50	-
AV	5.458G	46.48	54.00	-7.52	8.45	3	Vertical	190	1.50	-
PK	5.464G	58.27	68.20	-9.93	8.45	3	Vertical	190	1.50	-
PK	5.698G	121.63	Inf	-Inf	8.75	3	Vertical	190	1.50	-
AV	5.6956G	109.35	Inf	-Inf	8.74	3	Vertical	190	1.50	-
PK	5.8516G	59.15	68.20	-9.05	8.90	3	Vertical	190	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

17/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4556G	59.17	74.00	-14.83	8.44	3	Horizontal	171	1.87	-
AV	5.4208G	46.57	54.00	-7.43	8.38	3	Horizontal	171	1.87	-
PK	5.4676G	59.32	68.20	-8.88	8.46	3	Horizontal	171	1.87	-
PK	5.7172G	118.13	Inf	-Inf	8.77	3	Horizontal	171	1.87	-
AV	5.7148G	106.24	Inf	-Inf	8.77	3	Horizontal	171	1.87	-
PK	5.86G	58.99	68.20	-9.21	8.91	3	Horizontal	171	1.87	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.078G	59.42	74.00	-14.58	7.79	3	Vertical	179	1.54	-
AV	5.144G	47.04	54.00	-6.96	7.94	3	Vertical	179	1.54	-
PK	5.288G	121.28	Inf	-Inf	8.20	3	Vertical	179	1.54	-
AV	5.284G	108.37	Inf	-Inf	8.19	3	Vertical	179	1.54	-
PK	5.353G	64.87	74.00	-9.13	8.28	3	Vertical	179	1.54	-
AV	5.368G	51.59	54.00	-2.41	8.29	3	Vertical	179	1.54	-
PK	5.474G	59.94	68.20	-8.26	8.47	3	Vertical	179	1.54	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/07/2019

5290MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	59.05	74.00	-14.95	7.94	3	Horizontal	177	1.77	-
AV	5.149G	47.17	54.00	-6.83	7.94	3	Horizontal	177	1.77	-
PK	5.28G	118.40	Inf	-Inf	8.18	3	Horizontal	177	1.77	-
AV	5.29G	106.08	Inf	-Inf	8.20	3	Horizontal	177	1.77	-
PK	5.352G	66.20	74.00	-7.80	8.28	3	Horizontal	177	1.77	-
AV	5.354G	51.32	54.00	-2.68	8.28	3	Horizontal	177	1.77	-
PK	5.467G	59.75	68.20	-8.45	8.46	3	Horizontal	177	1.77	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/07/2019

5530MHz_TX




EUT_Z_4TX
Setting 23
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.33G	59.34	68.20	-8.86	8.25	3	Vertical	175	1.48	-
PK	5.453G	64.60	74.00	-9.40	8.44	3	Vertical	175	1.48	-
AV	5.459G	51.69	54.00	-2.31	8.45	3	Vertical	175	1.48	-
PK	5.466G	66.23	68.20	-1.97	8.46	3	Vertical	175	1.48	-
PK	5.508G	120.92	Inf	-Inf	8.52	3	Vertical	175	1.48	-
AV	5.529G	106.59	Inf	-Inf	8.54	3	Vertical	175	1.48	-
PK	5.736G	59.57	68.20	-8.63	8.81	3	Vertical	175	1.48	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/07/2019

5530MHz_TX




EUT_Z_4TX
Setting 23
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.335G	59.29	68.20	-8.91	8.26	3	Horizontal	173	1.88	-
PK	5.453G	65.23	74.00	-8.77	8.44	3	Horizontal	173	1.88	-
AV	5.45G	50.88	54.00	-3.12	8.44	3	Horizontal	173	1.88	-
PK	5.468G	65.79	68.20	-2.41	8.46	3	Horizontal	173	1.88	-
PK	5.501G	116.52	Inf	-Inf	8.52	3	Horizontal	173	1.88	-
AV	5.53G	103.99	Inf	-Inf	8.54	3	Horizontal	173	1.88	-
PK	5.753G	59.39	68.20	-8.81	8.83	3	Horizontal	173	1.88	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/07/2019

5610MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.452G	59.99	74.00	-14.01	8.44	3	Vertical	178	1.60	-
AV	5.453G	47.23	54.00	-6.77	8.44	3	Vertical	178	1.60	-
PK	5.467G	58.89	68.20	-9.31	8.46	3	Vertical	178	1.60	-
PK	5.602G	120.51	Inf	-Inf	8.58	3	Vertical	178	1.60	-
AV	5.586G	109.18	Inf	-Inf	8.57	3	Vertical	178	1.60	-
PK	5.731G	63.77	68.20	-4.43	8.80	3	Vertical	178	1.60	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/07/2019

5610MHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.454G	60.23	74.00	-13.77	8.44	3	Horizontal	187	1.51	-
AV	5.408G	46.67	54.00	-7.33	8.35	3	Horizontal	187	1.51	-
PK	5.468G	58.84	68.20	-9.36	8.46	3	Horizontal	187	1.51	-
PK	5.577G	119.90	Inf	-Inf	8.57	3	Horizontal	187	1.51	-
AV	5.577G	105.21	Inf	-Inf	8.57	3	Horizontal	187	1.51	-
PK	5.735G	60.18	68.20	-8.02	8.81	3	Horizontal	187	1.51	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/07/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.42G	58.77	74.00	-15.23	8.38	3	Vertical	174	1.57	-
AV	5.4596G	46.80	54.00	-7.20	8.45	3	Vertical	174	1.57	-
PK	5.4656G	59.64	68.20	-8.56	8.46	3	Vertical	174	1.57	-
PK	5.6804G	121.05	Inf	-Inf	8.72	3	Vertical	174	1.57	-
AV	5.6852G	107.84	Inf	-Inf	8.72	3	Vertical	174	1.57	-
PK	5.8784G	59.64	68.20	-8.56	8.92	3	Vertical	174	1.57	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

17/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_4TX
Setting 24
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4272G	59.17	74.00	-14.83	8.40	3	Horizontal	173	1.52	-
AV	5.4368G	46.73	54.00	-7.27	8.41	3	Horizontal	173	1.52	-
PK	5.46G	58.24	68.20	-9.96	8.45	3	Horizontal	173	1.52	-
PK	5.7032G	118.23	Inf	-Inf	8.75	3	Horizontal	173	1.52	-
AV	5.702G	105.58	Inf	-Inf	8.75	3	Horizontal	173	1.52	-
PK	5.9144G	58.75	68.20	-9.45	8.93	3	Horizontal	173	1.52	-

