


802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7248G	120.70	Inf	-Inf	8.78	3	Horizontal	183	1.46	-
AV	5.7248G	108.25	Inf	-Inf	8.78	3	Horizontal	183	1.46	-
PK	5.8574G	59.34	68.20	-8.86	8.90	3	Horizontal	183	1.46	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

5270MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.135G	58.83	74.00	-15.17	7.92	3	Vertical	177	2.07	-
AV	5.15G	46.65	54.00	-7.35	7.94	3	Vertical	177	2.07	-
PK	5.2706G	123.04	Inf	-Inf	8.16	3	Vertical	177	2.07	-
AV	5.2712G	109.58	Inf	-Inf	8.17	3	Vertical	177	2.07	-
PK	5.3516G	68.00	74.00	-6.00	8.28	3	Vertical	177	2.07	-
AV	5.35G	53.89	54.00	-0.11	8.28	3	Vertical	177	2.07	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

5270MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	58.75	74.00	-15.25	7.94	3	Horizontal	170	1.91	-
AV	5.1494G	46.61	54.00	-7.39	7.94	3	Horizontal	170	1.91	-
PK	5.2784G	121.72	Inf	-Inf	8.17	3	Horizontal	170	1.91	-
AV	5.2682G	108.55	Inf	-Inf	8.16	3	Horizontal	170	1.91	-
PK	5.3528G	67.67	74.00	-6.33	8.28	3	Horizontal	170	1.91	-
AV	5.35G	52.51	54.00	-1.49	8.28	3	Horizontal	170	1.91	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

### 5310MHz\_TX




EUT Z\_2TX  
Setting 22  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3184G	118.90	Inf	-Inf	8.23	3	Vertical	177	2.22	-
AV	5.2996G	105.75	Inf	-Inf	8.21	3	Vertical	177	2.22	-
PK	5.3512G	67.40	74.00	-6.60	8.28	3	Vertical	177	2.22	-
AV	5.35G	53.93	54.00	-0.07	8.28	3	Vertical	177	2.22	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

### 5310MHz\_TX




EUT Z\_2TX  
Setting 22  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.308G	118.29	Inf	-Inf	8.22	3	Horizontal	176	2.09	-
AV	5.3088G	105.18	Inf	-Inf	8.22	3	Horizontal	176	2.09	-
PK	5.35G	66.49	74.00	-7.51	8.28	3	Horizontal	176	2.09	-
AV	5.35G	53.28	54.00	-0.72	8.28	3	Horizontal	176	2.09	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

5510MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4572G	64.14	74.00	-9.86	8.44	3	Vertical	179	1.73	-
AV	5.4568G	49.87	54.00	-4.13	8.44	3	Vertical	179	1.73	-
PK	5.468G	65.67	68.20	-2.53	8.46	3	Vertical	179	1.73	-
PK	5.5064G	117.78	Inf	-Inf	8.52	3	Vertical	179	1.73	-
AV	5.5056G	104.82	Inf	-Inf	8.52	3	Vertical	179	1.73	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

5510MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	64.32	74.00	-9.68	8.45	3	Horizontal	176	2.00	-
AV	5.4572G	50.20	54.00	-3.80	8.44	3	Horizontal	176	2.00	-
PK	5.4656G	67.44	68.20	-0.76	8.46	3	Horizontal	176	2.00	-
PK	5.5068G	118.59	Inf	-Inf	8.52	3	Horizontal	176	2.00	-
AV	5.5064G	105.81	Inf	-Inf	8.52	3	Horizontal	176	2.00	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

5550MHz\_TX



EUT\_Z\_2TX  
Setting 24.5  
02-M-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4534G	62.97	74.00	-11.03	8.44	3	Vertical	175	1.75	-
AV	5.4534G	48.97	54.00	-5.03	8.44	3	Vertical	175	1.75	-
PK	5.4624G	64.86	68.20	-3.34	8.45	3	Vertical	175	1.75	-
PK	5.5524G	120.11	Inf	-Inf	8.55	3	Vertical	175	1.75	-
AV	5.5524G	107.61	Inf	-Inf	8.55	3	Vertical	175	1.75	-



802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

5550MHz\_TX




EUT\_Z\_2TX  
Setting 24.5  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4558G	62.38	74.00	-11.62	8.44	3	Horizontal	181	2.06	-
AV	5.457G	49.67	54.00	-4.33	8.44	3	Horizontal	181	2.06	-
PK	5.4684G	67.78	68.20	-0.42	8.46	3	Horizontal	181	2.06	-
PK	5.5584G	120.46	Inf	-Inf	8.56	3	Horizontal	181	2.06	-
AV	5.547G	108.55	Inf	-Inf	8.55	3	Horizontal	181	2.06	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

5670MHz\_TX




EUT Z\_2TX  
Setting 22  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6728G	117.57	Inf	-Inf	8.70	3	Vertical	168	1.49	-
AV	5.672G	103.95	Inf	-Inf	8.70	3	Vertical	168	1.49	-
PK	5.7312G	65.05	68.20	-3.15	8.80	3	Vertical	168	1.49	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

### 5670MHz\_TX




EUT Z\_2TX  
 Setting 22  
 02-M-1-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.672G	119.03	Inf	-Inf	8.70	3	Horizontal	181	1.98	-
AV	5.6708G	105.67	Inf	-Inf	8.70	3	Horizontal	181	1.98	-
PK	5.7252G	67.46	68.20	-0.74	8.79	3	Horizontal	181	1.98	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.434G	59.31	74.00	-14.69	8.40	3	Vertical	186	1.93	-
AV	5.434G	46.52	54.00	-7.48	8.40	3	Vertical	186	1.93	-
PK	5.4616G	59.65	68.20	-8.55	8.45	3	Vertical	186	1.93	-
PK	5.692G	121.24	Inf	-Inf	8.74	3	Vertical	186	1.93	-
AV	5.7016G	109.15	Inf	-Inf	8.75	3	Vertical	186	1.93	-
PK	5.8564G	65.62	68.20	-2.58	8.90	3	Vertical	186	1.93	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4292G	59.50	74.00	-14.50	8.40	3	Horizontal	183	2.05	-
AV	5.4352G	46.76	54.00	-7.24	8.41	3	Horizontal	183	2.05	-
PK	5.4616G	59.51	68.20	-8.69	8.45	3	Horizontal	183	2.05	-
PK	5.7112G	120.34	Inf	-Inf	8.77	3	Horizontal	183	2.05	-
AV	5.7004G	108.05	Inf	-Inf	8.75	3	Horizontal	183	2.05	-
PK	5.8576G	62.94	68.20	-5.26	8.90	3	Horizontal	183	2.05	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

18/07/2019

5290MHz\_TX




EUT\_Z\_2TX  
Setting 23.5  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.086G	59.24	74.00	-14.76	7.80	3	Vertical	174	1.98	-
AV	5.104G	46.25	54.00	-7.75	7.84	3	Vertical	174	1.98	-
PK	5.294G	119.12	Inf	-Inf	8.20	3	Vertical	174	1.98	-
AV	5.284G	106.38	Inf	-Inf	8.19	3	Vertical	174	1.98	-
PK	5.354G	66.79	74.00	-7.21	8.28	3	Vertical	174	1.98	-
AV	5.353G	52.84	54.00	-1.16	8.28	3	Vertical	174	1.98	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

18/07/2019

5290MHz\_TX




EUT\_Z\_2TX  
Setting 23.5  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.107G	59.88	74.00	-14.12	7.86	3	Horizontal	177	1.91	-
AV	5.094G	46.26	54.00	-7.74	7.82	3	Horizontal	177	1.91	-
PK	5.284G	120.10	Inf	-Inf	8.19	3	Horizontal	177	1.91	-
AV	5.285G	106.86	Inf	-Inf	8.19	3	Horizontal	177	1.91	-
PK	5.353G	67.70	74.00	-6.30	8.28	3	Horizontal	177	1.91	-
AV	5.354G	52.60	54.00	-1.40	8.28	3	Horizontal	177	1.91	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

18/07/2019

5530MHz\_TX



EUT\_Z\_2TX  
Setting 22.5  
02-M-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.325G	58.48	68.20	-9.72	8.25	3	Vertical	188	2.04	-
PK	5.459G	63.34	74.00	-10.66	8.45	3	Vertical	188	2.04	-
AV	5.459G	49.61	54.00	-4.39	8.45	3	Vertical	188	2.04	-
PK	5.47G	66.51	68.20	-1.69	8.46	3	Vertical	188	2.04	-
PK	5.528G	118.73	Inf	-Inf	8.54	3	Vertical	188	2.04	-
AV	5.528G	106.30	Inf	-Inf	8.54	3	Vertical	188	2.04	-
PK	5.767G	58.60	68.20	-9.60	8.85	3	Vertical	188	2.04	-



802.11ax HEW80\_Nss1,(MCS0)\_2TX

18/07/2019

5530MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.316G	59.64	68.20	-8.56	8.23	3	Horizontal	185	1.97	-
PK	5.457G	61.85	74.00	-12.15	8.44	3	Horizontal	185	1.97	-
AV	5.459G	49.22	54.00	-4.78	8.45	3	Horizontal	185	1.97	-
PK	5.468G	67.84	68.20	-0.36	8.46	3	Horizontal	185	1.97	-
PK	5.527G	119.49	Inf	-Inf	8.54	3	Horizontal	185	1.97	-
AV	5.527G	106.33	Inf	-Inf	8.54	3	Horizontal	185	1.97	-
PK	5.743G	58.97	68.20	-9.23	8.82	3	Horizontal	185	1.97	-

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

18/07/2019

### 5610MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.44G	60.85	74.00	-13.15	8.41	3	Vertical	192	2.04	-
AV	5.46G	47.97	54.00	-6.03	8.45	3	Vertical	192	2.04	-
PK	5.47G	61.34	68.20	-6.86	8.46	3	Vertical	192	2.04	-
PK	5.618G	121.76	Inf	-Inf	8.61	3	Vertical	192	2.04	-
AV	5.609G	109.39	Inf	-Inf	8.60	3	Vertical	192	2.04	-
PK	5.726G	67.86	68.20	-0.34	8.79	3	Vertical	192	2.04	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

18/07/2019

5610MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.427G	60.74	74.00	-13.26	8.40	3	Horizontal	171	1.90	-
AV	5.458G	48.14	54.00	-5.86	8.45	3	Horizontal	171	1.90	-
PK	5.465G	62.06	68.20	-6.14	8.45	3	Horizontal	171	1.90	-
PK	5.606G	122.40	Inf	-Inf	8.59	3	Horizontal	171	1.90	-
AV	5.605G	109.76	Inf	-Inf	8.59	3	Horizontal	171	1.90	-
PK	5.727G	65.29	68.20	-2.91	8.80	3	Horizontal	171	1.90	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.451G	58.88	74.00	-15.12	8.44	3	Vertical	179	1.49	-
AV	5.455G	46.48	54.00	-7.52	8.44	3	Vertical	179	1.49	-
PK	5.465G	58.72	68.20	-9.48	8.45	3	Vertical	179	1.49	-
PK	5.692G	120.02	Inf	-Inf	8.74	3	Vertical	179	1.49	-
AV	5.682G	108.23	Inf	-Inf	8.72	3	Vertical	179	1.49	-
PK	5.85G	62.22	68.20	-5.98	8.90	3	Vertical	179	1.49	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_2TX  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.455G	60.11	74.00	-13.89	8.44	3	Horizontal	188	2.05	-
AV	5.453G	46.72	54.00	-7.28	8.44	3	Horizontal	188	2.05	-
PK	5.464G	60.17	68.20	-8.03	8.45	3	Horizontal	188	2.05	-
PK	5.692G	122.68	Inf	-Inf	8.74	3	Horizontal	188	2.05	-
AV	5.691G	110.04	Inf	-Inf	8.73	3	Horizontal	188	2.05	-
PK	5.85G	63.86	68.20	-4.34	8.90	3	Horizontal	188	2.05	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.464G	67.95	68.20	-0.25	8.45	3	Horizontal	187	1.90	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

### 5260MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.131G	58.10	74.00	-15.90	7.91	3	Vertical	193	2.63	-
AV	5.1466G	45.95	54.00	-8.05	7.94	3	Vertical	193	2.63	-
PK	5.2648G	119.21	Inf	-Inf	8.16	3	Vertical	193	2.63	-
AV	5.2666G	107.72	Inf	-Inf	8.16	3	Vertical	193	2.63	-
PK	5.3524G	59.13	74.00	-14.87	8.28	3	Vertical	193	2.63	-
AV	5.3632G	46.45	54.00	-7.55	8.29	3	Vertical	193	2.63	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

### 5260MHz\_TX



EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1124G	58.26	74.00	-15.74	7.86	3	Horizontal	198	2.23	-
AV	5.1346G	45.95	54.00	-8.05	7.92	3	Horizontal	198	2.23	-
PK	5.2648G	119.73	Inf	-Inf	8.16	3	Horizontal	198	2.23	-
AV	5.2636G	107.49	Inf	-Inf	8.16	3	Horizontal	198	2.23	-
PK	5.3818G	58.94	74.00	-15.06	8.32	3	Horizontal	198	2.23	-
AV	5.359G	46.58	54.00	-7.42	8.28	3	Horizontal	198	2.23	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5300MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3012G	119.32	Inf	-Inf	8.21	3	Vertical	164	1.60	-
AV	5.3048G	106.88	Inf	-Inf	8.22	3	Vertical	164	1.60	-
PK	5.384G	59.40	74.00	-14.60	8.32	3	Vertical	164	1.60	-
AV	5.352G	46.56	54.00	-7.44	8.28	3	Vertical	164	1.60	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

### 5300MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3052G	120.22	Inf	-Inf	8.22	3	Horizontal	163	1.54	-
AV	5.3048G	107.67	Inf	-Inf	8.22	3	Horizontal	163	1.54	-
PK	5.3692G	58.99	74.00	-15.01	8.30	3	Horizontal	163	1.54	-
AV	5.3512G	46.50	54.00	-7.50	8.28	3	Horizontal	163	1.54	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5320MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.324G	120.45	Inf	-Inf	8.24	3	Vertical	184	1.59	-
AV	5.3224G	107.56	Inf	-Inf	8.23	3	Vertical	184	1.59	-
PK	5.3512G	60.80	74.00	-13.20	8.28	3	Vertical	184	1.59	-
AV	5.3508G	48.48	54.00	-5.52	8.28	3	Vertical	184	1.59	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5320MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3156G	119.51	Inf	-Inf	8.23	3	Horizontal	169	1.63	-
AV	5.312G	106.90	Inf	-Inf	8.22	3	Horizontal	169	1.63	-
PK	5.3548G	60.22	74.00	-13.78	8.28	3	Horizontal	169	1.63	-
AV	5.3504G	47.75	54.00	-6.25	8.28	3	Horizontal	169	1.63	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5500MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	59.34	74.00	-14.66	8.45	3	Vertical	176	1.39	-
AV	5.46G	47.41	54.00	-6.59	8.45	3	Vertical	176	1.39	-
PK	5.4676G	61.90	68.20	-6.30	8.46	3	Vertical	176	1.39	-
PK	5.5016G	121.25	Inf	-Inf	8.52	3	Vertical	176	1.39	-
AV	5.5084G	108.11	Inf	-Inf	8.53	3	Vertical	176	1.39	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5500MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	59.57	74.00	-14.43	8.45	3	Horizontal	174	1.39	-
AV	5.4592G	46.93	54.00	-7.07	8.45	3	Horizontal	174	1.39	-
PK	5.4696G	61.14	68.20	-7.06	8.46	3	Horizontal	174	1.39	-
PK	5.5036G	120.29	Inf	-Inf	8.52	3	Horizontal	174	1.39	-
AV	5.504G	107.96	Inf	-Inf	8.52	3	Horizontal	174	1.39	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

### 5580MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4354G	59.05	74.00	-14.95	8.41	3	Vertical	187	1.45	-
AV	5.4384G	46.28	54.00	-7.72	8.41	3	Vertical	187	1.45	-
PK	5.463G	58.54	68.20	-9.66	8.45	3	Vertical	187	1.45	-
PK	5.5818G	120.34	Inf	-Inf	8.57	3	Vertical	187	1.45	-
AV	5.583G	107.19	Inf	-Inf	8.57	3	Vertical	187	1.45	-
PK	5.7294G	58.13	68.20	-10.07	8.80	3	Vertical	187	1.45	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5580MHz\_TX



EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4396G	58.37	74.00	-15.63	8.41	3	Horizontal	176	1.44	-
AV	5.433G	46.16	54.00	-7.84	8.40	3	Horizontal	176	1.44	-
PK	5.4648G	58.04	68.20	-10.16	8.45	3	Horizontal	176	1.44	-
PK	5.5812G	120.21	Inf	-Inf	8.57	3	Horizontal	176	1.44	-
AV	5.577G	106.47	Inf	-Inf	8.57	3	Horizontal	176	1.44	-
PK	5.7288G	58.09	68.20	-10.11	8.80	3	Horizontal	176	1.44	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5700MHz\_TX




EUT Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7044G	118.75	Inf	-Inf	8.76	3	Vertical	176	1.53	-
AV	5.7014G	105.40	Inf	-Inf	8.75	3	Vertical	176	1.53	-
PK	5.7294G	61.25	68.20	-6.95	8.80	3	Vertical	176	1.53	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5700MHz\_TX




EUT Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.696G	117.58	Inf	-Inf	8.74	3	Horizontal	188	1.71	-
AV	5.701G	105.58	Inf	-Inf	8.75	3	Horizontal	188	1.71	-
PK	5.7252G	63.47	68.20	-4.73	8.79	3	Horizontal	188	1.71	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_2TX  
 Setting 24  
 02-J-1-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7248G	117.34	Inf	-Inf	8.78	3	Vertical	192	1.53	-
AV	5.7168G	104.88	Inf	-Inf	8.77	3	Vertical	192	1.53	-
PK	5.856G	58.69	68.20	-9.51	8.90	3	Vertical	192	1.53	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7144G	117.50	Inf	-Inf	8.77	3	Horizontal	192	2.18	-
AV	5.7144G	105.24	Inf	-Inf	8.77	3	Horizontal	192	2.18	-
PK	5.9128G	59.47	68.20	-8.73	8.93	3	Horizontal	192	2.18	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5270MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1458G	58.39	74.00	-15.61	7.94	3	Vertical	188	2.59	-
AV	5.1224G	45.77	54.00	-8.23	7.88	3	Vertical	188	2.59	-
PK	5.2652G	117.60	Inf	-Inf	8.16	3	Vertical	188	2.59	-
AV	5.2658G	105.04	Inf	-Inf	8.16	3	Vertical	188	2.59	-
PK	5.3612G	59.16	74.00	-14.84	8.29	3	Vertical	188	2.59	-
AV	5.3648G	46.57	54.00	-7.43	8.29	3	Vertical	188	2.59	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5270MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1206G	58.16	74.00	-15.84	7.88	3	Horizontal	173	1.10	-
AV	5.1452G	45.83	54.00	-8.17	7.94	3	Horizontal	173	1.10	-
PK	5.2622G	114.88	Inf	-Inf	8.15	3	Horizontal	173	1.10	-
AV	5.2766G	102.73	Inf	-Inf	8.17	3	Horizontal	173	1.10	-
PK	5.39G	59.15	74.00	-14.85	8.33	3	Horizontal	173	1.10	-
AV	5.369G	46.14	54.00	-7.86	8.30	3	Horizontal	173	1.10	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5310MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-J-1-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3076G	116.49	Inf	-Inf	8.22	3	Vertical	180	2.80	-
AV	5.3064G	105.21	Inf	-Inf	8.22	3	Vertical	180	2.80	-
PK	5.36G	72.04	74.00	-1.96	8.29	3	Vertical	180	2.80	-
AV	5.3504G	48.81	54.00	-5.19	8.28	3	Vertical	180	2.80	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5310MHz\_TX



EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2996G	116.91	Inf	-Inf	8.21	3	Horizontal	175	1.37	-
AV	5.3048G	104.77	Inf	-Inf	8.22	3	Horizontal	175	1.37	-
PK	5.3664G	65.96	74.00	-8.04	8.29	3	Horizontal	175	1.37	-
AV	5.3512G	50.34	54.00	-3.66	8.28	3	Horizontal	175	1.37	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5510MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4452G	61.85	74.00	-12.15	8.42	3	Vertical	170	1.60	-
AV	5.46G	49.81	54.00	-4.19	8.45	3	Vertical	170	1.60	-
PK	5.4688G	63.87	68.20	-4.33	8.46	3	Vertical	170	1.60	-
AV	5.4696G	51.68	Inf	-Inf	8.46	3	Vertical	170	1.60	-
PK	5.5032G	118.33	Inf	-Inf	8.52	3	Vertical	170	1.60	-
AV	5.5036G	106.20	Inf	-Inf	8.52	3	Vertical	170	1.60	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5510MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.44G	66.38	74.00	-7.62	8.41	3	Horizontal	187	1.59	-
AV	5.46G	48.59	54.00	-5.41	8.45	3	Horizontal	187	1.59	-
PK	5.4684G	62.62	68.20	-5.58	8.46	3	Horizontal	187	1.59	-
PK	5.5004G	116.10	Inf	-Inf	8.52	3	Horizontal	187	1.59	-
AV	5.5072G	103.44	Inf	-Inf	8.52	3	Horizontal	187	1.59	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

### 5550MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-J-1-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4282G	59.17	74.00	-14.83	8.40	3	Vertical	169	2.18	-
AV	5.415G	46.34	54.00	-7.66	8.36	3	Vertical	169	2.18	-
PK	5.4648G	57.97	68.20	-10.23	8.45	3	Vertical	169	2.18	-
PK	5.5392G	116.99	Inf	-Inf	8.54	3	Vertical	169	2.18	-
AV	5.5536G	103.45	Inf	-Inf	8.55	3	Vertical	169	2.18	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5550MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.442G	59.07	74.00	-14.93	8.41	3	Horizontal	156	1.48	-
AV	5.4396G	46.00	54.00	-8.00	8.41	3	Horizontal	156	1.48	-
PK	5.4648G	59.78	68.20	-8.42	8.45	3	Horizontal	156	1.48	-
PK	5.553G	115.47	Inf	-Inf	8.55	3	Horizontal	156	1.48	-
AV	5.5488G	102.01	Inf	-Inf	8.55	3	Horizontal	156	1.48	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5670MHz\_TX




EUT Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6668G	115.75	Inf	-Inf	8.69	3	Vertical	190	1.56	-
AV	5.6732G	102.25	Inf	-Inf	8.70	3	Vertical	190	1.56	-
PK	5.7272G	62.07	68.20	-6.13	8.80	3	Vertical	190	1.56	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

### 5670MHz\_TX




EUT Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6576G	114.22	Inf	-Inf	8.67	3	Horizontal	183	1.51	-
AV	5.6764G	101.56	Inf	-Inf	8.72	3	Horizontal	183	1.51	-
PK	5.7292G	66.26	68.20	-1.94	8.80	3	Horizontal	183	1.51	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4448G	58.41	74.00	-15.59	8.42	3	Vertical	191	1.54	-
AV	5.4436G	46.05	54.00	-7.95	8.42	3	Vertical	191	1.54	-
PK	5.4664G	58.30	68.20	-9.90	8.46	3	Vertical	191	1.54	-
PK	5.7076G	115.30	Inf	-Inf	8.76	3	Vertical	191	1.54	-
AV	5.704G	104.08	Inf	-Inf	8.76	3	Vertical	191	1.54	-
PK	5.986G	58.68	68.20	-9.52	8.93	3	Vertical	191	1.54	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4268G	57.92	74.00	-16.08	8.39	3	Horizontal	186	1.70	-
AV	5.4184G	46.12	54.00	-7.88	8.37	3	Horizontal	186	1.70	-
PK	5.46G	57.60	68.20	-10.60	8.45	3	Horizontal	186	1.70	-
PK	5.7172G	114.11	Inf	-Inf	8.77	3	Horizontal	186	1.70	-
AV	5.704G	104.73	Inf	-Inf	8.76	3	Horizontal	186	1.70	-
PK	5.9296G	58.80	68.20	-9.40	8.93	3	Horizontal	186	1.70	-



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5290MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.089G	58.36	74.00	-15.64	7.82	3	Vertical	179	2.67	-
AV	5.132G	46.17	54.00	-7.83	7.92	3	Vertical	179	2.67	-
PK	5.263G	116.48	Inf	-Inf	8.16	3	Vertical	179	2.67	-
AV	5.286G	101.49	Inf	-Inf	8.19	3	Vertical	179	2.67	-
PK	5.35G	65.27	74.00	-8.73	8.28	3	Vertical	179	2.67	-
AV	5.354G	51.57	54.00	-2.43	8.28	3	Vertical	179	2.67	-
PK	5.498G	58.24	68.20	-9.96	8.52	3	Vertical	179	2.67	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/07/2019

### 5290MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.14G	58.54	74.00	-15.46	7.93	3	Horizontal	153	1.75	-
AV	5.138G	45.92	54.00	-8.08	7.92	3	Horizontal	153	1.75	-
PK	5.261G	112.72	Inf	-Inf	8.15	3	Horizontal	153	1.75	-
AV	5.257G	99.84	Inf	-Inf	8.15	3	Horizontal	153	1.75	-
PK	5.41G	62.20	74.00	-11.80	8.35	3	Horizontal	153	1.75	-
AV	5.353G	48.47	54.00	-5.53	8.28	3	Horizontal	153	1.75	-
PK	5.468G	58.39	68.20	-9.81	8.46	3	Horizontal	153	1.75	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5530MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.307G	58.91	68.20	-9.29	8.22	3	Vertical	183	1.60	-
PK	5.455G	64.15	74.00	-9.85	8.44	3	Vertical	183	1.60	-
AV	5.453G	51.25	54.00	-2.75	8.44	3	Vertical	183	1.60	-
PK	5.461G	63.41	68.20	-4.79	8.45	3	Vertical	183	1.60	-
PK	5.514G	112.54	Inf	-Inf	8.53	3	Vertical	183	1.60	-
AV	5.51G	99.91	Inf	-Inf	8.53	3	Vertical	183	1.60	-
PK	5.73G	58.30	68.20	-9.90	8.80	3	Vertical	183	1.60	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5530MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.309G	58.00	68.20	-10.20	8.22	3	Horizontal	187	1.90	-
PK	5.434G	71.81	74.00	-2.19	8.40	3	Horizontal	187	1.90	-
AV	5.46G	52.51	54.00	-1.49	8.45	3	Horizontal	187	1.90	-
PK	5.464G	67.95	68.20	-0.25	8.45	3	Horizontal	187	1.90	-
PK	5.493G	114.00	Inf	-Inf	8.51	3	Horizontal	187	1.90	-
AV	5.528G	101.01	Inf	-Inf	8.54	3	Horizontal	187	1.90	-
PK	5.726G	58.63	68.20	-9.57	8.79	3	Horizontal	187	1.90	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5610MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	59.20	74.00	-14.80	8.45	3	Vertical	191	1.54	-
AV	5.457G	46.80	54.00	-7.20	8.44	3	Vertical	191	1.54	-
PK	5.461G	58.97	68.20	-9.23	8.45	3	Vertical	191	1.54	-
PK	5.612G	112.57	Inf	-Inf	8.61	3	Vertical	191	1.54	-
AV	5.61G	100.87	Inf	-Inf	8.60	3	Vertical	191	1.54	-
PK	5.732G	61.11	68.20	-7.09	8.80	3	Vertical	191	1.54	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/07/2019

### 5610MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.448G	58.99	74.00	-15.01	8.42	3	Horizontal	193	1.49	-
AV	5.453G	46.45	54.00	-7.55	8.44	3	Horizontal	193	1.49	-
PK	5.467G	60.11	68.20	-8.09	8.46	3	Horizontal	193	1.49	-
PK	5.599G	111.80	Inf	-Inf	8.58	3	Horizontal	193	1.49	-
AV	5.588G	101.96	Inf	-Inf	8.57	3	Horizontal	193	1.49	-
PK	5.727G	61.94	68.20	-6.26	8.80	3	Horizontal	193	1.49	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.447G	58.79	74.00	-15.21	8.42	3	Vertical	184	2.34	-
AV	5.449G	46.02	54.00	-7.98	8.42	3	Vertical	184	2.34	-
PK	5.466G	57.62	68.20	-10.58	8.46	3	Vertical	184	2.34	-
PK	5.664G	112.90	Inf	-Inf	8.69	3	Vertical	184	2.34	-
AV	5.685G	98.90	Inf	-Inf	8.72	3	Vertical	184	2.34	-
PK	5.871G	59.43	68.20	-8.77	8.91	3	Vertical	184	2.34	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_2TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.443G	58.28	74.00	-15.72	8.42	3	Horizontal	204	2.16	-
AV	5.442G	45.77	54.00	-8.23	8.41	3	Horizontal	204	2.16	-
PK	5.466G	57.80	68.20	-10.40	8.46	3	Horizontal	204	2.16	-
PK	5.697G	112.66	Inf	-Inf	8.75	3	Horizontal	204	2.16	-
AV	5.661G	103.50	Inf	-Inf	8.69	3	Horizontal	204	2.16	-
PK	5.886G	58.75	68.20	-9.45	8.91	3	Horizontal	204	2.16	-






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.7258G	68.17	68.20	-0.03	8.79	3	Vertical	191	1.49	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5260MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.14G	59.03	74.00	-14.97	7.93	3	Vertical	191	1.41	-
AV	5.14G	46.46	54.00	-7.54	7.93	3	Vertical	191	1.41	-
PK	5.2672G	128.02	Inf	-Inf	8.16	3	Vertical	191	1.41	-
AV	5.2666G	117.60	Inf	-Inf	8.16	3	Vertical	191	1.41	-
PK	5.356G	60.62	74.00	-13.38	8.28	3	Vertical	191	1.41	-
AV	5.3638G	48.18	54.00	-5.82	8.29	3	Vertical	191	1.41	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5260MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1394G	58.95	74.00	-15.05	7.93	3	Horizontal	199	1.56	-
AV	5.1124G	46.32	54.00	-7.68	7.86	3	Horizontal	199	1.56	-
PK	5.257G	128.09	Inf	-Inf	8.15	3	Horizontal	199	1.56	-
AV	5.257G	117.46	Inf	-Inf	8.15	3	Horizontal	199	1.56	-
PK	5.3536G	60.50	74.00	-13.50	8.28	3	Horizontal	199	1.56	-
AV	5.3542G	48.13	54.00	-5.87	8.28	3	Horizontal	199	1.56	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5300MHz\_TX




EUT\_Z\_4TX  
Setting 26  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.303G	127.27	Inf	-Inf	8.21	3	Vertical	202	1.24	-
AV	5.303G	117.10	Inf	-Inf	8.21	3	Vertical	202	1.24	-
PK	5.3516G	65.94	74.00	-8.06	8.28	3	Vertical	202	1.24	-
AV	5.35G	52.52	54.00	-1.48	8.28	3	Vertical	202	1.24	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5300MHz\_TX




EUT\_Z\_4TX  
Setting 26  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3024G	127.19	Inf	-Inf	8.21	3	Horizontal	173	1.20	-
AV	5.3024G	117.48	Inf	-Inf	8.21	3	Horizontal	173	1.20	-
PK	5.35G	67.04	74.00	-6.96	8.28	3	Horizontal	173	1.20	-
AV	5.35G	53.00	54.00	-1.00	8.28	3	Horizontal	173	1.20	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5320MHz\_TX




EUT\_Z\_4TX  
Setting 21.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3212G	124.15	Inf	-Inf	8.23	3	Vertical	188	1.43	-
AV	5.3208G	113.89	Inf	-Inf	8.23	3	Vertical	188	1.43	-
PK	5.3608G	66.25	74.00	-7.75	8.29	3	Vertical	188	1.43	-
AV	5.36G	51.23	54.00	-2.77	8.29	3	Vertical	188	1.43	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5320MHz\_TX




EUT\_Z\_4TX  
 Setting 21.5  
 02-J-5-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3128G	122.51	Inf	-Inf	8.22	3	Horizontal	174	1.55	-
AV	5.3132G	112.64	Inf	-Inf	8.22	3	Horizontal	174	1.55	-
PK	5.3528G	68.60	74.00	-5.40	8.28	3	Horizontal	174	1.55	-
AV	5.352G	53.96	54.00	-0.04	8.28	3	Horizontal	174	1.55	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5500MHz\_TX



EUT\_Z\_4TX  
Setting 23  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	67.09	74.00	-6.91	8.45	3	Vertical	180	2.10	-
AV	5.4586G	52.87	54.00	-1.13	8.45	3	Vertical	180	2.10	-
PK	5.4688G	68.12	68.20	-0.08	8.46	3	Vertical	180	2.10	-
PK	5.4988G	124.04	Inf	-Inf	8.52	3	Vertical	180	2.10	-
AV	5.4988G	114.47	Inf	-Inf	8.52	3	Vertical	180	2.10	-



### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5500MHz\_TX




EUT\_Z\_4TX  
Setting 23  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4598G	67.87	74.00	-6.13	8.45	3	Horizontal	191	1.37	-
AV	5.4598G	53.34	54.00	-0.66	8.45	3	Horizontal	191	1.37	-
PK	5.461G	68.05	68.20	-0.15	8.45	3	Horizontal	191	1.37	-
PK	5.5012G	125.44	Inf	-Inf	8.52	3	Horizontal	191	1.37	-
AV	5.5012G	114.84	Inf	-Inf	8.52	3	Horizontal	191	1.37	-

802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

5580MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4264G	60.51	74.00	-13.49	8.39	3	Vertical	181	2.15	-
AV	5.3824G	48.04	54.00	-5.96	8.32	3	Vertical	181	2.15	-
PK	5.4672G	59.45	68.20	-8.75	8.46	3	Vertical	181	2.15	-
PK	5.5736G	128.31	Inf	-Inf	8.56	3	Vertical	181	2.15	-
AV	5.5744G	118.13	Inf	-Inf	8.56	3	Vertical	181	2.15	-
PK	5.768G	60.37	68.20	-7.83	8.85	3	Vertical	181	2.15	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5580MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3904G	59.86	74.00	-14.14	8.33	3	Horizontal	182	1.29	-
AV	5.3896G	47.84	54.00	-6.16	8.33	3	Horizontal	182	1.29	-
PK	5.464G	60.48	68.20	-7.72	8.45	3	Horizontal	182	1.29	-
PK	5.5832G	127.83	Inf	-Inf	8.57	3	Horizontal	182	1.29	-
AV	5.5824G	117.55	Inf	-Inf	8.57	3	Horizontal	182	1.29	-
PK	5.7656G	60.28	68.20	-7.92	8.85	3	Horizontal	182	1.29	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5700MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6952G	120.81	Inf	-Inf	8.74	3	Vertical	191	1.52	-
AV	5.6946G	111.36	Inf	-Inf	8.74	3	Vertical	191	1.52	-
PK	5.7348G	60.85	68.20	-7.35	8.81	3	Vertical	191	1.52	-

802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

5700MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7066G	122.08	Inf	-Inf	8.76	3	Horizontal	189	2.26	-
AV	5.7072G	112.34	Inf	-Inf	8.76	3	Horizontal	189	2.26	-
PK	5.7264G	66.20	68.20	-2.00	8.79	3	Horizontal	189	2.26	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	60.13	74.00	-13.87	8.44	3	Vertical	192	1.49	-
AV	5.438G	46.86	54.00	-7.14	8.41	3	Vertical	192	1.49	-
PK	5.4644G	59.86	68.20	-8.34	8.45	3	Vertical	192	1.49	-
PK	5.726G	125.16	Inf	-Inf	8.79	3	Vertical	192	1.49	-
AV	5.7248G	114.84	Inf	-Inf	8.78	3	Vertical	192	1.49	-
PK	5.8748G	58.75	68.20	-9.45	8.91	3	Vertical	192	1.49	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	59.98	74.00	-14.02	8.44	3	Horizontal	180	1.35	-
AV	5.4452G	46.86	54.00	-7.14	8.42	3	Horizontal	180	1.35	-
PK	5.462G	59.20	68.20	-9.00	8.45	3	Horizontal	180	1.35	-
PK	5.7164G	125.34	Inf	-Inf	8.77	3	Horizontal	180	1.35	-
AV	5.7164G	114.79	Inf	-Inf	8.77	3	Horizontal	180	1.35	-
PK	5.9852G	58.86	68.20	-9.34	8.93	3	Horizontal	180	1.35	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

5260MHz\_TX



EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1148G	59.83	74.00	-14.17	7.87	3	Vertical	172	1.49	-
AV	5.15G	46.51	54.00	-7.49	7.94	3	Vertical	172	1.49	-
PK	5.2606G	129.81	Inf	-Inf	8.15	3	Vertical	172	1.49	-
AV	5.2612G	117.99	Inf	-Inf	8.15	3	Vertical	172	1.49	-
PK	5.356G	61.40	74.00	-12.60	8.28	3	Vertical	172	1.49	-
AV	5.3578G	48.88	54.00	-5.12	8.28	3	Vertical	172	1.49	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5260MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	60.04	74.00	-13.96	7.94	3	Horizontal	171	1.47	-
AV	5.15G	46.06	54.00	-7.94	7.94	3	Horizontal	171	1.47	-
PK	5.2654G	128.41	Inf	-Inf	8.16	3	Horizontal	171	1.47	-
AV	5.266G	116.43	Inf	-Inf	8.16	3	Horizontal	171	1.47	-
PK	5.3602G	60.28	74.00	-13.72	8.29	3	Horizontal	171	1.47	-
AV	5.3626G	47.77	54.00	-6.23	8.29	3	Horizontal	171	1.47	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

5300MHz\_TX




EUT\_Z\_4TX  
Setting 25.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3024G	127.90	Inf	-Inf	8.21	3	Vertical	177	1.61	-
AV	5.3024G	115.48	Inf	-Inf	8.21	3	Vertical	177	1.61	-
PK	5.351G	65.64	74.00	-8.36	8.28	3	Vertical	177	1.61	-
AV	5.35G	51.73	54.00	-2.27	8.28	3	Vertical	177	1.61	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

5300MHz\_TX




EUT Z\_4TX  
Setting 25.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2994G	128.45	Inf	-Inf	8.21	3	Horizontal	177	1.58	-
AV	5.2982G	116.21	Inf	-Inf	8.21	3	Horizontal	177	1.58	-
PK	5.35G	66.24	74.00	-7.76	8.28	3	Horizontal	177	1.58	-
AV	5.35G	53.09	54.00	-0.91	8.28	3	Horizontal	177	1.58	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

5320MHz\_TX




EUT\_Z\_4TX  
Setting 21.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3256G	125.47	Inf	-Inf	8.25	3	Vertical	187	1.64	-
AV	5.3248G	112.20	Inf	-Inf	8.24	3	Vertical	187	1.64	-
PK	5.3644G	63.68	74.00	-10.32	8.29	3	Vertical	187	1.64	-
AV	5.3572G	50.71	54.00	-3.29	8.28	3	Vertical	187	1.64	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

### 5320MHz\_TX




EUT\_Z\_4TX  
 Setting 21.5  
 02-J-5-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3148G	125.41	Inf	-Inf	8.23	3	Horizontal	198	2.39	-
AV	5.3156G	112.73	Inf	-Inf	8.23	3	Horizontal	198	2.39	-
PK	5.3568G	68.73	74.00	-5.27	8.28	3	Horizontal	198	2.39	-
AV	5.3556G	53.90	54.00	-0.10	8.28	3	Horizontal	198	2.39	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

### 5500MHz\_TX




EUT\_Z\_4TX  
Setting 22.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.455G	62.89	74.00	-11.11	8.44	3	Vertical	174	1.45	-
PK	5.464G	67.81	68.20	-0.39	8.45	3	Vertical	174	1.45	-
AV	5.4598G	50.25	54.00	-3.75	8.45	3	Vertical	174	1.45	-
PK	5.5024G	127.02	Inf	-Inf	8.52	3	Vertical	174	1.45	-
AV	5.5024G	114.55	Inf	-Inf	8.52	3	Vertical	174	1.45	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

5500MHz\_TX




EUT\_Z\_4TX  
Setting 22.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4544G	65.79	74.00	-8.21	8.44	3	Horizontal	186	2.27	-
AV	5.4538G	51.89	54.00	-2.11	8.44	3	Horizontal	186	2.27	-
PK	5.47G	67.36	68.20	-0.84	8.46	3	Horizontal	186	2.27	-
PK	5.4952G	127.37	Inf	-Inf	8.51	3	Horizontal	186	2.27	-
AV	5.494G	114.81	Inf	-Inf	8.51	3	Horizontal	186	2.27	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

5580MHz\_TX



EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4488G	60.19	74.00	-13.81	8.42	3	Vertical	194	1.71	-
AV	5.3856G	47.47	54.00	-6.53	8.32	3	Vertical	194	1.71	-
PK	5.468G	59.44	68.20	-8.76	8.46	3	Vertical	194	1.71	-
PK	5.5848G	129.05	Inf	-Inf	8.57	3	Vertical	194	1.71	-
AV	5.5856G	116.76	Inf	-Inf	8.57	3	Vertical	194	1.71	-
PK	5.756G	59.62	68.20	-8.58	8.83	3	Vertical	194	1.71	-



802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

5580MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4312G	61.13	74.00	-12.87	8.40	3	Horizontal	193	1.73	-
AV	5.3896G	47.29	54.00	-6.71	8.33	3	Horizontal	193	1.73	-
PK	5.4696G	60.98	68.20	-7.22	8.46	3	Horizontal	193	1.73	-
PK	5.576G	129.72	Inf	-Inf	8.57	3	Horizontal	193	1.73	-
AV	5.576G	117.68	Inf	-Inf	8.57	3	Horizontal	193	1.73	-
PK	5.7568G	60.03	68.20	-8.17	8.83	3	Horizontal	193	1.73	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

5700MHz\_TX




EUT Z\_4TX  
Setting 22  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6994G	124.70	Inf	-Inf	8.75	3	Vertical	191	1.49	-
AV	5.6982G	111.84	Inf	-Inf	8.75	3	Vertical	191	1.49	-
PK	5.7258G	68.17	68.20	-0.03	8.79	3	Vertical	191	1.49	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

### 5700MHz\_TX




EUT\_Z\_4TX  
Setting 22  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6982G	124.43	Inf	-Inf	8.75	3	Horizontal	179	2.25	-
AV	5.6976G	111.91	Inf	-Inf	8.75	3	Horizontal	179	2.25	-
PK	5.7264G	68.12	68.20	-0.08	8.79	3	Horizontal	179	2.25	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4284G	60.28	74.00	-13.72	8.40	3	Vertical	192	1.53	-
PK	5.462G	60.70	68.20	-7.50	8.45	3	Vertical	192	1.53	-
AV	5.4476G	46.92	54.00	-7.08	8.42	3	Vertical	192	1.53	-
PK	5.7224G	126.29	Inf	-Inf	8.78	3	Vertical	192	1.53	-
AV	5.7212G	113.69	Inf	-Inf	8.78	3	Vertical	192	1.53	-
PK	5.9276G	59.71	68.20	-8.49	8.93	3	Vertical	192	1.53	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
 Setting 27  
 02-J-5-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4344G	59.96	74.00	-14.04	8.40	3	Horizontal	202	2.35	-
AV	5.4452G	46.98	54.00	-7.02	8.42	3	Horizontal	202	2.35	-
PK	5.4656G	59.00	68.20	-9.20	8.46	3	Horizontal	202	2.35	-
PK	5.714G	128.19	Inf	-Inf	8.77	3	Horizontal	202	2.35	-
AV	5.714G	116.19	Inf	-Inf	8.77	3	Horizontal	202	2.35	-
PK	5.9288G	59.16	68.20	-9.04	8.93	3	Horizontal	202	2.35	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5270MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1482G	59.79	74.00	-14.21	7.94	3	Vertical	185	2.15	-
AV	5.1458G	46.81	54.00	-7.19	7.94	3	Vertical	185	2.15	-
PK	5.2652G	125.63	Inf	-Inf	8.16	3	Vertical	185	2.15	-
AV	5.2658G	113.14	Inf	-Inf	8.16	3	Vertical	185	2.15	-
PK	5.35G	65.94	74.00	-8.06	8.28	3	Vertical	185	2.15	-
AV	5.35G	52.17	54.00	-1.83	8.28	3	Vertical	185	2.15	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5270MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	59.74	74.00	-14.26	7.94	3	Horizontal	181	2.30	-
AV	5.1464G	46.85	54.00	-7.15	7.94	3	Horizontal	181	2.30	-
PK	5.2658G	126.02	Inf	-Inf	8.16	3	Horizontal	181	2.30	-
AV	5.2664G	113.64	Inf	-Inf	8.16	3	Horizontal	181	2.30	-
PK	5.3576G	66.65	74.00	-7.35	8.28	3	Horizontal	181	2.30	-
AV	5.35G	53.42	54.00	-0.58	8.28	3	Horizontal	181	2.30	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5310MHz\_TX



EUT\_Z\_4TX  
Setting 20  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3184G	121.56	Inf	-Inf	8.23	3	Vertical	173	2.17	-
AV	5.2992G	108.64	Inf	-Inf	8.21	3	Vertical	173	2.17	-
PK	5.3586G	65.67	74.00	-8.33	8.28	3	Vertical	173	2.17	-
AV	5.3592G	52.92	54.00	-1.08	8.29	3	Vertical	173	2.17	-



802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5310MHz\_TX




EUT Z\_4TX  
Setting 20  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3082G	122.30	Inf	-Inf	8.22	3	Horizontal	185	1.70	-
AV	5.3082G	109.05	Inf	-Inf	8.22	3	Horizontal	185	1.70	-
PK	5.35G	65.35	74.00	-8.65	8.28	3	Horizontal	185	1.70	-
AV	5.35G	53.75	54.00	-0.25	8.28	3	Horizontal	185	1.70	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5510MHz\_TX




EUT\_Z\_4TX  
Setting 20  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	63.86	74.00	-10.14	8.44	3	Vertical	174	1.56	-
AV	5.456G	51.62	54.00	-2.38	8.44	3	Vertical	174	1.56	-
PK	5.4686G	62.54	68.20	-5.66	8.46	3	Vertical	174	1.56	-
PK	5.516G	122.91	Inf	-Inf	8.53	3	Vertical	174	1.56	-
AV	5.516G	109.20	Inf	-Inf	8.53	3	Vertical	174	1.56	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5510MHz\_TX




EUT\_Z\_4TX  
Setting 20  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4464G	64.29	74.00	-9.71	8.42	3	Horizontal	190	2.26	-
AV	5.4464G	51.04	54.00	-2.96	8.42	3	Horizontal	190	2.26	-
PK	5.4668G	67.83	68.20	-0.37	8.46	3	Horizontal	190	2.26	-
PK	5.5064G	121.69	Inf	-Inf	8.52	3	Horizontal	190	2.26	-
AV	5.5064G	109.84	Inf	-Inf	8.52	3	Horizontal	190	2.26	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5550MHz\_TX




EUT\_Z\_4TX  
Setting 23.5  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.454G	66.07	74.00	-7.93	8.44	3	Vertical	168	2.17	-
AV	5.4534G	50.75	54.00	-3.25	8.44	3	Vertical	168	2.17	-
PK	5.4684G	65.11	68.20	-3.09	8.46	3	Vertical	168	2.17	-
PK	5.5536G	124.61	Inf	-Inf	8.55	3	Vertical	168	2.17	-
AV	5.5542G	112.00	Inf	-Inf	8.55	3	Vertical	168	2.17	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5550MHz\_TX




EUT\_Z\_4TX  
Setting 23.5  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4432G	63.28	74.00	-10.72	8.42	3	Horizontal	191	2.44	-
AV	5.4432G	49.71	54.00	-4.29	8.42	3	Horizontal	191	2.44	-
PK	5.4618G	67.53	68.20	-0.67	8.45	3	Horizontal	191	2.44	-
PK	5.544G	125.43	Inf	-Inf	8.55	3	Horizontal	191	2.44	-
AV	5.544G	112.74	Inf	-Inf	8.55	3	Horizontal	191	2.44	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5670MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6628G	120.48	Inf	-Inf	8.69	3	Vertical	182	1.98	-
AV	5.6628G	107.16	Inf	-Inf	8.69	3	Vertical	182	1.98	-
PK	5.7252G	64.24	68.20	-3.96	8.79	3	Vertical	182	1.98	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5670MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6616G	122.66	Inf	-Inf	8.69	3	Horizontal	178	2.16	-
AV	5.6616G	109.88	Inf	-Inf	8.69	3	Horizontal	178	2.16	-
PK	5.7252G	66.70	68.20	-1.50	8.79	3	Horizontal	178	2.16	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX  
Setting 26  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.434G	60.37	74.00	-13.63	8.40	3	Vertical	189	2.69	-
AV	5.434G	46.97	54.00	-7.03	8.40	3	Vertical	189	2.69	-
PK	5.4664G	59.56	68.20	-8.64	8.46	3	Vertical	189	2.69	-
PK	5.698G	124.49	Inf	-Inf	8.75	3	Vertical	189	2.69	-
AV	5.698G	112.74	Inf	-Inf	8.75	3	Vertical	189	2.69	-
PK	5.8612G	65.58	68.20	-2.62	8.91	3	Vertical	189	2.69	-



802.11ax HEW40\_Nss1,(MCS0)\_4TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 26  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4436G	60.41	74.00	-13.59	8.42	3	Horizontal	189	2.24	-
AV	5.4136G	47.10	54.00	-6.90	8.36	3	Horizontal	189	2.24	-
PK	5.4628G	59.38	68.20	-8.82	8.45	3	Horizontal	189	2.24	-
PK	5.7028G	126.85	Inf	-Inf	8.75	3	Horizontal	189	2.24	-
AV	5.704G	114.02	Inf	-Inf	8.76	3	Horizontal	189	2.24	-
PK	5.854G	65.31	68.20	-2.89	8.90	3	Horizontal	189	2.24	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

18/07/2019

5290MHz\_TX




EUT\_Z\_4TX  
Setting 20  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.123G	59.71	74.00	-14.29	7.89	3	Vertical	194	2.40	-
AV	5.136G	46.75	54.00	-7.25	7.92	3	Vertical	194	2.40	-
PK	5.276G	119.70	Inf	-Inf	8.17	3	Vertical	194	2.40	-
AV	5.296G	106.30	Inf	-Inf	8.21	3	Vertical	194	2.40	-
PK	5.376G	66.58	74.00	-7.42	8.31	3	Vertical	194	2.40	-
AV	5.356G	53.66	54.00	-0.34	8.28	3	Vertical	194	2.40	-
PK	5.501G	60.41	68.20	-7.79	8.52	3	Vertical	194	2.40	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

18/07/2019

5290MHz\_TX




EUT\_Z\_4TX  
Setting 20  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.116G	59.05	74.00	-14.95	7.87	3	Horizontal	193	2.40	-
AV	5.136G	46.71	54.00	-7.29	7.92	3	Horizontal	193	2.40	-
PK	5.296G	118.31	Inf	-Inf	8.21	3	Horizontal	193	2.40	-
AV	5.296G	106.43	Inf	-Inf	8.21	3	Horizontal	193	2.40	-
PK	5.376G	66.62	74.00	-7.38	8.31	3	Horizontal	193	2.40	-
AV	5.356G	53.34	54.00	-0.66	8.28	3	Horizontal	193	2.40	-
PK	5.535G	60.23	68.20	-7.97	8.54	3	Horizontal	193	2.40	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

18/07/2019

5530MHz\_TX




EUT\_Z\_4TX  
Setting 19  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.347G	59.10	68.20	-9.10	8.27	3	Vertical	176	2.08	-
PK	5.455G	66.99	74.00	-7.01	8.44	3	Vertical	176	2.08	-
AV	5.453G	52.70	54.00	-1.30	8.44	3	Vertical	176	2.08	-
PK	5.461G	62.38	68.20	-5.82	8.45	3	Vertical	176	2.08	-
PK	5.534G	117.20	Inf	-Inf	8.54	3	Vertical	176	2.08	-
AV	5.533G	104.51	Inf	-Inf	8.54	3	Vertical	176	2.08	-
PK	5.728G	59.39	68.20	-8.81	8.80	3	Vertical	176	2.08	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

18/07/2019

5530MHz\_TX




EUT\_Z\_4TX  
Setting 19  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.311G	58.31	68.20	-9.89	8.22	3	Horizontal	191	2.57	-
PK	5.444G	64.38	74.00	-9.62	8.42	3	Horizontal	191	2.57	-
AV	5.443G	52.19	54.00	-1.81	8.42	3	Horizontal	191	2.57	-
PK	5.462G	67.94	68.20	-0.26	8.45	3	Horizontal	191	2.57	-
PK	5.524G	118.38	Inf	-Inf	8.53	3	Horizontal	191	2.57	-
AV	5.523G	105.31	Inf	-Inf	8.53	3	Horizontal	191	2.57	-
PK	5.751G	59.66	68.20	-8.54	8.83	3	Horizontal	191	2.57	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

18/07/2019

5610MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.44G	60.95	74.00	-13.05	8.41	3	Vertical	182	1.63	-
AV	5.452G	47.79	54.00	-6.21	8.44	3	Vertical	182	1.63	-
PK	5.465G	62.74	68.20	-5.46	8.45	3	Vertical	182	1.63	-
PK	5.613G	118.21	Inf	-Inf	8.61	3	Vertical	182	1.63	-
AV	5.613G	106.07	Inf	-Inf	8.61	3	Vertical	182	1.63	-
PK	5.734G	66.07	68.20	-2.13	8.80	3	Vertical	182	1.63	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

18/07/2019

5610MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.443G	60.29	74.00	-13.71	8.42	3	Horizontal	186	1.58	-
AV	5.46G	47.57	54.00	-6.43	8.45	3	Horizontal	186	1.58	-
PK	5.47G	61.34	68.20	-6.86	8.46	3	Horizontal	186	1.58	-
PK	5.622G	117.73	Inf	-Inf	8.61	3	Horizontal	186	1.58	-
AV	5.603G	105.59	Inf	-Inf	8.58	3	Horizontal	186	1.58	-
PK	5.726G	66.09	68.20	-2.11	8.79	3	Horizontal	186	1.58	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4128G	59.61	74.00	-14.39	8.36	3	Vertical	176	1.36	-
AV	5.4596G	47.43	54.00	-6.57	8.45	3	Vertical	176	1.36	-
PK	5.4692G	60.31	68.20	-7.89	8.46	3	Vertical	176	1.36	-
PK	5.6948G	120.05	Inf	-Inf	8.74	3	Vertical	176	1.36	-
AV	5.6756G	107.10	Inf	-Inf	8.72	3	Vertical	176	1.36	-
PK	5.85G	67.45	68.20	-0.75	8.90	3	Vertical	176	1.36	-



802.11ax HEW80\_Nss1,(MCS0)\_4TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4524G	60.77	74.00	-13.23	8.44	3	Horizontal	176	2.17	-
AV	5.4596G	48.23	54.00	-5.77	8.45	3	Horizontal	176	2.17	-
PK	5.468G	60.84	68.20	-7.36	8.46	3	Horizontal	176	2.17	-
PK	5.7008G	121.67	Inf	-Inf	8.75	3	Horizontal	176	2.17	-
AV	5.6816G	108.98	Inf	-Inf	8.72	3	Horizontal	176	2.17	-
PK	5.8616G	65.26	68.20	-2.94	8.91	3	Horizontal	176	2.17	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4692G	66.84	68.20	-1.36	8.46	3	Vertical	189	1.41	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5260MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1226G	58.15	74.00	-15.85	7.88	3	Vertical	184	1.51	-
AV	5.1346G	45.64	54.00	-8.36	7.92	3	Vertical	184	1.51	-
PK	5.2648G	120.72	Inf	-Inf	8.16	3	Vertical	184	1.51	-
AV	5.2672G	108.57	Inf	-Inf	8.16	3	Vertical	184	1.51	-
PK	5.3608G	59.33	74.00	-14.67	8.29	3	Vertical	184	1.51	-
AV	5.3638G	47.16	54.00	-6.84	8.29	3	Vertical	184	1.51	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5260MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.128G	58.52	74.00	-15.48	7.91	3	Horizontal	193	1.38	-
AV	5.1214G	45.66	54.00	-8.34	7.88	3	Horizontal	193	1.38	-
PK	5.2552G	120.22	Inf	-Inf	8.15	3	Horizontal	193	1.38	-
AV	5.2624G	107.23	Inf	-Inf	8.15	3	Horizontal	193	1.38	-
PK	5.3512G	59.49	74.00	-14.51	8.28	3	Horizontal	193	1.38	-
AV	5.3524G	47.23	54.00	-6.77	8.28	3	Horizontal	193	1.38	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5300MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3006G	121.29	Inf	-Inf	8.21	3	Vertical	170	1.20	-
AV	5.2994G	109.39	Inf	-Inf	8.21	3	Vertical	170	1.20	-
PK	5.3708G	58.91	74.00	-15.09	8.30	3	Vertical	170	1.20	-
AV	5.3948G	46.96	54.00	-7.04	8.33	3	Vertical	170	1.20	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5300MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3078G	119.64	Inf	-Inf	8.22	3	Horizontal	194	2.74	-
AV	5.3084G	108.20	Inf	-Inf	8.22	3	Horizontal	194	2.74	-
PK	5.3924G	58.89	74.00	-15.11	8.33	3	Horizontal	194	2.74	-
AV	5.4044G	46.52	54.00	-7.48	8.35	3	Horizontal	194	2.74	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5320MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3248G	116.23	Inf	-Inf	8.24	3	Vertical	167	1.16	-
AV	5.324G	104.50	Inf	-Inf	8.24	3	Vertical	167	1.16	-
PK	5.35G	59.19	74.00	-14.81	8.28	3	Vertical	167	1.16	-
AV	5.3504G	46.72	54.00	-7.28	8.28	3	Vertical	167	1.16	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5320MHz\_TX



EUT\_Z\_4TX  
Setting 24  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3184G	117.47	Inf	-Inf	8.23	3	Horizontal	168	2.70	-
AV	5.3164G	104.67	Inf	-Inf	8.23	3	Horizontal	168	2.70	-
PK	5.3732G	58.69	74.00	-15.31	8.30	3	Horizontal	168	2.70	-
AV	5.4124G	46.33	54.00	-7.67	8.36	3	Horizontal	168	2.70	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5500MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4514G	59.91	74.00	-14.09	8.44	3	Vertical	188	1.58	-
AV	5.4592G	47.55	54.00	-6.45	8.45	3	Vertical	188	1.58	-
PK	5.4694G	64.43	68.20	-3.77	8.46	3	Vertical	188	1.58	-
PK	5.503G	122.00	Inf	-Inf	8.52	3	Vertical	188	1.58	-
AV	5.4982G	109.53	Inf	-Inf	8.52	3	Vertical	188	1.58	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5500MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4598G	60.22	74.00	-13.78	8.45	3	Horizontal	199	2.35	-
AV	5.4598G	47.99	54.00	-6.01	8.45	3	Horizontal	199	2.35	-
PK	5.47G	64.12	68.20	-4.08	8.46	3	Horizontal	199	2.35	-
PK	5.5072G	121.67	Inf	-Inf	8.52	3	Horizontal	199	2.35	-
AV	5.5084G	109.25	Inf	-Inf	8.53	3	Horizontal	199	2.35	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5580MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	58.66	74.00	-15.34	8.45	3	Vertical	195	1.47	-
AV	5.392G	46.23	54.00	-7.77	8.33	3	Vertical	195	1.47	-
PK	5.4672G	57.33	68.20	-10.87	8.46	3	Vertical	195	1.47	-
PK	5.5784G	121.93	Inf	-Inf	8.57	3	Vertical	195	1.47	-
AV	5.5824G	109.41	Inf	-Inf	8.57	3	Vertical	195	1.47	-
PK	5.7624G	59.15	68.20	-9.05	8.85	3	Vertical	195	1.47	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5580MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.416G	58.37	74.00	-15.63	8.36	3	Horizontal	189	2.78	-
AV	5.436G	46.27	54.00	-7.73	8.41	3	Horizontal	189	2.78	-
PK	5.4608G	58.28	68.20	-9.92	8.45	3	Horizontal	189	2.78	-
PK	5.5816G	122.11	Inf	-Inf	8.57	3	Horizontal	189	2.78	-
AV	5.5768G	109.39	Inf	-Inf	8.57	3	Horizontal	189	2.78	-
PK	5.772G	58.78	68.20	-9.42	8.85	3	Horizontal	189	2.78	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6982G	120.65	Inf	-Inf	8.75	3	Vertical	181	1.11	-
AV	5.699G	108.05	Inf	-Inf	8.75	3	Vertical	181	1.11	-
PK	5.7252G	60.68	68.20	-7.52	8.79	3	Vertical	181	1.11	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
 Setting 24  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7042G	122.01	Inf	-Inf	8.76	3	Horizontal	194	2.56	-
AV	5.7044G	108.81	Inf	-Inf	8.76	3	Horizontal	194	2.56	-
PK	5.7252G	61.97	68.20	-6.23	8.79	3	Horizontal	194	2.56	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4428G	58.41	74.00	-15.59	8.42	3	Vertical	168	1.52	-
AV	5.4584G	45.86	54.00	-8.14	8.45	3	Vertical	168	1.52	-
PK	5.4656G	57.66	68.20	-10.54	8.46	3	Vertical	168	1.52	-
PK	5.7212G	121.17	Inf	-Inf	8.78	3	Vertical	168	1.52	-
AV	5.7236G	107.41	Inf	-Inf	8.78	3	Vertical	168	1.52	-
PK	5.9036G	58.60	68.20	-9.60	8.92	3	Vertical	168	1.52	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4368G	58.70	74.00	-15.30	8.41	3	Horizontal	187	2.79	-
AV	5.4248G	45.91	54.00	-8.09	8.38	3	Horizontal	187	2.79	-
PK	5.4644G	57.88	68.20	-10.32	8.45	3	Horizontal	187	2.79	-
PK	5.7176G	118.26	Inf	-Inf	8.77	3	Horizontal	187	2.79	-
AV	5.7116G	107.13	Inf	-Inf	8.78	3	Horizontal	187	2.79	-
PK	5.87G	58.77	68.20	-9.43	8.91	3	Horizontal	187	2.79	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5270MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.138G	57.89	74.00	-16.11	7.92	3	Vertical	185	1.48	-
AV	5.1416G	45.91	54.00	-8.09	7.94	3	Vertical	185	1.48	-
PK	5.2724G	119.39	Inf	-Inf	8.17	3	Vertical	185	1.48	-
AV	5.2676G	107.72	Inf	-Inf	8.16	3	Vertical	185	1.48	-
PK	5.399G	59.57	74.00	-14.43	8.34	3	Vertical	185	1.48	-
AV	5.3762G	47.29	54.00	-6.71	8.31	3	Vertical	185	1.48	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5270MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	58.05	74.00	-15.95	7.94	3	Horizontal	191	2.80	-
AV	5.1452G	45.94	54.00	-8.06	7.94	3	Horizontal	191	2.80	-
PK	5.276G	118.67	Inf	-Inf	8.17	3	Horizontal	191	2.80	-
AV	5.2598G	106.15	Inf	-Inf	8.15	3	Horizontal	191	2.80	-
PK	5.3744G	58.97	74.00	-15.03	8.30	3	Horizontal	191	2.80	-
AV	5.369G	46.91	54.00	-7.09	8.30	3	Horizontal	191	2.80	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5310MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.304G	119.10	Inf	-Inf	8.21	3	Vertical	169	1.13	-
AV	5.3034G	106.30	Inf	-Inf	8.21	3	Vertical	169	1.13	-
PK	5.3514G	62.26	74.00	-11.74	8.28	3	Vertical	169	1.13	-
AV	5.3526G	48.83	54.00	-5.17	8.28	3	Vertical	169	1.13	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5310MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3148G	117.75	Inf	-Inf	8.23	3	Horizontal	191	2.80	-
AV	5.3196G	105.73	Inf	-Inf	8.23	3	Horizontal	191	2.80	-
PK	5.3598G	61.29	74.00	-12.71	8.29	3	Horizontal	191	2.80	-
AV	5.355G	48.10	54.00	-5.90	8.28	3	Horizontal	191	2.80	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5510MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	63.01	74.00	-10.99	8.45	3	Vertical	189	1.41	-
AV	5.46G	50.87	54.00	-3.13	8.45	3	Vertical	189	1.41	-
PK	5.4692G	66.84	68.20	-1.36	8.46	3	Vertical	189	1.41	-
PK	5.513G	119.94	Inf	-Inf	8.53	3	Vertical	189	1.41	-
AV	5.5148G	108.17	Inf	-Inf	8.53	3	Vertical	189	1.41	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5510MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	63.29	74.00	-10.71	8.45	3	Horizontal	199	2.45	-
AV	5.4596G	51.03	54.00	-2.97	8.45	3	Horizontal	199	2.45	-
PK	5.4692G	64.18	68.20	-4.02	8.46	3	Horizontal	199	2.45	-
PK	5.5076G	119.91	Inf	-Inf	8.52	3	Horizontal	199	2.45	-
AV	5.5058G	107.68	Inf	-Inf	8.52	3	Horizontal	199	2.45	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5550MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4468G	59.56	74.00	-14.44	8.42	3	Vertical	171	1.07	-
AV	5.4486G	47.07	54.00	-6.93	8.42	3	Vertical	171	1.07	-
PK	5.4654G	58.52	68.20	-9.68	8.46	3	Vertical	171	1.07	-
PK	5.553G	119.47	Inf	-Inf	8.55	3	Vertical	171	1.07	-
AV	5.5518G	107.22	Inf	-Inf	8.55	3	Vertical	171	1.07	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5550MHz\_TX



EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4252G	58.76	74.00	-15.24	8.39	3	Horizontal	180	1.77	-
AV	5.445G	46.76	54.00	-7.24	8.42	3	Horizontal	180	1.77	-
PK	5.4648G	58.67	68.20	-9.53	8.45	3	Horizontal	180	1.77	-
PK	5.5572G	118.82	Inf	-Inf	8.55	3	Horizontal	180	1.77	-
AV	5.5602G	105.75	Inf	-Inf	8.56	3	Horizontal	180	1.77	-



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5670MHz\_TX




EUT Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6706G	118.14	Inf	-Inf	8.70	3	Vertical	170	1.08	-
AV	5.6712G	105.48	Inf	-Inf	8.70	3	Vertical	170	1.08	-
PK	5.7636G	59.84	68.20	-8.36	8.84	3	Vertical	170	1.08	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5670MHz\_TX




EUT Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6724G	119.95	Inf	-Inf	8.70	3	Horizontal	196	2.70	-
AV	5.6652G	107.92	Inf	-Inf	8.69	3	Horizontal	196	2.70	-
PK	5.7318G	60.34	68.20	-7.86	8.80	3	Horizontal	196	2.70	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4412G	58.73	74.00	-15.27	8.41	3	Vertical	176	1.31	-
AV	5.4328G	46.08	54.00	-7.92	8.40	3	Vertical	176	1.31	-
PK	5.4652G	57.59	68.20	-10.61	8.45	3	Vertical	176	1.31	-
PK	5.722G	117.25	Inf	-Inf	8.78	3	Vertical	176	1.31	-
AV	5.7136G	105.33	Inf	-Inf	8.77	3	Vertical	176	1.31	-
PK	5.9164G	58.79	68.20	-9.41	8.93	3	Vertical	176	1.31	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4556G	58.31	74.00	-15.69	8.44	3	Horizontal	187	2.57	-
AV	5.4292G	46.24	54.00	-7.76	8.40	3	Horizontal	187	2.57	-
PK	5.4616G	57.97	68.20	-10.23	8.45	3	Horizontal	187	2.57	-
PK	5.7052G	118.29	Inf	-Inf	8.76	3	Horizontal	187	2.57	-
AV	5.7052G	106.52	Inf	-Inf	8.76	3	Horizontal	187	2.57	-
PK	5.9152G	59.42	68.20	-8.78	8.93	3	Horizontal	187	2.57	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5290MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.112G	59.10	74.00	-14.90	7.86	3	Vertical	188	1.47	-
AV	5.14G	45.98	54.00	-8.02	7.93	3	Vertical	188	1.47	-
PK	5.275G	116.68	Inf	-Inf	8.17	3	Vertical	188	1.47	-
AV	5.278G	103.85	Inf	-Inf	8.17	3	Vertical	188	1.47	-
PK	5.368G	61.75	74.00	-12.25	8.29	3	Vertical	188	1.47	-
AV	5.353G	48.72	54.00	-5.28	8.28	3	Vertical	188	1.47	-
PK	5.523G	58.76	68.20	-9.44	8.53	3	Vertical	188	1.47	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5290MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.141G	58.46	74.00	-15.54	7.94	3	Horizontal	195	2.33	-
AV	5.07G	46.11	54.00	-7.89	7.76	3	Horizontal	195	2.33	-
PK	5.301G	114.73	Inf	-Inf	8.21	3	Horizontal	195	2.33	-
AV	5.305G	101.66	Inf	-Inf	8.22	3	Horizontal	195	2.33	-
PK	5.361G	64.42	74.00	-9.58	8.29	3	Horizontal	195	2.33	-
AV	5.352G	49.46	54.00	-4.54	8.28	3	Horizontal	195	2.33	-
PK	5.512G	58.80	68.20	-9.40	8.53	3	Horizontal	195	2.33	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5530MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.291G	58.98	68.20	-9.22	8.20	3	Vertical	189	1.07	-
PK	5.459G	61.95	74.00	-12.05	8.45	3	Vertical	189	1.07	-
AV	5.44G	48.66	54.00	-5.34	8.41	3	Vertical	189	1.07	-
PK	5.462G	64.87	68.20	-3.33	8.45	3	Vertical	189	1.07	-
PK	5.537G	116.39	Inf	-Inf	8.54	3	Vertical	189	1.07	-
AV	5.528G	104.13	Inf	-Inf	8.54	3	Vertical	189	1.07	-
PK	5.744G	59.07	68.20	-9.13	8.82	3	Vertical	189	1.07	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5530MHz\_TX



EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.313G	58.38	68.20	-9.82	8.22	3	Horizontal	176	1.78	-
PK	5.458G	61.56	74.00	-12.44	8.45	3	Horizontal	176	1.78	-
AV	5.459G	48.02	54.00	-5.98	8.45	3	Horizontal	176	1.78	-
PK	5.462G	62.72	68.20	-5.48	8.45	3	Horizontal	176	1.78	-
PK	5.507G	116.12	Inf	-Inf	8.52	3	Horizontal	176	1.78	-
AV	5.493G	102.76	Inf	-Inf	8.51	3	Horizontal	176	1.78	-
PK	5.732G	59.48	68.20	-8.72	8.80	3	Horizontal	176	1.78	-



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5610MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.451G	59.10	74.00	-14.90	8.44	3	Vertical	180	1.48	-
AV	5.448G	46.32	54.00	-7.68	8.42	3	Vertical	180	1.48	-
PK	5.461G	57.88	68.20	-10.32	8.45	3	Vertical	180	1.48	-
PK	5.586G	116.82	Inf	-Inf	8.57	3	Vertical	180	1.48	-
AV	5.583G	103.31	Inf	-Inf	8.57	3	Vertical	180	1.48	-
PK	5.73G	60.99	68.20	-7.21	8.80	3	Vertical	180	1.48	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5610MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.431G	58.69	74.00	-15.31	8.40	3	Horizontal	189	1.13	-
AV	5.439G	46.61	54.00	-7.39	8.41	3	Horizontal	189	1.13	-
PK	5.468G	58.44	68.20	-9.76	8.46	3	Horizontal	189	1.13	-
PK	5.585G	116.75	Inf	-Inf	8.57	3	Horizontal	189	1.13	-
AV	5.581G	103.38	Inf	-Inf	8.57	3	Horizontal	189	1.13	-
PK	5.73G	59.75	68.20	-8.45	8.80	3	Horizontal	189	1.13	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4308G	59.41	74.00	-14.59	8.40	3	Vertical	166	1.71	-
AV	5.4212G	46.35	54.00	-7.65	8.38	3	Vertical	166	1.71	-
PK	5.4692G	57.60	68.20	-10.60	8.46	3	Vertical	166	1.71	-
PK	5.6828G	113.33	Inf	-Inf	8.73	3	Vertical	166	1.71	-
AV	5.69G	101.16	Inf	-Inf	8.73	3	Vertical	166	1.71	-
PK	5.9792G	59.08	68.20	-9.12	8.94	3	Vertical	166	1.71	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.444G	58.29	74.00	-15.71	8.42	3	Horizontal	192	2.69	-
AV	5.4068G	45.99	54.00	-8.01	8.35	3	Horizontal	192	2.69	-
PK	5.4632G	58.10	68.20	-10.10	8.45	3	Horizontal	192	2.69	-
PK	5.7044G	115.18	Inf	-Inf	8.76	3	Horizontal	192	2.69	-
AV	5.7056G	103.07	Inf	-Inf	8.76	3	Horizontal	192	2.69	-
PK	5.8832G	58.76	68.20	-9.44	8.92	3	Horizontal	192	2.69	-



## RSE TX above 1GHz Result\_Radiated Emission / Antenna Set 6 Appendix E.30


### Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	11.43976G	42.63	54.00	-11.37	14.82	3	Vertical	243	2.09	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.76722G	54.17	74.00	-19.83	15.47	3	Vertical	222	2.55	-
AV	15.77538G	40.79	54.00	-13.21	15.45	3	Vertical	222	2.55	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.77724G	53.98	74.00	-20.02	15.45	3	Horizontal	123	2.35	-
AV	15.77106G	40.45	54.00	-13.55	15.45	3	Horizontal	123	2.35	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5300MHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.90408G	54.00	74.00	-20.00	15.12	3	Vertical	181	2.03	-
AV	15.90438G	40.83	54.00	-13.17	15.12	3	Vertical	181	2.03	-



### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.8883G	53.41	74.00	-20.59	15.15	3	Horizontal	202	2.06	-
AV	15.9018G	40.03	54.00	-13.97	15.12	3	Horizontal	202	2.06	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.966G	54.48	74.00	-19.52	14.95	3	Vertical	153	1.97	-
AV	15.96708G	40.55	54.00	-13.45	14.95	3	Vertical	153	1.97	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.94758G	53.09	74.00	-20.91	14.99	3	Horizontal	191	2.01	-
AV	15.96396G	39.70	54.00	-14.30	14.95	3	Horizontal	191	2.01	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01056G	52.92	74.00	-21.08	14.28	3	Vertical	31	1.50	-
AV	11.00414G	39.33	54.00	-14.67	14.26	3	Vertical	31	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.98908G	52.24	74.00	-21.76	14.27	3	Horizontal	231	1.38	-
AV	11.01482G	39.39	54.00	-14.61	14.28	3	Horizontal	231	1.38	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1648G	55.12	74.00	-18.88	14.47	3	Vertical	147	2.21	-
AV	11.16348G	41.95	54.00	-12.05	14.47	3	Vertical	147	2.21	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1567G	52.74	74.00	-21.26	14.46	3	Horizontal	322	1.19	-
AV	11.17122G	39.44	54.00	-14.56	14.48	3	Horizontal	322	1.19	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5700MHz\_TX



EUT\_Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39436G	55.31	74.00	-18.69	14.77	3	Vertical	205	2.74	-
AV	11.39262G	41.47	54.00	-12.53	14.76	3	Vertical	205	2.74	-



### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39484G	53.46	74.00	-20.54	14.77	3	Horizontal	311	1.50	-
AV	11.38884G	40.00	54.00	-14.00	14.76	3	Horizontal	311	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.44138G	55.91	74.00	-18.09	14.82	3	Vertical	243	2.09	-
AV	11.43976G	42.63	54.00	-11.37	14.82	3	Vertical	243	2.09	-

### 802.11a\_Nss1,(6Mbps)\_4TX

15/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42542G	53.40	74.00	-20.60	14.81	3	Horizontal	171	1.68	-
AV	11.44264G	40.31	54.00	-13.69	14.82	3	Horizontal	171	1.68	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.77946G	53.61	74.00	-20.39	15.44	3	Vertical	220	1.59	-
AV	15.76512G	40.18	54.00	-13.82	15.47	3	Vertical	220	1.59	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

5260MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7695G	54.21	74.00	-19.79	15.46	3	Horizontal	301	1.79	-
AV	15.7671G	40.01	54.00	-13.99	15.47	3	Horizontal	301	1.79	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.888G	53.37	74.00	-20.63	15.15	3	Vertical	190	2.32	-
AV	15.88728G	39.77	54.00	-14.23	15.16	3	Vertical	190	2.32	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.90216G	53.20	74.00	-20.80	15.12	3	Horizontal	259	1.47	-
AV	15.89268G	39.15	54.00	-14.85	15.14	3	Horizontal	259	1.47	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

### 5320MHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9606G	55.92	74.00	-18.08	14.96	3	Vertical	190	2.02	-
AV	15.96042G	41.67	54.00	-12.33	14.96	3	Vertical	190	2.02	-



802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

5320MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.94848G	52.82	74.00	-21.18	14.99	3	Horizontal	257	2.03	-
AV	15.94512G	39.10	54.00	-14.90	15.00	3	Horizontal	257	2.03	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.98842G	52.84	74.00	-21.16	14.27	3	Vertical	226	1.80	-
AV	11.00984G	38.99	54.00	-15.01	14.28	3	Vertical	226	1.80	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0078G	52.77	74.00	-21.23	14.27	3	Horizontal	170	1.84	-
AV	11.00798G	38.88	54.00	-15.12	14.27	3	Horizontal	170	1.84	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

5580MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16156G	54.63	74.00	-19.37	14.47	3	Vertical	127	2.43	-
AV	11.16258G	40.98	54.00	-13.02	14.47	3	Vertical	127	2.43	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

5580MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.17284G	52.55	74.00	-21.45	14.48	3	Horizontal	180	1.67	-
AV	11.16522G	39.32	54.00	-14.68	14.47	3	Horizontal	180	1.67	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4063G	54.93	74.00	-19.07	14.79	3	Vertical	127	2.11	-
AV	11.40582G	41.36	54.00	-12.64	14.78	3	Vertical	127	2.11	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40432G	53.57	74.00	-20.43	14.77	3	Horizontal	207	1.77	-
AV	11.40114G	39.79	54.00	-14.21	14.77	3	Horizontal	207	1.77	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4436G	56.44	74.00	-17.56	14.83	3	Vertical	164	1.98	-
AV	11.4439G	41.90	54.00	-12.10	14.84	3	Vertical	164	1.98	-



802.11ax HEW20\_Nss1,(MCS0)\_4TX

15/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43118G	53.33	74.00	-20.67	14.81	3	Horizontal	142	1.87	-
AV	11.44072G	39.53	54.00	-14.47	14.82	3	Horizontal	142	1.87	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

### 5270MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.80418G	54.49	74.00	-19.51	15.38	3	Vertical	307	1.63	-
AV	15.79818G	40.33	54.00	-13.67	15.39	3	Vertical	307	1.63	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

5270MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.79608G	54.17	74.00	-19.83	15.39	3	Horizontal	46	2.23	-
AV	15.79776G	40.35	54.00	-13.65	15.39	3	Horizontal	46	2.23	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.62462G	53.34	74.00	-20.66	14.50	3	Vertical	337	2.42	-
AV	10.62356G	39.54	54.00	-14.46	14.50	3	Vertical	337	2.42	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.61746G	53.55	74.00	-20.45	14.50	3	Horizontal	143	1.87	-
AV	10.62088G	39.56	54.00	-14.44	14.51	3	Horizontal	143	1.87	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

### 5510MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.02852G	53.75	74.00	-20.25	14.30	3	Vertical	49	1.64	-
AV	11.02436G	39.38	54.00	-14.62	14.29	3	Vertical	49	1.64	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

5510MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01858G	53.71	74.00	-20.29	14.28	3	Horizontal	79	1.73	-
AV	11.01922G	39.31	54.00	-14.69	14.29	3	Horizontal	79	1.73	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

### 5550MHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0956G	53.83	74.00	-20.17	14.39	3	Vertical	88	1.47	-
AV	11.09686G	38.99	54.00	-15.01	14.39	3	Vertical	88	1.47	-



802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

5550MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.09982G	53.36	74.00	-20.64	14.39	3	Horizontal	271	1.80	-
AV	11.10006G	39.05	54.00	-14.95	14.39	3	Horizontal	271	1.80	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

### 5670MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.345G	52.77	74.00	-21.23	14.71	3	Vertical	278	1.07	-
AV	11.33996G	38.92	54.00	-15.08	14.70	3	Vertical	278	1.07	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

### 5670MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34256G	52.89	74.00	-21.11	14.70	3	Horizontal	200	1.23	-
AV	11.34836G	38.81	54.00	-15.19	14.71	3	Horizontal	200	1.23	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4156G	54.74	74.00	-19.26	14.79	3	Vertical	27	1.93	-
AV	11.42164G	39.67	54.00	-14.33	14.80	3	Vertical	27	1.93	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

15/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.422G	54.16	74.00	-19.84	14.80	3	Horizontal	142	1.77	-
AV	11.42344G	39.65	54.00	-14.35	14.80	3	Horizontal	142	1.77	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

15/07/2019

### 5290MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.8683G	53.69	74.00	-20.31	15.21	3	Vertical	248	2.13	-
AV	15.86658G	39.48	54.00	-14.52	15.22	3	Vertical	248	2.13	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

15/07/2019

### 5290MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.87498G	53.50	74.00	-20.50	15.19	3	Horizontal	294	1.69	-
AV	15.87032G	39.50	54.00	-14.50	15.21	3	Horizontal	294	1.69	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

15/07/2019

### 5530MHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.06118G	53.26	74.00	-20.74	14.34	3	Vertical	283	1.75	-
AV	11.06492G	39.09	54.00	-14.91	14.34	3	Vertical	283	1.75	-



802.11ax HEW80\_Nss1,(MCS0)\_4TX

15/07/2019

5530MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.06064G	53.26	74.00	-20.74	14.34	3	Horizontal	293	2.31	-
AV	11.06486G	39.06	54.00	-14.94	14.34	3	Horizontal	293	2.31	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

15/07/2019

### 5610MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.21974G	53.21	74.00	-20.79	14.55	3	Vertical	282	1.57	-
AV	11.22318G	38.85	54.00	-15.15	14.55	3	Vertical	282	1.57	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

15/07/2019

### 5610MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.2212G	52.82	74.00	-21.18	14.55	3	Horizontal	246	1.35	-
AV	11.22384G	38.90	54.00	-15.10	14.55	3	Horizontal	246	1.35	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

15/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.37688G	53.98	74.00	-20.02	14.74	3	Vertical	50	2.31	-
AV	11.3839G	39.48	54.00	-14.52	14.75	3	Vertical	50	2.31	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

15/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.37956G	53.96	74.00	-20.04	14.74	3	Horizontal	109	1.81	-
AV	11.38316G	39.47	54.00	-14.53	14.75	3	Horizontal	109	1.81	-



## RSE TX above 1GHz Result\_Radiated Emission / Antenna Set 6 Appendix E.31


### Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	15.77774G	41.33	54.00	-12.67	15.44	3	Vertical	231	1.32	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.778G	54.47	74.00	-19.53	15.44	3	Vertical	231	1.32	-
AV	15.77774G	41.33	54.00	-12.67	15.44	3	Vertical	231	1.32	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5260MHz\_TX



EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.78388G	54.63	74.00	-19.37	15.43	3	Horizontal	189	2.21	-
AV	15.7817G	41.28	54.00	-12.72	15.43	3	Horizontal	189	2.21	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.90044G	54.49	74.00	-19.51	15.13	3	Vertical	114	1.93	-
AV	15.90062G	40.51	54.00	-13.49	15.13	3	Vertical	114	1.93	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.89936G	54.17	74.00	-19.83	15.13	3	Horizontal	108	1.84	-
AV	15.8954G	40.53	54.00	-13.47	15.14	3	Horizontal	108	1.84	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.6432G	53.61	74.00	-20.39	14.49	3	Vertical	156	2.39	-
AV	10.64706G	40.05	54.00	-13.95	14.48	3	Vertical	156	2.39	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.64372G	53.83	74.00	-20.17	14.49	3	Horizontal	59	1.38	-
AV	10.64788G	40.03	54.00	-13.97	14.48	3	Horizontal	59	1.38	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.99792G	52.86	74.00	-21.14	14.26	3	Vertical	138	2.11	-
AV	10.99994G	39.86	54.00	-14.14	14.26	3	Vertical	138	2.11	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00228G	53.16	74.00	-20.84	14.26	3	Horizontal	117	2.27	-
AV	10.99896G	39.87	54.00	-14.13	14.26	3	Horizontal	117	2.27	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

5580MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16384G	53.37	74.00	-20.63	14.47	3	Vertical	215	1.12	-
AV	11.15856G	39.53	54.00	-14.47	14.46	3	Vertical	215	1.12	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5580MHz\_TX



EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.15636G	53.21	74.00	-20.79	14.46	3	Horizontal	279	1.75	-
AV	11.16062G	39.58	54.00	-14.42	14.47	3	Horizontal	279	1.75	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40636G	53.75	74.00	-20.25	14.79	3	Vertical	228	1.18	-
AV	11.40318G	40.36	54.00	-13.64	14.77	3	Vertical	228	1.18	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40874G	54.09	74.00	-19.91	14.79	3	Horizontal	212	1.74	-
AV	11.40312G	40.37	54.00	-13.63	14.77	3	Horizontal	212	1.74	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43726G	54.26	74.00	-19.74	14.82	3	Vertical	250	2.06	-
AV	11.4372G	40.56	54.00	-13.44	14.82	3	Vertical	250	2.06	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43984G	53.53	74.00	-20.47	14.82	3	Horizontal	54	1.89	-
AV	11.4414G	40.52	54.00	-13.48	14.82	3	Horizontal	54	1.89	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5270MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.80832G	54.17	74.00	-19.83	15.37	3	Vertical	139	1.95	-
AV	15.8077G	40.46	54.00	-13.54	15.37	3	Vertical	139	1.95	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5270MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.80718G	54.83	74.00	-19.17	15.37	3	Horizontal	208	1.08	-
AV	15.80984G	40.52	54.00	-13.48	15.36	3	Horizontal	208	1.08	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.62124G	53.69	74.00	-20.31	14.51	3	Vertical	180	2.43	-
AV	10.6222G	39.89	54.00	-14.11	14.50	3	Vertical	180	2.43	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5310MHz\_TX



EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.62286G	53.13	74.00	-20.87	14.50	3	Horizontal	196	2.39	-
AV	10.62108G	39.84	54.00	-14.16	14.51	3	Horizontal	196	2.39	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

5510MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.022G	53.50	74.00	-20.50	14.29	3	Vertical	91	1.54	-
AV	11.02316G	39.96	54.00	-14.04	14.29	3	Vertical	91	1.54	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5510MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0219G	52.97	74.00	-21.03	14.29	3	Horizontal	157	1.13	-
AV	11.02574G	40.14	54.00	-13.86	14.28	3	Horizontal	157	1.13	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5550MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.02228G	53.70	74.00	-20.30	14.29	3	Vertical	130	1.36	-
AV	11.02254G	39.94	54.00	-14.06	14.29	3	Vertical	130	1.36	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5550MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01818G	53.85	74.00	-20.15	14.28	3	Horizontal	298	2.37	-
AV	11.01944G	40.04	54.00	-13.96	14.29	3	Horizontal	298	2.37	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5670MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34044G	53.59	74.00	-20.41	14.70	3	Vertical	47	1.22	-
AV	11.34482G	39.35	54.00	-14.65	14.71	3	Vertical	47	1.22	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5670MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3478G	53.63	74.00	-20.37	14.70	3	Horizontal	107	1.59	-
AV	11.34132G	39.34	54.00	-14.66	14.70	3	Horizontal	107	1.59	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4247G	54.31	74.00	-19.69	14.81	3	Vertical	238	1.75	-
AV	11.42124G	40.46	54.00	-13.54	14.80	3	Vertical	238	1.75	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42136G	54.12	74.00	-19.88	14.80	3	Horizontal	266	1.95	-
AV	11.42402G	40.49	54.00	-13.51	14.80	3	Horizontal	266	1.95	-



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5290MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.86802G	54.14	74.00	-19.86	15.21	3	Vertical	37	1.52	-
AV	15.865G	40.57	54.00	-13.43	15.22	3	Vertical	37	1.52	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5290MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.86882G	54.00	74.00	-20.00	15.21	3	Horizontal	71	1.76	-
AV	15.86838G	40.64	54.00	-13.36	15.21	3	Horizontal	71	1.76	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5530MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0589G	53.44	74.00	-20.56	14.34	3	Vertical	199	1.99	-
AV	11.06464G	39.84	54.00	-14.16	14.34	3	Vertical	199	1.99	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2019

5530MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.05528G	53.89	74.00	-20.11	14.33	3	Horizontal	295	2.31	-
AV	11.06186G	39.92	54.00	-14.08	14.34	3	Horizontal	295	2.31	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5610MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.21808G	53.62	74.00	-20.38	14.54	3	Vertical	62	1.92	-
AV	11.21946G	39.55	54.00	-14.45	14.55	3	Vertical	62	1.92	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2019

### 5610MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.21966G	52.96	74.00	-21.04	14.55	3	Horizontal	200	1.89	-
AV	11.22424G	39.48	54.00	-14.52	14.55	3	Horizontal	200	1.89	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3842G	53.56	74.00	-20.44	14.75	3	Vertical	144	1.85	-
AV	11.3849G	40.15	54.00	-13.85	14.75	3	Vertical	144	1.85	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.38112G	53.87	74.00	-20.13	14.74	3	Horizontal	72	2.33	-
AV	11.38362G	40.33	54.00	-13.67	14.75	3	Horizontal	72	2.33	-






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.8652G	68.19	68.20	-0.01	8.91	3	Horizontal	177	1.93	-

### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5260MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.14G	59.53	74.00	-14.47	7.93	3	Vertical	180	1.83	-
AV	5.11G	46.29	54.00	-7.71	7.86	3	Vertical	180	1.83	-
PK	5.263G	121.68	Inf	-Inf	8.16	3	Vertical	180	1.83	-
AV	5.263G	111.09	Inf	-Inf	8.16	3	Vertical	180	1.83	-
PK	5.38G	63.40	74.00	-10.60	8.32	3	Vertical	180	1.83	-
AV	5.3614G	47.22	54.00	-6.78	8.29	3	Vertical	180	1.83	-

### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5260MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.14G	59.39	74.00	-14.61	7.93	3	Horizontal	179	1.67	-
AV	5.1106G	46.30	54.00	-7.70	7.86	3	Horizontal	179	1.67	-
PK	5.263G	120.14	Inf	-Inf	8.16	3	Horizontal	179	1.67	-
AV	5.263G	109.91	Inf	-Inf	8.16	3	Horizontal	179	1.67	-
PK	5.38G	63.19	74.00	-10.81	8.32	3	Horizontal	179	1.67	-
AV	5.371G	46.76	54.00	-7.24	8.30	3	Horizontal	179	1.67	-

802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

5300MHz\_TX




EUT Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.302G	120.38	Inf	-Inf	8.21	3	Vertical	182	1.69	-
AV	5.3028G	110.12	Inf	-Inf	8.21	3	Vertical	182	1.69	-
PK	5.35G	64.65	74.00	-9.35	8.28	3	Vertical	182	1.69	-
AV	5.3508G	51.09	54.00	-2.91	8.28	3	Vertical	182	1.69	-

### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5300MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2972G	119.89	Inf	-Inf	8.21	3	Horizontal	182	1.53	-
AV	5.2968G	109.77	Inf	-Inf	8.21	3	Horizontal	182	1.53	-
PK	5.352G	64.20	74.00	-9.80	8.28	3	Horizontal	182	1.53	-
AV	5.35G	50.85	54.00	-3.15	8.28	3	Horizontal	182	1.53	-

### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5320MHz\_TX




EUT\_Z\_1TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3222G	117.37	Inf	-Inf	8.23	3	Vertical	180	2.08	-
AV	5.3228G	107.43	Inf	-Inf	8.24	3	Vertical	180	2.08	-
PK	5.35G	66.87	74.00	-7.13	8.28	3	Vertical	180	2.08	-
AV	5.3506G	53.40	54.00	-0.60	8.28	3	Vertical	180	2.08	-

### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5320MHz\_TX




EUT\_Z\_1TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3222G	116.98	Inf	-Inf	8.23	3	Horizontal	181	1.48	-
AV	5.3228G	106.87	Inf	-Inf	8.24	3	Horizontal	181	1.48	-
PK	5.3502G	67.72	74.00	-6.28	8.28	3	Horizontal	181	1.48	-
AV	5.35G	53.96	54.00	-0.04	8.28	3	Horizontal	181	1.48	-

802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

5500MHz\_TX



EUT\_Z\_1TX  
Setting 24  
02-J-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4598G	63.93	74.00	-10.07	8.45	3	Vertical	182	1.89	-
AV	5.46G	49.22	54.00	-4.78	8.45	3	Vertical	182	1.89	-
PK	5.47G	67.89	68.20	-0.31	8.46	3	Vertical	182	1.89	-
PK	5.5008G	116.93	Inf	-Inf	8.52	3	Vertical	182	1.89	-
AV	5.5032G	106.82	Inf	-Inf	8.52	3	Vertical	182	1.89	-



### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5500MHz\_TX




EUT\_Z\_1TX  
Setting 24  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	63.28	74.00	-10.72	8.45	3	Horizontal	176	2.20	-
AV	5.46G	49.00	54.00	-5.00	8.45	3	Horizontal	176	2.20	-
PK	5.4698G	67.11	68.20	-1.09	8.46	3	Horizontal	176	2.20	-
PK	5.5036G	116.13	Inf	-Inf	8.52	3	Horizontal	176	2.20	-
AV	5.5034G	105.78	Inf	-Inf	8.52	3	Horizontal	176	2.20	-

### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5580MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	61.71	74.00	-12.29	8.45	3	Vertical	160	1.74	-
AV	5.388G	46.43	54.00	-7.57	8.33	3	Vertical	160	1.74	-
PK	5.4608G	59.65	68.20	-8.55	8.45	3	Vertical	160	1.74	-
PK	5.5832G	117.83	Inf	-Inf	8.57	3	Vertical	160	1.74	-
AV	5.5792G	107.47	Inf	-Inf	8.57	3	Vertical	160	1.74	-
PK	5.7432G	58.97	68.20	-9.23	8.82	3	Vertical	160	1.74	-

### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5580MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	62.35	74.00	-11.65	8.45	3	Horizontal	174	2.22	-
AV	5.3928G	47.11	54.00	-6.89	8.33	3	Horizontal	174	2.22	-
PK	5.4624G	59.61	68.20	-8.59	8.45	3	Horizontal	174	2.22	-
PK	5.5832G	119.07	Inf	-Inf	8.57	3	Horizontal	174	2.22	-
AV	5.5832G	108.90	Inf	-Inf	8.57	3	Horizontal	174	2.22	-
PK	5.7296G	58.84	68.20	-9.36	8.80	3	Horizontal	174	2.22	-

### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5700MHz\_TX




EUT Z\_1TX  
Setting 22  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6972G	114.88	Inf	-Inf	8.75	3	Vertical	181	1.51	-
AV	5.7034G	104.57	Inf	-Inf	8.75	3	Vertical	181	1.51	-
PK	5.7258G	67.82	68.20	-0.38	8.79	3	Vertical	181	1.51	-

### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5700MHz\_TX




EUT Z\_1TX  
 Setting 22  
 02-J-1-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.696G	112.01	Inf	-Inf	8.74	3	Horizontal	181	2.07	-
AV	5.7026G	101.66	Inf	-Inf	8.75	3	Horizontal	181	2.07	-
PK	5.7258G	66.12	68.20	-2.08	8.79	3	Horizontal	181	2.07	-

### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4296G	58.70	74.00	-15.30	8.40	3	Vertical	181	1.53	-
AV	5.444G	46.66	54.00	-7.34	8.42	3	Vertical	181	1.53	-
PK	5.4668G	59.03	68.20	-9.17	8.46	3	Vertical	181	1.53	-
PK	5.7224G	119.46	Inf	-Inf	8.78	3	Vertical	181	1.53	-
AV	5.7224G	109.04	Inf	-Inf	8.78	3	Vertical	181	1.53	-
PK	5.8568G	58.97	68.20	-9.23	8.90	3	Vertical	181	1.53	-

### 802.11a\_Nss1,(6Mbps)\_1TX

16/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.45G	59.01	74.00	-14.99	8.44	3	Horizontal	181	2.06	-
AV	5.4452G	46.51	54.00	-7.49	8.42	3	Horizontal	181	2.06	-
PK	5.4608G	58.53	68.20	-9.67	8.45	3	Horizontal	181	2.06	-
PK	5.7236G	117.32	Inf	-Inf	8.78	3	Horizontal	181	2.06	-
AV	5.7236G	107.18	Inf	-Inf	8.78	3	Horizontal	181	2.06	-
PK	5.9G	58.73	68.20	-9.47	8.92	3	Horizontal	181	2.06	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

5260MHz\_TX



EUT\_Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1394G	59.30	74.00	-14.70	7.93	3	Vertical	177	1.85	-
AV	5.1112G	46.11	54.00	-7.89	7.86	3	Vertical	177	1.85	-
PK	5.2588G	121.87	Inf	-Inf	8.15	3	Vertical	177	1.85	-
AV	5.263G	109.34	Inf	-Inf	8.16	3	Vertical	177	1.85	-
PK	5.3794G	62.71	74.00	-11.29	8.32	3	Vertical	177	1.85	-
AV	5.353G	46.89	54.00	-7.11	8.28	3	Vertical	177	1.85	-



802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

5260MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1448G	59.28	74.00	-14.72	7.94	3	Horizontal	175	1.60	-
AV	5.116G	45.84	54.00	-8.16	7.87	3	Horizontal	175	1.60	-
PK	5.2588G	121.85	Inf	-Inf	8.15	3	Horizontal	175	1.60	-
AV	5.263G	108.68	Inf	-Inf	8.16	3	Horizontal	175	1.60	-
PK	5.3794G	61.97	74.00	-12.03	8.32	3	Horizontal	175	1.60	-
AV	5.3764G	46.67	54.00	-7.33	8.31	3	Horizontal	175	1.60	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

### 5300MHz\_TX




EUT Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.298G	122.35	Inf	-Inf	8.21	3	Vertical	172	1.80	-
AV	5.3024G	109.62	Inf	-Inf	8.21	3	Vertical	172	1.80	-
PK	5.35G	65.36	74.00	-8.64	8.28	3	Vertical	172	1.80	-
AV	5.35G	51.90	54.00	-2.10	8.28	3	Vertical	172	1.80	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

### 5300MHz\_TX




EUT Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.296G	122.06	Inf	-Inf	8.21	3	Horizontal	177	1.67	-
AV	5.2968G	109.28	Inf	-Inf	8.21	3	Horizontal	177	1.67	-
PK	5.3516G	66.07	74.00	-7.93	8.28	3	Horizontal	177	1.67	-
AV	5.35G	51.36	54.00	-2.64	8.28	3	Horizontal	177	1.67	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

5320MHz\_TX




EUT Z\_1TX  
Setting 23.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3216G	120.18	Inf	-Inf	8.23	3	Vertical	182	1.58	-
AV	5.3214G	106.46	Inf	-Inf	8.23	3	Vertical	182	1.58	-
PK	5.3504G	66.08	74.00	-7.92	8.28	3	Vertical	182	1.58	-
AV	5.35G	52.83	54.00	-1.17	8.28	3	Vertical	182	1.58	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

5320MHz\_TX




EUT Z\_1TX  
Setting 23.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3236G	119.65	Inf	-Inf	8.24	3	Horizontal	180	1.54	-
AV	5.3168G	106.16	Inf	-Inf	8.23	3	Horizontal	180	1.54	-
PK	5.35G	68.37	74.00	-5.63	8.28	3	Horizontal	180	1.54	-
AV	5.35G	53.39	54.00	-0.61	8.28	3	Horizontal	180	1.54	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

5500MHz\_TX




EUT\_Z\_1TX  
Setting 23.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4582G	62.42	74.00	-11.58	8.45	3	Vertical	180	1.98	-
AV	5.46G	48.81	54.00	-5.19	8.45	3	Vertical	180	1.98	-
PK	5.469G	65.72	68.20	-2.48	8.46	3	Vertical	180	1.98	-
PK	5.4978G	117.92	Inf	-Inf	8.52	3	Vertical	180	1.98	-
AV	5.4976G	104.36	Inf	-Inf	8.52	3	Vertical	180	1.98	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

### 5500MHz\_TX




EUT\_Z\_1TX  
Setting 23.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	61.95	74.00	-12.05	8.45	3	Horizontal	174	2.15	-
AV	5.4598G	48.28	54.00	-5.72	8.45	3	Horizontal	174	2.15	-
PK	5.4694G	67.00	68.20	-1.20	8.46	3	Horizontal	174	2.15	-
PK	5.4984G	116.76	Inf	-Inf	8.52	3	Horizontal	174	2.15	-
AV	5.5022G	103.40	Inf	-Inf	8.52	3	Horizontal	174	2.15	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

5580MHz\_TX



EUT Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	62.18	74.00	-11.82	8.45	3	Vertical	179	1.82	-
AV	5.442G	46.22	54.00	-7.78	8.41	3	Vertical	179	1.82	-
PK	5.4606G	61.53	68.20	-6.67	8.45	3	Vertical	179	1.82	-
PK	5.5824G	121.57	Inf	-Inf	8.57	3	Vertical	179	1.82	-
AV	5.5824G	108.61	Inf	-Inf	8.57	3	Vertical	179	1.82	-
PK	5.7288G	58.83	68.20	-9.37	8.80	3	Vertical	179	1.82	-



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

### 5580MHz\_TX




EUT Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4582G	61.20	74.00	-12.80	8.45	3	Horizontal	183	1.64	-
AV	5.451G	46.18	54.00	-7.82	8.44	3	Horizontal	183	1.64	-
PK	5.4606G	61.84	68.20	-6.36	8.45	3	Horizontal	183	1.64	-
PK	5.5776G	119.46	Inf	-Inf	8.57	3	Horizontal	183	1.64	-
AV	5.5824G	107.23	Inf	-Inf	8.57	3	Horizontal	183	1.64	-
PK	5.7294G	58.41	68.20	-9.79	8.80	3	Horizontal	183	1.64	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

5700MHz\_TX




EUT Z\_1TX  
Setting 21.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.696G	116.28	Inf	-Inf	8.74	3	Vertical	180	1.57	-
AV	5.7022G	102.99	Inf	-Inf	8.75	3	Vertical	180	1.57	-
PK	5.7262G	67.86	68.20	-0.34	8.79	3	Vertical	180	1.57	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

### 5700MHz\_TX




EUT Z\_1TX  
 Setting 21.5  
 02-J-1-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7028G	114.04	Inf	-Inf	8.75	3	Horizontal	178	2.19	-
AV	5.7014G	99.83	Inf	-Inf	8.75	3	Horizontal	178	2.19	-
PK	5.7268G	64.20	68.20	-4.00	8.79	3	Horizontal	178	2.19	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4236G	59.14	74.00	-14.86	8.38	3	Vertical	173	1.52	-
AV	5.444G	46.20	54.00	-7.80	8.42	3	Vertical	173	1.52	-
PK	5.4668G	57.99	68.20	-10.21	8.46	3	Vertical	173	1.52	-
PK	5.7188G	120.63	Inf	-Inf	8.77	3	Vertical	173	1.52	-
AV	5.7224G	107.90	Inf	-Inf	8.78	3	Vertical	173	1.52	-
PK	5.9216G	58.53	68.20	-9.67	8.92	3	Vertical	173	1.52	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

16/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4416G	58.40	74.00	-15.60	8.41	3	Horizontal	171	2.09	-
AV	5.4572G	46.30	54.00	-7.70	8.44	3	Horizontal	171	2.09	-
PK	5.4692G	58.65	68.20	-9.55	8.46	3	Horizontal	171	2.09	-
PK	5.726G	119.14	Inf	-Inf	8.79	3	Horizontal	171	2.09	-
AV	5.726G	106.12	Inf	-Inf	8.79	3	Horizontal	171	2.09	-
PK	5.948G	58.89	68.20	-9.31	8.94	3	Horizontal	171	2.09	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

### 5270MHz\_TX




EUT\_Z\_1TX  
Setting 25.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1464G	58.43	74.00	-15.57	7.94	3	Vertical	180	1.77	-
AV	5.15G	45.69	54.00	-8.31	7.94	3	Vertical	180	1.77	-
PK	5.2628G	118.35	Inf	-Inf	8.16	3	Vertical	180	1.77	-
AV	5.2676G	105.72	Inf	-Inf	8.16	3	Vertical	180	1.77	-
PK	5.35G	66.73	74.00	-7.27	8.28	3	Vertical	180	1.77	-
AV	5.35G	52.54	54.00	-1.46	8.28	3	Vertical	180	1.77	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

5270MHz\_TX




EUT Z\_1TX  
Setting 25.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	59.56	74.00	-14.44	7.94	3	Horizontal	179	1.63	-
AV	5.1452G	45.80	54.00	-8.20	7.94	3	Horizontal	179	1.63	-
PK	5.267G	118.81	Inf	-Inf	8.16	3	Horizontal	179	1.63	-
AV	5.2724G	105.37	Inf	-Inf	8.17	3	Horizontal	179	1.63	-
PK	5.3504G	64.43	74.00	-9.57	8.28	3	Horizontal	179	1.63	-
AV	5.35G	51.85	54.00	-2.15	8.28	3	Horizontal	179	1.63	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

### 5310MHz\_TX



EUT Z\_1TX  
 Setting 22  
 02-J-1-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3136G	116.88	Inf	-Inf	8.22	3	Vertical	172	1.75	-
AV	5.3076G	102.83	Inf	-Inf	8.22	3	Vertical	172	1.75	-
PK	5.3516G	67.45	74.00	-6.55	8.28	3	Vertical	172	1.75	-
AV	5.35G	53.80	54.00	-0.20	8.28	3	Vertical	172	1.75	-



802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

5310MHz\_TX




EUT Z\_1TX  
Setting 22  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.308G	116.04	Inf	-Inf	8.22	3	Horizontal	168	1.62	-
AV	5.308G	102.63	Inf	-Inf	8.22	3	Horizontal	168	1.62	-
PK	5.35G	67.16	74.00	-6.84	8.28	3	Horizontal	168	1.62	-
AV	5.35G	51.45	54.00	-2.55	8.28	3	Horizontal	168	1.62	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

5510MHz\_TX




EUT\_Z\_1TX  
Setting 22  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	65.40	74.00	-8.60	8.44	3	Vertical	171	1.96	-
AV	5.46G	50.47	54.00	-3.53	8.45	3	Vertical	171	1.96	-
PK	5.4688G	68.16	68.20	-0.04	8.46	3	Vertical	171	1.96	-
PK	5.5084G	114.82	Inf	-Inf	8.53	3	Vertical	171	1.96	-
AV	5.5112G	101.37	Inf	-Inf	8.53	3	Vertical	171	1.96	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

5510MHz\_TX




EUT\_Z\_1TX  
Setting 22  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	63.16	74.00	-10.84	8.45	3	Horizontal	168	1.49	-
AV	5.46G	49.34	54.00	-4.66	8.45	3	Horizontal	168	1.49	-
PK	5.4656G	67.30	68.20	-0.90	8.46	3	Horizontal	168	1.49	-
PK	5.5188G	114.71	Inf	-Inf	8.53	3	Horizontal	168	1.49	-
AV	5.5172G	100.92	Inf	-Inf	8.53	3	Horizontal	168	1.49	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

5550MHz\_TX




EUT\_Z\_1TX  
Setting 25.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4282G	63.88	74.00	-10.12	8.40	3	Vertical	176	1.86	-
PK	5.466G	66.53	68.20	-1.67	8.46	3	Vertical	176	1.86	-
AV	5.4588G	49.81	54.00	-4.19	8.45	3	Vertical	176	1.86	-
PK	5.5458G	117.23	Inf	-Inf	8.55	3	Vertical	176	1.86	-
AV	5.556G	104.11	Inf	-Inf	8.55	3	Vertical	176	1.86	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

5550MHz\_TX




EUT\_Z\_1TX  
Setting 25.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.43G	63.58	74.00	-10.42	8.40	3	Horizontal	172	2.08	-
AV	5.46G	49.75	54.00	-4.25	8.45	3	Horizontal	172	2.08	-
PK	5.4672G	66.87	68.20	-1.33	8.46	3	Horizontal	172	2.08	-
PK	5.5482G	115.98	Inf	-Inf	8.55	3	Horizontal	172	2.08	-
AV	5.5416G	102.85	Inf	-Inf	8.54	3	Horizontal	172	2.08	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

### 5670MHz\_TX




EUT Z\_1TX  
Setting 22.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6646G	115.09	Inf	-Inf	8.69	3	Vertical	179	1.82	-
AV	5.6682G	101.65	Inf	-Inf	8.70	3	Vertical	179	1.82	-
PK	5.7252G	66.64	68.20	-1.56	8.79	3	Vertical	179	1.82	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

5670MHz\_TX




EUT Z\_1TX  
Setting 22.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6664G	112.51	Inf	-Inf	8.69	3	Horizontal	176	1.96	-
AV	5.6664G	99.89	Inf	-Inf	8.69	3	Horizontal	176	1.96	-
PK	5.7252G	65.79	68.20	-2.41	8.79	3	Horizontal	176	1.96	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.702G	118.29	Inf	-Inf	8.75	3	Vertical	178	1.50	-
AV	5.706G	105.10	Inf	-Inf	8.76	3	Vertical	178	1.50	-
PK	5.8524G	64.42	68.20	-3.78	8.90	3	Vertical	178	1.50	-



802.11ax HEW40\_Nss1,(MCS0)\_1TX

16/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_1TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7284G	116.14	Inf	-Inf	8.80	3	Horizontal	175	2.15	-
AV	5.7284G	103.98	Inf	-Inf	8.80	3	Horizontal	175	2.15	-
PK	5.854G	65.49	68.20	-2.71	8.90	3	Horizontal	175	2.15	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

16/07/2019

5290MHz\_TX




EUT\_Z\_1TX  
Setting 21.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.091G	58.68	74.00	-15.32	7.82	3	Vertical	178	1.89	-
AV	5.098G	46.00	54.00	-8.00	7.84	3	Vertical	178	1.89	-
PK	5.278G	112.33	Inf	-Inf	8.17	3	Vertical	178	1.89	-
AV	5.297G	99.64	Inf	-Inf	8.21	3	Vertical	178	1.89	-
PK	5.358G	67.11	74.00	-6.89	8.28	3	Vertical	178	1.89	-
AV	5.3501G	53.58	54.00	-0.42	8.28	3	Vertical	178	1.89	-
PK	5.509G	58.69	68.20	-9.51	8.53	3	Vertical	178	1.89	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

16/07/2019

5290MHz\_TX




EUT Z\_1TX  
Setting 21.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.065G	59.07	74.00	-14.93	7.74	3	Horizontal	177	1.49	-
AV	5.113G	45.83	54.00	-8.17	7.86	3	Horizontal	177	1.49	-
PK	5.289G	113.15	Inf	-Inf	8.20	3	Horizontal	177	1.49	-
AV	5.294G	99.33	Inf	-Inf	8.20	3	Horizontal	177	1.49	-
PK	5.376G	64.16	74.00	-9.84	8.31	3	Horizontal	177	1.49	-
AV	5.369G	50.26	54.00	-3.74	8.30	3	Horizontal	177	1.49	-
PK	5.474G	58.89	68.20	-9.31	8.47	3	Horizontal	177	1.49	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

16/07/2019

5530MHz\_TX




EUT\_Z\_1TX  
Setting 21  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.334G	58.10	68.20	-10.10	8.26	3	Vertical	178	1.90	-
PK	5.434G	66.68	74.00	-7.32	8.40	3	Vertical	178	1.90	-
PK	5.463G	67.85	68.20	-0.35	8.45	3	Vertical	178	1.90	-
AV	5.455G	52.87	54.00	-1.13	8.44	3	Vertical	178	1.90	-
PK	5.515G	110.79	Inf	-Inf	8.53	3	Vertical	178	1.90	-
AV	5.517G	97.78	Inf	-Inf	8.53	3	Vertical	178	1.90	-
PK	5.764G	60.10	68.20	-8.10	8.84	3	Vertical	178	1.90	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

16/07/2019

5530MHz\_TX




EUT Z\_1TX  
Setting 21  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.316G	58.68	68.20	-9.52	8.23	3	Horizontal	181	2.16	-
PK	5.445G	67.27	74.00	-6.73	8.42	3	Horizontal	181	2.16	-
AV	5.445G	52.79	54.00	-1.21	8.42	3	Horizontal	181	2.16	-
PK	5.469G	65.89	68.20	-2.31	8.46	3	Horizontal	181	2.16	-
PK	5.521G	109.97	Inf	-Inf	8.53	3	Horizontal	181	2.16	-
AV	5.519G	97.25	Inf	-Inf	8.53	3	Horizontal	181	2.16	-
PK	5.761G	58.94	68.20	-9.26	8.85	3	Horizontal	181	2.16	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

16/07/2019

5610MHz\_TX




EUT Z\_1TX  
Setting 22.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	61.57	74.00	-12.43	8.45	3	Vertical	178	1.93	-
AV	5.46G	48.43	54.00	-5.57	8.45	3	Vertical	178	1.93	-
PK	5.464G	61.99	68.20	-6.21	8.45	3	Vertical	178	1.93	-
PK	5.642G	111.24	Inf	-Inf	8.66	3	Vertical	178	1.93	-
AV	5.631G	98.79	Inf	-Inf	8.63	3	Vertical	178	1.93	-
PK	5.729G	68.07	68.20	-0.13	8.80	3	Vertical	178	1.93	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

16/07/2019

### 5610MHz\_TX




EUT\_Z\_1TX  
Setting 22.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.449G	60.49	74.00	-13.51	8.42	3	Horizontal	171	2.22	-
PK	5.462G	61.49	68.20	-6.71	8.45	3	Horizontal	171	2.22	-
AV	5.459G	48.11	54.00	-5.89	8.45	3	Horizontal	171	2.22	-
PK	5.601G	110.72	Inf	-Inf	8.58	3	Horizontal	171	2.22	-
AV	5.587G	97.03	Inf	-Inf	8.57	3	Horizontal	171	2.22	-
PK	5.729G	66.29	68.20	-1.91	8.80	3	Horizontal	171	2.22	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

16/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4512G	66.07	74.00	-7.93	8.44	3	Vertical	175	1.52	-
AV	5.4584G	51.49	54.00	-2.51	8.45	3	Vertical	175	1.52	-
PK	5.4656G	65.65	68.20	-2.55	8.46	3	Vertical	175	1.52	-
PK	5.7008G	115.40	Inf	-Inf	8.75	3	Vertical	175	1.52	-
AV	5.7044G	102.31	Inf	-Inf	8.76	3	Vertical	175	1.52	-
PK	5.8688G	66.88	68.20	-1.32	8.91	3	Vertical	175	1.52	-



802.11ax HEW80\_Nss1,(MCS0)\_1TX

16/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4512G	66.03	74.00	-7.97	8.44	3	Horizontal	177	1.93	-
AV	5.456G	51.66	54.00	-2.34	8.44	3	Horizontal	177	1.93	-
PK	5.4668G	66.93	68.20	-1.27	8.46	3	Horizontal	177	1.93	-
PK	5.6672G	112.95	Inf	-Inf	8.69	3	Horizontal	177	1.93	-
AV	5.6672G	100.52	Inf	-Inf	8.69	3	Horizontal	177	1.93	-
PK	5.8652G	68.19	68.20	-0.01	8.91	3	Horizontal	177	1.93	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3512G	53.96	54.00	-0.04	8.28	3	Vertical	170	1.87	-