


### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/07/2019

### 5300MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2992G	102.59	Inf	-Inf	8.21	3	Horizontal	73	1.57	-
AV	5.2988G	88.93	Inf	-Inf	8.21	3	Horizontal	73	1.57	-
PK	5.3592G	57.66	74.00	-16.34	8.29	3	Horizontal	73	1.57	-
AV	5.382G	45.44	54.00	-8.56	8.32	3	Horizontal	73	1.57	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5320MHz\_TX




EUT Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3206G	115.68	Inf	-Inf	8.23	3	Vertical	343	2.30	-
AV	5.3216G	102.66	Inf	-Inf	8.23	3	Vertical	343	2.30	-
PK	5.3526G	59.18	74.00	-14.82	8.28	3	Vertical	343	2.30	-
AV	5.35G	46.99	54.00	-7.01	8.28	3	Vertical	343	2.30	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5320MHz\_TX




EUT Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3196G	115.78	Inf	-Inf	8.23	3	Horizontal	340	2.41	-
AV	5.3174G	103.09	Inf	-Inf	8.23	3	Horizontal	340	2.41	-
PK	5.3508G	59.90	74.00	-14.10	8.28	3	Horizontal	340	2.41	-
AV	5.3532G	47.56	54.00	-6.44	8.28	3	Horizontal	340	2.41	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5500MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4488G	59.14	74.00	-14.86	8.42	3	Vertical	85	2.16	-
AV	5.4512G	46.30	54.00	-7.70	8.44	3	Vertical	85	2.16	-
PK	5.4688G	59.74	68.20	-8.46	8.46	3	Vertical	85	2.16	-
PK	5.4996G	117.35	Inf	-Inf	8.52	3	Vertical	85	2.16	-
AV	5.5028G	104.66	Inf	-Inf	8.52	3	Vertical	85	2.16	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5500MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.414G	58.31	74.00	-15.69	8.36	3	Horizontal	99	2.62	-
AV	5.432G	45.69	54.00	-8.31	8.40	3	Horizontal	99	2.62	-
PK	5.4664G	57.90	68.20	-10.30	8.46	3	Horizontal	99	2.62	-
PK	5.5004G	101.11	Inf	-Inf	8.52	3	Horizontal	99	2.62	-
AV	5.5024G	88.66	Inf	-Inf	8.52	3	Horizontal	99	2.62	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5580MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4336G	58.89	74.00	-15.11	8.40	3	Vertical	82	1.96	-
AV	5.4256G	45.93	54.00	-8.07	8.39	3	Vertical	82	1.96	-
PK	5.4688G	58.37	68.20	-9.83	8.46	3	Vertical	82	1.96	-
PK	5.5728G	115.23	Inf	-Inf	8.56	3	Vertical	82	1.96	-
AV	5.5728G	102.93	Inf	-Inf	8.56	3	Vertical	82	1.96	-
PK	5.7528G	58.80	68.20	-9.40	8.83	3	Vertical	82	1.96	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/07/2019

### 5580MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4152G	58.05	74.00	-15.95	8.36	3	Horizontal	236	1.58	-
AV	5.4248G	45.55	54.00	-8.45	8.38	3	Horizontal	236	1.58	-
PK	5.4664G	57.29	68.20	-10.91	8.46	3	Horizontal	236	1.58	-
PK	5.5816G	104.36	Inf	-Inf	8.57	3	Horizontal	236	1.58	-
AV	5.5808G	91.56	Inf	-Inf	8.57	3	Horizontal	236	1.58	-
PK	5.7632G	58.67	68.20	-9.53	8.84	3	Horizontal	236	1.58	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5700MHz\_TX



EUT Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6988G	117.20	Inf	-Inf	8.75	3	Vertical	86	1.96	-
AV	5.7022G	104.89	Inf	-Inf	8.75	3	Vertical	86	1.96	-
PK	5.726G	60.60	68.20	-7.60	8.79	3	Vertical	86	1.96	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/07/2019

### 5700MHz\_TX




EUT Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7016G	102.88	Inf	-Inf	8.75	3	Horizontal	230	1.49	-
AV	5.7068G	89.79	Inf	-Inf	8.76	3	Horizontal	230	1.49	-
PK	5.7422G	58.33	68.20	-9.87	8.81	3	Horizontal	230	1.49	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4536G	58.61	74.00	-15.39	8.44	3	Vertical	28	2.29	-
AV	5.444G	45.81	54.00	-8.19	8.42	3	Vertical	28	2.29	-
PK	5.468G	58.51	68.20	-9.69	8.46	3	Vertical	28	2.29	-
PK	5.7224G	116.65	Inf	-Inf	8.78	3	Vertical	28	2.29	-
AV	5.7188G	105.04	Inf	-Inf	8.77	3	Vertical	28	2.29	-
PK	5.8616G	58.96	68.20	-9.24	8.91	3	Vertical	28	2.29	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4488G	57.29	74.00	-16.71	8.42	3	Horizontal	267	1.49	-
AV	5.4272G	45.52	54.00	-8.48	8.40	3	Horizontal	267	1.49	-
PK	5.4632G	57.23	68.20	-10.97	8.45	3	Horizontal	267	1.49	-
PK	5.7248G	105.99	Inf	-Inf	8.78	3	Horizontal	267	1.49	-
AV	5.7248G	93.66	Inf	-Inf	8.78	3	Horizontal	267	1.49	-
PK	5.9696G	58.51	68.20	-9.69	8.93	3	Horizontal	267	1.49	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5270MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1464G	58.07	74.00	-15.93	7.94	3	Vertical	107	2.59	-
AV	5.1332G	45.44	54.00	-8.56	7.92	3	Vertical	107	2.59	-
PK	5.2688G	112.30	Inf	-Inf	8.16	3	Vertical	107	2.59	-
AV	5.2628G	100.25	Inf	-Inf	8.16	3	Vertical	107	2.59	-
PK	5.3852G	58.10	74.00	-15.90	8.32	3	Vertical	107	2.59	-
AV	5.3762G	45.83	54.00	-8.17	8.31	3	Vertical	107	2.59	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5270MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1368G	57.78	74.00	-16.22	7.92	3	Horizontal	277	1.57	-
AV	5.1392G	45.28	54.00	-8.72	7.93	3	Horizontal	277	1.57	-
PK	5.2712G	98.52	Inf	-Inf	8.17	3	Horizontal	277	1.57	-
AV	5.2784G	86.91	Inf	-Inf	8.17	3	Horizontal	277	1.57	-
PK	5.351G	58.67	74.00	-15.33	8.28	3	Horizontal	277	1.57	-
AV	5.4164G	45.40	54.00	-8.60	8.36	3	Horizontal	277	1.57	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5310MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3046G	114.20	Inf	-Inf	8.22	3	Vertical	339	2.79	-
AV	5.3052G	101.87	Inf	-Inf	8.22	3	Vertical	339	2.79	-
PK	5.3514G	59.75	74.00	-14.25	8.28	3	Vertical	339	2.79	-
AV	5.35G	47.32	54.00	-6.68	8.28	3	Vertical	339	2.79	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5310MHz\_TX




EUT Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2956G	100.09	Inf	-Inf	8.20	3	Horizontal	133	2.06	-
AV	5.2968G	88.02	Inf	-Inf	8.21	3	Horizontal	133	2.06	-
PK	5.4024G	59.29	74.00	-14.71	8.34	3	Horizontal	133	2.06	-
AV	5.4414G	45.63	54.00	-8.37	8.41	3	Horizontal	133	2.06	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5510MHz\_TX



EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	68.34	74.00	-5.66	8.44	3	Vertical	231	2.20	-
AV	5.453G	48.49	54.00	-5.51	8.44	3	Vertical	231	2.20	-
PK	5.4692G	61.66	68.20	-6.54	8.46	3	Vertical	231	2.20	-
PK	5.5088G	112.80	Inf	-Inf	8.53	3	Vertical	231	2.20	-
AV	5.5082G	101.03	Inf	-Inf	8.52	3	Vertical	231	2.20	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5510MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3924G	58.72	74.00	-15.28	8.33	3	Horizontal	71	1.40	-
PK	5.468G	57.44	68.20	-10.76	8.46	3	Horizontal	71	1.40	-
AV	5.4356G	45.53	54.00	-8.47	8.41	3	Horizontal	71	1.40	-
AV	5.4968G	89.10	Inf	-Inf	8.52	3	Horizontal	71	1.40	-
PK	5.5268G	100.52	Inf	-Inf	8.54	3	Horizontal	71	1.40	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5550MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.424G	58.03	74.00	-15.97	8.38	3	Vertical	233	2.18	-
AV	5.4174G	45.91	54.00	-8.09	8.37	3	Vertical	233	2.18	-
PK	5.4672G	57.57	68.20	-10.63	8.46	3	Vertical	233	2.18	-
PK	5.5476G	113.44	Inf	-Inf	8.55	3	Vertical	233	2.18	-
AV	5.5476G	101.51	Inf	-Inf	8.55	3	Vertical	233	2.18	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5550MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4078G	58.02	74.00	-15.98	8.35	3	Horizontal	270	1.63	-
AV	5.4234G	45.56	54.00	-8.44	8.38	3	Horizontal	270	1.63	-
PK	5.4654G	58.03	68.20	-10.17	8.46	3	Horizontal	270	1.63	-
PK	5.5536G	101.81	Inf	-Inf	8.55	3	Horizontal	270	1.63	-
AV	5.5524G	89.87	Inf	-Inf	8.55	3	Horizontal	270	1.63	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

### 5670MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6748G	114.55	Inf	-Inf	8.70	3	Vertical	113	2.11	-
AV	5.661G	103.06	Inf	-Inf	8.69	3	Vertical	113	2.11	-
PK	5.7354G	62.89	68.20	-5.31	8.81	3	Vertical	113	2.11	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5670MHz\_TX




EUT Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6658G	101.69	Inf	-Inf	8.69	3	Horizontal	263	1.50	-
AV	5.6772G	89.51	Inf	-Inf	8.72	3	Horizontal	263	1.50	-
PK	5.775G	58.36	68.20	-9.84	8.86	3	Horizontal	263	1.50	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
 Setting 24  
 02-E-4-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4136G	58.03	74.00	-15.97	8.36	3	Vertical	33	2.27	-
AV	5.4268G	45.90	54.00	-8.10	8.39	3	Vertical	33	2.27	-
PK	5.4616G	57.85	68.20	-10.35	8.45	3	Vertical	33	2.27	-
PK	5.7136G	114.83	Inf	-Inf	8.77	3	Vertical	33	2.27	-
AV	5.6992G	104.50	Inf	-Inf	8.75	3	Vertical	33	2.27	-
PK	5.8528G	59.25	68.20	-8.95	8.90	3	Vertical	33	2.27	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	57.96	74.00	-16.04	8.45	3	Horizontal	268	1.79	-
AV	5.4148G	45.48	54.00	-8.52	8.36	3	Horizontal	268	1.79	-
PK	5.46G	56.85	68.20	-11.35	8.45	3	Horizontal	268	1.79	-
PK	5.7112G	103.52	Inf	-Inf	8.77	3	Horizontal	268	1.79	-
AV	5.722G	91.61	Inf	-Inf	8.78	3	Horizontal	268	1.79	-
PK	5.9128G	59.21	68.20	-8.99	8.93	3	Horizontal	268	1.79	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5290MHz\_TX



EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1316G	58.91	74.00	-15.09	7.91	3	Vertical	35	2.03	-
AV	5.11G	45.51	54.00	-8.49	7.86	3	Vertical	35	2.03	-
PK	5.2788G	110.71	Inf	-Inf	8.17	3	Vertical	35	2.03	-
AV	5.2668G	101.52	Inf	-Inf	8.16	3	Vertical	35	2.03	-
PK	5.35G	64.54	74.00	-9.46	8.28	3	Vertical	35	2.03	-
AV	5.35G	50.36	54.00	-3.64	8.28	3	Vertical	35	2.03	-
PK	5.4836G	57.79	68.20	-10.41	8.50	3	Vertical	35	2.03	-



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/07/2019

### 5290MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0948G	58.02	74.00	-15.98	7.82	3	Horizontal	271	1.31	-
AV	5.1148G	45.29	54.00	-8.71	7.87	3	Horizontal	271	1.31	-
PK	5.2924G	97.84	Inf	-Inf	8.20	3	Horizontal	271	1.31	-
AV	5.2532G	84.84	Inf	-Inf	8.14	3	Horizontal	271	1.31	-
PK	5.3676G	58.74	74.00	-15.26	8.29	3	Horizontal	271	1.31	-
AV	5.3524G	45.74	54.00	-8.26	8.28	3	Horizontal	271	1.31	-
PK	5.4628G	57.21	68.20	-10.99	8.45	3	Horizontal	271	1.31	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5530MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.308G	57.68	68.20	-10.52	8.22	3	Vertical	261	2.03	-
PK	5.452G	67.11	74.00	-6.89	8.44	3	Vertical	261	2.03	-
AV	5.46G	49.61	54.00	-4.39	8.45	3	Vertical	261	2.03	-
PK	5.47G	62.88	68.20	-5.32	8.46	3	Vertical	261	2.03	-
PK	5.494G	111.75	Inf	-Inf	8.51	3	Vertical	261	2.03	-
AV	5.503G	102.27	Inf	-Inf	8.52	3	Vertical	261	2.03	-
PK	5.755G	58.57	68.20	-9.63	8.83	3	Vertical	261	2.03	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/07/2019

### 5530MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.298G	57.67	68.20	-10.53	8.21	3	Horizontal	75	1.49	-
PK	5.443G	57.78	74.00	-16.22	8.42	3	Horizontal	75	1.49	-
AV	5.427G	45.65	54.00	-8.35	8.40	3	Horizontal	75	1.49	-
PK	5.461G	57.94	68.20	-10.26	8.45	3	Horizontal	75	1.49	-
PK	5.523G	98.96	Inf	-Inf	8.53	3	Horizontal	75	1.49	-
AV	5.527G	86.41	Inf	-Inf	8.54	3	Horizontal	75	1.49	-
PK	5.742G	58.07	68.20	-10.13	8.81	3	Horizontal	75	1.49	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5610MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.459G	59.09	74.00	-14.91	8.45	3	Vertical	247	1.97	-
AV	5.45G	45.99	54.00	-8.01	8.44	3	Vertical	247	1.97	-
PK	5.467G	58.12	68.20	-10.08	8.46	3	Vertical	247	1.97	-
PK	5.579G	111.15	Inf	-Inf	8.57	3	Vertical	247	1.97	-
AV	5.577G	100.98	Inf	-Inf	8.57	3	Vertical	247	1.97	-
PK	5.732G	61.04	68.20	-7.16	8.80	3	Vertical	247	1.97	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5610MHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.459G	58.89	74.00	-15.11	8.45	3	Horizontal	270	1.72	-
AV	5.432G	45.58	54.00	-8.42	8.40	3	Horizontal	270	1.72	-
PK	5.464G	57.56	68.20	-10.64	8.45	3	Horizontal	270	1.72	-
PK	5.579G	102.92	Inf	-Inf	8.57	3	Horizontal	270	1.72	-
AV	5.581G	92.75	Inf	-Inf	8.57	3	Horizontal	270	1.72	-
PK	5.751G	58.71	68.20	-9.49	8.83	3	Horizontal	270	1.72	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4332G	58.15	74.00	-15.85	8.40	3	Vertical	86	1.94	-
PK	5.4668G	57.56	68.20	-10.64	8.46	3	Vertical	86	1.94	-
AV	5.4536G	45.70	54.00	-8.30	8.44	3	Vertical	86	1.94	-
PK	5.6588G	112.78	Inf	-Inf	8.68	3	Vertical	86	1.94	-
AV	5.6648G	101.07	Inf	-Inf	8.69	3	Vertical	86	1.94	-
PK	5.9552G	58.73	68.20	-9.47	8.92	3	Vertical	86	1.94	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_2TX\_ANT\_Z  
Setting 24  
02-E-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3924G	57.99	74.00	-16.01	8.33	3	Horizontal	273	1.94	-
AV	5.4068G	45.51	54.00	-8.49	8.35	3	Horizontal	273	1.94	-
PK	5.4668G	57.40	68.20	-10.80	8.46	3	Horizontal	273	1.94	-
PK	5.6852G	99.17	Inf	-Inf	8.72	3	Horizontal	273	1.94	-
AV	5.6852G	86.99	Inf	-Inf	8.72	3	Horizontal	273	1.94	-
PK	5.9708G	59.12	68.20	-9.08	8.93	3	Horizontal	273	1.94	-



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3548G	53.90	54.00	-0.10	8.28	3	Vertical	273	2.78	-



### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5260MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1154G	59.54	74.00	-14.46	7.87	3	Vertical	269	2.44	-
AV	5.137G	46.83	54.00	-7.17	7.92	3	Vertical	269	2.44	-
PK	5.2624G	123.98	Inf	-Inf	8.15	3	Vertical	269	2.44	-
AV	5.2624G	114.24	Inf	-Inf	8.15	3	Vertical	269	2.44	-
PK	5.365G	60.03	74.00	-13.97	8.29	3	Vertical	269	2.44	-
AV	5.3584G	48.17	54.00	-5.83	8.28	3	Vertical	269	2.44	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5260MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	58.89	74.00	-15.11	7.94	3	Horizontal	239	2.65	-
AV	5.1328G	45.76	54.00	-8.24	7.92	3	Horizontal	239	2.65	-
PK	5.266G	119.06	Inf	-Inf	8.16	3	Horizontal	239	2.65	-
AV	5.2654G	108.96	Inf	-Inf	8.16	3	Horizontal	239	2.65	-
PK	5.365G	59.56	74.00	-14.44	8.29	3	Horizontal	239	2.65	-
AV	5.3638G	46.22	54.00	-7.78	8.29	3	Horizontal	239	2.65	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5300MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2968G	126.08	Inf	-Inf	8.21	3	Vertical	32	2.94	-
AV	5.2964G	115.54	Inf	-Inf	8.21	3	Vertical	32	2.94	-
PK	5.3544G	64.83	74.00	-9.17	8.28	3	Vertical	32	2.94	-
AV	5.3548G	50.76	54.00	-3.24	8.28	3	Vertical	32	2.94	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5300MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2968G	119.55	Inf	-Inf	8.21	3	Horizontal	228	2.48	-
AV	5.2968G	109.04	Inf	-Inf	8.21	3	Horizontal	228	2.48	-
PK	5.35G	63.37	74.00	-10.63	8.28	3	Horizontal	228	2.48	-
AV	5.35G	50.17	54.00	-3.83	8.28	3	Horizontal	228	2.48	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5320MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
 Setting 22.5  
 02-M-1-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3168G	122.82	Inf	-Inf	8.23	3	Vertical	273	2.78	-
AV	5.3164G	112.44	Inf	-Inf	8.23	3	Vertical	273	2.78	-
PK	5.3572G	67.83	74.00	-6.17	8.28	3	Vertical	273	2.78	-
AV	5.3548G	53.90	54.00	-0.10	8.28	3	Vertical	273	2.78	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5320MHz\_TX




EUT Z\_4TX\_ANT Z  
 Setting 22.5  
 02-M-1-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3232G	115.31	Inf	-Inf	8.24	3	Horizontal	306	2.92	-
AV	5.3212G	104.96	Inf	-Inf	8.23	3	Horizontal	306	2.92	-
PK	5.3544G	60.33	74.00	-13.67	8.28	3	Horizontal	306	2.92	-
AV	5.3596G	47.37	54.00	-6.63	8.29	3	Horizontal	306	2.92	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5500MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	65.78	74.00	-8.22	8.45	3	Vertical	342	2.49	-
AV	5.4596G	51.56	54.00	-2.44	8.45	3	Vertical	342	2.49	-
PK	5.4696G	67.78	68.20	-0.42	8.46	3	Vertical	342	2.49	-
PK	5.4988G	122.48	Inf	-Inf	8.52	3	Vertical	342	2.49	-
AV	5.4988G	112.12	Inf	-Inf	8.52	3	Vertical	342	2.49	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5500MHz\_TX



EUT\_Z\_4TX\_ANT\_Z  
 Setting 24  
 02-M-1-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	59.44	74.00	-14.56	8.45	3	Horizontal	247	1.99	-
AV	5.4584G	46.43	54.00	-7.57	8.45	3	Horizontal	247	1.99	-
PK	5.4648G	63.19	68.20	-5.01	8.45	3	Horizontal	247	1.99	-
PK	5.5036G	115.69	Inf	-Inf	8.52	3	Horizontal	247	1.99	-
AV	5.5032G	105.64	Inf	-Inf	8.52	3	Horizontal	247	1.99	-



### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5580MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4352G	59.49	74.00	-14.51	8.41	3	Vertical	323	2.23	-
AV	5.4376G	46.69	54.00	-7.31	8.41	3	Vertical	323	2.23	-
PK	5.4632G	59.30	68.20	-8.90	8.45	3	Vertical	323	2.23	-
PK	5.584G	125.26	Inf	-Inf	8.57	3	Vertical	323	2.23	-
AV	5.5832G	115.14	Inf	-Inf	8.57	3	Vertical	323	2.23	-
PK	5.7704G	60.52	68.20	-7.68	8.85	3	Vertical	323	2.23	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5580MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4232G	59.81	74.00	-14.19	8.38	3	Horizontal	235	2.30	-
AV	5.4136G	46.03	54.00	-7.97	8.36	3	Horizontal	235	2.30	-
PK	5.4624G	57.98	68.20	-10.22	8.45	3	Horizontal	235	2.30	-
PK	5.5768G	119.95	Inf	-Inf	8.57	3	Horizontal	235	2.30	-
AV	5.5768G	109.24	Inf	-Inf	8.57	3	Horizontal	235	2.30	-
PK	5.7624G	62.49	68.20	-5.71	8.85	3	Horizontal	235	2.30	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5700MHz\_TX




EUT Z\_4TX\_ANT Z  
Setting 23  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7008G	121.95	Inf	-Inf	8.75	3	Vertical	316	2.21	-
AV	5.7008G	112.08	Inf	-Inf	8.75	3	Vertical	316	2.21	-
PK	5.7252G	64.56	68.20	-3.64	8.79	3	Vertical	316	2.21	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5700MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 23  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7028G	114.72	Inf	-Inf	8.75	3	Horizontal	341	2.33	-
AV	5.7032G	105.07	Inf	-Inf	8.75	3	Horizontal	341	2.33	-
PK	5.7256G	67.33	68.20	-0.87	8.79	3	Horizontal	341	2.33	-

802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4356G	60.11	74.00	-13.89	8.41	3	Vertical	162	3.00	-
AV	5.4392G	46.84	54.00	-7.16	8.41	3	Vertical	162	3.00	-
PK	5.462G	59.38	68.20	-8.82	8.45	3	Vertical	162	3.00	-
PK	5.7188G	125.64	Inf	-Inf	8.77	3	Vertical	162	3.00	-
AV	5.7188G	115.30	Inf	-Inf	8.77	3	Vertical	162	3.00	-
PK	5.8556G	60.21	68.20	-7.99	8.90	3	Vertical	162	3.00	-

802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.45G	58.11	74.00	-15.89	8.44	3	Horizontal	324	2.33	-
AV	5.4332G	45.85	54.00	-8.15	8.40	3	Horizontal	324	2.33	-
PK	5.4608G	57.85	68.20	-10.35	8.45	3	Horizontal	324	2.33	-
PK	5.714G	117.74	Inf	-Inf	8.77	3	Horizontal	324	2.33	-
AV	5.7152G	107.45	Inf	-Inf	8.77	3	Horizontal	324	2.33	-
PK	5.8664G	58.99	68.20	-9.21	8.91	3	Horizontal	324	2.33	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/07/2019

5260MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	60.26	74.00	-13.74	7.94	3	Vertical	271	2.85	-
AV	5.11G	46.37	54.00	-7.63	7.86	3	Vertical	271	2.85	-
PK	5.2624G	128.55	Inf	-Inf	8.15	3	Vertical	271	2.85	-
AV	5.263G	116.08	Inf	-Inf	8.16	3	Vertical	271	2.85	-
PK	5.3608G	60.79	74.00	-13.21	8.29	3	Vertical	271	2.85	-
AV	5.3584G	47.96	54.00	-6.04	8.28	3	Vertical	271	2.85	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/07/2019

### 5260MHz\_TX



EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-M-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	59.00	74.00	-15.00	7.94	3	Horizontal	214	2.31	-
AV	5.1322G	45.40	54.00	-8.60	7.92	3	Horizontal	214	2.31	-
PK	5.2528G	119.97	Inf	-Inf	8.14	3	Horizontal	214	2.31	-
AV	5.2522G	107.28	Inf	-Inf	8.14	3	Horizontal	214	2.31	-
PK	5.3836G	58.45	74.00	-15.55	8.32	3	Horizontal	214	2.31	-
AV	5.3506G	45.79	54.00	-8.21	8.28	3	Horizontal	214	2.31	-



802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/07/2019

5300MHz\_TX




EUT Z\_4TX\_ANT Z  
 Setting 26  
 02-M-1-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2944G	127.60	Inf	-Inf	8.20	3	Vertical	141	2.94	-
AV	5.294G	114.14	Inf	-Inf	8.20	3	Vertical	141	2.94	-
PK	5.3548G	68.23	74.00	-5.77	8.28	3	Vertical	141	2.94	-
AV	5.3536G	53.41	54.00	-0.59	8.28	3	Vertical	141	2.94	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/07/2019

5300MHz\_TX




EUT Z\_4TX\_ANT Z  
Setting 26  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3016G	118.78	Inf	-Inf	8.21	3	Horizontal	295	2.52	-
AV	5.3028G	105.92	Inf	-Inf	8.21	3	Horizontal	295	2.52	-
PK	5.3532G	61.16	74.00	-12.84	8.28	3	Horizontal	295	2.52	-
AV	5.3544G	47.81	54.00	-6.19	8.28	3	Horizontal	295	2.52	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/07/2019

5320MHz\_TX




EUT Z\_4TX\_ANT Z  
Setting 23  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3224G	124.04	Inf	-Inf	8.23	3	Vertical	277	2.76	-
AV	5.3224G	111.33	Inf	-Inf	8.23	3	Vertical	277	2.76	-
PK	5.3628G	67.49	74.00	-6.51	8.29	3	Vertical	277	2.76	-
AV	5.36G	53.33	54.00	-0.67	8.29	3	Vertical	277	2.76	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/07/2019

5320MHz\_TX




EUT Z\_4TX\_ANT Z  
Setting 23  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3188G	116.60	Inf	-Inf	8.23	3	Horizontal	285	2.25	-
AV	5.3188G	103.77	Inf	-Inf	8.23	3	Horizontal	285	2.25	-
PK	5.3512G	64.14	74.00	-9.86	8.28	3	Horizontal	285	2.25	-
AV	5.35G	49.61	54.00	-4.39	8.28	3	Horizontal	285	2.25	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/07/2019

5500MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 23.5  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	62.53	74.00	-11.47	8.45	3	Vertical	88	2.06	-
AV	5.46G	49.93	54.00	-4.07	8.45	3	Vertical	88	2.06	-
PK	5.464G	65.76	68.20	-2.44	8.45	3	Vertical	88	2.06	-
PK	5.5016G	123.01	Inf	-Inf	8.52	3	Vertical	88	2.06	-
AV	5.502G	110.34	Inf	-Inf	8.52	3	Vertical	88	2.06	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/07/2019

5500MHz\_TX




EUT\_Z\_4TX\_ANT Z  
 Setting 23.5  
 02-B-4-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4488G	61.04	74.00	-12.96	8.42	3	Horizontal	244	2.44	-
AV	5.45G	46.57	54.00	-7.43	8.44	3	Horizontal	244	2.44	-
PK	5.4688G	67.95	68.20	-0.25	8.46	3	Horizontal	244	2.44	-
PK	5.5084G	117.14	Inf	-Inf	8.53	3	Horizontal	244	2.44	-
AV	5.5084G	104.75	Inf	-Inf	8.53	3	Horizontal	244	2.44	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/07/2019

5580MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4328G	58.87	74.00	-15.13	8.40	3	Vertical	301	2.20	-
AV	5.4424G	46.20	54.00	-7.80	8.42	3	Vertical	301	2.20	-
PK	5.4656G	58.31	68.20	-9.89	8.46	3	Vertical	301	2.20	-
PK	5.576G	124.20	Inf	-Inf	8.57	3	Vertical	301	2.20	-
AV	5.576G	111.82	Inf	-Inf	8.57	3	Vertical	301	2.20	-
PK	5.7576G	64.61	68.20	-3.59	8.83	3	Vertical	301	2.20	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

23/07/2019

5580MHz\_TX



EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-B-4-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4448G	58.89	74.00	-15.11	8.42	3	Horizontal	262	2.22	-
AV	5.3968G	45.62	54.00	-8.38	8.34	3	Horizontal	262	2.22	-
PK	5.468G	57.83	68.20	-10.37	8.46	3	Horizontal	262	2.22	-
PK	5.5768G	121.39	Inf	-Inf	8.57	3	Horizontal	262	2.22	-
AV	5.5768G	108.62	Inf	-Inf	8.57	3	Horizontal	262	2.22	-
PK	5.7584G	62.53	68.20	-5.67	8.85	3	Horizontal	262	2.22	-



802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/07/2019

5700MHz\_TX




EUT Z\_4TX\_ANT Z  
Setting 22.5  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.702G	124.16	Inf	-Inf	8.75	3	Vertical	311	2.20	-
AV	5.7014G	110.81	Inf	-Inf	8.75	3	Vertical	311	2.20	-
PK	5.7256G	64.75	68.20	-3.45	8.79	3	Vertical	311	2.20	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/07/2019

5700MHz\_TX




EUT Z\_4TX\_ANT Z  
 Setting 22.5  
 02-B-4-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7008G	115.44	Inf	-Inf	8.75	3	Horizontal	317	1.95	-
AV	5.699G	102.50	Inf	-Inf	8.75	3	Horizontal	317	1.95	-
PK	5.7268G	66.59	68.20	-1.61	8.79	3	Horizontal	317	1.95	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4548G	58.53	74.00	-15.47	8.44	3	Vertical	324	2.29	-
AV	5.4392G	46.18	54.00	-7.82	8.41	3	Vertical	324	2.29	-
PK	5.46G	58.15	68.20	-10.05	8.45	3	Vertical	324	2.29	-
PK	5.7248G	125.65	Inf	-Inf	8.78	3	Vertical	324	2.29	-
AV	5.726G	112.87	Inf	-Inf	8.79	3	Vertical	324	2.29	-
PK	5.8628G	59.86	68.20	-8.34	8.91	3	Vertical	324	2.29	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
 Setting 27  
 02-B-4-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4512G	58.19	74.00	-15.81	8.44	3	Horizontal	319	2.21	-
AV	5.4428G	45.53	54.00	-8.47	8.42	3	Horizontal	319	2.21	-
PK	5.4668G	58.06	68.20	-10.14	8.46	3	Horizontal	319	2.21	-
PK	5.7236G	119.61	Inf	-Inf	8.78	3	Horizontal	319	2.21	-
AV	5.7236G	107.20	Inf	-Inf	8.78	3	Horizontal	319	2.21	-
PK	5.972G	58.99	68.20	-9.21	8.93	3	Horizontal	319	2.21	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

5270MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 25  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	59.95	74.00	-14.05	7.94	3	Vertical	274	2.33	-
AV	5.147G	47.06	54.00	-6.94	7.94	3	Vertical	274	2.33	-
PK	5.2814G	123.22	Inf	-Inf	8.18	3	Vertical	274	2.33	-
AV	5.282G	110.74	Inf	-Inf	8.18	3	Vertical	274	2.33	-
PK	5.36G	66.63	74.00	-7.37	8.29	3	Vertical	274	2.33	-
AV	5.3606G	52.22	54.00	-1.78	8.29	3	Vertical	274	2.33	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

### 5270MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 25  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1284G	58.14	74.00	-15.86	7.91	3	Horizontal	299	2.38	-
AV	5.1488G	45.59	54.00	-8.41	7.94	3	Horizontal	299	2.38	-
PK	5.2778G	115.96	Inf	-Inf	8.17	3	Horizontal	299	2.38	-
AV	5.2778G	103.48	Inf	-Inf	8.17	3	Horizontal	299	2.38	-
PK	5.3504G	61.33	74.00	-12.67	8.28	3	Horizontal	299	2.38	-
AV	5.35G	48.52	54.00	-5.48	8.28	3	Horizontal	299	2.38	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

5310MHz\_TX




EUT Z\_4TX\_ANT Z  
Setting 20.5  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3124G	119.04	Inf	-Inf	8.22	3	Vertical	272	2.21	-
AV	5.3116G	105.63	Inf	-Inf	8.22	3	Vertical	272	2.21	-
PK	5.3508G	66.45	74.00	-7.55	8.28	3	Vertical	272	2.21	-
AV	5.3504G	53.41	54.00	-0.59	8.28	3	Vertical	272	2.21	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

### 5310MHz\_TX



EUT Z\_4TX\_ANT Z  
 Setting 20.5  
 02-B-4-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3084G	111.58	Inf	-Inf	8.22	3	Horizontal	300	2.05	-
AV	5.3092G	98.85	Inf	-Inf	8.22	3	Horizontal	300	2.05	-
PK	5.35G	60.29	74.00	-13.71	8.28	3	Horizontal	300	2.05	-
AV	5.35G	48.18	54.00	-5.82	8.28	3	Horizontal	300	2.05	-



802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

5510MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 21  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	65.97	74.00	-8.03	8.45	3	Vertical	274	2.31	-
AV	5.46G	50.84	54.00	-3.16	8.45	3	Vertical	274	2.31	-
PK	5.47G	68.07	68.20	-0.13	8.46	3	Vertical	274	2.31	-
PK	5.5G	118.88	Inf	-Inf	8.52	3	Vertical	274	2.31	-
AV	5.5192G	105.51	Inf	-Inf	8.53	3	Vertical	274	2.31	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

5510MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 21  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.448G	61.61	74.00	-12.39	8.42	3	Horizontal	242	2.43	-
AV	5.4484G	46.61	54.00	-7.39	8.42	3	Horizontal	242	2.43	-
PK	5.4692G	63.12	68.20	-5.08	8.46	3	Horizontal	242	2.43	-
PK	5.5088G	113.01	Inf	-Inf	8.53	3	Horizontal	242	2.43	-
AV	5.5084G	100.48	Inf	-Inf	8.53	3	Horizontal	242	2.43	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

5550MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 24.5  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4336G	65.27	74.00	-8.73	8.40	3	Vertical	266	2.39	-
PK	5.4696G	68.04	68.20	-0.16	8.46	3	Vertical	266	2.39	-
AV	5.4582G	50.79	54.00	-3.21	8.45	3	Vertical	266	2.39	-
PK	5.5542G	123.09	Inf	-Inf	8.55	3	Vertical	266	2.39	-
AV	5.5524G	109.81	Inf	-Inf	8.55	3	Vertical	266	2.39	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

5550MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 24.5  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4408G	59.56	74.00	-14.44	8.41	3	Horizontal	259	2.11	-
PK	5.469G	61.06	68.20	-7.14	8.46	3	Horizontal	259	2.11	-
AV	5.46G	46.96	54.00	-7.04	8.45	3	Horizontal	259	2.11	-
PK	5.5416G	114.61	Inf	-Inf	8.54	3	Horizontal	259	2.11	-
AV	5.541G	102.46	Inf	-Inf	8.54	3	Horizontal	259	2.11	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

5670MHz\_TX




EUT Z\_4TX\_ANT Z  
Setting 22.5  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6814G	120.23	Inf	-Inf	8.72	3	Vertical	311	2.10	-
AV	5.6808G	107.51	Inf	-Inf	8.72	3	Vertical	311	2.10	-
PK	5.7252G	68.02	68.20	-0.18	8.79	3	Vertical	311	2.10	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

5670MHz\_TX




EUT Z\_4TX\_ANT Z  
 Setting 22.5  
 02-B-4-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6736G	113.62	Inf	-Inf	8.70	3	Horizontal	84	1.91	-
AV	5.6742G	101.26	Inf	-Inf	8.70	3	Horizontal	84	1.91	-
PK	5.7252G	65.45	68.20	-2.75	8.79	3	Horizontal	84	1.91	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4508G	59.18	74.00	-14.82	8.44	3	Vertical	312	2.19	-
AV	5.4532G	45.95	54.00	-8.05	8.44	3	Vertical	312	2.19	-
PK	5.4652G	58.35	68.20	-9.85	8.45	3	Vertical	312	2.19	-
PK	5.7064G	122.26	Inf	-Inf	8.76	3	Vertical	312	2.19	-
AV	5.7052G	110.03	Inf	-Inf	8.76	3	Vertical	312	2.19	-
PK	5.8576G	67.41	68.20	-0.79	8.90	3	Vertical	312	2.19	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

24/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX\_ANT Z  
Setting 27  
02-B-4-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.44G	58.24	74.00	-15.76	8.41	3	Horizontal	331	2.17	-
AV	5.4448G	45.53	54.00	-8.47	8.42	3	Horizontal	331	2.17	-
PK	5.4688G	57.57	68.20	-10.63	8.46	3	Horizontal	331	2.17	-
PK	5.7076G	116.24	Inf	-Inf	8.76	3	Horizontal	331	2.17	-
AV	5.7076G	104.17	Inf	-Inf	8.76	3	Horizontal	331	2.17	-
PK	5.8552G	64.22	68.20	-3.98	8.90	3	Horizontal	331	2.17	-



802.11ax HEW80\_Nss1,(MCS0)\_4TX

24/07/2019

5290MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 21  
02-E-2-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.145G	60.47	74.00	-13.53	7.94	3	Vertical	275	2.83	-
AV	5.146G	47.78	54.00	-6.22	7.94	3	Vertical	275	2.83	-
PK	5.284G	117.25	Inf	-Inf	8.19	3	Vertical	275	2.83	-
AV	5.284G	104.79	Inf	-Inf	8.19	3	Vertical	275	2.83	-
PK	5.361G	67.78	74.00	-6.22	8.29	3	Vertical	275	2.83	-
AV	5.362G	53.56	54.00	-0.44	8.29	3	Vertical	275	2.83	-
PK	5.538G	59.81	68.20	-8.39	8.54	3	Vertical	275	2.83	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

24/07/2019

5290MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 21  
02-E-2-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.085G	58.81	74.00	-15.19	7.80	3	Horizontal	307	2.97	-
AV	5.15G	45.75	54.00	-8.25	7.94	3	Horizontal	307	2.97	-
PK	5.3G	108.85	Inf	-Inf	8.21	3	Horizontal	307	2.97	-
AV	5.299G	96.68	Inf	-Inf	8.21	3	Horizontal	307	2.97	-
PK	5.51G	58.71	68.20	-9.49	8.53	3	Horizontal	307	2.97	-
AV	5.361G	48.51	54.00	-5.49	8.29	3	Horizontal	307	2.97	-
PK	5.361G	62.36	74.00	-11.64	8.29	3	Horizontal	307	2.97	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

24/07/2019

5530MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 20.5  
02-E-2-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.305G	58.98	68.20	-9.22	8.22	3	Vertical	334	2.20	-
PK	5.449G	65.64	74.00	-8.36	8.42	3	Vertical	334	2.20	-
AV	5.45G	52.63	54.00	-1.37	8.44	3	Vertical	334	2.20	-
PK	5.467G	67.76	68.20	-0.44	8.46	3	Vertical	334	2.20	-
PK	5.528G	115.34	Inf	-Inf	8.54	3	Vertical	334	2.20	-
AV	5.528G	102.20	Inf	-Inf	8.54	3	Vertical	334	2.20	-
PK	5.773G	59.63	68.20	-8.57	8.85	3	Vertical	334	2.20	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

24/07/2019

5530MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 20.5  
02-E-2-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.298G	58.43	68.20	-9.77	8.21	3	Horizontal	245	2.20	-
PK	5.451G	63.27	74.00	-10.73	8.44	3	Horizontal	245	2.20	-
AV	5.453G	49.22	54.00	-4.78	8.44	3	Horizontal	245	2.20	-
PK	5.466G	62.87	68.20	-5.33	8.46	3	Horizontal	245	2.20	-
PK	5.533G	110.12	Inf	-Inf	8.54	3	Horizontal	245	2.20	-
AV	5.532G	97.01	Inf	-Inf	8.54	3	Horizontal	245	2.20	-
PK	5.758G	62.85	68.20	-5.35	8.84	3	Horizontal	245	2.20	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

24/07/2019

5610MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 21  
02-E-2-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.408G	59.46	74.00	-14.54	8.35	3	Vertical	336	2.26	-
PK	5.4699G	62.44	68.20	-5.76	8.46	3	Vertical	336	2.26	-
AV	5.449G	46.97	54.00	-7.03	8.42	3	Vertical	336	2.26	-
PK	5.609G	116.18	Inf	-Inf	8.60	3	Vertical	336	2.26	-
AV	5.609G	103.62	Inf	-Inf	8.60	3	Vertical	336	2.26	-
PK	5.726G	67.70	68.20	-0.50	8.79	3	Vertical	336	2.26	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

24/07/2019

5610MHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 21  
02-E-2-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.389G	58.54	74.00	-15.46	8.33	3	Horizontal	305	2.23	-
PK	5.47G	58.04	68.20	-10.16	8.46	3	Horizontal	305	2.23	-
AV	5.45G	45.67	54.00	-8.33	8.44	3	Horizontal	305	2.23	-
PK	5.622G	109.90	Inf	-Inf	8.61	3	Horizontal	305	2.23	-
AV	5.621G	96.96	Inf	-Inf	8.61	3	Horizontal	305	2.23	-
PK	5.772G	65.95	68.20	-2.25	8.85	3	Horizontal	305	2.23	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

24/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX\_ANT Z  
Setting 24  
02-E-2-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4572G	60.05	74.00	-13.95	8.44	3	Vertical	333	2.20	-
AV	5.4596G	46.60	54.00	-7.40	8.45	3	Vertical	333	2.20	-
PK	5.4656G	59.18	68.20	-9.02	8.46	3	Vertical	333	2.20	-
PK	5.6768G	119.40	Inf	-Inf	8.72	3	Vertical	333	2.20	-
AV	5.6972G	105.92	Inf	-Inf	8.75	3	Vertical	333	2.20	-
PK	5.8556G	65.98	68.20	-2.22	8.90	3	Vertical	333	2.20	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

24/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX\_ANT Z  
Setting 24  
02-E-2-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4272G	58.95	74.00	-15.05	8.40	3	Horizontal	312	2.11	-
PK	5.4632G	58.35	68.20	-9.85	8.45	3	Horizontal	312	2.11	-
AV	5.4596G	45.62	54.00	-8.38	8.45	3	Horizontal	312	2.11	-
PK	5.6948G	112.40	Inf	-Inf	8.74	3	Horizontal	312	2.11	-
AV	5.6948G	99.66	Inf	-Inf	8.74	3	Horizontal	312	2.11	-
PK	5.852G	61.96	68.20	-6.24	8.90	3	Horizontal	312	2.11	-






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.46G	46.75	54.00	-7.25	8.45	3	Vertical	105	2.13	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

### 5260MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	59.00	74.00	-15.00	7.94	3	Vertical	96	2.37	-
AV	5.119G	45.86	54.00	-8.14	7.88	3	Vertical	96	2.37	-
PK	5.2636G	118.72	Inf	-Inf	8.16	3	Vertical	96	2.37	-
AV	5.263G	106.80	Inf	-Inf	8.16	3	Vertical	96	2.37	-
PK	5.3548G	58.88	74.00	-15.12	8.28	3	Vertical	96	2.37	-
AV	5.3512G	46.54	54.00	-7.46	8.28	3	Vertical	96	2.37	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

### 5260MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1436G	57.69	74.00	-16.31	7.94	3	Horizontal	261	1.96	-
AV	5.1412G	45.69	54.00	-8.31	7.94	3	Horizontal	261	1.96	-
PK	5.2564G	109.60	Inf	-Inf	8.15	3	Horizontal	261	1.96	-
AV	5.2564G	97.85	Inf	-Inf	8.15	3	Horizontal	261	1.96	-
PK	5.371G	58.75	74.00	-15.25	8.30	3	Horizontal	261	1.96	-
AV	5.4082G	45.63	54.00	-8.37	8.35	3	Horizontal	261	1.96	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

### 5300MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.296G	116.47	Inf	-Inf	8.21	3	Vertical	333	2.90	-
AV	5.2972G	104.75	Inf	-Inf	8.21	3	Vertical	333	2.90	-
PK	5.3516G	59.90	74.00	-14.10	8.28	3	Vertical	333	2.90	-
AV	5.3512G	46.18	54.00	-7.82	8.28	3	Vertical	333	2.90	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5300MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2972G	109.18	Inf	-Inf	8.21	3	Horizontal	54	1.50	-
AV	5.2952G	95.93	Inf	-Inf	8.20	3	Horizontal	54	1.50	-
PK	5.3752G	58.10	74.00	-15.90	8.31	3	Horizontal	54	1.50	-
AV	5.3616G	45.46	54.00	-8.54	8.29	3	Horizontal	54	1.50	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5320MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3242G	116.22	Inf	-Inf	8.24	3	Vertical	279	2.30	-
AV	5.3238G	103.08	Inf	-Inf	8.24	3	Vertical	279	2.30	-
PK	5.3582G	58.36	74.00	-15.64	8.28	3	Vertical	279	2.30	-
AV	5.3508G	46.17	54.00	-7.83	8.28	3	Vertical	279	2.30	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5320MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3192G	112.96	Inf	-Inf	8.23	3	Horizontal	243	2.22	-
AV	5.3216G	98.93	Inf	-Inf	8.23	3	Horizontal	243	2.22	-
PK	5.3592G	57.81	74.00	-16.19	8.29	3	Horizontal	243	2.22	-
AV	5.3526G	45.60	54.00	-8.40	8.28	3	Horizontal	243	2.22	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5500MHz\_TX



EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4084G	59.66	74.00	-14.34	8.35	3	Vertical	228	2.37	-
AV	5.404G	46.01	54.00	-7.99	8.35	3	Vertical	228	2.37	-
PK	5.4644G	59.46	68.20	-8.74	8.45	3	Vertical	228	2.37	-
PK	5.4996G	117.26	Inf	-Inf	8.52	3	Vertical	228	2.37	-
AV	5.4976G	104.61	Inf	-Inf	8.52	3	Vertical	228	2.37	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5500MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4444G	58.01	74.00	-15.99	8.42	3	Horizontal	279	2.34	-
AV	5.4336G	45.54	54.00	-8.46	8.40	3	Horizontal	279	2.34	-
PK	5.464G	57.49	68.20	-10.71	8.45	3	Horizontal	279	2.34	-
PK	5.4924G	108.66	Inf	-Inf	8.51	3	Horizontal	279	2.34	-
AV	5.4908G	98.05	Inf	-Inf	8.51	3	Horizontal	279	2.34	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5580MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.396G	58.04	74.00	-15.96	8.34	3	Vertical	28	2.19	-
PK	5.4688G	57.01	68.20	-11.19	8.46	3	Vertical	28	2.19	-
AV	5.4376G	45.57	54.00	-8.43	8.41	3	Vertical	28	2.19	-
PK	5.5816G	116.17	Inf	-Inf	8.57	3	Vertical	28	2.19	-
AV	5.584G	104.00	Inf	-Inf	8.57	3	Vertical	28	2.19	-
PK	5.7432G	58.99	68.20	-9.21	8.82	3	Vertical	28	2.19	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

### 5580MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4064G	57.77	74.00	-16.23	8.35	3	Horizontal	245	2.32	-
AV	5.4168G	45.54	54.00	-8.46	8.37	3	Horizontal	245	2.32	-
PK	5.4632G	57.41	68.20	-10.79	8.45	3	Horizontal	245	2.32	-
PK	5.5768G	110.99	Inf	-Inf	8.57	3	Horizontal	245	2.32	-
AV	5.5776G	98.06	Inf	-Inf	8.57	3	Horizontal	245	2.32	-
PK	5.7368G	58.53	68.20	-9.67	8.81	3	Horizontal	245	2.32	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5700MHz\_TX




EUT Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6978G	117.77	Inf	-Inf	8.75	3	Vertical	310	2.01	-
AV	5.6954G	104.92	Inf	-Inf	8.74	3	Vertical	310	2.01	-
PK	5.7422G	59.23	68.20	-8.97	8.81	3	Vertical	310	2.01	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5700MHz\_TX




EUT Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7032G	110.93	Inf	-Inf	8.75	3	Horizontal	251	1.88	-
AV	5.704G	98.25	Inf	-Inf	8.76	3	Horizontal	251	1.88	-
PK	5.7418G	58.36	68.20	-9.84	8.81	3	Horizontal	251	1.88	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3798G	58.16	74.00	-15.84	8.32	3	Vertical	229	2.17	-
PK	5.4624G	57.95	68.20	-10.25	8.45	3	Vertical	229	2.17	-
AV	5.4414G	45.54	54.00	-8.46	8.41	3	Vertical	229	2.17	-
PK	5.72G	116.31	Inf	-Inf	8.78	3	Vertical	229	2.17	-
AV	5.7186G	103.51	Inf	-Inf	8.77	3	Vertical	229	2.17	-
PK	5.925G	58.83	68.20	-9.37	8.93	3	Vertical	229	2.17	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4428G	57.90	74.00	-16.10	8.42	3	Horizontal	235	2.02	-
AV	5.3938G	45.54	54.00	-8.46	8.33	3	Horizontal	235	2.02	-
PK	5.4638G	56.53	68.20	-11.67	8.45	3	Horizontal	235	2.02	-
PK	5.7144G	109.59	Inf	-Inf	8.77	3	Horizontal	235	2.02	-
AV	5.7158G	98.44	Inf	-Inf	8.77	3	Horizontal	235	2.02	-
PK	5.9496G	58.63	68.20	-9.57	8.94	3	Horizontal	235	2.02	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5270MHz\_TX



EUT\_Z\_4TX\_ANT\_Z  
 Setting 24  
 02-E-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1386G	57.35	74.00	-16.65	7.92	3	Vertical	110	1.50	-
AV	5.1452G	45.40	54.00	-8.60	7.94	3	Vertical	110	1.50	-
PK	5.2652G	111.16	Inf	-Inf	8.16	3	Vertical	110	1.50	-
AV	5.261G	99.20	Inf	-Inf	8.15	3	Vertical	110	1.50	-
PK	5.3978G	58.16	74.00	-15.84	8.34	3	Vertical	110	1.50	-
AV	5.3564G	45.71	54.00	-8.29	8.28	3	Vertical	110	1.50	-



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

### 5270MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1296G	57.62	74.00	-16.38	7.91	3	Horizontal	230	1.50	-
AV	5.12G	45.28	54.00	-8.72	7.88	3	Horizontal	230	1.50	-
PK	5.2742G	107.42	Inf	-Inf	8.17	3	Horizontal	230	1.50	-
AV	5.2748G	95.08	Inf	-Inf	8.17	3	Horizontal	230	1.50	-
PK	5.3846G	57.66	74.00	-16.34	8.32	3	Horizontal	230	1.50	-
AV	5.393G	45.35	54.00	-8.65	8.33	3	Horizontal	230	1.50	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5310MHz\_TX




EUT Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3212G	112.35	Inf	-Inf	8.23	3	Vertical	208	2.97	-
AV	5.3204G	99.70	Inf	-Inf	8.23	3	Vertical	208	2.97	-
PK	5.358G	60.53	74.00	-13.47	8.28	3	Vertical	208	2.97	-
AV	5.35G	47.02	54.00	-6.98	8.28	3	Vertical	208	2.97	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5310MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3112G	107.33	Inf	-Inf	8.22	3	Horizontal	250	2.37	-
AV	5.312G	95.10	Inf	-Inf	8.22	3	Horizontal	250	2.37	-
PK	5.3576G	58.06	74.00	-15.94	8.28	3	Horizontal	250	2.37	-
AV	5.3524G	45.58	54.00	-8.42	8.28	3	Horizontal	250	2.37	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5510MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.452G	61.30	74.00	-12.70	8.44	3	Vertical	227	1.50	-
AV	5.418G	45.90	54.00	-8.10	8.37	3	Vertical	227	1.50	-
PK	5.468G	58.32	68.20	-9.88	8.46	3	Vertical	227	1.50	-
PK	5.5068G	113.23	Inf	-Inf	8.52	3	Vertical	227	1.50	-
AV	5.5076G	100.56	Inf	-Inf	8.52	3	Vertical	227	1.50	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5510MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.446G	58.05	74.00	-15.95	8.42	3	Horizontal	311	2.15	-
AV	5.4248G	45.67	54.00	-8.33	8.38	3	Horizontal	311	2.15	-
PK	5.4632G	57.87	68.20	-10.33	8.45	3	Horizontal	311	2.15	-
PK	5.5212G	108.48	Inf	-Inf	8.53	3	Horizontal	311	2.15	-
AV	5.5216G	96.54	Inf	-Inf	8.53	3	Horizontal	311	2.15	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5550MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4324G	59.26	74.00	-14.74	8.40	3	Vertical	277	2.11	-
AV	5.4396G	45.68	54.00	-8.32	8.41	3	Vertical	277	2.11	-
PK	5.466G	57.87	68.20	-10.33	8.46	3	Vertical	277	2.11	-
PK	5.5412G	113.20	Inf	-Inf	8.54	3	Vertical	277	2.11	-
AV	5.5412G	100.91	Inf	-Inf	8.54	3	Vertical	277	2.11	-
PK	5.75G	59.20	68.20	-9.00	8.83	3	Vertical	277	2.11	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5550MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4236G	57.66	74.00	-16.34	8.38	3	Horizontal	244	2.11	-
AV	5.4196G	45.52	54.00	-8.48	8.38	3	Horizontal	244	2.11	-
PK	5.466G	57.95	68.20	-10.25	8.46	3	Horizontal	244	2.11	-
PK	5.538G	108.07	Inf	-Inf	8.54	3	Horizontal	244	2.11	-
AV	5.5372G	96.49	Inf	-Inf	8.54	3	Horizontal	244	2.11	-
PK	5.738G	58.28	68.20	-9.92	8.80	3	Horizontal	244	2.11	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5670MHz\_TX



EUT Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6728G	114.20	Inf	-Inf	8.70	3	Vertical	287	2.20	-
AV	5.6716G	102.00	Inf	-Inf	8.70	3	Vertical	287	2.20	-
PK	5.7604G	59.06	68.20	-9.14	8.85	3	Vertical	287	2.20	-



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

### 5670MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6676G	106.98	Inf	-Inf	8.69	3	Horizontal	241	1.50	-
AV	5.6688G	94.50	Inf	-Inf	8.70	3	Horizontal	241	1.50	-
PK	5.7336G	58.61	68.20	-9.59	8.80	3	Horizontal	241	1.50	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4468G	57.85	74.00	-16.15	8.42	3	Vertical	276	1.98	-
AV	5.4132G	45.62	54.00	-8.38	8.36	3	Vertical	276	1.98	-
PK	5.4692G	57.47	68.20	-10.73	8.46	3	Vertical	276	1.98	-
PK	5.696G	113.41	Inf	-Inf	8.74	3	Vertical	276	1.98	-
AV	5.7002G	102.26	Inf	-Inf	8.75	3	Vertical	276	1.98	-
PK	5.9746G	58.56	68.20	-9.64	8.93	3	Vertical	276	1.98	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.388G	58.22	74.00	-15.78	8.33	3	Horizontal	344	1.94	-
AV	5.3824G	45.52	54.00	-8.48	8.32	3	Horizontal	344	1.94	-
PK	5.47G	57.15	68.20	-11.05	8.46	3	Horizontal	344	1.94	-
PK	5.7016G	106.00	Inf	-Inf	8.75	3	Horizontal	344	1.94	-
AV	5.7016G	94.23	Inf	-Inf	8.75	3	Horizontal	344	1.94	-
PK	5.9452G	59.28	68.20	-8.92	8.94	3	Horizontal	344	1.94	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5290MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.131G	58.27	74.00	-15.73	7.91	3	Vertical	81	2.36	-
AV	5.091G	45.53	54.00	-8.47	7.82	3	Vertical	81	2.36	-
PK	5.272G	111.59	Inf	-Inf	8.17	3	Vertical	81	2.36	-
AV	5.288G	98.19	Inf	-Inf	8.20	3	Vertical	81	2.36	-
PK	5.354G	60.28	74.00	-13.72	8.28	3	Vertical	81	2.36	-
AV	5.354G	46.73	54.00	-7.27	8.28	3	Vertical	81	2.36	-
PK	5.497G	58.43	68.20	-9.77	8.52	3	Vertical	81	2.36	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/07/2019

### 5290MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.101G	58.58	74.00	-15.42	7.84	3	Horizontal	249	1.92	-
AV	5.101G	45.43	54.00	-8.57	7.84	3	Horizontal	249	1.92	-
PK	5.27G	106.38	Inf	-Inf	8.16	3	Horizontal	249	1.92	-
AV	5.269G	93.88	Inf	-Inf	8.16	3	Horizontal	249	1.92	-
PK	5.353G	58.10	74.00	-15.90	8.28	3	Horizontal	249	1.92	-
AV	5.354G	46.15	54.00	-7.85	8.28	3	Horizontal	249	1.92	-
PK	5.515G	57.63	68.20	-10.57	8.53	3	Horizontal	249	1.92	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5530MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.28G	57.75	68.20	-10.45	8.18	3	Vertical	105	2.13	-
PK	5.422G	58.70	74.00	-15.30	8.38	3	Vertical	105	2.13	-
PK	5.468G	57.93	68.20	-10.27	8.46	3	Vertical	105	2.13	-
AV	5.46G	46.75	54.00	-7.25	8.45	3	Vertical	105	2.13	-
PK	5.529G	110.81	Inf	-Inf	8.54	3	Vertical	105	2.13	-
AV	5.525G	98.17	Inf	-Inf	8.53	3	Vertical	105	2.13	-
PK	5.731G	59.17	68.20	-9.03	8.80	3	Vertical	105	2.13	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5530MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.343G	57.52	68.20	-10.68	8.27	3	Horizontal	288	1.50	-
PK	5.456G	57.96	74.00	-16.04	8.44	3	Horizontal	288	1.50	-
AV	5.43G	45.51	54.00	-8.49	8.40	3	Horizontal	288	1.50	-
PK	5.465G	57.60	68.20	-10.60	8.45	3	Horizontal	288	1.50	-
PK	5.525G	104.40	Inf	-Inf	8.53	3	Horizontal	288	1.50	-
AV	5.521G	94.37	Inf	-Inf	8.53	3	Horizontal	288	1.50	-
PK	5.777G	58.30	68.20	-9.90	8.87	3	Horizontal	288	1.50	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5610MHz\_TX



EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.429G	58.44	74.00	-15.56	8.40	3	Vertical	100	2.08	-
AV	5.439G	45.68	54.00	-8.32	8.41	3	Vertical	100	2.08	-
PK	5.47G	57.67	68.20	-10.53	8.46	3	Vertical	100	2.08	-
PK	5.604G	113.73	Inf	-Inf	8.59	3	Vertical	100	2.08	-
AV	5.63G	97.61	Inf	-Inf	8.63	3	Vertical	100	2.08	-
PK	5.726G	59.77	68.20	-8.43	8.79	3	Vertical	100	2.08	-



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5610MHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.402G	57.80	74.00	-16.20	8.34	3	Horizontal	242	2.03	-
PK	5.462G	57.76	68.20	-10.44	8.45	3	Horizontal	242	2.03	-
AV	5.444G	45.53	54.00	-8.47	8.42	3	Horizontal	242	2.03	-
PK	5.613G	105.38	Inf	-Inf	8.61	3	Horizontal	242	2.03	-
AV	5.592G	94.82	Inf	-Inf	8.58	3	Horizontal	242	2.03	-
PK	5.737G	58.72	68.20	-9.48	8.81	3	Horizontal	242	2.03	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX\_ANT\_Z  
 Setting 24  
 02-E-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.42G	58.07	74.00	-15.93	8.38	3	Vertical	274	2.21	-
AV	5.4212G	45.50	54.00	-8.50	8.38	3	Vertical	274	2.21	-
PK	5.4632G	56.86	68.20	-11.34	8.45	3	Vertical	274	2.21	-
PK	5.6708G	109.84	Inf	-Inf	8.70	3	Vertical	274	2.21	-
AV	5.6708G	97.54	Inf	-Inf	8.70	3	Vertical	274	2.21	-
PK	5.9384G	58.55	68.20	-9.65	8.93	3	Vertical	274	2.21	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX\_ANT\_Z  
 Setting 24  
 02-E-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	57.79	74.00	-16.21	8.45	3	Horizontal	234	1.50	-
AV	5.4476G	45.50	54.00	-8.50	8.42	3	Horizontal	234	1.50	-
PK	5.4692G	58.13	68.20	-10.07	8.46	3	Horizontal	234	1.50	-
PK	5.6732G	105.13	Inf	-Inf	8.70	3	Horizontal	234	1.50	-
AV	5.684G	95.21	Inf	-Inf	8.72	3	Horizontal	234	1.50	-
PK	5.9684G	58.47	68.20	-9.73	8.93	3	Horizontal	234	1.50	-



## RSE TX above 1GHz Result\_Radiated Emission / Antenna Set 5 Appendix E.23


### Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.77562G	43.16	54.00	-10.84	15.45	3	Vertical	19	2.08	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7749G	56.23	74.00	-17.77	15.45	3	Vertical	19	2.08	-
AV	15.77562G	43.16	54.00	-10.84	15.45	3	Vertical	19	2.08	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.77514G	54.80	74.00	-19.20	15.45	3	Horizontal	133	1.92	-
AV	15.76716G	41.48	54.00	-12.52	15.47	3	Horizontal	133	1.92	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.89658G	54.19	74.00	-19.81	15.14	3	Vertical	334	2.07	-
AV	15.89832G	41.73	54.00	-12.27	15.13	3	Vertical	334	2.07	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5300MHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.90756G	54.01	74.00	-19.99	15.11	3	Horizontal	73	1.11	-
AV	15.89796G	40.61	54.00	-13.39	15.14	3	Horizontal	73	1.11	-



### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.65416G	53.57	74.00	-20.43	14.48	3	Vertical	82	2.14	-
AV	10.64938G	40.05	54.00	-13.95	14.49	3	Vertical	82	2.14	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.63646G	54.01	74.00	-19.99	14.49	3	Horizontal	311	1.06	-
AV	10.62578G	40.02	54.00	-13.98	14.49	3	Horizontal	311	1.06	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00486G	53.28	74.00	-20.72	14.26	3	Vertical	187	2.42	-
AV	11.0063G	39.80	54.00	-14.20	14.27	3	Vertical	187	2.42	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00894G	53.02	74.00	-20.98	14.27	3	Horizontal	54	1.77	-
AV	11.01494G	39.71	54.00	-14.29	14.28	3	Horizontal	54	1.77	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.15994G	53.18	74.00	-20.82	14.46	3	Vertical	49	1.83	-
AV	11.17422G	39.56	54.00	-14.44	14.48	3	Vertical	49	1.83	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1585G	52.66	74.00	-21.34	14.46	3	Horizontal	335	2.37	-
AV	11.16822G	39.64	54.00	-14.36	14.47	3	Horizontal	335	2.37	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4114G	53.62	74.00	-20.38	14.79	3	Vertical	153	1.47	-
AV	11.4036G	40.43	54.00	-13.57	14.77	3	Vertical	153	1.47	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5700MHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40002G	54.05	74.00	-19.95	14.77	3	Horizontal	136	1.92	-
AV	11.39994G	40.27	54.00	-13.73	14.77	3	Horizontal	136	1.92	-



### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43628G	53.92	74.00	-20.08	14.82	3	Vertical	298	1.19	-
AV	11.4376G	40.30	54.00	-13.70	14.82	3	Vertical	298	1.19	-

### 802.11a\_Nss1,(6Mbps)\_4TX

17/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4331G	53.65	74.00	-20.35	14.82	3	Horizontal	294	2.06	-
AV	11.43514G	40.35	54.00	-13.65	14.82	3	Horizontal	294	2.06	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

5260MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.76884G	54.95	74.00	-19.05	15.46	3	Vertical	226	1.84	-
AV	15.7659G	40.78	54.00	-13.22	15.47	3	Vertical	226	1.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.78534G	54.80	74.00	-19.20	15.42	3	Horizontal	41	1.65	-
AV	15.76752G	40.78	54.00	-13.22	15.46	3	Horizontal	41	1.65	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5300MHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.90072G	53.83	74.00	-20.17	15.13	3	Vertical	179	1.49	-
AV	15.89574G	39.83	54.00	-14.17	15.14	3	Vertical	179	1.49	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9108G	54.24	74.00	-19.76	15.10	3	Horizontal	45	1.35	-
AV	15.90774G	39.84	54.00	-14.16	15.11	3	Horizontal	45	1.35	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.63382G	53.27	74.00	-20.73	14.49	3	Vertical	148	2.27	-
AV	10.63712G	39.43	54.00	-14.57	14.49	3	Vertical	148	2.27	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5320MHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.63952G	53.21	74.00	-20.79	14.49	3	Horizontal	49	1.91	-
AV	10.64058G	39.40	54.00	-14.60	14.49	3	Horizontal	49	1.91	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01176G	52.99	74.00	-21.01	14.28	3	Vertical	154	2.08	-
AV	11.01164G	39.24	54.00	-14.76	14.28	3	Vertical	154	2.08	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00918G	53.26	74.00	-20.74	14.27	3	Horizontal	109	1.67	-
AV	11.01086G	39.25	54.00	-14.75	14.28	3	Horizontal	109	1.67	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1714G	52.71	74.00	-21.29	14.48	3	Vertical	123	1.18	-
AV	11.175G	39.24	54.00	-14.76	14.48	3	Vertical	123	1.18	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.15208G	52.63	74.00	-21.37	14.45	3	Horizontal	211	2.17	-
AV	11.17248G	39.04	54.00	-14.96	14.48	3	Horizontal	211	2.17	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40516G	53.98	74.00	-20.02	14.77	3	Vertical	82	1.33	-
AV	11.40636G	39.81	54.00	-14.19	14.79	3	Vertical	82	1.33	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.41416G	53.97	74.00	-20.03	14.79	3	Horizontal	107	1.85	-
AV	11.41536G	39.73	54.00	-14.27	14.75	3	Horizontal	107	1.85	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.44078G	53.79	74.00	-20.21	14.82	3	Vertical	205	2.33	-
AV	11.4268G	39.90	54.00	-14.10	14.81	3	Vertical	205	2.33	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

17/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.44588G	53.82	74.00	-20.18	14.84	3	Horizontal	104	1.41	-
AV	11.42536G	39.84	54.00	-14.16	14.81	3	Horizontal	104	1.41	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

### 5270MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.82368G	54.34	74.00	-19.66	15.32	3	Vertical	181	1.38	-
AV	15.7989G	40.05	54.00	-13.95	15.38	3	Vertical	181	1.38	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

### 5270MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.80688G	54.27	74.00	-19.73	15.37	3	Horizontal	246	2.44	-
AV	15.7953G	40.08	54.00	-13.92	15.39	3	Horizontal	246	2.44	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9369G	53.56	74.00	-20.44	15.02	3	Vertical	202	1.97	-
AV	15.936G	39.94	54.00	-14.06	15.03	3	Vertical	202	1.97	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.93614G	53.56	74.00	-20.44	15.03	3	Horizontal	212	1.83	-
AV	15.9447G	39.91	54.00	-14.09	15.00	3	Horizontal	212	1.83	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

### 5510MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.02328G	53.08	74.00	-20.92	14.29	3	Vertical	19	1.54	-
AV	11.02642G	39.44	54.00	-14.56	14.29	3	Vertical	19	1.54	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

### 5510MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.02856G	53.48	74.00	-20.52	14.30	3	Horizontal	89	1.93	-
AV	11.02936G	39.63	54.00	-14.37	14.30	3	Horizontal	89	1.93	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

### 5550MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.08518G	52.95	74.00	-21.05	14.38	3	Vertical	111	1.74	-
AV	11.08674G	39.17	54.00	-14.83	14.38	3	Vertical	111	1.74	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

### 5550MHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.09388G	53.25	74.00	-20.75	14.39	3	Horizontal	274	1.09	-
AV	11.08584G	39.18	54.00	-14.82	14.38	3	Horizontal	274	1.09	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

### 5670MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.35434G	52.75	74.00	-21.25	14.72	3	Vertical	196	1.82	-
AV	11.35182G	39.04	54.00	-14.96	14.72	3	Vertical	196	1.82	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

### 5670MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.35062G	53.18	74.00	-20.82	14.72	3	Horizontal	173	2.03	-
AV	11.3538G	39.07	54.00	-14.93	14.72	3	Horizontal	173	2.03	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.41118G	53.51	74.00	-20.49	14.79	3	Vertical	141	1.71	-
AV	11.42348G	39.94	54.00	-14.06	14.80	3	Vertical	141	1.71	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

17/07/2019

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40896G	53.65	74.00	-20.35	14.79	3	Horizontal	21	2.01	-
AV	11.40692G	39.97	54.00	-14.03	14.79	3	Horizontal	21	2.01	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

17/07/2019

### 5290MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.87168G	53.93	74.00	-20.07	15.20	3	Vertical	105	1.77	-
AV	15.87155G	40.10	54.00	-13.90	15.20	3	Vertical	105	1.77	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

17/07/2019

5290MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.86682G	53.60	74.00	-20.40	15.22	3	Horizontal	191	2.25	-
AV	15.8607G	40.04	54.00	-13.96	15.22	3	Horizontal	191	2.25	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

17/07/2019

### 5610MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.22722G	53.29	74.00	-20.71	14.53	3	Vertical	161	1.78	-
AV	11.22654G	39.05	54.00	-14.95	14.55	3	Vertical	161	1.78	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

17/07/2019

### 5610MHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.23422G	53.28	74.00	-20.72	14.56	3	Horizontal	196	1.81	-
AV	11.22642G	39.12	54.00	-14.88	14.55	3	Horizontal	196	1.81	-



802.11ax HEW80\_Nss1,(MCS0)\_4TX

17/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.38042G	53.99	74.00	-20.01	14.74	3	Vertical	146	1.76	-
AV	11.38996G	39.71	54.00	-14.29	14.76	3	Vertical	146	1.76	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

17/07/2019

### 5690MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39086G	54.16	74.00	-19.84	14.76	3	Horizontal	153	1.98	-
AV	11.39302G	39.75	54.00	-14.25	14.76	3	Horizontal	153	1.98	-



## RSE TX above 1GHz Result\_Radiated Emission / Antenna Set 5 Appendix E.24


### Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	15.76752G	41.94	54.00	-12.06	15.46	3	Vertical	304	2.34	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

18/07/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.78018G	55.69	74.00	-18.31	15.44	3	Vertical	304	2.34	-
AV	15.76752G	41.94	54.00	-12.06	15.46	3	Vertical	304	2.34	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

18/07/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.77154G	54.72	74.00	-19.28	15.45	3	Horizontal	126	1.52	-
AV	15.76572G	41.85	54.00	-12.15	15.47	3	Horizontal	126	1.52	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

18/07/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.90552G	54.14	74.00	-19.86	15.11	3	Vertical	232	2.34	-
AV	15.89562G	41.04	54.00	-12.96	15.14	3	Vertical	232	2.34	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

18/07/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9018G	55.56	74.00	-18.44	15.12	3	Horizontal	66	1.58	-
AV	15.91068G	40.95	54.00	-13.05	15.10	3	Horizontal	66	1.58	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

18/07/2019

### 5320MHz\_TX



EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.64894G	53.92	74.00	-20.08	14.48	3	Vertical	190	1.41	-
AV	10.6466G	40.28	54.00	-13.72	14.48	3	Vertical	190	1.41	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

18/07/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.64966G	53.63	74.00	-20.37	14.48	3	Horizontal	158	1.68	-
AV	10.64584G	40.32	54.00	-13.68	14.49	3	Horizontal	158	1.68	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.015G	53.74	74.00	-20.26	14.28	3	Vertical	35	1.07	-
AV	11.01428G	40.20	54.00	-13.80	14.28	3	Vertical	35	1.07	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0021G	53.40	74.00	-20.60	14.26	3	Horizontal	300	1.42	-
AV	11.01464G	40.10	54.00	-13.90	14.28	3	Horizontal	300	1.42	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5580MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1555G	53.34	74.00	-20.66	14.45	3	Vertical	244	1.92	-
AV	11.16264G	39.98	54.00	-14.02	14.47	3	Vertical	244	1.92	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16114G	53.18	74.00	-20.82	14.47	3	Horizontal	277	1.33	-
AV	11.163G	39.90	54.00	-14.10	14.47	3	Horizontal	277	1.33	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40424G	54.03	74.00	-19.97	14.77	3	Vertical	159	1.01	-
AV	11.40492G	40.65	54.00	-13.35	14.77	3	Vertical	159	1.01	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40588G	54.06	74.00	-19.94	14.78	3	Horizontal	173	2.37	-
AV	11.41044G	40.54	54.00	-13.46	14.79	3	Horizontal	173	2.37	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42788G	54.12	74.00	-19.88	14.81	3	Vertical	149	1.78	-
AV	11.42602G	40.63	54.00	-13.37	14.81	3	Vertical	149	1.78	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43712G	54.03	74.00	-19.97	14.82	3	Horizontal	219	1.42	-
AV	11.43364G	40.61	54.00	-13.39	14.82	3	Horizontal	219	1.42	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5270MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.8028G	54.25	74.00	-19.75	15.37	3	Vertical	293	2.23	-
AV	15.7968G	40.95	54.00	-13.05	15.39	3	Vertical	293	2.23	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5270MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.81396G	54.10	74.00	-19.90	15.35	3	Horizontal	254	1.41	-
AV	15.79746G	40.79	54.00	-13.21	15.39	3	Horizontal	254	1.41	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.9441G	54.50	74.00	-19.50	15.00	3	Vertical	258	2.47	-
AV	15.94422G	40.71	54.00	-13.29	15.00	3	Vertical	258	2.47	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.94434G	54.21	74.00	-19.79	15.00	3	Horizontal	151	1.24	-
AV	15.9365G	40.68	54.00	-13.32	15.02	3	Horizontal	151	1.24	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5510MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.03008G	53.44	74.00	-20.56	14.30	3	Vertical	88	1.98	-
AV	11.02828G	40.17	54.00	-13.83	14.29	3	Vertical	88	1.98	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5510MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.02258G	53.58	74.00	-20.42	14.29	3	Horizontal	173	2.12	-
AV	11.024G	40.03	54.00	-13.97	14.28	3	Horizontal	173	2.12	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5550MHz\_TX



EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0862G	52.82	74.00	-21.18	14.38	3	Vertical	126	1.22	-
AV	11.09046G	39.73	54.00	-14.27	14.38	3	Vertical	126	1.22	-



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5550MHz\_TX



EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.11272G	53.56	74.00	-20.44	14.41	3	Horizontal	146	1.95	-
AV	11.08506G	39.79	54.00	-14.21	14.38	3	Horizontal	146	1.95	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5670MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34686G	52.83	74.00	-21.17	14.68	3	Vertical	123	1.62	-
AV	11.34678G	39.56	54.00	-14.44	14.71	3	Vertical	123	1.62	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5670MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3526G	52.91	74.00	-21.09	14.72	3	Horizontal	135	2.17	-
AV	11.35356G	39.69	54.00	-14.31	14.72	3	Horizontal	135	2.17	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4281G	53.47	74.00	-20.53	14.81	3	Vertical	195	1.43	-
AV	11.43314G	40.45	54.00	-13.55	14.82	3	Vertical	195	1.43	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42672G	53.94	74.00	-20.06	14.81	3	Horizontal	267	2.35	-
AV	11.4206G	40.57	54.00	-13.43	14.80	3	Horizontal	267	2.35	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5290MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.85956G	53.73	74.00	-20.27	15.23	3	Vertical	309	1.07	-
AV	15.8664G	40.65	54.00	-13.35	15.22	3	Vertical	309	1.07	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5290MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.88494G	54.20	74.00	-19.80	15.16	3	Horizontal	277	1.48	-
AV	15.88506G	40.67	54.00	-13.33	15.24	3	Horizontal	277	1.48	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5530MHz\_TX



EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.07422G	54.44	74.00	-19.56	14.36	3	Vertical	278	1.09	-
AV	11.06408G	39.91	54.00	-14.09	14.34	3	Vertical	278	1.09	-



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5530MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.07158G	53.33	74.00	-20.67	14.36	3	Horizontal	113	2.07	-
AV	11.06864G	39.88	54.00	-14.12	14.35	3	Horizontal	113	2.07	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5610MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.23488G	53.52	74.00	-20.48	14.56	3	Vertical	171	1.36	-
AV	11.2329G	39.57	54.00	-14.43	14.56	3	Vertical	171	1.36	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5610MHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.22354G	52.73	74.00	-21.27	14.55	3	Horizontal	126	1.17	-
AV	11.23026G	39.62	54.00	-14.38	14.55	3	Horizontal	126	1.17	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

### 5690MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.37628G	54.03	74.00	-19.97	14.74	3	Vertical	140	1.18	-
AV	11.39464G	40.22	54.00	-13.78	14.77	3	Vertical	140	1.18	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 24  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.38204G	53.81	74.00	-20.19	14.75	3	Horizontal	289	2.13	-
AV	11.39158G	40.25	54.00	-13.75	14.76	3	Horizontal	289	2.13	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	68.15	68.20	-0.05	8.79	3	Vertical	183	1.35	-

### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5260MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1268G	58.30	74.00	-15.70	7.90	3	Vertical	184	1.96	-
AV	5.1484G	46.00	54.00	-8.00	7.94	3	Vertical	184	1.96	-
PK	5.263G	118.47	Inf	-Inf	8.16	3	Vertical	184	1.96	-
AV	5.263G	108.43	Inf	-Inf	8.16	3	Vertical	184	1.96	-
PK	5.3788G	60.01	74.00	-13.99	8.32	3	Vertical	184	1.96	-
AV	5.3506G	46.23	54.00	-7.77	8.28	3	Vertical	184	1.96	-

### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5260MHz\_TX



EUT\_Z\_1TX  
Setting 27  
02-M-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1394G	61.06	74.00	-12.94	7.93	3	Horizontal	167	1.42	-
AV	5.143G	45.92	54.00	-8.08	7.94	3	Horizontal	167	1.42	-
PK	5.263G	118.82	Inf	-Inf	8.16	3	Horizontal	167	1.42	-
AV	5.2636G	108.65	Inf	-Inf	8.16	3	Horizontal	167	1.42	-
PK	5.3794G	61.98	74.00	-12.02	8.32	3	Horizontal	167	1.42	-
AV	5.353G	46.50	54.00	-7.50	8.28	3	Horizontal	167	1.42	-



### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5300MHz\_TX




EUT Z\_1TX  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3028G	118.74	Inf	-Inf	8.21	3	Vertical	178	1.29	-
AV	5.3028G	108.50	Inf	-Inf	8.21	3	Vertical	178	1.29	-
PK	5.352G	62.96	74.00	-11.04	8.28	3	Vertical	178	1.29	-
AV	5.35G	49.71	54.00	-4.29	8.28	3	Vertical	178	1.29	-

### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5300MHz\_TX




EUT Z\_1TX  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3028G	118.71	Inf	-Inf	8.21	3	Horizontal	174	1.28	-
AV	5.3032G	108.61	Inf	-Inf	8.21	3	Horizontal	174	1.28	-
PK	5.3512G	63.02	74.00	-10.98	8.28	3	Horizontal	174	1.28	-
AV	5.3504G	49.44	54.00	-4.56	8.28	3	Horizontal	174	1.28	-

### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5320MHz\_TX




EUT Z\_1TX  
Setting 24  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3184G	115.56	Inf	-Inf	8.23	3	Vertical	172	1.60	-
AV	5.3234G	105.53	Inf	-Inf	8.24	3	Vertical	172	1.60	-
PK	5.35G	66.45	74.00	-7.55	8.28	3	Vertical	172	1.60	-
AV	5.3504G	52.76	54.00	-1.24	8.28	3	Vertical	172	1.60	-

### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5320MHz\_TX




EUT\_Z\_1TX  
Setting 24  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3222G	115.73	Inf	-Inf	8.23	3	Horizontal	165	1.30	-
AV	5.3188G	105.82	Inf	-Inf	8.23	3	Horizontal	165	1.30	-
PK	5.35G	67.53	74.00	-6.47	8.28	3	Horizontal	165	1.30	-
AV	5.3502G	53.20	54.00	-0.80	8.28	3	Horizontal	165	1.30	-

### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5500MHz\_TX




EUT\_Z\_1TX  
Setting 24.5  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	62.38	74.00	-11.62	8.45	3	Vertical	178	1.37	-
AV	5.46G	48.81	54.00	-5.19	8.45	3	Vertical	178	1.37	-
PK	5.47G	68.05	68.20	-0.15	8.46	3	Vertical	178	1.37	-
PK	5.5042G	116.39	Inf	-Inf	8.52	3	Vertical	178	1.37	-
AV	5.5028G	106.48	Inf	-Inf	8.52	3	Vertical	178	1.37	-

### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5500MHz\_TX




EUT\_Z\_1TX  
Setting 24.5  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4598G	63.09	74.00	-10.91	8.45	3	Horizontal	173	1.31	-
AV	5.4598G	48.44	54.00	-5.56	8.45	3	Horizontal	173	1.31	-
PK	5.47G	67.45	68.20	-0.75	8.46	3	Horizontal	173	1.31	-
PK	5.4984G	116.71	Inf	-Inf	8.52	3	Horizontal	173	1.31	-
AV	5.5034G	106.23	Inf	-Inf	8.52	3	Horizontal	173	1.31	-

### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5580MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4594G	59.97	74.00	-14.03	8.45	3	Vertical	182	1.41	-
AV	5.4312G	46.16	54.00	-7.84	8.40	3	Vertical	182	1.41	-
PK	5.4606G	58.95	68.20	-9.25	8.45	3	Vertical	182	1.41	-
PK	5.5782G	118.42	Inf	-Inf	8.57	3	Vertical	182	1.41	-
AV	5.5824G	108.20	Inf	-Inf	8.57	3	Vertical	182	1.41	-
PK	5.7282G	57.69	68.20	-10.51	8.80	3	Vertical	182	1.41	-

### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5580MHz\_TX



EUT\_Z\_1TX  
Setting 27  
02-M-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	61.27	74.00	-12.73	8.45	3	Horizontal	175	1.43	-
AV	5.4366G	46.27	54.00	-7.73	8.41	3	Horizontal	175	1.43	-
PK	5.4612G	60.36	68.20	-7.84	8.45	3	Horizontal	175	1.43	-
PK	5.5782G	118.71	Inf	-Inf	8.57	3	Horizontal	175	1.43	-
AV	5.583G	108.38	Inf	-Inf	8.57	3	Horizontal	175	1.43	-
PK	5.727G	58.20	68.20	-10.00	8.80	3	Horizontal	175	1.43	-



### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5700MHz\_TX




EUT Z\_1TX  
Setting 23  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7022G	115.06	Inf	-Inf	8.75	3	Vertical	168	1.05	-
AV	5.7028G	105.03	Inf	-Inf	8.75	3	Vertical	168	1.05	-
PK	5.7262G	67.05	68.20	-1.15	8.79	3	Vertical	168	1.05	-

### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5700MHz\_TX




EUT Z\_1TX  
Setting 23  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7018G	113.69	Inf	-Inf	8.75	3	Horizontal	177	1.32	-
AV	5.7024G	103.40	Inf	-Inf	8.75	3	Horizontal	177	1.32	-
PK	5.7256G	65.27	68.20	-2.93	8.79	3	Horizontal	177	1.32	-

802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4236G	58.24	74.00	-15.76	8.38	3	Vertical	181	1.02	-
AV	5.4212G	46.21	54.00	-7.79	8.38	3	Vertical	181	1.02	-
PK	5.47G	58.22	68.20	-9.98	8.46	3	Vertical	181	1.02	-
PK	5.7224G	116.17	Inf	-Inf	8.78	3	Vertical	181	1.02	-
AV	5.7224G	106.34	Inf	-Inf	8.78	3	Vertical	181	1.02	-
PK	5.9384G	58.50	68.20	-9.70	8.93	3	Vertical	181	1.02	-

### 802.11a\_Nss1,(6Mbps)\_1TX

18/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-M-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.42G	58.65	74.00	-15.35	8.38	3	Horizontal	183	1.40	-
AV	5.438G	46.19	54.00	-7.81	8.41	3	Horizontal	183	1.40	-
PK	5.46G	58.03	68.20	-10.17	8.45	3	Horizontal	183	1.40	-
PK	5.7176G	114.99	Inf	-Inf	8.77	3	Horizontal	183	1.40	-
AV	5.7128G	105.03	Inf	-Inf	8.77	3	Horizontal	183	1.40	-
PK	5.9288G	58.99	68.20	-9.21	8.93	3	Horizontal	183	1.40	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

5260MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	59.12	74.00	-14.88	7.94	3	Vertical	181	1.50	-
AV	5.1448G	45.88	54.00	-8.12	7.94	3	Vertical	181	1.50	-
PK	5.263G	120.62	Inf	-Inf	8.16	3	Vertical	181	1.50	-
AV	5.2618G	107.79	Inf	-Inf	8.15	3	Vertical	181	1.50	-
PK	5.3794G	61.65	74.00	-12.35	8.32	3	Vertical	181	1.50	-
AV	5.3506G	46.51	54.00	-7.49	8.28	3	Vertical	181	1.50	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

### 5260MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1394G	59.92	74.00	-14.08	7.93	3	Horizontal	168	1.44	-
AV	5.15G	45.98	54.00	-8.02	7.94	3	Horizontal	168	1.44	-
PK	5.2642G	121.19	Inf	-Inf	8.16	3	Horizontal	168	1.44	-
AV	5.2648G	108.18	Inf	-Inf	8.16	3	Horizontal	168	1.44	-
PK	5.3788G	62.04	74.00	-11.96	8.32	3	Horizontal	168	1.44	-
AV	5.3686G	46.56	54.00	-7.44	8.30	3	Horizontal	168	1.44	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

### 5300MHz\_TX




EUT Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2984G	120.51	Inf	-Inf	8.21	3	Vertical	175	1.30	-
AV	5.2984G	107.53	Inf	-Inf	8.21	3	Vertical	175	1.30	-
PK	5.3508G	64.55	74.00	-9.45	8.28	3	Vertical	175	1.30	-
AV	5.35G	50.28	54.00	-3.72	8.28	3	Vertical	175	1.30	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

### 5300MHz\_TX



EUT Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3052G	121.09	Inf	-Inf	8.22	3	Horizontal	169	1.37	-
AV	5.2988G	107.92	Inf	-Inf	8.21	3	Horizontal	169	1.37	-
PK	5.3504G	65.24	74.00	-8.76	8.28	3	Horizontal	169	1.37	-
AV	5.35G	50.41	54.00	-3.59	8.28	3	Horizontal	169	1.37	-



802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

5320MHz\_TX




EUT Z\_1TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3212G	118.02	Inf	-Inf	8.23	3	Vertical	178	1.53	-
AV	5.3216G	104.68	Inf	-Inf	8.23	3	Vertical	178	1.53	-
PK	5.35G	68.28	74.00	-5.72	8.28	3	Vertical	178	1.53	-
AV	5.35G	52.70	54.00	-1.30	8.28	3	Vertical	178	1.53	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

5320MHz\_TX




EUT Z\_1TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3184G	118.11	Inf	-Inf	8.23	3	Horizontal	174	1.31	-
AV	5.318G	104.64	Inf	-Inf	8.23	3	Horizontal	174	1.31	-
PK	5.3508G	67.14	74.00	-6.86	8.28	3	Horizontal	174	1.31	-
AV	5.35G	52.66	54.00	-1.34	8.28	3	Horizontal	174	1.31	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

### 5500MHz\_TX




EUT\_Z\_1TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	60.85	74.00	-13.15	8.45	3	Vertical	179	1.30	-
AV	5.4592G	48.64	54.00	-5.36	8.45	3	Vertical	179	1.30	-
PK	5.47G	66.16	68.20	-2.04	8.46	3	Vertical	179	1.30	-
PK	5.5018G	118.28	Inf	-Inf	8.52	3	Vertical	179	1.30	-
AV	5.5018G	104.90	Inf	-Inf	8.52	3	Vertical	179	1.30	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

5500MHz\_TX




EUT\_Z\_1TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	60.96	74.00	-13.04	8.45	3	Horizontal	177	1.32	-
AV	5.4598G	48.07	54.00	-5.93	8.45	3	Horizontal	177	1.32	-
PK	5.4694G	67.16	68.20	-1.04	8.46	3	Horizontal	177	1.32	-
PK	5.5012G	117.60	Inf	-Inf	8.52	3	Horizontal	177	1.32	-
AV	5.5024G	104.79	Inf	-Inf	8.52	3	Horizontal	177	1.32	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

5580MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	60.15	74.00	-13.85	8.45	3	Vertical	185	1.57	-
AV	5.3888G	45.98	54.00	-8.02	8.33	3	Vertical	185	1.57	-
PK	5.4648G	58.81	68.20	-9.39	8.45	3	Vertical	185	1.57	-
PK	5.5752G	119.59	Inf	-Inf	8.57	3	Vertical	185	1.57	-
AV	5.5768G	106.96	Inf	-Inf	8.57	3	Vertical	185	1.57	-
PK	5.7624G	59.04	68.20	-9.16	8.85	3	Vertical	185	1.57	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

5580MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3872G	59.46	74.00	-14.54	8.33	3	Horizontal	175	1.44	-
AV	5.3888G	46.11	54.00	-7.89	8.33	3	Horizontal	175	1.44	-
PK	5.4608G	58.67	68.20	-9.53	8.45	3	Horizontal	175	1.44	-
PK	5.5784G	120.54	Inf	-Inf	8.57	3	Horizontal	175	1.44	-
AV	5.5784G	107.55	Inf	-Inf	8.57	3	Horizontal	175	1.44	-
PK	5.7448G	58.88	68.20	-9.32	8.82	3	Horizontal	175	1.44	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

5700MHz\_TX




EUT Z\_1TX  
Setting 23  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.702G	116.07	Inf	-Inf	8.75	3	Vertical	182	1.38	-
AV	5.7016G	102.60	Inf	-Inf	8.75	3	Vertical	182	1.38	-
PK	5.7252G	66.34	68.20	-1.86	8.79	3	Vertical	182	1.38	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

### 5700MHz\_TX



EUT Z\_1TX  
Setting 23  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.696G	115.75	Inf	-Inf	8.74	3	Horizontal	182	1.38	-
AV	5.6964G	102.64	Inf	-Inf	8.74	3	Horizontal	182	1.38	-
PK	5.7268G	65.81	68.20	-2.39	8.79	3	Horizontal	182	1.38	-



802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4392G	58.86	74.00	-15.14	8.41	3	Vertical	182	1.02	-
PK	5.4608G	58.38	68.20	-9.82	8.45	3	Vertical	182	1.02	-
AV	5.4524G	45.88	54.00	-8.12	8.44	3	Vertical	182	1.02	-
PK	5.726G	117.98	Inf	-Inf	8.79	3	Vertical	182	1.02	-
AV	5.7176G	104.87	Inf	-Inf	8.77	3	Vertical	182	1.02	-
PK	5.8856G	59.20	68.20	-9.00	8.91	3	Vertical	182	1.02	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.438G	58.77	74.00	-15.23	8.41	3	Horizontal	186	1.39	-
AV	5.4272G	45.85	54.00	-8.15	8.40	3	Horizontal	186	1.39	-
PK	5.4656G	58.14	68.20	-10.06	8.46	3	Horizontal	186	1.39	-
PK	5.7164G	116.95	Inf	-Inf	8.77	3	Horizontal	186	1.39	-
AV	5.7152G	104.28	Inf	-Inf	8.77	3	Horizontal	186	1.39	-
PK	5.93G	58.44	68.20	-9.76	8.93	3	Horizontal	186	1.39	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

5270MHz\_TX




EUT Z\_1TX  
Setting 26  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.141G	58.57	74.00	-15.43	7.94	3	Vertical	183	1.45	-
AV	5.1494G	45.62	54.00	-8.38	7.94	3	Vertical	183	1.45	-
PK	5.2688G	116.74	Inf	-Inf	8.16	3	Vertical	183	1.45	-
AV	5.2766G	103.51	Inf	-Inf	8.17	3	Vertical	183	1.45	-
PK	5.35G	65.42	74.00	-8.58	8.28	3	Vertical	183	1.45	-
AV	5.35G	51.23	54.00	-2.77	8.28	3	Vertical	183	1.45	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

5270MHz\_TX




EUT\_Z\_1TX  
Setting 26  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	58.80	74.00	-15.20	7.94	3	Horizontal	172	1.32	-
AV	5.1458G	45.71	54.00	-8.29	7.94	3	Horizontal	172	1.32	-
PK	5.267G	117.30	Inf	-Inf	8.16	3	Horizontal	172	1.32	-
AV	5.2688G	103.68	Inf	-Inf	8.16	3	Horizontal	172	1.32	-
PK	5.3522G	65.73	74.00	-8.27	8.28	3	Horizontal	172	1.32	-
AV	5.35G	51.52	54.00	-2.48	8.28	3	Horizontal	172	1.32	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

5310MHz\_TX




EUT\_Z\_1TX  
Setting 23  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3046G	114.37	Inf	-Inf	8.22	3	Vertical	179	1.36	-
AV	5.307G	100.89	Inf	-Inf	8.22	3	Vertical	179	1.36	-
PK	5.358G	67.04	74.00	-6.96	8.28	3	Vertical	179	1.36	-
AV	5.35G	53.15	54.00	-0.85	8.28	3	Vertical	179	1.36	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

5310MHz\_TX




EUT Z\_1TX  
Setting 23  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2986G	114.35	Inf	-Inf	8.21	3	Horizontal	171	1.36	-
AV	5.304G	100.74	Inf	-Inf	8.21	3	Horizontal	171	1.36	-
PK	5.3556G	67.96	74.00	-6.04	8.28	3	Horizontal	171	1.36	-
AV	5.3514G	53.22	54.00	-0.78	8.28	3	Horizontal	171	1.36	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

5510MHz\_TX




EUT\_Z\_1TX  
Setting 22.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	65.24	74.00	-8.76	8.44	3	Vertical	176	1.40	-
PK	5.462G	65.35	68.20	-2.85	8.45	3	Vertical	176	1.40	-
AV	5.46G	49.27	54.00	-4.73	8.45	3	Vertical	176	1.40	-
PK	5.5064G	113.29	Inf	-Inf	8.52	3	Vertical	176	1.40	-
AV	5.5124G	100.55	Inf	-Inf	8.53	3	Vertical	176	1.40	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

5510MHz\_TX



EUT\_Z\_1TX  
Setting 22.5  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4536G	63.68	74.00	-10.32	8.44	3	Horizontal	171	1.42	-
AV	5.4584G	48.84	54.00	-5.16	8.45	3	Horizontal	171	1.42	-
PK	5.4692G	65.58	68.20	-2.62	8.46	3	Horizontal	171	1.42	-
PK	5.5124G	112.90	Inf	-Inf	8.53	3	Horizontal	171	1.42	-
AV	5.5064G	100.22	Inf	-Inf	8.52	3	Horizontal	171	1.42	-



802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

5550MHz\_TX




EUT\_Z\_1TX  
Setting 25.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4588G	61.33	74.00	-12.67	8.45	3	Vertical	179	1.07	-
AV	5.4596G	48.35	54.00	-5.65	8.45	3	Vertical	179	1.07	-
PK	5.4684G	67.83	68.20	-0.37	8.46	3	Vertical	179	1.07	-
PK	5.5404G	116.50	Inf	-Inf	8.54	3	Vertical	179	1.07	-
AV	5.5508G	103.46	Inf	-Inf	8.55	3	Vertical	179	1.07	-
PK	5.7284G	58.62	68.20	-9.58	8.80	3	Vertical	179	1.07	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

### 5550MHz\_TX




EUT\_Z\_1TX  
Setting 25.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	60.95	74.00	-13.05	8.45	3	Horizontal	174	1.32	-
AV	5.4596G	48.22	54.00	-5.78	8.45	3	Horizontal	174	1.32	-
PK	5.4692G	66.55	68.20	-1.65	8.46	3	Horizontal	174	1.32	-
PK	5.5468G	115.86	Inf	-Inf	8.55	3	Horizontal	174	1.32	-
AV	5.5484G	102.90	Inf	-Inf	8.55	3	Horizontal	174	1.32	-
PK	5.7284G	58.78	68.20	-9.42	8.80	3	Horizontal	174	1.32	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

### 5670MHz\_TX




EUT Z\_1TX  
Setting 23  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6628G	112.73	Inf	-Inf	8.69	3	Vertical	183	1.35	-
AV	5.6652G	99.16	Inf	-Inf	8.69	3	Vertical	183	1.35	-
PK	5.7252G	68.15	68.20	-0.05	8.79	3	Vertical	183	1.35	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

### 5670MHz\_TX




EUT Z\_1TX  
Setting 23  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6652G	111.99	Inf	-Inf	8.69	3	Horizontal	181	1.29	-
AV	5.6616G	99.04	Inf	-Inf	8.69	3	Horizontal	181	1.29	-
PK	5.7282G	67.37	68.20	-0.83	8.80	3	Horizontal	181	1.29	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4208G	58.17	74.00	-15.83	8.38	3	Vertical	178	1.04	-
AV	5.4196G	45.62	54.00	-8.38	8.38	3	Vertical	178	1.04	-
PK	5.4676G	57.27	68.20	-10.93	8.46	3	Vertical	178	1.04	-
PK	5.7064G	116.15	Inf	-Inf	8.76	3	Vertical	178	1.04	-
AV	5.7052G	103.91	Inf	-Inf	8.76	3	Vertical	178	1.04	-
PK	5.85G	62.55	68.20	-5.65	8.90	3	Vertical	178	1.04	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

18/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.416G	58.57	74.00	-15.43	8.36	3	Horizontal	179	1.29	-
AV	5.4328G	45.61	54.00	-8.39	8.40	3	Horizontal	179	1.29	-
PK	5.4688G	57.71	68.20	-10.49	8.46	3	Horizontal	179	1.29	-
PK	5.7052G	115.73	Inf	-Inf	8.76	3	Horizontal	179	1.29	-
AV	5.7088G	103.38	Inf	-Inf	8.77	3	Horizontal	179	1.29	-
PK	5.85G	65.07	68.20	-3.13	8.90	3	Horizontal	179	1.29	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

18/07/2019

5290MHz\_TX




EUT\_Z\_1TX  
Setting 22.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.063G	58.27	74.00	-15.73	7.74	3	Vertical	180	1.25	-
AV	5.15G	45.67	54.00	-8.33	7.94	3	Vertical	180	1.25	-
PK	5.287G	111.61	Inf	-Inf	8.19	3	Vertical	180	1.25	-
AV	5.286G	97.45	Inf	-Inf	8.19	3	Vertical	180	1.25	-
PK	5.361G	67.41	74.00	-6.59	8.29	3	Vertical	180	1.25	-
AV	5.354G	52.51	54.00	-1.49	8.28	3	Vertical	180	1.25	-
PK	5.503G	58.25	68.20	-9.95	8.52	3	Vertical	180	1.25	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

18/07/2019

5290MHz\_TX



EUT\_Z\_1TX  
Setting 22.5  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.124G	58.98	74.00	-15.02	7.89	3	Horizontal	171	1.33	-
AV	5.149G	45.73	54.00	-8.27	7.94	3	Horizontal	171	1.33	-
PK	5.284G	110.33	Inf	-Inf	8.19	3	Horizontal	171	1.33	-
AV	5.285G	97.49	Inf	-Inf	8.19	3	Horizontal	171	1.33	-
PK	5.35G	68.78	74.00	-5.22	8.28	3	Horizontal	171	1.33	-
AV	5.352G	52.26	54.00	-1.74	8.28	3	Horizontal	171	1.33	-
PK	5.537G	58.91	68.20	-9.29	8.54	3	Horizontal	171	1.33	-



802.11ax HEW80\_Nss1,(MCS0)\_1TX

18/07/2019

5530MHz\_TX




EUT Z\_1TX  
Setting 22.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.283G	57.69	68.20	-10.51	8.18	3	Vertical	175	1.11	-
PK	5.445G	67.48	74.00	-6.52	8.42	3	Vertical	175	1.11	-
PK	5.466G	68.05	68.20	-0.15	8.46	3	Vertical	175	1.11	-
AV	5.46G	52.59	54.00	-1.41	8.45	3	Vertical	175	1.11	-
PK	5.524G	110.28	Inf	-Inf	8.53	3	Vertical	175	1.11	-
AV	5.542G	97.51	Inf	-Inf	8.55	3	Vertical	175	1.11	-
PK	5.752G	58.43	68.20	-9.77	8.83	3	Vertical	175	1.11	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

18/07/2019

### 5530MHz\_TX




EUT\_Z\_1TX  
Setting 22.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.34G	58.82	68.20	-9.38	8.26	3	Horizontal	176	1.40	-
PK	5.459G	67.62	74.00	-6.38	8.45	3	Horizontal	176	1.40	-
AV	5.459G	52.77	54.00	-1.23	8.45	3	Horizontal	176	1.40	-
PK	5.465G	68.07	68.20	-0.13	8.45	3	Horizontal	176	1.40	-
PK	5.514G	111.00	Inf	-Inf	8.53	3	Horizontal	176	1.40	-
AV	5.535G	97.12	Inf	-Inf	8.54	3	Horizontal	176	1.40	-
PK	5.748G	58.69	68.20	-9.51	8.82	3	Horizontal	176	1.40	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

18/07/2019

### 5610MHz\_TX




EUT\_Z\_1TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	61.77	74.00	-12.23	8.45	3	Vertical	185	1.46	-
AV	5.46G	49.00	54.00	-5.00	8.45	3	Vertical	185	1.46	-
PK	5.467G	63.78	68.20	-4.42	8.46	3	Vertical	185	1.46	-
PK	5.612G	110.81	Inf	-Inf	8.61	3	Vertical	185	1.46	-
AV	5.602G	97.73	Inf	-Inf	8.58	3	Vertical	185	1.46	-
PK	5.73G	66.24	68.20	-1.96	8.80	3	Vertical	185	1.46	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

18/07/2019

### 5610MHz\_TX




EUT\_Z\_1TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.453G	61.65	74.00	-12.35	8.44	3	Horizontal	177	1.24	-
AV	5.46G	48.97	54.00	-5.03	8.45	3	Horizontal	177	1.24	-
PK	5.469G	64.45	68.20	-3.75	8.46	3	Horizontal	177	1.24	-
PK	5.589G	110.87	Inf	-Inf	8.57	3	Horizontal	177	1.24	-
AV	5.614G	98.70	Inf	-Inf	8.61	3	Horizontal	177	1.24	-
PK	5.727G	67.91	68.20	-0.29	8.80	3	Horizontal	177	1.24	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_1TX  
Setting 26.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	62.22	74.00	-11.78	8.44	3	Vertical	181	1.04	-
AV	5.4596G	48.74	54.00	-5.26	8.45	3	Vertical	181	1.04	-
PK	5.4692G	64.04	68.20	-4.16	8.46	3	Vertical	181	1.04	-
PK	5.6852G	112.57	Inf	-Inf	8.72	3	Vertical	181	1.04	-
AV	5.6876G	99.54	Inf	-Inf	8.72	3	Vertical	181	1.04	-
PK	5.85G	67.98	68.20	-0.22	8.90	3	Vertical	181	1.04	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

18/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_1TX  
Setting 26.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4368G	61.56	74.00	-12.44	8.41	3	Horizontal	181	1.31	-
PK	5.468G	62.38	68.20	-5.82	8.46	3	Horizontal	181	1.31	-
AV	5.4584G	48.80	54.00	-5.20	8.45	3	Horizontal	181	1.31	-
PK	5.6972G	112.16	Inf	-Inf	8.75	3	Horizontal	181	1.31	-
AV	5.6936G	99.74	Inf	-Inf	8.74	3	Horizontal	181	1.31	-
PK	5.8544G	68.15	68.20	-0.05	8.90	3	Horizontal	181	1.31	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.47G	68.15	68.20	-0.05	8.46	3	Vertical	181	1.85	-

### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5260MHz\_TX



EUT\_Z\_2TX  
Setting 27  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.125G	58.46	74.00	-15.54	7.89	3	Vertical	180	2.17	-
AV	5.1238G	46.33	54.00	-7.67	7.89	3	Vertical	180	2.17	-
PK	5.2648G	123.02	Inf	-Inf	8.16	3	Vertical	180	2.17	-
AV	5.2654G	113.35	Inf	-Inf	8.16	3	Vertical	180	2.17	-
PK	5.38G	61.21	74.00	-12.79	8.32	3	Vertical	180	2.17	-
AV	5.3614G	47.12	54.00	-6.88	8.29	3	Vertical	180	2.17	-



### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5260MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1412G	59.28	74.00	-14.72	7.94	3	Horizontal	160	1.94	-
AV	5.1226G	46.05	54.00	-7.95	7.88	3	Horizontal	160	1.94	-
PK	5.2558G	121.86	Inf	-Inf	8.15	3	Horizontal	160	1.94	-
AV	5.2564G	112.05	Inf	-Inf	8.15	3	Horizontal	160	1.94	-
PK	5.3566G	60.44	74.00	-13.56	8.28	3	Horizontal	160	1.94	-
AV	5.3572G	46.95	54.00	-7.05	8.28	3	Horizontal	160	1.94	-

802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

5300MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2948G	123.08	Inf	-Inf	8.20	3	Vertical	171	2.15	-
AV	5.2948G	113.37	Inf	-Inf	8.20	3	Vertical	171	2.15	-
PK	5.35G	64.34	74.00	-9.66	8.28	3	Vertical	171	2.15	-
AV	5.35G	50.84	54.00	-3.16	8.28	3	Vertical	171	2.15	-

### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5300MHz\_TX




EUT Z\_2TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2968G	122.37	Inf	-Inf	8.21	3	Horizontal	169	1.79	-
AV	5.2968G	112.03	Inf	-Inf	8.21	3	Horizontal	169	1.79	-
PK	5.3564G	64.14	74.00	-9.86	8.28	3	Horizontal	169	1.79	-
AV	5.352G	50.29	54.00	-3.71	8.28	3	Horizontal	169	1.79	-

### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5320MHz\_TX




EUT\_Z\_2TX  
Setting 23.5  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3192G	119.99	Inf	-Inf	8.23	3	Vertical	172	1.74	-
AV	5.3192G	110.05	Inf	-Inf	8.23	3	Vertical	172	1.74	-
PK	5.35G	66.43	74.00	-7.57	8.28	3	Vertical	172	1.74	-
AV	5.35G	53.63	54.00	-0.37	8.28	3	Vertical	172	1.74	-

### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5320MHz\_TX




EUT\_Z\_2TX  
Setting 23.5  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3138G	119.22	Inf	-Inf	8.23	3	Horizontal	165	1.71	-
AV	5.3234G	109.49	Inf	-Inf	8.24	3	Horizontal	165	1.71	-
PK	5.353G	67.80	74.00	-6.20	8.28	3	Horizontal	165	1.71	-
AV	5.3536G	52.58	54.00	-1.42	8.28	3	Horizontal	165	1.71	-

### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5500MHz\_TX




EUT\_Z\_2TX  
Setting 23.5  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4596G	64.07	74.00	-9.93	8.45	3	Vertical	181	1.85	-
AV	5.46G	49.82	54.00	-4.18	8.45	3	Vertical	181	1.85	-
PK	5.47G	68.15	68.20	-0.05	8.46	3	Vertical	181	1.85	-
PK	5.5044G	120.13	Inf	-Inf	8.52	3	Vertical	181	1.85	-
AV	5.505G	110.12	Inf	-Inf	8.52	3	Vertical	181	1.85	-

### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5500MHz\_TX




EUT\_Z\_2TX  
 Setting 23.5  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	62.06	74.00	-11.94	8.45	3	Horizontal	177	2.07	-
AV	5.4566G	48.61	54.00	-5.39	8.44	3	Horizontal	177	2.07	-
PK	5.47G	66.28	68.20	-1.92	8.46	3	Horizontal	177	2.07	-
PK	5.501G	120.13	Inf	-Inf	8.52	3	Horizontal	177	2.07	-
AV	5.5012G	110.12	Inf	-Inf	8.52	3	Horizontal	177	2.07	-

### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5580MHz\_TX



EUT\_Z\_2TX  
Setting 27  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	60.59	74.00	-13.41	8.45	3	Vertical	178	1.65	-
AV	5.3888G	47.21	54.00	-6.79	8.33	3	Vertical	178	1.65	-
PK	5.4632G	58.25	68.20	-9.95	8.45	3	Vertical	178	1.65	-
PK	5.5752G	122.96	Inf	-Inf	8.57	3	Vertical	178	1.65	-
AV	5.5744G	113.13	Inf	-Inf	8.56	3	Vertical	178	1.65	-
PK	5.7472G	59.32	68.20	-8.88	8.82	3	Vertical	178	1.65	-



### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5580MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4376G	59.26	74.00	-14.74	8.41	3	Horizontal	166	1.94	-
AV	5.3872G	47.67	54.00	-6.33	8.33	3	Horizontal	166	1.94	-
PK	5.4664G	59.44	68.20	-8.76	8.46	3	Horizontal	166	1.94	-
PK	5.5784G	122.53	Inf	-Inf	8.57	3	Horizontal	166	1.94	-
AV	5.5792G	112.29	Inf	-Inf	8.57	3	Horizontal	166	1.94	-
PK	5.7648G	59.41	68.20	-8.79	8.84	3	Horizontal	166	1.94	-

### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5700MHz\_TX




EUT Z\_2TX  
Setting 22  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6968G	118.75	Inf	-Inf	8.75	3	Vertical	187	2.09	-
AV	5.6968G	108.43	Inf	-Inf	8.75	3	Vertical	187	2.09	-
PK	5.726G	65.92	68.20	-2.28	8.79	3	Vertical	187	2.09	-

### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5700MHz\_TX




EUT Z\_2TX  
Setting 22  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6956G	118.47	Inf	-Inf	8.74	3	Horizontal	181	2.06	-
AV	5.6954G	108.47	Inf	-Inf	8.74	3	Horizontal	181	2.06	-
PK	5.7254G	66.36	68.20	-1.84	8.79	3	Horizontal	181	2.06	-

### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4296G	58.81	74.00	-15.19	8.40	3	Vertical	185	1.90	-
AV	5.4248G	46.51	54.00	-7.49	8.38	3	Vertical	185	1.90	-
PK	5.4644G	59.11	68.20	-9.09	8.45	3	Vertical	185	1.90	-
PK	5.7212G	120.34	Inf	-Inf	8.78	3	Vertical	185	1.90	-
AV	5.7212G	110.38	Inf	-Inf	8.78	3	Vertical	185	1.90	-
PK	5.8556G	58.97	68.20	-9.23	8.90	3	Vertical	185	1.90	-

### 802.11a\_Nss1,(6Mbps)\_2TX

18/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4236G	58.75	74.00	-15.25	8.38	3	Horizontal	172	1.98	-
AV	5.4356G	46.75	54.00	-7.25	8.41	3	Horizontal	172	1.98	-
PK	5.4668G	58.17	68.20	-10.03	8.46	3	Horizontal	172	1.98	-
PK	5.7152G	120.05	Inf	-Inf	8.77	3	Horizontal	172	1.98	-
AV	5.7152G	110.32	Inf	-Inf	8.77	3	Horizontal	172	1.98	-
PK	5.8724G	59.06	68.20	-9.14	8.91	3	Horizontal	172	1.98	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

5260MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1406G	61.31	74.00	-12.69	7.93	3	Vertical	183	2.06	-
AV	5.149G	46.56	54.00	-7.44	7.94	3	Vertical	183	2.06	-
PK	5.2636G	126.53	Inf	-Inf	8.16	3	Vertical	183	2.06	-
AV	5.2636G	113.63	Inf	-Inf	8.16	3	Vertical	183	2.06	-
PK	5.3878G	59.90	74.00	-14.10	8.33	3	Vertical	183	2.06	-
AV	5.3602G	47.29	54.00	-6.71	8.29	3	Vertical	183	2.06	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

### 5260MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	59.43	74.00	-14.57	7.94	3	Horizontal	176	2.04	-
AV	5.146G	46.14	54.00	-7.86	7.94	3	Horizontal	176	2.04	-
PK	5.2618G	124.07	Inf	-Inf	8.15	3	Horizontal	176	2.04	-
AV	5.2624G	111.45	Inf	-Inf	8.15	3	Horizontal	176	2.04	-
PK	5.3794G	60.85	74.00	-13.15	8.32	3	Horizontal	176	2.04	-
AV	5.3566G	46.89	54.00	-7.11	8.28	3	Horizontal	176	2.04	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

### 5300MHz\_TX



EUT Z\_2TX  
Setting 27  
02-J-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3028G	125.71	Inf	-Inf	8.21	3	Vertical	179	2.04	-
AV	5.3024G	112.98	Inf	-Inf	8.21	3	Vertical	179	2.04	-
PK	5.362G	65.47	74.00	-8.53	8.29	3	Vertical	179	2.04	-
AV	5.35G	51.58	54.00	-2.42	8.28	3	Vertical	179	2.04	-



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

### 5300MHz\_TX




EUT Z\_2TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3028G	123.98	Inf	-Inf	8.21	3	Horizontal	177	2.18	-
AV	5.302G	111.60	Inf	-Inf	8.21	3	Horizontal	177	2.18	-
PK	5.3508G	65.08	74.00	-8.92	8.28	3	Horizontal	177	2.18	-
AV	5.3504G	51.47	54.00	-2.53	8.28	3	Horizontal	177	2.18	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

5320MHz\_TX




EUT Z\_2TX  
Setting 23.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3176G	123.35	Inf	-Inf	8.23	3	Vertical	176	2.13	-
AV	5.3176G	110.34	Inf	-Inf	8.23	3	Vertical	176	2.13	-
PK	5.35G	67.27	74.00	-6.73	8.28	3	Vertical	176	2.13	-
AV	5.35G	53.43	54.00	-0.57	8.28	3	Vertical	176	2.13	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

5320MHz\_TX




EUT Z\_2TX  
Setting 23.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3216G	122.43	Inf	-Inf	8.23	3	Horizontal	168	1.68	-
AV	5.322G	108.72	Inf	-Inf	8.23	3	Horizontal	168	1.68	-
PK	5.3508G	68.29	74.00	-5.71	8.28	3	Horizontal	168	1.68	-
AV	5.3504G	53.86	54.00	-0.14	8.28	3	Horizontal	168	1.68	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

5500MHz\_TX




EUT\_Z\_2TX  
Setting 23.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4538G	61.85	74.00	-12.15	8.44	3	Vertical	181	1.49	-
AV	5.455G	48.87	54.00	-5.13	8.44	3	Vertical	181	1.49	-
PK	5.4652G	67.23	68.20	-0.97	8.45	3	Vertical	181	1.49	-
PK	5.5048G	121.74	Inf	-Inf	8.52	3	Vertical	181	1.49	-
AV	5.5036G	109.29	Inf	-Inf	8.52	3	Vertical	181	1.49	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

### 5500MHz\_TX




EUT\_Z\_2TX  
Setting 23.5  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4586G	62.96	74.00	-11.04	8.45	3	Horizontal	178	2.09	-
AV	5.458G	49.96	54.00	-4.04	8.45	3	Horizontal	178	2.09	-
PK	5.4688G	68.02	68.20	-0.18	8.46	3	Horizontal	178	2.09	-
PK	5.5054G	122.64	Inf	-Inf	8.52	3	Horizontal	178	2.09	-
AV	5.5066G	109.50	Inf	-Inf	8.52	3	Horizontal	178	2.09	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

5580MHz\_TX




EUT Z\_2TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4594G	60.18	74.00	-13.82	8.45	3	Vertical	181	1.72	-
AV	5.4384G	46.30	54.00	-7.70	8.41	3	Vertical	181	1.72	-
PK	5.4606G	59.54	68.20	-8.66	8.45	3	Vertical	181	1.72	-
PK	5.5842G	124.98	Inf	-Inf	8.57	3	Vertical	181	1.72	-
AV	5.5842G	112.02	Inf	-Inf	8.57	3	Vertical	181	1.72	-
PK	5.7252G	58.54	68.20	-9.66	8.79	3	Vertical	181	1.72	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

### 5580MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.436G	59.00	74.00	-15.00	8.41	3	Horizontal	178	1.98	-
AV	5.436G	46.34	54.00	-7.66	8.41	3	Horizontal	178	1.98	-
PK	5.4672G	58.94	68.20	-9.26	8.46	3	Horizontal	178	1.98	-
PK	5.5854G	125.67	Inf	-Inf	8.57	3	Horizontal	178	1.98	-
AV	5.5764G	112.72	Inf	-Inf	8.57	3	Horizontal	178	1.98	-
PK	5.7288G	58.58	68.20	-9.62	8.80	3	Horizontal	178	1.98	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

5700MHz\_TX



EUT\_Z\_2TX  
Setting 22  
02-J-1-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7012G	119.56	Inf	-Inf	8.75	3	Vertical	185	1.82	-
AV	5.7012G	107.22	Inf	-Inf	8.75	3	Vertical	185	1.82	-
PK	5.7264G	65.15	68.20	-3.05	8.79	3	Vertical	185	1.82	-



802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

5700MHz\_TX




EUT Z\_2TX  
Setting 22  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7036G	119.95	Inf	-Inf	8.75	3	Horizontal	187	1.98	-
AV	5.7024G	107.57	Inf	-Inf	8.75	3	Horizontal	187	1.98	-
PK	5.7268G	65.91	68.20	-2.29	8.79	3	Horizontal	187	1.98	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

18/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_2TX  
Setting 27  
02-J-1-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7212G	122.56	Inf	-Inf	8.78	3	Vertical	191	1.92	-
AV	5.7224G	109.84	Inf	-Inf	8.78	3	Vertical	191	1.92	-
PK	5.8508G	59.16	68.20	-9.04	8.90	3	Vertical	191	1.92	-