


### 802.11a\_Nss1,(6Mbps)\_1TX

04/07/2019

### 5200MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	63.83	74.00	-10.17	7.94	3	Vertical	170	2.09	-
AV	5.15G	51.19	54.00	-2.81	7.94	3	Vertical	170	2.09	-
PK	5.1968G	120.71	Inf	-Inf	8.06	3	Vertical	170	2.09	-
AV	5.1968G	110.59	Inf	-Inf	8.06	3	Vertical	170	2.09	-

### 802.11a\_Nss1,(6Mbps)\_1TX

04/07/2019

### 5200MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	64.71	74.00	-9.29	7.94	3	Horizontal	178	1.69	-
AV	5.15G	50.32	54.00	-3.68	7.94	3	Horizontal	178	1.69	-
PK	5.1948G	120.69	Inf	-Inf	8.05	3	Horizontal	178	1.69	-
AV	5.1968G	109.58	Inf	-Inf	8.06	3	Horizontal	178	1.69	-

### 802.11a\_Nss1,(6Mbps)\_1TX

04/07/2019

### 5240MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.12G	62.62	74.00	-11.38	7.88	3	Vertical	174	1.68	-
AV	5.0996G	46.59	54.00	-7.41	7.84	3	Vertical	174	1.68	-
PK	5.2436G	122.62	Inf	-Inf	8.12	3	Vertical	174	1.68	-
AV	5.243G	112.37	Inf	-Inf	8.12	3	Vertical	174	1.68	-
PK	5.36G	63.75	74.00	-10.25	8.29	3	Vertical	174	1.68	-
AV	5.3642G	47.54	54.00	-6.46	8.29	3	Vertical	174	1.68	-

### 802.11a\_Nss1,(6Mbps)\_1TX

04/07/2019

### 5240MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1206G	62.66	74.00	-11.34	7.88	3	Horizontal	174	1.73	-
AV	5.105G	46.58	54.00	-7.42	7.85	3	Horizontal	174	1.73	-
PK	5.243G	121.54	Inf	-Inf	8.12	3	Horizontal	174	1.73	-
AV	5.243G	111.35	Inf	-Inf	8.12	3	Horizontal	174	1.73	-
PK	5.3594G	63.53	74.00	-10.47	8.29	3	Horizontal	174	1.73	-
AV	5.3672G	47.19	54.00	-6.81	8.29	3	Horizontal	174	1.73	-

### 802.11a\_Nss1,(6Mbps)\_1TX

04/07/2019

### 5745MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.637G	59.54	68.20	-8.66	8.64	3	Vertical	178	1.45	-
PK	5.743G	120.03	Inf	-Inf	8.82	3	Vertical	178	1.45	-
AV	5.742G	109.63	Inf	-Inf	8.81	3	Vertical	178	1.45	-
PK	5.951G	58.96	68.20	-9.24	8.92	3	Vertical	178	1.45	-

### 802.11a\_Nss1,(6Mbps)\_1TX

04/07/2019

### 5745MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.573G	58.92	68.20	-9.28	8.56	3	Horizontal	183	2.02	-
PK	5.742G	118.31	Inf	-Inf	8.81	3	Horizontal	183	2.02	-
AV	5.742G	108.08	Inf	-Inf	8.81	3	Horizontal	183	2.02	-
PK	5.945G	59.50	68.20	-8.70	8.94	3	Horizontal	183	2.02	-

### 802.11a\_Nss1,(6Mbps)\_1TX

04/07/2019

### 5785MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.565G	59.24	68.20	-8.96	8.56	3	Vertical	174	1.59	-
PK	5.788G	117.21	Inf	-Inf	8.87	3	Vertical	174	1.59	-
AV	5.788G	106.88	Inf	-Inf	8.87	3	Vertical	174	1.59	-
PK	5.966G	59.12	68.20	-9.08	8.93	3	Vertical	174	1.59	-

### 802.11a\_Nss1,(6Mbps)\_1TX

04/07/2019

### 5785MHz\_TX



EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.59G	59.26	68.20	-8.94	8.57	3	Horizontal	173	2.00	-
PK	5.788G	115.83	Inf	-Inf	8.87	3	Horizontal	173	2.00	-
AV	5.788G	105.50	Inf	-Inf	8.87	3	Horizontal	173	2.00	-
PK	5.93G	58.63	68.20	-9.57	8.93	3	Horizontal	173	2.00	-



### 802.11a\_Nss1,(6Mbps)\_1TX

04/07/2019

### 5825MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.637G	59.25	68.20	-8.95	8.64	3	Vertical	181	1.26	-
PK	5.818G	115.79	Inf	-Inf	8.90	3	Vertical	181	1.26	-
AV	5.82G	105.57	Inf	-Inf	8.90	3	Vertical	181	1.26	-
PK	5.985G	59.20	68.20	-9.00	8.93	3	Vertical	181	1.26	-

### 802.11a\_Nss1,(6Mbps)\_1TX

04/07/2019

### 5825MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.635G	60.02	68.20	-8.18	8.64	3	Horizontal	182	1.99	-
PK	5.823G	116.51	Inf	-Inf	8.90	3	Horizontal	182	1.99	-
AV	5.82G	105.93	Inf	-Inf	8.90	3	Horizontal	182	1.99	-
PK	5.962G	58.86	68.20	-9.34	8.93	3	Horizontal	182	1.99	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5180MHz\_TX




EUT\_Z\_1TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.40	74.00	-7.60	7.94	3	Vertical	173	1.85	-
AV	5.15G	52.31	54.00	-1.69	7.94	3	Vertical	173	1.85	-
PK	5.1768G	121.15	Inf	-Inf	8.01	3	Vertical	173	1.85	-
AV	5.178G	107.95	Inf	-Inf	8.02	3	Vertical	173	1.85	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5180MHz\_TX




EUT\_Z\_1TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	67.57	74.00	-6.43	7.94	3	Horizontal	183	1.49	-
AV	5.15G	53.23	54.00	-0.77	7.94	3	Horizontal	183	1.49	-
PK	5.1764G	120.18	Inf	-Inf	8.01	3	Horizontal	183	1.49	-
AV	5.1776G	107.04	Inf	-Inf	8.02	3	Horizontal	183	1.49	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5200MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	65.61	74.00	-8.39	7.94	3	Vertical	174	1.62	-
AV	5.15G	51.95	54.00	-2.05	7.94	3	Vertical	174	1.62	-
PK	5.1988G	122.59	Inf	-Inf	8.06	3	Vertical	174	1.62	-
AV	5.1948G	109.28	Inf	-Inf	8.05	3	Vertical	174	1.62	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5200MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	66.91	74.00	-7.09	7.94	3	Horizontal	178	1.65	-
AV	5.15G	51.71	54.00	-2.29	7.94	3	Horizontal	178	1.65	-
PK	5.2016G	122.01	Inf	-Inf	8.06	3	Horizontal	178	1.65	-
AV	5.1956G	108.75	Inf	-Inf	8.06	3	Horizontal	178	1.65	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5240MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.12G	61.54	74.00	-12.46	7.88	3	Vertical	178	1.60	-
AV	5.1044G	46.33	54.00	-7.67	7.84	3	Vertical	178	1.60	-
PK	5.2466G	124.81	Inf	-Inf	8.13	3	Vertical	178	1.60	-
AV	5.2436G	110.97	Inf	-Inf	8.12	3	Vertical	178	1.60	-
PK	5.3612G	63.00	74.00	-11.00	8.29	3	Vertical	178	1.60	-
AV	5.3708G	46.85	54.00	-7.15	8.30	3	Vertical	178	1.60	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5240MHz\_TX



EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1182G	60.84	74.00	-13.16	7.88	3	Horizontal	180	1.93	-
AV	5.105G	46.33	54.00	-7.67	7.85	3	Horizontal	180	1.93	-
PK	5.2388G	123.97	Inf	-Inf	8.12	3	Horizontal	180	1.93	-
AV	5.2382G	110.45	Inf	-Inf	8.12	3	Horizontal	180	1.93	-
PK	5.3612G	60.84	74.00	-13.16	8.29	3	Horizontal	180	1.93	-
AV	5.384G	46.63	54.00	-7.37	8.32	3	Horizontal	180	1.93	-



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5745MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.532G	58.96	68.20	-9.24	8.54	3	Vertical	183	1.48	-
PK	5.747G	121.59	Inf	-Inf	8.82	3	Vertical	183	1.48	-
AV	5.742G	108.14	Inf	-Inf	8.81	3	Vertical	183	1.48	-
PK	5.94G	58.62	68.20	-9.58	8.93	3	Vertical	183	1.48	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5745MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.531G	59.00	68.20	-9.20	8.54	3	Horizontal	181	2.09	-
PK	5.742G	120.08	Inf	-Inf	8.81	3	Horizontal	181	2.09	-
AV	5.741G	106.80	Inf	-Inf	8.80	3	Horizontal	181	2.09	-
PK	5.977G	58.72	68.20	-9.48	8.94	3	Horizontal	181	2.09	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5785MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.595G	59.05	68.20	-9.15	8.58	3	Vertical	174	1.52	-
PK	5.782G	118.61	Inf	-Inf	8.88	3	Vertical	174	1.52	-
AV	5.783G	105.22	Inf	-Inf	8.88	3	Vertical	174	1.52	-
PK	5.973G	58.61	68.20	-9.59	8.93	3	Vertical	174	1.52	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5785MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.638G	59.93	68.20	-8.27	8.64	3	Horizontal	176	2.10	-
PK	5.78G	117.27	Inf	-Inf	8.87	3	Horizontal	176	2.10	-
AV	5.779G	104.38	Inf	-Inf	8.87	3	Horizontal	176	2.10	-
PK	5.95G	59.59	68.20	-8.61	8.93	3	Horizontal	176	2.10	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5825MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	59.94	68.20	-8.26	8.66	3	Vertical	176	1.71	-
PK	5.822G	117.45	Inf	-Inf	8.90	3	Vertical	176	1.71	-
AV	5.821G	104.74	Inf	-Inf	8.90	3	Vertical	176	1.71	-
PK	5.977G	58.82	68.20	-9.38	8.94	3	Vertical	176	1.71	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 5825MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.632G	59.38	68.20	-8.82	8.63	3	Horizontal	179	1.99	-
PK	5.826G	117.56	Inf	-Inf	8.91	3	Horizontal	179	1.99	-
AV	5.82G	104.54	Inf	-Inf	8.90	3	Horizontal	179	1.99	-
PK	5.957G	58.50	68.20	-9.70	8.92	3	Horizontal	179	1.99	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 5190MHz\_TX




EUT\_Z\_1TX  
Setting 22  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	68.06	74.00	-5.94	7.94	3	Vertical	172	1.49	-
AV	5.15G	52.93	54.00	-1.07	7.94	3	Vertical	172	1.49	-
PK	5.1804G	116.24	Inf	-Inf	8.02	3	Vertical	172	1.49	-
AV	5.1832G	102.63	Inf	-Inf	8.02	3	Vertical	172	1.49	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 5190MHz\_TX



EUT\_Z\_1TX  
Setting 22  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	65.43	74.00	-8.57	7.94	3	Horizontal	170	1.50	-
AV	5.15G	50.97	54.00	-3.03	7.94	3	Horizontal	170	1.50	-
PK	5.1852G	115.59	Inf	-Inf	8.03	3	Horizontal	170	1.50	-
AV	5.1808G	101.74	Inf	-Inf	8.02	3	Horizontal	170	1.50	-



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 5230MHz\_TX




EUT\_Z\_1TX  
Setting 26.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	68.22	74.00	-5.78	7.94	3	Vertical	172	1.65	-
AV	5.15G	53.91	54.00	-0.09	7.94	3	Vertical	172	1.65	-
PK	5.2354G	120.53	Inf	-Inf	8.11	3	Vertical	172	1.65	-
AV	5.2414G	107.28	Inf	-Inf	8.12	3	Vertical	172	1.65	-
PK	5.35G	66.88	74.00	-7.12	8.28	3	Vertical	172	1.65	-
AV	5.3512G	48.54	54.00	-5.46	8.28	3	Vertical	172	1.65	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 5230MHz\_TX




EUT\_Z\_1TX  
Setting 26.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	68.79	74.00	-5.21	7.94	3	Horizontal	179	1.91	-
AV	5.15G	53.34	54.00	-0.66	7.94	3	Horizontal	179	1.91	-
PK	5.2408G	119.87	Inf	-Inf	8.12	3	Horizontal	179	1.91	-
AV	5.2384G	107.07	Inf	-Inf	8.12	3	Horizontal	179	1.91	-
PK	5.35G	65.09	74.00	-8.91	8.28	3	Horizontal	179	1.91	-
AV	5.3506G	48.23	54.00	-5.77	8.28	3	Horizontal	179	1.91	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 5755MHz\_TX




EUT Z\_1TX  
Setting 26  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	68.15	68.20	-0.05	8.66	3	Vertical	184	1.50	-
PK	5.758G	117.91	Inf	-Inf	8.84	3	Vertical	184	1.50	-
AV	5.747G	105.30	Inf	-Inf	8.82	3	Vertical	184	1.50	-
PK	5.992G	59.07	68.20	-9.13	8.94	3	Vertical	184	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 5755MHz\_TX




EUT Z\_1TX  
Setting 26  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	67.57	68.20	-0.63	8.67	3	Horizontal	177	2.15	-
PK	5.745G	117.04	Inf	-Inf	8.82	3	Horizontal	177	2.15	-
AV	5.748G	103.92	Inf	-Inf	8.82	3	Horizontal	177	2.15	-
PK	5.985G	58.55	68.20	-9.65	8.93	3	Horizontal	177	2.15	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 5795MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	62.67	68.20	-5.53	8.66	3	Vertical	175	1.60	-
PK	5.802G	117.40	Inf	-Inf	8.90	3	Vertical	175	1.60	-
AV	5.791G	104.21	Inf	-Inf	8.88	3	Vertical	175	1.60	-
PK	5.929G	59.41	68.20	-8.79	8.93	3	Vertical	175	1.60	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 5795MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.638G	61.53	68.20	-6.67	8.64	3	Horizontal	179	2.06	-
PK	5.802G	116.60	Inf	-Inf	8.90	3	Horizontal	179	2.06	-
AV	5.801G	103.49	Inf	-Inf	8.90	3	Horizontal	179	2.06	-
PK	5.926G	61.54	68.20	-6.66	8.93	3	Horizontal	179	2.06	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

04/07/2019

5210MHz\_TX




EUT\_Z\_1TX  
Setting 22  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	68.66	74.00	-5.34	7.94	3	Vertical	179	1.70	-
AV	5.15G	53.96	54.00	-0.04	7.94	3	Vertical	179	1.70	-
PK	5.227G	112.04	Inf	-Inf	8.10	3	Vertical	179	1.70	-
AV	5.24G	99.18	Inf	-Inf	8.12	3	Vertical	179	1.70	-
PK	5.352G	60.62	74.00	-13.38	8.28	3	Vertical	179	1.70	-
AV	5.351G	47.36	54.00	-6.64	8.28	3	Vertical	179	1.70	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

04/07/2019

### 5210MHz\_TX



EUT\_Z\_1TX  
Setting 22  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	69.80	74.00	-4.20	7.94	3	Horizontal	179	1.71	-
AV	5.149G	53.98	54.00	-0.02	7.94	3	Horizontal	179	1.71	-
PK	5.235G	112.12	Inf	-Inf	8.11	3	Horizontal	179	1.71	-
AV	5.237G	98.72	Inf	-Inf	8.11	3	Horizontal	179	1.71	-
PK	5.372G	59.83	74.00	-14.17	8.30	3	Horizontal	179	1.71	-
AV	5.35G	46.91	54.00	-7.09	8.28	3	Horizontal	179	1.71	-



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

04/07/2019

### 5775MHz\_TX




EUT Z\_1TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.643G	66.52	68.20	-1.68	8.66	3	Vertical	185	1.50	-
PK	5.749G	112.51	Inf	-Inf	8.82	3	Vertical	185	1.50	-
AV	5.75G	99.24	Inf	-Inf	8.83	3	Vertical	185	1.50	-
PK	5.936G	59.52	68.20	-8.68	8.93	3	Vertical	185	1.50	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

04/07/2019

### 5775MHz\_TX



EUT Z\_1TX  
Setting 24  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	66.83	68.20	-1.37	8.66	3	Horizontal	179	2.15	-
PK	5.754G	111.13	Inf	-Inf	8.83	3	Horizontal	179	2.15	-
AV	5.747G	97.55	Inf	-Inf	8.82	3	Horizontal	179	2.15	-
PK	5.943G	59.63	68.20	-8.57	8.94	3	Horizontal	179	2.15	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1496G	53.95	54.00	-0.05	7.94	3	Horizontal	178	1.86	-

### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	65.32	74.00	-8.68	7.94	3	Vertical	180	1.69	-
AV	5.15G	53.00	54.00	-1.00	7.94	3	Vertical	180	1.69	-
PK	5.1806G	122.87	Inf	-Inf	8.02	3	Vertical	180	1.69	-
AV	5.1754G	113.29	Inf	-Inf	8.01	3	Vertical	180	1.69	-

### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	66.52	74.00	-7.48	7.94	3	Horizontal	178	1.86	-
AV	5.1496G	53.95	54.00	-0.05	7.94	3	Horizontal	178	1.86	-
PK	5.1838G	124.03	Inf	-Inf	8.03	3	Horizontal	178	1.86	-
AV	5.1788G	113.33	Inf	-Inf	8.02	3	Horizontal	178	1.86	-

### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	65.49	74.00	-8.51	7.94	3	Vertical	169	1.96	-
AV	5.148G	52.82	54.00	-1.18	7.94	3	Vertical	169	1.96	-
PK	5.1968G	125.82	Inf	-Inf	8.06	3	Vertical	169	1.96	-
AV	5.1968G	115.59	Inf	-Inf	8.06	3	Vertical	169	1.96	-

### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	67.54	74.00	-6.46	7.94	3	Horizontal	176	1.77	-
AV	5.15G	53.47	54.00	-0.53	7.94	3	Horizontal	176	1.77	-
PK	5.2028G	126.37	Inf	-Inf	8.06	3	Horizontal	176	1.77	-
AV	5.2032G	116.23	Inf	-Inf	8.06	3	Horizontal	176	1.77	-

### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5240MHz\_TX



EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1194G	62.38	74.00	-11.62	7.88	3	Vertical	181	1.83	-
AV	5.0978G	47.44	54.00	-6.56	7.84	3	Vertical	181	1.83	-
PK	5.246G	126.31	Inf	-Inf	8.13	3	Vertical	181	1.83	-
AV	5.2406G	116.47	Inf	-Inf	8.12	3	Vertical	181	1.83	-
PK	5.3612G	63.28	74.00	-10.72	8.29	3	Vertical	181	1.83	-
AV	5.3558G	48.33	54.00	-5.67	8.28	3	Vertical	181	1.83	-



### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.12G	62.16	74.00	-11.84	7.88	3	Horizontal	174	1.51	-
AV	5.15G	47.49	54.00	-6.51	7.94	3	Horizontal	174	1.51	-
PK	5.2412G	126.05	Inf	-Inf	8.12	3	Horizontal	174	1.51	-
AV	5.2364G	116.22	Inf	-Inf	8.11	3	Horizontal	174	1.51	-
PK	5.3606G	64.18	74.00	-9.82	8.29	3	Horizontal	174	1.51	-
AV	5.3654G	48.25	54.00	-5.75	8.29	3	Horizontal	174	1.51	-

### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5745MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.625G	63.26	68.20	-4.94	8.63	3	Vertical	177	1.85	-
PK	5.739G	125.25	Inf	-Inf	8.80	3	Vertical	177	1.85	-
AV	5.748G	115.40	Inf	-Inf	8.82	3	Vertical	177	1.85	-
PK	5.925G	59.31	68.20	-8.89	8.93	3	Vertical	177	1.85	-

### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5745MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.625G	60.90	68.20	-7.30	8.63	3	Horizontal	180	1.49	-
PK	5.739G	124.57	Inf	-Inf	8.80	3	Horizontal	180	1.49	-
AV	5.748G	114.52	Inf	-Inf	8.82	3	Horizontal	180	1.49	-
PK	5.964G	59.24	68.20	-8.96	8.93	3	Horizontal	180	1.49	-

### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.599G	61.30	68.20	-6.90	8.58	3	Vertical	175	1.67	-
PK	5.78G	123.12	Inf	-Inf	8.87	3	Vertical	175	1.67	-
AV	5.78G	113.38	Inf	-Inf	8.87	3	Vertical	175	1.67	-
PK	5.931G	59.37	68.20	-8.83	8.93	3	Vertical	175	1.67	-

### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.596G	60.64	68.20	-7.56	8.58	3	Horizontal	180	1.78	-
PK	5.788G	124.14	Inf	-Inf	8.87	3	Horizontal	180	1.78	-
AV	5.788G	113.80	Inf	-Inf	8.87	3	Horizontal	180	1.78	-
PK	5.979G	58.98	68.20	-9.22	8.94	3	Horizontal	180	1.78	-

### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5825MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.628G	62.47	68.20	-5.73	8.63	3	Vertical	180	1.66	-
PK	5.824G	123.49	Inf	-Inf	8.90	3	Vertical	180	1.66	-
AV	5.824G	113.75	Inf	-Inf	8.90	3	Vertical	180	1.66	-
PK	5.926G	59.53	68.20	-8.67	8.93	3	Vertical	180	1.66	-

### 802.11a\_Nss1,(6Mbps)\_2TX

04/07/2019

### 5825MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.628G	60.95	68.20	-7.25	8.63	3	Horizontal	178	1.83	-
PK	5.828G	124.63	Inf	-Inf	8.91	3	Horizontal	178	1.83	-
AV	5.828G	114.41	Inf	-Inf	8.91	3	Horizontal	178	1.83	-
PK	5.963G	59.73	68.20	-8.47	8.93	3	Horizontal	178	1.83	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

### 5180MHz\_TX



EUT\_Z\_2TX  
Setting 23  
02-G-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	67.19	74.00	-6.81	7.94	3	Vertical	170	1.98	-
AV	5.15G	53.68	54.00	-0.32	7.94	3	Vertical	170	1.98	-
PK	5.1794G	125.49	Inf	-Inf	8.02	3	Vertical	170	1.98	-
AV	5.179G	112.50	Inf	-Inf	8.02	3	Vertical	170	1.98	-



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

### 5180MHz\_TX



P2


EUT\_Z\_2TX  
Setting 23  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.11	74.00	-7.89	7.94	3	Horizontal	182	1.75	-
AV	5.15G	53.79	54.00	-0.21	7.94	3	Horizontal	182	1.75	-
PK	5.182G	125.02	Inf	-Inf	8.02	3	Horizontal	182	1.75	-
AV	5.1814G	112.68	Inf	-Inf	8.02	3	Horizontal	182	1.75	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 26.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	67.13	74.00	-6.87	7.94	3	Vertical	183	1.86	-
AV	5.148G	53.52	54.00	-0.48	7.94	3	Vertical	183	1.86	-
PK	5.198G	126.94	Inf	-Inf	8.06	3	Vertical	183	1.86	-
AV	5.1968G	114.94	Inf	-Inf	8.06	3	Vertical	183	1.86	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 26.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	66.49	74.00	-7.51	7.94	3	Horizontal	182	1.99	-
AV	5.1452G	52.62	54.00	-1.38	7.94	3	Horizontal	182	1.99	-
PK	5.2028G	128.29	Inf	-Inf	8.06	3	Horizontal	182	1.99	-
AV	5.204G	115.67	Inf	-Inf	8.06	3	Horizontal	182	1.99	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

5240MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1194G	61.45	74.00	-12.55	7.88	3	Vertical	182	1.86	-
AV	5.1008G	46.99	54.00	-7.01	7.84	3	Vertical	182	1.86	-
PK	5.2424G	128.96	Inf	-Inf	8.12	3	Vertical	182	1.86	-
AV	5.2418G	116.07	Inf	-Inf	8.12	3	Vertical	182	1.86	-
PK	5.3594G	61.62	74.00	-12.38	8.29	3	Vertical	182	1.86	-
AV	5.3852G	47.81	54.00	-6.19	8.32	3	Vertical	182	1.86	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1014G	60.06	74.00	-13.94	7.84	3	Horizontal	178	1.84	-
AV	5.1488G	47.63	54.00	-6.37	7.94	3	Horizontal	178	1.84	-
PK	5.2472G	127.97	Inf	-Inf	8.13	3	Horizontal	178	1.84	-
AV	5.237G	115.92	Inf	-Inf	8.11	3	Horizontal	178	1.84	-
PK	5.3612G	62.15	74.00	-11.85	8.29	3	Horizontal	178	1.84	-
AV	5.3582G	47.94	54.00	-6.06	8.28	3	Horizontal	178	1.84	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

5745MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.629G	61.80	68.20	-6.40	8.63	3	Vertical	179	1.50	-
PK	5.743G	126.48	Inf	-Inf	8.82	3	Vertical	179	1.50	-
AV	5.742G	114.04	Inf	-Inf	8.81	3	Vertical	179	1.50	-
PK	5.955G	59.48	68.20	-8.72	8.92	3	Vertical	179	1.50	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

5745MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.549G	61.98	68.20	-6.22	8.55	3	Horizontal	175	1.82	-
PK	5.742G	126.82	Inf	-Inf	8.81	3	Horizontal	175	1.82	-
AV	5.741G	114.48	Inf	-Inf	8.80	3	Horizontal	175	1.82	-
PK	5.937G	60.53	68.20	-7.67	8.93	3	Horizontal	175	1.82	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

5785MHz\_TX



EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.588G	61.50	68.20	-6.70	8.57	3	Vertical	179	1.55	-
PK	5.778G	125.36	Inf	-Inf	8.87	3	Vertical	179	1.55	-
AV	5.788G	112.49	Inf	-Inf	8.87	3	Vertical	179	1.55	-
PK	5.968G	60.22	68.20	-7.98	8.93	3	Vertical	179	1.55	-



802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

5785MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.586G	61.79	68.20	-6.41	8.57	3	Horizontal	180	1.88	-
PK	5.788G	125.08	Inf	-Inf	8.87	3	Horizontal	180	1.88	-
AV	5.787G	112.73	Inf	-Inf	8.88	3	Horizontal	180	1.88	-
PK	5.936G	59.76	68.20	-8.44	8.93	3	Horizontal	180	1.88	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

### 5825MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.64G	61.24	68.20	-6.96	8.65	3	Vertical	183	1.92	-
PK	5.827G	124.28	Inf	-Inf	8.91	3	Vertical	183	1.92	-
AV	5.826G	112.07	Inf	-Inf	8.91	3	Vertical	183	1.92	-
PK	5.95G	59.24	68.20	-8.96	8.93	3	Vertical	183	1.92	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2019

5825MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.631G	60.93	68.20	-7.27	8.63	3	Horizontal	178	1.90	-
PK	5.823G	125.35	Inf	-Inf	8.90	3	Horizontal	178	1.90	-
AV	5.822G	113.59	Inf	-Inf	8.90	3	Horizontal	178	1.90	-
PK	5.939G	60.01	68.20	-8.19	8.93	3	Horizontal	178	1.90	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2019

### 5190MHz\_TX




EUT\_Z\_2TX  
Setting 21  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.144G	67.42	74.00	-6.58	7.94	3	Vertical	180	1.87	-
AV	5.144G	53.40	54.00	-0.60	7.94	3	Vertical	180	1.87	-
PK	5.1824G	120.52	Inf	-Inf	8.02	3	Vertical	180	1.87	-
AV	5.1832G	108.42	Inf	-Inf	8.02	3	Vertical	180	1.87	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2019

### 5190MHz\_TX




EUT\_Z\_2TX  
Setting 21  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	66.17	74.00	-7.83	7.94	3	Horizontal	174	1.79	-
AV	5.1468G	53.88	54.00	-0.12	7.94	3	Horizontal	174	1.79	-
PK	5.196G	121.41	Inf	-Inf	8.06	3	Horizontal	174	1.79	-
AV	5.1964G	107.82	Inf	-Inf	8.06	3	Horizontal	174	1.79	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2019

5230MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	66.00	74.00	-8.00	7.94	3	Vertical	187	1.81	-
AV	5.1484G	53.52	54.00	-0.48	7.94	3	Vertical	187	1.81	-
PK	5.2372G	123.98	Inf	-Inf	8.11	3	Vertical	187	1.81	-
AV	5.2366G	111.81	Inf	-Inf	8.11	3	Vertical	187	1.81	-
PK	5.3506G	63.09	74.00	-10.91	8.28	3	Vertical	187	1.81	-
AV	5.3554G	48.68	54.00	-5.32	8.28	3	Vertical	187	1.81	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2019

5230MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1466G	67.82	74.00	-6.18	7.94	3	Horizontal	180	1.86	-
AV	5.1442G	53.19	54.00	-0.81	7.94	3	Horizontal	180	1.86	-
PK	5.2336G	125.95	Inf	-Inf	8.11	3	Horizontal	180	1.86	-
AV	5.2324G	112.83	Inf	-Inf	8.11	3	Horizontal	180	1.86	-
PK	5.35G	64.25	74.00	-9.75	8.28	3	Horizontal	180	1.86	-
AV	5.3506G	49.68	54.00	-4.32	8.28	3	Horizontal	180	1.86	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2019

5755MHz\_TX



EUT\_Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	67.95	68.20	-0.25	8.65	3	Vertical	177	1.84	-
PK	5.757G	124.33	Inf	-Inf	8.83	3	Vertical	177	1.84	-
AV	5.747G	111.48	Inf	-Inf	8.82	3	Vertical	177	1.84	-
PK	5.951G	59.16	68.20	-9.04	8.92	3	Vertical	177	1.84	-



802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2019

5755MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	66.84	68.20	-1.36	8.66	3	Horizontal	179	1.98	-
PK	5.754G	124.87	Inf	-Inf	8.83	3	Horizontal	179	1.98	-
AV	5.744G	111.94	Inf	-Inf	8.82	3	Horizontal	179	1.98	-
PK	5.939G	59.50	68.20	-8.70	8.93	3	Horizontal	179	1.98	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2019

5795MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	67.46	68.20	-0.74	8.66	3	Vertical	177	1.71	-
PK	5.804G	123.67	Inf	-Inf	8.90	3	Vertical	177	1.71	-
AV	5.794G	111.70	Inf	-Inf	8.89	3	Vertical	177	1.71	-
PK	5.923G	67.62	69.68	-2.06	8.92	3	Vertical	177	1.71	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2019

### 5795MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	65.67	68.20	-2.53	8.67	3	Horizontal	181	1.93	-
PK	5.802G	124.75	Inf	-Inf	8.90	3	Horizontal	181	1.93	-
AV	5.803G	112.13	Inf	-Inf	8.90	3	Horizontal	181	1.93	-
PK	5.93G	65.96	68.20	-2.24	8.93	3	Horizontal	181	1.93	-

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

04/07/2019

### 5210MHz\_TX




EUT\_Z\_2TX  
Setting 20  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	66.90	74.00	-7.10	7.94	3	Vertical	172	1.79	-
AV	5.147G	53.31	54.00	-0.69	7.94	3	Vertical	172	1.79	-
PK	5.236G	115.93	Inf	-Inf	8.11	3	Vertical	172	1.79	-
AV	5.226G	102.84	Inf	-Inf	8.10	3	Vertical	172	1.79	-
PK	5.359G	59.83	74.00	-14.17	8.28	3	Vertical	172	1.79	-
AV	5.355G	46.82	54.00	-7.18	8.28	3	Vertical	172	1.79	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

04/07/2019

5210MHz\_TX




EUT\_Z\_2TX  
Setting 20  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.63	74.00	-7.37	7.94	3	Horizontal	181	1.77	-
AV	5.141G	53.59	54.00	-0.41	7.94	3	Horizontal	181	1.77	-
PK	5.203G	117.13	Inf	-Inf	8.06	3	Horizontal	181	1.77	-
AV	5.212G	103.75	Inf	-Inf	8.07	3	Horizontal	181	1.77	-
PK	5.35G	59.81	74.00	-14.19	8.28	3	Horizontal	181	1.77	-
AV	5.35G	47.44	54.00	-6.56	8.28	3	Horizontal	181	1.77	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

04/07/2019

5775MHz\_TX




EUT\_Z\_2TX  
Setting 22  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	67.31	68.20	-0.89	8.67	3	Vertical	179	1.83	-
PK	5.766G	117.52	Inf	-Inf	8.85	3	Vertical	179	1.83	-
AV	5.767G	105.17	Inf	-Inf	8.85	3	Vertical	179	1.83	-
PK	5.925G	60.00	68.20	-8.20	8.93	3	Vertical	179	1.83	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

04/07/2019

5775MHz\_TX



EUT\_Z\_2TX  
Setting 22  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.643G	63.64	68.20	-4.56	8.66	3	Horizontal	180	1.88	-
PK	5.791G	117.51	Inf	-Inf	8.88	3	Horizontal	180	1.88	-
AV	5.772G	105.14	Inf	-Inf	8.85	3	Horizontal	180	1.88	-
PK	5.96G	60.11	68.20	-8.09	8.93	3	Horizontal	180	1.88	-



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.95	54.00	-0.05	7.94	3	Horizontal	184	1.82	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	62.79	74.00	-11.21	7.94	3	Vertical	167	1.48	-
AV	5.1498G	49.32	54.00	-4.68	7.94	3	Vertical	167	1.48	-
PK	5.1776G	123.09	Inf	-Inf	8.02	3	Vertical	167	1.48	-
AV	5.1724G	110.41	Inf	-Inf	8.00	3	Vertical	167	1.48	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5180MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	67.72	74.00	-6.28	7.94	3	Horizontal	169	1.80	-
AV	5.1494G	53.10	54.00	-0.90	7.94	3	Horizontal	169	1.80	-
PK	5.1774G	124.40	Inf	-Inf	8.02	3	Horizontal	169	1.80	-
AV	5.1774G	112.15	Inf	-Inf	8.02	3	Horizontal	169	1.80	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5200MHz\_TX




EUT\_Z\_2TX  
 Setting 30  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	59.76	74.00	-14.24	7.94	3	Vertical	182	2.26	-
AV	5.148G	46.97	54.00	-7.03	7.94	3	Vertical	182	2.26	-
PK	5.1988G	122.34	Inf	-Inf	8.06	3	Vertical	182	2.26	-
AV	5.1956G	110.17	Inf	-Inf	8.06	3	Vertical	182	2.26	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
 Setting 30  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	60.45	74.00	-13.55	7.94	3	Horizontal	170	1.71	-
AV	5.1496G	47.77	54.00	-6.23	7.94	3	Horizontal	170	1.71	-
PK	5.1948G	123.93	Inf	-Inf	8.05	3	Horizontal	170	1.71	-
AV	5.1972G	111.95	Inf	-Inf	8.06	3	Horizontal	170	1.71	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5240MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1308G	60.24	74.00	-13.76	7.91	3	Vertical	171	1.48	-
AV	5.15G	46.51	54.00	-7.49	7.94	3	Vertical	171	1.48	-
PK	5.2376G	124.03	Inf	-Inf	8.12	3	Vertical	171	1.48	-
AV	5.2388G	110.98	Inf	-Inf	8.12	3	Vertical	171	1.48	-
PK	5.3804G	59.77	74.00	-14.23	8.32	3	Vertical	171	1.48	-
AV	5.3894G	47.06	54.00	-6.94	8.33	3	Vertical	171	1.48	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5240MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1062G	59.46	74.00	-14.54	7.86	3	Horizontal	182	1.81	-
AV	5.1374G	46.97	54.00	-7.03	7.92	3	Horizontal	182	1.81	-
PK	5.2418G	124.81	Inf	-Inf	8.12	3	Horizontal	182	1.81	-
AV	5.237G	112.02	Inf	-Inf	8.11	3	Horizontal	182	1.81	-
PK	5.3834G	59.82	74.00	-14.18	8.32	3	Horizontal	182	1.81	-
AV	5.3762G	47.44	54.00	-6.56	8.31	3	Horizontal	182	1.81	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5745MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.562G	60.73	68.20	-7.47	8.56	3	Vertical	176	1.50	-
PK	5.742G	123.24	Inf	-Inf	8.81	3	Vertical	176	1.50	-
AV	5.747G	111.31	Inf	-Inf	8.82	3	Vertical	176	1.50	-
PK	5.968G	58.57	68.20	-9.63	8.93	3	Vertical	176	1.50	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5745MHz\_TX



EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.552G	60.74	68.20	-7.46	8.55	3	Horizontal	174	1.89	-
PK	5.747G	124.06	Inf	-Inf	8.82	3	Horizontal	174	1.89	-
AV	5.742G	111.96	Inf	-Inf	8.81	3	Horizontal	174	1.89	-
PK	5.939G	59.74	68.20	-8.46	8.93	3	Horizontal	174	1.89	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5785MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.586G	60.68	68.20	-7.52	8.57	3	Vertical	177	1.88	-
PK	5.783G	122.53	Inf	-Inf	8.88	3	Vertical	177	1.88	-
AV	5.782G	110.69	Inf	-Inf	8.88	3	Vertical	177	1.88	-
PK	5.941G	58.68	68.20	-9.52	8.93	3	Vertical	177	1.88	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5785MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.588G	60.80	68.20	-7.40	8.57	3	Horizontal	175	1.77	-
PK	5.789G	122.77	Inf	-Inf	8.88	3	Horizontal	175	1.77	-
AV	5.793G	111.30	Inf	-Inf	8.89	3	Horizontal	175	1.77	-
PK	5.925G	58.93	68.20	-9.27	8.93	3	Horizontal	175	1.77	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

### 5825MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.64G	60.42	68.20	-7.78	8.65	3	Vertical	177	1.57	-
PK	5.821G	121.40	Inf	-Inf	8.90	3	Vertical	177	1.57	-
AV	5.828G	109.45	Inf	-Inf	8.91	3	Vertical	177	1.57	-
PK	5.925G	59.31	68.20	-8.89	8.93	3	Vertical	177	1.57	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5825MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	61.01	68.20	-7.19	8.66	3	Horizontal	175	1.85	-
PK	5.83G	123.47	Inf	-Inf	8.91	3	Horizontal	175	1.85	-
AV	5.828G	111.27	Inf	-Inf	8.91	3	Horizontal	175	1.85	-
PK	5.963G	58.92	68.20	-9.28	8.93	3	Horizontal	175	1.85	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/07/2019

### 5190MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1424G	66.33	74.00	-7.67	7.94	3	Vertical	166	1.97	-
AV	5.1496G	51.46	54.00	-2.54	7.94	3	Vertical	166	1.97	-
PK	5.1836G	119.66	Inf	-Inf	8.03	3	Vertical	166	1.97	-
AV	5.1856G	106.71	Inf	-Inf	8.03	3	Vertical	166	1.97	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5190MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	66.93	74.00	-7.07	7.94	3	Horizontal	184	1.82	-
AV	5.15G	53.95	54.00	-0.05	7.94	3	Horizontal	184	1.82	-
PK	5.1832G	120.37	Inf	-Inf	8.02	3	Horizontal	184	1.82	-
AV	5.1936G	108.01	Inf	-Inf	8.04	3	Horizontal	184	1.82	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5230MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1094G	61.19	74.00	-12.81	7.86	3	Vertical	171	1.48	-
AV	5.15G	47.68	54.00	-6.32	7.94	3	Vertical	171	1.48	-
PK	5.236G	121.77	Inf	-Inf	8.11	3	Vertical	171	1.48	-
AV	5.2372G	108.80	Inf	-Inf	8.11	3	Vertical	171	1.48	-
PK	5.3506G	60.10	74.00	-13.90	8.28	3	Vertical	171	1.48	-
AV	5.3656G	47.49	54.00	-6.51	8.29	3	Vertical	171	1.48	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5230MHz\_TX



EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1106G	61.47	74.00	-12.53	7.86	3	Horizontal	174	1.89	-
AV	5.1496G	48.27	54.00	-5.73	7.94	3	Horizontal	174	1.89	-
PK	5.2282G	123.06	Inf	-Inf	8.10	3	Horizontal	174	1.89	-
AV	5.2222G	111.11	Inf	-Inf	8.10	3	Horizontal	174	1.89	-
PK	5.3512G	61.57	74.00	-12.43	8.28	3	Horizontal	174	1.89	-
AV	5.3506G	47.76	54.00	-6.24	8.28	3	Horizontal	174	1.89	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5755MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.635G	61.85	68.20	-6.35	8.64	3	Vertical	175	1.58	-
PK	5.762G	120.32	Inf	-Inf	8.85	3	Vertical	175	1.58	-
AV	5.751G	108.01	Inf	-Inf	8.83	3	Vertical	175	1.58	-
PK	5.95G	59.32	68.20	-8.88	8.93	3	Vertical	175	1.58	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 30  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	61.94	68.20	-6.26	8.66	3	Horizontal	179	1.83	-
PK	5.746G	121.59	Inf	-Inf	8.82	3	Horizontal	179	1.83	-
AV	5.75G	109.29	Inf	-Inf	8.83	3	Horizontal	179	1.83	-
PK	5.944G	60.23	68.20	-7.97	8.94	3	Horizontal	179	1.83	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/07/2019

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 30  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.622G	60.69	68.20	-7.51	8.61	3	Vertical	172	1.59	-
PK	5.804G	121.10	Inf	-Inf	8.90	3	Vertical	172	1.59	-
AV	5.803G	106.80	Inf	-Inf	8.90	3	Vertical	172	1.59	-
PK	5.927G	59.38	68.20	-8.82	8.93	3	Vertical	172	1.59	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/07/2019

### 5795MHz\_TX




EUT\_Z\_2TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	60.05	68.20	-8.15	8.66	3	Horizontal	174	1.77	-
PK	5.792G	120.39	Inf	-Inf	8.89	3	Horizontal	174	1.77	-
AV	5.801G	108.12	Inf	-Inf	8.90	3	Horizontal	174	1.77	-
PK	5.937G	58.97	68.20	-9.23	8.93	3	Horizontal	174	1.77	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/07/2019

### 5210MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.138G	65.94	74.00	-8.06	7.92	3	Vertical	171	1.45	-
AV	5.149G	51.11	54.00	-2.89	7.94	3	Vertical	171	1.45	-
PK	5.206G	118.77	Inf	-Inf	8.07	3	Vertical	171	1.45	-
AV	5.206G	107.88	Inf	-Inf	8.07	3	Vertical	171	1.45	-
PK	5.405G	59.90	74.00	-14.10	8.35	3	Vertical	171	1.45	-
AV	5.391G	47.79	54.00	-6.21	8.33	3	Vertical	171	1.45	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/07/2019

### 5210MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.145G	66.57	74.00	-7.43	7.94	3	Horizontal	159	1.80	-
AV	5.145G	53.90	54.00	-0.10	7.94	3	Horizontal	159	1.80	-
PK	5.221G	119.18	Inf	-Inf	8.10	3	Horizontal	159	1.80	-
AV	5.216G	105.51	Inf	-Inf	8.08	3	Horizontal	159	1.80	-
PK	5.369G	61.03	74.00	-12.97	8.30	3	Horizontal	159	1.80	-
AV	5.367G	48.31	54.00	-5.69	8.29	3	Horizontal	159	1.80	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

09/07/2019

5775MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	66.10	68.20	-2.10	8.66	3	Vertical	180	1.48	-
PK	5.758G	115.80	Inf	-Inf	8.84	3	Vertical	180	1.48	-
AV	5.774G	103.56	Inf	-Inf	8.86	3	Vertical	180	1.48	-
PK	5.927G	60.17	68.20	-8.03	8.93	3	Vertical	180	1.48	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

09/07/2019

5775MHz\_TX



EUT\_Z\_2TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	66.72	68.20	-1.48	8.67	3	Horizontal	157	1.81	-
PK	5.755G	116.23	Inf	-Inf	8.83	3	Horizontal	157	1.81	-
AV	5.755G	104.35	Inf	-Inf	8.83	3	Horizontal	157	1.81	-
PK	5.933G	61.22	68.20	-6.98	8.93	3	Horizontal	157	1.81	-






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.1448G	53.99	54.00	-0.01	7.94	3	Horizontal	186	1.80	-

### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5180MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1452G	67.17	74.00	-6.83	7.94	3	Vertical	185	1.88	-
AV	5.1456G	53.62	54.00	-0.38	7.94	3	Vertical	185	1.88	-
PK	5.1838G	127.26	Inf	-Inf	8.03	3	Vertical	185	1.88	-
AV	5.1844G	117.18	Inf	-Inf	8.03	3	Vertical	185	1.88	-

### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5180MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1366G	64.00	74.00	-10.00	7.92	3	Horizontal	175	1.80	-
AV	5.1492G	50.84	54.00	-3.16	7.94	3	Horizontal	175	1.80	-
PK	5.1768G	127.71	Inf	-Inf	8.01	3	Horizontal	175	1.80	-
AV	5.1768G	117.21	Inf	-Inf	8.01	3	Horizontal	175	1.80	-

### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5200MHz\_TX




EUT\_Z\_4TX  
 Setting 25.5  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.137G	66.52	74.00	-7.48	7.92	3	Vertical	179	1.84	-
AV	5.1496G	52.30	54.00	-1.70	7.94	3	Vertical	179	1.84	-
PK	5.197G	129.80	Inf	-Inf	8.06	3	Vertical	179	1.84	-
AV	5.1964G	120.97	Inf	-Inf	8.06	3	Vertical	179	1.84	-

### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5200MHz\_TX




EUT\_Z\_4TX  
 Setting 25.5  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1442G	69.15	74.00	-4.85	7.94	3	Horizontal	186	1.80	-
AV	5.1448G	53.99	54.00	-0.01	7.94	3	Horizontal	186	1.80	-
PK	5.2042G	129.63	Inf	-Inf	8.07	3	Horizontal	186	1.80	-
AV	5.203G	120.60	Inf	-Inf	8.06	3	Horizontal	186	1.80	-

### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1026G	62.38	74.00	-11.62	7.84	3	Vertical	190	1.52	-
AV	5.1476G	49.44	54.00	-4.56	7.94	3	Vertical	190	1.52	-
PK	5.246G	131.31	Inf	-Inf	8.13	3	Vertical	190	1.52	-
AV	5.246G	121.96	Inf	-Inf	8.13	3	Vertical	190	1.52	-
PK	5.3726G	62.43	74.00	-11.57	8.30	3	Vertical	190	1.52	-
AV	5.3504G	49.14	54.00	-4.86	8.28	3	Vertical	190	1.52	-

### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1392G	61.96	74.00	-12.04	7.93	3	Horizontal	183	1.47	-
AV	5.141G	49.22	54.00	-4.78	7.94	3	Horizontal	183	1.47	-
PK	5.237G	129.87	Inf	-Inf	8.11	3	Horizontal	183	1.47	-
AV	5.237G	121.68	Inf	-Inf	8.11	3	Horizontal	183	1.47	-
PK	5.3594G	64.03	74.00	-9.97	8.29	3	Horizontal	183	1.47	-
AV	5.369G	48.90	54.00	-5.10	8.30	3	Horizontal	183	1.47	-

### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5745MHz\_TX



EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.651G	63.80	68.94	-5.14	8.66	3	Vertical	180	1.50	-
PK	5.748G	130.05	Inf	-Inf	8.82	3	Vertical	180	1.50	-
AV	5.748G	121.10	Inf	-Inf	8.82	3	Vertical	180	1.50	-
PK	5.943G	59.81	68.20	-8.39	8.94	3	Vertical	180	1.50	-



### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5745MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	63.72	68.20	-4.48	8.66	3	Horizontal	179	1.48	-
PK	5.738G	129.75	Inf	-Inf	8.80	3	Horizontal	179	1.48	-
AV	5.738G	120.25	Inf	-Inf	8.80	3	Horizontal	179	1.48	-
PK	5.942G	60.29	68.20	-7.91	8.94	3	Horizontal	179	1.48	-

### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5785MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.57G	62.30	68.20	-5.90	8.56	3	Vertical	168	1.49	-
PK	5.779G	129.63	Inf	-Inf	8.87	3	Vertical	168	1.49	-
AV	5.778G	119.49	Inf	-Inf	8.87	3	Vertical	168	1.49	-
PK	5.926G	60.17	68.20	-8.03	8.93	3	Vertical	168	1.49	-

### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5785MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	62.09	68.20	-6.11	8.66	3	Horizontal	165	1.49	-
PK	5.788G	129.22	Inf	-Inf	8.87	3	Horizontal	165	1.49	-
AV	5.788G	119.34	Inf	-Inf	8.87	3	Horizontal	165	1.49	-
PK	5.978G	60.11	68.20	-8.09	8.94	3	Horizontal	165	1.49	-

### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5825MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.628G	62.66	68.20	-5.54	8.63	3	Vertical	184	1.91	-
PK	5.822G	128.67	Inf	-Inf	8.90	3	Vertical	184	1.91	-
AV	5.822G	118.48	Inf	-Inf	8.90	3	Vertical	184	1.91	-
PK	5.925G	60.99	68.20	-7.21	8.93	3	Vertical	184	1.91	-

### 802.11a\_Nss1,(6Mbps)\_4TX

04/07/2019

### 5825MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.626G	61.71	68.20	-6.49	8.63	3	Horizontal	187	1.35	-
PK	5.832G	128.25	Inf	-Inf	8.91	3	Horizontal	187	1.35	-
AV	5.832G	118.19	Inf	-Inf	8.91	3	Horizontal	187	1.35	-
PK	5.927G	62.02	68.20	-6.18	8.93	3	Horizontal	187	1.35	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

### 5180MHz\_TX




EUT\_Z\_4TX  
 Setting 20.5  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1382G	64.93	74.00	-9.07	7.92	3	Vertical	165	1.86	-
AV	5.1378G	50.02	54.00	-3.98	7.92	3	Vertical	165	1.86	-
PK	5.177G	129.04	Inf	-Inf	8.01	3	Vertical	165	1.86	-
AV	5.1774G	116.15	Inf	-Inf	8.02	3	Vertical	165	1.86	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

5180MHz\_TX




EUT\_Z\_4TX  
Setting 20.5  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.143G	67.89	74.00	-6.11	7.94	3	Horizontal	178	1.83	-
AV	5.1432G	53.62	54.00	-0.38	7.94	3	Horizontal	178	1.83	-
PK	5.1826G	128.44	Inf	-Inf	8.02	3	Horizontal	178	1.83	-
AV	5.1826G	115.76	Inf	-Inf	8.02	3	Horizontal	178	1.83	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

5200MHz\_TX



EUT\_Z\_4TX  
Setting 25  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1436G	68.03	74.00	-5.97	7.94	3	Vertical	171	1.61	-
AV	5.1442G	53.73	54.00	-0.27	7.94	3	Vertical	171	1.61	-
PK	5.203G	129.57	Inf	-Inf	8.06	3	Vertical	171	1.61	-
AV	5.2042G	119.15	Inf	-Inf	8.07	3	Vertical	171	1.61	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

### 5200MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	66.80	74.00	-7.20	7.94	3	Horizontal	181	1.50	-
AV	5.1394G	52.02	54.00	-1.98	7.93	3	Horizontal	181	1.50	-
PK	5.1994G	129.72	Inf	-Inf	8.06	3	Horizontal	181	1.50	-
AV	5.1982G	119.65	Inf	-Inf	8.06	3	Horizontal	181	1.50	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1416G	61.47	74.00	-12.53	7.94	3	Vertical	165	1.55	-
AV	5.1416G	48.60	54.00	-5.40	7.94	3	Vertical	165	1.55	-
PK	5.2388G	130.25	Inf	-Inf	8.12	3	Vertical	165	1.55	-
AV	5.2388G	121.08	Inf	-Inf	8.12	3	Vertical	165	1.55	-
PK	5.3594G	62.13	74.00	-11.87	8.29	3	Vertical	165	1.55	-
AV	5.3792G	48.61	54.00	-5.39	8.32	3	Vertical	165	1.55	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	61.83	74.00	-12.17	7.94	3	Horizontal	182	1.56	-
AV	5.1494G	49.16	54.00	-4.84	7.94	3	Horizontal	182	1.56	-
PK	5.2436G	130.42	Inf	-Inf	8.12	3	Horizontal	182	1.56	-
AV	5.2436G	120.69	Inf	-Inf	8.12	3	Horizontal	182	1.56	-
PK	5.384G	61.27	74.00	-12.73	8.32	3	Horizontal	182	1.56	-
AV	5.3504G	48.68	54.00	-5.32	8.28	3	Horizontal	182	1.56	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

5745MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	63.82	68.20	-4.38	8.67	3	Vertical	183	1.79	-
PK	5.746G	130.61	Inf	-Inf	8.82	3	Vertical	183	1.79	-
AV	5.747G	119.70	Inf	-Inf	8.82	3	Vertical	183	1.79	-
PK	5.941G	60.86	68.20	-7.34	8.93	3	Vertical	183	1.79	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

5745MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	63.75	68.20	-4.45	8.66	3	Horizontal	188	1.82	-
PK	5.741G	130.17	Inf	-Inf	8.80	3	Horizontal	188	1.82	-
AV	5.742G	119.53	Inf	-Inf	8.81	3	Horizontal	188	1.82	-
PK	5.937G	60.55	68.20	-7.65	8.93	3	Horizontal	188	1.82	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

### 5785MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.598G	62.11	68.20	-6.09	8.58	3	Vertical	176	1.87	-
PK	5.791G	130.19	Inf	-Inf	8.88	3	Vertical	176	1.87	-
AV	5.791G	118.43	Inf	-Inf	8.88	3	Vertical	176	1.87	-
PK	5.983G	59.65	68.20	-8.55	8.94	3	Vertical	176	1.87	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

5785MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.585G	63.02	68.20	-5.18	8.57	3	Horizontal	174	1.88	-
PK	5.777G	130.34	Inf	-Inf	8.87	3	Horizontal	174	1.88	-
AV	5.778G	118.57	Inf	-Inf	8.87	3	Horizontal	174	1.88	-
PK	5.933G	59.64	68.20	-8.56	8.93	3	Horizontal	174	1.88	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

5825MHz\_TX



EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.64G	63.71	68.20	-4.49	8.65	3	Vertical	175	1.86	-
PK	5.831G	129.05	Inf	-Inf	8.91	3	Vertical	175	1.86	-
AV	5.831G	117.62	Inf	-Inf	8.91	3	Vertical	175	1.86	-
PK	5.928G	61.41	68.20	-6.79	8.93	3	Vertical	175	1.86	-



802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2019

5825MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.625G	62.56	68.20	-5.64	8.63	3	Horizontal	169	1.91	-
PK	5.817G	130.32	Inf	-Inf	8.90	3	Horizontal	169	1.91	-
AV	5.817G	118.20	Inf	-Inf	8.90	3	Horizontal	169	1.91	-
PK	5.929G	61.45	68.20	-6.75	8.93	3	Horizontal	169	1.91	-

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUTZ\_4TX  
Setting 15.5  
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	65.48	74.00	-8.52	59.64	3	Vertical	4	1.96	-	32.91	5.45	32.52
AV	5.1472G	52.30	54.00	-1.70	46.46	3	Vertical	4	1.96	-	32.91	5.45	32.52
PK	5.1872G	122.19	Inf	-Inf	116.31	3	Vertical	4	1.96	-	32.90	5.49	32.51
AV	5.1864G	109.19	Inf	-Inf	103.31	3	Vertical	4	1.96	-	32.90	5.49	32.51

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT\_Z\_4TX  
 Setting 15.5  
 04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.48	74.00	-11.52	56.65	3	Horizontal	360	2.10	-	32.90	5.45	32.52
AV	5.15G	51.19	54.00	-2.81	45.36	3	Horizontal	360	2.10	-	32.90	5.45	32.52
PK	5.1924G	122.37	Inf	-Inf	116.49	3	Horizontal	360	2.10	-	32.90	5.49	32.51
AV	5.1932G	108.92	Inf	-Inf	103.04	3	Horizontal	360	2.10	-	32.90	5.49	32.51

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2019

5230MHz\_TX




EUT\_Z\_4TX  
 Setting 24  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1412G	67.58	74.00	-6.42	7.94	3	Vertical	181	1.33	-
AV	5.1418G	52.97	54.00	-1.03	7.94	3	Vertical	181	1.33	-
PK	5.2354G	127.90	Inf	-Inf	8.11	3	Vertical	181	1.33	-
AV	5.2348G	115.76	Inf	-Inf	8.11	3	Vertical	181	1.33	-
PK	5.3506G	63.73	74.00	-10.27	8.28	3	Vertical	181	1.33	-
AV	5.3764G	49.45	54.00	-4.55	8.31	3	Vertical	181	1.33	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2019

### 5230MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	67.19	74.00	-6.81	7.94	3	Horizontal	182	1.99	-
AV	5.15G	53.57	54.00	-0.43	7.94	3	Horizontal	182	1.99	-
PK	5.2336G	128.59	Inf	-Inf	8.11	3	Horizontal	182	1.99	-
AV	5.233G	115.94	Inf	-Inf	8.11	3	Horizontal	182	1.99	-
PK	5.3524G	61.79	74.00	-12.21	8.28	3	Horizontal	182	1.99	-
AV	5.3524G	49.80	54.00	-4.20	8.28	3	Horizontal	182	1.99	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2019

5755MHz\_TX




EUT\_Z\_4TX  
Setting 24.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	66.55	68.20	-1.65	8.66	3	Vertical	174	1.60	-
PK	5.762G	128.69	Inf	-Inf	8.85	3	Vertical	174	1.60	-
AV	5.762G	116.41	Inf	-Inf	8.85	3	Vertical	174	1.60	-
PK	5.935G	60.42	68.20	-7.78	8.93	3	Vertical	174	1.60	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2019

5755MHz\_TX




EUT\_Z\_4TX  
Setting 24.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	68.13	68.20	-0.07	8.67	3	Horizontal	169	1.55	-
PK	5.747G	128.15	Inf	-Inf	8.82	3	Horizontal	169	1.55	-
AV	5.747G	116.56	Inf	-Inf	8.82	3	Horizontal	169	1.55	-
PK	5.938G	60.69	68.20	-7.51	8.93	3	Horizontal	169	1.55	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2019

5795MHz\_TX



EUT\_Z\_4TX  
Setting 25.5  
02-G-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	67.87	68.20	-0.33	8.66	3	Vertical	175	1.49	-
PK	5.782G	129.12	Inf	-Inf	8.88	3	Vertical	175	1.49	-
AV	5.782G	116.11	Inf	-Inf	8.88	3	Vertical	175	1.49	-
PK	5.938G	66.35	68.20	-1.85	8.93	3	Vertical	175	1.49	-



802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2019

5795MHz\_TX




EUT\_Z\_4TX  
Setting 25.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	65.55	68.20	-2.65	8.65	3	Horizontal	180	1.58	-
PK	5.797G	128.39	Inf	-Inf	8.90	3	Horizontal	180	1.58	-
AV	5.798G	116.77	Inf	-Inf	8.90	3	Horizontal	180	1.58	-
PK	5.932G	65.41	68.20	-2.79	8.93	3	Horizontal	180	1.58	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

09/07/2019

5210MHz\_TX




EUT\_Z\_4TX  
Setting 16.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.143G	67.65	74.00	-6.35	7.94	3	Vertical	180	2.02	-
AV	5.149G	53.22	54.00	-0.78	7.94	3	Vertical	180	2.02	-
PK	5.233G	115.14	Inf	-Inf	8.11	3	Vertical	180	2.02	-
AV	5.208G	102.24	Inf	-Inf	8.07	3	Vertical	180	2.02	-
PK	5.36G	59.32	74.00	-14.68	8.29	3	Vertical	180	2.02	-
AV	5.352G	46.70	54.00	-7.30	8.28	3	Vertical	180	2.02	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

09/07/2019

### 5210MHz\_TX




EUT\_Z\_4TX  
Setting 16.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	65.49	74.00	-8.51	7.94	3	Horizontal	182	1.69	-
AV	5.148G	52.77	54.00	-1.23	7.94	3	Horizontal	182	1.69	-
PK	5.206G	115.13	Inf	-Inf	8.07	3	Horizontal	182	1.69	-
AV	5.217G	101.85	Inf	-Inf	8.09	3	Horizontal	182	1.69	-
PK	5.377G	59.98	74.00	-14.02	8.31	3	Horizontal	182	1.69	-
AV	5.35G	47.25	54.00	-6.75	8.28	3	Horizontal	182	1.69	-

802.11ax HEW80\_Nss1,(MCS0)\_4TX

04/07/2019

5775MHz\_TX




EUT\_Z\_4TX  
Setting 21.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	65.29	68.20	-2.91	8.66	3	Vertical	184	1.51	-
PK	5.762G	124.18	Inf	-Inf	8.85	3	Vertical	184	1.51	-
AV	5.762G	110.38	Inf	-Inf	8.85	3	Vertical	184	1.51	-
PK	5.924G	61.43	68.94	-7.51	8.92	3	Vertical	184	1.51	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

04/07/2019

### 5775MHz\_TX



EUT\_Z\_4TX  
 Setting 21.5  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	67.79	68.20	-0.41	8.66	3	Horizontal	180	1.60	-
PK	5.747G	122.49	Inf	-Inf	8.82	3	Horizontal	180	1.60	-
AV	5.767G	109.93	Inf	-Inf	8.85	3	Horizontal	180	1.60	-
PK	5.932G	61.14	68.20	-7.06	8.93	3	Horizontal	180	1.60	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.08	54.00	-0.92	7.94	3	Vertical	180	1.55	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

09/07/2019

5180MHz\_TX




EUT\_Z\_4TX  
Setting 26  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	63.05	74.00	-10.95	7.94	3	Vertical	164	1.47	-
AV	5.1496G	50.12	54.00	-3.88	7.94	3	Vertical	164	1.47	-
PK	5.1764G	127.67	Inf	-Inf	8.01	3	Vertical	164	1.47	-
AV	5.1732G	116.11	Inf	-Inf	8.00	3	Vertical	164	1.47	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

09/07/2019

5180MHz\_TX



EUT\_Z\_4TX  
Setting 26  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1468G	65.13	74.00	-8.87	7.94	3	Horizontal	172	1.85	-
AV	5.1496G	51.66	54.00	-2.34	7.94	3	Horizontal	172	1.85	-
PK	5.1786G	126.61	Inf	-Inf	8.02	3	Horizontal	172	1.85	-
AV	5.1768G	113.95	Inf	-Inf	8.01	3	Horizontal	172	1.85	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

05/07/2019

### 5200MHz\_TX




EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1478G	62.79	74.00	-11.21	7.94	3	Vertical	181	1.32	-
AV	5.15G	49.93	54.00	-4.07	7.94	3	Vertical	181	1.32	-
PK	5.1958G	129.92	Inf	-Inf	8.06	3	Vertical	181	1.32	-
AV	5.1988G	117.62	Inf	-Inf	8.06	3	Vertical	181	1.32	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5200MHz\_TX




EUT\_Z\_4TX  
 Setting 30  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	64.42	74.00	-9.58	7.94	3	Horizontal	178	1.80	-
AV	5.15G	50.03	54.00	-3.97	7.94	3	Horizontal	178	1.80	-
PK	5.1958G	128.00	Inf	-Inf	8.06	3	Horizontal	178	1.80	-
AV	5.1982G	115.71	Inf	-Inf	8.06	3	Horizontal	178	1.80	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5240MHz\_TX




EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1408G	61.06	74.00	-12.94	7.93	3	Vertical	177	1.48	-
AV	5.1416G	49.07	54.00	-4.93	7.94	3	Vertical	177	1.48	-
PK	5.2376G	130.00	Inf	-Inf	8.12	3	Vertical	177	1.48	-
AV	5.2368G	118.41	Inf	-Inf	8.11	3	Vertical	177	1.48	-
PK	5.3872G	61.05	74.00	-12.95	8.33	3	Vertical	177	1.48	-
AV	5.4376G	49.20	54.00	-4.80	8.41	3	Vertical	177	1.48	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5240MHz\_TX




EUT\_Z\_4TX  
 Setting 30  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	61.14	74.00	-12.86	7.94	3	Horizontal	172	1.91	-
AV	5.1464G	49.00	54.00	-5.00	7.94	3	Horizontal	172	1.91	-
PK	5.2432G	126.51	Inf	-Inf	8.12	3	Horizontal	172	1.91	-
AV	5.2328G	115.62	Inf	-Inf	8.11	3	Horizontal	172	1.91	-
PK	5.4304G	62.13	74.00	-11.87	8.40	3	Horizontal	172	1.91	-
AV	5.4312G	49.69	54.00	-4.31	8.40	3	Horizontal	172	1.91	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5745MHz\_TX




EUT\_Z\_4TX  
 Setting 30  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	64.15	68.20	-4.05	8.66	3	Vertical	173	1.45	-
PK	5.744G	129.65	Inf	-Inf	8.82	3	Vertical	173	1.45	-
AV	5.747G	117.87	Inf	-Inf	8.82	3	Vertical	173	1.45	-
PK	5.985G	60.13	68.20	-8.07	8.93	3	Vertical	173	1.45	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5745MHz\_TX




EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	62.43	68.20	-5.77	8.66	3	Horizontal	163	1.39	-
PK	5.74G	127.10	Inf	-Inf	8.80	3	Horizontal	163	1.39	-
AV	5.753G	112.59	Inf	-Inf	8.83	3	Horizontal	163	1.39	-
PK	5.94G	59.63	68.20	-8.57	8.93	3	Horizontal	163	1.39	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5785MHz\_TX




EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.601G	62.89	68.20	-5.31	8.58	3	Vertical	160	1.41	-
PK	5.782G	127.88	Inf	-Inf	8.88	3	Vertical	160	1.41	-
AV	5.78G	115.56	Inf	-Inf	8.87	3	Vertical	160	1.41	-
PK	5.933G	60.46	68.20	-7.74	8.93	3	Vertical	160	1.41	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5785MHz\_TX



EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.64G	60.94	68.20	-7.26	8.65	3	Horizontal	190	1.24	-
PK	5.78G	126.02	Inf	-Inf	8.87	3	Horizontal	190	1.24	-
AV	5.783G	114.55	Inf	-Inf	8.88	3	Horizontal	190	1.24	-
PK	5.927G	59.90	68.20	-8.30	8.93	3	Horizontal	190	1.24	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5825MHz\_TX




EUT\_Z\_4TX  
 Setting 30  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.639G	61.61	68.20	-6.59	8.64	3	Vertical	174	1.53	-
PK	5.822G	128.29	Inf	-Inf	8.90	3	Vertical	174	1.53	-
AV	5.821G	115.81	Inf	-Inf	8.90	3	Vertical	174	1.53	-
PK	5.927G	63.82	68.20	-4.38	8.93	3	Vertical	174	1.53	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

05/07/2019

### 5825MHz\_TX




EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.631G	61.51	68.20	-6.69	8.63	3	Horizontal	177	1.58	-
PK	5.828G	126.06	Inf	-Inf	8.91	3	Horizontal	177	1.58	-
AV	5.829G	113.62	Inf	-Inf	8.91	3	Horizontal	177	1.58	-
PK	5.926G	62.82	68.20	-5.38	8.93	3	Horizontal	177	1.58	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

09/07/2019

5190MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	65.43	74.00	-8.57	7.94	3	Vertical	177	1.44	-
AV	5.15G	53.01	54.00	-0.99	7.94	3	Vertical	177	1.44	-
PK	5.1948G	124.34	Inf	-Inf	8.05	3	Vertical	177	1.44	-
AV	5.1952G	111.26	Inf	-Inf	8.05	3	Vertical	177	1.44	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

09/07/2019

5190MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	66.01	74.00	-7.99	7.94	3	Horizontal	168	1.62	-
AV	5.1492G	52.90	54.00	-1.10	7.94	3	Horizontal	168	1.62	-
PK	5.1836G	122.16	Inf	-Inf	8.03	3	Horizontal	168	1.62	-
AV	5.2008G	111.56	Inf	-Inf	8.06	3	Horizontal	168	1.62	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5230MHz\_TX




EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	72.34	74.00	-1.66	7.94	3	Vertical	180	1.55	-
AV	5.15G	53.08	54.00	-0.92	7.94	3	Vertical	180	1.55	-
PK	5.2258G	128.75	Inf	-Inf	8.10	3	Vertical	180	1.55	-
AV	5.2246G	115.42	Inf	-Inf	8.10	3	Vertical	180	1.55	-
PK	5.3518G	63.37	74.00	-10.63	8.28	3	Vertical	180	1.55	-
AV	5.3524G	49.09	54.00	-4.91	8.28	3	Vertical	180	1.55	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5230MHz\_TX




EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1478G	68.37	74.00	-5.63	7.94	3	Horizontal	184	1.63	-
AV	5.146G	51.74	54.00	-2.26	7.94	3	Horizontal	184	1.63	-
PK	5.2414G	125.26	Inf	-Inf	8.12	3	Horizontal	184	1.63	-
AV	5.2228G	112.92	Inf	-Inf	8.10	3	Horizontal	184	1.63	-
PK	5.3506G	64.79	74.00	-9.21	8.28	3	Horizontal	184	1.63	-
AV	5.35G	49.14	54.00	-4.86	8.28	3	Horizontal	184	1.63	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5755MHz\_TX




EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	63.32	68.20	-4.88	8.67	3	Vertical	184	1.46	-
PK	5.758G	128.54	Inf	-Inf	8.84	3	Vertical	184	1.46	-
AV	5.757G	114.77	Inf	-Inf	8.83	3	Vertical	184	1.46	-
PK	5.941G	60.17	68.20	-8.03	8.93	3	Vertical	184	1.46	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5755MHz\_TX



EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	63.09	68.20	-5.11	8.66	3	Horizontal	170	1.81	-
PK	5.746G	123.30	Inf	-Inf	8.82	3	Horizontal	170	1.81	-
AV	5.749G	110.42	Inf	-Inf	8.82	3	Horizontal	170	1.81	-
PK	5.935G	59.67	68.20	-8.53	8.93	3	Horizontal	170	1.81	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5795MHz\_TX




EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.568G	61.84	68.20	-6.36	8.56	3	Vertical	181	1.60	-
PK	5.793G	124.79	Inf	-Inf	8.89	3	Vertical	181	1.60	-
AV	5.778G	114.88	Inf	-Inf	8.87	3	Vertical	181	1.60	-
PK	5.925G	59.51	68.20	-8.69	8.93	3	Vertical	181	1.60	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

05/07/2019

5795MHz\_TX




EUT\_Z\_4TX  
Setting 30  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.609G	62.26	68.20	-5.94	8.60	3	Horizontal	170	1.77	-
PK	5.796G	126.14	Inf	-Inf	8.89	3	Horizontal	170	1.77	-
AV	5.793G	113.74	Inf	-Inf	8.89	3	Horizontal	170	1.77	-
PK	5.939G	60.81	68.20	-7.39	8.93	3	Horizontal	170	1.77	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

09/07/2019

5210MHz\_TX




EUT\_Z\_4TX  
Setting 23  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.142G	65.52	74.00	-8.48	7.94	3	Vertical	184	1.60	-
AV	5.148G	51.87	54.00	-2.13	7.94	3	Vertical	184	1.60	-
PK	5.222G	120.29	Inf	-Inf	8.10	3	Vertical	184	1.60	-
AV	5.224G	108.01	Inf	-Inf	8.10	3	Vertical	184	1.60	-
PK	5.356G	60.52	74.00	-13.48	8.28	3	Vertical	184	1.60	-
AV	5.352G	47.95	54.00	-6.05	8.28	3	Vertical	184	1.60	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

09/07/2019

5210MHz\_TX




EUT\_Z\_4TX  
Setting 23  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	64.21	74.00	-9.79	7.94	3	Horizontal	184	1.85	-
AV	5.15G	52.31	54.00	-1.69	7.94	3	Horizontal	184	1.85	-
PK	5.198G	117.75	Inf	-Inf	8.06	3	Horizontal	184	1.85	-
AV	5.21G	105.59	Inf	-Inf	8.07	3	Horizontal	184	1.85	-
PK	5.35G	60.30	74.00	-13.70	8.28	3	Horizontal	184	1.85	-
AV	5.357G	47.95	54.00	-6.05	8.28	3	Horizontal	184	1.85	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/07/2019

5775MHz\_TX




EUT X\_4TX  
Setting 26  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	64.88	68.20	-3.32	8.66	3	Vertical	178	1.57	-
PK	5.748G	118.98	Inf	-Inf	8.82	3	Vertical	178	1.57	-
AV	5.775G	108.66	Inf	-Inf	8.86	3	Vertical	178	1.57	-
PK	5.938G	59.19	68.20	-9.01	8.93	3	Vertical	178	1.57	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/07/2019

5775MHz\_TX



EUT\_X\_4TX  
Setting 26  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	64.77	68.20	-3.43	8.67	3	Horizontal	194	1.76	-
PK	5.743G	122.88	Inf	-Inf	8.82	3	Horizontal	194	1.76	-
AV	5.753G	106.09	Inf	-Inf	8.83	3	Horizontal	194	1.76	-
PK	5.925G	59.66	68.20	-8.54	8.93	3	Horizontal	194	1.76	-

