


802.11a_Nss1,(6Mbps)_4TX

09/07/2019

5240MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1242G	58.38	74.00	-15.62	7.89	3	Vertical	300	1.99	-
AV	5.147G	45.86	54.00	-8.14	7.94	3	Vertical	300	1.99	-
PK	5.2406G	119.62	Inf	-Inf	8.12	3	Vertical	300	1.99	-
AV	5.2412G	109.53	Inf	-Inf	8.12	3	Vertical	300	1.99	-
PK	5.3576G	58.15	74.00	-15.85	8.28	3	Vertical	300	1.99	-
AV	5.3678G	45.85	54.00	-8.15	8.29	3	Vertical	300	1.99	-

802.11a_Nss1,(6Mbps)_4TX

09/07/2019

5240MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1428G	59.31	74.00	-14.69	7.94	3	Horizontal	282	1.48	-
AV	5.1422G	47.03	54.00	-6.97	7.94	3	Horizontal	282	1.48	-
PK	5.237G	125.96	Inf	-Inf	8.11	3	Horizontal	282	1.48	-
AV	5.2382G	115.57	Inf	-Inf	8.12	3	Horizontal	282	1.48	-
PK	5.3558G	58.95	74.00	-15.05	8.28	3	Horizontal	282	1.48	-
AV	5.3534G	46.74	54.00	-7.26	8.28	3	Horizontal	282	1.48	-

802.11a_Nss1,(6Mbps)_4TX

09/07/2019

5745MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.591G	58.79	68.20	-9.41	8.57	3	Vertical	116	2.59	-
PK	5.742G	119.37	Inf	-Inf	8.81	3	Vertical	116	2.59	-
AV	5.742G	109.16	Inf	-Inf	8.81	3	Vertical	116	2.59	-
PK	5.959G	59.08	68.20	-9.12	8.93	3	Vertical	116	2.59	-

802.11a_Nss1,(6Mbps)_4TX

09/07/2019

5745MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.611G	59.62	68.20	-8.58	8.61	3	Horizontal	270	2.91	-
PK	5.74G	123.96	Inf	-Inf	8.80	3	Horizontal	270	2.91	-
AV	5.74G	113.98	Inf	-Inf	8.80	3	Horizontal	270	2.91	-
PK	5.959G	58.80	68.20	-9.40	8.93	3	Horizontal	270	2.91	-

802.11a_Nss1,(6Mbps)_4TX

09/07/2019

5785MHz_TX




EUT X_ANT_Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.639G	58.85	68.20	-9.35	8.64	3	Vertical	238	2.38	-
PK	5.779G	119.34	Inf	-Inf	8.87	3	Vertical	238	2.38	-
AV	5.78G	108.78	Inf	-Inf	8.87	3	Vertical	238	2.38	-
PK	5.936G	60.01	68.20	-8.19	8.93	3	Vertical	238	2.38	-

802.11a_Nss1,(6Mbps)_4TX

09/07/2019

5785MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.637G	61.11	68.20	-7.09	8.64	3	Horizontal	80	1.75	-
PK	5.787G	123.76	Inf	-Inf	8.88	3	Horizontal	80	1.75	-
AV	5.788G	113.53	Inf	-Inf	8.87	3	Horizontal	80	1.75	-
PK	5.981G	59.49	68.20	-8.71	8.94	3	Horizontal	80	1.75	-

802.11a_Nss1,(6Mbps)_4TX

09/07/2019

5825MHz_TX




EUT X_ANT Y_4TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.617G	59.11	68.20	-9.09	8.60	3	Vertical	299	1.67	-
PK	5.829G	117.06	Inf	-Inf	8.91	3	Vertical	299	1.67	-
AV	5.828G	107.18	Inf	-Inf	8.91	3	Vertical	299	1.67	-
PK	5.927G	58.95	68.20	-9.25	8.93	3	Vertical	299	1.67	-

802.11a_Nss1,(6Mbps)_4TX

09/07/2019

5825MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.638G	61.38	68.20	-6.82	8.64	3	Horizontal	260	2.01	-
PK	5.828G	124.87	Inf	-Inf	8.91	3	Horizontal	260	2.01	-
AV	5.828G	114.73	Inf	-Inf	8.91	3	Horizontal	260	2.01	-
PK	5.963G	59.91	68.20	-8.29	8.93	3	Horizontal	260	2.01	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5180MHz_TX




EUT X_ANT Y_4TX
 Setting 23.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	60.84	74.00	-13.16	7.94	3	Vertical	334	1.90	-
AV	5.146G	47.71	54.00	-6.29	7.94	3	Vertical	334	1.90	-
PK	5.178G	118.63	Inf	-Inf	8.02	3	Vertical	334	1.90	-
AV	5.1784G	105.62	Inf	-Inf	8.02	3	Vertical	334	1.90	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5180MHz_TX




EUT X_ANT Y_4TX
 Setting 23.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	66.37	74.00	-7.63	7.94	3	Horizontal	262	2.37	-
AV	5.15G	52.55	54.00	-1.45	7.94	3	Horizontal	262	2.37	-
PK	5.1746G	124.76	Inf	-Inf	8.00	3	Horizontal	262	2.37	-
AV	5.1736G	112.32	Inf	-Inf	8.00	3	Horizontal	262	2.37	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5200MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	63.64	74.00	-10.36	7.94	3	Vertical	323	2.78	-
AV	5.15G	48.53	54.00	-5.47	7.94	3	Vertical	323	2.78	-
PK	5.2064G	121.96	Inf	-Inf	8.07	3	Vertical	323	2.78	-
AV	5.204G	109.22	Inf	-Inf	8.06	3	Vertical	323	2.78	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5200MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1452G	66.71	74.00	-7.29	7.94	3	Horizontal	286	1.62	-
AV	5.146G	52.54	54.00	-1.46	7.94	3	Horizontal	286	1.62	-
PK	5.1992G	127.05	Inf	-Inf	8.06	3	Horizontal	286	1.62	-
AV	5.198G	114.92	Inf	-Inf	8.06	3	Horizontal	286	1.62	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5240MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1446G	58.28	74.00	-15.72	7.94	3	Vertical	320	2.87	-
AV	5.1446G	45.44	54.00	-8.56	7.94	3	Vertical	320	2.87	-
PK	5.2406G	122.78	Inf	-Inf	8.12	3	Vertical	320	2.87	-
AV	5.2412G	110.05	Inf	-Inf	8.12	3	Vertical	320	2.87	-
PK	5.3576G	58.24	74.00	-15.76	8.28	3	Vertical	320	2.87	-
AV	5.3708G	45.55	54.00	-8.45	8.30	3	Vertical	320	2.87	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5240MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1398G	59.54	74.00	-14.46	7.93	3	Horizontal	276	2.31	-
AV	5.1398G	46.81	54.00	-7.19	7.93	3	Horizontal	276	2.31	-
PK	5.237G	126.62	Inf	-Inf	8.11	3	Horizontal	276	2.31	-
AV	5.2364G	115.07	Inf	-Inf	8.11	3	Horizontal	276	2.31	-
PK	5.3774G	59.86	74.00	-14.14	8.32	3	Horizontal	276	2.31	-
AV	5.3762G	46.67	54.00	-7.33	8.31	3	Horizontal	276	2.31	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5745MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.601G	58.57	68.20	-9.63	8.58	3	Vertical	317	1.57	-
PK	5.744G	117.71	Inf	-Inf	8.82	3	Vertical	317	1.57	-
AV	5.744G	106.27	Inf	-Inf	8.82	3	Vertical	317	1.57	-
PK	5.968G	60.33	68.20	-7.87	8.93	3	Vertical	317	1.57	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5745MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.567G	60.75	68.20	-7.45	8.56	3	Horizontal	88	2.24	-
PK	5.738G	125.40	Inf	-Inf	8.80	3	Horizontal	88	2.24	-
AV	5.736G	113.87	Inf	-Inf	8.81	3	Horizontal	88	2.24	-
PK	5.932G	59.34	68.20	-8.86	8.93	3	Horizontal	88	2.24	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5785MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.592G	58.61	68.20	-9.59	8.58	3	Vertical	292	1.87	-
PK	5.782G	119.17	Inf	-Inf	8.88	3	Vertical	292	1.87	-
AV	5.781G	106.00	Inf	-Inf	8.88	3	Vertical	292	1.87	-
PK	5.951G	58.88	68.20	-9.32	8.92	3	Vertical	292	1.87	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5785MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6G	60.86	68.20	-7.34	8.58	3	Horizontal	83	1.55	-
PK	5.786G	125.13	Inf	-Inf	8.88	3	Horizontal	83	1.55	-
AV	5.786G	113.65	Inf	-Inf	8.88	3	Horizontal	83	1.55	-
PK	5.958G	59.92	68.20	-8.28	8.92	3	Horizontal	83	1.55	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5825MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.582G	58.45	68.20	-9.75	8.57	3	Vertical	50	1.38	-
PK	5.832G	119.13	Inf	-Inf	8.91	3	Vertical	50	1.38	-
AV	5.831G	105.76	Inf	-Inf	8.91	3	Vertical	50	1.38	-
PK	5.978G	58.90	68.20	-9.30	8.94	3	Vertical	50	1.38	-

802.11ax HEW20_Nss1,(MCS0)_4TX

09/07/2019

5825MHz_TX




EUT X_ANT Y_4TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.639G	59.66	68.20	-8.54	8.64	3	Horizontal	271	1.43	-
PK	5.817G	124.14	Inf	-Inf	8.90	3	Horizontal	271	1.43	-
AV	5.817G	111.86	Inf	-Inf	8.90	3	Horizontal	271	1.43	-
PK	5.944G	59.96	68.20	-8.24	8.94	3	Horizontal	271	1.43	-

802.11ax HEW40_Nss1,(MCS0)_4TX

09/07/2019

5190MHz_TX




EUT X_ANT Y_4TX
 Setting 22.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	66.58	74.00	-7.42	7.94	3	Vertical	320	2.81	-
AV	5.1452G	51.84	54.00	-2.16	7.94	3	Vertical	320	2.81	-
PK	5.1852G	116.04	Inf	-Inf	8.03	3	Vertical	320	2.81	-
AV	5.1848G	103.35	Inf	-Inf	8.03	3	Vertical	320	2.81	-

802.11ax HEW40_Nss1,(MCS0)_4TX

09/07/2019

5190MHz_TX




EUT X_ANT Y_4TX
 Setting 22.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1372G	69.75	74.00	-4.25	7.92	3	Horizontal	289	1.47	-
AV	5.1392G	53.62	54.00	-0.38	7.93	3	Horizontal	289	1.47	-
PK	5.1972G	121.37	Inf	-Inf	8.06	3	Horizontal	289	1.47	-
AV	5.1976G	108.03	Inf	-Inf	8.06	3	Horizontal	289	1.47	-

802.11ax HEW40_Nss1,(MCS0)_4TX

09/07/2019

5230MHz_TX




EUT X_ANT Y_4TX
 Setting 26
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	66.85	74.00	-7.15	7.94	3	Vertical	312	2.53	-
AV	5.15G	52.36	54.00	-1.64	7.94	3	Vertical	312	2.53	-
PK	5.2282G	120.20	Inf	-Inf	8.10	3	Vertical	312	2.53	-
AV	5.2288G	107.84	Inf	-Inf	8.10	3	Vertical	312	2.53	-
PK	5.3764G	58.96	74.00	-15.04	8.31	3	Vertical	312	2.53	-
AV	5.3506G	47.03	54.00	-6.97	8.28	3	Vertical	312	2.53	-

802.11ax HEW40_Nss1,(MCS0)_4TX

09/07/2019

5230MHz_TX




EUT X_ANT Y_4TX
 Setting 26
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	69.82	74.00	-4.18	7.94	3	Horizontal	273	1.85	-
AV	5.149G	53.96	54.00	-0.04	7.94	3	Horizontal	273	1.85	-
PK	5.2354G	127.12	Inf	-Inf	8.11	3	Horizontal	273	1.85	-
AV	5.2354G	113.20	Inf	-Inf	8.11	3	Horizontal	273	1.85	-
PK	5.3548G	65.33	74.00	-8.67	8.28	3	Horizontal	273	1.85	-
AV	5.3548G	50.16	54.00	-3.84	8.28	3	Horizontal	273	1.85	-

802.11ax HEW40_Nss1,(MCS0)_4TX

09/07/2019

5755MHz_TX




EUT X_ANT Y_4TX
 Setting 25.5
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.651G	61.87	68.94	-7.07	8.66	3	Vertical	245	2.31	-
PK	5.752G	117.04	Inf	-Inf	8.83	3	Vertical	245	2.31	-
AV	5.752G	105.06	Inf	-Inf	8.83	3	Vertical	245	2.31	-
PK	5.975G	58.76	68.20	-9.44	8.94	3	Vertical	245	2.31	-

802.11ax HEW40_Nss1,(MCS0)_4TX

09/07/2019

5755MHz_TX




EUT X_ANT Y_4TX
 Setting 25.5
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.651G	68.92	68.94	-0.02	8.66	3	Horizontal	270	2.89	-
PK	5.751G	123.79	Inf	-Inf	8.83	3	Horizontal	270	2.89	-
AV	5.752G	111.80	Inf	-Inf	8.83	3	Horizontal	270	2.89	-
PK	5.931G	59.34	68.20	-8.86	8.93	3	Horizontal	270	2.89	-

802.11ax HEW40_Nss1,(MCS0)_4TX

09/07/2019

5795MHz_TX




EUT X_ANT Y_4TX
 Setting 26
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.613G	59.53	68.20	-8.67	8.61	3	Vertical	50	1.43	-
PK	5.791G	118.30	Inf	-Inf	8.88	3	Vertical	50	1.43	-
AV	5.791G	105.28	Inf	-Inf	8.88	3	Vertical	50	1.43	-
PK	5.967G	60.10	68.20	-8.10	8.93	3	Vertical	50	1.43	-

802.11ax HEW40_Nss1,(MCS0)_4TX

09/07/2019

5795MHz_TX




EUT X_ANT Y_4TX
 Setting 26
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	65.27	68.20	-2.93	8.66	3	Horizontal	269	2.03	-
PK	5.791G	125.33	Inf	-Inf	8.88	3	Horizontal	269	2.03	-
AV	5.791G	112.56	Inf	-Inf	8.88	3	Horizontal	269	2.03	-
PK	5.924G	65.00	68.94	-3.94	8.92	3	Horizontal	269	2.03	-

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_X_4TX_ANT Y
Setting 21
04-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	60.85	74.00	-13.15	55.01	3	Vertical	120	1.78	-	32.94	5.43	32.53
AV	5.15G	46.74	54.00	-7.26	40.91	3	Vertical	120	1.78	-	32.90	5.45	32.52
PK	5.2116G	107.26	Inf	-Inf	101.33	3	Vertical	120	1.78	-	32.92	5.51	32.50
AV	5.2116G	95.84	Inf	-Inf	89.91	3	Vertical	120	1.78	-	32.92	5.51	32.50
PK	5.4028G	59.18	74.00	-14.82	52.62	3	Vertical	120	1.78	-	33.42	5.60	32.46
AV	5.4076G	46.09	54.00	-7.91	39.49	3	Vertical	120	1.78	-	33.45	5.60	32.45

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_X_4TX_ANTY
Setting 21
04-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	64.60	74.00	-9.40	58.77	3	Horizontal	78	2.32	-	32.91	5.44	32.52
AV	5.15G	51.71	54.00	-2.29	45.88	3	Horizontal	78	2.32	-	32.90	5.45	32.52
PK	5.1932G	114.92	Inf	-Inf	109.04	3	Horizontal	78	2.32	-	32.90	5.49	32.51
AV	5.2116G	103.42	Inf	-Inf	97.49	3	Horizontal	78	2.32	-	32.92	5.51	32.50
PK	5.3684G	59.83	74.00	-14.17	53.44	3	Horizontal	78	2.32	-	33.27	5.58	32.46
AV	5.3524G	47.29	54.00	-6.71	40.97	3	Horizontal	78	2.32	-	33.21	5.58	32.47

802.11ax HEW80_Nss1,(MCS0)_4TX

09/07/2019

5775MHz_TX




EUT X_ANT Y_4TX
 Setting 22
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	59.40	68.20	-8.80	8.67	3	Vertical	238	2.29	-
PK	5.761G	110.44	Inf	-Inf	8.85	3	Vertical	238	2.29	-
AV	5.761G	98.27	Inf	-Inf	8.85	3	Vertical	238	2.29	-
PK	5.946G	59.17	68.20	-9.03	8.94	3	Vertical	238	2.29	-

802.11ax HEW80_Nss1,(MCS0)_4TX

09/07/2019

5775MHz_TX



EUT X_ANT Y_4TX
 Setting 22
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	66.89	68.20	-1.31	8.65	3	Horizontal	271	2.98	-
PK	5.783G	118.98	Inf	-Inf	8.88	3	Horizontal	271	2.98	-
AV	5.782G	105.02	Inf	-Inf	8.88	3	Horizontal	271	2.98	-
PK	5.941G	59.75	68.20	-8.45	8.93	3	Horizontal	271	2.98	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	51.09	54.00	-2.91	7.94	3	Horizontal	283	1.72	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5180MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	58.73	74.00	-15.27	7.94	3	Vertical	309	2.57	-
AV	5.15G	47.20	54.00	-6.80	7.94	3	Vertical	309	2.57	-
PK	5.1808G	117.04	Inf	-Inf	8.02	3	Vertical	309	2.57	-
AV	5.1852G	103.30	Inf	-Inf	8.03	3	Vertical	309	2.57	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5180MHz_TX




EUT X_ANT Y_4TX
Setting 27
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	64.63	74.00	-9.37	7.94	3	Horizontal	285	1.36	-
AV	5.15G	50.34	54.00	-3.66	7.94	3	Horizontal	285	1.36	-
PK	5.1764G	123.99	Inf	-Inf	8.01	3	Horizontal	285	1.36	-
AV	5.182G	111.18	Inf	-Inf	8.02	3	Horizontal	285	1.36	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5200MHz_TX




EUT X_ANT_Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1092G	58.69	74.00	-15.31	7.86	3	Vertical	309	1.97	-
AV	5.1496G	45.78	54.00	-8.22	7.94	3	Vertical	309	1.97	-
PK	5.2044G	115.91	Inf	-Inf	8.07	3	Vertical	309	1.97	-
AV	5.2072G	104.07	Inf	-Inf	8.07	3	Vertical	309	1.97	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5200MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1392G	59.82	74.00	-14.18	7.93	3	Horizontal	278	1.73	-
AV	5.1452G	46.54	54.00	-7.46	7.94	3	Horizontal	278	1.73	-
PK	5.1952G	121.74	Inf	-Inf	8.05	3	Horizontal	278	1.73	-
AV	5.1952G	109.19	Inf	-Inf	8.05	3	Horizontal	278	1.73	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5240MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.111G	57.70	74.00	-16.30	7.86	3	Vertical	312	2.40	-
AV	5.1026G	45.58	54.00	-8.42	7.84	3	Vertical	312	2.40	-
PK	5.2364G	115.68	Inf	-Inf	8.11	3	Vertical	312	2.40	-
AV	5.2328G	103.89	Inf	-Inf	8.11	3	Vertical	312	2.40	-
PK	5.3546G	58.01	74.00	-15.99	8.28	3	Vertical	312	2.40	-
AV	5.3858G	45.54	54.00	-8.46	8.32	3	Vertical	312	2.40	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5240MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0936G	58.72	74.00	-15.28	7.82	3	Horizontal	284	1.68	-
AV	5.1488G	46.46	54.00	-7.54	7.94	3	Horizontal	284	1.68	-
PK	5.2436G	123.74	Inf	-Inf	8.12	3	Horizontal	284	1.68	-
AV	5.2472G	111.32	Inf	-Inf	8.13	3	Horizontal	284	1.68	-
PK	5.3756G	58.57	74.00	-15.43	8.31	3	Horizontal	284	1.68	-
AV	5.3786G	46.23	54.00	-7.77	8.32	3	Horizontal	284	1.68	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5745MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.598G	58.45	68.20	-9.75	8.58	3	Vertical	309	1.75	-
PK	5.744G	114.39	Inf	-Inf	8.82	3	Vertical	309	1.75	-
AV	5.743G	104.00	Inf	-Inf	8.82	3	Vertical	309	1.75	-
PK	5.978G	58.57	68.20	-9.63	8.94	3	Vertical	309	1.75	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5745MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	60.79	68.20	-7.41	8.66	3	Horizontal	267	1.56	-
PK	5.747G	121.21	Inf	-Inf	8.82	3	Horizontal	267	1.56	-
AV	5.75G	109.28	Inf	-Inf	8.83	3	Horizontal	267	1.56	-
PK	5.934G	59.25	68.20	-8.95	8.93	3	Horizontal	267	1.56	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5785MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	58.90	68.20	-9.30	8.67	3	Vertical	234	2.55	-
PK	5.789G	114.85	Inf	-Inf	8.88	3	Vertical	234	2.55	-
AV	5.791G	101.94	Inf	-Inf	8.88	3	Vertical	234	2.55	-
PK	5.967G	58.06	68.20	-10.14	8.93	3	Vertical	234	2.55	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5785MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.635G	59.17	68.20	-9.03	8.64	3	Horizontal	278	1.52	-
PK	5.784G	120.62	Inf	-Inf	8.88	3	Horizontal	278	1.52	-
AV	5.787G	109.05	Inf	-Inf	8.88	3	Horizontal	278	1.52	-
PK	5.959G	58.85	68.20	-9.35	8.93	3	Horizontal	278	1.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5825MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.638G	58.33	68.20	-9.87	8.64	3	Vertical	306	1.52	-
PK	5.82G	114.56	Inf	-Inf	8.90	3	Vertical	306	1.52	-
AV	5.818G	103.37	Inf	-Inf	8.90	3	Vertical	306	1.52	-
PK	5.955G	58.93	68.20	-9.27	8.92	3	Vertical	306	1.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

10/07/2019

5825MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.584G	58.87	68.20	-9.33	8.57	3	Horizontal	78	2.17	-
PK	5.82G	122.23	Inf	-Inf	8.90	3	Horizontal	78	2.17	-
AV	5.819G	110.92	Inf	-Inf	8.90	3	Horizontal	78	2.17	-
PK	5.926G	58.89	68.20	-9.31	8.93	3	Horizontal	78	2.17	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

10/07/2019

5190MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1352G	67.97	74.00	-6.03	7.92	3	Vertical	344	2.60	-
AV	5.1496G	50.62	54.00	-3.38	7.94	3	Vertical	344	2.60	-
PK	5.1816G	114.68	Inf	-Inf	8.02	3	Vertical	344	2.60	-
AV	5.1812G	102.34	Inf	-Inf	8.02	3	Vertical	344	2.60	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

10/07/2019

5190MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1448G	69.69	74.00	-4.31	7.94	3	Horizontal	283	1.72	-
AV	5.15G	51.09	54.00	-2.91	7.94	3	Horizontal	283	1.72	-
PK	5.1888G	120.79	Inf	-Inf	8.04	3	Horizontal	283	1.72	-
AV	5.1876G	108.16	Inf	-Inf	8.04	3	Horizontal	283	1.72	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/07/2019

5230MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1184G	58.65	74.00	-15.35	7.88	3	Vertical	308	2.52	-
AV	5.0902G	45.49	54.00	-8.51	7.82	3	Vertical	308	2.52	-
PK	5.224G	113.69	Inf	-Inf	8.10	3	Vertical	308	2.52	-
AV	5.2264G	101.44	Inf	-Inf	8.10	3	Vertical	308	2.52	-
PK	5.362G	57.44	74.00	-16.56	8.29	3	Vertical	308	2.52	-
AV	5.3626G	45.54	54.00	-8.46	8.29	3	Vertical	308	2.52	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/07/2019

5230MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	59.60	74.00	-14.40	7.94	3	Horizontal	279	1.59	-
AV	5.15G	46.71	54.00	-7.29	7.94	3	Horizontal	279	1.59	-
PK	5.2462G	119.30	Inf	-Inf	8.13	3	Horizontal	279	1.59	-
AV	5.248G	107.30	Inf	-Inf	8.13	3	Horizontal	279	1.59	-
PK	5.353G	58.61	74.00	-15.39	8.28	3	Horizontal	279	1.59	-
AV	5.3668G	46.45	54.00	-7.55	8.29	3	Horizontal	279	1.59	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

10/07/2019

5755MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.587G	58.35	68.20	-9.85	8.57	3	Vertical	308	2.98	-
PK	5.756G	113.14	Inf	-Inf	8.83	3	Vertical	308	2.98	-
AV	5.756G	101.17	Inf	-Inf	8.83	3	Vertical	308	2.98	-
PK	5.949G	58.76	68.20	-9.44	8.94	3	Vertical	308	2.98	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

10/07/2019

5755MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	61.32	68.20	-6.88	8.67	3	Horizontal	262	1.52	-
PK	5.756G	119.04	Inf	-Inf	8.83	3	Horizontal	262	1.52	-
AV	5.753G	107.60	Inf	-Inf	8.83	3	Horizontal	262	1.52	-
PK	5.983G	59.04	68.20	-9.16	8.94	3	Horizontal	262	1.52	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/07/2019

5795MHz_TX




EUT X_ANT_Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.627G	58.59	68.20	-9.61	8.63	3	Vertical	303	1.26	-
PK	5.786G	113.98	Inf	-Inf	8.88	3	Vertical	303	1.26	-
AV	5.786G	101.12	Inf	-Inf	8.88	3	Vertical	303	1.26	-
PK	5.946G	58.58	68.20	-9.62	8.94	3	Vertical	303	1.26	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/07/2019

5795MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.627G	59.36	68.20	-8.84	8.63	3	Horizontal	281	2.96	-
PK	5.792G	118.93	Inf	-Inf	8.89	3	Horizontal	281	2.96	-
AV	5.79G	107.49	Inf	-Inf	8.88	3	Horizontal	281	2.96	-
PK	5.932G	59.03	68.20	-9.17	8.93	3	Horizontal	281	2.96	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/07/2019

5210MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.141G	61.15	74.00	-12.85	7.94	3	Vertical	313	1.98	-
AV	5.138G	47.22	54.00	-6.78	7.92	3	Vertical	313	1.98	-
PK	5.213G	109.22	Inf	-Inf	8.08	3	Vertical	313	1.98	-
AV	5.209G	97.19	Inf	-Inf	8.07	3	Vertical	313	1.98	-
PK	5.439G	57.93	74.00	-16.07	8.41	3	Vertical	313	1.98	-
AV	5.443G	45.62	54.00	-8.38	8.42	3	Vertical	313	1.98	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/07/2019

5210MHz_TX




EUT X_ANT Y_4TX
 Setting 27
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.142G	65.01	74.00	-8.99	7.94	3	Horizontal	278	1.58	-
AV	5.131G	49.50	54.00	-4.50	7.91	3	Horizontal	278	1.58	-
PK	5.209G	117.30	Inf	-Inf	8.07	3	Horizontal	278	1.58	-
AV	5.207G	104.80	Inf	-Inf	8.07	3	Horizontal	278	1.58	-
PK	5.415G	59.86	74.00	-14.14	8.36	3	Horizontal	278	1.58	-
AV	5.395G	46.61	54.00	-7.39	8.33	3	Horizontal	278	1.58	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/07/2019

5775MHz_TX




EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	59.19	68.20	-9.01	8.67	3	Vertical	306	2.98	-
PK	5.741G	111.91	Inf	-Inf	8.80	3	Vertical	306	2.98	-
AV	5.776G	98.66	Inf	-Inf	8.87	3	Vertical	306	2.98	-
PK	5.928G	58.44	68.20	-9.76	8.93	3	Vertical	306	2.98	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/07/2019

5775MHz_TX



EUT X_ANT Y_4TX
 Setting 28
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.639G	65.22	68.20	-2.98	8.64	3	Horizontal	283	2.98	-
PK	5.77G	115.07	Inf	-Inf	8.85	3	Horizontal	283	2.98	-
AV	5.768G	103.50	Inf	-Inf	8.85	3	Horizontal	283	2.98	-
PK	5.929G	59.64	68.20	-8.56	8.93	3	Horizontal	283	2.98	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.53596G	41.92	54.00	-12.08	16.09	3	Horizontal	94	1.75	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5180MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53722G	54.49	74.00	-19.51	16.08	3	Vertical	337	2.33	-
AV	15.54166G	41.50	54.00	-12.50	16.07	3	Vertical	337	2.33	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5180MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53672G	54.58	74.00	-19.42	16.08	3	Horizontal	94	1.75	-
AV	15.53596G	41.92	54.00	-12.08	16.09	3	Horizontal	94	1.75	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5200MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5996G	54.83	74.00	-19.17	15.91	3	Vertical	331	2.42	-
AV	15.60033G	41.51	54.00	-12.49	15.91	3	Vertical	331	2.42	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5200MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60049G	55.16	74.00	-18.84	15.91	3	Horizontal	220	1.18	-
AV	15.59956G	41.42	54.00	-12.58	15.91	3	Horizontal	220	1.18	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5240MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7209G	55.34	74.00	-18.66	15.60	3	Vertical	188	1.24	-
AV	15.71943G	41.59	54.00	-12.41	15.60	3	Vertical	188	1.24	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5240MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72066G	55.33	74.00	-18.67	15.60	3	Horizontal	97	2.32	-
AV	15.72084G	41.68	54.00	-12.32	15.60	3	Horizontal	97	2.32	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48911G	55.11	74.00	-18.89	14.89	3	Vertical	181	2.49	-
AV	11.48937G	40.30	54.00	-13.70	14.89	3	Vertical	181	2.49	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4893G	54.04	74.00	-19.96	14.89	3	Horizontal	282	2.09	-
AV	11.48971G	40.32	54.00	-13.68	14.89	3	Horizontal	282	2.09	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5785MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5702G	54.02	74.00	-19.98	15.00	3	Vertical	56	2.50	-
AV	11.56947G	40.58	54.00	-13.42	15.00	3	Vertical	56	2.50	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5785MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57002G	53.77	74.00	-20.23	15.00	3	Horizontal	277	1.56	-
AV	11.57023G	40.48	54.00	-13.52	15.00	3	Horizontal	277	1.56	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5825MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64906G	54.03	74.00	-19.97	15.09	3	Vertical	269	1.65	-
AV	11.65092G	40.45	54.00	-13.55	15.09	3	Vertical	269	1.65	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5825MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64969G	53.73	74.00	-20.27	15.09	3	Horizontal	91	1.42	-
AV	11.64947G	40.42	54.00	-13.58	15.09	3	Horizontal	91	1.42	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5180MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53982G	54.68	74.00	-19.32	16.07	3	Vertical	116	2.36	-
AV	15.54014G	40.69	54.00	-13.31	16.07	3	Vertical	116	2.36	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5180MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53932G	54.94	74.00	-19.06	16.08	3	Horizontal	256	1.59	-
AV	15.54085G	40.74	54.00	-13.26	16.07	3	Horizontal	256	1.59	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5200MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.59968G	54.55	74.00	-19.45	15.91	3	Vertical	130	1.47	-
AV	15.60035G	40.74	54.00	-13.26	15.91	3	Vertical	130	1.47	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5200MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60034G	54.61	74.00	-19.39	15.91	3	Horizontal	230	2.32	-
AV	15.6007G	40.68	54.00	-13.32	15.91	3	Horizontal	230	2.32	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5240MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71934G	54.86	74.00	-19.14	15.60	3	Vertical	197	1.50	-
AV	15.71946G	40.62	54.00	-13.38	15.60	3	Vertical	197	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5240MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7207G	54.59	74.00	-19.41	15.60	3	Horizontal	297	1.02	-
AV	15.72004G	40.51	54.00	-13.49	15.60	3	Horizontal	297	1.02	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48948G	53.16	74.00	-20.84	14.89	3	Vertical	19	2.15	-
AV	11.48966G	39.05	54.00	-14.95	14.89	3	Vertical	19	2.15	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49061G	52.99	74.00	-21.01	14.89	3	Horizontal	313	1.10	-
AV	11.4893G	39.16	54.00	-14.84	14.89	3	Horizontal	313	1.10	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5785MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56983G	53.56	74.00	-20.44	15.00	3	Vertical	283	1.99	-
AV	11.5692G	39.49	54.00	-14.51	15.00	3	Vertical	283	1.99	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5785MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57046G	53.38	74.00	-20.62	15.00	3	Horizontal	89	1.03	-
AV	11.56969G	39.47	54.00	-14.53	15.00	3	Horizontal	89	1.03	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5825MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.6493G	53.47	74.00	-20.53	15.09	3	Vertical	270	2.10	-
AV	11.65046G	39.50	54.00	-14.50	15.09	3	Vertical	270	2.10	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5825MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64938G	53.14	74.00	-20.86	15.09	3	Horizontal	159	1.63	-
AV	11.64958G	39.57	54.00	-14.43	15.09	3	Horizontal	159	1.63	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5190MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56988G	54.53	74.00	-19.47	16.00	3	Vertical	162	1.86	-
AV	15.5706G	40.53	54.00	-13.47	16.00	3	Vertical	162	1.86	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5190MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5695G	54.27	74.00	-19.73	16.00	3	Horizontal	330	1.17	-
AV	15.56989G	40.44	54.00	-13.56	16.00	3	Horizontal	330	1.17	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5230MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.69099G	55.31	74.00	-18.69	15.68	3	Vertical	213	1.19	-
AV	15.68942G	40.40	54.00	-13.60	15.68	3	Vertical	213	1.19	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5230MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68994G	54.16	74.00	-19.84	15.68	3	Horizontal	338	1.82	-
AV	15.69058G	40.42	54.00	-13.58	15.68	3	Horizontal	338	1.82	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5755MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51008G	52.97	74.00	-21.03	14.92	3	Vertical	333	2.21	-
AV	11.50952G	39.24	54.00	-14.76	14.92	3	Vertical	333	2.21	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5755MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5106G	53.39	74.00	-20.61	14.92	3	Horizontal	29	1.61	-
AV	11.51081G	39.17	54.00	-14.83	14.92	3	Horizontal	29	1.61	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5795MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58947G	54.01	74.00	-19.99	15.02	3	Vertical	327	1.42	-
AV	11.5895G	39.50	54.00	-14.50	15.02	3	Vertical	327	1.42	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5795MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59019G	53.45	74.00	-20.55	15.02	3	Horizontal	166	2.33	-
AV	11.5897G	39.51	54.00	-14.49	15.02	3	Horizontal	166	2.33	-

802.11ax HEW80_Nss1,(MCS0)_4TX

12/07/2019

5210MHz_TX




EUT Z_ANT Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.6309G	54.58	74.00	-19.42	15.83	3	Vertical	229	1.14	-
AV	15.63003G	40.50	54.00	-13.50	15.83	3	Vertical	229	1.14	-

802.11ax HEW80_Nss1,(MCS0)_4TX

12/07/2019

5210MHz_TX




EUT Z_ANT Z_4TX
Setting 27
02-L-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.63046G	54.13	74.00	-19.87	15.83	3	Horizontal	261	2.30	-
AV	15.63014G	40.47	54.00	-13.53	15.83	3	Horizontal	261	2.30	-

802.11ax HEW80_Nss1,(MCS0)_4TX

12/07/2019

5775MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55016G	53.38	74.00	-20.62	14.97	3	Vertical	20	1.74	-
AV	11.54932G	39.46	54.00	-14.54	14.97	3	Vertical	20	1.74	-

802.11ax HEW80_Nss1,(MCS0)_4TX

12/07/2019

5775MHz_TX



EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55074G	53.47	74.00	-20.53	14.97	3	Horizontal	334	1.40	-
AV	11.5509G	39.38	54.00	-14.62	14.97	3	Horizontal	334	1.40	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	15.53666G	41.69	54.00	-12.31	16.08	3	Vertical	353	1.14	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5180MHz_TX




EUT_Z_ANT_Z_4TX
Setting 28
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53644G	55.12	74.00	-18.88	16.08	3	Vertical	353	1.14	-
AV	15.53666G	41.69	54.00	-12.31	16.08	3	Vertical	353	1.14	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5180MHz_TX




EUT_Z_ANT_Z_4TX
Setting 28
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5364G	55.24	74.00	-18.76	16.08	3	Horizontal	258	1.13	-
AV	15.53834G	41.62	54.00	-12.38	16.08	3	Horizontal	258	1.13	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5200MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5989G	55.03	74.00	-18.97	15.91	3	Vertical	337	2.06	-
AV	15.59604G	41.45	54.00	-12.55	15.92	3	Vertical	337	2.06	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5200MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60324G	54.86	74.00	-19.14	15.90	3	Horizontal	33	1.21	-
AV	15.59534G	41.61	54.00	-12.39	15.92	3	Horizontal	33	1.21	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5240MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7233G	54.95	74.00	-19.05	15.59	3	Vertical	268	1.99	-
AV	15.72176G	41.39	54.00	-12.61	15.60	3	Vertical	268	1.99	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5240MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71772G	54.87	74.00	-19.13	15.61	3	Horizontal	273	1.12	-
AV	15.72274G	41.57	54.00	-12.43	15.59	3	Horizontal	273	1.12	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5745MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48652G	54.12	74.00	-19.88	14.89	3	Vertical	347	1.31	-
AV	11.48844G	40.11	54.00	-13.89	14.89	3	Vertical	347	1.31	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5745MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48832G	54.42	74.00	-19.58	14.89	3	Horizontal	279	2.12	-
AV	11.48566G	40.26	54.00	-13.74	14.89	3	Horizontal	279	2.12	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5785MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56694G	53.97	74.00	-20.03	14.99	3	Vertical	344	1.48	-
AV	11.5665G	40.49	54.00	-13.51	14.99	3	Vertical	344	1.48	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5785MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57288G	53.71	74.00	-20.29	15.00	3	Horizontal	193	1.12	-
AV	11.5696G	40.41	54.00	-13.59	15.00	3	Horizontal	193	1.12	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5825MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65466G	54.06	74.00	-19.94	15.10	3	Vertical	116	1.73	-
AV	11.64538G	40.41	54.00	-13.59	15.09	3	Vertical	116	1.73	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5825MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65382G	53.87	74.00	-20.13	15.10	3	Horizontal	285	1.20	-
AV	11.64754G	40.47	54.00	-13.53	15.09	3	Horizontal	285	1.20	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5190MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5669G	54.85	74.00	-19.15	16.01	3	Vertical	157	1.14	-
AV	15.56614G	41.46	54.00	-12.54	16.01	3	Vertical	157	1.14	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5190MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5659G	55.77	74.00	-18.23	16.01	3	Horizontal	281	2.00	-
AV	15.57328G	41.49	54.00	-12.51	15.99	3	Horizontal	281	2.00	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5230MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.69494G	55.04	74.00	-18.96	15.66	3	Vertical	145	2.20	-
AV	15.68598G	41.41	54.00	-12.59	15.69	3	Vertical	145	2.20	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5230MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68952G	55.20	74.00	-18.80	15.68	3	Horizontal	219	2.43	-
AV	15.6919G	41.38	54.00	-12.62	15.67	3	Horizontal	219	2.43	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5755MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51342G	54.07	74.00	-19.93	14.92	3	Vertical	296	1.77	-
AV	11.511G	40.18	54.00	-13.82	14.92	3	Vertical	296	1.77	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5755MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.512G	54.19	74.00	-19.81	14.92	3	Horizontal	194	2.38	-
AV	11.51028G	40.36	54.00	-13.64	14.92	3	Horizontal	194	2.38	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5795MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58786G	53.60	74.00	-20.40	15.02	3	Vertical	164	1.68	-
AV	11.58678G	40.65	54.00	-13.35	15.02	3	Vertical	164	1.68	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5795MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59358G	54.00	74.00	-20.00	15.02	3	Horizontal	141	1.30	-
AV	11.59242G	40.68	54.00	-13.32	15.02	3	Horizontal	141	1.30	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5210MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.62846G	54.73	74.00	-19.27	15.84	3	Vertical	155	1.14	-
AV	15.63326G	41.51	54.00	-12.49	15.82	3	Vertical	155	1.14	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5210MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.6331G	55.42	74.00	-18.58	15.82	3	Horizontal	322	1.26	-
AV	15.63216G	41.55	54.00	-12.45	15.83	3	Horizontal	322	1.26	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5775MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54728G	54.81	74.00	-19.19	14.97	3	Vertical	55	1.90	-
AV	11.55258G	40.34	54.00	-13.66	14.97	3	Vertical	55	1.90	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5775MHz_TX



EUT_Z_ANT_Z_4TX
 Setting 28
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55204G	53.41	74.00	-20.59	14.97	3	Horizontal	247	1.40	-
AV	11.54686G	40.28	54.00	-13.72	14.97	3	Horizontal	247	1.40	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.87	54.00	-0.13	7.94	3	Vertical	306	2.20	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5180MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 26
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	66.67	74.00	-7.33	7.94	3	Vertical	127	1.58	-
AV	5.15G	53.18	54.00	-0.82	7.94	3	Vertical	127	1.58	-
PK	5.1828G	114.20	Inf	-Inf	8.02	3	Vertical	127	1.58	-
AV	5.1824G	103.50	Inf	-Inf	8.02	3	Vertical	127	1.58	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5180MHz_TX




EUT_Z_ANT_Z_1TX
Setting 26
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	62.58	74.00	-11.42	7.94	3	Horizontal	128	2.00	-
AV	5.15G	48.55	54.00	-5.45	7.94	3	Horizontal	128	2.00	-
PK	5.1824G	105.97	Inf	-Inf	8.02	3	Horizontal	128	2.00	-
AV	5.1832G	95.99	Inf	-Inf	8.02	3	Horizontal	128	2.00	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5200MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	60.37	74.00	-13.63	7.94	3	Vertical	131	2.67	-
AV	5.15G	46.34	54.00	-7.66	7.94	3	Vertical	131	2.67	-
PK	5.204G	114.70	Inf	-Inf	8.06	3	Vertical	131	2.67	-
AV	5.2024G	104.44	Inf	-Inf	8.06	3	Vertical	131	2.67	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5200MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1448G	58.02	74.00	-15.98	7.94	3	Horizontal	206	2.14	-
AV	5.148G	45.39	54.00	-8.61	7.94	3	Horizontal	206	2.14	-
PK	5.2032G	105.35	Inf	-Inf	8.06	3	Horizontal	206	2.14	-
AV	5.2032G	95.32	Inf	-Inf	8.06	3	Horizontal	206	2.14	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5240MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1128G	58.76	74.00	-15.24	7.86	3	Vertical	129	2.64	-
AV	5.1458G	45.56	54.00	-8.44	7.94	3	Vertical	129	2.64	-
PK	5.243G	113.86	Inf	-Inf	8.12	3	Vertical	129	2.64	-
AV	5.2424G	104.00	Inf	-Inf	8.12	3	Vertical	129	2.64	-
PK	5.3594G	59.19	74.00	-14.81	8.29	3	Vertical	129	2.64	-
AV	5.3762G	46.07	54.00	-7.93	8.31	3	Vertical	129	2.64	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5240MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1482G	58.14	74.00	-15.86	7.94	3	Horizontal	130	2.58	-
AV	5.1176G	45.43	54.00	-8.57	7.88	3	Horizontal	130	2.58	-
PK	5.243G	104.96	Inf	-Inf	8.12	3	Horizontal	130	2.58	-
AV	5.243G	94.95	Inf	-Inf	8.12	3	Horizontal	130	2.58	-
PK	5.3534G	58.65	74.00	-15.35	8.28	3	Horizontal	130	2.58	-
AV	5.3738G	45.48	54.00	-8.52	8.30	3	Horizontal	130	2.58	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5745MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.525G	58.85	68.20	-9.35	8.53	3	Vertical	129	2.49	-
PK	5.743G	116.18	Inf	-Inf	8.82	3	Vertical	129	2.49	-
AV	5.748G	105.83	Inf	-Inf	8.82	3	Vertical	129	2.49	-
PK	5.941G	59.21	68.20	-8.99	8.93	3	Vertical	129	2.49	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5745MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.622G	59.11	68.20	-9.09	8.61	3	Horizontal	116	1.77	-
PK	5.748G	106.18	Inf	-Inf	8.82	3	Horizontal	116	1.77	-
AV	5.748G	96.06	Inf	-Inf	8.82	3	Horizontal	116	1.77	-
PK	5.941G	58.39	68.20	-9.81	8.93	3	Horizontal	116	1.77	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5785MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.59G	58.76	68.20	-9.44	8.57	3	Vertical	126	2.38	-
PK	5.784G	116.82	Inf	-Inf	8.88	3	Vertical	126	2.38	-
AV	5.782G	105.97	Inf	-Inf	8.88	3	Vertical	126	2.38	-
PK	5.978G	58.54	68.20	-9.66	8.94	3	Vertical	126	2.38	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5785MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	58.82	68.20	-9.38	8.66	3	Horizontal	112	1.66	-
PK	5.787G	106.65	Inf	-Inf	8.88	3	Horizontal	112	1.66	-
AV	5.788G	97.01	Inf	-Inf	8.87	3	Horizontal	112	1.66	-
PK	5.986G	58.67	68.20	-9.53	8.93	3	Horizontal	112	1.66	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5825MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.628G	59.06	68.20	-9.14	8.63	3	Vertical	114	2.52	-
PK	5.828G	114.71	Inf	-Inf	8.91	3	Vertical	114	2.52	-
AV	5.828G	104.71	Inf	-Inf	8.91	3	Vertical	114	2.52	-
PK	5.958G	59.00	68.20	-9.20	8.92	3	Vertical	114	2.52	-

802.11a_Nss1,(6Mbps)_1TX

13/07/2019

5825MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.634G	58.66	68.20	-9.54	8.64	3	Horizontal	117	1.82	-
PK	5.827G	106.07	Inf	-Inf	8.91	3	Horizontal	117	1.82	-
AV	5.828G	96.18	Inf	-Inf	8.91	3	Horizontal	117	1.82	-
PK	5.926G	58.58	68.20	-9.62	8.93	3	Horizontal	117	1.82	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5180MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 26
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	67.69	74.00	-6.31	7.94	3	Vertical	124	1.57	-
AV	5.15G	53.74	54.00	-0.26	7.94	3	Vertical	124	1.57	-
PK	5.1834G	115.36	Inf	-Inf	8.03	3	Vertical	124	1.57	-
AV	5.1834G	101.70	Inf	-Inf	8.03	3	Vertical	124	1.57	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5180MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 26
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	61.45	74.00	-12.55	7.94	3	Horizontal	210	1.78	-
AV	5.15G	48.46	54.00	-5.54	7.94	3	Horizontal	210	1.78	-
PK	5.1806G	106.62	Inf	-Inf	8.02	3	Horizontal	210	1.78	-
AV	5.1774G	93.22	Inf	-Inf	8.02	3	Horizontal	210	1.78	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5200MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	61.61	74.00	-12.39	7.94	3	Vertical	177	2.79	-
AV	5.15G	48.59	54.00	-5.41	7.94	3	Vertical	177	2.79	-
PK	5.1972G	118.28	Inf	-Inf	8.06	3	Vertical	177	2.79	-
AV	5.2024G	105.25	Inf	-Inf	8.06	3	Vertical	177	2.79	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5200MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.128G	58.07	74.00	-15.93	7.91	3	Horizontal	204	2.27	-
AV	5.1484G	45.30	54.00	-8.70	7.94	3	Horizontal	204	2.27	-
PK	5.2008G	108.65	Inf	-Inf	8.06	3	Horizontal	204	2.27	-
AV	5.1976G	95.16	Inf	-Inf	8.06	3	Horizontal	204	2.27	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5240MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1008G	58.47	74.00	-15.53	7.84	3	Vertical	133	2.62	-
AV	5.1032G	45.29	54.00	-8.71	7.84	3	Vertical	133	2.62	-
PK	5.2376G	115.99	Inf	-Inf	8.12	3	Vertical	133	2.62	-
AV	5.2424G	102.98	Inf	-Inf	8.12	3	Vertical	133	2.62	-
PK	5.3672G	59.04	74.00	-14.96	8.29	3	Vertical	133	2.62	-
AV	5.3762G	45.82	54.00	-8.18	8.31	3	Vertical	133	2.62	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5240MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.138G	58.28	74.00	-15.72	7.92	3	Horizontal	134	2.57	-
AV	5.0924G	45.17	54.00	-8.83	7.82	3	Horizontal	134	2.57	-
PK	5.2454G	107.64	Inf	-Inf	8.12	3	Horizontal	134	2.57	-
AV	5.2442G	94.84	Inf	-Inf	8.12	3	Horizontal	134	2.57	-
PK	5.3732G	57.72	74.00	-16.28	8.30	3	Horizontal	134	2.57	-
AV	5.3756G	45.13	54.00	-8.87	8.31	3	Horizontal	134	2.57	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5745MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.629G	59.95	68.20	-8.25	8.63	3	Vertical	132	2.49	-
PK	5.743G	117.44	Inf	-Inf	8.82	3	Vertical	132	2.49	-
AV	5.747G	104.43	Inf	-Inf	8.82	3	Vertical	132	2.49	-
PK	5.982G	59.35	68.20	-8.85	8.94	3	Vertical	132	2.49	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5745MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	59.06	68.20	-9.14	8.67	3	Horizontal	115	1.77	-
PK	5.753G	107.80	Inf	-Inf	8.83	3	Horizontal	115	1.77	-
AV	5.748G	94.94	Inf	-Inf	8.82	3	Horizontal	115	1.77	-
PK	5.952G	58.60	68.20	-9.60	8.92	3	Horizontal	115	1.77	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5785MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.612G	59.22	68.20	-8.98	8.61	3	Vertical	123	2.38	-
PK	5.782G	117.91	Inf	-Inf	8.88	3	Vertical	123	2.38	-
AV	5.781G	104.67	Inf	-Inf	8.88	3	Vertical	123	2.38	-
PK	5.935G	58.75	68.20	-9.45	8.93	3	Vertical	123	2.38	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5785MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.582G	58.37	68.20	-9.83	8.57	3	Horizontal	115	1.64	-
PK	5.788G	109.67	Inf	-Inf	8.87	3	Horizontal	115	1.64	-
AV	5.787G	96.18	Inf	-Inf	8.88	3	Horizontal	115	1.64	-
PK	5.973G	58.87	68.20	-9.33	8.93	3	Horizontal	115	1.64	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5825MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.595G	58.56	68.20	-9.64	8.58	3	Vertical	114	2.43	-
PK	5.828G	117.24	Inf	-Inf	8.91	3	Vertical	114	2.43	-
AV	5.829G	103.65	Inf	-Inf	8.91	3	Vertical	114	2.43	-
PK	5.975G	58.84	68.20	-9.36	8.94	3	Vertical	114	2.43	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/07/2019

5825MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.63G	59.03	68.20	-9.17	8.63	3	Horizontal	115	1.84	-
PK	5.831G	107.59	Inf	-Inf	8.91	3	Horizontal	115	1.84	-
AV	5.829G	94.87	Inf	-Inf	8.91	3	Horizontal	115	1.84	-
PK	5.976G	58.95	68.20	-9.25	8.94	3	Horizontal	115	1.84	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/07/2019

5190MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 23.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	67.93	74.00	-6.07	7.94	3	Vertical	306	2.20	-
AV	5.15G	53.87	54.00	-0.13	7.94	3	Vertical	306	2.20	-
PK	5.1964G	112.32	Inf	-Inf	8.06	3	Vertical	306	2.20	-
AV	5.1932G	98.02	Inf	-Inf	8.04	3	Vertical	306	2.20	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/07/2019

5190MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 23.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	60.16	74.00	-13.84	7.94	3	Horizontal	208	2.26	-
AV	5.15G	47.10	54.00	-6.90	7.94	3	Horizontal	208	2.26	-
PK	5.196G	103.15	Inf	-Inf	8.06	3	Horizontal	208	2.26	-
AV	5.1952G	89.35	Inf	-Inf	8.05	3	Horizontal	208	2.26	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/07/2019

5230MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.72	74.00	-7.28	7.94	3	Vertical	126	2.63	-
AV	5.15G	51.46	54.00	-2.54	7.94	3	Vertical	126	2.63	-
PK	5.2276G	113.03	Inf	-Inf	8.10	3	Vertical	126	2.63	-
AV	5.2282G	100.75	Inf	-Inf	8.10	3	Vertical	126	2.63	-
PK	5.3506G	60.33	74.00	-13.67	8.28	3	Vertical	126	2.63	-
AV	5.35G	46.65	54.00	-7.35	8.28	3	Vertical	126	2.63	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/07/2019

5230MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	61.65	74.00	-12.35	7.94	3	Horizontal	122	2.38	-
AV	5.15G	47.78	54.00	-6.22	7.94	3	Horizontal	122	2.38	-
PK	5.2282G	107.67	Inf	-Inf	8.10	3	Horizontal	122	2.38	-
AV	5.2252G	94.06	Inf	-Inf	8.10	3	Horizontal	122	2.38	-
PK	5.3638G	58.51	74.00	-15.49	8.29	3	Horizontal	122	2.38	-
AV	5.3656G	45.44	54.00	-8.56	8.29	3	Horizontal	122	2.38	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/07/2019

5755MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 26.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.643G	67.82	68.20	-0.38	8.66	3	Vertical	128	2.46	-
PK	5.765G	116.41	Inf	-Inf	8.84	3	Vertical	128	2.46	-
AV	5.765G	103.11	Inf	-Inf	8.84	3	Vertical	128	2.46	-
PK	5.973G	60.07	68.20	-8.13	8.93	3	Vertical	128	2.46	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/07/2019

5755MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 26.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	61.34	68.20	-6.86	8.67	3	Horizontal	114	1.73	-
PK	5.757G	106.84	Inf	-Inf	8.83	3	Horizontal	114	1.73	-
AV	5.761G	93.11	Inf	-Inf	8.85	3	Horizontal	114	1.73	-
PK	5.985G	58.48	68.20	-9.72	8.93	3	Horizontal	114	1.73	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/07/2019

5795MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	61.77	68.20	-6.43	8.67	3	Vertical	115	2.45	-
PK	5.793G	116.47	Inf	-Inf	8.89	3	Vertical	115	2.45	-
AV	5.793G	103.28	Inf	-Inf	8.89	3	Vertical	115	2.45	-
PK	5.926G	62.33	68.20	-5.87	8.93	3	Vertical	115	2.45	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/07/2019

5795MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.64G	58.44	68.20	-9.76	8.65	3	Horizontal	118	1.65	-
PK	5.794G	107.89	Inf	-Inf	8.89	3	Horizontal	118	1.65	-
AV	5.789G	94.45	Inf	-Inf	8.88	3	Horizontal	118	1.65	-
PK	5.973G	60.16	68.20	-8.04	8.93	3	Horizontal	118	1.65	-

802.11ax HEW80_Nss1,(MCS0)_1TX

13/07/2019

5210MHz_TX




EUT_Z_ANT_Z_1TX
Setting 23
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	68.37	74.00	-5.63	7.94	3	Vertical	169	2.53	-
AV	5.15G	53.06	54.00	-0.94	7.94	3	Vertical	169	2.53	-
PK	5.204G	108.54	Inf	-Inf	8.06	3	Vertical	169	2.53	-
AV	5.215G	94.98	Inf	-Inf	8.08	3	Vertical	169	2.53	-
PK	5.379G	59.60	74.00	-14.40	8.32	3	Vertical	169	2.53	-
AV	5.35G	46.43	54.00	-7.57	8.28	3	Vertical	169	2.53	-

802.11ax HEW80_Nss1,(MCS0)_1TX

13/07/2019

5210MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 23
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	58.94	74.00	-15.06	7.94	3	Horizontal	206	2.26	-
AV	5.148G	46.29	54.00	-7.71	7.94	3	Horizontal	206	2.26	-
PK	5.208G	98.78	Inf	-Inf	8.07	3	Horizontal	206	2.26	-
AV	5.208G	86.03	Inf	-Inf	8.07	3	Horizontal	206	2.26	-
PK	5.353G	57.91	74.00	-16.09	8.28	3	Horizontal	206	2.26	-
AV	5.432G	45.18	54.00	-8.82	8.40	3	Horizontal	206	2.26	-

802.11ax HEW80_Nss1,(MCS0)_1TX

13/07/2019

5775MHz_TX




EUT_Z_ANT_Z_1TX
 Setting 24.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	66.06	68.20	-2.14	8.66	3	Vertical	132	2.37	-
PK	5.779G	111.41	Inf	-Inf	8.87	3	Vertical	132	2.37	-
AV	5.773G	98.26	Inf	-Inf	8.85	3	Vertical	132	2.37	-
PK	5.924G	65.02	68.94	-3.92	8.92	3	Vertical	132	2.37	-

802.11ax HEW80_Nss1,(MCS0)_1TX

13/07/2019

5775MHz_TX



EUT_Z_ANT_Z_1TX
 Setting 24.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	61.94	68.20	-6.26	8.67	3	Horizontal	119	1.65	-
PK	5.783G	102.31	Inf	-Inf	8.88	3	Horizontal	119	1.65	-
AV	5.789G	89.25	Inf	-Inf	8.88	3	Horizontal	119	1.65	-
PK	5.926G	60.37	68.20	-7.83	8.93	3	Horizontal	119	1.65	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.928G	68.08	68.20	-0.12	8.93	3	Vertical	113	2.75	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5180MHz_TX




EUT_Z_ANT_Z_2TX
Setting 24
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1498G	66.97	74.00	-7.03	7.94	3	Vertical	15	2.79	-
AV	5.1496G	52.85	54.00	-1.15	7.94	3	Vertical	15	2.79	-
PK	5.1736G	119.06	Inf	-Inf	8.00	3	Vertical	15	2.79	-
AV	5.1788G	109.12	Inf	-Inf	8.02	3	Vertical	15	2.79	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5180MHz_TX




EUT_Z_ANT_Z_2TX
Setting 24
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1486G	58.09	74.00	-15.91	7.94	3	Horizontal	333	2.27	-
AV	5.1498G	46.06	54.00	-7.94	7.94	3	Horizontal	333	2.27	-
PK	5.185G	105.42	Inf	-Inf	8.03	3	Horizontal	333	2.27	-
AV	5.1846G	95.39	Inf	-Inf	8.03	3	Horizontal	333	2.27	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5200MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	61.11	74.00	-12.89	7.94	3	Vertical	12	2.92	-
AV	5.1468G	48.03	54.00	-5.97	7.94	3	Vertical	12	2.92	-
PK	5.2064G	120.84	Inf	-Inf	8.07	3	Vertical	12	2.92	-
AV	5.2064G	110.83	Inf	-Inf	8.07	3	Vertical	12	2.92	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5200MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1148G	57.93	74.00	-16.07	7.87	3	Horizontal	341	2.27	-
AV	5.1144G	45.52	54.00	-8.48	7.87	3	Horizontal	341	2.27	-
PK	5.202G	108.02	Inf	-Inf	8.06	3	Horizontal	341	2.27	-
AV	5.2024G	98.03	Inf	-Inf	8.06	3	Horizontal	341	2.27	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5240MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1398G	59.19	74.00	-14.81	7.93	3	Vertical	12	2.05	-
AV	5.1452G	46.33	54.00	-7.67	7.94	3	Vertical	12	2.05	-
PK	5.237G	121.09	Inf	-Inf	8.11	3	Vertical	12	2.05	-
AV	5.2412G	110.71	Inf	-Inf	8.12	3	Vertical	12	2.05	-
PK	5.3588G	59.45	74.00	-14.55	8.28	3	Vertical	12	2.05	-
AV	5.3714G	46.58	54.00	-7.42	8.30	3	Vertical	12	2.05	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5240MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.12G	57.65	74.00	-16.35	7.88	3	Horizontal	216	2.87	-
AV	5.1038G	45.56	54.00	-8.44	7.84	3	Horizontal	216	2.87	-
PK	5.246G	111.25	Inf	-Inf	8.13	3	Horizontal	216	2.87	-
AV	5.2412G	101.28	Inf	-Inf	8.12	3	Horizontal	216	2.87	-
PK	5.3612G	57.75	74.00	-16.25	8.29	3	Horizontal	216	2.87	-
AV	5.3534G	45.59	54.00	-8.41	8.28	3	Horizontal	216	2.87	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.56G	59.19	68.20	-9.01	8.56	3	Vertical	55	2.18	-
PK	5.748G	120.42	Inf	-Inf	8.82	3	Vertical	55	2.18	-
AV	5.748G	110.12	Inf	-Inf	8.82	3	Vertical	55	2.18	-
PK	5.989G	58.85	68.20	-9.35	8.93	3	Vertical	55	2.18	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.633G	58.51	68.20	-9.69	8.64	3	Horizontal	192	2.87	-
PK	5.742G	108.41	Inf	-Inf	8.81	3	Horizontal	192	2.87	-
AV	5.742G	98.55	Inf	-Inf	8.81	3	Horizontal	192	2.87	-
PK	5.988G	58.54	68.20	-9.66	8.93	3	Horizontal	192	2.87	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5785MHz_TX




EUT_Z_ANT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.588G	59.74	68.20	-8.46	8.57	3	Vertical	56	2.06	-
PK	5.784G	120.29	Inf	-Inf	8.88	3	Vertical	56	2.06	-
AV	5.788G	110.22	Inf	-Inf	8.87	3	Vertical	56	2.06	-
PK	5.949G	59.40	68.20	-8.80	8.94	3	Vertical	56	2.06	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5785MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.617G	58.39	68.20	-9.81	8.60	3	Horizontal	152	2.90	-
PK	5.788G	109.39	Inf	-Inf	8.87	3	Horizontal	152	2.90	-
AV	5.787G	99.40	Inf	-Inf	8.88	3	Horizontal	152	2.90	-
PK	5.939G	58.60	68.20	-9.60	8.93	3	Horizontal	152	2.90	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5825MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.617G	60.17	68.20	-8.03	8.60	3	Vertical	60	2.73	-
PK	5.829G	119.39	Inf	-Inf	8.91	3	Vertical	60	2.73	-
AV	5.829G	109.45	Inf	-Inf	8.91	3	Vertical	60	2.73	-
PK	5.961G	58.99	68.20	-9.21	8.93	3	Vertical	60	2.73	-

802.11a_Nss1,(6Mbps)_2TX

12/07/2019

5825MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	58.15	68.20	-10.05	8.66	3	Horizontal	157	2.44	-
PK	5.824G	108.05	Inf	-Inf	8.90	3	Horizontal	157	2.44	-
AV	5.824G	98.33	Inf	-Inf	8.90	3	Horizontal	157	2.44	-
PK	5.986G	59.43	68.20	-8.77	8.93	3	Horizontal	157	2.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

12/07/2019

5180MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 24
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	66.25	74.00	-7.75	7.94	3	Vertical	7	2.96	-
AV	5.1486G	52.81	54.00	-1.19	7.94	3	Vertical	7	2.96	-
PK	5.1756G	120.97	Inf	-Inf	8.01	3	Vertical	7	2.96	-
AV	5.177G	108.10	Inf	-Inf	8.01	3	Vertical	7	2.96	-

802.11ax HEW20_Nss1,(MCS0)_2TX

12/07/2019

5180MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 24
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	59.61	74.00	-14.39	7.94	3	Horizontal	221	2.97	-
AV	5.15G	46.96	54.00	-7.04	7.94	3	Horizontal	221	2.97	-
PK	5.178G	109.71	Inf	-Inf	8.02	3	Horizontal	221	2.97	-
AV	5.1784G	97.16	Inf	-Inf	8.02	3	Horizontal	221	2.97	-

802.11ax HEW20_Nss1,(MCS0)_2TX

12/07/2019

5200MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	62.58	74.00	-11.42	7.94	3	Vertical	4	2.92	-
AV	5.15G	50.21	54.00	-3.79	7.94	3	Vertical	4	2.92	-
PK	5.1968G	123.82	Inf	-Inf	8.06	3	Vertical	4	2.92	-
AV	5.2064G	111.04	Inf	-Inf	8.07	3	Vertical	4	2.92	-

802.11ax HEW20_Nss1,(MCS0)_2TX

12/07/2019

5200MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	58.48	74.00	-15.52	7.94	3	Horizontal	189	1.83	-
AV	5.144G	45.29	54.00	-8.71	7.94	3	Horizontal	189	1.83	-
PK	5.2044G	108.95	Inf	-Inf	8.07	3	Horizontal	189	1.83	-
AV	5.204G	97.19	Inf	-Inf	8.06	3	Horizontal	189	1.83	-

802.11ax HEW20_Nss1,(MCS0)_2TX

12/07/2019

5240MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	59.58	74.00	-14.42	7.94	3	Vertical	20	2.74	-
AV	5.1488G	46.12	54.00	-7.88	7.94	3	Vertical	20	2.74	-
PK	5.237G	122.83	Inf	-Inf	8.11	3	Vertical	20	2.74	-
AV	5.2376G	110.33	Inf	-Inf	8.12	3	Vertical	20	2.74	-
PK	5.3888G	59.11	74.00	-14.89	8.33	3	Vertical	20	2.74	-
AV	5.3762G	46.45	54.00	-7.55	8.31	3	Vertical	20	2.74	-

802.11ax HEW20_Nss1,(MCS0)_2TX

12/07/2019

5240MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1224G	57.89	74.00	-16.11	7.88	3	Horizontal	225	2.63	-
AV	5.1026G	45.14	54.00	-8.86	7.84	3	Horizontal	225	2.63	-
PK	5.2358G	113.15	Inf	-Inf	8.11	3	Horizontal	225	2.63	-
AV	5.2364G	99.72	Inf	-Inf	8.11	3	Horizontal	225	2.63	-
PK	5.3888G	58.01	74.00	-15.99	8.33	3	Horizontal	225	2.63	-
AV	5.3762G	45.28	54.00	-8.72	8.31	3	Horizontal	225	2.63	-

802.11ax HEW20_Nss1,(MCS0)_2TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_2TX
Setting 27
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.576G	59.23	68.20	-8.97	8.57	3	Vertical	67	2.20	-
PK	5.743G	121.87	Inf	-Inf	8.82	3	Vertical	67	2.20	-
AV	5.743G	109.42	Inf	-Inf	8.82	3	Vertical	67	2.20	-
PK	5.925G	58.65	68.20	-9.55	8.93	3	Vertical	67	2.20	-

802.11ax HEW20_Nss1,(MCS0)_2TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.555G	58.49	68.20	-9.71	8.55	3	Horizontal	199	2.87	-
PK	5.744G	109.18	Inf	-Inf	8.82	3	Horizontal	199	2.87	-
AV	5.743G	97.09	Inf	-Inf	8.82	3	Horizontal	199	2.87	-
PK	5.934G	58.58	68.20	-9.62	8.93	3	Horizontal	199	2.87	-

802.11ax HEW20_Nss1,(MCS0)_2TX

12/07/2019

5825MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	59.12	68.20	-9.08	8.66	3	Vertical	59	2.54	-
PK	5.824G	121.86	Inf	-Inf	8.90	3	Vertical	59	2.54	-
AV	5.824G	108.76	Inf	-Inf	8.90	3	Vertical	59	2.54	-
PK	5.952G	59.80	68.20	-8.40	8.92	3	Vertical	59	2.54	-

802.11ax HEW20_Nss1,(MCS0)_2TX

12/07/2019

5825MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.59G	58.29	68.20	-9.91	8.57	3	Horizontal	147	2.74	-
PK	5.826G	110.56	Inf	-Inf	8.91	3	Horizontal	147	2.74	-
AV	5.826G	98.07	Inf	-Inf	8.91	3	Horizontal	147	2.74	-
PK	5.968G	58.54	68.20	-9.66	8.93	3	Horizontal	147	2.74	-

802.11ax HEW40_Nss1,(MCS0)_2TX

12/07/2019

5190MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 23
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	67.07	74.00	-6.93	7.94	3	Vertical	5	2.81	-
AV	5.1444G	53.66	54.00	-0.34	7.94	3	Vertical	5	2.81	-
PK	5.182G	117.62	Inf	-Inf	8.02	3	Vertical	5	2.81	-
AV	5.184G	104.62	Inf	-Inf	8.03	3	Vertical	5	2.81	-

802.11ax HEW40_Nss1,(MCS0)_2TX

12/07/2019

5190MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 23
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1456G	58.34	74.00	-15.66	7.94	3	Horizontal	187	1.50	-
AV	5.15G	45.93	54.00	-8.07	7.94	3	Horizontal	187	1.50	-
PK	5.1924G	103.13	Inf	-Inf	8.04	3	Horizontal	187	1.50	-
AV	5.192G	90.53	Inf	-Inf	8.04	3	Horizontal	187	1.50	-

802.11ax HEW40_Nss1,(MCS0)_2TX

12/07/2019

5230MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 26
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	66.51	74.00	-7.49	7.94	3	Vertical	8	2.05	-
AV	5.149G	52.34	54.00	-1.66	7.94	3	Vertical	8	2.05	-
PK	5.2366G	119.66	Inf	-Inf	8.11	3	Vertical	8	2.05	-
AV	5.2276G	107.02	Inf	-Inf	8.10	3	Vertical	8	2.05	-
PK	5.356G	60.01	74.00	-13.99	8.28	3	Vertical	8	2.05	-
AV	5.3572G	46.99	54.00	-7.01	8.28	3	Vertical	8	2.05	-

802.11ax HEW40_Nss1,(MCS0)_2TX

12/07/2019

5230MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 26
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1172G	57.70	74.00	-16.30	7.88	3	Horizontal	175	1.50	-
AV	5.1484G	45.62	54.00	-8.38	7.94	3	Horizontal	175	1.50	-
PK	5.227G	105.73	Inf	-Inf	8.10	3	Horizontal	175	1.50	-
AV	5.2258G	93.52	Inf	-Inf	8.10	3	Horizontal	175	1.50	-
PK	5.3668G	57.93	74.00	-16.07	8.29	3	Horizontal	175	1.50	-
AV	5.356G	45.22	54.00	-8.78	8.28	3	Horizontal	175	1.50	-

802.11ax HEW40_Nss1,(MCS0)_2TX

12/07/2019

5755MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 26
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.653G	68.26	70.42	-2.16	8.66	3	Vertical	58	2.28	-
PK	5.751G	121.16	Inf	-Inf	8.85	3	Vertical	58	2.28	-
AV	5.751G	107.92	Inf	-Inf	8.83	3	Vertical	58	2.28	-
PK	5.953G	58.88	68.20	-9.32	8.92	3	Vertical	58	2.28	-

802.11ax HEW40_Nss1,(MCS0)_2TX

12/07/2019

5755MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 26
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.637G	59.03	68.20	-9.17	8.64	3	Horizontal	101	2.10	-
PK	5.754G	107.58	Inf	-Inf	8.83	3	Horizontal	101	2.10	-
AV	5.753G	95.34	Inf	-Inf	8.83	3	Horizontal	101	2.10	-
PK	5.975G	58.01	68.20	-10.19	8.94	3	Horizontal	101	2.10	-

802.11ax HEW40_Nss1,(MCS0)_2TX

12/07/2019

5795MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	63.32	68.20	-4.88	8.67	3	Vertical	113	2.75	-
PK	5.784G	121.26	Inf	-Inf	8.88	3	Vertical	113	2.75	-
AV	5.784G	107.56	Inf	-Inf	8.88	3	Vertical	113	2.75	-
PK	5.928G	68.08	68.20	-0.12	8.93	3	Vertical	113	2.75	-

802.11ax HEW40_Nss1,(MCS0)_2TX

12/07/2019

5795MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.615G	59.67	68.20	-8.53	8.61	3	Horizontal	144	2.68	-
PK	5.801G	110.11	Inf	-Inf	8.90	3	Horizontal	144	2.68	-
AV	5.791G	97.54	Inf	-Inf	8.88	3	Horizontal	144	2.68	-
PK	5.938G	59.93	68.20	-8.27	8.93	3	Horizontal	144	2.68	-

802.11ax HEW80_Nss1,(MCS0)_2TX

12/07/2019

5210MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 22
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.143G	67.65	74.00	-6.35	7.94	3	Vertical	351	2.91	-
AV	5.15G	52.32	54.00	-1.68	7.94	3	Vertical	351	2.91	-
PK	5.211G	112.57	Inf	-Inf	8.07	3	Vertical	351	2.91	-
AV	5.212G	100.79	Inf	-Inf	8.07	3	Vertical	351	2.91	-
PK	5.38G	59.09	74.00	-14.91	8.32	3	Vertical	351	2.91	-
AV	5.352G	46.75	54.00	-7.25	8.28	3	Vertical	351	2.91	-

802.11ax HEW80_Nss1,(MCS0)_2TX

12/07/2019

5210MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 22
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.052G	57.58	74.00	-16.42	7.72	3	Horizontal	188	1.62	-
AV	5.15G	45.47	54.00	-8.53	7.94	3	Horizontal	188	1.62	-
PK	5.211G	100.18	Inf	-Inf	8.07	3	Horizontal	188	1.62	-
AV	5.211G	87.60	Inf	-Inf	8.07	3	Horizontal	188	1.62	-
PK	5.445G	57.97	74.00	-16.03	8.42	3	Horizontal	188	1.62	-
AV	5.43G	45.23	54.00	-8.77	8.40	3	Horizontal	188	1.62	-

802.11ax HEW80_Nss1,(MCS0)_2TX

12/07/2019

5775MHz_TX




EUT_Z_ANT_Z_2TX
 Setting 24
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.651G	68.71	68.94	-0.23	8.66	3	Vertical	55	1.91	-
PK	5.769G	114.86	Inf	-Inf	8.85	3	Vertical	55	1.91	-
AV	5.769G	102.42	Inf	-Inf	8.85	3	Vertical	55	1.91	-
PK	5.928G	63.82	68.20	-4.38	8.93	3	Vertical	55	1.91	-

802.11ax HEW80_Nss1,(MCS0)_2TX

12/07/2019

5775MHz_TX



EUT_Z_ANT_Z_2TX
Setting 24
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.643G	59.82	68.20	-8.38	8.66	3	Horizontal	108	1.99	-
PK	5.792G	103.52	Inf	-Inf	8.89	3	Horizontal	108	1.99	-
AV	5.782G	90.93	Inf	-Inf	8.88	3	Horizontal	108	1.99	-
PK	5.937G	58.72	68.20	-9.48	8.93	3	Horizontal	108	1.99	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	51.51	54.00	-2.49	7.94	3	Vertical	10	2.76	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5180MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	60.75	74.00	-13.25	7.94	3	Vertical	103	2.89	-
AV	5.15G	47.85	54.00	-6.15	7.94	3	Vertical	103	2.89	-
PK	5.1762G	119.04	Inf	-Inf	8.01	3	Vertical	103	2.89	-
AV	5.1742G	105.38	Inf	-Inf	8.00	3	Vertical	103	2.89	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5180MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	59.03	74.00	-14.97	7.94	3	Horizontal	341	2.77	-
AV	5.1478G	45.68	54.00	-8.32	7.94	3	Horizontal	341	2.77	-
PK	5.1882G	105.75	Inf	-Inf	8.04	3	Horizontal	341	2.77	-
AV	5.189G	94.65	Inf	-Inf	8.04	3	Horizontal	341	2.77	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5200MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1392G	58.30	74.00	-15.70	7.93	3	Vertical	233	2.06	-
AV	5.1488G	46.07	54.00	-7.93	7.94	3	Vertical	233	2.06	-
PK	5.2052G	119.41	Inf	-Inf	8.07	3	Vertical	233	2.06	-
AV	5.2068G	106.01	Inf	-Inf	8.07	3	Vertical	233	2.06	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5200MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1456G	59.16	74.00	-14.84	7.94	3	Horizontal	212	1.50	-
AV	5.1156G	45.49	54.00	-8.51	7.87	3	Horizontal	212	1.50	-
PK	5.1944G	104.94	Inf	-Inf	8.04	3	Horizontal	212	1.50	-
AV	5.194G	91.59	Inf	-Inf	8.04	3	Horizontal	212	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5240MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	57.97	74.00	-16.03	7.94	3	Vertical	165	1.95	-
AV	5.1464G	45.54	54.00	-8.46	7.94	3	Vertical	165	1.95	-
PK	5.2418G	116.81	Inf	-Inf	8.12	3	Vertical	165	1.95	-
AV	5.237G	104.25	Inf	-Inf	8.11	3	Vertical	165	1.95	-
PK	5.3876G	58.43	74.00	-15.57	8.33	3	Vertical	165	1.95	-
AV	5.3726G	45.78	54.00	-8.22	8.30	3	Vertical	165	1.95	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5240MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1134G	58.46	74.00	-15.54	7.86	3	Horizontal	152	1.52	-
AV	5.1434G	45.24	54.00	-8.76	7.94	3	Horizontal	152	1.52	-
PK	5.2388G	105.29	Inf	-Inf	8.12	3	Horizontal	152	1.52	-
AV	5.2382G	93.30	Inf	-Inf	8.12	3	Horizontal	152	1.52	-
PK	5.3654G	57.84	74.00	-16.16	8.29	3	Horizontal	152	1.52	-
AV	5.3672G	45.44	54.00	-8.56	8.29	3	Horizontal	152	1.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5745MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.618G	59.29	68.20	-8.91	8.61	3	Vertical	315	2.21	-
PK	5.747G	119.83	Inf	-Inf	8.82	3	Vertical	315	2.21	-
AV	5.748G	107.69	Inf	-Inf	8.82	3	Vertical	315	2.21	-
PK	5.97G	58.47	68.20	-9.73	8.93	3	Vertical	315	2.21	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5745MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.629G	58.55	68.20	-9.65	8.63	3	Horizontal	150	1.27	-
PK	5.747G	105.70	Inf	-Inf	8.82	3	Horizontal	150	1.27	-
AV	5.748G	93.64	Inf	-Inf	8.82	3	Horizontal	150	1.27	-
PK	5.971G	58.28	68.20	-9.92	8.93	3	Horizontal	150	1.27	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5785MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.549G	58.67	68.20	-9.53	8.55	3	Vertical	85	2.31	-
PK	5.788G	117.41	Inf	-Inf	8.87	3	Vertical	85	2.31	-
AV	5.784G	104.68	Inf	-Inf	8.88	3	Vertical	85	2.31	-
PK	5.947G	58.97	68.20	-9.23	8.94	3	Vertical	85	2.31	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5785MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.608G	58.51	68.20	-9.69	8.59	3	Horizontal	157	2.33	-
PK	5.784G	108.98	Inf	-Inf	8.88	3	Horizontal	157	2.33	-
AV	5.778G	98.09	Inf	-Inf	8.87	3	Horizontal	157	2.33	-
PK	5.984G	58.81	68.20	-9.39	8.93	3	Horizontal	157	2.33	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5825MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	58.73	68.20	-9.47	8.65	3	Vertical	316	2.12	-
PK	5.827G	118.87	Inf	-Inf	8.91	3	Vertical	316	2.12	-
AV	5.828G	107.11	Inf	-Inf	8.91	3	Vertical	316	2.12	-
PK	5.946G	59.08	68.20	-9.12	8.94	3	Vertical	316	2.12	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/07/2019

5825MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	59.03	68.20	-9.17	8.66	3	Horizontal	157	1.50	-
PK	5.822G	104.84	Inf	-Inf	8.90	3	Horizontal	157	1.50	-
AV	5.823G	93.53	Inf	-Inf	8.90	3	Horizontal	157	1.50	-
PK	5.982G	58.32	68.20	-9.88	8.94	3	Horizontal	157	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/07/2019

5190MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.134G	69.89	74.00	-4.11	7.92	3	Vertical	10	2.76	-
AV	5.15G	51.51	54.00	-2.49	7.94	3	Vertical	10	2.76	-
PK	5.1852G	114.72	Inf	-Inf	8.03	3	Vertical	10	2.76	-
AV	5.1964G	102.02	Inf	-Inf	8.06	3	Vertical	10	2.76	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/07/2019

5190MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0996G	58.12	74.00	-15.88	7.84	3	Horizontal	345	1.50	-
AV	5.1492G	45.54	54.00	-8.46	7.94	3	Horizontal	345	1.50	-
PK	5.1936G	102.33	Inf	-Inf	8.04	3	Horizontal	345	1.50	-
AV	5.194G	90.91	Inf	-Inf	8.04	3	Horizontal	345	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/07/2019

5230MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1382G	62.98	74.00	-11.02	7.92	3	Vertical	10	2.36	-
AV	5.149G	46.12	54.00	-7.88	7.94	3	Vertical	10	2.36	-
PK	5.2192G	118.22	Inf	-Inf	8.09	3	Vertical	10	2.36	-
AV	5.2282G	103.74	Inf	-Inf	8.10	3	Vertical	10	2.36	-
PK	5.3596G	58.72	74.00	-15.28	8.29	3	Vertical	10	2.36	-
AV	5.3512G	46.13	54.00	-7.87	8.28	3	Vertical	10	2.36	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/07/2019

5230MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.122G	58.51	74.00	-15.49	7.88	3	Horizontal	96	2.53	-
AV	5.0818G	45.50	54.00	-8.50	7.80	3	Horizontal	96	2.53	-
PK	5.2204G	104.16	Inf	-Inf	8.09	3	Horizontal	96	2.53	-
AV	5.2252G	94.25	Inf	-Inf	8.10	3	Horizontal	96	2.53	-
PK	5.3572G	58.57	74.00	-15.43	8.28	3	Horizontal	96	2.53	-
AV	5.3584G	45.36	54.00	-8.64	8.28	3	Horizontal	96	2.53	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/07/2019

5755MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	59.45	68.20	-8.75	8.66	3	Vertical	305	2.32	-
PK	5.769G	116.60	Inf	-Inf	8.85	3	Vertical	305	2.32	-
AV	5.768G	104.28	Inf	-Inf	8.85	3	Vertical	305	2.32	-
PK	5.979G	59.32	68.20	-8.88	8.94	3	Vertical	305	2.32	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/07/2019

5755MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.524G	58.32	68.20	-9.88	8.53	3	Horizontal	112	2.41	-
PK	5.749G	104.71	Inf	-Inf	8.82	3	Horizontal	112	2.41	-
AV	5.745G	93.42	Inf	-Inf	8.82	3	Horizontal	112	2.41	-
PK	5.977G	58.38	68.20	-9.82	8.94	3	Horizontal	112	2.41	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/07/2019

5795MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.548G	58.90	68.20	-9.30	8.55	3	Vertical	9	2.41	-
PK	5.802G	116.10	Inf	-Inf	8.90	3	Vertical	9	2.41	-
AV	5.79G	105.85	Inf	-Inf	8.88	3	Vertical	9	2.41	-
PK	5.975G	59.34	68.20	-8.86	8.94	3	Vertical	9	2.41	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/07/2019

5795MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.639G	60.54	68.20	-7.66	8.64	3	Horizontal	154	1.50	-
PK	5.794G	103.53	Inf	-Inf	8.89	3	Horizontal	154	1.50	-
AV	5.792G	91.10	Inf	-Inf	8.89	3	Horizontal	154	1.50	-
PK	5.951G	58.85	68.20	-9.35	8.92	3	Horizontal	154	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/07/2019

5210MHz_TX




EUT Z_ANT Z_2TX
 Setting 24
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	62.96	74.00	-11.04	7.94	3	Vertical	254	3.00	-
AV	5.15G	49.83	54.00	-4.17	7.94	3	Vertical	254	3.00	-
PK	5.199G	114.38	Inf	-Inf	8.06	3	Vertical	254	3.00	-
AV	5.219G	99.63	Inf	-Inf	8.09	3	Vertical	254	3.00	-
PK	5.356G	58.33	74.00	-15.67	8.28	3	Vertical	254	3.00	-
AV	5.355G	46.26	54.00	-7.74	8.28	3	Vertical	254	3.00	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/07/2019

5210MHz_TX




EUT Z_ANT Z_2TX
 Setting 24
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.072G	58.12	74.00	-15.88	7.76	3	Horizontal	107	2.78	-
AV	5.148G	45.49	54.00	-8.51	7.94	3	Horizontal	107	2.78	-
PK	5.199G	103.23	Inf	-Inf	8.06	3	Horizontal	107	2.78	-
AV	5.194G	88.43	Inf	-Inf	8.04	3	Horizontal	107	2.78	-
PK	5.412G	57.74	74.00	-16.26	8.36	3	Horizontal	107	2.78	-
AV	5.422G	45.49	54.00	-8.51	8.38	3	Horizontal	107	2.78	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/07/2019

5775MHz_TX




EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.651G	62.93	68.94	-6.01	8.66	3	Vertical	24	2.33	-
PK	5.747G	116.27	Inf	-Inf	8.82	3	Vertical	24	2.33	-
AV	5.742G	105.69	Inf	-Inf	8.81	3	Vertical	24	2.33	-
PK	5.937G	59.02	68.20	-9.18	8.93	3	Vertical	24	2.33	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/07/2019

5775MHz_TX



EUT Z_ANT Z_2TX
 Setting 25
 02-J-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.634G	58.44	68.20	-9.76	8.64	3	Horizontal	153	2.11	-
PK	5.751G	106.86	Inf	-Inf	8.83	3	Horizontal	153	2.11	-
AV	5.75G	96.21	Inf	-Inf	8.83	3	Horizontal	153	2.11	-
PK	5.952G	58.46	68.20	-9.74	8.92	3	Horizontal	153	2.11	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.1484G	53.98	54.00	-0.02	7.94	3	Vertical	247	2.71	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5180MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 25
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1498G	68.07	74.00	-5.93	7.94	3	Vertical	12	2.93	-
AV	5.15G	53.59	54.00	-0.41	7.94	3	Vertical	12	2.93	-
PK	5.1782G	122.02	Inf	-Inf	8.02	3	Vertical	12	2.93	-
AV	5.179G	112.15	Inf	-Inf	8.02	3	Vertical	12	2.93	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5180MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 25
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	65.16	74.00	-8.84	7.94	3	Horizontal	236	2.44	-
AV	5.15G	51.32	54.00	-2.68	7.94	3	Horizontal	236	2.44	-
PK	5.1784G	115.11	Inf	-Inf	8.02	3	Horizontal	236	2.44	-
AV	5.1788G	105.19	Inf	-Inf	8.02	3	Horizontal	236	2.44	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5200MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	61.96	74.00	-12.04	7.94	3	Vertical	60	2.41	-
AV	5.1468G	48.94	54.00	-5.06	7.94	3	Vertical	60	2.41	-
PK	5.2072G	122.50	Inf	-Inf	8.07	3	Vertical	60	2.41	-
AV	5.2068G	112.14	Inf	-Inf	8.07	3	Vertical	60	2.41	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5200MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	60.81	74.00	-13.19	7.94	3	Horizontal	186	2.20	-
AV	5.15G	48.01	54.00	-5.99	7.94	3	Horizontal	186	2.20	-
PK	5.1968G	117.63	Inf	-Inf	8.06	3	Horizontal	186	2.20	-
AV	5.1968G	106.95	Inf	-Inf	8.06	3	Horizontal	186	2.20	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5240MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1482G	59.15	74.00	-14.85	7.94	3	Vertical	108	2.65	-
AV	5.1428G	46.48	54.00	-7.52	7.94	3	Vertical	108	2.65	-
PK	5.237G	125.64	Inf	-Inf	8.11	3	Vertical	108	2.65	-
AV	5.237G	115.14	Inf	-Inf	8.11	3	Vertical	108	2.65	-
PK	5.351G	59.26	74.00	-14.74	8.28	3	Vertical	108	2.65	-
AV	5.3648G	46.52	54.00	-7.48	8.29	3	Vertical	108	2.65	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5240MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1014G	58.52	74.00	-15.48	7.84	3	Horizontal	93	2.07	-
AV	5.0942G	45.48	54.00	-8.52	7.82	3	Horizontal	93	2.07	-
PK	5.237G	115.45	Inf	-Inf	8.11	3	Horizontal	93	2.07	-
AV	5.2364G	105.08	Inf	-Inf	8.11	3	Horizontal	93	2.07	-
PK	5.366G	57.99	74.00	-16.01	8.29	3	Horizontal	93	2.07	-
AV	5.3726G	45.95	54.00	-8.05	8.30	3	Horizontal	93	2.07	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.613G	60.47	68.20	-7.73	8.61	3	Vertical	116	2.85	-
PK	5.747G	123.19	Inf	-Inf	8.82	3	Vertical	116	2.85	-
AV	5.746G	113.68	Inf	-Inf	8.82	3	Vertical	116	2.85	-
PK	5.935G	59.26	68.20	-8.94	8.93	3	Vertical	116	2.85	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.556G	58.48	68.20	-9.72	8.55	3	Horizontal	64	2.98	-
PK	5.748G	117.58	Inf	-Inf	8.82	3	Horizontal	64	2.98	-
AV	5.748G	107.22	Inf	-Inf	8.82	3	Horizontal	64	2.98	-
PK	5.934G	58.60	68.20	-9.60	8.93	3	Horizontal	64	2.98	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5785MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.594G	59.68	68.20	-8.52	8.58	3	Vertical	49	2.15	-
PK	5.79G	122.78	Inf	-Inf	8.88	3	Vertical	49	2.15	-
AV	5.788G	113.02	Inf	-Inf	8.87	3	Vertical	49	2.15	-
PK	5.974G	59.61	68.20	-8.59	8.93	3	Vertical	49	2.15	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5785MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.588G	57.89	68.20	-10.31	8.57	3	Horizontal	238	1.97	-
PK	5.786G	116.58	Inf	-Inf	8.88	3	Horizontal	238	1.97	-
AV	5.788G	106.08	Inf	-Inf	8.87	3	Horizontal	238	1.97	-
PK	5.989G	59.47	68.20	-8.73	8.93	3	Horizontal	238	1.97	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5825MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	59.60	68.20	-8.60	8.66	3	Vertical	55	2.05	-
PK	5.819G	122.08	Inf	-Inf	8.90	3	Vertical	55	2.05	-
AV	5.819G	112.25	Inf	-Inf	8.90	3	Vertical	55	2.05	-
PK	5.983G	59.18	68.20	-9.02	8.94	3	Vertical	55	2.05	-

802.11a_Nss1,(6Mbps)_4TX

12/07/2019

5825MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.584G	58.65	68.20	-9.55	8.57	3	Horizontal	182	2.76	-
PK	5.819G	116.92	Inf	-Inf	8.90	3	Horizontal	182	2.76	-
AV	5.82G	106.16	Inf	-Inf	8.90	3	Horizontal	182	2.76	-
PK	5.99G	59.12	68.20	-9.08	8.93	3	Horizontal	182	2.76	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5180MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 23.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1436G	68.34	74.00	-5.66	7.94	3	Vertical	128	2.72	-
AV	5.1442G	52.90	54.00	-1.10	7.94	3	Vertical	128	2.72	-
PK	5.1812G	124.73	Inf	-Inf	8.02	3	Vertical	128	2.72	-
AV	5.1822G	111.19	Inf	-Inf	8.02	3	Vertical	128	2.72	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5180MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 23.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	61.77	74.00	-12.23	7.94	3	Horizontal	196	1.82	-
AV	5.1498G	47.81	54.00	-6.19	7.94	3	Horizontal	196	1.82	-
PK	5.1824G	115.28	Inf	-Inf	8.02	3	Horizontal	196	1.82	-
AV	5.1828G	102.57	Inf	-Inf	8.02	3	Horizontal	196	1.82	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5200MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	70.21	74.00	-3.79	7.94	3	Vertical	247	2.71	-
AV	5.1484G	53.98	54.00	-0.02	7.94	3	Vertical	247	2.71	-
PK	5.204G	125.15	Inf	-Inf	8.06	3	Vertical	247	2.71	-
AV	5.204G	112.40	Inf	-Inf	8.06	3	Vertical	247	2.71	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5200MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	61.37	74.00	-12.63	7.94	3	Horizontal	243	2.13	-
AV	5.15G	49.26	54.00	-4.74	7.94	3	Horizontal	243	2.13	-
PK	5.1924G	117.69	Inf	-Inf	8.04	3	Horizontal	243	2.13	-
AV	5.192G	104.51	Inf	-Inf	8.04	3	Horizontal	243	2.13	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5240MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0942G	58.17	74.00	-15.83	7.82	3	Vertical	115	2.10	-
AV	5.1458G	45.79	54.00	-8.21	7.94	3	Vertical	115	2.10	-
PK	5.2394G	122.90	Inf	-Inf	8.12	3	Vertical	115	2.10	-
AV	5.2406G	111.21	Inf	-Inf	8.12	3	Vertical	115	2.10	-
PK	5.375G	59.01	74.00	-14.99	8.31	3	Vertical	115	2.10	-
AV	5.351G	45.92	54.00	-8.08	8.28	3	Vertical	115	2.10	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5240MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1122G	57.73	74.00	-16.27	7.86	3	Horizontal	194	3.00	-
AV	5.1428G	45.31	54.00	-8.69	7.94	3	Horizontal	194	3.00	-
PK	5.237G	117.52	Inf	-Inf	8.11	3	Horizontal	194	3.00	-
AV	5.2382G	105.55	Inf	-Inf	8.12	3	Horizontal	194	3.00	-
PK	5.3768G	57.96	74.00	-16.04	8.31	3	Horizontal	194	3.00	-
AV	5.378G	45.43	54.00	-8.57	8.32	3	Horizontal	194	3.00	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.628G	59.15	68.20	-9.05	8.63	3	Vertical	59	2.01	-
PK	5.744G	124.27	Inf	-Inf	8.82	3	Vertical	59	2.01	-
AV	5.744G	111.49	Inf	-Inf	8.82	3	Vertical	59	2.01	-
PK	5.943G	58.54	68.20	-9.66	8.94	3	Vertical	59	2.01	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5745MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	58.89	68.20	-9.31	8.67	3	Horizontal	88	2.08	-
PK	5.748G	115.90	Inf	-Inf	8.82	3	Horizontal	88	2.08	-
AV	5.748G	103.53	Inf	-Inf	8.82	3	Horizontal	88	2.08	-
PK	5.975G	58.15	68.20	-10.05	8.94	3	Horizontal	88	2.08	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5785MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.636G	59.19	68.20	-9.01	8.64	3	Vertical	53	2.78	-
PK	5.781G	124.52	Inf	-Inf	8.88	3	Vertical	53	2.78	-
AV	5.779G	112.78	Inf	-Inf	8.87	3	Vertical	53	2.78	-
PK	5.937G	59.19	68.20	-9.01	8.93	3	Vertical	53	2.78	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5785MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.623G	58.49	68.20	-9.71	8.61	3	Horizontal	274	2.26	-
PK	5.784G	116.37	Inf	-Inf	8.88	3	Horizontal	274	2.26	-
AV	5.784G	104.28	Inf	-Inf	8.88	3	Horizontal	274	2.26	-
PK	5.943G	58.73	68.20	-9.47	8.94	3	Horizontal	274	2.26	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5825MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.631G	59.01	68.20	-9.19	8.63	3	Vertical	58	2.31	-
PK	5.827G	123.70	Inf	-Inf	8.91	3	Vertical	58	2.31	-
AV	5.826G	111.37	Inf	-Inf	8.91	3	Vertical	58	2.31	-
PK	5.948G	59.81	68.20	-8.39	8.94	3	Vertical	58	2.31	-

802.11ax HEW20_Nss1,(MCS0)_4TX

12/07/2019

5825MHz_TX




EUT_Z_ANT_Z_4TX
Setting 27
02-L-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.624G	57.85	68.20	-10.35	8.61	3	Horizontal	237	2.05	-
PK	5.818G	117.14	Inf	-Inf	8.90	3	Horizontal	237	2.05	-
AV	5.817G	103.63	Inf	-Inf	8.90	3	Horizontal	237	2.05	-
PK	5.947G	58.67	68.20	-9.53	8.94	3	Horizontal	237	2.05	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5190MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 21.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1456G	66.65	74.00	-7.35	7.94	3	Vertical	113	2.84	-
AV	5.1444G	52.44	54.00	-1.56	7.94	3	Vertical	113	2.84	-
PK	5.1824G	118.22	Inf	-Inf	8.02	3	Vertical	113	2.84	-
AV	5.1836G	105.61	Inf	-Inf	8.03	3	Vertical	113	2.84	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5190MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 21.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1392G	58.62	74.00	-15.38	7.93	3	Horizontal	228	2.54	-
AV	5.1372G	46.38	54.00	-7.62	7.92	3	Horizontal	228	2.54	-
PK	5.1972G	111.75	Inf	-Inf	8.06	3	Horizontal	228	2.54	-
AV	5.198G	98.80	Inf	-Inf	8.06	3	Horizontal	228	2.54	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5230MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 25
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	67.17	74.00	-6.83	7.94	3	Vertical	232	2.52	-
AV	5.149G	51.64	54.00	-2.36	7.94	3	Vertical	232	2.52	-
PK	5.2264G	118.70	Inf	-Inf	8.10	3	Vertical	232	2.52	-
AV	5.2282G	106.74	Inf	-Inf	8.10	3	Vertical	232	2.52	-
PK	5.3512G	59.18	74.00	-14.82	8.28	3	Vertical	232	2.52	-
AV	5.3566G	46.72	54.00	-7.28	8.28	3	Vertical	232	2.52	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5230MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 25
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	60.71	74.00	-13.29	7.94	3	Horizontal	194	2.76	-
AV	5.15G	47.43	54.00	-6.57	7.94	3	Horizontal	194	2.76	-
PK	5.222G	114.80	Inf	-Inf	8.10	3	Horizontal	194	2.76	-
AV	5.2216G	102.04	Inf	-Inf	8.10	3	Horizontal	194	2.76	-
PK	5.3626G	58.16	74.00	-15.84	8.29	3	Horizontal	194	2.76	-
AV	5.3626G	45.45	54.00	-8.55	8.29	3	Horizontal	194	2.76	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5755MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 25.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	67.71	68.20	-0.49	8.66	3	Vertical	53	2.09	-
PK	5.751G	122.82	Inf	-Inf	8.83	3	Vertical	53	2.09	-
AV	5.751G	110.16	Inf	-Inf	8.83	3	Vertical	53	2.09	-
PK	5.929G	59.42	68.20	-8.78	8.93	3	Vertical	53	2.09	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5755MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 25.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	59.42	68.20	-8.78	8.66	3	Horizontal	235	1.92	-
PK	5.75G	114.11	Inf	-Inf	8.83	3	Horizontal	235	1.92	-
AV	5.75G	102.42	Inf	-Inf	8.83	3	Horizontal	235	1.92	-
PK	5.945G	59.14	68.20	-9.06	8.94	3	Horizontal	235	1.92	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5795MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 26
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.634G	61.72	68.20	-6.48	8.64	3	Vertical	54	2.15	-
PK	5.79G	122.23	Inf	-Inf	8.88	3	Vertical	54	2.15	-
AV	5.791G	110.26	Inf	-Inf	8.88	3	Vertical	54	2.15	-
PK	5.925G	65.46	68.20	-2.74	8.93	3	Vertical	54	2.15	-

802.11ax HEW40_Nss1,(MCS0)_4TX

12/07/2019

5795MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 26
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	58.99	68.20	-9.21	8.67	3	Horizontal	237	1.90	-
PK	5.792G	115.41	Inf	-Inf	8.89	3	Horizontal	237	1.90	-
AV	5.791G	103.04	Inf	-Inf	8.88	3	Horizontal	237	1.90	-
PK	5.929G	59.40	68.20	-8.80	8.93	3	Horizontal	237	1.90	-

802.11ax HEW80_Nss1,(MCS0)_4TX

12/07/2019

5210MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 21.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.139G	67.89	74.00	-6.11	7.93	3	Vertical	233	2.94	-
AV	5.139G	52.98	54.00	-1.02	7.93	3	Vertical	233	2.94	-
PK	5.218G	114.81	Inf	-Inf	8.09	3	Vertical	233	2.94	-
AV	5.219G	102.41	Inf	-Inf	8.09	3	Vertical	233	2.94	-
PK	5.357G	59.69	74.00	-14.31	8.28	3	Vertical	233	2.94	-
AV	5.356G	47.25	54.00	-6.75	8.28	3	Vertical	233	2.94	-

802.11ax HEW80_Nss1,(MCS0)_4TX

12/07/2019

5210MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 21.5
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.135G	59.81	74.00	-14.19	7.92	3	Horizontal	191	1.74	-
AV	5.135G	47.08	54.00	-6.92	7.92	3	Horizontal	191	1.74	-
PK	5.216G	107.13	Inf	-Inf	8.08	3	Horizontal	191	1.74	-
AV	5.216G	94.89	Inf	-Inf	8.08	3	Horizontal	191	1.74	-
PK	5.36G	58.24	74.00	-15.76	8.29	3	Horizontal	191	1.74	-
AV	5.357G	45.47	54.00	-8.53	8.28	3	Horizontal	191	1.74	-

802.11ax HEW80_Nss1,(MCS0)_4TX

12/07/2019

5775MHz_TX




EUT_Z_ANT_Z_4TX
 Setting 23
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	66.26	68.20	-1.94	8.66	3	Vertical	57	2.06	-
PK	5.781G	117.04	Inf	-Inf	8.88	3	Vertical	57	2.06	-
AV	5.781G	104.36	Inf	-Inf	8.88	3	Vertical	57	2.06	-
PK	5.919G	67.70	72.64	-4.94	8.92	3	Vertical	57	2.06	-

802.11ax HEW80_Nss1,(MCS0)_4TX

12/07/2019

5775MHz_TX



EUT_Z_ANT_Z_4TX
 Setting 23
 02-L-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	63.25	68.20	-4.95	8.66	3	Horizontal	274	1.84	-
PK	5.744G	108.57	Inf	-Inf	8.82	3	Horizontal	274	1.84	-
AV	5.784G	96.65	Inf	-Inf	8.88	3	Horizontal	274	1.84	-
PK	5.925G	59.56	68.20	-8.64	8.93	3	Horizontal	274	1.84	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.642G	65.35	68.20	-2.85	8.66	3	Vertical	235	2.92	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5180MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	65.20	74.00	-8.80	7.94	3	Vertical	110	2.86	-
AV	5.15G	50.56	54.00	-3.44	7.94	3	Vertical	110	2.86	-
PK	5.1776G	121.82	Inf	-Inf	8.02	3	Vertical	110	2.86	-
AV	5.1778G	108.67	Inf	-Inf	8.02	3	Vertical	110	2.86	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5180MHz_TX




EUT Z_ANT Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1462G	59.09	74.00	-14.91	7.94	3	Horizontal	353	2.37	-
AV	5.15G	45.98	54.00	-8.02	7.94	3	Horizontal	353	2.37	-
PK	5.1754G	109.77	Inf	-Inf	8.01	3	Horizontal	353	2.37	-
AV	5.174G	96.66	Inf	-Inf	8.00	3	Horizontal	353	2.37	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5200MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	59.55	74.00	-14.45	7.94	3	Vertical	16	2.48	-
AV	5.15G	47.38	54.00	-6.62	7.94	3	Vertical	16	2.48	-
PK	5.2028G	122.79	Inf	-Inf	8.06	3	Vertical	16	2.48	-
AV	5.2008G	109.69	Inf	-Inf	8.06	3	Vertical	16	2.48	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5200MHz_TX




EUT Z_ANT Z_4TX
Setting 28
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1428G	58.78	74.00	-15.22	7.94	3	Horizontal	310	2.83	-
AV	5.1192G	45.74	54.00	-8.26	7.88	3	Horizontal	310	2.83	-
PK	5.1936G	112.87	Inf	-Inf	8.04	3	Horizontal	310	2.83	-
AV	5.1948G	101.00	Inf	-Inf	8.05	3	Horizontal	310	2.83	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5240MHz_TX




EUT Z_ANT_Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1392G	59.20	74.00	-14.80	7.93	3	Vertical	4	2.45	-
AV	5.1464G	46.52	54.00	-7.48	7.94	3	Vertical	4	2.45	-
PK	5.2436G	123.20	Inf	-Inf	8.12	3	Vertical	4	2.45	-
AV	5.2412G	110.07	Inf	-Inf	8.12	3	Vertical	4	2.45	-
PK	5.3546G	59.22	74.00	-14.78	8.28	3	Vertical	4	2.45	-
AV	5.3762G	46.47	54.00	-7.53	8.31	3	Vertical	4	2.45	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5240MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1062G	58.59	74.00	-15.41	7.86	3	Horizontal	72	2.41	-
AV	5.1476G	45.61	54.00	-8.39	7.94	3	Horizontal	72	2.41	-
PK	5.246G	113.29	Inf	-Inf	8.13	3	Horizontal	72	2.41	-
AV	5.2448G	102.98	Inf	-Inf	8.12	3	Horizontal	72	2.41	-
PK	5.3522G	57.57	74.00	-16.43	8.28	3	Horizontal	72	2.41	-
AV	5.3732G	45.61	54.00	-8.39	8.30	3	Horizontal	72	2.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5745MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	60.21	68.20	-7.99	8.66	3	Vertical	26	2.99	-
PK	5.745G	121.09	Inf	-Inf	8.82	3	Vertical	26	2.99	-
AV	5.741G	108.89	Inf	-Inf	8.80	3	Vertical	26	2.99	-
PK	5.943G	58.93	68.20	-9.27	8.94	3	Vertical	26	2.99	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5745MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.636G	58.61	68.20	-9.59	8.64	3	Horizontal	52	2.75	-
PK	5.745G	110.72	Inf	-Inf	8.82	3	Horizontal	52	2.75	-
AV	5.745G	99.10	Inf	-Inf	8.82	3	Horizontal	52	2.75	-
PK	5.985G	58.34	68.20	-9.86	8.93	3	Horizontal	52	2.75	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5785MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.592G	59.98	68.20	-8.22	8.58	3	Vertical	109	2.65	-
PK	5.783G	120.03	Inf	-Inf	8.88	3	Vertical	109	2.65	-
AV	5.782G	109.39	Inf	-Inf	8.88	3	Vertical	109	2.65	-
PK	5.929G	59.98	68.20	-8.22	8.93	3	Vertical	109	2.65	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5785MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.605G	58.27	68.20	-9.93	8.59	3	Horizontal	20	2.43	-
PK	5.78G	108.75	Inf	-Inf	8.87	3	Horizontal	20	2.43	-
AV	5.791G	96.03	Inf	-Inf	8.88	3	Horizontal	20	2.43	-
PK	5.934G	58.41	68.20	-9.79	8.93	3	Horizontal	20	2.43	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5825MHz_TX




EUT Z_ANT_Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.602G	58.88	68.20	-9.32	8.58	3	Vertical	80	2.33	-
PK	5.818G	120.48	Inf	-Inf	8.90	3	Vertical	80	2.33	-
AV	5.818G	108.80	Inf	-Inf	8.90	3	Vertical	80	2.33	-
PK	5.927G	59.73	68.20	-8.47	8.93	3	Vertical	80	2.33	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/07/2019

5825MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.581G	58.48	68.20	-9.72	8.57	3	Horizontal	86	2.20	-
PK	5.82G	109.52	Inf	-Inf	8.90	3	Horizontal	86	2.20	-
AV	5.818G	98.18	Inf	-Inf	8.90	3	Horizontal	86	2.20	-
PK	5.985G	58.60	68.20	-9.60	8.93	3	Horizontal	86	2.20	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5190MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1356G	68.19	74.00	-5.81	7.92	3	Vertical	8	2.72	-
AV	5.1488G	49.18	54.00	-4.82	7.94	3	Vertical	8	2.72	-
PK	5.1932G	118.40	Inf	-Inf	8.04	3	Vertical	8	2.72	-
AV	5.1932G	106.62	Inf	-Inf	8.04	3	Vertical	8	2.72	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

07/08/2019

5190MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	64.68	74.00	-9.32	7.94	3	Horizontal	63	2.37	-
AV	5.15G	46.55	54.00	-7.45	7.94	3	Horizontal	63	2.37	-
PK	5.1976G	108.64	Inf	-Inf	8.06	3	Horizontal	63	2.37	-
AV	5.1976G	96.94	Inf	-Inf	8.06	3	Horizontal	63	2.37	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5230MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	60.95	74.00	-13.05	7.94	3	Vertical	1	2.51	-
AV	5.15G	46.32	54.00	-7.68	7.94	3	Vertical	1	2.51	-
PK	5.2318G	118.59	Inf	-Inf	8.11	3	Vertical	1	2.51	-
AV	5.2306G	106.17	Inf	-Inf	8.11	3	Vertical	1	2.51	-
PK	5.3704G	58.39	74.00	-15.61	8.30	3	Vertical	1	2.51	-
AV	5.3572G	46.17	54.00	-7.83	8.28	3	Vertical	1	2.51	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5230MHz_TX




EUT Z_ANT_Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.14G	58.29	74.00	-15.71	7.93	3	Horizontal	2	2.47	-
AV	5.1412G	45.78	54.00	-8.22	7.94	3	Horizontal	2	2.47	-
PK	5.236G	113.15	Inf	-Inf	8.11	3	Horizontal	2	2.47	-
AV	5.2366G	101.54	Inf	-Inf	8.11	3	Horizontal	2	2.47	-
PK	5.3548G	58.39	74.00	-15.61	8.28	3	Horizontal	2	2.47	-
AV	5.3584G	45.55	54.00	-8.45	8.28	3	Horizontal	2	2.47	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5755MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.598G	60.51	68.20	-7.69	8.58	3	Vertical	23	2.95	-
PK	5.756G	119.71	Inf	-Inf	8.83	3	Vertical	23	2.95	-
AV	5.756G	107.15	Inf	-Inf	8.83	3	Vertical	23	2.95	-
PK	5.943G	58.61	68.20	-9.59	8.94	3	Vertical	23	2.95	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5755MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.615G	59.20	68.20	-9.00	8.61	3	Horizontal	39	2.25	-
PK	5.76G	110.19	Inf	-Inf	8.85	3	Horizontal	39	2.25	-
AV	5.737G	97.56	Inf	-Inf	8.81	3	Horizontal	39	2.25	-
PK	5.945G	58.62	68.20	-9.58	8.94	3	Horizontal	39	2.25	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5795MHz_TX




EUT Z_ANT Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	59.85	68.20	-8.35	8.66	3	Vertical	21	2.82	-
PK	5.79G	120.76	Inf	-Inf	8.88	3	Vertical	21	2.82	-
AV	5.791G	107.90	Inf	-Inf	8.88	3	Vertical	21	2.82	-
PK	5.971G	59.40	68.20	-8.80	8.93	3	Vertical	21	2.82	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/07/2019

5795MHz_TX




EUT Z_ANT_Z_4TX
 Setting 28
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.607G	58.81	68.20	-9.39	8.59	3	Horizontal	32	2.17	-
PK	5.797G	109.46	Inf	-Inf	8.90	3	Horizontal	32	2.17	-
AV	5.796G	97.35	Inf	-Inf	8.89	3	Horizontal	32	2.17	-
PK	5.936G	58.12	68.20	-10.08	8.93	3	Horizontal	32	2.17	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5210MHz_TX




EUT Z_ANT Z_4TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.137G	65.45	74.00	-8.55	7.92	3	Vertical	131	2.56	-
AV	5.15G	50.62	54.00	-3.38	7.94	3	Vertical	131	2.56	-
PK	5.218G	114.67	Inf	-Inf	8.09	3	Vertical	131	2.56	-
AV	5.216G	103.10	Inf	-Inf	8.08	3	Vertical	131	2.56	-
PK	5.388G	59.47	74.00	-14.53	8.33	3	Vertical	131	2.56	-
AV	5.35G	46.63	54.00	-7.37	8.28	3	Vertical	131	2.56	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/07/2019

5210MHz_TX



EUT Z_ANT Z_4TX
 Setting 27
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.142G	59.37	74.00	-14.63	7.94	3	Horizontal	7	2.47	-
AV	5.149G	47.56	54.00	-6.44	7.94	3	Horizontal	7	2.47	-
PK	5.194G	108.62	Inf	-Inf	8.04	3	Horizontal	7	2.47	-
AV	5.236G	95.95	Inf	-Inf	8.11	3	Horizontal	7	2.47	-
PK	5.442G	58.05	74.00	-15.95	8.41	3	Horizontal	7	2.47	-
AV	5.351G	45.57	54.00	-8.43	8.28	3	Horizontal	7	2.47	-