


### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/07/2019

### 5230MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.69198G	54.94	74.00	-19.06	15.67	3	Vertical	99	1.55	-
AV	15.68526G	40.33	54.00	-13.67	15.69	3	Vertical	99	1.55	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/07/2019

### 5230MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.6942G	54.64	74.00	-19.36	15.67	3	Horizontal	256	2.11	-
AV	15.68692G	40.31	54.00	-13.69	15.69	3	Horizontal	256	2.11	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/07/2019

### 5755MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51268G	53.85	74.00	-20.15	14.92	3	Vertical	336	2.35	-
AV	11.50864G	39.18	54.00	-14.82	14.92	3	Vertical	336	2.35	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/07/2019

### 5755MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5062G	53.05	74.00	-20.95	14.91	3	Horizontal	132	1.27	-
AV	11.5121G	39.19	54.00	-14.81	14.92	3	Horizontal	132	1.27	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/07/2019

### 5795MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59304G	53.49	74.00	-20.51	15.02	3	Vertical	183	2.41	-
AV	11.5977G	39.44	54.00	-14.56	15.02	3	Vertical	183	2.41	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/07/2019

### 5795MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59708G	53.49	74.00	-20.51	15.04	3	Horizontal	158	1.63	-
AV	11.59342G	39.49	54.00	-14.51	15.02	3	Horizontal	158	1.63	-

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT\_Z\_4TX  
Setting 21  
04-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43302G	54.72	68.20	-13.48	40.63	3	Vertical	246	1.52	-	38.97	8.13	33.01
PK	15.6246G	59.74	74.00	-14.26	45.01	3	Vertical	275	2.05	-	38.35	10.17	33.79
AV	15.63042G	46.34	54.00	-7.66	31.62	3	Vertical	275	2.05	-	38.34	10.17	33.79

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX



EUT\_Z\_4TX  
Setting 21  
04-C-P-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4293G	54.95	68.20	-13.25	40.87	3	Horizontal	160	2.80	-	38.96	8.13	33.01
PK	15.62652G	60.21	74.00	-13.79	45.48	3	Horizontal	14	1.91	-	38.35	10.17	33.79
AV	15.62772G	46.41	54.00	-7.59	31.69	3	Horizontal	14	1.91	-	38.34	10.17	33.79



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

06/07/2019

### 5775MHz\_TX




EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54624G	53.58	74.00	-20.42	14.97	3	Vertical	182	2.38	-
AV	11.55294G	39.30	54.00	-14.70	14.97	3	Vertical	182	2.38	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

06/07/2019

### 5775MHz\_TX



EUT Z\_4TX  
Setting 27  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54526G	53.21	74.00	-20.79	14.97	3	Horizontal	43	1.92	-
AV	11.54734G	39.26	54.00	-14.74	14.97	3	Horizontal	43	1.92	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	15.53858G	42.02	54.00	-11.98	16.08	3	Vertical	181	2.17	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5180MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53888G	55.48	74.00	-18.52	16.08	3	Vertical	181	2.17	-
AV	15.53858G	42.02	54.00	-11.98	16.08	3	Vertical	181	2.17	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5180MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.54304G	55.29	74.00	-18.71	16.07	3	Horizontal	161	2.14	-
AV	15.5358G	42.00	54.00	-12.00	16.09	3	Horizontal	161	2.14	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5200MHz\_TX




EUT Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.6046G	55.44	74.00	-18.56	15.90	3	Vertical	199	1.93	-
AV	15.6017G	41.95	54.00	-12.05	15.91	3	Vertical	199	1.93	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5200MHz\_TX




EUT Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60388G	55.72	74.00	-18.28	15.90	3	Horizontal	180	2.10	-
AV	15.60222G	41.82	54.00	-12.18	15.90	3	Horizontal	180	2.10	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5240MHz\_TX



EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72062G	55.15	74.00	-18.85	15.60	3	Vertical	340	1.02	-
AV	15.71872G	41.74	54.00	-12.26	15.61	3	Vertical	340	1.02	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5240MHz\_TX




EUT Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72252G	55.54	74.00	-18.46	15.59	3	Horizontal	132	2.09	-
AV	15.71832G	41.87	54.00	-12.13	15.61	3	Horizontal	132	2.09	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5745MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4877G	53.85	74.00	-20.15	14.89	3	Vertical	351	1.25	-
AV	11.48984G	40.35	54.00	-13.65	14.89	3	Vertical	351	1.25	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5745MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49158G	53.90	74.00	-20.10	14.89	3	Horizontal	69	1.57	-
AV	11.4893G	40.29	54.00	-13.71	14.89	3	Horizontal	69	1.57	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5785MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56914G	54.90	74.00	-19.10	15.00	3	Vertical	271	2.46	-
AV	11.56986G	40.59	54.00	-13.41	15.00	3	Vertical	271	2.46	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

5785MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56972G	54.01	74.00	-19.99	15.00	3	Horizontal	172	1.81	-
AV	11.56776G	40.59	54.00	-13.41	14.99	3	Horizontal	172	1.81	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5825MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65174G	54.21	74.00	-19.79	15.10	3	Vertical	307	2.11	-
AV	11.64908G	40.66	54.00	-13.34	15.09	3	Vertical	307	2.11	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5825MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64614G	54.15	74.00	-19.85	15.09	3	Horizontal	168	1.82	-
AV	11.64936G	40.67	54.00	-13.33	15.09	3	Horizontal	168	1.82	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5190MHz\_TX



EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.57134G	55.44	74.00	-18.56	15.99	3	Vertical	287	2.16	-
AV	15.57346G	41.69	54.00	-12.31	15.99	3	Vertical	287	2.16	-



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5190MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56768G	55.25	74.00	-18.75	16.00	3	Horizontal	75	2.13	-
AV	15.57448G	41.63	54.00	-12.37	15.98	3	Horizontal	75	2.13	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5230MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.69474G	55.13	74.00	-18.87	15.67	3	Vertical	40	1.36	-
AV	15.69406G	41.65	54.00	-12.35	15.67	3	Vertical	40	1.36	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5230MHz\_TX




EUT Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.695G	55.12	74.00	-18.88	15.66	3	Horizontal	153	2.01	-
AV	15.68692G	41.55	54.00	-12.45	15.69	3	Horizontal	153	2.01	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5755MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.50636G	54.27	74.00	-19.73	14.92	3	Vertical	78	1.96	-
AV	11.50862G	40.47	54.00	-13.53	14.92	3	Vertical	78	1.96	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5755MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51036G	53.78	74.00	-20.22	14.92	3	Horizontal	272	2.43	-
AV	11.50872G	40.49	54.00	-13.51	14.92	3	Horizontal	272	2.43	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

5795MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59486G	54.61	74.00	-19.39	15.04	3	Vertical	337	2.08	-
AV	11.58958G	40.70	54.00	-13.30	15.02	3	Vertical	337	2.08	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5795MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58762G	54.44	74.00	-19.56	15.02	3	Horizontal	331	1.72	-
AV	11.58714G	40.68	54.00	-13.32	15.02	3	Horizontal	331	1.72	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5210MHz\_TX



EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.63056G	54.99	74.00	-19.01	15.83	3	Vertical	231	2.08	-
AV	15.62882G	41.55	54.00	-12.45	15.84	3	Vertical	231	2.08	-



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5210MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.6307G	55.56	74.00	-18.44	15.83	3	Horizontal	210	1.84	-
AV	15.62698G	41.65	54.00	-12.35	15.84	3	Horizontal	210	1.84	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5775MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54898G	54.13	74.00	-19.87	14.97	3	Vertical	359	2.29	-
AV	11.552G	40.31	54.00	-13.69	14.97	3	Vertical	359	2.29	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5775MHz\_TX



EUT\_Z\_4TX  
Setting 28  
02-G-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55404G	54.20	74.00	-19.80	14.97	3	Horizontal	216	1.65	-
AV	11.5494G	40.50	54.00	-13.50	14.97	3	Horizontal	216	1.65	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.647G	67.58	68.20	-0.62	8.67	3	Vertical	226	1.93	-

### 802.11a\_Nss1,(6Mbps)\_1TX

08/07/2019

### 5180MHz\_TX




EUT\_Z\_1TX  
Setting 24.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1498G	66.43	74.00	-7.57	7.94	3	Vertical	218	2.20	-
AV	5.1496G	52.48	54.00	-1.52	7.94	3	Vertical	218	2.20	-
PK	5.1824G	116.57	Inf	-Inf	8.02	3	Vertical	218	2.20	-
AV	5.1766G	105.41	Inf	-Inf	8.01	3	Vertical	218	2.20	-

### 802.11a\_Nss1,(6Mbps)\_1TX

08/07/2019

### 5200MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	61.09	74.00	-12.91	7.94	3	Vertical	171	2.02	-
AV	5.15G	48.69	54.00	-5.31	7.94	3	Vertical	171	2.02	-
PK	5.2028G	117.13	Inf	-Inf	8.06	3	Vertical	171	2.02	-
AV	5.2032G	107.01	Inf	-Inf	8.06	3	Vertical	171	2.02	-

### 802.11a\_Nss1,(6Mbps)\_1TX

08/07/2019

### 5240MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1206G	59.27	74.00	-14.73	7.88	3	Vertical	322	2.13	-
AV	5.1434G	45.82	54.00	-8.18	7.94	3	Vertical	322	2.13	-
PK	5.2436G	119.29	Inf	-Inf	8.12	3	Vertical	322	2.13	-
AV	5.243G	109.16	Inf	-Inf	8.12	3	Vertical	322	2.13	-
PK	5.3612G	60.35	74.00	-13.65	8.29	3	Vertical	322	2.13	-
AV	5.3594G	46.02	54.00	-7.98	8.29	3	Vertical	322	2.13	-

### 802.11a\_Nss1,(6Mbps)\_1TX

08/07/2019

### 5745MHz\_TX



EUT\_Z\_1TX  
Setting 27  
02-G-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.625G	61.70	68.20	-6.50	8.63	3	Vertical	229	2.01	-
PK	5.742G	117.40	Inf	-Inf	8.81	3	Vertical	229	2.01	-
AV	5.748G	107.23	Inf	-Inf	8.82	3	Vertical	229	2.01	-
PK	5.97G	59.26	68.20	-8.94	8.93	3	Vertical	229	2.01	-



### 802.11a\_Nss1,(6Mbps)\_1TX

08/07/2019

### 5785MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.626G	59.66	68.20	-8.54	8.63	3	Vertical	226	1.92	-
PK	5.788G	117.33	Inf	-Inf	8.87	3	Vertical	226	1.92	-
AV	5.788G	107.26	Inf	-Inf	8.87	3	Vertical	226	1.92	-
PK	5.942G	59.74	68.20	-8.46	8.94	3	Vertical	226	1.92	-

### 802.11a\_Nss1,(6Mbps)\_1TX

08/07/2019

### 5825MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.577G	59.58	68.20	-8.62	8.57	3	Vertical	225	2.02	-
PK	5.828G	117.97	Inf	-Inf	8.91	3	Vertical	225	2.02	-
AV	5.828G	107.90	Inf	-Inf	8.91	3	Vertical	225	2.02	-
PK	5.944G	59.53	68.20	-8.67	8.94	3	Vertical	225	2.02	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

08/07/2019

### 5180MHz\_TX




EUT\_Z\_1TX  
 Setting 24.5  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1486G	66.68	74.00	-7.32	7.94	3	Vertical	221	1.97	-
AV	5.1498G	52.60	54.00	-1.40	7.94	3	Vertical	221	1.97	-
PK	5.1858G	117.84	Inf	-Inf	8.03	3	Vertical	221	1.97	-
AV	5.1828G	104.57	Inf	-Inf	8.02	3	Vertical	221	1.97	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

08/07/2019

### 5200MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	63.86	74.00	-10.14	7.94	3	Vertical	195	1.91	-
AV	5.15G	50.08	54.00	-3.92	7.94	3	Vertical	195	1.91	-
PK	5.2008G	118.97	Inf	-Inf	8.06	3	Vertical	195	1.91	-
AV	5.202G	106.33	Inf	-Inf	8.06	3	Vertical	195	1.91	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

08/07/2019

5240MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1128G	58.40	74.00	-15.60	7.86	3	Vertical	44	2.06	-
AV	5.1026G	45.40	54.00	-8.60	7.84	3	Vertical	44	2.06	-
PK	5.2388G	120.85	Inf	-Inf	8.12	3	Vertical	44	2.06	-
AV	5.2412G	107.18	Inf	-Inf	8.12	3	Vertical	44	2.06	-
PK	5.3732G	58.30	74.00	-15.70	8.30	3	Vertical	44	2.06	-
AV	5.387G	45.62	54.00	-8.38	8.33	3	Vertical	44	2.06	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

08/07/2019

### 5745MHz\_TX




EUT\_Z\_1TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.626G	60.08	68.20	-8.12	8.63	3	Vertical	229	2.04	-
PK	5.749G	118.80	Inf	-Inf	8.82	3	Vertical	229	2.04	-
AV	5.748G	106.49	Inf	-Inf	8.82	3	Vertical	229	2.04	-
PK	5.977G	59.10	68.20	-9.10	8.94	3	Vertical	229	2.04	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

08/07/2019

### 5785MHz\_TX




EUT Z\_1TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.586G	59.46	68.20	-8.74	8.57	3	Vertical	225	1.85	-
PK	5.787G	118.89	Inf	-Inf	8.88	3	Vertical	225	1.85	-
AV	5.786G	106.28	Inf	-Inf	8.88	3	Vertical	225	1.85	-
PK	5.959G	58.73	68.20	-9.47	8.93	3	Vertical	225	1.85	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

08/07/2019

5825MHz\_TX



EUT\_Z\_1TX  
Setting 27  
02-G-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.627G	58.96	68.20	-9.24	8.63	3	Vertical	226	1.91	-
PK	5.828G	119.74	Inf	-Inf	8.91	3	Vertical	226	1.91	-
AV	5.828G	106.34	Inf	-Inf	8.91	3	Vertical	226	1.91	-
PK	5.947G	61.80	68.20	-6.40	8.94	3	Vertical	226	1.91	-



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

08/07/2019

### 5190MHz\_TX




EUT\_Z\_1TX  
Setting 22.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.77	74.00	-7.23	7.94	3	Vertical	162	2.24	-
AV	5.15G	52.49	54.00	-1.51	7.94	3	Vertical	162	2.24	-
PK	5.1968G	114.12	Inf	-Inf	8.06	3	Vertical	162	2.24	-
AV	5.192G	100.88	Inf	-Inf	8.04	3	Vertical	162	2.24	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

08/07/2019

### 5230MHz\_TX




EUT\_Z\_1TX  
Setting 26.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	66.36	74.00	-7.64	7.94	3	Vertical	35	2.09	-
AV	5.15G	52.68	54.00	-1.32	7.94	3	Vertical	35	2.09	-
PK	5.2348G	117.26	Inf	-Inf	8.11	3	Vertical	35	2.09	-
AV	5.2378G	104.55	Inf	-Inf	8.12	3	Vertical	35	2.09	-
PK	5.35G	62.14	74.00	-11.86	8.28	3	Vertical	35	2.09	-
AV	5.3524G	46.97	54.00	-7.03	8.28	3	Vertical	35	2.09	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

08/07/2019

5755MHz\_TX




EUT Z\_1TX  
Setting 26  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	67.58	68.20	-0.62	8.67	3	Vertical	226	1.93	-
PK	5.754G	117.24	Inf	-Inf	8.83	3	Vertical	226	1.93	-
AV	5.76G	104.18	Inf	-Inf	8.85	3	Vertical	226	1.93	-
PK	5.958G	59.64	68.20	-8.56	8.92	3	Vertical	226	1.93	-

802.11ax HEW40\_Nss1,(MCS0)\_1TX

08/07/2019

5795MHz\_TX




EUT\_Z\_1TX  
 Setting 26.5  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	62.22	68.20	-5.98	8.66	3	Vertical	172	2.02	-
PK	5.808G	118.28	Inf	-Inf	8.90	3	Vertical	172	2.02	-
AV	5.791G	105.00	Inf	-Inf	8.88	3	Vertical	172	2.02	-
PK	5.923G	67.80	69.68	-1.88	8.92	3	Vertical	172	2.02	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

08/07/2019

### 5210MHz\_TX




EUT Z\_1TX  
Setting 22.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	69.58	74.00	-4.42	7.94	3	Vertical	315	1.94	-
AV	5.15G	53.11	54.00	-0.89	7.94	3	Vertical	315	1.94	-
PK	5.224G	110.36	Inf	-Inf	8.10	3	Vertical	315	1.94	-
AV	5.226G	97.41	Inf	-Inf	8.10	3	Vertical	315	1.94	-
PK	5.433G	59.13	74.00	-14.87	8.40	3	Vertical	315	1.94	-
AV	5.35G	46.06	54.00	-7.94	8.28	3	Vertical	315	1.94	-

802.11ax HEW80\_Nss1,(MCS0)\_1TX

08/07/2019

5775MHz\_TX



EUT\_Z\_1TX  
Setting 24  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	67.49	68.20	-0.71	8.66	3	Vertical	193	2.02	-
PK	5.773G	111.80	Inf	-Inf	8.85	3	Vertical	193	2.02	-
AV	5.768G	98.79	Inf	-Inf	8.85	3	Vertical	193	2.02	-
PK	5.927G	63.97	68.20	-4.23	8.93	3	Vertical	193	2.02	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.145G	53.83	54.00	-0.17	7.94	3	Vertical	308	2.16	-

### 802.11a\_Nss1,(6Mbps)\_2TX

07/07/2019

### 5180MHz\_TX



EUT\_Z\_2TX  
Setting 24.5  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1468G	66.02	74.00	-7.98	7.94	3	Vertical	33	2.16	-
AV	5.1468G	53.14	54.00	-0.86	7.94	3	Vertical	33	2.16	-
PK	5.1768G	120.65	Inf	-Inf	8.01	3	Vertical	33	2.16	-
AV	5.1768G	110.43	Inf	-Inf	8.01	3	Vertical	33	2.16	-



### 802.11a\_Nss1,(6Mbps)\_2TX

07/07/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	63.12	74.00	-10.88	7.94	3	Vertical	345	2.06	-
AV	5.1496G	49.86	54.00	-4.14	7.94	3	Vertical	345	2.06	-
PK	5.2028G	121.47	Inf	-Inf	8.06	3	Vertical	345	2.06	-
AV	5.2032G	111.70	Inf	-Inf	8.06	3	Vertical	345	2.06	-

### 802.11a\_Nss1,(6Mbps)\_2TX

07/07/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	58.72	74.00	-15.28	7.94	3	Vertical	38	1.87	-
AV	5.141G	46.29	54.00	-7.71	7.94	3	Vertical	38	1.87	-
PK	5.2406G	122.68	Inf	-Inf	8.12	3	Vertical	38	1.87	-
AV	5.2412G	113.18	Inf	-Inf	8.12	3	Vertical	38	1.87	-
PK	5.3588G	59.37	74.00	-14.63	8.28	3	Vertical	38	1.87	-
AV	5.3618G	46.12	54.00	-7.88	8.29	3	Vertical	38	1.87	-

### 802.11a\_Nss1,(6Mbps)\_2TX

07/07/2019

### 5745MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.639G	58.90	68.20	-9.30	8.64	3	Vertical	355	2.02	-
PK	5.747G	121.89	Inf	-Inf	8.82	3	Vertical	355	2.02	-
AV	5.752G	111.55	Inf	-Inf	8.83	3	Vertical	355	2.02	-
PK	5.93G	59.70	68.20	-8.50	8.93	3	Vertical	355	2.02	-

### 802.11a\_Nss1,(6Mbps)\_2TX

07/07/2019

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.599G	59.03	68.20	-9.17	8.58	3	Vertical	333	2.03	-
PK	5.78G	121.36	Inf	-Inf	8.87	3	Vertical	333	2.03	-
AV	5.78G	111.73	Inf	-Inf	8.87	3	Vertical	333	2.03	-
PK	5.936G	59.94	68.20	-8.26	8.93	3	Vertical	333	2.03	-

### 802.11a\_Nss1,(6Mbps)\_2TX

07/07/2019

### 5825MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.625G	58.76	68.20	-9.44	8.63	3	Vertical	335	1.93	-
PK	5.827G	121.94	Inf	-Inf	8.91	3	Vertical	335	1.93	-
AV	5.828G	112.12	Inf	-Inf	8.91	3	Vertical	335	1.93	-
PK	5.946G	60.26	68.20	-7.94	8.94	3	Vertical	335	1.93	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

07/07/2019

### 5180MHz\_TX




EUT\_Z\_2TX  
 Setting 24.5  
 02-J-5-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	67.97	74.00	-6.03	7.94	3	Vertical	316	1.91	-
AV	5.146G	53.75	54.00	-0.25	7.94	3	Vertical	316	1.91	-
PK	5.1852G	122.70	Inf	-Inf	8.03	3	Vertical	316	1.91	-
AV	5.1844G	110.02	Inf	-Inf	8.03	3	Vertical	316	1.91	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

07/07/2019

5200MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	65.36	74.00	-8.64	7.94	3	Vertical	34	1.95	-
AV	5.1496G	51.21	54.00	-2.79	7.94	3	Vertical	34	1.95	-
PK	5.204G	124.75	Inf	-Inf	8.06	3	Vertical	34	1.95	-
AV	5.2036G	111.78	Inf	-Inf	8.06	3	Vertical	34	1.95	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

07/07/2019

### 5240MHz\_TX



EUT\_Z\_2TX  
Setting 27  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1482G	58.79	74.00	-15.21	7.94	3	Vertical	314	1.96	-
AV	5.1488G	45.98	54.00	-8.02	7.94	3	Vertical	314	1.96	-
PK	5.2364G	125.56	Inf	-Inf	8.11	3	Vertical	314	1.96	-
AV	5.2382G	112.07	Inf	-Inf	8.12	3	Vertical	314	1.96	-
PK	5.3642G	58.69	74.00	-15.31	8.29	3	Vertical	314	1.96	-
AV	5.3504G	46.10	54.00	-7.90	8.28	3	Vertical	314	1.96	-



802.11ax HEW20\_Nss1,(MCS0)\_2TX

07/07/2019

5745MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	60.12	68.20	-8.08	8.66	3	Vertical	216	1.95	-
PK	5.747G	124.38	Inf	-Inf	8.82	3	Vertical	216	1.95	-
AV	5.749G	111.38	Inf	-Inf	8.82	3	Vertical	216	1.95	-
PK	5.939G	60.22	68.20	-7.98	8.93	3	Vertical	216	1.95	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

07/07/2019

5785MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.59G	59.07	68.20	-9.13	8.57	3	Vertical	20	2.02	-
PK	5.791G	123.03	Inf	-Inf	8.88	3	Vertical	20	2.02	-
AV	5.781G	110.82	Inf	-Inf	8.88	3	Vertical	20	2.02	-
PK	5.954G	59.33	68.20	-8.87	8.92	3	Vertical	20	2.02	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

07/07/2019

5825MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	58.95	68.20	-9.25	8.66	3	Vertical	12	1.99	-
PK	5.827G	123.85	Inf	-Inf	8.91	3	Vertical	12	1.99	-
AV	5.826G	111.07	Inf	-Inf	8.91	3	Vertical	12	1.99	-
PK	5.925G	59.01	68.20	-9.19	8.93	3	Vertical	12	1.99	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

08/07/2019

### 5190MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	67.72	74.00	-6.28	7.94	3	Vertical	38	2.09	-
AV	5.148G	53.52	54.00	-0.48	7.94	3	Vertical	38	2.09	-
PK	5.1864G	118.05	Inf	-Inf	8.04	3	Vertical	38	2.09	-
AV	5.196G	105.45	Inf	-Inf	8.06	3	Vertical	38	2.09	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

08/07/2019

### 5230MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	67.07	74.00	-6.93	7.94	3	Vertical	311	1.96	-
AV	5.146G	52.13	54.00	-1.87	7.94	3	Vertical	311	1.96	-
PK	5.2324G	121.83	Inf	-Inf	8.11	3	Vertical	311	1.96	-
AV	5.2342G	108.93	Inf	-Inf	8.11	3	Vertical	311	1.96	-
PK	5.3506G	63.16	74.00	-10.84	8.28	3	Vertical	311	1.96	-
AV	5.353G	47.47	54.00	-6.53	8.28	3	Vertical	311	1.96	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

08/07/2019

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 25.5  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	66.77	68.20	-1.43	8.67	3	Vertical	197	1.93	-
PK	5.758G	119.49	Inf	-Inf	8.84	3	Vertical	197	1.93	-
AV	5.749G	107.41	Inf	-Inf	8.82	3	Vertical	197	1.93	-
PK	5.934G	59.99	68.20	-8.21	8.93	3	Vertical	197	1.93	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

08/07/2019

5795MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	60.88	68.20	-7.32	8.65	3	Vertical	39	2.66	-
PK	5.791G	121.15	Inf	-Inf	8.88	3	Vertical	39	2.66	-
AV	5.79G	109.15	Inf	-Inf	8.88	3	Vertical	39	2.66	-
PK	5.928G	66.85	68.20	-1.35	8.93	3	Vertical	39	2.66	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

08/07/2019

5210MHz\_TX



EUT Z\_2TX  
Setting 22  
02-G-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.143G	68.89	74.00	-5.11	7.94	3	Vertical	308	2.16	-
AV	5.145G	53.83	54.00	-0.17	7.94	3	Vertical	308	2.16	-
PK	5.204G	114.90	Inf	-Inf	8.06	3	Vertical	308	2.16	-
AV	5.204G	102.02	Inf	-Inf	8.06	3	Vertical	308	2.16	-
PK	5.354G	58.93	74.00	-15.07	8.28	3	Vertical	308	2.16	-
AV	5.353G	46.91	54.00	-7.09	8.28	3	Vertical	308	2.16	-



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

08/07/2019

### 5775MHz\_TX



EUT\_Z\_2TX  
Setting 23  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.64G	67.33	68.20	-0.87	8.65	3	Vertical	174	2.03	-
PK	5.768G	116.44	Inf	-Inf	8.85	3	Vertical	174	2.03	-
AV	5.778G	104.14	Inf	-Inf	8.87	3	Vertical	174	2.03	-
PK	5.928G	63.37	68.20	-4.83	8.93	3	Vertical	174	2.03	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.51	54.00	-0.49	7.94	3	Vertical	313	1.86	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/07/2019

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1498G	63.13	74.00	-10.87	7.94	3	Vertical	29	2.02	-
AV	5.1498G	49.26	54.00	-4.74	7.94	3	Vertical	29	2.02	-
PK	5.1792G	119.86	Inf	-Inf	8.02	3	Vertical	29	2.02	-
AV	5.1814G	107.14	Inf	-Inf	8.02	3	Vertical	29	2.02	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/07/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	59.01	74.00	-14.99	7.94	3	Vertical	322	2.19	-
AV	5.1496G	46.63	54.00	-7.37	7.94	3	Vertical	322	2.19	-
PK	5.1944G	120.88	Inf	-Inf	8.04	3	Vertical	322	2.19	-
AV	5.1968G	107.68	Inf	-Inf	8.06	3	Vertical	322	2.19	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/07/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	58.74	74.00	-15.26	7.94	3	Vertical	312	1.51	-
AV	5.0912G	45.91	54.00	-8.09	7.82	3	Vertical	312	1.51	-
PK	5.2424G	119.40	Inf	-Inf	8.12	3	Vertical	312	1.51	-
AV	5.2412G	107.41	Inf	-Inf	8.12	3	Vertical	312	1.51	-
PK	5.3552G	58.34	74.00	-15.66	8.28	3	Vertical	312	1.51	-
AV	5.3648G	45.94	54.00	-8.06	8.29	3	Vertical	312	1.51	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/07/2019

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 25  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	59.83	68.20	-8.37	8.67	3	Vertical	25	2.06	-
PK	5.744G	121.60	Inf	-Inf	8.82	3	Vertical	25	2.06	-
AV	5.743G	109.13	Inf	-Inf	8.82	3	Vertical	25	2.06	-
PK	5.935G	58.83	68.20	-9.37	8.93	3	Vertical	25	2.06	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/07/2019

5785MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	59.72	68.20	-8.48	8.66	3	Vertical	300	1.91	-
PK	5.786G	120.84	Inf	-Inf	8.88	3	Vertical	300	1.91	-
AV	5.787G	108.91	Inf	-Inf	8.88	3	Vertical	300	1.91	-
PK	5.947G	59.37	68.20	-8.83	8.94	3	Vertical	300	1.91	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/07/2019

5825MHz\_TX



EUT\_Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.633G	58.72	68.20	-9.48	8.64	3	Vertical	20	1.99	-
PK	5.822G	119.43	Inf	-Inf	8.90	3	Vertical	20	1.99	-
AV	5.819G	108.41	Inf	-Inf	8.90	3	Vertical	20	1.99	-
PK	5.962G	59.39	68.20	-8.81	8.93	3	Vertical	20	1.99	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/07/2019

5190MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1384G	73.37	74.00	-0.63	7.92	3	Vertical	313	1.86	-
AV	5.15G	53.51	54.00	-0.49	7.94	3	Vertical	313	1.86	-
PK	5.2032G	118.06	Inf	-Inf	8.06	3	Vertical	313	1.86	-
AV	5.1984G	106.54	Inf	-Inf	8.06	3	Vertical	313	1.86	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/07/2019

### 5230MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1094G	58.47	74.00	-15.53	7.86	3	Vertical	318	2.08	-
AV	5.1466G	46.23	54.00	-7.77	7.94	3	Vertical	318	2.08	-
PK	5.227G	117.44	Inf	-Inf	8.10	3	Vertical	318	2.08	-
AV	5.2264G	106.60	Inf	-Inf	8.10	3	Vertical	318	2.08	-
PK	5.3506G	59.83	74.00	-14.17	8.28	3	Vertical	318	2.08	-
AV	5.3578G	46.18	54.00	-7.82	8.28	3	Vertical	318	2.08	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/07/2019

5755MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.64G	60.04	68.20	-8.16	8.65	3	Vertical	178	2.61	-
PK	5.751G	118.57	Inf	-Inf	8.83	3	Vertical	178	2.61	-
AV	5.751G	106.08	Inf	-Inf	8.83	3	Vertical	178	2.61	-
PK	5.987G	58.94	68.20	-9.26	8.93	3	Vertical	178	2.61	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/07/2019

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 25  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.586G	60.30	68.20	-7.90	8.57	3	Vertical	201	2.93	-
PK	5.797G	118.20	Inf	-Inf	8.90	3	Vertical	201	2.93	-
AV	5.796G	106.37	Inf	-Inf	8.89	3	Vertical	201	2.93	-
PK	5.925G	59.03	68.20	-9.17	8.93	3	Vertical	201	2.93	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

13/07/2019

### 5210MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.091G	66.63	74.00	-7.37	7.82	3	Vertical	351	2.22	-
AV	5.137G	52.42	54.00	-1.58	7.92	3	Vertical	351	2.22	-
PK	5.233G	114.44	Inf	-Inf	8.11	3	Vertical	351	2.22	-
AV	5.201G	106.13	Inf	-Inf	8.06	3	Vertical	351	2.22	-
PK	5.359G	60.65	74.00	-13.35	8.28	3	Vertical	351	2.22	-
AV	5.352G	47.54	54.00	-6.46	8.28	3	Vertical	351	2.22	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

13/07/2019

### 5775MHz\_TX



EUT Z\_2TX  
Setting 25  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.646G	67.38	68.20	-0.82	8.66	3	Vertical	163	2.18	-
PK	5.746G	120.12	Inf	-Inf	8.82	3	Vertical	163	2.18	-
AV	5.74G	106.62	Inf	-Inf	8.80	3	Vertical	163	2.18	-
PK	5.931G	64.08	68.20	-4.12	8.93	3	Vertical	163	2.18	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.99	54.00	-0.01	7.94	3	Vertical	162	2.05	-

### 802.11a\_Nss1,(6Mbps)\_4TX

06/07/2019

### 5180MHz\_TX



EUT\_Z\_4TX  
Setting 22  
02-G-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	67.66	74.00	-6.34	7.94	3	Vertical	187	2.55	-
AV	5.1476G	53.92	54.00	-0.08	7.94	3	Vertical	187	2.55	-
PK	5.187G	122.14	Inf	-Inf	8.04	3	Vertical	187	2.55	-
AV	5.1872G	112.50	Inf	-Inf	8.04	3	Vertical	187	2.55	-



### 802.11a\_Nss1,(6Mbps)\_4TX

06/07/2019

### 5200MHz\_TX




EUT\_Z\_4TX  
Setting 26  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1368G	66.70	74.00	-7.30	7.92	3	Vertical	186	2.18	-
AV	5.1496G	51.88	54.00	-2.12	7.94	3	Vertical	186	2.18	-
PK	5.1964G	128.19	Inf	-Inf	8.06	3	Vertical	186	2.18	-
AV	5.1968G	118.10	Inf	-Inf	8.06	3	Vertical	186	2.18	-

### 802.11a\_Nss1,(6Mbps)\_4TX

06/07/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1482G	61.75	74.00	-12.25	7.94	3	Vertical	138	2.00	-
AV	5.147G	47.44	54.00	-6.56	7.94	3	Vertical	138	2.00	-
PK	5.243G	128.85	Inf	-Inf	8.12	3	Vertical	138	2.00	-
AV	5.243G	118.76	Inf	-Inf	8.12	3	Vertical	138	2.00	-
PK	5.3612G	59.52	74.00	-14.48	8.29	3	Vertical	138	2.00	-
AV	5.3804G	47.05	54.00	-6.95	8.32	3	Vertical	138	2.00	-

### 802.11a\_Nss1,(6Mbps)\_4TX

06/07/2019

### 5745MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	62.26	68.20	-5.94	8.66	3	Vertical	153	2.11	-
PK	5.742G	128.21	Inf	-Inf	8.81	3	Vertical	153	2.11	-
AV	5.742G	118.06	Inf	-Inf	8.81	3	Vertical	153	2.11	-
PK	5.942G	60.43	68.20	-7.77	8.94	3	Vertical	153	2.11	-

### 802.11a\_Nss1,(6Mbps)\_4TX

06/07/2019

### 5785MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.587G	60.83	68.20	-7.37	8.57	3	Vertical	175	2.13	-
PK	5.778G	127.54	Inf	-Inf	8.87	3	Vertical	175	2.13	-
AV	5.778G	118.14	Inf	-Inf	8.87	3	Vertical	175	2.13	-
PK	5.974G	60.45	68.20	-7.75	8.93	3	Vertical	175	2.13	-

### 802.11a\_Nss1,(6Mbps)\_4TX

06/07/2019

### 5825MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.633G	60.45	68.20	-7.75	8.64	3	Vertical	161	2.05	-
PK	5.818G	127.87	Inf	-Inf	8.90	3	Vertical	161	2.05	-
AV	5.818G	117.82	Inf	-Inf	8.90	3	Vertical	161	2.05	-
PK	5.944G	60.48	68.20	-7.72	8.94	3	Vertical	161	2.05	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/07/2019

5180MHz\_TX




EUT\_Z\_4TX  
 Setting 23.5  
 02-J-5-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	67.08	74.00	-6.92	7.94	3	Vertical	190	2.10	-
AV	5.1488G	52.81	54.00	-1.19	7.94	3	Vertical	190	2.10	-
PK	5.1768G	126.83	Inf	-Inf	8.01	3	Vertical	190	2.10	-
AV	5.1764G	114.10	Inf	-Inf	8.01	3	Vertical	190	2.10	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/07/2019

### 5200MHz\_TX




EUT\_Z\_4TX  
Setting 26  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.144G	68.43	74.00	-5.57	7.94	3	Vertical	160	1.95	-
AV	5.1444G	53.84	54.00	-0.16	7.94	3	Vertical	160	1.95	-
PK	5.2044G	129.18	Inf	-Inf	8.07	3	Vertical	160	1.95	-
AV	5.2036G	116.82	Inf	-Inf	8.06	3	Vertical	160	1.95	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/07/2019

5240MHz\_TX



EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1482G	59.72	74.00	-14.28	7.94	3	Vertical	201	2.22	-
AV	5.1482G	46.83	54.00	-7.17	7.94	3	Vertical	201	2.22	-
PK	5.2406G	128.84	Inf	-Inf	8.12	3	Vertical	201	2.22	-
AV	5.2412G	116.82	Inf	-Inf	8.12	3	Vertical	201	2.22	-
PK	5.3738G	60.04	74.00	-13.96	8.30	3	Vertical	201	2.22	-
AV	5.3726G	46.47	54.00	-7.53	8.30	3	Vertical	201	2.22	-



802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/07/2019

5745MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.555G	60.65	68.20	-7.55	8.55	3	Vertical	176	2.25	-
PK	5.751G	129.80	Inf	-Inf	8.83	3	Vertical	176	2.25	-
AV	5.75G	117.53	Inf	-Inf	8.83	3	Vertical	176	2.25	-
PK	5.952G	60.22	68.20	-7.98	8.92	3	Vertical	176	2.25	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/07/2019

5785MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.596G	60.36	68.20	-7.84	8.58	3	Vertical	193	2.17	-
PK	5.788G	129.35	Inf	-Inf	8.87	3	Vertical	193	2.17	-
AV	5.788G	117.69	Inf	-Inf	8.87	3	Vertical	193	2.17	-
PK	5.981G	61.11	68.20	-7.09	8.94	3	Vertical	193	2.17	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/07/2019

5825MHz\_TX




EUT\_Z\_4TX  
Setting 27  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.632G	60.81	68.20	-7.39	8.63	3	Vertical	179	2.11	-
PK	5.823G	129.16	Inf	-Inf	8.90	3	Vertical	179	2.11	-
AV	5.824G	117.64	Inf	-Inf	8.90	3	Vertical	179	2.11	-
PK	5.945G	60.83	68.20	-7.37	8.94	3	Vertical	179	2.11	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

07/07/2019

### 5190MHz\_TX




EUT\_Z\_4TX  
 Setting 21.5  
 02-J-5-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1336G	69.28	74.00	-4.72	7.92	3	Vertical	162	2.05	-
AV	5.15G	53.99	54.00	-0.01	7.94	3	Vertical	162	2.05	-
PK	5.1932G	123.63	Inf	-Inf	8.04	3	Vertical	162	2.05	-
AV	5.1936G	110.49	Inf	-Inf	8.04	3	Vertical	162	2.05	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/07/2019

5230MHz\_TX




EUT\_Z\_4TX  
 Setting 24.5  
 02-J-5-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1436G	68.01	74.00	-5.99	7.94	3	Vertical	162	2.14	-
AV	5.143G	53.61	54.00	-0.39	7.94	3	Vertical	162	2.14	-
PK	5.2246G	125.04	Inf	-Inf	8.10	3	Vertical	162	2.14	-
AV	5.2234G	113.28	Inf	-Inf	8.10	3	Vertical	162	2.14	-
PK	5.3506G	60.33	74.00	-13.67	8.28	3	Vertical	162	2.14	-
AV	5.3554G	47.34	54.00	-6.66	8.28	3	Vertical	162	2.14	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

07/07/2019

5755MHz\_TX




EUT\_Z\_4TX  
Setting 24.5  
02-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	66.52	68.20	-1.68	8.66	3	Vertical	175	2.24	-
PK	5.752G	126.32	Inf	-Inf	8.83	3	Vertical	175	2.24	-
AV	5.75G	114.31	Inf	-Inf	8.83	3	Vertical	175	2.24	-
PK	5.929G	59.84	68.20	-8.36	8.93	3	Vertical	175	2.24	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

07/07/2019

5795MHz\_TX




EUT\_Z\_4TX  
 Setting 25.5  
 02-J-5-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	63.91	68.20	-4.29	8.66	3	Vertical	173	2.21	-
PK	5.792G	127.72	Inf	-Inf	8.89	3	Vertical	173	2.21	-
AV	5.79G	115.24	Inf	-Inf	8.88	3	Vertical	173	2.21	-
PK	5.926G	67.94	68.20	-0.26	8.93	3	Vertical	173	2.21	-

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX



EUT\_Z\_4TX  
Setting 21  
04-C-P-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	70.28	74.00	-3.72	64.44	3	Vertical	158	2.00	-	32.92	5.44	32.52
AV	5.142G	53.65	54.00	-0.35	47.81	3	Vertical	158	2.00	-	32.92	5.44	32.52
PK	5.222G	119.48	Inf	-Inf	113.53	3	Vertical	158	2.00	-	32.94	5.51	32.50
AV	5.222G	106.79	Inf	-Inf	100.84	3	Vertical	158	2.00	-	32.94	5.51	32.50
PK	5.3604G	60.02	74.00	-13.98	53.67	3	Vertical	158	2.00	-	33.24	5.58	32.47
AV	5.3804G	47.82	54.00	-6.18	41.37	3	Vertical	158	2.00	-	33.32	5.59	32.46



802.11ax HEW80\_Nss1,(MCS0)\_4TX

07/07/2019

5775MHz\_TX



EUT\_Z\_4TX  
 Setting 21.5  
 02-J-5-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	67.23	68.20	-0.97	8.66	3	Vertical	177	2.06	-
PK	5.771G	121.08	Inf	-Inf	8.85	3	Vertical	177	2.06	-
AV	5.771G	108.27	Inf	-Inf	8.85	3	Vertical	177	2.06	-
PK	5.93G	61.84	68.20	-6.36	8.93	3	Vertical	177	2.06	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.93	54.00	-0.07	7.94	3	Vertical	153	1.50	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5180MHz\_TX




EUT\_Z\_4TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1486G	70.05	74.00	-3.95	7.94	3	Vertical	153	1.50	-
AV	5.15G	53.93	54.00	-0.07	7.94	3	Vertical	153	1.50	-
PK	5.1756G	122.52	Inf	-Inf	8.01	3	Vertical	153	1.50	-
AV	5.1772G	110.54	Inf	-Inf	8.01	3	Vertical	153	1.50	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5200MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	61.10	74.00	-12.90	7.94	3	Vertical	161	2.07	-
AV	5.1488G	47.77	54.00	-6.23	7.94	3	Vertical	161	2.07	-
PK	5.2028G	126.12	Inf	-Inf	8.06	3	Vertical	161	2.07	-
AV	5.204G	112.90	Inf	-Inf	8.06	3	Vertical	161	2.07	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	59.89	74.00	-14.11	7.94	3	Vertical	155	2.24	-
AV	5.1464G	47.24	54.00	-6.76	7.94	3	Vertical	155	2.24	-
PK	5.2418G	126.20	Inf	-Inf	8.12	3	Vertical	155	2.24	-
AV	5.2412G	113.03	Inf	-Inf	8.12	3	Vertical	155	2.24	-
PK	5.3558G	60.06	74.00	-13.94	8.28	3	Vertical	155	2.24	-
AV	5.3756G	46.54	54.00	-7.46	8.31	3	Vertical	155	2.24	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

5745MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	61.97	68.20	-6.23	8.67	3	Vertical	231	2.03	-
PK	5.746G	125.66	Inf	-Inf	8.82	3	Vertical	231	2.03	-
AV	5.743G	113.08	Inf	-Inf	8.82	3	Vertical	231	2.03	-
PK	5.938G	60.93	68.20	-7.27	8.93	3	Vertical	231	2.03	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

5785MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.603G	60.00	68.20	-8.20	8.58	3	Vertical	196	1.91	-
PK	5.788G	124.83	Inf	-Inf	8.87	3	Vertical	196	1.91	-
AV	5.787G	112.76	Inf	-Inf	8.88	3	Vertical	196	1.91	-
PK	5.973G	60.26	68.20	-7.94	8.93	3	Vertical	196	1.91	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/07/2019

5825MHz\_TX



EUT\_Z\_4TX  
Setting 28  
02-G-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.626G	60.11	68.20	-8.09	8.63	3	Vertical	225	2.14	-
PK	5.821G	125.52	Inf	-Inf	8.90	3	Vertical	225	2.14	-
AV	5.819G	112.62	Inf	-Inf	8.90	3	Vertical	225	2.14	-
PK	5.926G	61.90	68.20	-6.30	8.93	3	Vertical	225	2.14	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

5190MHz\_TX




EUT\_Z\_4TX  
Setting 26  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1424G	68.25	74.00	-5.75	7.94	3	Vertical	137	2.12	-
AV	5.15G	52.04	54.00	-1.96	7.94	3	Vertical	137	2.12	-
PK	5.1956G	122.80	Inf	-Inf	8.06	3	Vertical	137	2.12	-
AV	5.1948G	109.40	Inf	-Inf	8.05	3	Vertical	137	2.12	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

5230MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1316G	63.90	74.00	-10.10	7.91	3	Vertical	223	2.04	-
AV	5.15G	48.46	54.00	-5.54	7.94	3	Vertical	223	2.04	-
PK	5.2222G	124.29	Inf	-Inf	8.10	3	Vertical	223	2.04	-
AV	5.2234G	111.55	Inf	-Inf	8.10	3	Vertical	223	2.04	-
PK	5.3506G	60.01	74.00	-13.99	8.28	3	Vertical	223	2.04	-
AV	5.3572G	47.06	54.00	-6.94	8.28	3	Vertical	223	2.04	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

5755MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.634G	63.28	68.20	-4.92	8.64	3	Vertical	239	2.88	-
PK	5.75G	124.36	Inf	-Inf	8.83	3	Vertical	239	2.88	-
AV	5.748G	112.28	Inf	-Inf	8.82	3	Vertical	239	2.88	-
PK	5.977G	58.87	68.20	-9.33	8.94	3	Vertical	239	2.88	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/07/2019

5795MHz\_TX




EUT\_Z\_4TX  
Setting 28  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.61G	59.84	68.20	-8.36	8.60	3	Vertical	207	2.58	-
PK	5.797G	123.93	Inf	-Inf	8.90	3	Vertical	207	2.58	-
AV	5.793G	111.89	Inf	-Inf	8.89	3	Vertical	207	2.58	-
PK	5.973G	59.65	68.20	-8.55	8.93	3	Vertical	207	2.58	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

13/07/2019

5210MHz\_TX




EUT\_Z\_4TX  
Setting 26  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.137G	65.82	74.00	-8.18	7.92	3	Vertical	169	2.25	-
AV	5.149G	50.53	54.00	-3.47	7.94	3	Vertical	169	2.25	-
PK	5.206G	118.12	Inf	-Inf	8.07	3	Vertical	169	2.25	-
AV	5.205G	105.47	Inf	-Inf	8.07	3	Vertical	169	2.25	-
PK	5.372G	59.79	74.00	-14.21	8.30	3	Vertical	169	2.25	-
AV	5.376G	46.90	54.00	-7.10	8.31	3	Vertical	169	2.25	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

13/07/2019

5775MHz\_TX



EUT\_Z\_4TX  
Setting 27  
02-G-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	67.56	68.20	-0.64	8.66	3	Vertical	218	2.07	-
PK	5.798G	120.66	Inf	-Inf	8.90	3	Vertical	218	2.07	-
AV	5.748G	108.50	Inf	-Inf	8.82	3	Vertical	218	2.07	-
PK	5.93G	62.25	68.20	-5.95	8.93	3	Vertical	218	2.07	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	15.62718G	46.33	54.00	-7.67	14.73	3	Horizontal	182	2.98	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5180MHz\_TX



EUT X\_ANT Y\_4TX  
Setting 27  
02-L-2  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5313G	56.27	74.00	-17.73	16.10	3	Vertical	178	2.64	-
AV	15.54192G	43.37	54.00	-10.63	16.07	3	Vertical	178	2.64	-



### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_4TX  
Setting 27  
02-L-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5382G	55.79	74.00	-18.21	16.08	3	Horizontal	281	1.50	-
AV	15.531G	42.02	54.00	-11.98	16.10	3	Horizontal	281	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_4TX  
Setting 27  
02-L-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.59388G	55.59	74.00	-18.41	15.93	3	Vertical	120	1.49	-
AV	15.59352G	42.25	54.00	-11.75	15.93	3	Vertical	120	1.49	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60097G	55.28	74.00	-18.72	15.91	3	Horizontal	302	1.15	-
AV	15.59901G	41.74	54.00	-12.26	15.91	3	Horizontal	302	1.15	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7193G	55.30	74.00	-18.70	15.60	3	Vertical	297	1.38	-
AV	15.71945G	41.54	54.00	-12.46	15.60	3	Vertical	297	1.38	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72071G	55.33	74.00	-18.67	15.60	3	Horizontal	108	1.82	-
AV	15.72066G	41.63	54.00	-12.37	15.60	3	Horizontal	108	1.82	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49051G	54.86	74.00	-19.14	14.89	3	Vertical	23	1.47	-
AV	11.49036G	40.23	54.00	-13.77	14.89	3	Vertical	23	1.47	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49077G	53.79	74.00	-20.21	14.89	3	Horizontal	70	1.34	-
AV	11.48938G	40.34	54.00	-13.66	14.89	3	Horizontal	70	1.34	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5785MHz\_TX



EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5707G	53.81	74.00	-20.19	15.00	3	Vertical	330	2.02	-
AV	11.57042G	40.64	54.00	-13.36	15.00	3	Vertical	330	2.02	-



### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5785MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57042G	54.45	74.00	-19.55	15.00	3	Horizontal	290	1.07	-
AV	11.57029G	40.72	54.00	-13.28	15.00	3	Horizontal	290	1.07	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.6494G	53.77	74.00	-20.23	15.09	3	Vertical	251	1.91	-
AV	11.65037G	40.58	54.00	-13.42	15.09	3	Vertical	251	1.91	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64977G	54.16	74.00	-19.84	15.09	3	Horizontal	348	1.04	-
AV	11.64906G	40.60	54.00	-13.40	15.09	3	Horizontal	348	1.04	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.54036G	55.23	74.00	-18.77	16.07	3	Vertical	282	2.16	-
AV	15.5402G	41.35	54.00	-12.65	16.07	3	Vertical	282	2.16	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.54095G	55.39	74.00	-18.61	16.07	3	Horizontal	97	2.41	-
AV	15.53968G	41.28	54.00	-12.72	16.07	3	Horizontal	97	2.41	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60091G	55.09	74.00	-18.91	15.91	3	Vertical	99	2.09	-
AV	15.59918G	41.16	54.00	-12.84	15.91	3	Vertical	99	2.09	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.59993G	55.61	74.00	-18.39	15.91	3	Horizontal	255	1.27	-
AV	15.60043G	41.24	54.00	-12.76	15.91	3	Horizontal	255	1.27	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5240MHz\_TX



EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71973G	55.37	74.00	-18.63	15.60	3	Vertical	76	2.49	-
AV	15.71954G	41.13	54.00	-12.87	15.60	3	Vertical	76	2.49	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72099G	55.18	74.00	-18.82	15.60	3	Horizontal	31	1.56	-
AV	15.71982G	41.09	54.00	-12.91	15.60	3	Horizontal	31	1.56	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48906G	53.70	74.00	-20.30	14.89	3	Vertical	256	1.19	-
AV	11.49097G	39.85	54.00	-14.15	14.89	3	Vertical	256	1.19	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49025G	54.10	74.00	-19.90	14.89	3	Horizontal	7	1.71	-
AV	11.48966G	39.76	54.00	-14.24	14.89	3	Horizontal	7	1.71	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5785MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57064G	54.48	74.00	-19.52	15.00	3	Vertical	337	1.75	-
AV	11.56995G	40.07	54.00	-13.93	15.00	3	Vertical	337	1.75	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5785MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56984G	54.03	74.00	-19.97	15.00	3	Horizontal	139	2.11	-
AV	11.56992G	40.11	54.00	-13.89	15.00	3	Horizontal	139	2.11	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64958G	53.82	74.00	-20.18	15.09	3	Vertical	165	1.57	-
AV	11.64957G	40.18	54.00	-13.82	15.09	3	Vertical	165	1.57	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

09/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64905G	54.35	74.00	-19.65	15.09	3	Horizontal	235	1.95	-
AV	11.65077G	40.04	54.00	-13.96	15.09	3	Horizontal	235	1.95	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

09/07/2019

### 5190MHz\_TX



EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5708G	55.89	74.00	-18.11	15.99	3	Vertical	36	1.23	-
AV	15.57057G	41.68	54.00	-12.32	16.00	3	Vertical	36	1.23	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

09/07/2019

### 5190MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5693G	56.18	74.00	-17.82	16.00	3	Horizontal	232	1.97	-
AV	15.56906G	41.64	54.00	-12.36	16.00	3	Horizontal	232	1.97	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

09/07/2019

### 5230MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.6903G	55.66	74.00	-18.34	15.68	3	Vertical	223	1.81	-
AV	15.69042G	41.54	54.00	-12.46	15.68	3	Vertical	223	1.81	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

09/07/2019

### 5230MHz\_TX




EUT X\_ANT Y\_4TX  
Setting 27  
02-L-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68932G	55.59	74.00	-18.41	15.68	3	Horizontal	286	1.84	-
AV	15.68948G	41.47	54.00	-12.53	15.68	3	Horizontal	286	1.84	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

09/07/2019

### 5755MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.50997G	54.74	74.00	-19.26	14.92	3	Vertical	144	1.81	-
AV	11.51097G	40.37	54.00	-13.63	14.92	3	Vertical	144	1.81	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

09/07/2019

### 5755MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51082G	54.57	74.00	-19.43	14.92	3	Horizontal	329	1.53	-
AV	11.51014G	40.33	54.00	-13.67	14.92	3	Horizontal	329	1.53	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

09/07/2019

### 5795MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58996G	54.32	74.00	-19.68	15.02	3	Vertical	189	1.03	-
AV	11.59014G	40.55	54.00	-13.45	15.02	3	Vertical	189	1.03	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

09/07/2019

### 5795MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59059G	55.22	74.00	-18.78	15.02	3	Horizontal	187	1.73	-
AV	11.58918G	40.57	54.00	-13.43	15.02	3	Horizontal	187	1.73	-

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX



EUT X\_4TX\_ANT Y


Setting 21  
04-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41352G	55.34	68.20	-12.86	41.29	3	Vertical	4	1.00	-	38.93	8.12	33.00
PK	15.62856G	59.45	74.00	-14.55	44.73	3	Vertical	74	1.79	-	38.34	10.17	33.79
AV	15.63714G	46.31	54.00	-7.69	31.61	3	Vertical	74	1.79	-	38.33	10.17	33.80



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT X\_4TX\_ANT Y  
Setting 21  
04-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42468G	54.36	68.20	-13.84	40.29	3	Horizontal	155	2.52	-	38.95	8.13	33.01
PK	15.6174G	59.45	74.00	-14.55	44.70	3	Horizontal	182	2.98	-	38.37	10.17	33.79
AV	15.62718G	46.33	54.00	-7.67	31.60	3	Horizontal	182	2.98	-	38.35	10.17	33.79

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

09/07/2019

### 5775MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54935G	54.11	74.00	-19.89	14.97	3	Vertical	281	2.26	-
AV	11.549G	40.33	54.00	-13.67	14.97	3	Vertical	281	2.26	-

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

09/07/2019

### 5775MHz\_TX



EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54925G	53.89	74.00	-20.11	14.97	3	Horizontal	229	1.71	-
AV	11.54968G	40.20	54.00	-13.80	14.97	3	Horizontal	229	1.71	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	11.48992G	43.20	54.00	-10.80	14.89	3	Vertical	232	1.03	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_4TX  
Setting 28  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.546G	55.15	74.00	-18.85	16.06	3	Vertical	234	1.33	-
AV	15.5474G	41.68	54.00	-12.32	16.05	3	Vertical	234	1.33	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_4TX  
Setting 28  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.54538G	55.16	74.00	-18.84	16.06	3	Horizontal	84	2.33	-
AV	15.54686G	41.71	54.00	-12.29	16.05	3	Horizontal	84	2.33	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60172G	55.35	74.00	-18.65	15.91	3	Vertical	227	2.29	-
AV	15.6038G	41.67	54.00	-12.33	15.90	3	Vertical	227	2.29	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5200MHz\_TX



EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.59828G	54.64	74.00	-19.36	15.91	3	Horizontal	16	2.35	-
AV	15.59064G	41.58	54.00	-12.42	15.93	3	Horizontal	16	2.35	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7126G	55.06	74.00	-18.94	15.62	3	Vertical	102	1.79	-
AV	15.72104G	41.60	54.00	-12.40	15.60	3	Vertical	102	1.79	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.7152G	54.95	74.00	-19.05	15.62	3	Horizontal	315	1.43	-
AV	15.71944G	41.59	54.00	-12.41	15.60	3	Horizontal	315	1.43	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48988G	54.16	74.00	-19.84	14.89	3	Vertical	232	1.03	-
AV	11.48992G	43.20	54.00	-10.80	14.89	3	Vertical	232	1.03	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48992G	53.85	74.00	-20.15	14.89	3	Horizontal	257	2.90	-
AV	11.49G	42.65	54.00	-11.35	14.89	3	Horizontal	257	2.90	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5785MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57776G	54.62	74.00	-19.38	15.01	3	Vertical	232	1.02	-
AV	11.56996G	41.63	54.00	-12.37	15.00	3	Vertical	232	1.02	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5785MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.577G	53.60	74.00	-20.40	15.01	3	Horizontal	241	2.40	-
AV	11.56984G	41.37	54.00	-12.63	15.00	3	Horizontal	241	2.40	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65512G	53.25	74.00	-20.75	15.10	3	Vertical	51	2.47	-
AV	11.64004G	40.23	54.00	-13.77	15.08	3	Vertical	51	2.47	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5825MHz\_TX



EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.6426G	53.37	74.00	-20.63	15.08	3	Horizontal	296	1.57	-
AV	11.6406G	40.07	54.00	-13.93	15.08	3	Horizontal	296	1.57	-



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5190MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.565G	54.14	74.00	-19.86	16.01	3	Vertical	23	1.28	-
AV	15.5756G	41.19	54.00	-12.81	15.98	3	Vertical	23	1.28	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5190MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56932G	54.04	74.00	-19.96	16.00	3	Horizontal	309	1.65	-
AV	15.56376G	41.13	54.00	-12.87	16.02	3	Horizontal	309	1.65	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5230MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.69392G	53.99	74.00	-20.01	15.67	3	Vertical	105	1.98	-
AV	15.68192G	40.92	54.00	-13.08	15.70	3	Vertical	105	1.98	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5230MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68284G	54.62	74.00	-19.38	15.70	3	Horizontal	77	2.38	-
AV	15.69748G	41.02	54.00	-12.98	15.66	3	Horizontal	77	2.38	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5755MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51848G	53.33	74.00	-20.67	14.92	3	Vertical	139	1.61	-
AV	11.51804G	40.02	54.00	-13.98	14.92	3	Vertical	139	1.61	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5755MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51616G	53.32	74.00	-20.68	14.92	3	Horizontal	128	1.54	-
AV	11.51056G	40.04	54.00	-13.96	14.92	3	Horizontal	128	1.54	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5795MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59724G	53.72	74.00	-20.28	15.04	3	Vertical	224	1.76	-
AV	11.59756G	40.17	54.00	-13.83	15.04	3	Vertical	224	1.76	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5795MHz\_TX



EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58068G	53.62	74.00	-20.38	15.01	3	Horizontal	36	1.72	-
AV	11.59144G	40.07	54.00	-13.93	15.02	3	Horizontal	36	1.72	-



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5210MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.62504G	54.06	74.00	-19.94	15.85	3	Vertical	148	2.47	-
AV	15.6236G	41.09	54.00	-12.91	15.85	3	Vertical	148	2.47	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5210MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.62632G	54.91	74.00	-19.09	15.84	3	Horizontal	217	1.46	-
AV	15.6226G	41.00	54.00	-13.00	15.85	3	Horizontal	217	1.46	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5775MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54488G	53.72	74.00	-20.28	14.97	3	Vertical	74	1.97	-
AV	11.54532G	39.96	54.00	-14.04	14.97	3	Vertical	74	1.97	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/07/2019

### 5775MHz\_TX



EUT X\_ANT Y\_4TX  
 Setting 28  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54332G	53.36	74.00	-20.64	14.96	3	Horizontal	140	1.33	-
AV	11.5518G	39.89	54.00	-14.11	14.97	3	Horizontal	140	1.33	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.96	54.00	-0.04	7.94	3	Horizontal	90	1.90	-

### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1498G	63.11	74.00	-10.89	7.94	3	Vertical	198	2.03	-
AV	5.1498G	49.54	54.00	-4.46	7.94	3	Vertical	198	2.03	-
PK	5.1814G	111.88	Inf	-Inf	8.02	3	Vertical	198	2.03	-
AV	5.1824G	101.65	Inf	-Inf	8.02	3	Vertical	198	2.03	-

### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1498G	68.87	74.00	-5.13	7.94	3	Horizontal	90	1.90	-
AV	5.15G	53.96	54.00	-0.04	7.94	3	Horizontal	90	1.90	-
PK	5.1818G	117.11	Inf	-Inf	8.02	3	Horizontal	90	1.90	-
AV	5.1832G	106.75	Inf	-Inf	8.02	3	Horizontal	90	1.90	-

### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5200MHz\_TX



EUT X\_ANT Y\_1TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.124G	58.29	74.00	-15.71	7.89	3	Vertical	206	1.66	-
AV	5.1496G	45.93	54.00	-8.07	7.94	3	Vertical	206	1.66	-
PK	5.2036G	112.75	Inf	-Inf	8.06	3	Vertical	206	1.66	-
AV	5.2032G	102.27	Inf	-Inf	8.06	3	Vertical	206	1.66	-



### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_1TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	59.57	74.00	-14.43	7.94	3	Horizontal	251	2.48	-
AV	5.15G	47.40	54.00	-6.60	7.94	3	Horizontal	251	2.48	-
PK	5.1964G	117.42	Inf	-Inf	8.06	3	Horizontal	251	2.48	-
AV	5.1968G	107.36	Inf	-Inf	8.06	3	Horizontal	251	2.48	-

### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.117G	58.27	74.00	-15.73	7.88	3	Vertical	215	1.44	-
AV	5.1056G	45.75	54.00	-8.25	7.86	3	Vertical	215	1.44	-
PK	5.243G	113.27	Inf	-Inf	8.12	3	Vertical	215	1.44	-
AV	5.2424G	103.31	Inf	-Inf	8.12	3	Vertical	215	1.44	-
PK	5.351G	58.26	74.00	-15.74	8.28	3	Vertical	215	1.44	-
AV	5.3864G	45.88	54.00	-8.12	8.33	3	Vertical	215	1.44	-

### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1194G	59.34	74.00	-14.66	7.88	3	Horizontal	94	1.91	-
AV	5.15G	46.16	54.00	-7.84	7.94	3	Horizontal	94	1.91	-
PK	5.243G	117.88	Inf	-Inf	8.12	3	Horizontal	94	1.91	-
AV	5.243G	107.99	Inf	-Inf	8.12	3	Horizontal	94	1.91	-
PK	5.36G	60.31	74.00	-13.69	8.29	3	Horizontal	94	1.91	-
AV	5.3774G	46.12	54.00	-7.88	8.32	3	Horizontal	94	1.91	-

### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.581G	58.83	68.20	-9.37	8.57	3	Vertical	34	1.67	-
PK	5.742G	111.19	Inf	-Inf	8.81	3	Vertical	34	1.67	-
AV	5.742G	101.09	Inf	-Inf	8.81	3	Vertical	34	1.67	-
PK	5.977G	58.84	68.20	-9.36	8.94	3	Vertical	34	1.67	-

### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.555G	59.71	68.20	-8.49	8.55	3	Horizontal	276	2.11	-
PK	5.741G	116.56	Inf	-Inf	8.80	3	Horizontal	276	2.11	-
AV	5.748G	106.43	Inf	-Inf	8.82	3	Horizontal	276	2.11	-
PK	5.925G	59.25	68.20	-8.95	8.93	3	Horizontal	276	2.11	-

### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5785MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.569G	58.53	68.20	-9.67	8.56	3	Vertical	49	1.78	-
PK	5.788G	110.94	Inf	-Inf	8.87	3	Vertical	49	1.78	-
AV	5.788G	101.09	Inf	-Inf	8.87	3	Vertical	49	1.78	-
PK	5.987G	58.96	68.20	-9.24	8.93	3	Vertical	49	1.78	-

### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5785MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.561G	58.90	68.20	-9.30	8.56	3	Horizontal	82	2.07	-
PK	5.783G	115.14	Inf	-Inf	8.88	3	Horizontal	82	2.07	-
AV	5.788G	104.94	Inf	-Inf	8.87	3	Horizontal	82	2.07	-
PK	5.937G	58.48	68.20	-9.72	8.93	3	Horizontal	82	2.07	-

### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5825MHz\_TX



EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.63G	58.49	68.20	-9.71	8.63	3	Vertical	293	1.67	-
PK	5.827G	111.13	Inf	-Inf	8.91	3	Vertical	293	1.67	-
AV	5.828G	101.11	Inf	-Inf	8.91	3	Vertical	293	1.67	-
PK	5.934G	59.04	68.20	-9.16	8.93	3	Vertical	293	1.67	-



### 802.11a\_Nss1,(6Mbps)\_1TX

10/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.611G	59.30	68.20	-8.90	8.61	3	Horizontal	269	1.76	-
PK	5.828G	115.41	Inf	-Inf	8.91	3	Horizontal	269	1.76	-
AV	5.828G	105.48	Inf	-Inf	8.91	3	Horizontal	269	1.76	-
PK	5.93G	59.17	68.20	-9.03	8.93	3	Horizontal	269	1.76	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 25.5  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	65.96	74.00	-8.04	7.94	3	Vertical	339	2.72	-
AV	5.1498G	51.42	54.00	-2.58	7.94	3	Vertical	339	2.72	-
PK	5.1806G	113.30	Inf	-Inf	8.02	3	Vertical	339	2.72	-
AV	5.182G	99.76	Inf	-Inf	8.02	3	Vertical	339	2.72	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 25.5  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1486G	68.81	74.00	-5.19	7.94	3	Horizontal	74	1.87	-
AV	5.15G	53.94	54.00	-0.06	7.94	3	Horizontal	74	1.87	-
PK	5.1838G	118.26	Inf	-Inf	8.03	3	Horizontal	74	1.87	-
AV	5.1818G	104.64	Inf	-Inf	8.02	3	Horizontal	74	1.87	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1392G	58.38	74.00	-15.62	7.93	3	Vertical	37	1.06	-
AV	5.148G	45.97	54.00	-8.03	7.94	3	Vertical	37	1.06	-
PK	5.2016G	113.28	Inf	-Inf	8.06	3	Vertical	37	1.06	-
AV	5.194G	100.41	Inf	-Inf	8.04	3	Vertical	37	1.06	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	60.47	74.00	-13.53	7.94	3	Horizontal	72	2.47	-
AV	5.15G	47.59	54.00	-6.41	7.94	3	Horizontal	72	2.47	-
PK	5.198G	119.23	Inf	-Inf	8.06	3	Horizontal	72	2.47	-
AV	5.1968G	105.82	Inf	-Inf	8.06	3	Horizontal	72	2.47	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1416G	58.01	74.00	-15.99	7.94	3	Vertical	29	1.37	-
AV	5.093G	45.08	54.00	-8.92	7.82	3	Vertical	29	1.37	-
PK	5.2436G	114.42	Inf	-Inf	8.12	3	Vertical	29	1.37	-
AV	5.2424G	100.73	Inf	-Inf	8.12	3	Vertical	29	1.37	-
PK	5.3786G	58.60	74.00	-15.40	8.32	3	Vertical	29	1.37	-
AV	5.3714G	45.47	54.00	-8.53	8.30	3	Vertical	29	1.37	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1206G	59.08	74.00	-14.92	7.88	3	Horizontal	263	1.88	-
AV	5.1452G	45.82	54.00	-8.18	7.94	3	Horizontal	263	1.88	-
PK	5.246G	118.97	Inf	-Inf	8.13	3	Horizontal	263	1.88	-
AV	5.2448G	106.46	Inf	-Inf	8.12	3	Horizontal	263	1.88	-
PK	5.3888G	58.58	74.00	-15.42	8.33	3	Horizontal	263	1.88	-
AV	5.3762G	45.86	54.00	-8.14	8.31	3	Horizontal	263	1.88	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

### 5745MHz\_TX



EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.508G	58.46	68.20	-9.74	8.52	3	Vertical	309	2.52	-
PK	5.752G	112.17	Inf	-Inf	8.83	3	Vertical	309	2.52	-
AV	5.749G	99.43	Inf	-Inf	8.82	3	Vertical	309	2.52	-
PK	5.981G	58.43	68.20	-9.77	8.94	3	Vertical	309	2.52	-



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.61G	59.15	68.20	-9.05	8.60	3	Horizontal	85	1.50	-
PK	5.744G	116.93	Inf	-Inf	8.82	3	Horizontal	85	1.50	-
AV	5.748G	103.93	Inf	-Inf	8.82	3	Horizontal	85	1.50	-
PK	5.982G	59.41	68.20	-8.79	8.94	3	Horizontal	85	1.50	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

### 5785MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.637G	58.99	68.20	-9.21	8.64	3	Vertical	38	1.62	-
PK	5.784G	113.76	Inf	-Inf	8.88	3	Vertical	38	1.62	-
AV	5.787G	100.59	Inf	-Inf	8.88	3	Vertical	38	1.62	-
PK	5.969G	59.15	68.20	-9.05	8.93	3	Vertical	38	1.62	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

### 5785MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.643G	60.55	68.20	-7.65	8.66	3	Horizontal	258	1.50	-
PK	5.783G	117.55	Inf	-Inf	8.88	3	Horizontal	258	1.50	-
AV	5.778G	105.20	Inf	-Inf	8.87	3	Horizontal	258	1.50	-
PK	5.925G	59.73	68.20	-8.47	8.93	3	Horizontal	258	1.50	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.576G	58.34	68.20	-9.86	8.57	3	Vertical	300	1.60	-
PK	5.819G	112.64	Inf	-Inf	8.90	3	Vertical	300	1.60	-
AV	5.822G	99.74	Inf	-Inf	8.90	3	Vertical	300	1.60	-
PK	5.95G	59.15	68.20	-9.05	8.93	3	Vertical	300	1.60	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

10/07/2019

5825MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	59.05	68.20	-9.15	8.66	3	Horizontal	257	1.50	-
PK	5.827G	118.13	Inf	-Inf	8.91	3	Horizontal	257	1.50	-
AV	5.823G	104.58	Inf	-Inf	8.90	3	Horizontal	257	1.50	-
PK	5.965G	59.90	68.20	-8.30	8.93	3	Horizontal	257	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

10/07/2019

### 5190MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 23  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	61.04	74.00	-12.96	7.94	3	Vertical	35	1.50	-
AV	5.15G	48.17	54.00	-5.83	7.94	3	Vertical	35	1.50	-
PK	5.1888G	107.28	Inf	-Inf	8.04	3	Vertical	35	1.50	-
AV	5.1836G	94.24	Inf	-Inf	8.03	3	Vertical	35	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

10/07/2019

### 5190MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 23  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	66.11	74.00	-7.89	7.94	3	Horizontal	276	1.65	-
AV	5.15G	51.85	54.00	-2.15	7.94	3	Horizontal	276	1.65	-
PK	5.1896G	113.02	Inf	-Inf	8.04	3	Horizontal	276	1.65	-
AV	5.1864G	99.71	Inf	-Inf	8.04	3	Horizontal	276	1.65	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

10/07/2019

### 5230MHz\_TX



EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1454G	61.61	74.00	-12.39	7.94	3	Vertical	39	1.43	-
AV	5.15G	48.46	54.00	-5.54	7.94	3	Vertical	39	1.43	-
PK	5.2336G	110.93	Inf	-Inf	8.11	3	Vertical	39	1.43	-
AV	5.2378G	97.62	Inf	-Inf	8.12	3	Vertical	39	1.43	-
PK	5.3578G	59.24	74.00	-14.76	8.28	3	Vertical	39	1.43	-
AV	5.3542G	45.59	54.00	-8.41	8.28	3	Vertical	39	1.43	-



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

10/07/2019

### 5230MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	68.99	74.00	-5.01	7.94	3	Horizontal	263	1.78	-
AV	5.15G	53.40	54.00	-0.60	7.94	3	Horizontal	263	1.78	-
PK	5.2354G	117.31	Inf	-Inf	8.11	3	Horizontal	263	1.78	-
AV	5.2366G	103.72	Inf	-Inf	8.11	3	Horizontal	263	1.78	-
PK	5.3524G	60.47	74.00	-13.53	8.28	3	Horizontal	263	1.78	-
AV	5.3548G	46.83	54.00	-7.17	8.28	3	Horizontal	263	1.78	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

10/07/2019

### 5755MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 26.5  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	61.24	68.20	-6.96	8.67	3	Vertical	301	1.50	-
PK	5.772G	109.52	Inf	-Inf	8.85	3	Vertical	301	1.50	-
AV	5.752G	96.42	Inf	-Inf	8.83	3	Vertical	301	1.50	-
PK	5.929G	58.51	68.20	-9.69	8.93	3	Vertical	301	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

10/07/2019

### 5755MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 26.5  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.651G	66.07	68.94	-2.87	8.66	3	Horizontal	274	1.83	-
PK	5.748G	115.66	Inf	-Inf	8.82	3	Horizontal	274	1.83	-
AV	5.753G	102.84	Inf	-Inf	8.83	3	Horizontal	274	1.83	-
PK	5.974G	60.33	68.20	-7.87	8.93	3	Horizontal	274	1.83	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

10/07/2019

### 5795MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.547G	59.20	68.20	-9.00	8.55	3	Vertical	296	1.73	-
PK	5.788G	113.20	Inf	-Inf	8.87	3	Vertical	296	1.73	-
AV	5.786G	98.98	Inf	-Inf	8.88	3	Vertical	296	1.73	-
PK	5.929G	60.58	68.20	-7.62	8.93	3	Vertical	296	1.73	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

07/08/2019

### 5795MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 27  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.627G	61.23	68.20	-6.97	8.63	3	Horizontal	271	1.84	-
PK	5.793G	116.61	Inf	-Inf	8.89	3	Horizontal	271	1.84	-
AV	5.794G	103.96	Inf	-Inf	8.89	3	Horizontal	271	1.84	-
PK	5.923G	68.39	69.68	-1.29	8.92	3	Horizontal	271	1.84	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

10/07/2019

### 5210MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 23  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.143G	62.38	74.00	-11.62	7.94	3	Vertical	21	1.72	-
AV	5.148G	48.45	54.00	-5.55	7.94	3	Vertical	21	1.72	-
PK	5.222G	103.10	Inf	-Inf	8.10	3	Vertical	21	1.72	-
AV	5.221G	90.56	Inf	-Inf	8.10	3	Vertical	21	1.72	-
PK	5.354G	59.03	74.00	-14.97	8.28	3	Vertical	21	1.72	-
AV	5.359G	45.47	54.00	-8.53	8.28	3	Vertical	21	1.72	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

10/07/2019

### 5210MHz\_TX




EUT X\_ANT Y\_1TX  
 Setting 23  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.147G	70.31	74.00	-3.69	7.94	3	Horizontal	259	1.69	-
AV	5.15G	53.92	54.00	-0.08	7.94	3	Horizontal	259	1.69	-
PK	5.243G	109.01	Inf	-Inf	8.12	3	Horizontal	259	1.69	-
AV	5.238G	95.80	Inf	-Inf	8.12	3	Horizontal	259	1.69	-
PK	5.367G	59.67	74.00	-14.33	8.29	3	Horizontal	259	1.69	-
AV	5.351G	46.50	54.00	-7.50	8.28	3	Horizontal	259	1.69	-

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

10/07/2019

### 5775MHz\_TX



EUT X\_ANT Y\_1TX  
 Setting 24.5  
 02-G-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.632G	59.79	68.20	-8.41	8.63	3	Vertical	228	1.49	-
PK	5.764G	104.67	Inf	-Inf	8.84	3	Vertical	228	1.49	-
AV	5.771G	91.75	Inf	-Inf	8.85	3	Vertical	228	1.49	-
PK	5.938G	59.27	68.20	-8.93	8.93	3	Vertical	228	1.49	-



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

10/07/2019

### 5775MHz\_TX



EUT X\_ANT Y\_1TX  
 Setting 24.5  
 02-G-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	67.82	68.20	-0.38	8.66	3	Horizontal	265	1.76	-
PK	5.77G	111.46	Inf	-Inf	8.85	3	Horizontal	265	1.76	-
AV	5.769G	97.74	Inf	-Inf	8.85	3	Horizontal	265	1.76	-
PK	5.932G	64.72	68.20	-3.48	8.93	3	Horizontal	265	1.76	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.98	54.00	-0.02	7.94	3	Horizontal	95	1.98	-

### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 24.5  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	61.13	74.00	-12.87	7.94	3	Vertical	216	1.06	-
AV	5.1486G	48.73	54.00	-5.27	7.94	3	Vertical	216	1.06	-
PK	5.183G	112.91	Inf	-Inf	8.02	3	Vertical	216	1.06	-
AV	5.1832G	103.13	Inf	-Inf	8.02	3	Vertical	216	1.06	-

### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_2TX  
Setting 24.5  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	65.41	74.00	-8.59	7.94	3	Horizontal	103	1.50	-
AV	5.1496G	52.91	54.00	-1.09	7.94	3	Horizontal	103	1.50	-
PK	5.1736G	118.68	Inf	-Inf	8.00	3	Horizontal	103	1.50	-
AV	5.1792G	108.62	Inf	-Inf	8.02	3	Horizontal	103	1.50	-

### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	58.10	74.00	-15.90	7.94	3	Vertical	224	1.54	-
AV	5.1488G	45.82	54.00	-8.18	7.94	3	Vertical	224	1.54	-
PK	5.2024G	113.58	Inf	-Inf	8.06	3	Vertical	224	1.54	-
AV	5.2068G	103.35	Inf	-Inf	8.07	3	Vertical	224	1.54	-

### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	63.78	74.00	-10.22	7.94	3	Horizontal	103	1.88	-
AV	5.15G	50.03	54.00	-3.97	7.94	3	Horizontal	103	1.88	-
PK	5.1948G	121.54	Inf	-Inf	8.05	3	Horizontal	103	1.88	-
AV	5.1948G	111.85	Inf	-Inf	8.05	3	Horizontal	103	1.88	-

### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1098G	58.82	74.00	-15.18	7.86	3	Vertical	43	2.99	-
AV	5.126G	45.59	54.00	-8.41	7.90	3	Vertical	43	2.99	-
PK	5.243G	115.37	Inf	-Inf	8.12	3	Vertical	43	2.99	-
AV	5.2424G	105.71	Inf	-Inf	8.12	3	Vertical	43	2.99	-
PK	5.3504G	58.10	74.00	-15.90	8.28	3	Vertical	43	2.99	-
AV	5.375G	45.62	54.00	-8.38	8.31	3	Vertical	43	2.99	-

### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5240MHz\_TX



EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1266G	59.12	74.00	-14.88	7.90	3	Horizontal	109	1.87	-
AV	5.1062G	46.55	54.00	-7.45	7.86	3	Horizontal	109	1.87	-
PK	5.237G	122.33	Inf	-Inf	8.11	3	Horizontal	109	1.87	-
AV	5.237G	111.89	Inf	-Inf	8.11	3	Horizontal	109	1.87	-
PK	5.3702G	58.85	74.00	-15.15	8.30	3	Horizontal	109	1.87	-
AV	5.3888G	46.36	54.00	-7.64	8.33	3	Horizontal	109	1.87	-



### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	58.37	68.20	-9.83	8.67	3	Vertical	51	2.90	-
PK	5.741G	113.96	Inf	-Inf	8.80	3	Vertical	51	2.90	-
AV	5.746G	104.15	Inf	-Inf	8.82	3	Vertical	51	2.90	-
PK	5.925G	58.01	68.20	-10.19	8.93	3	Vertical	51	2.90	-

### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.643G	59.16	68.20	-9.04	8.66	3	Horizontal	91	1.50	-
PK	5.739G	118.55	Inf	-Inf	8.80	3	Horizontal	91	1.50	-
AV	5.744G	108.90	Inf	-Inf	8.82	3	Horizontal	91	1.50	-
PK	5.93G	59.75	68.20	-8.45	8.93	3	Horizontal	91	1.50	-

### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5785MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.557G	58.45	68.20	-9.75	8.55	3	Vertical	221	1.48	-
PK	5.789G	113.83	Inf	-Inf	8.88	3	Vertical	221	1.48	-
AV	5.788G	103.57	Inf	-Inf	8.87	3	Vertical	221	1.48	-
PK	5.965G	58.83	68.20	-9.37	8.93	3	Vertical	221	1.48	-

### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5785MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.571G	58.80	68.20	-9.40	8.56	3	Horizontal	86	1.59	-
PK	5.782G	119.32	Inf	-Inf	8.88	3	Horizontal	86	1.59	-
AV	5.787G	108.88	Inf	-Inf	8.88	3	Horizontal	86	1.59	-
PK	5.977G	58.81	68.20	-9.39	8.94	3	Horizontal	86	1.59	-

### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6G	58.65	68.20	-9.55	8.58	3	Vertical	230	1.59	-
PK	5.82G	114.26	Inf	-Inf	8.90	3	Vertical	230	1.59	-
AV	5.826G	104.41	Inf	-Inf	8.91	3	Vertical	230	1.59	-
PK	5.98G	58.49	68.20	-9.71	8.94	3	Vertical	230	1.59	-

### 802.11a\_Nss1,(6Mbps)\_2TX

10/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.647G	59.89	68.20	-8.31	8.67	3	Horizontal	91	1.89	-
PK	5.82G	118.66	Inf	-Inf	8.90	3	Horizontal	91	1.89	-
AV	5.82G	109.15	Inf	-Inf	8.90	3	Horizontal	91	1.89	-
PK	5.93G	59.60	68.20	-8.60	8.93	3	Horizontal	91	1.89	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 23.5  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.147G	59.98	74.00	-14.02	7.94	3	Vertical	221	1.14	-
AV	5.1476G	46.80	54.00	-7.20	7.94	3	Vertical	221	1.14	-
PK	5.1764G	113.48	Inf	-Inf	8.01	3	Vertical	221	1.14	-
AV	5.1766G	101.00	Inf	-Inf	8.01	3	Vertical	221	1.14	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

### 5180MHz\_TX



EUT X\_ANT Y\_2TX  
 Setting 23.5  
 02-L-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	67.84	74.00	-6.16	7.94	3	Horizontal	102	1.91	-
AV	5.1498G	53.17	54.00	-0.83	7.94	3	Horizontal	102	1.91	-
PK	5.1794G	122.41	Inf	-Inf	8.02	3	Horizontal	102	1.91	-
AV	5.179G	109.97	Inf	-Inf	8.02	3	Horizontal	102	1.91	-



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_2TX  
Setting 27  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	59.02	74.00	-14.98	7.94	3	Vertical	222	1.77	-
AV	5.1496G	46.16	54.00	-7.84	7.94	3	Vertical	222	1.77	-
PK	5.1968G	115.85	Inf	-Inf	8.06	3	Vertical	222	1.77	-
AV	5.1976G	103.15	Inf	-Inf	8.06	3	Vertical	222	1.77	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	64.50	74.00	-9.50	7.94	3	Horizontal	104	1.88	-
AV	5.15G	50.62	54.00	-3.38	7.94	3	Horizontal	104	1.88	-
PK	5.1988G	123.37	Inf	-Inf	8.06	3	Horizontal	104	1.88	-
AV	5.1988G	111.25	Inf	-Inf	8.06	3	Horizontal	104	1.88	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	58.65	74.00	-15.35	7.94	3	Vertical	220	1.22	-
AV	5.1284G	45.21	54.00	-8.79	7.91	3	Vertical	220	1.22	-
PK	5.2346G	117.05	Inf	-Inf	8.11	3	Vertical	220	1.22	-
AV	5.2442G	103.66	Inf	-Inf	8.12	3	Vertical	220	1.22	-
PK	5.381G	57.95	74.00	-16.05	8.32	3	Vertical	220	1.22	-
AV	5.3606G	45.27	54.00	-8.73	8.29	3	Vertical	220	1.22	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1188G	58.58	74.00	-15.42	7.88	3	Horizontal	94	2.54	-
AV	5.093G	45.99	54.00	-8.01	7.82	3	Horizontal	94	2.54	-
PK	5.2424G	123.92	Inf	-Inf	8.12	3	Horizontal	94	2.54	-
AV	5.2412G	111.15	Inf	-Inf	8.12	3	Horizontal	94	2.54	-
PK	5.3858G	59.25	74.00	-14.75	8.32	3	Horizontal	94	2.54	-
AV	5.3762G	46.40	54.00	-7.60	8.31	3	Horizontal	94	2.54	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

### 5745MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.624G	59.01	68.20	-9.19	8.61	3	Vertical	217	1.32	-
PK	5.744G	114.42	Inf	-Inf	8.82	3	Vertical	217	1.32	-
AV	5.744G	101.98	Inf	-Inf	8.82	3	Vertical	217	1.32	-
PK	5.946G	58.46	68.20	-9.74	8.94	3	Vertical	217	1.32	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

5745MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	59.58	68.20	-8.62	8.66	3	Horizontal	88	1.63	-
PK	5.743G	120.97	Inf	-Inf	8.82	3	Horizontal	88	1.63	-
AV	5.744G	108.43	Inf	-Inf	8.82	3	Horizontal	88	1.63	-
PK	5.936G	59.10	68.20	-9.10	8.93	3	Horizontal	88	1.63	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

5785MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.604G	58.75	68.20	-9.45	8.59	3	Vertical	226	1.64	-
PK	5.786G	115.11	Inf	-Inf	8.88	3	Vertical	226	1.64	-
AV	5.786G	103.01	Inf	-Inf	8.88	3	Vertical	226	1.64	-
PK	5.959G	59.23	68.20	-8.97	8.93	3	Vertical	226	1.64	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

5785MHz\_TX



EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.593G	59.34	68.20	-8.86	8.58	3	Horizontal	83	1.55	-
PK	5.782G	121.15	Inf	-Inf	8.88	3	Horizontal	83	1.55	-
AV	5.783G	107.99	Inf	-Inf	8.88	3	Horizontal	83	1.55	-
PK	5.941G	60.83	68.20	-7.37	8.93	3	Horizontal	83	1.55	-



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.578G	58.62	68.20	-9.58	8.57	3	Vertical	218	1.47	-
PK	5.827G	115.18	Inf	-Inf	8.91	3	Vertical	218	1.47	-
AV	5.826G	102.70	Inf	-Inf	8.91	3	Vertical	218	1.47	-
PK	5.988G	58.16	68.20	-10.04	8.93	3	Vertical	218	1.47	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

10/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.632G	60.32	68.20	-7.88	8.63	3	Horizontal	83	1.79	-
PK	5.822G	119.95	Inf	-Inf	8.90	3	Horizontal	83	1.79	-
AV	5.824G	108.08	Inf	-Inf	8.90	3	Horizontal	83	1.79	-
PK	5.958G	59.30	68.20	-8.90	8.92	3	Horizontal	83	1.79	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

10/07/2019

### 5190MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 22.5  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	61.74	74.00	-12.26	7.94	3	Vertical	217	1.06	-
AV	5.1472G	47.48	54.00	-6.52	7.94	3	Vertical	217	1.06	-
PK	5.1868G	110.23	Inf	-Inf	8.04	3	Vertical	217	1.06	-
AV	5.1856G	97.29	Inf	-Inf	8.03	3	Vertical	217	1.06	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

10/07/2019

### 5190MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 22.5  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	68.32	74.00	-5.68	7.94	3	Horizontal	95	1.98	-
AV	5.15G	53.98	54.00	-0.02	7.94	3	Horizontal	95	1.98	-
PK	5.18G	118.82	Inf	-Inf	8.02	3	Horizontal	95	1.98	-
AV	5.1796G	104.78	Inf	-Inf	8.02	3	Horizontal	95	1.98	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

10/07/2019

### 5230MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 26  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	61.61	74.00	-12.39	7.94	3	Vertical	214	1.56	-
AV	5.15G	47.32	54.00	-6.68	7.94	3	Vertical	214	1.56	-
PK	5.2378G	113.11	Inf	-Inf	8.12	3	Vertical	214	1.56	-
AV	5.2366G	100.40	Inf	-Inf	8.11	3	Vertical	214	1.56	-
PK	5.356G	58.78	74.00	-15.22	8.28	3	Vertical	214	1.56	-
AV	5.3632G	45.51	54.00	-8.49	8.29	3	Vertical	214	1.56	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

10/07/2019

### 5230MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 26  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	65.75	74.00	-8.25	7.94	3	Horizontal	97	1.97	-
AV	5.146G	51.33	54.00	-2.67	7.94	3	Horizontal	97	1.97	-
PK	5.2432G	120.11	Inf	-Inf	8.12	3	Horizontal	97	1.97	-
AV	5.2336G	108.10	Inf	-Inf	8.11	3	Horizontal	97	1.97	-
PK	5.3548G	60.26	74.00	-13.74	8.28	3	Horizontal	97	1.97	-
AV	5.353G	46.45	54.00	-7.55	8.28	3	Horizontal	97	1.97	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

10/07/2019

5755MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 26  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	59.21	68.20	-8.99	8.67	3	Vertical	225	1.48	-
PK	5.76G	113.92	Inf	-Inf	8.85	3	Vertical	225	1.48	-
AV	5.76G	100.82	Inf	-Inf	8.85	3	Vertical	225	1.48	-
PK	5.987G	58.65	68.20	-9.55	8.93	3	Vertical	225	1.48	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

10/07/2019

### 5755MHz\_TX



EUT X\_ANT Y\_2TX  
 Setting 26  
 02-L-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	63.82	68.20	-4.38	8.66	3	Horizontal	91	1.83	-
PK	5.749G	118.90	Inf	-Inf	8.82	3	Horizontal	91	1.83	-
AV	5.759G	106.88	Inf	-Inf	8.85	3	Horizontal	91	1.83	-
PK	5.973G	59.85	68.20	-8.35	8.93	3	Horizontal	91	1.83	-



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

10/07/2019

### 5795MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.63G	59.48	68.20	-8.72	8.63	3	Vertical	226	1.22	-
PK	5.799G	112.73	Inf	-Inf	8.90	3	Vertical	226	1.22	-
AV	5.798G	101.28	Inf	-Inf	8.90	3	Vertical	226	1.22	-
PK	5.931G	61.76	68.20	-6.44	8.93	3	Vertical	226	1.22	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

10/07/2019

5795MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.619G	61.81	68.20	-6.39	8.61	3	Horizontal	95	1.58	-
PK	5.788G	118.92	Inf	-Inf	8.87	3	Horizontal	95	1.58	-
AV	5.787G	106.91	Inf	-Inf	8.88	3	Horizontal	95	1.58	-
PK	5.93G	67.09	68.20	-1.11	8.93	3	Horizontal	95	1.58	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

10/07/2019

5210MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 21.5  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.137G	59.73	74.00	-14.27	7.92	3	Vertical	209	1.05	-
AV	5.147G	46.73	54.00	-7.27	7.94	3	Vertical	209	1.05	-
PK	5.225G	104.80	Inf	-Inf	8.10	3	Vertical	209	1.05	-
AV	5.225G	92.09	Inf	-Inf	8.10	3	Vertical	209	1.05	-
PK	5.442G	58.35	74.00	-15.65	8.41	3	Vertical	209	1.05	-
AV	5.427G	45.21	54.00	-8.79	8.40	3	Vertical	209	1.05	-

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

10/07/2019

### 5210MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 21.5  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	65.99	74.00	-8.01	7.94	3	Horizontal	99	1.91	-
AV	5.149G	52.12	54.00	-1.88	7.94	3	Horizontal	99	1.91	-
PK	5.23G	113.28	Inf	-Inf	8.11	3	Horizontal	99	1.91	-
AV	5.179G	100.27	Inf	-Inf	8.02	3	Horizontal	99	1.91	-
PK	5.395G	58.63	74.00	-15.37	8.33	3	Horizontal	99	1.91	-
AV	5.35G	46.24	54.00	-7.76	8.28	3	Horizontal	99	1.91	-

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

10/07/2019

### 5775MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 24  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	61.76	68.20	-6.44	8.66	3	Vertical	216	1.49	-
PK	5.77G	108.04	Inf	-Inf	8.85	3	Vertical	216	1.49	-
AV	5.772G	96.16	Inf	-Inf	8.85	3	Vertical	216	1.49	-
PK	5.932G	59.23	68.20	-8.97	8.93	3	Vertical	216	1.49	-

802.11ax HEW80\_Nss1,(MCS0)\_2TX

10/07/2019

5775MHz\_TX



EUT X\_ANT Y\_2TX  
 Setting 24  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	67.02	68.20	-1.18	8.66	3	Horizontal	92	1.72	-
PK	5.767G	113.78	Inf	-Inf	8.85	3	Horizontal	92	1.72	-
AV	5.769G	101.77	Inf	-Inf	8.85	3	Horizontal	92	1.72	-
PK	5.947G	64.36	68.20	-3.84	8.94	3	Horizontal	92	1.72	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	50.88	54.00	-3.12	7.94	3	Horizontal	285	1.77	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

### 5180MHz\_TX



EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1328G	57.85	74.00	-16.15	7.92	3	Vertical	111	1.48	-
AV	5.1484G	45.72	54.00	-8.28	7.94	3	Vertical	111	1.48	-
PK	5.183G	111.51	Inf	-Inf	8.02	3	Vertical	111	1.48	-
AV	5.1838G	98.40	Inf	-Inf	8.03	3	Vertical	111	1.48	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1478G	62.38	74.00	-11.62	7.94	3	Horizontal	289	1.77	-
AV	5.15G	50.45	54.00	-3.55	7.94	3	Horizontal	289	1.77	-
PK	5.1848G	121.44	Inf	-Inf	8.03	3	Horizontal	289	1.77	-
AV	5.183G	109.22	Inf	-Inf	8.02	3	Horizontal	289	1.77	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5200MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1372G	57.77	74.00	-16.23	7.92	3	Vertical	244	2.78	-
AV	5.104G	45.42	54.00	-8.58	7.84	3	Vertical	244	2.78	-
PK	5.2012G	113.03	Inf	-Inf	8.06	3	Vertical	244	2.78	-
AV	5.2008G	100.22	Inf	-Inf	8.06	3	Vertical	244	2.78	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5200MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.11G	59.64	74.00	-14.36	7.86	3	Horizontal	266	1.66	-
AV	5.1496G	46.24	54.00	-7.76	7.94	3	Horizontal	266	1.66	-
PK	5.1964G	118.94	Inf	-Inf	8.06	3	Horizontal	266	1.66	-
AV	5.1924G	106.90	Inf	-Inf	8.04	3	Horizontal	266	1.66	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

### 5240MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1104G	58.06	74.00	-15.94	7.86	3	Vertical	52	1.26	-
AV	5.1176G	45.49	54.00	-8.51	7.88	3	Vertical	52	1.26	-
PK	5.2364G	111.55	Inf	-Inf	8.11	3	Vertical	52	1.26	-
AV	5.2364G	99.33	Inf	-Inf	8.11	3	Vertical	52	1.26	-
PK	5.3738G	57.40	74.00	-16.60	8.30	3	Vertical	52	1.26	-
AV	5.3798G	45.63	54.00	-8.37	8.32	3	Vertical	52	1.26	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5240MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0918G	59.20	74.00	-14.80	7.82	3	Horizontal	257	1.81	-
AV	5.1014G	46.13	54.00	-7.87	7.84	3	Horizontal	257	1.81	-
PK	5.2442G	119.05	Inf	-Inf	8.12	3	Horizontal	257	1.81	-
AV	5.2478G	107.62	Inf	-Inf	8.13	3	Horizontal	257	1.81	-
PK	5.3888G	58.80	74.00	-15.20	8.33	3	Horizontal	257	1.81	-
AV	5.3762G	46.05	54.00	-7.95	8.31	3	Horizontal	257	1.81	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5745MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.602G	58.64	68.20	-9.56	8.58	3	Vertical	297	1.81	-
PK	5.752G	111.33	Inf	-Inf	8.83	3	Vertical	297	1.81	-
AV	5.752G	99.78	Inf	-Inf	8.83	3	Vertical	297	1.81	-
PK	5.947G	59.24	68.20	-8.96	8.94	3	Vertical	297	1.81	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5745MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.61G	58.54	68.20	-9.66	8.60	3	Horizontal	283	1.39	-
PK	5.74G	118.19	Inf	-Inf	8.80	3	Horizontal	283	1.39	-
AV	5.74G	106.54	Inf	-Inf	8.80	3	Horizontal	283	1.39	-
PK	5.956G	59.08	68.20	-9.12	8.92	3	Horizontal	283	1.39	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5785MHz\_TX



EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.591G	58.42	68.20	-9.78	8.57	3	Vertical	309	1.87	-
PK	5.786G	113.65	Inf	-Inf	8.88	3	Vertical	309	1.87	-
AV	5.786G	101.77	Inf	-Inf	8.88	3	Vertical	309	1.87	-
PK	5.975G	58.79	68.20	-9.41	8.94	3	Vertical	309	1.87	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5785MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.593G	58.77	68.20	-9.43	8.58	3	Horizontal	285	1.45	-
PK	5.78G	117.76	Inf	-Inf	8.87	3	Horizontal	285	1.45	-
AV	5.778G	106.50	Inf	-Inf	8.87	3	Horizontal	285	1.45	-
PK	5.959G	58.89	68.20	-9.31	8.93	3	Horizontal	285	1.45	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5825MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.58G	59.13	68.20	-9.07	8.57	3	Vertical	298	1.44	-
PK	5.822G	112.64	Inf	-Inf	8.90	3	Vertical	298	1.44	-
AV	5.828G	100.73	Inf	-Inf	8.91	3	Vertical	298	1.44	-
PK	5.948G	59.32	68.20	-8.88	8.94	3	Vertical	298	1.44	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/07/2019

### 5825MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.63G	58.78	68.20	-9.42	8.63	3	Horizontal	287	1.42	-
PK	5.826G	113.77	Inf	-Inf	8.91	3	Horizontal	287	1.42	-
AV	5.824G	102.18	Inf	-Inf	8.90	3	Horizontal	287	1.42	-
PK	5.981G	58.29	68.20	-9.91	8.94	3	Horizontal	287	1.42	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5190MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1464G	59.53	74.00	-14.47	7.94	3	Vertical	243	1.48	-
AV	5.1492G	46.71	54.00	-7.29	7.94	3	Vertical	243	1.48	-
PK	5.1848G	108.21	Inf	-Inf	8.03	3	Vertical	243	1.48	-
AV	5.184G	95.23	Inf	-Inf	8.03	3	Vertical	243	1.48	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5190MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	67.85	74.00	-6.15	7.94	3	Horizontal	286	1.65	-
AV	5.15G	50.65	54.00	-3.35	7.94	3	Horizontal	286	1.65	-
PK	5.1932G	119.07	Inf	-Inf	8.04	3	Horizontal	286	1.65	-
AV	5.1916G	106.52	Inf	-Inf	8.04	3	Horizontal	286	1.65	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5230MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.0938G	57.78	74.00	-16.22	7.82	3	Vertical	45	1.55	-
AV	5.0878G	45.67	54.00	-8.33	7.81	3	Vertical	45	1.55	-
PK	5.227G	108.87	Inf	-Inf	8.10	3	Vertical	45	1.55	-
AV	5.2366G	96.63	Inf	-Inf	8.11	3	Vertical	45	1.55	-
PK	5.3638G	57.52	74.00	-16.48	8.29	3	Vertical	45	1.55	-
AV	5.3764G	45.60	54.00	-8.40	8.31	3	Vertical	45	1.55	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5230MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.143G	58.69	74.00	-15.31	7.94	3	Horizontal	285	1.77	-
AV	5.149G	46.53	54.00	-7.47	7.94	3	Horizontal	285	1.77	-
PK	5.2228G	115.37	Inf	-Inf	8.10	3	Horizontal	285	1.77	-
AV	5.2216G	104.76	Inf	-Inf	8.10	3	Horizontal	285	1.77	-
PK	5.3566G	58.13	74.00	-15.87	8.28	3	Horizontal	285	1.77	-
AV	5.3764G	45.81	54.00	-8.19	8.31	3	Horizontal	285	1.77	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5755MHz\_TX



EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.571G	58.55	68.20	-9.65	8.56	3	Vertical	307	1.73	-
PK	5.762G	109.53	Inf	-Inf	8.85	3	Vertical	307	1.73	-
AV	5.746G	99.95	Inf	-Inf	8.82	3	Vertical	307	1.73	-
PK	5.93G	58.14	68.20	-10.06	8.93	3	Vertical	307	1.73	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5755MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	58.97	68.20	-9.23	8.66	3	Horizontal	269	1.38	-
PK	5.749G	116.24	Inf	-Inf	8.82	3	Horizontal	269	1.38	-
AV	5.745G	105.27	Inf	-Inf	8.82	3	Horizontal	269	1.38	-
PK	5.989G	58.20	68.20	-10.00	8.93	3	Horizontal	269	1.38	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5795MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.581G	58.41	68.20	-9.79	8.57	3	Vertical	288	1.43	-
PK	5.792G	110.30	Inf	-Inf	8.89	3	Vertical	288	1.43	-
AV	5.787G	98.09	Inf	-Inf	8.88	3	Vertical	288	1.43	-
PK	5.948G	58.00	68.20	-10.20	8.94	3	Vertical	288	1.43	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5795MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	59.30	68.20	-8.90	8.66	3	Horizontal	276	1.65	-
PK	5.779G	116.05	Inf	-Inf	8.87	3	Horizontal	276	1.65	-
AV	5.78G	103.72	Inf	-Inf	8.87	3	Horizontal	276	1.65	-
PK	5.942G	59.91	68.20	-8.29	8.94	3	Horizontal	276	1.65	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5210MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.128G	58.82	74.00	-15.18	7.91	3	Vertical	42	1.69	-
AV	5.147G	46.16	54.00	-7.84	7.94	3	Vertical	42	1.69	-
PK	5.206G	105.78	Inf	-Inf	8.07	3	Vertical	42	1.69	-
AV	5.22G	92.98	Inf	-Inf	8.09	3	Vertical	42	1.69	-
PK	5.417G	58.25	74.00	-15.75	8.37	3	Vertical	42	1.69	-
AV	5.391G	45.53	54.00	-8.47	8.33	3	Vertical	42	1.69	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5210MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.123G	67.49	74.00	-6.51	7.89	3	Horizontal	285	1.77	-
AV	5.15G	50.88	54.00	-3.12	7.94	3	Horizontal	285	1.77	-
PK	5.202G	116.76	Inf	-Inf	8.06	3	Horizontal	285	1.77	-
AV	5.223G	102.32	Inf	-Inf	8.10	3	Horizontal	285	1.77	-
PK	5.39G	58.74	74.00	-15.26	8.33	3	Horizontal	285	1.77	-
AV	5.365G	46.47	54.00	-7.53	8.29	3	Horizontal	285	1.77	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/07/2019

### 5775MHz\_TX




EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	58.66	68.20	-9.54	8.66	3	Vertical	297	1.45	-
PK	5.786G	106.85	Inf	-Inf	8.88	3	Vertical	297	1.45	-
AV	5.786G	94.61	Inf	-Inf	8.88	3	Vertical	297	1.45	-
PK	5.949G	58.22	68.20	-9.98	8.94	3	Vertical	297	1.45	-

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/07/2019

5775MHz\_TX



EUT X\_ANT Y\_2TX  
 Setting 25  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.651G	60.46	68.94	-8.48	8.66	3	Horizontal	282	1.14	-
PK	5.758G	112.84	Inf	-Inf	8.84	3	Horizontal	282	1.14	-
AV	5.767G	100.29	Inf	-Inf	8.85	3	Horizontal	282	1.14	-
PK	5.971G	58.99	68.20	-9.21	8.93	3	Horizontal	282	1.14	-



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.651G	68.92	68.94	-0.02	8.66	3	Horizontal	270	2.89	-



### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 24  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1444G	64.32	74.00	-9.68	7.94	3	Vertical	222	3.00	-
AV	5.145G	49.98	54.00	-4.02	7.94	3	Vertical	222	3.00	-
PK	5.184G	117.40	Inf	-Inf	8.03	3	Vertical	222	3.00	-
AV	5.1846G	107.53	Inf	-Inf	8.03	3	Vertical	222	3.00	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5180MHz\_TX




EUT X\_ANT Y\_4TX  
Setting 24  
02-L-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.12	74.00	-7.88	7.94	3	Horizontal	282	1.43	-
AV	5.15G	53.17	54.00	-0.83	7.94	3	Horizontal	282	1.43	-
PK	5.1782G	123.88	Inf	-Inf	8.02	3	Horizontal	282	1.43	-
AV	5.1778G	113.87	Inf	-Inf	8.02	3	Horizontal	282	1.43	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5200MHz\_TX




EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	62.00	74.00	-12.00	7.94	3	Vertical	318	2.69	-
AV	5.15G	48.48	54.00	-5.52	7.94	3	Vertical	318	2.69	-
PK	5.1956G	120.81	Inf	-Inf	8.06	3	Vertical	318	2.69	-
AV	5.1948G	110.10	Inf	-Inf	8.05	3	Vertical	318	2.69	-

### 802.11a\_Nss1,(6Mbps)\_4TX

09/07/2019

### 5200MHz\_TX



EUT X\_ANT Y\_4TX  
 Setting 27  
 02-L-2-10  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1424G	65.33	74.00	-8.67	7.94	3	Horizontal	285	1.66	-
AV	5.1428G	50.45	54.00	-3.55	7.94	3	Horizontal	285	1.66	-
PK	5.1956G	125.91	Inf	-Inf	8.06	3	Horizontal	285	1.66	-
AV	5.1948G	116.11	Inf	-Inf	8.05	3	Horizontal	285	1.66	-