


### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

16/07/2019

### 2452MHz\_TX



EUT\_X\_2TX  
Setting 19  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3804G	55.71	74.00	-18.29	30.76	3	Horizontal	352	1.04	-
AV	2.3896G	43.85	54.00	-10.15	30.80	3	Horizontal	352	1.04	-
PK	2.4404G	114.31	Inf	-Inf	30.90	3	Horizontal	352	1.04	-
AV	2.4404G	106.97	Inf	-Inf	30.90	3	Horizontal	352	1.04	-
PK	2.4835G	65.76	74.00	-8.24	30.96	3	Horizontal	352	1.04	-
AV	2.4848G	50.65	54.00	-3.35	30.96	3	Horizontal	352	1.04	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	2.4838G	53.98	54.00	-0.02	30.96	3	Vertical	187	1.61

### 802.11b\_Nss1,(1Mbps)\_4TX

05/07/2019

### 2412MHz\_TX




EUT X\_4TX  
Setting 21  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	58.68	74.00	-15.32	30.80	3	Vertical	162	1.29	-
AV	2.39G	47.98	54.00	-6.02	30.80	3	Vertical	162	1.29	-
PK	2.413G	119.25	Inf	-Inf	30.86	3	Vertical	162	1.29	-
AV	2.4112G	115.50	Inf	-Inf	30.86	3	Vertical	162	1.29	-

### 802.11b\_Nss1,(1Mbps)\_4TX

05/07/2019

### 2412MHz\_TX




EUT\_X\_4TX  
Setting 21  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3874G	62.44	74.00	-11.56	30.79	3	Horizontal	176	2.28	-
AV	2.3872G	53.79	54.00	-0.21	30.79	3	Horizontal	176	2.28	-
PK	2.413G	122.79	Inf	-Inf	30.86	3	Horizontal	176	2.28	-
AV	2.413G	119.34	Inf	-Inf	30.86	3	Horizontal	176	2.28	-

### 802.11b\_Nss1,(1Mbps)\_4TX

05/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 22.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.377G	58.65	74.00	-15.35	30.75	3	Vertical	163	1.45	-
AV	2.3898G	46.29	54.00	-7.71	30.80	3	Vertical	163	1.45	-
PK	2.4378G	121.45	Inf	-Inf	30.90	3	Vertical	163	1.45	-
AV	2.4362G	117.60	Inf	-Inf	30.90	3	Vertical	163	1.45	-
PK	2.4978G	62.46	74.00	-11.54	30.99	3	Vertical	163	1.45	-
AV	2.4842G	48.44	54.00	-5.56	30.96	3	Vertical	163	1.45	-

### 802.11b\_Nss1,(1Mbps)\_4TX

05/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 22.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3882G	59.54	74.00	-14.46	30.79	3	Horizontal	177	2.07	-
AV	2.3898G	48.52	54.00	-5.48	30.80	3	Horizontal	177	2.07	-
PK	2.4378G	124.54	Inf	-Inf	30.90	3	Horizontal	177	2.07	-
AV	2.4362G	120.59	Inf	-Inf	30.90	3	Horizontal	177	2.07	-
PK	2.4974G	62.10	74.00	-11.90	30.99	3	Horizontal	177	2.07	-
AV	2.4842G	49.70	54.00	-4.30	30.96	3	Horizontal	177	2.07	-

### 802.11b\_Nss1,(1Mbps)\_4TX

05/07/2019

### 2462MHz\_TX




EUT X\_4TX  
Setting 20.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.461G	119.32	Inf	-Inf	30.93	3	Vertical	162	1.39	-
AV	2.4628G	115.64	Inf	-Inf	30.93	3	Vertical	162	1.39	-
PK	2.4962G	60.10	74.00	-13.90	30.99	3	Vertical	162	1.39	-
AV	2.4835G	49.30	54.00	-4.70	30.96	3	Vertical	162	1.39	-

### 802.11b\_Nss1,(1Mbps)\_4TX

05/07/2019

### 2462MHz\_TX



EUT X\_4TX  
Setting 20.5  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.461G	121.56	Inf	-Inf	30.93	3	Horizontal	176	1.93	-
AV	2.4614G	117.88	Inf	-Inf	30.93	3	Horizontal	176	1.93	-
PK	2.4864G	62.07	74.00	-11.93	30.97	3	Horizontal	176	1.93	-
AV	2.4835G	52.51	54.00	-1.49	30.96	3	Horizontal	176	1.93	-



### 802.11g\_Nss1,(6Mbps)\_4TX

05/07/2019

### 2412MHz\_TX




EUT\_X\_4TX  
Setting 19  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3856G	66.52	74.00	-7.48	30.79	3	Vertical	188	1.48	-
AV	2.3858G	52.47	54.00	-1.53	30.79	3	Vertical	188	1.48	-
PK	2.4056G	120.81	Inf	-Inf	30.85	3	Vertical	188	1.48	-
AV	2.4054G	110.72	Inf	-Inf	30.85	3	Vertical	188	1.48	-

### 802.11g\_Nss1,(6Mbps)\_4TX

05/07/2019

### 2412MHz\_TX




EUT\_X\_4TX  
Setting 19  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3892G	61.82	74.00	-12.18	30.80	3	Horizontal	159	1.47	-
AV	2.39G	48.47	54.00	-5.53	30.80	3	Horizontal	159	1.47	-
PK	2.416G	122.11	Inf	-Inf	30.87	3	Horizontal	159	1.47	-
AV	2.4152G	112.22	Inf	-Inf	30.87	3	Horizontal	159	1.47	-

### 802.11g\_Nss1,(6Mbps)\_4TX

05/07/2019

### 2417MHz\_TX




EUT X\_4TX  
Setting 19.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3886G	67.09	74.00	-6.91	30.80	3	Vertical	189	1.48	-
AV	2.39G	53.83	54.00	-0.17	30.80	3	Vertical	189	1.48	-
PK	2.4106G	121.60	Inf	-Inf	30.86	3	Vertical	189	1.48	-
AV	2.41G	111.38	Inf	-Inf	30.86	3	Vertical	189	1.48	-

### 802.11g\_Nss1,(6Mbps)\_4TX

05/07/2019

### 2417MHz\_TX




EUT X\_4TX  
Setting 19.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.389G	65.59	74.00	-8.41	30.80	3	Horizontal	165	1.30	-
AV	2.3894G	50.68	54.00	-3.32	30.80	3	Horizontal	165	1.30	-
PK	2.4208G	122.75	Inf	-Inf	30.87	3	Horizontal	165	1.30	-
AV	2.4204G	112.97	Inf	-Inf	30.87	3	Horizontal	165	1.30	-

### 802.11g\_Nss1,(6Mbps)\_4TX

05/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 22  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3842G	63.64	74.00	-10.36	30.78	3	Vertical	169	1.34	-
AV	2.3846G	49.36	54.00	-4.64	30.78	3	Vertical	169	1.34	-
PK	2.4442G	124.49	Inf	-Inf	30.90	3	Vertical	169	1.34	-
AV	2.4442G	114.57	Inf	-Inf	30.90	3	Vertical	169	1.34	-
PK	2.4866G	64.71	74.00	-9.29	30.97	3	Vertical	169	1.34	-
AV	2.485G	51.41	54.00	-2.59	30.97	3	Vertical	169	1.34	-

### 802.11g\_Nss1,(6Mbps)\_4TX

05/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 22  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3794G	61.23	74.00	-12.77	30.76	3	Horizontal	163	1.25	-
AV	2.3886G	48.04	54.00	-5.96	30.80	3	Horizontal	163	1.25	-
PK	2.4402G	126.39	Inf	-Inf	30.90	3	Horizontal	163	1.25	-
AV	2.4402G	116.30	Inf	-Inf	30.90	3	Horizontal	163	1.25	-
PK	2.4835G	64.11	74.00	-9.89	30.96	3	Horizontal	163	1.25	-
AV	2.4835G	51.31	54.00	-2.69	30.96	3	Horizontal	163	1.25	-

### 802.11g\_Nss1,(6Mbps)\_4TX

16/07/2019

### 2457MHz\_TX




EUT X\_4TX  
Setting 18.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4646G	120.29	Inf	-Inf	30.93	3	Vertical	350	1.48	-
AV	2.4642G	111.03	Inf	-Inf	30.93	3	Vertical	350	1.48	-
PK	2.4848G	68.24	74.00	-5.76	30.96	3	Vertical	350	1.48	-
AV	2.485G	53.05	54.00	-0.95	30.97	3	Vertical	350	1.48	-

### 802.11g\_Nss1,(6Mbps)\_4TX

16/07/2019

### 2457MHz\_TX



EUT\_X\_4TX  
Setting 18.5  
01-M-1  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.461G	121.95	Inf	-Inf	30.93	3	Horizontal	347	1.54	-
AV	2.4604G	112.29	Inf	-Inf	30.93	3	Horizontal	347	1.54	-
PK	2.4835G	66.21	74.00	-7.79	30.96	3	Horizontal	347	1.54	-
AV	2.4835G	52.47	54.00	-1.53	30.96	3	Horizontal	347	1.54	-



### 802.11g\_Nss1,(6Mbps)\_4TX

05/07/2019

### 2462MHz\_TX




EUT\_X\_4TX  
Setting 17.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4556G	120.23	Inf	-Inf	30.93	3	Vertical	187	1.49	-
AV	2.4556G	110.12	Inf	-Inf	30.93	3	Vertical	187	1.49	-
PK	2.4836G	67.40	74.00	-6.60	30.96	3	Vertical	187	1.49	-
AV	2.4835G	53.01	54.00	-0.99	30.96	3	Vertical	187	1.49	-

### 802.11g\_Nss1,(6Mbps)\_4TX

05/07/2019

### 2462MHz\_TX




EUT\_X\_4TX  
Setting 17.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4592G	121.57	Inf	-Inf	30.93	3	Horizontal	186	1.64	-
AV	2.4588G	111.34	Inf	-Inf	30.93	3	Horizontal	186	1.64	-
PK	2.4836G	66.75	74.00	-7.25	30.96	3	Horizontal	186	1.64	-
AV	2.4835G	52.81	54.00	-1.19	30.96	3	Horizontal	186	1.64	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/07/2019

### 2412MHz\_TX




EUT\_X\_4TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	63.84	74.00	-10.16	30.80	3	Vertical	184	1.49	-
AV	2.39G	50.49	54.00	-3.51	30.80	3	Vertical	184	1.49	-
PK	2.4178G	121.15	Inf	-Inf	30.87	3	Vertical	184	1.49	-
AV	2.4192G	108.57	Inf	-Inf	30.87	3	Vertical	184	1.49	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/07/2019

### 2412MHz\_TX




EUT X\_4TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	68.97	74.00	-5.03	30.80	3	Horizontal	175	2.15	-
AV	2.39G	53.91	54.00	-0.09	30.80	3	Horizontal	175	2.15	-
PK	2.4092G	123.93	Inf	-Inf	30.85	3	Horizontal	175	2.15	-
AV	2.4098G	110.84	Inf	-Inf	30.85	3	Horizontal	175	2.15	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/07/2019

### 2417MHz\_TX




EUT X\_4TX  
Setting 19.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	68.71	74.00	-5.29	30.80	3	Vertical	188	1.69	-
AV	2.387G	52.21	54.00	-1.79	30.79	3	Vertical	188	1.69	-
PK	2.424G	123.18	Inf	-Inf	30.87	3	Vertical	188	1.69	-
AV	2.424G	110.58	Inf	-Inf	30.87	3	Vertical	188	1.69	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/07/2019

### 2417MHz\_TX




EUT X\_4TX  
Setting 19.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3882G	65.53	74.00	-8.47	30.79	3	Horizontal	177	1.88	-
AV	2.3874G	51.61	54.00	-2.39	30.79	3	Horizontal	177	1.88	-
PK	2.4142G	125.63	Inf	-Inf	30.86	3	Horizontal	177	1.88	-
AV	2.4144G	112.05	Inf	-Inf	30.86	3	Horizontal	177	1.88	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 22  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.377G	63.54	74.00	-10.46	30.75	3	Vertical	188	1.48	-
AV	2.385G	49.25	54.00	-4.75	30.79	3	Vertical	188	1.48	-
PK	2.4434G	127.95	Inf	-Inf	30.90	3	Vertical	188	1.48	-
AV	2.4442G	113.94	Inf	-Inf	30.90	3	Vertical	188	1.48	-
PK	2.4835G	67.99	74.00	-6.01	30.96	3	Vertical	188	1.48	-
AV	2.4835G	52.52	54.00	-1.48	30.96	3	Vertical	188	1.48	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/07/2019

### 2437MHz\_TX



EUT\_X\_4TX  
Setting 22  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3886G	63.63	74.00	-10.37	30.80	3	Horizontal	178	2.08	-
AV	2.3874G	50.36	54.00	-3.64	30.79	3	Horizontal	178	2.08	-
PK	2.435G	129.27	Inf	-Inf	30.89	3	Horizontal	178	2.08	-
AV	2.435G	115.91	Inf	-Inf	30.89	3	Horizontal	178	2.08	-
PK	2.4974G	63.49	74.00	-10.51	30.99	3	Horizontal	178	2.08	-
AV	2.4835G	50.00	54.00	-4.00	30.96	3	Horizontal	178	2.08	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

16/07/2019

### 2457MHz\_TX




EUT\_X\_4TX  
Setting 18.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4514G	125.19	Inf	-Inf	30.92	3	Vertical	351	1.50	-
AV	2.451G	111.41	Inf	-Inf	30.92	3	Vertical	351	1.50	-
PK	2.4892G	67.90	74.00	-6.10	30.97	3	Vertical	351	1.50	-
AV	2.4896G	52.81	54.00	-1.19	30.97	3	Vertical	351	1.50	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

16/07/2019

2457MHz\_TX




EUT X\_4TX  
Setting 18.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4538G	125.75	Inf	-Inf	30.92	3	Horizontal	2	2.06	-
AV	2.4546G	112.36	Inf	-Inf	30.92	3	Horizontal	2	2.06	-
PK	2.4864G	66.61	74.00	-7.39	30.97	3	Horizontal	2	2.06	-
AV	2.4835G	53.18	54.00	-0.82	30.96	3	Horizontal	2	2.06	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/07/2019

### 2462MHz\_TX




EUT X\_4TX  
Setting 15.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4572G	119.71	Inf	-Inf	30.93	3	Vertical	167	1.50	-
AV	2.4562G	106.96	Inf	-Inf	30.93	3	Vertical	167	1.50	-
PK	2.4836G	67.78	74.00	-6.22	30.96	3	Vertical	167	1.50	-
AV	2.4836G	53.54	54.00	-0.46	30.96	3	Vertical	167	1.50	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

05/07/2019

### 2462MHz\_TX




EUT X\_4TX  
Setting 15.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.459G	121.50	Inf	-Inf	30.93	3	Horizontal	183	1.80	-
AV	2.4594G	108.77	Inf	-Inf	30.93	3	Horizontal	183	1.80	-
PK	2.4872G	63.01	74.00	-10.99	30.97	3	Horizontal	183	1.80	-
AV	2.4835G	49.26	54.00	-4.74	30.96	3	Horizontal	183	1.80	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

05/07/2019

2422MHz\_TX




EUT\_X\_4TX  
Setting 16.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	67.79	74.00	-6.21	30.80	3	Vertical	187	1.61	-
AV	2.3896G	51.41	54.00	-2.59	30.80	3	Vertical	187	1.61	-
PK	2.4296G	118.90	Inf	-Inf	30.88	3	Vertical	187	1.61	-
AV	2.4296G	106.03	Inf	-Inf	30.88	3	Vertical	187	1.61	-
PK	2.4892G	58.69	74.00	-15.31	30.97	3	Vertical	187	1.61	-
AV	2.49G	45.89	54.00	-8.11	30.98	3	Vertical	187	1.61	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

05/07/2019

2422MHz\_TX




EUT\_X\_4TX  
Setting 16.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	66.10	74.00	-7.90	30.80	3	Horizontal	183	1.77	-
AV	2.39G	50.69	54.00	-3.31	30.80	3	Horizontal	183	1.77	-
PK	2.4192G	119.88	Inf	-Inf	30.87	3	Horizontal	183	1.77	-
AV	2.4196G	106.76	Inf	-Inf	30.87	3	Horizontal	183	1.77	-
PK	2.4844G	58.10	74.00	-15.90	30.96	3	Horizontal	183	1.77	-
AV	2.4992G	45.88	54.00	-8.12	30.99	3	Horizontal	183	1.77	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

05/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 17  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3866G	62.17	74.00	-11.83	30.79	3	Vertical	187	1.61	-
AV	2.3858G	47.28	54.00	-6.72	30.79	3	Vertical	187	1.61	-
PK	2.4442G	119.54	Inf	-Inf	30.90	3	Vertical	187	1.61	-
AV	2.4442G	106.74	Inf	-Inf	30.90	3	Vertical	187	1.61	-
PK	2.4854G	67.30	74.00	-6.70	30.97	3	Vertical	187	1.61	-
AV	2.4838G	53.98	54.00	-0.02	30.96	3	Vertical	187	1.61	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

05/07/2019

### 2437MHz\_TX



EUT\_X\_4TX  
Setting 17  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3862G	61.38	74.00	-12.62	30.79	3	Horizontal	176	2.10	-
AV	2.3858G	47.07	54.00	-6.93	30.79	3	Horizontal	176	2.10	-
PK	2.4358G	121.63	Inf	-Inf	30.90	3	Horizontal	176	2.10	-
AV	2.4346G	108.44	Inf	-Inf	30.89	3	Horizontal	176	2.10	-
PK	2.485G	63.97	74.00	-10.03	30.97	3	Horizontal	176	2.10	-
AV	2.4835G	49.66	54.00	-4.34	30.96	3	Horizontal	176	2.10	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

05/07/2019

### 2447MHz\_TX




EUT\_X\_4TX  
Setting 13  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3646G	55.67	74.00	-18.33	30.70	3	Vertical	189	1.48	-
AV	2.3758G	43.58	54.00	-10.42	30.75	3	Vertical	189	1.48	-
PK	2.4554G	115.40	Inf	-Inf	30.93	3	Vertical	189	1.48	-
AV	2.4538G	102.47	Inf	-Inf	30.92	3	Vertical	189	1.48	-
PK	2.4946G	60.90	74.00	-13.10	30.98	3	Vertical	189	1.48	-
AV	2.4942G	47.23	54.00	-6.77	30.98	3	Vertical	189	1.48	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

05/07/2019

2447MHz\_TX




EUT\_X\_4TX  
Setting 13  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3586G	56.27	74.00	-17.73	30.69	3	Horizontal	178	2.03	-
AV	2.3518G	44.01	54.00	-9.99	30.66	3	Horizontal	178	2.03	-
PK	2.4442G	116.44	Inf	-Inf	30.90	3	Horizontal	178	2.03	-
AV	2.445G	104.18	Inf	-Inf	30.91	3	Horizontal	178	2.03	-
PK	2.4866G	66.57	74.00	-7.43	30.97	3	Horizontal	178	2.03	-
AV	2.485G	53.57	54.00	-0.43	30.97	3	Horizontal	178	2.03	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

05/07/2019

### 2452MHz\_TX




EUT\_X\_4TX  
Setting 12.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.366G	55.93	74.00	-18.07	30.71	3	Vertical	192	1.50	-
AV	2.3756G	43.45	54.00	-10.55	30.75	3	Vertical	192	1.50	-
PK	2.4588G	114.50	Inf	-Inf	30.93	3	Vertical	192	1.50	-
AV	2.4592G	101.88	Inf	-Inf	30.93	3	Vertical	192	1.50	-
PK	2.4992G	60.33	74.00	-13.67	30.99	3	Vertical	192	1.50	-
AV	2.4992G	47.17	54.00	-6.83	30.99	3	Vertical	192	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

05/07/2019

### 2452MHz\_TX



EUT\_X\_4TX  
Setting 12.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.376G	56.12	74.00	-17.88	30.75	3	Horizontal	180	2.04	-
AV	2.352G	44.02	54.00	-9.98	30.66	3	Horizontal	180	2.04	-
PK	2.4492G	116.36	Inf	-Inf	30.91	3	Horizontal	180	2.04	-
AV	2.4492G	103.99	Inf	-Inf	30.91	3	Horizontal	180	2.04	-
PK	2.4904G	66.91	74.00	-7.09	30.98	3	Horizontal	180	2.04	-
AV	2.49G	53.51	54.00	-0.49	30.98	3	Horizontal	180	2.04	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	2.4835G	53.86	54.00	-0.14	30.96	3	Vertical	155	1.74

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2412MHz\_TX




EUT X\_4TX  
Setting 23  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3882G	66.19	74.00	-7.81	30.79	3	Vertical	162	1.29	-
AV	2.39G	53.70	54.00	-0.30	30.80	3	Vertical	162	1.29	-
PK	2.414G	122.44	Inf	-Inf	30.86	3	Vertical	162	1.29	-
AV	2.4104G	109.51	Inf	-Inf	30.86	3	Vertical	162	1.29	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2412MHz\_TX




EUT\_X\_4TX  
Setting 23  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.387G	63.98	74.00	-10.02	30.79	3	Horizontal	166	1.68	-
AV	2.3892G	50.25	54.00	-3.75	30.80	3	Horizontal	166	1.68	-
PK	2.4162G	117.60	Inf	-Inf	30.87	3	Horizontal	166	1.68	-
AV	2.4166G	106.11	Inf	-Inf	30.87	3	Horizontal	166	1.68	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2437MHz\_TX



EUT\_X\_4TX  
Setting 25  
01-M-1  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.379G	59.14	74.00	-14.86	30.76	3	Vertical	161	1.42	-
AV	2.3878G	46.70	54.00	-7.30	30.79	3	Vertical	161	1.42	-
PK	2.441G	125.53	Inf	-Inf	30.90	3	Vertical	161	1.42	-
AV	2.4362G	112.39	Inf	-Inf	30.90	3	Vertical	161	1.42	-
PK	2.485G	60.30	74.00	-13.70	30.97	3	Vertical	161	1.42	-
AV	2.4858G	48.15	54.00	-5.85	30.97	3	Vertical	161	1.42	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 25  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3894G	60.08	74.00	-13.92	30.80	3	Horizontal	177	2.05	-
AV	2.3894G	47.40	54.00	-6.60	30.80	3	Horizontal	177	2.05	-
PK	2.4338G	123.17	Inf	-Inf	30.89	3	Horizontal	177	2.05	-
AV	2.4378G	116.74	Inf	-Inf	30.90	3	Horizontal	177	2.05	-
PK	2.4838G	61.24	74.00	-12.76	30.96	3	Horizontal	177	2.05	-
AV	2.485G	48.84	54.00	-5.16	30.97	3	Horizontal	177	2.05	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2457MHz\_TX




EUT\_X\_4TX  
Setting 24  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4558G	124.68	Inf	-Inf	30.93	3	Vertical	159	1.62	-
AV	2.4562G	113.95	Inf	-Inf	30.93	3	Vertical	159	1.62	-
PK	2.4836G	66.41	74.00	-7.59	30.96	3	Vertical	159	1.62	-
AV	2.4835G	53.17	54.00	-0.83	30.96	3	Vertical	159	1.62	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2457MHz\_TX




EUT\_X\_4TX  
Setting 24  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4514G	124.08	Inf	-Inf	30.92	3	Horizontal	199	1.48	-
AV	2.4512G	110.90	Inf	-Inf	30.92	3	Horizontal	199	1.48	-
PK	2.4892G	61.42	74.00	-12.58	30.97	3	Horizontal	199	1.48	-
AV	2.4838G	48.48	54.00	-5.52	30.96	3	Horizontal	199	1.48	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2462MHz\_TX




EUT\_X\_4TX  
Setting 21  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4634G	119.82	Inf	-Inf	30.93	3	Vertical	159	1.52	-
AV	2.4638G	110.16	Inf	-Inf	30.93	3	Vertical	159	1.52	-
PK	2.4836G	65.84	74.00	-8.16	30.96	3	Vertical	159	1.52	-
AV	2.4835G	52.74	54.00	-1.26	30.96	3	Vertical	159	1.52	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2462MHz\_TX




EUT\_X\_4TX  
Setting 21  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4588G	117.93	Inf	-Inf	30.93	3	Horizontal	179	1.66	-
AV	2.4612G	110.91	Inf	-Inf	30.93	3	Horizontal	179	1.66	-
PK	2.487G	61.47	74.00	-12.53	30.97	3	Horizontal	179	1.66	-
AV	2.4836G	48.21	54.00	-5.79	30.96	3	Horizontal	179	1.66	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2422MHz\_TX




EUT\_X\_4TX  
Setting 21  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3776G	67.31	74.00	-6.69	30.75	3	Vertical	159	1.29	-
AV	2.39G	53.72	54.00	-0.28	30.80	3	Vertical	159	1.29	-
PK	2.4252G	119.10	Inf	-Inf	30.88	3	Vertical	159	1.29	-
AV	2.4112G	108.88	Inf	-Inf	30.86	3	Vertical	159	1.29	-
PK	2.498G	58.78	74.00	-15.22	30.99	3	Vertical	159	1.29	-
AV	2.4908G	48.19	54.00	-5.81	30.98	3	Vertical	159	1.29	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2422MHz\_TX




EUT\_X\_4TX  
Setting 21  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.386G	67.69	74.00	-6.31	30.79	3	Horizontal	202	1.48	-
AV	2.3876G	46.58	54.00	-7.42	30.79	3	Horizontal	202	1.48	-
PK	2.4372G	113.46	Inf	-Inf	30.90	3	Horizontal	202	1.48	-
AV	2.4112G	106.90	Inf	-Inf	30.86	3	Horizontal	202	1.48	-
PK	2.4908G	58.15	74.00	-15.85	30.98	3	Horizontal	202	1.48	-
AV	2.4884G	45.27	54.00	-8.73	30.97	3	Horizontal	202	1.48	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2437MHz\_TX



EUT\_X\_4TX  
Setting 24  
01-B-4  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.389G	65.70	74.00	-8.30	30.80	3	Vertical	155	1.74	-
AV	2.3898G	50.67	54.00	-3.33	30.80	3	Vertical	155	1.74	-
PK	2.4378G	122.37	Inf	-Inf	30.90	3	Vertical	155	1.74	-
AV	2.4278G	112.05	Inf	-Inf	30.88	3	Vertical	155	1.74	-
PK	2.4835G	66.64	74.00	-7.36	30.96	3	Vertical	155	1.74	-
AV	2.4835G	53.86	54.00	-0.14	30.96	3	Vertical	155	1.74	-



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2437MHz\_TX




EUT\_X\_4TX  
Setting 24  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3862G	61.23	74.00	-12.77	30.79	3	Horizontal	183	1.48	-
AV	2.3882G	48.84	54.00	-5.16	30.79	3	Horizontal	183	1.48	-
PK	2.4518G	120.01	Inf	-Inf	30.92	3	Horizontal	183	1.48	-
AV	2.4262G	113.40	Inf	-Inf	30.88	3	Horizontal	183	1.48	-
PK	2.485G	65.07	74.00	-8.93	30.97	3	Horizontal	183	1.48	-
AV	2.4838G	51.41	54.00	-2.59	30.96	3	Horizontal	183	1.48	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2447MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3882G	56.87	74.00	-17.13	30.79	3	Vertical	162	1.34	-
AV	2.389G	44.62	54.00	-9.38	30.80	3	Vertical	162	1.34	-
PK	2.451G	119.09	Inf	-Inf	30.92	3	Vertical	162	1.34	-
AV	2.4362G	108.30	Inf	-Inf	30.90	3	Vertical	162	1.34	-
PK	2.4854G	67.62	74.00	-6.38	30.97	3	Vertical	162	1.34	-
AV	2.4835G	53.86	54.00	-0.14	30.96	3	Vertical	162	1.34	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2447MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3634G	57.11	74.00	-16.89	30.70	3	Horizontal	182	1.48	-
AV	2.3842G	44.85	54.00	-9.15	30.78	3	Horizontal	182	1.48	-
PK	2.4514G	118.63	Inf	-Inf	30.92	3	Horizontal	182	1.48	-
AV	2.4362G	109.85	Inf	-Inf	30.90	3	Horizontal	182	1.48	-
PK	2.4835G	64.87	74.00	-9.13	30.96	3	Horizontal	182	1.48	-
AV	2.4835G	48.27	54.00	-5.73	30.96	3	Horizontal	182	1.48	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2452MHz\_TX




EUT\_X\_4TX  
Setting 19  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3568G	56.74	74.00	-17.26	30.68	3	Vertical	162	1.33	-
AV	2.3844G	44.14	54.00	-9.86	30.78	3	Vertical	162	1.33	-
PK	2.4476G	117.74	Inf	-Inf	30.91	3	Vertical	162	1.33	-
AV	2.44G	105.74	Inf	-Inf	30.90	3	Vertical	162	1.33	-
PK	2.484G	66.07	74.00	-7.93	30.96	3	Vertical	162	1.33	-
AV	2.484G	53.73	54.00	-0.27	30.96	3	Vertical	162	1.33	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2452MHz\_TX



EUT\_X\_4TX  
Setting 19  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3752G	57.15	74.00	-16.85	30.75	3	Horizontal	181	1.47	-
AV	2.39G	43.99	54.00	-10.01	30.80	3	Horizontal	181	1.47	-
PK	2.4548G	117.04	Inf	-Inf	30.92	3	Horizontal	181	1.47	-
AV	2.4532G	104.78	Inf	-Inf	30.92	3	Horizontal	181	1.47	-
PK	2.49G	63.72	74.00	-10.28	30.98	3	Horizontal	181	1.47	-
AV	2.4835G	53.00	54.00	-1.00	30.96	3	Horizontal	181	1.47	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	14.47193G	53.31	54.00	-0.69	16.29	3	Vertical	187	1.50	-

### 802.11b\_Nss1,(1Mbps)\_4TX

05/07/2019

### 2412MHz\_TX




EUT\_Z\_4TX  
Setting 24.5  
01-M-1  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.82388G	50.56	74.00	-23.44	3.59	3	Vertical	342	1.04	-
AV	4.824G	44.15	54.00	-9.85	3.59	3	Vertical	342	1.04	-
PK	12.05808G	56.36	74.00	-17.64	12.32	3	Vertical	14	2.31	-
AV	12.06066G	45.27	54.00	-8.73	12.33	3	Vertical	14	2.31	-
PK	14.47198G	62.60	74.00	-11.40	16.29	3	Vertical	187	1.50	-
AV	14.47193G	53.31	54.00	-0.69	16.29	3	Vertical	187	1.50	-

### 802.11b\_Nss1,(1Mbps)\_4TX

05/07/2019

### 2412MHz\_TX



EUT\_Z\_4TX  
Setting 24.5  
01-M-1  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.82382G	47.49	74.00	-26.51	3.59	3	Horizontal	92	1.28	-
AV	4.82394G	37.97	54.00	-16.03	3.59	3	Horizontal	92	1.28	-
PK	12.06072G	55.67	74.00	-18.33	12.33	3	Horizontal	179	1.50	-
AV	12.05916G	44.17	54.00	-9.83	12.33	3	Horizontal	179	1.50	-
PK	14.47207G	63.03	74.00	-10.97	16.29	3	Horizontal	258	2.05	-
AV	14.47192G	53.06	54.00	-0.94	16.29	3	Horizontal	258	2.05	-



### 802.11b\_Nss1,(1Mbps)\_4TX

03/07/2019

### 2437MHz\_TX




EUT\_Z\_4TX  
Setting 25  
01-M-1  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.874G	49.70	74.00	-24.30	3.81	3	Vertical	280	2.47	-
AV	4.87404G	44.07	54.00	-9.93	3.81	3	Vertical	280	2.47	-
PK	7.31184G	58.49	74.00	-15.51	9.25	3	Vertical	0	2.83	-
AV	7.31168G	52.82	54.00	-1.18	9.25	3	Vertical	0	2.83	-
PK	12.18452G	56.39	74.00	-17.61	12.68	3	Vertical	208	1.25	-
AV	12.1858G	45.67	54.00	-8.33	12.68	3	Vertical	208	1.25	-

### 802.11b\_Nss1,(1Mbps)\_4TX

03/07/2019

### 2437MHz\_TX




EUT\_Z\_4TX  
Setting 25  
01-M-1  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.86504G	47.24	74.00	-26.76	3.78	3	Horizontal	78	2.49	-
AV	4.87388G	38.76	54.00	-15.24	3.81	3	Horizontal	78	2.49	-
PK	7.31188G	55.69	74.00	-18.31	9.25	3	Horizontal	69	1.14	-
AV	7.3116G	47.55	54.00	-6.45	9.25	3	Horizontal	69	1.14	-
PK	12.18548G	56.50	74.00	-17.50	12.68	3	Horizontal	164	1.45	-
AV	12.18572G	45.60	54.00	-8.40	12.68	3	Horizontal	164	1.45	-

### 802.11b\_Nss1,(1Mbps)\_4TX

03/07/2019

### 2462MHz\_TX




EUT\_Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.924G	51.09	74.00	-22.91	4.04	3	Vertical	32	1.44	-
AV	4.924G	45.40	54.00	-8.60	4.04	3	Vertical	32	1.44	-
PK	7.38678G	57.92	74.00	-16.08	9.24	3	Vertical	4	1.94	-
AV	7.38666G	51.20	54.00	-2.80	9.24	3	Vertical	4	1.94	-
PK	12.31048G	56.88	74.00	-17.12	13.03	3	Vertical	189	1.11	-
AV	12.31066G	46.62	54.00	-7.38	13.03	3	Vertical	189	1.11	-

### 802.11b\_Nss1,(1Mbps)\_4TX

03/07/2019

### 2462MHz\_TX




EUT\_Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.92388G	49.76	74.00	-24.24	4.04	3	Horizontal	88	1.06	-
AV	4.92394G	42.92	54.00	-11.08	4.04	3	Horizontal	88	1.06	-
PK	7.3869G	55.04	74.00	-18.96	9.24	3	Horizontal	4	2.63	-
AV	7.38522G	46.92	54.00	-7.08	9.24	3	Horizontal	4	2.63	-
PK	12.31012G	57.47	74.00	-16.53	13.03	3	Horizontal	157	1.44	-
AV	12.3112G	46.83	54.00	-7.17	13.03	3	Horizontal	157	1.44	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2412MHz\_TX




EUT Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.83138G	47.96	74.00	-26.04	3.62	3	Vertical	341	1.06	-
AV	4.82346G	34.78	54.00	-19.22	3.59	3	Vertical	341	1.06	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2412MHz\_TX




EUT Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.81576G	46.59	74.00	-27.41	3.55	3	Horizontal	20	2.97	-
AV	4.83632G	33.23	54.00	-20.77	3.64	3	Horizontal	20	2.97	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2437MHz\_TX




EUT\_Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.86544G	48.42	74.00	-25.58	3.78	3	Vertical	338	1.50	-
AV	4.878G	33.69	54.00	-20.31	3.82	3	Vertical	338	1.50	-
PK	7.3026G	54.28	74.00	-19.72	9.25	3	Vertical	344	1.48	-
AV	7.31356G	41.06	54.00	-12.94	9.25	3	Vertical	344	1.48	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2437MHz\_TX



EUT\_Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.87448G	46.55	74.00	-27.45	3.81	3	Horizontal	87	1.44	-
AV	4.89064G	33.47	54.00	-20.53	3.89	3	Horizontal	87	1.44	-
PK	7.31124G	53.83	74.00	-20.17	9.25	3	Horizontal	69	1.25	-
AV	7.30996G	39.18	54.00	-14.82	9.25	3	Horizontal	69	1.25	-



### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2462MHz\_TX




EUT\_Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.92992G	47.08	74.00	-26.92	4.07	3	Vertical	341	1.25	-
AV	4.92816G	33.95	54.00	-20.05	4.05	3	Vertical	341	1.25	-
PK	7.38616G	54.80	74.00	-19.20	9.24	3	Vertical	4	1.94	-
AV	7.386G	41.32	54.00	-12.68	9.24	3	Vertical	4	1.94	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2462MHz\_TX




EUT\_Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.92712G	46.84	74.00	-27.16	4.05	3	Horizontal	35	1.03	-
AV	4.91584G	33.67	54.00	-20.33	4.00	3	Horizontal	35	1.03	-
PK	7.39224G	52.97	74.00	-21.03	9.24	3	Horizontal	69	1.51	-
AV	7.39192G	39.38	54.00	-14.62	9.24	3	Horizontal	69	1.51	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2412MHz\_TX




EUT Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.8228G	47.61	74.00	-26.39	3.59	3	Vertical	343	1.02	-
AV	4.8164G	34.02	54.00	-19.98	3.55	3	Vertical	343	1.02	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2412MHz\_TX




EUT Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.81144G	46.60	74.00	-27.40	3.52	3	Horizontal	329	2.59	-
AV	4.81736G	33.12	54.00	-20.88	3.56	3	Horizontal	329	2.59	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2437MHz\_TX




EUT\_Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.86512G	46.93	74.00	-27.07	3.78	3	Vertical	10	1.02	-
AV	4.86264G	33.35	54.00	-20.65	3.77	3	Vertical	10	1.02	-
PK	7.305G	56.08	74.00	-17.92	9.25	3	Vertical	349	2.92	-
AV	7.3054G	42.12	54.00	-11.88	9.26	3	Vertical	349	2.92	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2437MHz\_TX




EUT\_Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.86248G	47.21	74.00	-26.79	3.76	3	Horizontal	95	1.50	-
AV	4.88896G	32.97	54.00	-21.03	3.89	3	Horizontal	95	1.50	-
PK	7.31452G	52.51	74.00	-21.49	9.25	3	Horizontal	82	1.22	-
AV	7.31348G	38.81	54.00	-15.19	9.25	3	Horizontal	82	1.22	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2462MHz\_TX




EUT\_Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.92032G	47.54	74.00	-26.46	4.02	3	Vertical	341	1.11	-
AV	4.918G	33.70	54.00	-20.30	4.01	3	Vertical	341	1.11	-
PK	7.38144G	54.32	74.00	-19.68	9.24	3	Vertical	0	1.96	-
AV	7.38096G	40.40	54.00	-13.60	9.24	3	Vertical	0	1.96	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2462MHz\_TX



EUT\_Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.91128G	46.99	74.00	-27.01	3.97	3	Horizontal	135	1.50	-
AV	4.91848G	33.29	54.00	-20.71	4.02	3	Horizontal	135	1.50	-
PK	7.39864G	52.33	74.00	-21.67	9.24	3	Horizontal	69	1.34	-
AV	7.38152G	38.97	54.00	-15.03	9.24	3	Horizontal	69	1.34	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2019

### 2422MHz\_TX




EUT Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.8544G	47.36	74.00	-26.64	3.73	3	Vertical	7	1.48	-
AV	4.83504G	33.06	54.00	-20.94	3.64	3	Vertical	7	1.48	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2019

### 2422MHz\_TX




EUT Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.85208G	46.78	74.00	-27.22	3.72	3	Horizontal	269	1.50	-
AV	4.8588G	32.88	54.00	-21.12	3.75	3	Horizontal	269	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2019

### 2437MHz\_TX




EUT Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.86288G	46.78	74.00	-27.22	3.77	3	Vertical	10	1.50	-
AV	4.86368G	33.10	54.00	-20.90	3.77	3	Vertical	10	1.50	-
PK	7.29932G	52.88	74.00	-21.12	9.25	3	Vertical	345	1.50	-
AV	7.2958G	39.36	54.00	-14.64	9.24	3	Vertical	345	1.50	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2019

### 2437MHz\_TX




EUT\_Z\_4TX  
Setting 25  
01-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.8904G	46.64	74.00	-27.36	3.89	3	Horizontal	305	1.24	-
AV	4.89176G	32.93	54.00	-21.07	3.90	3	Horizontal	305	1.24	-
PK	7.31732G	52.58	74.00	-21.42	9.25	3	Horizontal	299	2.96	-
AV	7.2962G	38.35	54.00	-15.65	9.24	3	Horizontal	299	2.96	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

2452MHz\_TX




EUT\_Z\_4TX  
Setting 11  
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88728G	46.67	74.00	-27.33	41.22	3	Vertical	194	1.40	-	32.77	5.30	32.62
AV	4.8899G	33.68	54.00	-20.32	28.22	3	Vertical	194	1.40	-	32.78	5.30	32.62
PK	7.3488G	52.25	74.00	-21.75	40.83	3	Vertical	21	2.63	-	37.70	6.95	33.23
AV	7.34731G	39.16	54.00	-14.84	27.74	3	Vertical	21	2.63	-	37.70	6.95	33.23

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

2452MHz\_TX



EUT\_Z\_4TX  
Setting 11  
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89086G	48.07	74.00	-25.93	42.61	3	Horizontal	247	1.76	-	32.78	5.30	32.62
AV	4.89338G	33.97	54.00	-20.03	28.50	3	Horizontal	247	1.76	-	32.79	5.30	32.62
PK	7.35402G	53.03	74.00	-20.97	41.63	3	Horizontal	78	1.83	-	37.68	6.95	33.23
AV	7.35028G	39.23	54.00	-14.77	27.81	3	Horizontal	78	1.83	-	37.70	6.95	33.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.39G	53.91	54.00	-0.09	30.80	3	Horizontal	176	1.92	-

### 802.11b\_Nss1,(1Mbps)\_1TX

04/07/2019

### 2412MHz\_TX



EUT X\_1TX  
Setting 21.5  
01-M-1  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.387G	60.89	74.00	-13.11	30.79	3	Vertical	172	1.93	-
AV	2.387G	50.77	54.00	-3.23	30.79	3	Vertical	172	1.93	-
PK	2.411G	117.58	Inf	-Inf	30.86	3	Vertical	172	1.93	-
AV	2.4128G	114.08	Inf	-Inf	30.86	3	Vertical	172	1.93	-



### 802.11b\_Nss1,(1Mbps)\_1TX

04/07/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 21.5  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3876G	60.66	74.00	-13.34	30.79	3	Horizontal	175	1.62	-
AV	2.3872G	52.40	54.00	-1.60	30.79	3	Horizontal	175	1.62	-
PK	2.413G	118.09	Inf	-Inf	30.86	3	Horizontal	175	1.62	-
AV	2.4114G	114.75	Inf	-Inf	30.86	3	Horizontal	175	1.62	-

### 802.11b\_Nss1,(1Mbps)\_1TX

04/07/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 23  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	58.13	74.00	-15.87	30.80	3	Vertical	176	1.84	-
AV	2.3898G	47.98	54.00	-6.02	30.80	3	Vertical	176	1.84	-
PK	2.4378G	118.75	Inf	-Inf	30.90	3	Vertical	176	1.84	-
AV	2.4366G	115.22	Inf	-Inf	30.90	3	Vertical	176	1.84	-
PK	2.4835G	58.70	74.00	-15.30	30.96	3	Vertical	176	1.84	-
AV	2.4835G	47.69	54.00	-6.31	30.96	3	Vertical	176	1.84	-

### 802.11b\_Nss1,(1Mbps)\_1TX

04/07/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 23  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3882G	59.03	74.00	-14.97	30.79	3	Horizontal	173	1.79	-
AV	2.3898G	49.01	54.00	-4.99	30.80	3	Horizontal	173	1.79	-
PK	2.4378G	119.92	Inf	-Inf	30.90	3	Horizontal	173	1.79	-
AV	2.4362G	116.41	Inf	-Inf	30.90	3	Horizontal	173	1.79	-
PK	2.4858G	58.93	74.00	-15.07	30.97	3	Horizontal	173	1.79	-
AV	2.4835G	48.66	54.00	-5.34	30.96	3	Horizontal	173	1.79	-

### 802.11b\_Nss1,(1Mbps)\_1TX

04/07/2019

### 2462MHz\_TX




EUT X\_1TX  
Setting 20.5  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.461G	116.34	Inf	-Inf	30.93	3	Vertical	181	1.80	-
AV	2.4614G	112.82	Inf	-Inf	30.93	3	Vertical	181	1.80	-
PK	2.4835G	57.30	74.00	-16.70	30.96	3	Vertical	181	1.80	-
AV	2.4835G	47.62	54.00	-6.38	30.96	3	Vertical	181	1.80	-

### 802.11b\_Nss1,(1Mbps)\_1TX

04/07/2019

### 2462MHz\_TX




EUT X\_1TX  
Setting 20.5  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.463G	116.50	Inf	-Inf	30.93	3	Horizontal	175	1.71	-
AV	2.4612G	112.92	Inf	-Inf	30.93	3	Horizontal	175	1.71	-
PK	2.4835G	58.54	74.00	-15.46	30.96	3	Horizontal	175	1.71	-
AV	2.4835G	48.91	54.00	-5.09	30.96	3	Horizontal	175	1.71	-

### 802.11g\_Nss1,(6Mbps)\_1TX

04/07/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 19  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	67.60	74.00	-6.40	30.80	3	Vertical	174	1.87	-
AV	2.39G	52.54	54.00	-1.46	30.80	3	Vertical	174	1.87	-
PK	2.4096G	115.60	Inf	-Inf	30.85	3	Vertical	174	1.87	-
AV	2.4088G	105.55	Inf	-Inf	30.85	3	Vertical	174	1.87	-

### 802.11g\_Nss1,(6Mbps)\_1TX

04/07/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 19  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	67.79	74.00	-6.21	30.80	3	Horizontal	172	1.66	-
AV	2.389G	52.60	54.00	-1.40	30.80	3	Horizontal	172	1.66	-
PK	2.4142G	116.03	Inf	-Inf	30.86	3	Horizontal	172	1.66	-
AV	2.4154G	105.95	Inf	-Inf	30.87	3	Horizontal	172	1.66	-

### 802.11g\_Nss1,(6Mbps)\_1TX

07/07/2019

### 2417MHz\_TX



EUT X\_1TX  
Setting 20  
01-M-1  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.389G	67.33	74.00	-6.67	30.80	3	Vertical	178	1.66	-
AV	2.39G	52.93	54.00	-1.07	30.80	3	Vertical	178	1.66	-
PK	2.4206G	116.66	Inf	-Inf	30.87	3	Vertical	178	1.66	-
AV	2.4202G	105.90	Inf	-Inf	30.87	3	Vertical	178	1.66	-



### 802.11g\_Nss1,(6Mbps)\_1TX

07/07/2019

### 2417MHz\_TX




EUT X\_1TX  
Setting 20  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3886G	68.96	74.00	-5.04	30.80	3	Horizontal	173	1.70	-
AV	2.39G	53.48	54.00	-0.52	30.80	3	Horizontal	173	1.70	-
PK	2.4154G	116.94	Inf	-Inf	30.87	3	Horizontal	173	1.70	-
AV	2.4198G	106.44	Inf	-Inf	30.87	3	Horizontal	173	1.70	-

### 802.11g\_Nss1,(6Mbps)\_1TX

04/07/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 23  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.389G	64.10	74.00	-9.90	30.80	3	Vertical	176	2.02	-
AV	2.3898G	50.67	54.00	-3.33	30.80	3	Vertical	176	2.02	-
PK	2.4398G	119.78	Inf	-Inf	30.90	3	Vertical	176	2.02	-
AV	2.4398G	109.64	Inf	-Inf	30.90	3	Vertical	176	2.02	-
PK	2.4835G	64.87	74.00	-9.13	30.96	3	Vertical	176	2.02	-
AV	2.4835G	51.04	54.00	-2.96	30.96	3	Vertical	176	2.02	-

### 802.11g\_Nss1,(6Mbps)\_1TX

04/07/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 23  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	66.43	74.00	-7.57	30.80	3	Horizontal	175	1.83	-
AV	2.3898G	51.91	54.00	-2.09	30.80	3	Horizontal	175	1.83	-
PK	2.4402G	120.66	Inf	-Inf	30.90	3	Horizontal	175	1.83	-
AV	2.4406G	110.49	Inf	-Inf	30.90	3	Horizontal	175	1.83	-
PK	2.4838G	67.79	74.00	-6.21	30.96	3	Horizontal	175	1.83	-
AV	2.4835G	52.75	54.00	-1.25	30.96	3	Horizontal	175	1.83	-

### 802.11g\_Nss1,(6Mbps)\_1TX

04/07/2019

### 2457MHz\_TX




EUT\_X\_1TX  
Setting 19.5  
01-E-2  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4532G	117.23	Inf	-Inf	30.92	3	Vertical	176	1.82	-
AV	2.4536G	105.98	Inf	-Inf	30.92	3	Vertical	176	1.82	-
PK	2.4835G	65.71	74.00	-8.29	30.96	3	Vertical	176	1.82	-
AV	2.4835G	51.24	54.00	-2.76	30.96	3	Vertical	176	1.82	-

### 802.11g\_Nss1,(6Mbps)\_1TX

04/07/2019

### 2457MHz\_TX




EUT\_X\_1TX  
Setting 19.5  
01-E-2  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4556G	116.68	Inf	-Inf	30.93	3	Horizontal	179	1.66	-
AV	2.4518G	106.20	Inf	-Inf	30.92	3	Horizontal	179	1.66	-
PK	2.4838G	66.90	74.00	-7.10	30.96	3	Horizontal	179	1.66	-
AV	2.4835G	51.95	54.00	-2.05	30.96	3	Horizontal	179	1.66	-

### 802.11g\_Nss1,(6Mbps)\_1TX

04/07/2019

### 2462MHz\_TX




EUT X\_1TX  
Setting 18.5  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	57.03	74.00	-16.97	30.80	3	Vertical	177	1.81	-
AV	2.386G	44.94	54.00	-9.06	30.79	3	Vertical	177	1.81	-
PK	2.4604G	114.93	Inf	-Inf	30.93	3	Vertical	177	1.81	-
AV	2.4588G	104.77	Inf	-Inf	30.93	3	Vertical	177	1.81	-
PK	2.4868G	64.23	74.00	-9.77	30.97	3	Vertical	177	1.81	-
AV	2.4835G	51.87	54.00	-2.13	30.96	3	Vertical	177	1.81	-

### 802.11g\_Nss1,(6Mbps)\_1TX

04/07/2019

### 2462MHz\_TX




EUT X\_1TX  
Setting 18.5  
01-M-1  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3896G	57.48	74.00	-16.52	30.80	3	Horizontal	177	1.90	-
AV	2.388G	45.47	54.00	-8.53	30.79	3	Horizontal	177	1.90	-
PK	2.464G	114.87	Inf	-Inf	30.93	3	Horizontal	177	1.90	-
AV	2.4652G	105.00	Inf	-Inf	30.94	3	Horizontal	177	1.90	-
PK	2.4864G	64.83	74.00	-9.17	30.97	3	Horizontal	177	1.90	-
AV	2.4835G	53.11	54.00	-0.89	30.96	3	Horizontal	177	1.90	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 2412MHz\_TX



EUT X\_1TX  
Setting 19  
01-B-4  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	69.46	74.00	-4.54	30.80	3	Vertical	176	1.93	-
AV	2.39G	52.92	54.00	-1.08	30.80	3	Vertical	176	1.93	-
PK	2.4104G	117.97	Inf	-Inf	30.86	3	Vertical	176	1.93	-
AV	2.4098G	104.54	Inf	-Inf	30.85	3	Vertical	176	1.93	-



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 19  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3894G	70.45	74.00	-3.55	30.80	3	Horizontal	176	1.64	-
AV	2.39G	53.40	54.00	-0.60	30.80	3	Horizontal	176	1.64	-
PK	2.4152G	118.47	Inf	-Inf	30.87	3	Horizontal	176	1.64	-
AV	2.4142G	104.75	Inf	-Inf	30.86	3	Horizontal	176	1.64	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 2417MHz\_TX




EUT X\_1TX  
Setting 20  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3896G	72.32	74.00	-1.68	30.80	3	Vertical	177	1.89	-
AV	2.39G	53.12	54.00	-0.88	30.80	3	Vertical	177	1.89	-
PK	2.4194G	118.62	Inf	-Inf	30.87	3	Vertical	177	1.89	-
AV	2.413G	105.12	Inf	-Inf	30.86	3	Vertical	177	1.89	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 2417MHz\_TX




EUT X\_1TX  
Setting 20  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.389G	69.43	74.00	-4.57	30.80	3	Horizontal	176	1.92	-
AV	2.39G	53.91	54.00	-0.09	30.80	3	Horizontal	176	1.92	-
PK	2.4176G	119.05	Inf	-Inf	30.87	3	Horizontal	176	1.92	-
AV	2.4196G	105.51	Inf	-Inf	30.87	3	Horizontal	176	1.92	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 22.5  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	62.41	74.00	-11.59	30.80	3	Vertical	176	1.98	-
AV	2.3898G	49.73	54.00	-4.27	30.80	3	Vertical	176	1.98	-
PK	2.4346G	121.22	Inf	-Inf	30.89	3	Vertical	176	1.98	-
AV	2.4394G	107.86	Inf	-Inf	30.90	3	Vertical	176	1.98	-
PK	2.4838G	63.38	74.00	-10.62	30.96	3	Vertical	176	1.98	-
AV	2.4835G	49.86	54.00	-4.14	30.96	3	Vertical	176	1.98	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 22.5  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	67.17	74.00	-6.83	30.80	3	Horizontal	175	1.90	-
AV	2.3898G	50.48	54.00	-3.52	30.80	3	Horizontal	175	1.90	-
PK	2.4358G	122.08	Inf	-Inf	30.90	3	Horizontal	175	1.90	-
AV	2.4354G	108.77	Inf	-Inf	30.90	3	Horizontal	175	1.90	-
PK	2.4842G	65.60	74.00	-8.40	30.96	3	Horizontal	175	1.90	-
AV	2.4835G	51.23	54.00	-2.77	30.96	3	Horizontal	175	1.90	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 2457MHz\_TX




EUT X\_1TX  
Setting 19.5  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4544G	118.29	Inf	-Inf	30.92	3	Vertical	178	1.75	-
AV	2.4528G	104.66	Inf	-Inf	30.92	3	Vertical	178	1.75	-
PK	2.4846G	66.80	74.00	-7.20	30.96	3	Vertical	178	1.75	-
AV	2.4835G	52.21	54.00	-1.79	30.96	3	Vertical	178	1.75	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 2457MHz\_TX




EUT X\_1TX  
Setting 19.5  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4518G	118.33	Inf	-Inf	30.92	3	Horizontal	177	1.66	-
AV	2.4512G	104.92	Inf	-Inf	30.92	3	Horizontal	177	1.66	-
PK	2.4846G	68.70	74.00	-5.30	30.96	3	Horizontal	177	1.66	-
AV	2.4835G	53.02	54.00	-0.98	30.96	3	Horizontal	177	1.66	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 2462MHz\_TX



EUT X\_1TX  
Setting 18  
01-B-4  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.465G	117.20	Inf	-Inf	30.94	3	Vertical	180	1.79	-
AV	2.463G	103.15	Inf	-Inf	30.93	3	Vertical	180	1.79	-
PK	2.4835G	64.94	74.00	-9.06	30.96	3	Vertical	180	1.79	-
AV	2.4835G	50.72	54.00	-3.28	30.96	3	Vertical	180	1.79	-



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

04/07/2019

### 2462MHz\_TX




EUT\_X\_1TX  
Setting 18  
01-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4636G	117.21	Inf	-Inf	30.93	3	Horizontal	175	1.87	-
AV	2.4644G	103.30	Inf	-Inf	30.93	3	Horizontal	175	1.87	-
PK	2.4836G	66.04	74.00	-7.96	30.96	3	Horizontal	175	1.87	-
AV	2.4835G	52.26	54.00	-1.74	30.96	3	Horizontal	175	1.87	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 2422MHz\_TX




EUT X\_1TX  
Setting 17.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3868G	67.20	74.00	-6.80	30.79	3	Vertical	174	1.79	-
AV	2.39G	50.85	54.00	-3.15	30.80	3	Vertical	174	1.79	-
PK	2.4236G	114.39	Inf	-Inf	30.87	3	Vertical	174	1.79	-
AV	2.4204G	100.78	Inf	-Inf	30.87	3	Vertical	174	1.79	-
PK	2.484G	58.73	74.00	-15.27	30.96	3	Vertical	174	1.79	-
AV	2.4835G	45.74	54.00	-8.26	30.96	3	Vertical	174	1.79	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 2422MHz\_TX




EUT X\_1TX  
Setting 17.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3856G	67.82	74.00	-6.18	30.79	3	Horizontal	174	1.92	-
AV	2.39G	51.58	54.00	-2.42	30.80	3	Horizontal	174	1.92	-
PK	2.4288G	115.26	Inf	-Inf	30.88	3	Horizontal	174	1.92	-
AV	2.4252G	101.58	Inf	-Inf	30.88	3	Horizontal	174	1.92	-
PK	2.4852G	59.49	74.00	-14.51	30.97	3	Horizontal	174	1.92	-
AV	2.4835G	46.46	54.00	-7.54	30.96	3	Horizontal	174	1.92	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.389G	65.47	74.00	-8.53	30.80	3	Vertical	181	1.86	-
AV	2.3898G	50.17	54.00	-3.83	30.80	3	Vertical	181	1.86	-
PK	2.4446G	115.25	Inf	-Inf	30.90	3	Vertical	181	1.86	-
AV	2.4406G	101.78	Inf	-Inf	30.90	3	Vertical	181	1.86	-
PK	2.4842G	66.42	74.00	-7.58	30.96	3	Vertical	181	1.86	-
AV	2.4835G	52.78	54.00	-1.22	30.96	3	Vertical	181	1.86	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.389G	66.24	74.00	-7.76	30.80	3	Horizontal	180	1.77	-
AV	2.3898G	51.28	54.00	-2.72	30.80	3	Horizontal	180	1.77	-
PK	2.4454G	116.29	Inf	-Inf	30.91	3	Horizontal	180	1.77	-
AV	2.435G	102.64	Inf	-Inf	30.89	3	Horizontal	180	1.77	-
PK	2.4835G	68.65	74.00	-5.35	30.96	3	Horizontal	180	1.77	-
AV	2.4835G	53.90	54.00	-0.10	30.96	3	Horizontal	180	1.77	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 2452MHz\_TX




EUT X\_1TX  
Setting 16  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3868G	57.17	74.00	-16.83	30.79	3	Vertical	178	1.85	-
AV	2.3892G	44.03	54.00	-9.97	30.80	3	Vertical	178	1.85	-
PK	2.4428G	113.24	Inf	-Inf	30.90	3	Vertical	178	1.85	-
AV	2.4488G	99.89	Inf	-Inf	30.91	3	Vertical	178	1.85	-
PK	2.4868G	66.60	74.00	-7.40	30.97	3	Vertical	178	1.85	-
AV	2.4835G	51.93	54.00	-2.07	30.96	3	Vertical	178	1.85	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

04/07/2019

### 2452MHz\_TX



EUT X\_1TX  
Setting 16  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3864G	56.52	74.00	-17.48	30.79	3	Horizontal	181	1.71	-
AV	2.39G	44.19	54.00	-9.81	30.80	3	Horizontal	181	1.71	-
PK	2.4492G	113.50	Inf	-Inf	30.91	3	Horizontal	181	1.71	-
AV	2.4484G	99.87	Inf	-Inf	30.91	3	Horizontal	181	1.71	-
PK	2.4856G	68.32	74.00	-5.68	30.97	3	Horizontal	181	1.71	-
AV	2.4835G	52.89	54.00	-1.11	30.96	3	Horizontal	181	1.71	-



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.99	54.00	-0.01	30.80	3	Horizontal	172	1.73	-



### 802.11b\_Nss1,(1Mbps)\_2TX

03/07/2019

### 2412MHz\_TX




EUT X\_2TX  
Setting 20.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3854G	61.47	74.00	-12.53	30.79	3	Vertical	171	1.49	-
AV	2.3852G	51.09	54.00	-2.91	30.79	3	Vertical	171	1.49	-
PK	2.413G	122.97	Inf	-Inf	30.86	3	Vertical	171	1.49	-
AV	2.4114G	119.36	Inf	-Inf	30.86	3	Vertical	171	1.49	-

### 802.11b\_Nss1,(1Mbps)\_2TX

03/07/2019

### 2412MHz\_TX




EUT X\_2TX  
Setting 20.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3888G	61.69	74.00	-12.31	30.80	3	Horizontal	176	2.22	-
AV	2.39G	51.52	54.00	-2.48	30.80	3	Horizontal	176	2.22	-
PK	2.413G	122.36	Inf	-Inf	30.86	3	Horizontal	176	2.22	-
AV	2.4112G	118.62	Inf	-Inf	30.86	3	Horizontal	176	2.22	-

### 802.11b\_Nss1,(1Mbps)\_2TX

03/07/2019

### 2437MHz\_TX




EUT X\_2TX  
Setting 23  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3886G	60.11	74.00	-13.89	30.80	3	Vertical	178	1.49	-
AV	2.3898G	50.92	54.00	-3.08	30.80	3	Vertical	178	1.49	-
PK	2.4378G	125.04	Inf	-Inf	30.90	3	Vertical	178	1.49	-
AV	2.4362G	121.31	Inf	-Inf	30.90	3	Vertical	178	1.49	-
PK	2.4838G	60.71	74.00	-13.29	30.96	3	Vertical	178	1.49	-
AV	2.4838G	51.80	54.00	-2.20	30.96	3	Vertical	178	1.49	-

### 802.11b\_Nss1,(1Mbps)\_2TX

03/07/2019

### 2437MHz\_TX




EUT X\_2TX  
Setting 23  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	60.58	74.00	-13.42	30.80	3	Horizontal	178	2.27	-
AV	2.3898G	50.85	54.00	-3.15	30.80	3	Horizontal	178	2.27	-
PK	2.4362G	124.87	Inf	-Inf	30.90	3	Horizontal	178	2.27	-
AV	2.4362G	121.08	Inf	-Inf	30.90	3	Horizontal	178	2.27	-
PK	2.4842G	61.83	74.00	-12.17	30.96	3	Horizontal	178	2.27	-
AV	2.4838G	52.27	54.00	-1.73	30.96	3	Horizontal	178	2.27	-

### 802.11b\_Nss1,(1Mbps)\_2TX

03/07/2019

### 2457MHz\_TX




EUT\_X\_2TX  
Setting 21  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.458G	122.74	Inf	-Inf	30.93	3	Vertical	179	1.60	-
AV	2.4558G	119.04	Inf	-Inf	30.93	3	Vertical	179	1.60	-
PK	2.4838G	61.22	74.00	-12.78	30.96	3	Vertical	179	1.60	-
AV	2.4838G	51.52	54.00	-2.48	30.96	3	Vertical	179	1.60	-

### 802.11b\_Nss1,(1Mbps)\_2TX

03/07/2019

### 2457MHz\_TX




EUT\_X\_2TX  
Setting 21  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.458G	122.14	Inf	-Inf	30.93	3	Horizontal	177	2.37	-
AV	2.4578G	118.83	Inf	-Inf	30.93	3	Horizontal	177	2.37	-
PK	2.4835G	61.38	74.00	-12.62	30.96	3	Horizontal	177	2.37	-
AV	2.4838G	52.21	54.00	-1.79	30.96	3	Horizontal	177	2.37	-

### 802.11b\_Nss1,(1Mbps)\_2TX

03/07/2019

### 2462MHz\_TX




EUT X\_2TX  
Setting 20  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.463G	121.98	Inf	-Inf	30.93	3	Vertical	176	1.63	-
AV	2.4614G	118.43	Inf	-Inf	30.93	3	Vertical	176	1.63	-
PK	2.4838G	60.38	74.00	-13.62	30.96	3	Vertical	176	1.63	-
AV	2.4835G	51.36	54.00	-2.64	30.96	3	Vertical	176	1.63	-

### 802.11b\_Nss1,(1Mbps)\_2TX

03/07/2019

### 2462MHz\_TX



EUT X\_2TX  
Setting 20  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.463G	121.46	Inf	-Inf	30.93	3	Horizontal	178	2.29	-
AV	2.4612G	117.79	Inf	-Inf	30.93	3	Horizontal	178	2.29	-
PK	2.4908G	60.94	74.00	-13.06	30.98	3	Horizontal	178	2.29	-
AV	2.4835G	51.44	54.00	-2.56	30.96	3	Horizontal	178	2.29	-



### 802.11g\_Nss1,(6Mbps)\_2TX

03/07/2019

### 2412MHz\_TX




EUT X\_2TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3884G	66.98	74.00	-7.02	30.80	3	Vertical	173	1.88	-
AV	2.3886G	52.52	54.00	-1.48	30.80	3	Vertical	173	1.88	-
PK	2.4088G	120.05	Inf	-Inf	30.85	3	Vertical	173	1.88	-
AV	2.413G	110.36	Inf	-Inf	30.86	3	Vertical	173	1.88	-

### 802.11g\_Nss1,(6Mbps)\_2TX

03/07/2019

### 2412MHz\_TX




EUT X\_2TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	68.16	74.00	-5.84	30.80	3	Horizontal	174	1.77	-
AV	2.39G	53.56	54.00	-0.44	30.80	3	Horizontal	174	1.77	-
PK	2.415G	120.78	Inf	-Inf	30.87	3	Horizontal	174	1.77	-
AV	2.4154G	110.84	Inf	-Inf	30.87	3	Horizontal	174	1.77	-

### 802.11g\_Nss1,(6Mbps)\_2TX

03/07/2019

### 2417MHz\_TX




EUT X\_2TX  
Setting 19  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3876G	67.04	74.00	-6.96	30.79	3	Vertical	173	1.59	-
AV	2.388G	52.55	54.00	-1.45	30.79	3	Vertical	173	1.59	-
PK	2.4126G	120.82	Inf	-Inf	30.86	3	Vertical	173	1.59	-
AV	2.4222G	111.30	Inf	-Inf	30.87	3	Vertical	173	1.59	-

### 802.11g\_Nss1,(6Mbps)\_2TX

03/07/2019

### 2417MHz\_TX




EUT X\_2TX  
Setting 19  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	67.18	74.00	-6.82	30.80	3	Horizontal	172	1.73	-
AV	2.39G	53.99	54.00	-0.01	30.80	3	Horizontal	172	1.73	-
PK	2.4202G	121.47	Inf	-Inf	30.87	3	Horizontal	172	1.73	-
AV	2.4202G	111.65	Inf	-Inf	30.87	3	Horizontal	172	1.73	-

### 802.11g\_Nss1,(6Mbps)\_2TX

03/07/2019

### 2437MHz\_TX




EUT X\_2TX  
Setting 22.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3886G	64.20	74.00	-9.80	30.80	3	Vertical	175	1.83	-
AV	2.3882G	51.24	54.00	-2.76	30.79	3	Vertical	175	1.83	-
PK	2.433G	125.03	Inf	-Inf	30.89	3	Vertical	175	1.83	-
AV	2.4382G	114.94	Inf	-Inf	30.90	3	Vertical	175	1.83	-
PK	2.4838G	64.28	74.00	-9.72	30.96	3	Vertical	175	1.83	-
AV	2.4835G	52.50	54.00	-1.50	30.96	3	Vertical	175	1.83	-

### 802.11g\_Nss1,(6Mbps)\_2TX

03/07/2019

### 2437MHz\_TX




EUT X\_2TX  
Setting 22.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3854G	65.03	74.00	-8.97	30.79	3	Horizontal	172	1.81	-
AV	2.3898G	51.78	54.00	-2.22	30.80	3	Horizontal	172	1.81	-
PK	2.4402G	125.34	Inf	-Inf	30.90	3	Horizontal	172	1.81	-
AV	2.4402G	115.26	Inf	-Inf	30.90	3	Horizontal	172	1.81	-
PK	2.4846G	67.00	74.00	-7.00	30.96	3	Horizontal	172	1.81	-
AV	2.4858G	51.60	54.00	-2.40	30.97	3	Horizontal	172	1.81	-

### 802.11g\_Nss1,(6Mbps)\_2TX

03/07/2019

### 2457MHz\_TX




EUT X\_2TX  
Setting 19  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.452G	120.59	Inf	-Inf	30.92	3	Vertical	172	1.47	-
AV	2.4518G	110.88	Inf	-Inf	30.92	3	Vertical	172	1.47	-
PK	2.4835G	65.66	74.00	-8.34	30.96	3	Vertical	172	1.47	-
AV	2.4835G	51.37	54.00	-2.63	30.96	3	Vertical	172	1.47	-

### 802.11g\_Nss1,(6Mbps)\_2TX

03/07/2019

### 2457MHz\_TX



EUT\_X\_2TX  
Setting 19  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4596G	121.36	Inf	-Inf	30.93	3	Horizontal	173	1.49	-
AV	2.4596G	111.13	Inf	-Inf	30.93	3	Horizontal	173	1.49	-
PK	2.4848G	68.86	74.00	-5.14	30.96	3	Horizontal	173	1.49	-
AV	2.4844G	53.56	54.00	-0.44	30.96	3	Horizontal	173	1.49	-



### 802.11g\_Nss1,(6Mbps)\_2TX

03/07/2019

### 2462MHz\_TX




EUT\_X\_2TX  
Setting 17.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.458G	119.23	Inf	-Inf	30.93	3	Vertical	178	1.78	-
AV	2.4628G	109.27	Inf	-Inf	30.93	3	Vertical	178	1.78	-
PK	2.4836G	65.39	74.00	-8.61	30.96	3	Vertical	178	1.78	-
AV	2.4836G	53.51	54.00	-0.49	30.96	3	Vertical	178	1.78	-

### 802.11g\_Nss1,(6Mbps)\_2TX

03/07/2019

### 2462MHz\_TX




EUT X\_2TX  
Setting 17.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4648G	119.53	Inf	-Inf	30.93	3	Horizontal	173	1.63	-
AV	2.4648G	109.70	Inf	-Inf	30.93	3	Horizontal	173	1.63	-
PK	2.4846G	64.70	74.00	-9.30	30.96	3	Horizontal	173	1.63	-
AV	2.4846G	51.86	54.00	-2.14	30.96	3	Horizontal	173	1.63	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2019

### 2412MHz\_TX




EUT X\_2TX  
Setting 17.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	66.66	74.00	-7.34	30.80	3	Vertical	176	1.65	-
AV	2.39G	53.45	54.00	-0.55	30.80	3	Vertical	176	1.65	-
PK	2.4128G	122.34	Inf	-Inf	30.86	3	Vertical	176	1.65	-
AV	2.4132G	108.85	Inf	-Inf	30.86	3	Vertical	176	1.65	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2019

### 2412MHz\_TX




EUT X\_2TX  
Setting 17.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	67.44	74.00	-6.56	30.80	3	Horizontal	173	1.99	-
AV	2.3894G	52.52	54.00	-1.48	30.80	3	Horizontal	173	1.99	-
PK	2.4108G	122.50	Inf	-Inf	30.86	3	Horizontal	173	1.99	-
AV	2.41G	108.89	Inf	-Inf	30.86	3	Horizontal	173	1.99	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2019

### 2417MHz\_TX




EUT X\_2TX  
Setting 18.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3896G	70.08	74.00	-3.92	30.80	3	Vertical	176	1.72	-
AV	2.3896G	52.33	54.00	-1.67	30.80	3	Vertical	176	1.72	-
PK	2.4182G	124.43	Inf	-Inf	30.87	3	Vertical	176	1.72	-
AV	2.4186G	109.87	Inf	-Inf	30.87	3	Vertical	176	1.72	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2019

### 2417MHz\_TX




EUT X\_2TX  
Setting 18.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3858G	65.30	74.00	-8.70	30.79	3	Horizontal	171	1.99	-
AV	2.3864G	50.59	54.00	-3.41	30.79	3	Horizontal	171	1.99	-
PK	2.415G	123.68	Inf	-Inf	30.86	3	Horizontal	171	1.99	-
AV	2.4152G	109.72	Inf	-Inf	30.87	3	Horizontal	171	1.99	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2019

### 2437MHz\_TX




EUT X\_2TX  
Setting 22  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3886G	63.95	74.00	-10.05	30.80	3	Vertical	180	1.76	-
AV	2.3898G	50.62	54.00	-3.38	30.80	3	Vertical	180	1.76	-
PK	2.4382G	125.78	Inf	-Inf	30.90	3	Vertical	180	1.76	-
AV	2.4382G	113.20	Inf	-Inf	30.90	3	Vertical	180	1.76	-
PK	2.489G	62.96	74.00	-11.04	30.97	3	Vertical	180	1.76	-
AV	2.4878G	49.60	54.00	-4.40	30.97	3	Vertical	180	1.76	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2019

### 2437MHz\_TX



EUT X\_2TX  
Setting 22  
01-M-1  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3858G	64.32	74.00	-9.68	30.79	3	Horizontal	176	1.90	-
AV	2.3862G	50.36	54.00	-3.64	30.79	3	Horizontal	176	1.90	-
PK	2.4346G	126.45	Inf	-Inf	30.89	3	Horizontal	176	1.90	-
AV	2.4346G	113.67	Inf	-Inf	30.89	3	Horizontal	176	1.90	-
PK	2.4835G	65.53	74.00	-8.47	30.96	3	Horizontal	176	1.90	-
AV	2.4835G	51.25	54.00	-2.75	30.96	3	Horizontal	176	1.90	-



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2019

### 2457MHz\_TX




EUT X\_2TX  
Setting 18.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4584G	123.32	Inf	-Inf	30.93	3	Vertical	178	1.94	-
AV	2.4592G	109.42	Inf	-Inf	30.93	3	Vertical	178	1.94	-
PK	2.4878G	63.55	74.00	-10.45	30.97	3	Vertical	178	1.94	-
AV	2.488G	49.26	54.00	-4.74	30.97	3	Vertical	178	1.94	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2019

### 2457MHz\_TX




EUT\_X\_2TX  
Setting 18.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.454G	122.87	Inf	-Inf	30.92	3	Horizontal	172	1.90	-
AV	2.4542G	109.63	Inf	-Inf	30.92	3	Horizontal	172	1.90	-
PK	2.484G	68.20	74.00	-5.80	30.96	3	Horizontal	172	1.90	-
AV	2.4835G	53.21	54.00	-0.79	30.96	3	Horizontal	172	1.90	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2019

### 2462MHz\_TX




EUT X\_2TX  
Setting 16.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4632G	120.97	Inf	-Inf	30.93	3	Vertical	178	1.75	-
AV	2.463G	107.62	Inf	-Inf	30.93	3	Vertical	178	1.75	-
PK	2.4836G	66.40	74.00	-7.60	30.96	3	Vertical	178	1.75	-
AV	2.4835G	53.38	54.00	-0.62	30.96	3	Vertical	178	1.75	-

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2019

### 2462MHz\_TX




EUT X\_2TX  
Setting 16.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4584G	120.76	Inf	-Inf	30.93	3	Horizontal	172	1.83	-
AV	2.4586G	107.58	Inf	-Inf	30.93	3	Horizontal	172	1.83	-
PK	2.4868G	63.59	74.00	-10.41	30.97	3	Horizontal	172	1.83	-
AV	2.487G	49.40	54.00	-4.60	30.97	3	Horizontal	172	1.83	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

03/07/2019

### 2422MHz\_TX




EUT X\_2TX  
Setting 16  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	67.62	74.00	-6.38	30.80	3	Vertical	174	1.83	-
AV	2.39G	52.87	54.00	-1.13	30.80	3	Vertical	174	1.83	-
PK	2.424G	118.78	Inf	-Inf	30.87	3	Vertical	174	1.83	-
AV	2.4236G	105.61	Inf	-Inf	30.87	3	Vertical	174	1.83	-
PK	2.484G	59.63	74.00	-14.37	30.96	3	Vertical	174	1.83	-
AV	2.484G	46.06	54.00	-7.94	30.96	3	Vertical	174	1.83	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

03/07/2019

### 2422MHz\_TX




EUT X\_2TX  
Setting 16  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3888G	68.86	74.00	-5.14	30.80	3	Horizontal	175	1.83	-
AV	2.388G	53.82	54.00	-0.18	30.79	3	Horizontal	175	1.83	-
PK	2.4292G	118.78	Inf	-Inf	30.88	3	Horizontal	175	1.83	-
AV	2.4284G	105.58	Inf	-Inf	30.88	3	Horizontal	175	1.83	-
PK	2.488G	58.55	74.00	-15.45	30.97	3	Horizontal	175	1.83	-
AV	2.4888G	45.79	54.00	-8.21	30.97	3	Horizontal	175	1.83	-

802.11ax HEW40\_Nss1,(MCS0)\_2TX

03/07/2019

2437MHz\_TX




EUT X\_2TX  
Setting 16.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	64.59	74.00	-9.41	30.80	3	Vertical	176	1.85	-
AV	2.3898G	50.75	54.00	-3.25	30.80	3	Vertical	176	1.85	-
PK	2.4494G	119.26	Inf	-Inf	30.91	3	Vertical	176	1.85	-
AV	2.439G	106.41	Inf	-Inf	30.90	3	Vertical	176	1.85	-
PK	2.4874G	65.06	74.00	-8.94	30.97	3	Vertical	176	1.85	-
AV	2.4882G	51.67	54.00	-2.33	30.97	3	Vertical	176	1.85	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

03/07/2019

### 2437MHz\_TX



EUT X\_2TX  
Setting 16.5  
01-M-1  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3854G	64.06	74.00	-9.94	30.79	3	Horizontal	176	1.97	-
AV	2.3858G	49.71	54.00	-4.29	30.79	3	Horizontal	176	1.97	-
PK	2.435G	119.64	Inf	-Inf	30.89	3	Horizontal	176	1.97	-
AV	2.435G	106.52	Inf	-Inf	30.89	3	Horizontal	176	1.97	-
PK	2.4842G	66.28	74.00	-7.72	30.96	3	Horizontal	176	1.97	-
AV	2.4838G	53.57	54.00	-0.43	30.96	3	Horizontal	176	1.97	-



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

03/07/2019

### 2452MHz\_TX




EUT X\_2TX  
Setting 14  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3896G	57.33	74.00	-16.67	30.80	3	Vertical	175	1.86	-
AV	2.3876G	44.17	54.00	-9.83	30.79	3	Vertical	175	1.86	-
PK	2.4436G	116.52	Inf	-Inf	30.90	3	Vertical	175	1.86	-
AV	2.454G	103.32	Inf	-Inf	30.92	3	Vertical	175	1.86	-
PK	2.4835G	66.33	74.00	-7.67	30.96	3	Vertical	175	1.86	-
AV	2.4835G	53.44	54.00	-0.56	30.96	3	Vertical	175	1.86	-

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

03/07/2019

### 2452MHz\_TX



EUT X\_2TX  
Setting 14  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.388G	56.90	74.00	-17.10	30.79	3	Horizontal	177	1.71	-
AV	2.3888G	44.40	54.00	-9.60	30.80	3	Horizontal	177	1.71	-
PK	2.4584G	116.13	Inf	-Inf	30.93	3	Horizontal	177	1.71	-
AV	2.4484G	103.36	Inf	-Inf	30.91	3	Horizontal	177	1.71	-
PK	2.488G	65.51	74.00	-8.49	30.97	3	Horizontal	177	1.71	-
AV	2.4868G	51.74	54.00	-2.26	30.97	3	Horizontal	177	1.71	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	2.484G	53.57	54.00	-0.43	30.96	3	Vertical	173	1.58

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2412MHz\_TX




EUT X\_2TX  
Setting 21  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	67.55	74.00	-6.45	30.80	3	Vertical	177	1.56	-
AV	2.3896G	53.55	54.00	-0.45	30.80	3	Vertical	177	1.56	-
PK	2.4126G	122.95	Inf	-Inf	30.86	3	Vertical	177	1.56	-
AV	2.4128G	116.36	Inf	-Inf	30.86	3	Vertical	177	1.56	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2412MHz\_TX




EUT X\_2TX  
Setting 21  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3884G	69.92	74.00	-4.08	30.80	3	Horizontal	178	2.18	-
AV	2.389G	52.16	54.00	-1.84	30.80	3	Horizontal	178	2.18	-
PK	2.4144G	123.70	Inf	-Inf	30.86	3	Horizontal	178	2.18	-
AV	2.4128G	114.92	Inf	-Inf	30.86	3	Horizontal	178	2.18	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

07/07/2019

2417MHz\_TX




EUT X\_2TX  
Setting 23  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3884G	73.15	74.00	-0.85	30.80	3	Vertical	176	1.68	-
AV	2.389G	53.56	54.00	-0.44	30.80	3	Vertical	176	1.68	-
PK	2.4158G	124.59	Inf	-Inf	30.87	3	Vertical	176	1.68	-
AV	2.4188G	116.57	Inf	-Inf	30.87	3	Vertical	176	1.68	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2417MHz\_TX




EUT X\_2TX  
Setting 23  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3884G	73.25	74.00	-0.75	30.80	3	Horizontal	177	2.24	-
AV	2.39G	53.05	54.00	-0.95	30.80	3	Horizontal	177	2.24	-
PK	2.418G	124.53	Inf	-Inf	30.87	3	Horizontal	177	2.24	-
AV	2.4162G	116.63	Inf	-Inf	30.87	3	Horizontal	177	2.24	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

07/07/2019

2437MHz\_TX



EUT X\_2TX  
Setting 25  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3762G	59.19	74.00	-14.81	30.75	3	Vertical	178	1.63	-
AV	2.3874G	47.48	54.00	-6.52	30.79	3	Vertical	178	1.63	-
PK	2.4322G	124.18	Inf	-Inf	30.89	3	Vertical	178	1.63	-
AV	2.4378G	117.20	Inf	-Inf	30.90	3	Vertical	178	1.63	-
PK	2.4842G	61.97	74.00	-12.03	30.96	3	Vertical	178	1.63	-
AV	2.4846G	48.11	54.00	-5.89	30.96	3	Vertical	178	1.63	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2437MHz\_TX




EUT X\_2TX  
Setting 25  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3814G	59.92	74.00	-14.08	30.77	3	Horizontal	170	2.30	-
AV	2.3886G	47.54	54.00	-6.46	30.80	3	Horizontal	170	2.30	-
PK	2.4314G	123.83	Inf	-Inf	30.89	3	Horizontal	170	2.30	-
AV	2.4346G	114.90	Inf	-Inf	30.89	3	Horizontal	170	2.30	-
PK	2.485G	60.69	74.00	-13.31	30.97	3	Horizontal	170	2.30	-
AV	2.4862G	48.17	54.00	-5.83	30.97	3	Horizontal	170	2.30	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2457MHz\_TX




EUT X\_2TX  
Setting 24  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.452G	124.35	Inf	-Inf	30.92	3	Vertical	174	1.46	-
AV	2.4552G	116.03	Inf	-Inf	30.93	3	Vertical	174	1.46	-
PK	2.488G	70.39	74.00	-3.61	30.97	3	Vertical	174	1.46	-
AV	2.4838G	52.93	54.00	-1.07	30.96	3	Vertical	174	1.46	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2457MHz\_TX




EUT\_X\_2TX  
Setting 24  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4552G	123.90	Inf	-Inf	30.93	3	Horizontal	178	2.37	-
AV	2.4578G	116.06	Inf	-Inf	30.93	3	Horizontal	178	2.37	-
PK	2.4835G	68.15	74.00	-5.85	30.96	3	Horizontal	178	2.37	-
AV	2.4844G	52.62	54.00	-1.38	30.96	3	Horizontal	178	2.37	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2462MHz\_TX




EUT X\_2TX  
Setting 20  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4608G	121.77	Inf	-Inf	30.93	3	Vertical	177	1.77	-
AV	2.4612G	114.10	Inf	-Inf	30.93	3	Vertical	177	1.77	-
PK	2.4842G	66.56	74.00	-7.44	30.96	3	Vertical	177	1.77	-
AV	2.4836G	53.52	54.00	-0.48	30.96	3	Vertical	177	1.77	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2462MHz\_TX




EUT X\_2TX  
Setting 20  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4658G	121.33	Inf	-Inf	30.94	3	Horizontal	184	2.16	-
AV	2.4628G	112.21	Inf	-Inf	30.93	3	Horizontal	184	2.16	-
PK	2.486G	66.34	74.00	-7.66	30.97	3	Horizontal	184	2.16	-
AV	2.4835G	51.02	54.00	-2.98	30.96	3	Horizontal	184	2.16	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2422MHz\_TX




EUT\_X\_2TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3676G	67.94	74.00	-6.06	30.71	3	Vertical	177	1.73	-
AV	2.39G	53.55	54.00	-0.45	30.80	3	Vertical	177	1.73	-
PK	2.4256G	118.44	Inf	-Inf	30.88	3	Vertical	177	1.73	-
AV	2.4112G	112.62	Inf	-Inf	30.86	3	Vertical	177	1.73	-
PK	2.4844G	59.40	74.00	-14.60	30.96	3	Vertical	177	1.73	-
AV	2.4908G	50.54	54.00	-3.46	30.98	3	Vertical	177	1.73	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2422MHz\_TX




EUT X\_2TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3844G	65.18	74.00	-8.82	30.78	3	Horizontal	174	2.29	-
AV	2.3892G	52.23	54.00	-1.77	30.80	3	Horizontal	174	2.29	-
PK	2.434G	118.13	Inf	-Inf	30.89	3	Horizontal	174	2.29	-
AV	2.4128G	112.32	Inf	-Inf	30.86	3	Horizontal	174	2.29	-
PK	2.4844G	59.17	74.00	-14.83	30.96	3	Horizontal	174	2.29	-
AV	2.4904G	50.35	54.00	-3.65	30.98	3	Horizontal	174	2.29	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2437MHz\_TX



EUT X\_2TX  
Setting 19  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3842G	67.36	74.00	-6.64	30.78	3	Vertical	176	1.64	-
AV	2.3898G	51.04	54.00	-2.96	30.80	3	Vertical	176	1.64	-
PK	2.4454G	119.50	Inf	-Inf	30.91	3	Vertical	176	1.64	-
AV	2.4262G	114.30	Inf	-Inf	30.88	3	Vertical	176	1.64	-
PK	2.487G	72.42	74.00	-1.58	30.97	3	Vertical	176	1.64	-
AV	2.4838G	53.54	54.00	-0.46	30.96	3	Vertical	176	1.64	-



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2437MHz\_TX




EUT X\_2TX  
Setting 19  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.371G	62.07	74.00	-11.93	30.73	3	Horizontal	176	2.24	-
AV	2.3894G	49.00	54.00	-5.00	30.80	3	Horizontal	176	2.24	-
PK	2.4362G	118.67	Inf	-Inf	30.90	3	Horizontal	176	2.24	-
AV	2.4298G	111.09	Inf	-Inf	30.88	3	Horizontal	176	2.24	-
PK	2.4835G	65.56	74.00	-8.44	30.96	3	Horizontal	176	2.24	-
AV	2.4835G	53.19	54.00	-0.81	30.96	3	Horizontal	176	2.24	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2452MHz\_TX




EUT X\_2TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.386G	58.35	74.00	-15.65	30.79	3	Vertical	173	1.58	-
AV	2.3852G	45.71	54.00	-8.29	30.79	3	Vertical	173	1.58	-
PK	2.4472G	118.23	Inf	-Inf	30.91	3	Vertical	173	1.58	-
AV	2.4412G	113.37	Inf	-Inf	30.90	3	Vertical	173	1.58	-
PK	2.4844G	67.90	74.00	-6.10	30.96	3	Vertical	173	1.58	-
AV	2.484G	53.57	54.00	-0.43	30.96	3	Vertical	173	1.58	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

07/07/2019

### 2452MHz\_TX



EUT X\_2TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	58.42	74.00	-15.58	30.80	3	Horizontal	175	2.37	-
AV	2.386G	45.66	54.00	-8.34	30.79	3	Horizontal	175	2.37	-
PK	2.4576G	117.82	Inf	-Inf	30.93	3	Horizontal	175	2.37	-
AV	2.446G	105.80	Inf	-Inf	30.91	3	Horizontal	175	2.37	-
PK	2.4872G	66.98	74.00	-7.02	30.97	3	Horizontal	175	2.37	-
AV	2.4835G	52.50	54.00	-1.50	30.96	3	Horizontal	175	2.37	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	2.4835G	53.94	54.00	-0.06	30.99	3	Horizontal	170	2.08	-

### 802.11b\_Nss1,(1Mbps)\_4TX

03/07/2019

### 2412MHz\_TX




EUT X\_4TX  
Setting 20.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3882G	63.52	74.00	-10.48	30.79	3	Vertical	174	1.49	-
AV	2.3886G	52.25	54.00	-1.75	30.80	3	Vertical	174	1.49	-
PK	2.411G	123.55	Inf	-Inf	30.86	3	Vertical	174	1.49	-
AV	2.4114G	119.87	Inf	-Inf	30.86	3	Vertical	174	1.49	-

### 802.11b\_Nss1,(1Mbps)\_4TX

03/07/2019

### 2412MHz\_TX




EUT\_X\_4TX  
Setting 20.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3886G	63.41	74.00	-10.59	30.80	3	Horizontal	168	1.78	-
AV	2.39G	53.54	54.00	-0.46	30.80	3	Horizontal	168	1.78	-
PK	2.413G	126.13	Inf	-Inf	30.86	3	Horizontal	168	1.78	-
AV	2.4108G	122.64	Inf	-Inf	30.86	3	Horizontal	168	1.78	-

### 802.11b\_Nss1,(1Mbps)\_4TX

03/07/2019

### 2437MHz\_TX




EUT X\_4TX  
Setting 22.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3814G	64.41	74.00	-9.59	30.77	3	Vertical	178	1.50	-
AV	2.3758G	48.43	54.00	-5.57	30.75	3	Vertical	178	1.50	-
PK	2.4378G	125.50	Inf	-Inf	30.90	3	Vertical	178	1.50	-
AV	2.4366G	121.56	Inf	-Inf	30.90	3	Vertical	178	1.50	-
PK	2.497G	65.01	74.00	-8.99	30.99	3	Vertical	178	1.50	-
AV	2.4878G	49.69	54.00	-4.31	30.97	3	Vertical	178	1.50	-

### 802.11b\_Nss1,(1Mbps)\_4TX

03/07/2019

### 2437MHz\_TX



EUT\_X\_4TX  
Setting 22.5  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.37155G	63.48	74.00	-10.52	30.73	3	Horizontal	185	2.28	-
AV	2.38955G	52.00	54.00	-2.00	30.80	3	Horizontal	185	2.28	-
PK	2.43795G	129.41	Inf	-Inf	30.90	3	Horizontal	185	2.28	-
AV	2.43635G	125.57	Inf	-Inf	30.90	3	Horizontal	185	2.28	-
PK	2.49795G	63.79	74.00	-10.21	30.99	3	Horizontal	185	2.28	-
AV	2.4835G	52.61	54.00	-1.39	30.96	3	Horizontal	185	2.28	-



### 802.11b\_Nss1,(1Mbps)\_4TX

03/07/2019

### 2462MHz\_TX




EUT X\_4TX  
Setting 20  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.461G	122.77	Inf	-Inf	30.93	3	Vertical	182	1.50	-
AV	2.4614G	119.12	Inf	-Inf	30.93	3	Vertical	182	1.50	-
PK	2.4862G	62.32	74.00	-11.68	30.97	3	Vertical	182	1.50	-
AV	2.487G	52.03	54.00	-1.97	30.97	3	Vertical	182	1.50	-

### 802.11b\_Nss1,(1Mbps)\_4TX

03/07/2019

### 2462MHz\_TX




EUT X\_4TX  
Setting 20  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.461G	124.99	Inf	-Inf	30.93	3	Horizontal	182	1.15	-
AV	2.4614G	121.30	Inf	-Inf	30.93	3	Horizontal	182	1.15	-
PK	2.491G	63.06	74.00	-10.94	30.98	3	Horizontal	182	1.15	-
AV	2.4872G	53.55	54.00	-0.45	30.97	3	Horizontal	182	1.15	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2412MHz\_TX




EUT X\_4TX  
Setting 17.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3882G	63.44	74.00	-10.56	30.79	3	Vertical	176	1.80	-
AV	2.3872G	49.55	54.00	-4.45	30.79	3	Vertical	176	1.80	-
PK	2.4186G	124.14	Inf	-Inf	30.87	3	Vertical	176	1.80	-
AV	2.4188G	114.62	Inf	-Inf	30.87	3	Vertical	176	1.80	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2412MHz\_TX




EUT\_X\_4TX  
Setting 17.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3878G	67.19	74.00	-6.81	30.79	3	Horizontal	175	1.79	-
AV	2.3888G	53.56	54.00	-0.44	30.80	3	Horizontal	175	1.79	-
PK	2.4088G	125.16	Inf	-Inf	30.85	3	Horizontal	175	1.79	-
AV	2.4088G	114.86	Inf	-Inf	30.85	3	Horizontal	175	1.79	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2417MHz\_TX




EUT X\_4TX  
Setting 18.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	63.95	74.00	-10.05	30.80	3	Vertical	176	1.81	-
AV	2.39G	50.96	54.00	-3.04	30.80	3	Vertical	176	1.81	-
PK	2.4238G	125.38	Inf	-Inf	30.87	3	Vertical	176	1.81	-
AV	2.4238G	115.70	Inf	-Inf	30.87	3	Vertical	176	1.81	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2417MHz\_TX




EUT X\_4TX  
Setting 18.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	66.18	74.00	-7.82	30.80	3	Horizontal	173	1.81	-
AV	2.3898G	52.60	54.00	-1.40	30.80	3	Horizontal	173	1.81	-
PK	2.4138G	126.02	Inf	-Inf	30.86	3	Horizontal	173	1.81	-
AV	2.4138G	115.78	Inf	-Inf	30.86	3	Horizontal	173	1.81	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 21.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3774G	68.88	74.00	-5.12	30.75	3	Vertical	174	1.84	-
AV	2.3898G	51.95	54.00	-2.05	30.80	3	Vertical	174	1.84	-
PK	2.4442G	127.97	Inf	-Inf	30.90	3	Vertical	174	1.84	-
AV	2.4442G	118.12	Inf	-Inf	30.90	3	Vertical	174	1.84	-
PK	2.497G	69.42	74.00	-4.58	30.99	3	Vertical	174	1.84	-
AV	2.4842G	53.79	54.00	-0.21	30.96	3	Vertical	174	1.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2437MHz\_TX



EUT\_X\_4TX  
Setting 21.5  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3766G	67.38	74.00	-6.62	30.75	3	Horizontal	170	2.15	-
AV	2.3898G	50.80	54.00	-3.20	30.80	3	Horizontal	170	2.15	-
PK	2.4354G	128.99	Inf	-Inf	30.90	3	Horizontal	170	2.15	-
AV	2.4354G	118.92	Inf	-Inf	30.90	3	Horizontal	170	2.15	-
PK	2.4974G	67.72	74.00	-6.28	30.99	3	Horizontal	170	2.15	-
AV	2.4835G	51.14	54.00	-2.86	30.96	3	Horizontal	170	2.15	-



### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2457MHz\_TX




EUT\_X\_4TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4638G	123.99	Inf	-Inf	30.93	3	Vertical	175	2.13	-
AV	2.4634G	114.40	Inf	-Inf	30.93	3	Vertical	175	2.13	-
PK	2.4846G	67.38	74.00	-6.62	30.96	3	Vertical	175	2.13	-
AV	2.4846G	53.59	54.00	-0.41	30.96	3	Vertical	175	2.13	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2457MHz\_TX




EUT\_X\_4TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4538G	125.56	Inf	-Inf	30.92	3	Horizontal	173	2.08	-
AV	2.4538G	115.30	Inf	-Inf	30.92	3	Horizontal	173	2.08	-
PK	2.4836G	65.39	74.00	-8.61	30.96	3	Horizontal	173	2.08	-
AV	2.4835G	51.75	54.00	-2.25	30.96	3	Horizontal	173	2.08	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2462MHz\_TX




EUT X\_4TX  
Setting 16  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4688G	122.00	Inf	-Inf	30.94	3	Vertical	174	2.14	-
AV	2.4686G	112.49	Inf	-Inf	30.94	3	Vertical	174	2.14	-
PK	2.4835G	63.48	74.00	-10.52	30.96	3	Vertical	174	2.14	-
AV	2.4835G	50.97	54.00	-3.03	30.96	3	Vertical	174	2.14	-

### 802.11g\_Nss1,(6Mbps)\_4TX

03/07/2019

### 2462MHz\_TX




EUT X\_4TX  
Setting 16  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4596G	122.74	Inf	-Inf	30.93	3	Horizontal	170	2.08	-
AV	2.4608G	112.68	Inf	-Inf	30.93	3	Horizontal	170	2.08	-
PK	2.4836G	67.53	74.00	-6.47	30.96	3	Horizontal	170	2.08	-
AV	2.4835G	53.94	54.00	-0.06	30.96	3	Horizontal	170	2.08	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2412MHz\_TX




EUT\_X\_4TX  
Setting 17  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3886G	67.17	74.00	-6.83	30.80	3	Vertical	174	1.92	-
AV	2.3862G	51.88	54.00	-2.12	30.79	3	Vertical	174	1.92	-
PK	2.4058G	126.28	Inf	-Inf	30.85	3	Vertical	174	1.92	-
AV	2.406G	112.77	Inf	-Inf	30.85	3	Vertical	174	1.92	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2412MHz\_TX




EUT X\_4TX  
Setting 17  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3886G	67.70	74.00	-6.30	30.80	3	Horizontal	166	2.30	-
AV	2.39G	53.84	54.00	-0.16	30.80	3	Horizontal	166	2.30	-
PK	2.4126G	125.60	Inf	-Inf	30.86	3	Horizontal	166	2.30	-
AV	2.411G	111.90	Inf	-Inf	30.86	3	Horizontal	166	2.30	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2417MHz\_TX




EUT X\_4TX  
Setting 17.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3896G	66.71	74.00	-7.29	30.80	3	Vertical	177	1.72	-
AV	2.39G	52.33	54.00	-1.67	30.80	3	Vertical	177	1.72	-
PK	2.4104G	125.76	Inf	-Inf	30.86	3	Vertical	177	1.72	-
AV	2.4106G	113.21	Inf	-Inf	30.86	3	Vertical	177	1.72	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2417MHz\_TX



EUT X\_4TX  
Setting 17.5  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	62.12	74.00	-11.88	30.80	3	Horizontal	169	1.75	-
AV	2.39G	49.65	54.00	-4.35	30.80	3	Horizontal	169	1.75	-
PK	2.4148G	126.15	Inf	-Inf	30.86	3	Horizontal	169	1.75	-
AV	2.415G	113.21	Inf	-Inf	30.86	3	Horizontal	169	1.75	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2437MHz\_TX




EUT X\_4TX  
Setting 21.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	65.95	74.00	-8.05	30.80	3	Vertical	178	1.87	-
AV	2.3894G	53.51	54.00	-0.49	30.80	3	Vertical	178	1.87	-
PK	2.431G	130.06	Inf	-Inf	30.89	3	Vertical	178	1.87	-
AV	2.4306G	117.34	Inf	-Inf	30.89	3	Vertical	178	1.87	-
PK	2.4836G	65.15	74.00	-8.85	30.96	3	Vertical	178	1.87	-
AV	2.4836G	51.83	54.00	-2.17	30.96	3	Vertical	178	1.87	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 21.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3878G	65.44	74.00	-8.56	30.79	3	Horizontal	170	1.84	-
AV	2.3878G	51.25	54.00	-2.75	30.79	3	Horizontal	170	1.84	-
PK	2.4358G	130.81	Inf	-Inf	30.90	3	Horizontal	170	1.84	-
AV	2.435G	117.70	Inf	-Inf	30.89	3	Horizontal	170	1.84	-
PK	2.4982G	66.36	74.00	-7.64	30.99	3	Horizontal	170	1.84	-
AV	2.4835G	51.54	54.00	-2.46	30.96	3	Horizontal	170	1.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

07/07/2019

### 2457MHz\_TX




EUT X\_4TX  
Setting 17.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4506G	126.62	Inf	-Inf	30.92	3	Vertical	178	1.74	-
AV	2.4506G	113.19	Inf	-Inf	30.92	3	Vertical	178	1.74	-
PK	2.4835G	67.70	74.00	-6.30	30.96	3	Vertical	178	1.74	-
AV	2.4835G	52.91	54.00	-1.09	30.96	3	Vertical	178	1.74	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

07/07/2019

### 2457MHz\_TX




EUT\_X\_4TX  
Setting 17.5  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4552G	124.64	Inf	-Inf	30.93	3	Horizontal	171	1.50	-
AV	2.455G	111.68	Inf	-Inf	30.92	3	Horizontal	171	1.50	-
PK	2.4835G	63.50	74.00	-10.50	30.96	3	Horizontal	171	1.50	-
AV	2.4835G	51.02	54.00	-2.98	30.96	3	Horizontal	171	1.50	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2462MHz\_TX




EUT X\_4TX  
Setting 14.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4566G	123.94	Inf	-Inf	30.93	3	Vertical	174	2.08	-
AV	2.4562G	110.51	Inf	-Inf	30.93	3	Vertical	174	2.08	-
PK	2.4838G	65.43	74.00	-8.57	30.96	3	Vertical	174	2.08	-
AV	2.4835G	51.56	54.00	-2.44	30.96	3	Vertical	174	2.08	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2019

### 2462MHz\_TX




EUT X\_4TX  
Setting 14.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4612G	122.92	Inf	-Inf	30.93	3	Horizontal	166	2.21	-
AV	2.461G	109.94	Inf	-Inf	30.93	3	Horizontal	166	2.21	-
PK	2.4836G	66.56	74.00	-7.44	30.96	3	Horizontal	166	2.21	-
AV	2.4836G	53.56	54.00	-0.44	30.96	3	Horizontal	166	2.21	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2019

### 2422MHz\_TX




EUT\_X\_4TX  
Setting 14.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	67.44	74.00	-6.56	30.80	3	Vertical	175	1.87	-
AV	2.39G	53.76	54.00	-0.24	30.80	3	Vertical	175	1.87	-
PK	2.4148G	122.04	Inf	-Inf	30.86	3	Vertical	175	1.87	-
AV	2.4156G	109.01	Inf	-Inf	30.87	3	Vertical	175	1.87	-
PK	2.4872G	61.55	74.00	-12.45	30.97	3	Vertical	175	1.87	-
AV	2.4844G	46.37	54.00	-7.63	30.96	3	Vertical	175	1.87	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2019

### 2422MHz\_TX



EUT X\_4TX  
Setting 14.5  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3888G	66.13	74.00	-7.87	30.80	3	Horizontal	177	2.33	-
AV	2.39G	52.84	54.00	-1.16	30.80	3	Horizontal	177	2.33	-
PK	2.432G	122.50	Inf	-Inf	30.89	3	Horizontal	177	2.33	-
AV	2.4316G	108.59	Inf	-Inf	30.89	3	Horizontal	177	2.33	-
PK	2.488G	60.47	74.00	-13.53	30.97	3	Horizontal	177	2.33	-
AV	2.4924G	45.68	54.00	-8.32	30.98	3	Horizontal	177	2.33	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 16.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3894G	68.45	74.00	-5.55	30.80	3	Vertical	175	1.98	-
AV	2.3898G	53.77	54.00	-0.23	30.80	3	Vertical	175	1.98	-
PK	2.4306G	123.67	Inf	-Inf	30.89	3	Vertical	175	1.98	-
AV	2.4302G	111.38	Inf	-Inf	30.89	3	Vertical	175	1.98	-
PK	2.4898G	67.96	74.00	-6.04	30.97	3	Vertical	175	1.98	-
AV	2.4842G	53.67	54.00	-0.33	30.96	3	Vertical	175	1.98	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 16.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.387G	63.35	74.00	-10.65	30.79	3	Horizontal	168	2.02	-
AV	2.3886G	49.54	54.00	-4.46	30.80	3	Horizontal	168	2.02	-
PK	2.4346G	123.81	Inf	-Inf	30.89	3	Horizontal	168	2.02	-
AV	2.4358G	111.13	Inf	-Inf	30.90	3	Horizontal	168	2.02	-
PK	2.4842G	68.00	74.00	-6.00	30.96	3	Horizontal	168	2.02	-
AV	2.4835G	53.64	54.00	-0.36	30.96	3	Horizontal	168	2.02	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2019

### 2447MHz\_TX




EUT\_X\_4TX  
Setting 12.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3874G	60.73	74.00	-13.27	30.79	3	Vertical	172	2.30	-
AV	2.3874G	44.40	54.00	-9.60	30.79	3	Vertical	172	2.30	-
PK	2.4414G	119.02	Inf	-Inf	30.90	3	Vertical	172	2.30	-
AV	2.4418G	106.34	Inf	-Inf	30.90	3	Vertical	172	2.30	-
PK	2.4835G	67.67	74.00	-6.33	30.96	3	Vertical	172	2.30	-
AV	2.4835G	53.74	54.00	-0.26	30.96	3	Vertical	172	2.30	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2019

### 2447MHz\_TX




EUT X\_4TX  
Setting 12.5  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3862G	60.13	74.00	-13.87	30.79	3	Horizontal	178	2.12	-
AV	2.3518G	45.51	54.00	-8.49	30.66	3	Horizontal	178	2.12	-
PK	2.4366G	120.09	Inf	-Inf	30.90	3	Horizontal	178	2.12	-
AV	2.4362G	106.60	Inf	-Inf	30.90	3	Horizontal	178	2.12	-
PK	2.4966G	63.84	74.00	-10.16	30.99	3	Horizontal	178	2.12	-
AV	2.4838G	49.60	54.00	-4.40	30.96	3	Horizontal	178	2.12	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

2452MHz\_TX




EUT X\_4TX  
Setting 11  
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	58.49	74.00	-15.51	27.67	3	Vertical	1	1.96	-	27.63	3.19	-
AV	2.39G	44.37	54.00	-9.63	13.53	3	Vertical	1	1.96	-	27.64	3.20	-
PK	2.4548G	117.85	Inf	-Inf	86.88	3	Vertical	1	1.96	-	27.72	3.25	-
AV	2.454G	104.85	Inf	-Inf	73.88	3	Vertical	1	1.96	-	27.72	3.25	-
PK	2.4948G	65.61	74.00	-8.39	34.44	3	Vertical	1	1.96	-	27.88	3.29	-
AV	2.4944G	52.49	54.00	-1.51	21.32	3	Vertical	1	1.96	-	27.88	3.29	-

2.4-2.4835GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

2452MHz\_TX



EUT X\_4TX  
Setting 11  
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	56.24	74.00	-17.76	25.43	3	Horizontal	354	1.80	-	27.62	3.19	-
AV	2.3896G	44.31	54.00	-9.69	13.48	3	Horizontal	354	1.80	-	27.64	3.19	-
PK	2.4388G	117.91	Inf	-Inf	86.97	3	Horizontal	354	1.80	-	27.70	3.24	-
AV	2.4388G	104.54	Inf	-Inf	73.60	3	Horizontal	354	1.80	-	27.70	3.24	-
PK	2.4844G	65.04	74.00	-8.96	33.92	3	Horizontal	354	1.80	-	27.84	3.28	-
AV	2.486G	52.31	54.00	-1.69	21.18	3	Horizontal	354	1.80	-	27.84	3.29	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	2.3898G	53.92	54.00	-0.08	30.80	3	Vertical	173	1.52	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2412MHz\_TX



EUT X\_4TX  
Setting 21  
01-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	68.95	74.00	-5.05	30.80	3	Vertical	173	1.52	-
AV	2.3898G	53.92	54.00	-0.08	30.80	3	Vertical	173	1.52	-
PK	2.4078G	124.55	Inf	-Inf	30.85	3	Vertical	173	1.52	-
AV	2.4098G	109.74	Inf	-Inf	30.85	3	Vertical	173	1.52	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2412MHz\_TX




EUT\_X\_4TX  
Setting 21  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3896G	64.03	74.00	-9.97	30.80	3	Horizontal	189	1.88	-
AV	2.3898G	47.77	54.00	-6.23	30.80	3	Horizontal	189	1.88	-
PK	2.4112G	122.52	Inf	-Inf	30.86	3	Horizontal	189	1.88	-
AV	2.4114G	111.78	Inf	-Inf	30.86	3	Horizontal	189	1.88	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2417MHz\_TX




EUT X\_4TX  
Setting 23  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	64.25	74.00	-9.75	30.80	3	Vertical	173	1.34	-
AV	2.39G	52.49	54.00	-1.51	30.80	3	Vertical	173	1.34	-
PK	2.4152G	126.00	Inf	-Inf	30.87	3	Vertical	173	1.34	-
AV	2.4146G	114.41	Inf	-Inf	30.86	3	Vertical	173	1.34	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2417MHz\_TX




EUT X\_4TX  
Setting 23  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3892G	63.44	74.00	-10.56	30.80	3	Horizontal	168	1.91	-
AV	2.39G	50.81	54.00	-3.19	30.80	3	Horizontal	168	1.91	-
PK	2.416G	123.26	Inf	-Inf	30.87	3	Horizontal	168	1.91	-
AV	2.4158G	119.12	Inf	-Inf	30.87	3	Horizontal	168	1.91	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 25  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3774G	66.86	74.00	-7.14	30.75	3	Vertical	178	1.67	-
AV	2.3886G	50.88	54.00	-3.12	30.80	3	Vertical	178	1.67	-
PK	2.4362G	130.57	Inf	-Inf	30.90	3	Vertical	178	1.67	-
AV	2.439G	117.09	Inf	-Inf	30.90	3	Vertical	178	1.67	-
PK	2.4914G	65.64	74.00	-8.36	30.98	3	Vertical	178	1.67	-
AV	2.485G	51.58	54.00	-2.42	30.97	3	Vertical	178	1.67	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2437MHz\_TX




EUT\_X\_4TX  
Setting 25  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3766G	64.97	74.00	-9.03	30.75	3	Horizontal	184	2.34	-
AV	2.3886G	49.95	54.00	-4.05	30.80	3	Horizontal	184	2.34	-
PK	2.4362G	125.84	Inf	-Inf	30.90	3	Horizontal	184	2.34	-
AV	2.4362G	122.37	Inf	-Inf	30.90	3	Horizontal	184	2.34	-
PK	2.497G	65.13	74.00	-8.87	30.99	3	Horizontal	184	2.34	-
AV	2.4842G	49.58	54.00	-4.42	30.96	3	Horizontal	184	2.34	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2457MHz\_TX




EUT X\_4TX  
Setting 22  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4542G	127.71	Inf	-Inf	30.92	3	Vertical	178	1.62	-
AV	2.453G	114.23	Inf	-Inf	30.92	3	Vertical	178	1.62	-
PK	2.484G	65.77	74.00	-8.23	30.96	3	Vertical	178	1.62	-
AV	2.4835G	53.53	54.00	-0.47	30.96	3	Vertical	178	1.62	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2457MHz\_TX




EUT\_X\_4TX  
Setting 22  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4578G	120.78	Inf	-Inf	30.93	3	Horizontal	183	1.03	-
AV	2.4598G	112.83	Inf	-Inf	30.93	3	Horizontal	183	1.03	-
PK	2.4896G	59.04	74.00	-14.96	30.97	3	Horizontal	183	1.03	-
AV	2.4835G	47.45	54.00	-6.55	30.96	3	Horizontal	183	1.03	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2462MHz\_TX



EUT\_X\_4TX  
Setting 19  
01-M-1  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4652G	122.67	Inf	-Inf	30.94	3	Vertical	182	1.50	-
AV	2.4612G	112.08	Inf	-Inf	30.93	3	Vertical	182	1.50	-
PK	2.4852G	65.84	74.00	-8.16	30.97	3	Vertical	182	1.50	-
AV	2.4835G	53.00	54.00	-1.00	30.96	3	Vertical	182	1.50	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2462MHz\_TX




EUT\_X\_4TX  
Setting 19  
01-M-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4612G	117.15	Inf	-Inf	30.93	3	Horizontal	166	2.09	-
AV	2.4608G	114.76	Inf	-Inf	30.93	3	Horizontal	166	2.09	-
PK	2.4838G	60.99	74.00	-13.01	30.96	3	Horizontal	166	2.09	-
AV	2.4838G	48.58	54.00	-5.42	30.96	3	Horizontal	166	2.09	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2422MHz\_TX




EUT\_X\_4TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3656G	68.93	74.00	-5.07	30.71	3	Vertical	183	1.71	-
AV	2.39G	51.03	54.00	-2.97	30.80	3	Vertical	183	1.71	-
PK	2.4256G	119.45	Inf	-Inf	30.88	3	Vertical	183	1.71	-
AV	2.4104G	107.81	Inf	-Inf	30.86	3	Vertical	183	1.71	-
PK	2.486G	58.15	74.00	-15.85	30.97	3	Vertical	183	1.71	-
AV	2.4852G	45.94	54.00	-8.06	30.97	3	Vertical	183	1.71	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2422MHz\_TX




EUT\_X\_4TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.358G	65.26	74.00	-8.74	30.68	3	Horizontal	170	2.08	-
AV	2.3888G	49.97	54.00	-4.03	30.80	3	Horizontal	170	2.08	-
PK	2.4204G	117.44	Inf	-Inf	30.87	3	Horizontal	170	2.08	-
AV	2.4148G	111.55	Inf	-Inf	30.86	3	Horizontal	170	2.08	-
PK	2.494G	58.69	74.00	-15.31	30.98	3	Horizontal	170	2.08	-
AV	2.4904G	51.27	54.00	-2.73	30.98	3	Horizontal	170	2.08	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 19  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.389G	68.07	74.00	-5.93	30.80	3	Vertical	177	1.75	-
AV	2.3894G	50.43	54.00	-3.57	30.80	3	Vertical	177	1.75	-
PK	2.4334G	122.39	Inf	-Inf	30.89	3	Vertical	177	1.75	-
AV	2.4286G	110.42	Inf	-Inf	30.88	3	Vertical	177	1.75	-
PK	2.4842G	65.49	74.00	-8.51	30.96	3	Vertical	177	1.75	-
AV	2.4835G	53.54	54.00	-0.46	30.96	3	Vertical	177	1.75	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2437MHz\_TX




EUT\_X\_4TX  
Setting 19  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.377G	60.80	74.00	-13.20	30.75	3	Horizontal	173	1.87	-
AV	2.3898G	48.17	54.00	-5.83	30.80	3	Horizontal	173	1.87	-
PK	2.4338G	116.65	Inf	-Inf	30.89	3	Horizontal	173	1.87	-
AV	2.4554G	104.53	Inf	-Inf	30.93	3	Horizontal	173	1.87	-
PK	2.4878G	64.17	74.00	-9.83	30.97	3	Horizontal	173	1.87	-
AV	2.4835G	48.28	54.00	-5.72	30.96	3	Horizontal	173	1.87	-

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

2452MHz\_TX




EUT\_X\_4TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3868G	60.64	74.00	-13.36	30.79	3	Vertical	175	1.62	-
AV	2.388G	46.74	54.00	-7.26	30.79	3	Vertical	175	1.62	-
PK	2.446G	120.68	Inf	-Inf	30.91	3	Vertical	175	1.62	-
AV	2.4412G	110.33	Inf	-Inf	30.90	3	Vertical	175	1.62	-
PK	2.4836G	67.33	74.00	-6.67	30.96	3	Vertical	175	1.62	-
AV	2.4836G	53.55	54.00	-0.45	30.96	3	Vertical	175	1.62	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

07/07/2019

### 2452MHz\_TX



EUT\_X\_4TX  
Setting 18  
01-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3864G	60.24	74.00	-13.76	30.79	3	Horizontal	188	2.21	-
AV	2.3896G	48.61	54.00	-5.39	30.80	3	Horizontal	188	2.21	-
PK	2.4524G	116.61	Inf	-Inf	30.92	3	Horizontal	188	2.21	-
AV	2.4384G	110.91	Inf	-Inf	30.90	3	Horizontal	188	2.21	-
PK	2.484G	63.87	74.00	-10.13	30.96	3	Horizontal	188	2.21	-
AV	2.4912G	50.58	54.00	-3.42	30.98	3	Horizontal	188	2.21	-

