

## LIMITED MODULAR APPROVAL REQUEST

**FlexiPanel Ltd.**

2 Marshal Street, 2<sup>nd</sup> Floor,  
London  
W1F 9BB

31 January 2007

Dear Application Examiner:

Re: FCC ID: UGAZBMr10

FlexiPanel Ltd is seeking application for modular approval of its EasyBee transceiver module (referred to below as “the module”).

The module meets the requirements for modular approval as detailed in FCC Public Notice DA00-1407. Compliance to each of the requirements is described below:

**1. The modular transmitter must have its own RF shielding**

The radio portion of the module is contained in its own RF shielding. See photos in Exhibits.

**2. The modular transmitter must have buffered modulation/data inputs**

The module has buffered data inputs to insure compliance with Part 15 requirements under conditions of excessive data rates or over-modulation.

**3. The modular transmitter must have its own power supply regulation**

The module contains an onboard supply voltage regulator.

**4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204c**

The module contains a printed circuit board antenna. It shall not be used with an external antenna.

**5. The modular transmitter must be tested in a stand-alone configuration.**

The module was tested in a stand-alone configuration. See Test Report exhibit.

**6. The modular transmitter must be labelled with its own FCC ID number.**

The module will be labelled with its own FCC ID number. See related exhibit. If the module is installed inside of an end-product, the label will not be visible. In this case the OEM customer will be instructed to how to apply the exterior label.

**7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements.**

The module is compliant with all applicable FCC rules. Detail instructions are given in the User Guide.

**8. The modular transmitter must comply with any applicable RF exposure requirements.**

The module complies to FCC Part 15.247 and has a measured maximum measured power output of 0.3715mW (-4.3dBm) EIRP. See Test Report exhibit.

The module is compliant with all applicable FCC RF exposure requirements. End-user and OEM operators must take necessary precaution so that the final product complies with transmitter operating conditions for satisfying RF exposure compliance.