


RF EXPOSURE REPORT



Report No.:18020308-FCC-H1

Supersede Report No.: N/A

Applicant	Shenzhen Shuaixian Electronic Equipment Co., Ltd.	
Product Name	Bluetooth Earphones	
Main Model	SX-888	
Test Standard	FCC 2.1093	
Test Date	N/A	
Issue Date	April 02, 2018	
Test Result	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail	
Equipment complied with the specification	<input checked="" type="checkbox"/>	
Equipment did not comply with the specification	<input type="checkbox"/>	
<i>Amos Xia</i>	<i>Deon Dai</i>	
Amos Xia Test Engineer	Deon Dai Engineer Reviewer	
This test report may be reproduced in full only Test result presented in this test report is applicable to the tested sample only		

Issued by:

SIEMIC (Nanjing-China) Laboratories

2-1 Longcang Avenue Yuhua Economic and
Technology Development Park, Nanjing, China

Tel: +86(25)86730128/86730129 Fax: +86(25)86730127 Email: China@siemic.com.cn

Laboratories Introduction

SIEMIC, headquartered in the heart of Silicon Valley, with superior facilities in US and Asia, is one of the leading independent testing and certification facilities providing customers with one-stop shop services for Compliance Testing and Global Certifications.



In addition to testing and certification, SIEMIC provides initial design reviews and compliance management throughout a project. Our extensive experience with China, Asia Pacific, North America, European, and International compliance requirements, assures the fastest, most cost effective way to attain regulatory compliance for the global markets.

Accreditations for Conformity Assessment

Country/Region	Scope
USA	EMC, RF/Wireless, SAR, Telecom
Canada	EMC, RF/Wireless, SAR, Telecom
Taiwan	EMC, RF, Telecom, SAR, Safety
Hong Kong	RF/Wireless, SAR, Telecom
Australia	EMC, RF, Telecom, SAR, Safety
Korea	EMI, EMS, RF, SAR, Telecom, Safety
Japan	EMI, RF/Wireless, SAR, Telecom
Singapore	EMC, RF, SAR, Telecom
Europe	EMC, RF, SAR, Telecom, Safety

Test Report No.	18020308-FCC-H1
Page	3 of 8

This page has been left blank intentionally.

CONTENTS

1	REPORT REVISION HISTORY.....	5
2	CUSTOMER INFORMATION	5
3	TEST SITE INFORMATION.....	5
4	EQUIPMENT UNDER TEST (EUT) INFORMATION	6
5	FCC §2.1093 - RF EXPOSURE	7
6	DECLARATION OF SIMILARITY.....	8

1 Report Revision History

Report No.	Report Version	Description	Issue Date
18020308-FCC-H1	NONE	Original	April 02, 2018

2 Customer information

Applicant Name	Shenzhen Shuaixian Electronic Equipment Co., Ltd.
Applicant Add	No.10 Lane 3, Longxing Rd., Dakang Long Village, Henggang Town, Longgang Dist., Shenzhen, China
Manufacturer	Shenzhen Shuaixian Electronic Equipment Co., Ltd.
Manufacturer Add	No.10 Lane 3, Longxing Rd., Dakang Long Village, Henggang Town, Longgang Dist., Shenzhen, China

3 Test site information

Lab performing tests	SIEMIC (Nanjing-China) Laboratories
Lab Address	2-1 Longcang Avenue Yuhua Economic and Technology Development Park, Nanjing, China
FCC Test Site No.	694825
IC Test Site No.	4842B-1
Test Software	EZ_EMG

4 Equipment under Test (EUT) Information

Description of EUT:	Bluetooth Earphones
Main Model:	SX-888
Serial Model:	SX-888A,SX-888B,SX-888C
Date EUT received:	March 19,2018
Antenna Gain:	Bluetooth: -0.5 dBi
Type of Modulation:	Bluetooth: GFSK, $\pi/4$ DQPSK, 8DPSK
RF Operating Frequency (ies):	Bluetooth: 2402-2480 MHz
Number of Channels:	Bluetooth: 79CH
Port:	USB Port
Input Power:	DC:3.3-4.2V Battery: 16mAh 0.592Wh 3.7V
Trade Name :	N/A
FCC ID:	UHB-SX-888

5 FCC §2.1093 - RF Exposure

Standard Requirement:

According to §15.247 (i) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at *test separation distances* ≤ 50 mm are determined by:

$[(\text{max. power of channel, including tune-up tolerance, mW}) / (\text{min. test separation distance, mm})] \cdot [\sqrt{f_{\text{GHz}}}] \leq 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR,¹⁶ where

- f_{GHz} is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation¹⁷
- The result is rounded to one decimal place for comparison

The test exclusions are applicable only when the minimum *test separation distance* is ≤ 50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum *test separation distance* is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion.

Routine SAR evaluation refers to that specifically required by § 2.1093, using measurements or computer simulation. When routine SAR evaluation is not required, portable transmitters with output power greater than the applicable low threshold require SAR evaluation to qualify for TCB approval.

Test Result:

Type	Test mode	CH	Freq (MHz)	Conducted Power (dBm)	Tune Up Power (dBm)
Output power	BT	Low	2402	0.827	0.5±1
		Mid	2441	0.168	
		High	2480	0.388	

One antennas are available for the EUT (BT antenna).

BT Mode:

The maximum average output power(turn-up power) in low channel of Bluetooth is 1.5 dBm=1.41mW

The calculation results= $1.41/5 \cdot \sqrt{2.402} = 0.437 < 3$

The maximum average output power(turn-up power) in middle channel of Bluetooth is 1.5 dBm=1.41mW

The calculation results= $1.41/5 \cdot \sqrt{2.441} = 0.441 < 3$

The maximum average output power(turn-up power) in high channel of Bluetooth is 1.5 dBm=1.41mW

The calculation results= $1.41/5 \cdot \sqrt{2.480} = 0.444 < 3$

Test Result: Pass

6 DECLARATION OF SIMILARITY

To: SIEMIC INC.

Declaration letter

Dear Sir,

For our business issue and marketing requirement, we would like to list different models numbers on the FCC certificates and reports, as following:

Model No.: Model name SX-888

Model name SX-888A SX-888B SX-888C

The difference between the two models Model name SX-888 and Model name SX-888A SX-888B SX-888C are as follows:

The Serial Model Name Model name SX-888A SX-888B SX-888C Different model name and shape only, like all the other.

Thank you!

FCC ID: UHB-SX-888

Signature:



Printed name/title: Ye Jie Bin/General Manager

Contact information /Address: Shenzhen Shuaixian Electronic Equipment Co., Ltd.

No.10 Lane 3, Longxing Rd., Dakang Long Village, Henggang
Town, Longgang Dist., Shenzhen, 518116 China