

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China 518057

Telephone:	+86 (0) 755 2601 2053
Fax:	+86 (0) 755 2671 0594
Email:	sgs_internet_operations@sgs.com

Report No.: SZEM110900352601 Page : 1 of 71

FCC REPORT

Application No:	SZEM1109003526RF
Applicant:	Shenzhen Shuaixian Electronic Equipment Co., Ltd.
Product Name:	Bluetooth headphones
Operation Frequency:	2402MHz to 2480MHz
FCC ID:	UHB-SX-948
Standards:	FCC CFR Title 47 Part 15 Subpart C
Date of Receipt:	2011-09-08
Date of Test:	2011-09-08 to 2011-09-19
Date of Issue:	2011-10-25
Test Result :	PASS *

In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Jack Zhang EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.



Report No.: SZEM110900352601 Page : 2 of 71

2 Contents

1 COVER PAGE		
2 CONTENTS		
	E.U.T	
	UNITS	
	~	
-	UESTED BY THE CUSTOMER	
5 TEST RESULTS AND MEAS	SUREMENT DATA	
5.1 ANTENNA REQUIREMENT:		
	г Power	
	Н	
	PARATION	
	ER	
	SPURIOUS EMISSIONS	
	icy Hopping Sequence	
	below 1GHz	
	on above 1GHz	
5.11.3 Band edge (Radiate	/// UDUVU / U/ 12	

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110900352601 Page : 3 of 71

3 Test Summary

Test Item	Section in CFR 47	Result
Antenna Requirement	15.203/15.247 (c)	Pass
AC Power Line Conducted Emission	15.207	Pass
Conducted Peak Output Power	15.247 (b)(1)	Pass
20dB Occupied Bandwidth	15.247 (a)(1)	Pass
Carrier Frequencies Separation	15.247 (a)(1)	Pass
Hopping Channel Number	15.247 (b)	Pass
Dwell Time	15.247 (a)(1)	Pass
Pseudorandom Frequency Hopping Sequence	15.247(b)(4)&TCB Exclusion List (7 July 2002)	Pass
Radiated Emission	15.205/15.209	Pass
Band Edge	15.247(d)	Pass

Remark: Pass: The EUT complies with the essential requirements in the standard.

Fail: The EUT does not comply with the essential requirements in the standard.



Report No.: SZEM110900352601 Page : 4 of 71

4 General Information

4.1 Client Information

Applicant:	Shenzhen Shuaixian Electronic Equipment Co., Ltd.
Address of Applicant:	No.10 Lane 3, Longxing Rd., Dakang Long Village, Henggang Town, Longgang Dist., Shenzhen, China

4.2 General Description of E.U.T.

Product Name:	Bluetooth headphones		
Model No.:	BBH120, BBH100, SX-948, SX-944, SX-945, SX-947, SX-905F, SX-907 SX-910A, SX-950, SX-955 Only the model No. BBH120 was tested, since the electrical circuit designation layout, components used and internal wiring were identical for all above models, only different on model number.		
Trade mark:	SUIC CO [®]		
Operation Frequency:	2402MHz~2480MHz		
Bluetooth version:	2.1+EDR		
Channel spacing:	1MHz		
Channel numbers:	79		
Modulation type:	GFSK, π/4DQPSK, 8DPSK		
Antenna Type:	Integral		
Antenna gain:	0dBi		
Battery:	XT 642046 500mAh 3.7V		
EUT power supply:	USB charge		
USB charging cable:	<3m		

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110900352601 Page : 5 of 71

Operation Frequency each of channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
1	2402MHz	21	2422MHz	41	2442MHz	61	2462MHz
2	2403MHz	22	2423MHz	42	2443MHz	62	2463MHz
3	2404MHz	23	2424MHz	43	2444MHz	63	2464MHz
4	2405MHz	24	2425MHz	44	2445MHz	64	2465MHz
5	2406MHz	25	2426MHz	45	2446MHz	65	2466MHz
6	2407MHz	26	2427MHz	46	2447MHz	66	2467MHz
7	2408MHz	27	2428MHz	47	2448MHz	67	2468MHz
8	2409MHz	28	2429MHz	48	2449MHz	68	2469MHz
9	2410MHz	29	2430MHz	49	2450MHz	69	2470MHz
10	2411MHz	30	2431MHz	50	2451MHz	70	2471MHz
11	2412MHz	31	2432MHz	51	2452MHz	71	2472MHz
12	2413MHz	32	2433MHz	52	2453MHz	72	2473MHz
13	2414MHz	33	2434MHz	53	2454MHz	73	2474MHz
14	2415MHz	34	2435MHz	54	2455MHz	74	2475MHz
15	2416MHz	35	2436MHz	55	2456MHz	75	2476MHz
16	2417MHz	36	2437MHz	56	2457MHz	76	2477MHz
17	2418MHz	37	2438MHz	57	2458MHz	77	2478MHz
18	2419MHz	38	2439MHz	58	2459MHz	78	2479MHz
19	2420MHz	39	2440MHz	59	2460MHz	79	2480MHz
20	2421MHz	40	2441MHz	60	2461MHz		

Note:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel for testing see below:

Channel	Frequency		
Lowest channel	2402MHz		
Middle channel	2441MHz		
Highest channel	2480MHz		

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110900352601 Page : 6 of 71

4.3 E.U.T Operation mode

Operating Environment:	
Temperature:	25.0 °C
Humidity:	50 % RH
Atmospheric Pressure:	1004mbar
Test mode:	
PC charge + transmitting:	Keep the EUT communicate with other transmitting device, and PC charge to EUT
Transmitting:	Keep the EUT in transmitting mode at low channel, middle channel and high channel

4.4 Description of Support Units

The EUT was tested with associated equipment as below:

Description	Manufacturer	Model No.
PC	DELL	OPTIPLEX 755
LCD-displaying	DELL	E1909WF
KEYBOARD	DELL	SK-8115
MOUSE	DELL	MOC5110
PC	DELL	OPTIDLEX 330
LCD-displaying	DELL	SP2208WFPT
KEYBOARD	DELL	SK-8115
MOUSE	DELL	MOC5110
Coder	HengTong ELECTRON	HT4000
Printer	Canon	BJC-1000SP
Mobile	Nokia	6300

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110900352601 Page : 7 of 71

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC L_{\u03ex} to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• VCCI

The 3m Semi-anechoic chamber and Shielded Room (7.5m x 4.0m x 3.0m) of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-2197 and C-2383 respectively.

Date of Registration: September 29, 2008. Valid until September 28, 2011.

• FCC – Registration No.: 556682

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration 556682, March 16, 2011

Industry Canada (IC)

The 3m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. has be registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing v Registration No.: 4620C-1.

4.6 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch E&E Lab No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594 No tests were sub-contracted.

4.7 Other Information Requested by the Customer

None.



Report No.: SZEM110900352601 Page : 8 of 71

4.8 Test Instruments list

RE i	RE in Chamber						
ltem	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)	
1	3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEL0017	2011-06-10	2012-06-10	
2	EMI Test Receiver	Rohde & Schwarz	ESIB26	SEL0023	2011-05-26	2012-05-26	
3	EMI Test software	AUDIX	E3	SEL0050	N/A	N/A	
4	Coaxial cable	SGS	N/A	SEL0028	2011-05-29	2012-05-29	
5	BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEL0015	2010-11-09	2011-11-09	
6	Double-ridged horn (1-18GHz)	ETS-LINDGREN	3117	SEL0006	2010-11-09	2011-11-09	
7	Horn Antenna (18-26GHz)	ETS-LINDGREN	3160	SEL0076	2010-11-09	2011-11-09	
8	Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEL0053	2011-05-26	2012-05-26	
9	Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEL0168	2010-10-27	2011-10-27	
11	Band filter	Amindeon	82346	SEL0094	2011-05-26	2012-05-26	

Con	Conducted Emission						
ltem	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)	
1	Shielding Room	ZhongYu Electron	GB-88	SEL0042	2011-06-10	2012-06-10	
2	LISN	Rohde & Schwarz	ENV216	SEL0152	2010-10-27	2011-10-26	
3	Two-Line V-Network	ETS-LINDGREN	3816/2	SEL0021	2011-05-26	2012-05-26	
4	EMI Test Receiver	Rohde & Schwarz	ESCI	SEL0022	2011-05-26	2012-05-26	
5	Coaxial Cable	SGS	N/A	SEL0024	2011-05-29	2012-05-29	

RF conducted						
ltem	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Date (yyyy-mm-dd)	Cal.Due date
1	Spectrum Analyzer	Rohde & Schwarz	FSP 30	SEL0154	2010-10-27	2011-10-27
2	Coaxial cable	SGS	N/A	SEL0028	2011-05-29	2012-05-29

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110900352601 Page : 9 of 71

	General used equipment					
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)
1	Humidity/ Temperature Indicator	Shanghai	ZJ1-2B	SEL0102 to SEL0103	2010-11-04	2011-11-04
2	Humidity/ Temperature Indicator	Shanghai	ZJ1-2B	SEL0101	2011-03-10	2012-03-10
3	Barometer	ChangChun	DYM3	SEL0088	2011-05-18	2012-05-18

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110900352601 Page : 10 of 71

5 Test results and Measurement Data

5.1 Antenna requirement:

Standard requirement: FCC Part15 C Section 15.203 /247(c)

15.203 requirement:


An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(c) (1)(i) requirement:

(i) Systems operating in the 2400-2483.5 MHz band that is used exclusively for fixed. Point-to-point operations may employ transmitting antennas with directional gain greater than 6dBi provided the maximum conducted output power of the intentional radiator is reduced by 1 dB for every 3 dB that the directional gain of the antenna exceeds 6dBi.

E.U.T Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best gain of the antenna is 0dBi.







Report No.: SZEM110900352601 Page : 11 of 71

	2 Conducted Emissions			
Test Requirement:	FCC Part15 C Section 15.207			
Test Method:	ANSI C63.10: 2009			
Test Frequency Range:	150kHz to 30MHz			
Class / Severity:	Class B			
Limit:	Frequency range (MHz)	Limit (c	BuV)	
		Quasi-peak	Average	
	0.15-0.5	66 to 56*	56 to 46*	
	0.5-5	56	46	
	5-30	60	50	
Test procedure	* Decreases with the logarithm The E.U.T and simulators are			
	impedance stabilization network (L.I.S.N.). The provide a 50ohm/50uH coupling impedance for the measuring equipment. The peripheral devices are also connected to the main power through a LISN that provides a 50ohm/50uH coupling impedance with 50ohm termination. (Please refers to the block diagram of the test setup and photographs). Both sides of A.C. line are checked for maximum conducted interference. In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10: 2009 on conducted measurement.			
Test setup:	Reference Plane			
	Test table/Insulation pla		er – AC power	
	LISN: Line Impedence Stabilization Network Test table height=0.8m			
Test Instruments:	Refer to section 4.8 for details.			
Test mode:	PC charge + transmitting mode			
Test results:	Pass			

5.2 Conducted Emissions


Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.




Report No.: SZEM110900352601 Page : 12 of 71





Report No.: SZEM110900352601 Page : 13 of 71





Report No.: SZEM110900352601 Page : 14 of 71

5.3 Conducted Peak Output Power

Test Requirement:	FCC Part15 C Section 15.247 (b)(1)		
Test Method:	ANSI C63.10:2009		
Limit:	30dBm		
Test setup:	Spectrum Analyzer E.U.T Non-Conducted Table		
	Ground Reference Plane		
	Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.		
Test Instruments:	Refer to section 4.8 for details.		
Test state:	Non-hopping transmitting with all kinds of modulation.		
Test results:	Pass		




Report No.: SZEM110900352601 Page : 15 of 71

Measurement Data

GFSK mode				
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	3.58	30.00	Pass	
Middle	3.55	30.00	Pass	
Highest	3.82	30.00	Pass	
	π/4DQPSK m	ode		
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	1.96	30.00	Pass	
Middle	1.70	30.00	Pass	
Highest	1.89	30.00	Pass	
8DPSK mode				
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	2.43	30.00	Pass	
Middle	2.16	30.00	Pass	
Highest	2.34	30.00	Pass	




Report No.: SZEM110900352601 Page : 16 of 71






Report No.: SZEM110900352601 Page : 17 of 71



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM110900352601 Page : 18 of 71



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM110900352601 Page : 19 of 71





Report No.: SZEM110900352601 Page : 20 of 71








Report No.: SZEM110900352601 Page : 21 of 71

5.4 20dB Occupy Bandwidth




Measurement Data

Testsheenel	20dB Occupy Bandwidth (kHz)			
Test channel	GFSK	π/4DQPSK	8DPSK	
Lowest	1110	1374	1356	
Middle	1104	1368	1356	
Highest	1104	1362	1350	

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM110900352601 Page : 22 of 71






Report No.: SZEM110900352601 Page : 23 of 71






Report No.: SZEM110900352601 Page : 24 of 71



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM110900352601 Page : 25 of 71





Report No.: SZEM110900352601 Page : 26 of 71





Report No.: SZEM110900352601 Page : 27 of 71

5.5 Carrier Frequencies Separation

Test Requirement:	FCC Part15 C Section 15.247 (a)(1)	
Test Method:	ANSI C63.10:2009	
Test state:	Hopping transmitting with all kind of modulation.	
Test setup:	Spectrum Analyzer E.U.T Non-Conducted Table	
Test Instruments:	Refer to section 4.8 for details.	
Limit:	0.025MHz or 2/3 of the 20dB bandwidth (whichever is greater)	
Test results:	Pass	



Measurement Data

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM110900352601 Page : 28 of 71

GFSK mode **Carrier Frequencies** Test channel Limit (KHz) Result Separation (KHz) 1005 ≥916 Pass Lowest Middle 1000 ≥916 Pass ≥916 Highest 1000 Pass π/4DQPSK mode **Carrier Frequencies** Test channel Limit (KHz) Result Separation (KHz) 1000 ≥916 Lowest Pass ≥916 Middle 1000 Pass ≥916 1000 Highest Pass 8DPSK mode **Carrier Frequencies** Test channel Limit (KHz) Result Separation (KHz) Lowest 1000 ≥916 Pass Middle 1000 ≥916 Pass 1005 ≥916 Highest Pass


Note: According to section 5.4,

Mode	20dB bandwidth (KHz)	Limit (KHz)
	(worse case)	(Carrier Frequencies Separation)
GFSK	1104	736
π/4DQPSK	1374	916
8DPSK	1356	904

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM110900352601 Page : 29 of 71






Report No.: SZEM110900352601 Page : 30 of 71






Report No.: SZEM110900352601 Page : 31 of 71






Report No.: SZEM110900352601 Page : 32 of 71





Report No.: SZEM110900352601 Page : 33 of 71





Report No.: SZEM110900352601 Page : 34 of 71

Test Requirement: FCC Part15 C Section 15.247 (b) Test Method: ANSI C63.10:2009 **Requirement:** ≥75 channels Test setup: Spectrum Analyzer E.U.T Non-Conducted Table **Ground Reference Plane Test Instruments:** Refer to section 4.8 for details. Hopping transmitting with all kind of modulation. Test state: Pass Test results:

5.6 Hopping Channel Number


Measurement Data

Mode	Hopping channel	Requirement			
GFSK	79	≥75			
π/4DQPSK	79	≥75			
8DPSK	79	≥75			

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM110900352601 Page : 35 of 71





Report No.: SZEM110900352601 Page : 36 of 71





Report No.: SZEM110900352601 Page : 37 of 71

5.7 Dwell Time

Test Requirement:	FCC Part15 C Section 15.247 (a)(1)
Test Method:	ANSI C63.10:2009
Limit:	\leq 0.4 Second
Test setup:	Spectrum Analyzer E.U.T Non-Conducted Table
	Ground Reference Plane
Test Instruments:	Refer to section 4.8 for details.
Test state:	Hopping transmitting with all kind of modulation.
Test results:	Pass

Measurement Data

Mode	Packet	Dwell time (second)	Limit (second)
	DH1	0.1712	≪0.4
GFSK	DH3	0.2888	≪0.4
	DH5	0.3235	≪0.4
	2-DH1	0.1744	≪0.4
π/4DQPSK	3-DH3	0.2904	≪0.4
	2-DH5	0.1977	≪0.4
	3-DH1	0.1728	≪0.4
8DPSK	3-DH3	0.2896	≪0.4
	3-DH5	0.3257	≪0.4

Test Result:

The test period: T= 0.4 Second/Channel x 79 Channel = 31.6 s

The lowest channel (2402MHz), middle channel (2441MHz), highest channel (2480MHz) as blow


DH1 time slot=0.535(ms)*(1600/ (2*79))*31.6=171.2ms

DH3 time slot=1.805(ms)*(1600/ (4*79))*31.6=288.8ms

DH5 time slot=3.035(ms)*(1600/ (6*79))*31.6=323.5ms




Report No.: SZEM110900352601 Page : 38 of 71



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM110900352601 Page : 39 of 71



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM110900352601 Page : 40 of 71






Report No.: SZEM110900352601 Page : 41 of 71





Report No.: SZEM110900352601 Page : 42 of 71





Report No.: SZEM110900352601 Page : 43 of 71


5.8 Band Edge

Test Requirement: FCC Part15 C Section 15.247 (d) Test Method: ANSI C63.10:2009 Limit: In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. Test setup: Spectrum Analyzer Ground Reference Plane Remark:										
Limit: In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. Test setup: Spectrum Analyzer F.U.T Non-Conducted Table Ground Reference Plane Remark:	Test Requirement:	FCC Part15 C Section 15.247 (d)								
spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. Test setup: Spectrum Analyzer F.U.T Non-Conducted Table Ground Reference Plane Remark:	Test Method:	ANSI C63.10:2009								
Spectrum Analyzer F.U.T Non-Conducted Table Ground Reference Plane Remark:	Limit:	spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a								
From the second sec	Test setup:	Spectrum Analyzer								
Ground Reference Plane Remark:										
Remark:		Non-Conducted Table								
		Ground Reference Plane								
Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.		Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.								
Test Instruments: Refer to section 4.8 for details.	Test Instruments:	Refer to section 4.8 for details.								
Test results: Pass	Test results:	Pass								

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM110900352601 Page : 44 of 71






Report No.: SZEM110900352601 Page : 45 of 71






Report No.: SZEM110900352601 Page : 46 of 71






Report No.: SZEM110900352601 Page : 47 of 71






Report No.: SZEM110900352601 Page : 48 of 71





Report No.: SZEM110900352601 Page : 49 of 71





Report No.: SZEM110900352601 Page : 50 of 71

5.9 RF Antenna Conducted spurious emissions

Test Requirement:	FCC Part15 C Section 15.247 (d)							
Test Method:	ANSI C63.10:2009							
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.							
Test setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane							
	<i>Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.</i>							
Test Instruments:	Refer to section 4.8 for details.							
Test results:	Pass							



Report No.: SZEM110900352601 : 51 of 71 Page GFSK Test channel: Lowest Test mode: × *RBW 100 kHz Marker 1 [T1] 2.70 dBm *VBW 300 kHz Ref 21.5 dBm 30 dB SWT 2.5 s 2.377180000 GHz * Att 20 Offset · · dB А 1 PK VIEW LVI. dBr -20-DB untre An Start 30 MHz 2.497 GHz/ Stop 25 GHz Test mode: GFSK Test channel: Middle × *RBW 100 kHz Marker 1 [T1] *VBW 300 kHz 2.41 dBm Ref 21.5 dBm * A++ 30 dB SWT 2.5 s 2.427120000 GHz Off 1 PK VIEW LVL -17 dB -20 BDB Inon LM

SGS-CSTC Standards Technical Services Ltd.


 Start 30 MHz
 2.497 GHz/
 Stop 25

GHz

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM110900352601 Page : 52 of 71






Report No.: SZEM110900352601 Page : 53 of 71






Report No.: SZEM110900352601 Page : 54 of 71






Report No.: SZEM110900352601 Page : 55 of 71





Report No.: SZEM110900352601 Page : 56 of 71

5.10 **Pseudorandom Frequency Hopping Sequence**



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM110900352601 Page : 57 of 71

5.11 Radiated Emission

Test Requirement:	FCC Part15 C S	Section 15.209	and 15.205			
Test Method:	ANSI C63.10: 2	009				
Test Frequency Range:	30MHz to 25GH	z				
Test site:	Measurement D	istance: 3m (S	emi-Anecho	ic Chambei	r)	
Receiver setup:						
	Frequency	Detector	RBW	VBW	Remark	
	30MHz-1GHz	Quasi-peak	100KHz	300KHz	Quasi-peak Value	
	Above 1GHz	Peak	1MHz	3MHz	Peak Value	
		Peak	1MHz	10Hz	Average Value	
Limit:	Freque	ncy	Limit (dBuV/	(m @3m)	Remark	
	30MHz-8		40.0		Quasi-peak Value	
	88MHz-21		43.5		Quasi-peak Value	
	216MHz-9		46.0		Quasi-peak Value	
	960MHz-		54.0		Quasi-peak Value	
	Above 1		54.0)	Average Value	
	Above 1	GHZ	74.()	Peak Value 0.8 meters above	
Test Procedure:	 rotated 360 radiation. b. The EUT wa antenna, wh tower. c. The antenna ground to de horizontal a the measure d. For each su case and th meters and degrees to f e. The test-rec Specified Bas f. If the emission the limit species of the EUT have 10dBas peak or ave sheet. The rest 	the was moun a height is varie etermine the m nd vertical pole ement. spected emission the rotatable t ind the maxim rever system v andwidth with on level of the rotified, then test would be report margin would l rage method a radiation meas	ermine the p s away from ted on the to ed from one aximum value arizations of ion, the EUT a was tuned able was turn um reading. vas set to Pe Maximum Ho EUT in peal sting could b ted. Otherwi be re-tested s specified a urements ar	bosition of the interference op of a varial meter to fould of the file the antenna was arrang to heights fil hed from 0 of eak Detect F old Mode. k mode was e stopped a se the emissione by one and then rep e performed	he highest ence-receiving able-height antenna ur meters above the eld strength. Both a are set to make ged to its worst rom 1 meter to 4 degrees to 360 Function and a 10dB lower than and the peak values asions that did not using peak, quasi- ported in a data d in X, Y, Z axis	
Test Instruments:	Refer to section	Only the wors 4.8 for details				
root motionito.						



Report No.: SZEM110900352601 Page : 58 of 71




Note:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor



Report No.: SZEM110900352601 Page : 59 of 71




5.11.1 Radiated emission below 1GHz

SGS

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM110900352601 Page : 60 of 71









Report No.: SZEM110900352601 Page : 61 of 71

Transmitter

emission above 1GHz

Worst case m	node:	GFSK	Test	channel:	Lowest	Rem	ark:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization
1602.050	3.99	28.84	39.40	58.77	52.20	74.00	-21.80	Vertical
4804.053	7.44	34.70	41.63	55.67	56.18	74.00	-17.82	Vertical
6346.250	8.10	36.10	40.63	49.23	52.80	74.00	-21.20	Vertical
7697.500	9.24	36.00	39.46	47.84	53.62	74.00	-20.38	Vertical
10094.500	9.91	37.82	37.49	45.71	55.95	74.00	-18.05	Vertical
12503.250	11.49	39.41	38.48	47.09	59.51	74.00	-14.49	Vertical
1602.037	3.99	28.84	39.40	58.56	51.99	74.00	-22.01	Horizontal
4804.059	7.44	34.70	41.63	56.44	56.95	74.00	-17.05	Horizontal
5864.500	7.92	35.48	41.04	50.70	53.06	74.00	-20.94	Horizontal
7306.563	8.85	35.92	39.79	49.44	54.42	74.00	-19.58	Horizontal
9730.250	9.73	37.44	37.70	45.32	54.79	74.00	-19.21	Horizontal
11657.250	11.04	38.56	38.13	47.10	58.57	74.00	-15.43	Horizontal

Worst case m	node:	GFSK	Test	channel:	Lowest	Rem	ark:	Average
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization
1602.050	3.99	28.84	39.40	56.46	49.89	54.00	-4.11	Vertical
4804.053	7.44	34.70	41.63	41.53	42.04	54.00	-11.96	Vertical
6346.250	8.10	36.10	40.63	34.97	38.54	54.00	-15.46	Vertical
7697.500	9.24	36.00	39.46	34.61	40.39	54.00	-13.61	Vertical
10094.500	9.91	37.82	37.49	31.66	41.90	54.00	-12.10	Vertical
12503.250	11.49	39.41	38.48	32.17	44.59	54.00	-9.41	Vertical
1602.037	3.99	28.84	39.40	56.29	49.72	54.00	-4.28	Horizontal
4804.059	7.44	34.70	41.63	47.01	47.52	54.00	-6.48	Horizontal
5864.500	7.92	35.48	41.04	35.72	38.08	54.00	-15.92	Horizontal
7306.563	8.85	35.92	39.79	35.43	40.41	54.00	-13.59	Horizontal
9730.250	9.73	37.44	37.70	31.79	41.26	54.00	-12.74	Horizontal
11657.250	11.04	38.56	38.13	32.42	43.89	54.00	-10.11	Horizontal

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110900352601 Page : 62 of 71

Worst case	mode:	GFSK	Test	t channel:	Middle	Rem	ark:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization
1626.710	4.00	29.09	39.41	57.53	51.21	74.00	-22.79	Vertical
4881.994	7.48	34.59	41.68	57.55	57.94	74.00	-16.06	Vertical
6440.250	8.13	36.22	40.55	50.34	54.14	74.00	-19.86	Vertical
7662.250	9.23	36.00	39.48	48.39	54.14	74.00	-19.86	Vertical
10094.500	9.91	37.82	37.49	45.73	55.97	74.00	-18.03	Vertical
12550.250	11.51	39.42	38.50	47.32	59.75	74.00	-14.25	Vertical
1626.719	4.00	29.09	39.41	57.04	50.72	74.00	-23.28	Horizontal
4882.022	7.48	34.59	41.68	56.73	57.12	74.00	-16.88	Horizontal
6475.500	8.14	36.26	40.51	49.82	53.71	74.00	-20.29	Horizontal
7368.500	8.92	35.95	39.74	48.68	53.81	74.00	-20.19	Horizontal
9871.250	9.79	37.58	37.57	45.16	54.96	74.00	-19.04	Horizontal
11892.250	11.21	38.80	38.23	47.13	58.91	74.00	-15.09	Horizontal

Worst case	mode:	GFSK	Test	t channel:	Middle	Rem	ark:	Average
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization
1626.710	4.00	29.09	39.41	55.03	48.71	54.00	-5.29	Vertical
4881.994	7.48	34.59	41.68	45.75	46.14	54.00	-7.86	Vertical
6440.250	8.13	36.22	40.55	36.34	40.14	54.00	-13.86	Vertical
7662.250	9.23	36.00	39.48	35.13	40.88	54.00	-13.12	Vertical
10094.500	9.91	37.82	37.49	32.03	42.27	54.00	-11.73	Vertical
12550.250	11.51	39.42	38.50	33.62	46.05	54.00	-7.95	Vertical
1626.719	4.00	29.09	39.41	54.59	48.27	54.00	-5.73	Horizontal
4882.022	7.48	34.59	41.68	49.19	49.58	54.00	-4.42	Horizontal
6475.500	8.14	36.26	40.51	36.21	40.10	54.00	-13.90	Horizontal
7368.500	8.92	35.95	39.74	34.91	40.04	54.00	-13.96	Horizontal
9871.250	9.79	37.58	37.57	31.71	41.51	54.00	-12.49	Horizontal
11892.250	11.21	38.80	38.23	32.75	44.53	54.00	-9.47	Horizontal

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110900352601 Page : 63 of 71

Worst case	mode:	GFSK	Test	t channel:	Highest	Rem	ark:	Peak	
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization	
1652.716	4.04	29.21	39.42	56.74	50.57	74.00	-23.43	Vertical	
4960.182	7.53	34.46	41.74	53.52	53.77	74.00	-20.23	Vertical	
6158.250	8.03	35.88	40.79	50.08	53.20	74.00	-20.80	Vertical	
7368.500	8.92	35.95	39.74	49.02	54.15	74.00	-19.85	Vertical	
10059.250	9.89	37.78	37.47	45.28	55.48	74.00	-18.52	Vertical	
12550.250	11.51	39.42	38.50	48.59	61.02	74.00	-12.98	Vertical	
1652.738	4.04	29.21	39.42	56.13	49.96	74.00	-24.04	Horizontal	
4960.125	7.53	34.46	41.74	53.80	54.05	74.00	-19.95	Horizontal	
6616.500	8.19	36.20	40.38	50.67	54.68	74.00	-19.32	Horizontal	
7662.250	9.23	36.00	39.48	49.85	55.60	74.00	-18.40	Horizontal	
10764.250	10.39	38.40	37.76	46.98	58.01	74.00	-15.99	Horizontal	
11915.750	11.23	38.81	38.24	47.44	59.24	74.00	-14.76	Horizontal	

Worst case	mode:	GFSK	Test	t channel:	Highest	Rem	ark:	Average
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization
1652.716	4.04	29.21	39.42	53.61	47.44	54.00	-6.56	Vertical
4960.182	7.53	34.46	41.74	44.95	45.20	54.00	-8.80	Vertical
6158.250	8.03	35.88	40.79	35.85	38.97	54.00	-15.03	Vertical
7368.500	8.92	35.95	39.74	34.84	39.97	54.00	-14.03	Vertical
10059.250	9.89	37.78	37.47	31.86	42.06	54.00	-11.94	Vertical
12550.250	11.51	39.42	38.50	33.74	46.17	54.00	-7.83	Vertical
1652.738	4.04	29.21	39.42	52.20	46.03	54.00	-7.97	Horizontal
4960.125	7.53	34.46	41.74	44.88	45.13	54.00	-8.87	Horizontal
6616.500	8.19	36.20	40.38	36.11	40.12	54.00	-13.88	Horizontal
7662.250	9.23	36.00	39.48	34.59	40.34	54.00	-13.66	Horizontal
10764.250	10.39	38.40	37.76	31.68	42.71	54.00	-11.29	Horizontal
11915.750	11.23	38.81	38.24	33.08	44.88	54.00	-9.12	Horizontal

Remark: The disturbance above 13GHz was very low (>20dB below the limit), and the above harmonics were the highest point could be found when testing, so only the above harmonics have been displayed.



Report No.: SZEM110900352601 Page : 64 of 71

5.11.2 Band edge (Radiated Emission)


Test mode	:	Tra	nsmitting	Test cha	nnel:	Lowest	R	emark:	Peak	Ve	ertical
Data: 2	el (dB	uV/m)									
120											
										3	
										Ň	
										(I)}	
										- /1)	
									FCC PAR	T150-10	a PK
											<u></u>
										- / '	
60											
										ЛЕ	λ
· · · · ·		teres	man and a second and	hanna an	man	a day and a second	many	man	www.puguhad	r -	- Street
0 231	0 2	320			2350						2410
251	0 2,	520				iency (MHz	z)				2410
				Cable	Intenna	Preamp	Read		Limit	Ove:	r
			Freq	Loss	Factor	Factor	Level	Level	Line	Limi	t Remark
		-	MHz	dB		dB	dBuV	dBuV/m	dBuV/m	d	
			HHZ	ub	ub/m	ub	ubuv	ubuv/m	ubuv/m	u	D
1			2390.000	2.98	32.51	39.85	48.51	44.16	74.00	-29.8	4 Peak
2			2400.000	2.98				73.58			
3 X			2401.900	2.98	32.51	39.86	104.25	99.88	74.00	25.8	8 Peak

SGS

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM110900352601 Page : 65 of 71

Test mode:	Transmitting	Test channel:	Lowest	Remark:	Peak	Horizontal
------------	--------------	---------------	--------	---------	------	------------




SGS

SGS-CSTC Standards Technical Services Ltd.


Report No.: SZEM110900352601 Page : 66 of 71

Test mode:	Transmitting	Test channel:	Lowest	Remark:	Average	Vertical





Report No.: SZEM110900352601 Page : 67 of 71




SGS

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM110900352601 Page : 68 of 71


Test mode:	Transmitting	Test channel:	Highest	Remark:	Peak	Vertical




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110900352601 Page : 69 of 71








Report No.: SZEM110900352601 Page : 70 of 71

Test mode:	Transmitting	Test channel:	Highest	Remark:	Average	Vertical







Report No.: SZEM110900352601 Page : 71 of 71

Test mode:	Transmitting	Test channel:	Highest	Remark:	Average	Horizontal
------------	--------------	---------------	---------	---------	---------	------------

