Premissive Change Letter

FCC ID: UHW10030001

Date:Apr. 02

To Federal communications commission:

We , Guangdong Galanz Enterprises Co, Ltd , hereby declare that we add the series

P100N30X-Z(X may be L,P,J,SL,SP,SJ,TL,TP, TJ,AL,AP,AJ,ASL,ASP,ASJ,ATL, ATP,ATJ, EL, EP,EJ,ESL, ESP,ESJ,ETL,ETP,ETJ,ML,MP,MJ,MSL,MSP,MSJ,MTL,MTP,MTJ; Z may be any combination of one to five letters and/or numbers representing cosmetic differences.) to the original authorized model: P100N30X-Z (X maybe J, AJ, L, AL, EL, P, AP, EP; Z maybe D1,D2,T4,F4,C1,T3,T1,T5,MT1,F4,C5,HP3);

P100N28X-Z(X may be L,P,J,SL,SP,SJ,TL,TP, TJ,AL,AP,AJ,ASL,ASP,ASJ,ATL,ATP, ATJ,EL, EP,EJ,ESL,ESP,ESJ,ETL,ETP,ETJ,ML,MP,MJ, MSL,MSP,MSJ,MTL,MTP,MTJ; Z may be any combination of one to five letters and/or numbers representing cosmetic differences.) to the original authorized model: P100N28X-Z (X may be L, AL, EL, ATL, P, AP, EP; Z may be D1, D2, C5, T1, T3, T4, F4, MT1);

P100N38X-Z(X may be L,P,J,SL,SP,SJ,TL,TP, TJ,AL,AP,AJ,ASL, ASP, ASJ,ATL,ATP,ATJ, EL, EP,EJ,ESL,ESP,ESJ,ETL,ETP,ETJ,ML,MP,MJ,MSL,MSP,MSJ,MTL,MTP, MTJ; Z may be any combination of one to five letters and/or numbers representing cosmetic differences.) to the original authorized model: P100N38X-Z (X may be AL, AP, ASP, ASL, EP, ESP; Z may be blank, K4, B9, HP3);

cosmetic differences for marketing purpose.

Definition for model P100N30X-Z, P100N28X-Z, P100N38X-Z:

P100N30X-Z

X may be L,P,J,SL,SP,SJ,TL,TP,TJ,AL,AP,AJ,ASL,ASP,ASJ,ATL,ATP,ATJ,EL,EP,EJ,ESL, ESP,ESJ,ETL, ETP,ETJ,ML,MP,MJ,MSL,MSP,MSJ,MTL,MTP,MTJ

Z may be any combination of one to five letters and/or numbers representing cosmetic differences, for example, the different color or the different door handle.

P: Denotes the Microwave function.

100: Denotes the output power is 1000W.

N: Denotes the type of the cavity

30: Denotes capacity in 30 liters;

"L" and "J" is pull-out type door, P is push-button type door. When there is no letter before "L","P" and "J", denotes mechanical control model; When there is "A", "E" or "M" denote the electrical control model. "S" denotes stainless steel cavity; "T" denotes the gray cavity; When there is neither "S" nor "T" before "L", "P" or "J", denotes the epoxy painted cavity.

P100N28X-Z

X may be L,P,J,SL,SP,SJ,TL,TP,TJ,AL,AP,AJ,ASL,ASP,ASJ,ATL,ATP,ATJ,EL,EP,EJ,ESL, ESP,ESJ,ETL, ETP,ETJ,ML,MP,MJ,MSL,MSP,MSJ,MTL,MTP,MTJ

Z may be any combination of one to five letters and/or numbers representing cosmetic differences, for example, the different color or the different door handle.

P: Denotes the Microwave function.

100: Denotes the output power is 1000W.

N: Denotes the type of the cavity

28: Denotes capacity in 28 liters;

"L" and "J" is pull-out type door, P is push-button type door. When there is no letter before "L", "P" and "J", denotes mechanical control model; When there is "A", "E" or "M" denote the electrical control model. "S" denotes stainless steel cavity; "T" denotes the gray cavity; When there is neither "S" nor "T" before "L", "P" or "J", denotes the epoxy painted cavity.

P100N38X-Z

X may be L,P,J,SL,SP,SJ,TL,TP,TJ,AL,AP,AJ,ASL,ASP,ASJ,ATL,ATP,ATJ,EL,EP,EJ,ESL, ESP,ESJ,ETL, ETP,ETJ,ML,MP,MJ,MSL,MSP,MSJ,MTL,MTP,MTJ

Z may be any combination of one to five letters and/or numbers representing cosmetic differences, for example, the different color or the different door handle.

P: Denotes the Microwave function.

100: Denotes the output power is 1000W.

N: Denotes the type of the cavity

38: Denotes capacity in 38 liters;

"L" and "J" is pull-out type door, P is push-button type door. When there is no letter before "L", "P" and "J", denotes mechanical control model; When there is "A", "E" or "M" denote the electrical control model. "S" denotes stainless steel cavity; "T" denotes the gray cavity; When there is neither "S" nor "T" before "L", "P" or "J", denotes the epoxy painted cavity.

Valley Wang & Guangdong Galanz Enterprise

Phone: +86 0757-23612785 Fax: +86 0757-23612537 E-Mail:Cert102@galanz.com

Vouley work