

No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11220.000	48.09	74.00	-25.91	54.81	-6.72	Peak
2	16830.000	51.27	68.20	-16.93	54.81	-3.54	Peak

- Note:

 1. Level = Read Level + Factor


 2. Factor = Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit

 5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax80_TX_5610MHz
Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11220.000	47.91	74.00	-26.09	54.63	-6.72	Peak
2	16830.000	50.95	68.20	-17.25	54.49	-3.54	Peak

- Note:

 1. Level = Read Level + Factor


 2. Factor = Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit = Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax80_TX_5690MHz
Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11380.000	47.22	74.00	-26.78	53.62	-6.40	Peak
2	17070.000	49.04	68.20	-19.16	52.59	-3.55	Peak

Note:

1. Level = Read Level + Factor


2. Factor = Antenna Factor + Cable Loss - Preamp Factor

3. Over Limit = Level - Limit Line

4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax80_TX_5690MHz
Test by :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11380.000	46.95	74.00	-27.05	53.35	-6.40	Peak

- Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss Preamp Factor
 3. Over Limit Level Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed
 to comply with AVG limit.
 5. The other emission levels were very low against the limit.








NO.	Frequency	revel	Line	Limit	Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5631.250	65.71	68.20	-2.49	43.79	21.92	Peak
2	5655.000	64.88	71.91	-7.03	42.87	22.01	Peak
3	5721.500	84.28	114.22	-29.94	62.03	22.25	Peak
4	5750.250	108.85			86.49	22.36	Peak
5	5850.000	81.07	122.20	-41.13	58.35	22.72	Peak
6	5920.500	59.98	71.54	-11.56	37.01	22.97	Peak
7	5938.750	58.16	68.20	-10.04	35.12	23.04	Peak

- Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss Preamp Factor
 3. Over Linit = Level Linit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax80_TX_5775MHz
Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5648.000	64.20	68.20	-4.00	42.22	21.98	Peak
2	5654.000	63.22	71.17	-7.95	41.21	22.01	Peak
3	5723.250	83.08	118.21	-35.13	60.83	22.25	Peak
4	5758.750	108.27			85.89	22.38	Peak
5	5863.250	76.54	108.49	-31.95	53.77	22.77	Peak
6	5924.000	56.42	68.95	-12.53	33.44	22.98	Peak
7	6003.000	56.73	68.20	-11.47	33.46	23.27	Peak

- Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss Preamp Factor
 3. Over Linft = Level Linft Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax80_TX_5775MHz
Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11550.000	47.61	74.00	-26.39	53.74	-6.13	Peak
2	17325.000	48.81	68.20	-19.39	52.01	-3.20	Peak

- Note:

 1. Level = Read Level + Factor


 2. Factor = Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

Site :HC-C804
Condition :3m ,Vertical
Mode :ax80_TX_5775MHz
Test by :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1 2	11550.000 17325.000	48.87 48.57	74.00 68.20	-25.13 -19.63	55.00 51.77	-6.13 -3.20	Peak Peak

- Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss Preamp Factor
 3. Over Limit = Level Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.







NO.	Frequency	revel	Limit	Limit	Level	Factor	Kemark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5147.900	52.87	54.00	-1.13	31.49	21.38	Average
2	5237.150	93.28			71.88	21.40	Average

- Note:

 1. Level = Read Level + Factor


 2. Factor = Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

Site :HC-CB04 Condition :3m ,Horizontal Mode :ax160_TX_5250MHz Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5117.900	70.82	74.00	-3.18	49.45	21.37	Peak
2	5208.350	105.18			83.79	21.39	Peak

- Note:

 1. Level = Read Level + Factor


 2. Factor = Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax160_TX_5250MHz
Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5127.500	51.10	54.00	-2.90	29.72	21.38	Average
2	5282.300	92.14			70.73	21.41	Average

- Note:

 1. Level = Read Level + Factor


 2. Factor = Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

Site :HC-CB04 Condition :3m ,Vertical Mode :ax160_TX_5250MHz Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5117.900	69.14	74.00	-4.86	47.77	21.37	Peak
2	5267 000	103 16			91 76	21 40	Pook

- Note:

 1. Level = Read Level + Factor

 2. Factor Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit = Level Limit Lime


 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

TEL: +886-3-582-8001 FAX: +886-3-582-8958



Site :HC-CB04 Condition :3m ,Horizontal Mode :ax160_TX_5250MHz Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10500.000	50.91	68.20	-17.29	58.64	-7.73	Peak
2	15750 000	50 45	7/ 00	-23 55	53 61	-3 16	Dook

- Note:

 1. Level = Read Level + Factor


 2. Factor = Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

Site :HC-CB04 Condition :3m ,Vertical Mode :ax160_TX_5250MHz Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10500.000	57.35	68.20	-10.85	65.08	-7.73	Peak
2	15750.000	51.32	74.00	-22.68	54.48	-3.16	Peak

- Note:

 1. Level = Read Level + Factor


 2. Factor = Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax160_TX_5570MHz
Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5450.400	49.85	54.00	-4.15	28.42	21.43	Average
2	5575.700	93.05			71.33	21.72	Average

- Note:

 1. Level = Read Level + Factor


 2. Factor = Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax160_TX_5570MHz
Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5430.800	72.98	74.00	-1.02	51.55	21.43	Peak
2	5465.625	65.22	68.20	-2.98	43.79	21.43	Peak
3	5580.425	104.63			82.89	21.74	Peak
4	5725.325	67.52	68.20	-0.68	45.26	22.26	Peak


- Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss Preamp Factor
 3. Over Limit = Level Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed
 to comply with AVG limit.
 5. The other emission levels were very low against the limit.

TEL: +886-3-582-8001 FAX: +886-3-582-8958

Page Number : 87 of 92







NO.	Frequency	revel	Line	Limit	Level	Factor	Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		
1	5453.375	47.10	54.00	-6.90	25.67	21.43	Average	
2	5573.950	92.00			70.29	21.71	Average	

- Note:

 1. Level = Read Level + Factor


 2. Factor = Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

Site :HC-CB04 Condition :3m ,Vertical Mode :ax160_TX_5570MHz Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5438.500	68.48	74.00	-5.52	47.05	21.43	Peak
2	5463.525	62.50	68.20	-5.70	41.07	21.43	Peak
3	5528.275	103.55			82.01	21.54	Peak
4	5725.325	65.84	68.20	-2.36	43.58	22.26	Peak

- Note:

 1. Level = Read Level + Factor


 2. Factor = Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit = Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax160_TX_5570MHz
Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11140.000	48.19	74.00	-25.81	55.06	-6.87	Peak
2	16710.000	49.88	68.20	-18.32	53.35	-3.47	Peak

- Note:

 1. Level = Read Level + Factor


 2. Factor Antenna Factor + Cable Loss Preamp Factor

 3. Over Limit Level Limit Line

 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.

 5. The other emission levels were very low against the limit.

Site :HC-CB04 Condition :3m ,Vertical Mode :ax160_TX_5570MHz Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1 2	11140.000 16710.000	47.78 50.25	74.00 68.20	-26.22 -17.95	54.65 53.72	-6.87 -3.47	Peak Peak


- Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss Preamp Factor
 3. Over Limit = Level Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.




Appendix F. Test Result of Radiated Emissions Co-location

WiFi 2.4 GHz + WiFi 5 GHz

30 MHz ~ 1 GHz:





TEL: +886-3-582-8001 Page Number : 89 of 92

FAX: +886-3-582-8958