



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.92
802.11be EHT40_Nss1,(MCS0)_4TX	4.84
802.11be EHT80_Nss1,(MCS0)_4TX	4.74
802.11be EHT160_Nss1,(MCS0)_4TX	4.90
802.11be EHT320_Nss1,(MCS0)_4TX	4.91
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.99
802.11be EHT40_Nss1,(MCS0)_4TX	4.97
802.11be EHT80_Nss1,(MCS0)_4TX	4.77
802.11be EHT160_Nss1,(MCS0)_4TX	4.94
802.11be EHT320_Nss1,(MCS0)_4TX	4.95
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.96
802.11be EHT40_Nss1,(MCS0)_4TX	4.90
802.11be EHT80_Nss1,(MCS0)_4TX	4.94
802.11be EHT160_Nss1,(MCS0)_4TX	4.66
802.11be EHT320_Nss1,(MCS0)_4TX	4.69
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.99
802.11be EHT40_Nss1,(MCS0)_4TX	4.92
802.11be EHT80_Nss1,(MCS0)_4TX	4.65
802.11be EHT160_Nss1,(MCS0)_4TX	4.59

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.77	5.00
6175MHz	Pass	4.92	5.00
6415MHz	Pass	4.81	5.00
6435MHz	Pass	4.78	5.00
6475MHz	Pass	4.99	5.00
6515MHz	Pass	4.72	5.00
6535MHz	Pass	4.76	5.00
6695MHz	Pass	4.83	5.00
6855MHz	Pass	4.62	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.96	5.00
6895MHz	Pass	4.91	5.00
6995MHz	Pass	4.81	5.00
7095MHz	Pass	4.92	5.00
7115MHz Straddle 6.875-7.125GHz	Pass	4.99	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.77	5.00
6165MHz	Pass	4.76	5.00
6405MHz	Pass	4.84	5.00
6445MHz	Pass	4.60	5.00
6485MHz	Pass	4.97	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.83	5.00
6525MHz Straddle 6.525-6.875GHz	Pass	-Inf	5.00
6685MHz	Pass	4.87	5.00
6845MHz	Pass	4.66	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.90	5.00
6925MHz	Pass	4.64	5.00
7005MHz	Pass	4.92	5.00
7085MHz	Pass	4.68	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.74	5.00
6145MHz	Pass	4.71	5.00
6385MHz	Pass	4.64	5.00
6465MHz	Pass	4.77	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.68	5.00
6625MHz	Pass	4.92	5.00
6705MHz	Pass	4.61	5.00
6785MHz	Pass	4.94	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.60	5.00
6945MHz	Pass	4.65	5.00
7025MHz	Pass	4.55	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.78	5.00
6185MHz	Pass	4.90	5.00
6345MHz	Pass	4.60	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.94	5.00
6665MHz	Pass	4.66	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.44	5.00
6985MHz	Pass	4.59	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.51	5.00
6265MHz	Pass	4.91	5.00
6425MHz	Pass	4.95	5.00
6585MHz	Pass	4.76	5.00
6745MHz	Pass	4.69	5.00







Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6905MHz	Pass	4.69	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
































































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.99
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.86
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.95
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.89
802.11be EHT320-BF_Nss1,(MCS0)_1TX	3.80
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.68
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.86
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.97
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.95
802.11be EHT320-BF_Nss1,(MCS0)_1TX	3.24
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.88
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.83
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.83
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.96
802.11be EHT320-BF_Nss1,(MCS0)_1TX	2.84
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.79
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.92
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.35
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.72

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.59	5.00
6175MHz	Pass	4.55	5.00
6415MHz	Pass	4.99	5.00
6435MHz	Pass	4.68	5.00
6475MHz	Pass	4.27	5.00
6515MHz	Pass	4.27	5.00
6535MHz	Pass	4.69	5.00
6695MHz	Pass	4.88	5.00
6855MHz	Pass	4.68	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.40	5.00
6895MHz	Pass	4.79	5.00
6995MHz	Pass	4.69	5.00
7095MHz	Pass	4.75	5.00
7115MHz Straddle 6.875-7.125GHz	Pass	1.70	5.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.86	5.00
6165MHz	Pass	4.62	5.00
6405MHz	Pass	4.81	5.00
6445MHz	Pass	4.86	5.00
6485MHz	Pass	4.20	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.86	5.00
6565MHz	Pass	4.76	5.00
6685MHz	Pass	4.83	5.00
6845MHz	Pass	4.50	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.75	5.00
6925MHz	Pass	4.92	5.00
7005MHz	Pass	4.69	5.00
7085MHz	Pass	4.82	5.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.71	5.00
6145MHz	Pass	4.49	5.00
6385MHz	Pass	4.95	5.00
6465MHz	Pass	4.97	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.30	5.00
6625MHz	Pass	4.69	5.00
6705MHz	Pass	4.83	5.00
6785MHz	Pass	4.38	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.60	5.00
6945MHz	Pass	4.35	5.00
7025MHz	Pass	4.24	5.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.41	5.00
6185MHz	Pass	4.89	5.00
6345MHz	Pass	4.41	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.95	5.00
6665MHz	Pass	4.88	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.96	5.00
6985MHz	Pass	4.72	5.00
802.11be EHT320-BF_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	3.80	5.00
6265MHz	Pass	2.45	5.00
6425MHz	Pass	2.60	5.00
6585MHz	Pass	3.24	5.00
6745MHz	Pass	2.84	5.00







PSD_Beamforming mode



Appendix D.2



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6905MHz	Pass	2.16	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

































































































Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	34.85M	36.61	40.00	-3.39	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	34.85M	36.61	40.00	-3.39	-5.39	3	Vertical	97	1.00	"Worst"	42.00	22.35	0.79	28.53
QP	49.4M	36.15	40.00	-3.85	-13.25	3	Vertical	354	1.25	-	49.40	14.47	0.92	28.64
PK	86.26M	34.86	40.00	-5.14	-13.29	3	Vertical	305	1.50	-	48.15	14.09	1.20	28.58
PK	125.06M	39.75	43.50	-3.75	-9.05	3	Vertical	176	1.00	-	48.80	17.91	1.45	28.41
PK	187.14M	37.72	43.50	-5.78	-11.52	3	Vertical	12	1.00	-	49.24	14.84	1.77	28.13
PK	571.26M	34.34	46.00	-11.66	-1.39	3	Vertical	180	1.00	-	35.73	24.80	3.17	29.36

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30M	36.46	40.00	-3.54	-2.47	3	Horizontal	193	1.25	"Worst"	38.93	25.28	0.74	28.49
PK	65.89M	33.44	40.00	-6.56	-15.33	3	Horizontal	299	3.00	-	48.77	12.10	1.07	28.50
PK	125.06M	39.72	43.50	-3.78	-9.05	3	Horizontal	255	3.00	-	48.77	17.91	1.45	28.41
PK	178.41M	31.99	43.50	-11.51	-11.38	3	Horizontal	200	1.50	-	43.37	15.08	1.72	28.18
PK	188.11M	35.60	43.50	-7.90	-11.54	3	Horizontal	234	1.25	-	47.14	14.82	1.77	28.13
PK	577.08M	34.44	46.00	-11.56	-1.46	3	Horizontal	262	1.50	-	35.90	24.71	3.18	29.35




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	67.94	68.20	-0.26	3	Vertical	34	1.80	BP 1MHz

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	60.47	88.20	-27.73	51.55	3	Vertical	11	1.80	-	35.37	6.36	32.81
RMS	5.9246G	51.11	68.20	-17.09	42.16	3	Vertical	11	1.80	-	35.40	6.36	32.81
PK	5.9586G	113.51	Inf	-Inf	104.45	3	Vertical	11	1.80	-	35.50	6.38	32.82
RMS	5.9586G	104.19	Inf	-Inf	95.13	3	Vertical	11	1.80	-	35.50	6.38	32.82

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	65.87	88.20	-22.33	56.92	3	Horizontal	43	1.64	-	35.40	6.36	32.81
RMS	5.9238G	55.31	68.20	-12.89	46.36	3	Horizontal	43	1.64	-	35.40	6.36	32.81
PK	5.9626G	120.59	Inf	-Inf	111.54	3	Horizontal	43	1.64	-	35.50	6.38	32.83
RMS	5.9638G	111.14	Inf	-Inf	102.09	3	Horizontal	43	1.64	-	35.50	6.38	32.83

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90998G	55.98	74.00	-18.02	51.34	3	Vertical	131	1.80	-	38.81	9.06	43.23
AV	11.90994G	46.89	54.00	-7.11	42.25	3	Vertical	131	1.80	-	38.81	9.06	43.23
PK	17.86562G	61.20	74.00	-12.80	48.45	3	Vertical	127	1.25	-	42.70	11.45	41.40
AV	17.86661G	47.53	54.00	-6.47	34.78	3	Vertical	127	1.25	-	42.70	11.45	41.40

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90996G	56.84	74.00	-17.16	52.20	3	Horizontal	18	1.60	-	38.81	9.06	43.23
AV	11.90993G	50.00	54.00	-4.00	45.36	3	Horizontal	18	1.60	-	38.81	9.06	43.23
PK	17.86292G	61.32	74.00	-12.68	48.58	3	Horizontal	268	1.80	-	42.69	11.45	41.40
AV	17.86278G	47.68	54.00	-6.32	34.94	3	Horizontal	268	1.80	-	42.69	11.45	41.40

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT X_4TX
 Setting 20
 01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34995G	55.63	74.00	-18.37	50.66	3	Vertical	26	1.75	-	38.90	9.24	43.17
AV	12.34993G	46.91	54.00	-7.09	41.94	3	Vertical	26	1.75	-	38.90	9.24	43.17

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT X_4TX
Setting 20
01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35001G	57.54	74.00	-16.46	52.57	3	Horizontal	41	1.79	-	38.90	9.24	43.17
AV	12.34997G	50.94	54.00	-3.06	45.97	3	Horizontal	41	1.79	-	38.90	9.24	43.17

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52974G	50.66	83.54	-32.88	46.72	1	Vertical	285	1.54	-	37.61	16.66	50.33
AV	18.5277G	37.64	63.54	-25.90	33.70	1	Vertical	285	1.54	-	37.61	16.66	50.33

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.53232G	54.81	83.54	-28.73	50.87	1	Horizontal	255	1.60	-	37.61	16.66	50.33
AV	18.53328G	40.38	63.54	-23.16	36.44	1	Horizontal	255	1.60	-	37.61	16.66	50.33

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT X_4TX
 Setting 20
 01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83009G	58.09	88.20	-30.11	51.85	3	Vertical	138	1.63	-	39.63	9.43	42.82
RMS	12.82996G	51.85	68.20	-16.35	45.61	3	Vertical	138	1.63	-	39.63	9.43	42.82

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT X_4TX
 Setting 20
 01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82991G	62.42	88.20	-25.78	56.18	3	Horizontal	28	1.80	-	39.63	9.43	42.82
RMS	12.82996G	58.26	68.20	-9.94	52.02	3	Horizontal	28	1.80	-	39.63	9.43	42.82

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25358G	64.31	83.54	-19.23	60.86	1	Vertical	297	1.57	-	37.60	16.95	51.10
AV	19.25352G	48.81	63.54	-14.73	45.36	1	Vertical	297	1.57	-	37.60	16.95	51.10

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.236G	63.45	83.54	-20.09	59.99	1	Horizontal	277	1.54	-	37.59	16.95	51.08
AV	19.23522G	48.08	63.54	-15.46	44.62	1	Horizontal	277	1.54	-	37.59	16.95	51.08

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.869996G	58.22	88.20	-29.98	51.88	3	Vertical	136	1.66	-	39.67	9.45	42.78
RMS	12.86996G	51.62	68.20	-16.58	45.28	3	Vertical	136	1.66	-	39.67	9.45	42.78

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86993G	61.77	88.20	-26.43	55.43	3	Horizontal	28	1.79	-	39.67	9.45	42.78
RMS	12.86996G	57.37	68.20	-10.83	51.03	3	Horizontal	28	1.79	-	39.67	9.45	42.78

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3146G	60.25	83.54	-23.29	56.82	1	Vertical	298	1.57	-	37.63	16.98	51.18
AV	19.31346G	46.14	63.54	-17.40	42.71	1	Vertical	298	1.57	-	37.63	16.98	51.18

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29558G	60.14	83.54	-23.40	56.70	1	Horizontal	251	1.51	-	37.62	16.97	51.15
AV	19.29576G	46.57	63.54	-16.97	43.13	1	Horizontal	251	1.51	-	37.62	16.97	51.15

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT X_4TX
 Setting 20
 01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94992G	57.82	88.20	-30.38	51.24	3	Vertical	136	1.76	-	39.80	9.48	42.70
RMS	12.94994G	50.57	68.20	-17.63	43.99	3	Vertical	136	1.76	-	39.80	9.48	42.70

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT X_4TX
 Setting 20
 01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95001G	60.86	88.20	-27.34	54.28	3	Horizontal	28	1.78	-	39.80	9.48	42.70
RMS	12.94993G	55.76	68.20	-12.44	49.18	3	Horizontal	28	1.78	-	39.80	9.48	42.70

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41468G	58.28	83.54	-25.26	54.89	1	Vertical	297	1.58	-	37.67	17.02	51.30
AV	19.43412G	43.42	63.54	-20.12	40.04	1	Vertical	297	1.58	-	37.67	17.03	51.32

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.43676G	60.41	83.54	-23.13	57.03	1	Horizontal	246	1.54	-	37.67	17.03	51.32
AV	19.41606G	45.67	63.54	-17.87	42.28	1	Horizontal	246	1.54	-	37.67	17.02	51.30

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02992G	58.20	88.20	-30.00	51.42	3	Vertical	114	1.80	-	39.93	9.51	42.66
RMS	13.02988G	50.36	68.20	-17.84	43.58	3	Vertical	114	1.80	-	39.93	9.51	42.66

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02988G	60.53	88.20	-27.67	53.75	3	Horizontal	31	1.79	-	39.93	9.51	42.66
RMS	13.02992G	55.23	68.20	-12.97	48.45	3	Horizontal	31	1.79	-	39.93	9.51	42.66

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54422G	59.38	83.54	-24.16	56.07	1	Vertical	288	1.55	-	37.68	17.07	51.44
AV	19.54434G	44.38	63.54	-19.16	41.07	1	Vertical	288	1.55	-	37.68	17.07	51.44

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55598G	60.63	83.54	-22.91	57.33	1	Horizontal	280	1.55	-	37.68	17.08	51.46
AV	19.53618G	46.23	63.54	-17.31	42.91	1	Horizontal	280	1.55	-	37.69	17.07	51.44

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06996G	58.13	88.20	-30.07	51.30	3	Vertical	115	1.80	-	39.97	9.53	42.67
RMS	13.06996G	50.42	68.20	-17.78	43.59	3	Vertical	115	1.80	-	39.97	9.53	42.67

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07G	60.47	88.20	-27.73	53.64	3	Horizontal	32	1.78	-	39.97	9.53	42.67
RMS	13.06992G	54.57	68.20	-13.63	47.74	3	Horizontal	32	1.78	-	39.97	9.53	42.67

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6041G	62.15	83.54	-21.39	58.89	1	Vertical	287	1.55	-	37.66	17.10	51.50
AV	19.60464G	47.48	63.54	-16.06	44.22	1	Vertical	287	1.55	-	37.66	17.10	51.50

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59516G	61.41	83.54	-22.13	58.16	1	Horizontal	281	1.56	-	37.66	17.09	51.50
AV	19.59702G	46.72	63.54	-16.82	43.47	1	Horizontal	281	1.56	-	37.66	17.09	51.50

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39248G	55.34	74.00	-18.66	48.03	3	Vertical	320	1.59	-	40.39	9.66	42.74
AV	13.38991G	42.30	54.00	-11.70	34.99	3	Vertical	320	1.59	-	40.39	9.66	42.74

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39008G	56.51	74.00	-17.49	49.20	3	Horizontal	191	1.80	-	40.39	9.66	42.74
AV	13.38985G	44.09	54.00	-9.91	36.78	3	Horizontal	191	1.80	-	40.39	9.66	42.74

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0818G	67.27	83.54	-16.27	64.42	1	Vertical	265	1.49	-	37.47	17.30	51.92
AV	20.08276G	53.15	63.54	-10.39	50.30	1	Vertical	265	1.49	-	37.47	17.30	51.92

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0836G	67.19	83.54	-16.35	64.34	1	Horizontal	278	1.50	-	37.47	17.30	51.92
AV	20.0824G	53.82	63.54	-9.72	50.97	1	Horizontal	278	1.50	-	37.47	17.30	51.92

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71015G	56.63	88.20	-31.57	49.05	3	Vertical	53	1.80	-	40.43	9.78	42.63
RMS	13.70991G	43.75	68.20	-24.45	36.17	3	Vertical	53	1.80	-	40.43	9.78	42.63

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71001G	58.75	88.20	-29.45	51.17	3	Horizontal	106	1.28	-	40.43	9.78	42.63
RMS	13.70991G	48.27	68.20	-19.93	40.69	3	Horizontal	106	1.28	-	40.43	9.78	42.63

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5626G	58.93	83.54	-24.61	55.71	1	Vertical	297	1.50	-	37.73	17.50	52.01
AV	20.56164G	46.23	63.54	-17.31	43.02	1	Vertical	297	1.50	-	37.72	17.50	52.01

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55976G	64.60	83.54	-18.94	61.39	1	Horizontal	207	1.50	-	37.72	17.50	52.01
AV	20.56024G	50.65	63.54	-12.89	47.44	1	Horizontal	207	1.50	-	37.72	17.50	52.01

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74926G	56.87	88.20	-31.33	49.13	3	Vertical	250	1.80	-	40.55	9.80	42.61
RMS	13.74986G	43.81	68.20	-24.39	36.07	3	Vertical	250	1.80	-	40.55	9.80	42.61

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74983G	58.97	88.20	-29.23	51.23	3	Horizontal	105	1.29	-	40.55	9.80	42.61
RMS	13.74991G	48.76	68.20	-19.44	41.02	3	Horizontal	105	1.29	-	40.55	9.80	42.61

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62148G	56.83	83.54	-26.71	53.57	1	Vertical	295	1.50	-	37.75	17.53	52.02
AV	20.6218G	44.13	63.54	-19.41	40.87	1	Vertical	295	1.50	-	37.75	17.53	52.02

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6194G	63.51	83.54	-20.03	60.25	1	Horizontal	206	1.44	-	37.75	17.53	52.02
AV	20.62004G	50.02	63.54	-13.52	46.76	1	Horizontal	206	1.44	-	37.75	17.53	52.02

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7896G	56.36	88.20	-31.84	48.46	3	Vertical	52	1.80	-	40.67	9.82	42.59
RMS	13.78986G	43.12	68.20	-25.08	35.22	3	Vertical	52	1.80	-	40.67	9.82	42.59

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78876G	57.86	88.20	-30.34	49.96	3	Horizontal	104	1.37	-	40.67	9.82	42.59
RMS	13.78987G	47.77	68.20	-20.43	39.87	3	Horizontal	104	1.37	-	40.67	9.82	42.59

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68212G	58.03	83.54	-25.51	54.74	1	Vertical	296	1.49	-	37.77	17.56	52.04
AV	20.68132G	45.48	63.54	-18.06	42.19	1	Vertical	296	1.49	-	37.77	17.56	52.04

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68036G	64.63	83.54	-18.91	61.34	1	Horizontal	207	1.47	-	37.77	17.56	52.04
AV	20.6802G	50.87	63.54	-12.67	47.58	1	Horizontal	207	1.47	-	37.77	17.56	52.04

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9899G	56.61	88.20	-31.59	48.19	3	Vertical	247	1.79	-	40.99	9.90	42.47
RMS	13.98991G	43.29	68.20	-24.91	34.87	3	Vertical	247	1.79	-	40.99	9.90	42.47

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98989G	58.18	88.20	-30.02	49.76	3	Horizontal	113	1.46	-	40.99	9.90	42.47
RMS	13.98984G	46.95	68.20	-21.25	38.53	3	Horizontal	113	1.46	-	40.99	9.90	42.47

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98004G	58.97	83.54	-24.57	55.12	1	Vertical	211	1.49	-	38.26	17.69	52.10
AV	20.97876G	45.40	63.54	-18.14	41.55	1	Vertical	211	1.49	-	38.26	17.69	52.10

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98068G	63.35	83.54	-20.19	59.50	1	Horizontal	202	1.48	-	38.26	17.69	52.10
AV	20.98068G	50.10	63.54	-13.44	46.25	1	Horizontal	202	1.48	-	38.26	17.69	52.10

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1006G	117.51	Inf	-Inf	106.68	3	Vertical	32	1.80	-	36.90	7.00	33.07
RMS	7.1014G	108.35	Inf	-Inf	97.51	3	Vertical	32	1.80	-	36.91	7.00	33.07
PK	7.1282G	64.63	88.20	-23.57	53.68	3	Vertical	32	1.80	-	37.01	7.03	33.09
RMS	7.1278G	55.32	68.20	-12.88	44.37	3	Vertical	32	1.80	-	37.01	7.03	33.09

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1018G	119.42	Inf	-Inf	108.58	3	Horizontal	49	2.00	-	36.91	7.00	33.07
RMS	7.1014G	110.04	Inf	-Inf	99.20	3	Horizontal	49	2.00	-	36.91	7.00	33.07
PK	7.1282G	65.63	88.20	-22.57	54.68	3	Horizontal	49	2.00	-	37.01	7.03	33.09
RMS	7.129G	55.48	68.20	-12.72	44.52	3	Horizontal	49	2.00	-	37.02	7.03	33.09

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19012G	57.23	88.20	-30.97	48.65	3	Vertical	248	1.80	-	41.01	9.98	42.41
RMS	14.18997G	43.89	68.20	-24.31	35.31	3	Vertical	248	1.80	-	41.01	9.98	42.41

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18987G	58.37	88.20	-29.83	49.79	3	Horizontal	111	1.47	-	41.01	9.98	42.41
RMS	14.18987G	46.99	68.20	-21.21	38.41	3	Horizontal	111	1.47	-	41.01	9.98	42.41

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28868G	59.41	83.54	-24.13	55.62	1	Vertical	292	1.50	-	38.07	17.82	52.10
AV	21.28868G	45.62	63.54	-17.92	41.83	1	Vertical	292	1.50	-	38.07	17.82	52.10

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28676G	62.00	83.54	-21.54	58.21	1	Horizontal	236	1.50	-	38.07	17.82	52.10
AV	21.28708G	48.78	63.54	-14.76	44.99	1	Horizontal	236	1.50	-	38.07	17.82	52.10

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_X_4TX
 Setting 7.5
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.12245G	98.31	Inf	-Inf	87.38	3	Vertical	34	1.80	-	36.99	7.02	33.08
RMS	7.1211G	87.41	Inf	-Inf	76.49	3	Vertical	34	1.80	-	36.98	7.02	33.08
PK	7.1255G	80.89	88.20	-7.31	69.95	3	Vertical	34	1.80	BP 1MHz	37.00	7.03	33.09
RMS	7.1255G	67.94	68.20	-0.26	57.00	3	Vertical	34	1.80	BP 1MHz	37.00	7.03	33.09

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_X_4TX
 Setting 7.5
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.12245G	100.47	Inf	-Inf	89.54	3	Horizontal	51	2.03	-	36.99	7.02	33.08
RMS	7.12153G	89.29	Inf	-Inf	78.36	3	Horizontal	51	2.03	-	36.99	7.02	33.08
PK	7.1255G	81.24	88.20	-6.96	70.30	3	Horizontal	51	2.03	BP 1MHz	37.00	7.03	33.09
RMS	7.1255G	67.76	68.20	-0.44	56.82	3	Horizontal	51	2.03	BP 1MHz	37.00	7.03	33.09

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT X_4TX
 Setting 7.5
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2299G	58.29	88.20	-29.91	49.73	3	Vertical	248	1.80	-	40.97	9.99	42.40
RMS	14.22995G	44.13	68.20	-24.07	35.57	3	Vertical	248	1.80	-	40.97	9.99	42.40

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT X_4TX
 Setting 7.5
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22982G	58.38	88.20	-29.82	49.82	3	Horizontal	114	1.53	-	40.97	9.99	42.40
RMS	14.22997G	46.70	68.20	-21.50	38.14	3	Horizontal	114	1.53	-	40.97	9.99	42.40

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT X_4TX
 Setting 7.5
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34548G	48.45	83.54	-35.09	44.68	1	Vertical	292	1.30	-	38.02	17.85	52.10
AV	21.34468G	35.96	63.54	-27.58	32.20	1	Vertical	292	1.30	-	38.02	17.84	52.10

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT X_4TX
 Setting 7.5
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3618G	48.25	83.54	-35.29	44.49	1	Horizontal	285	1.50	-	38.01	17.85	52.10
AV	21.34468G	36.98	63.54	-26.56	33.22	1	Horizontal	285	1.50	-	38.02	17.84	52.10

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	66.21	88.20	-21.99	57.29	3	Vertical	129	1.79	-	35.37	6.36	32.81
RMS	5.9242G	54.49	68.20	-13.71	45.54	3	Vertical	129	1.79	-	35.40	6.36	32.81
PK	5.9566G	112.00	Inf	-Inf	102.94	3	Vertical	129	1.79	-	35.50	6.38	32.82
RMS	5.9778G	101.80	Inf	-Inf	92.74	3	Vertical	129	1.79	-	35.50	6.39	32.83

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	69.59	88.20	-18.61	60.69	3	Horizontal	44	1.80	-	35.35	6.36	32.81
RMS	5.9134G	55.96	68.20	-12.24	47.06	3	Horizontal	44	1.80	-	35.35	6.36	32.81
PK	5.9734G	117.88	Inf	-Inf	108.82	3	Horizontal	44	1.80	-	35.50	6.39	32.83
RMS	5.973G	107.17	Inf	-Inf	98.11	3	Horizontal	44	1.80	-	35.50	6.39	32.83

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
Setting 20
01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93003G	53.35	74.00	-20.65	48.68	3	Vertical	309	1.79	-	38.83	9.07	43.23
AV	11.9299G	42.31	54.00	-11.69	37.64	3	Vertical	309	1.79	-	38.83	9.07	43.23
PK	17.89504G	60.54	74.00	-13.46	47.64	3	Vertical	228	2.94	-	42.79	11.46	41.35
AV	17.894G	46.22	54.00	-7.78	33.34	3	Vertical	228	2.94	-	42.78	11.46	41.36

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92967G	55.60	74.00	-18.40	50.93	3	Horizontal	194	1.64	-	38.83	9.07	43.23
AV	11.92993G	44.76	54.00	-9.24	40.09	3	Horizontal	194	1.64	-	38.83	9.07	43.23
PK	17.89577G	60.26	74.00	-13.74	47.36	3	Horizontal	342	1.80	-	42.79	11.46	41.35
AV	17.89704G	46.35	54.00	-7.65	33.45	3	Horizontal	342	1.80	-	42.79	11.46	41.35

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32996G	54.87	74.00	-19.13	49.95	3	Vertical	304	1.74	-	38.86	9.23	43.17
AV	12.32992G	44.40	54.00	-9.60	39.48	3	Vertical	304	1.74	-	38.86	9.23	43.17

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32998G	54.46	74.00	-19.54	49.54	3	Horizontal	219	1.78	-	38.86	9.23	43.17
AV	12.32993G	43.23	54.00	-10.77	38.31	3	Horizontal	219	1.78	-	38.86	9.23	43.17

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52076G	48.16	83.54	-35.38	44.22	1	Vertical	275	1.50	-	37.61	16.65	50.32
AV	18.48748G	35.84	63.54	-27.70	31.89	1	Vertical	275	1.50	-	37.59	16.64	50.28

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.50364G	51.18	83.54	-32.36	47.23	1	Horizontal	211	1.63	-	37.60	16.65	50.30
AV	18.50284G	37.84	63.54	-25.70	33.89	1	Horizontal	211	1.63	-	37.60	16.65	50.30

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80972G	56.37	88.20	-31.83	50.18	3	Vertical	318	1.87	-	39.61	9.42	42.84
RMS	12.80999G	46.54	68.20	-21.66	40.35	3	Vertical	318	1.87	-	39.61	9.42	42.84

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80989G	58.42	88.20	-29.78	52.23	3	Horizontal	205	1.80	-	39.61	9.42	42.84
RMS	12.8099G	51.93	68.20	-16.27	45.74	3	Horizontal	205	1.80	-	39.61	9.42	42.84

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22412G	57.27	83.54	-26.27	53.81	1	Vertical	297	1.57	-	37.59	16.94	51.07
AV	19.22316G	44.16	63.54	-19.38	40.70	1	Vertical	297	1.57	-	37.59	16.94	51.07

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22484G	59.13	83.54	-24.41	55.67	1	Horizontal	244	1.50	-	37.59	16.94	51.07
AV	19.22532G	45.47	63.54	-18.07	42.01	1	Horizontal	244	1.50	-	37.59	16.94	51.07

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88988G	56.15	88.20	-32.05	49.76	3	Vertical	320	1.80	-	39.69	9.46	42.76
RMS	12.88993G	45.94	68.20	-22.26	39.55	3	Vertical	320	1.80	-	39.69	9.46	42.76

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88999G	58.58	88.20	-29.62	52.19	3	Horizontal	206	1.80	-	39.69	9.46	42.76
RMS	12.88994G	50.73	68.20	-17.47	44.34	3	Horizontal	206	1.80	-	39.69	9.46	42.76

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29564G	50.24	83.54	-33.30	46.80	1	Vertical	262	1.77	-	37.62	16.97	51.15
AV	19.29588G	43.81	63.54	-19.73	40.38	1	Vertical	262	1.77	-	37.62	16.97	51.16

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3446G	56.97	83.54	-26.57	53.55	1	Horizontal	245	1.50	-	37.64	16.99	51.21
AV	19.34484G	43.83	63.54	-19.71	40.41	1	Horizontal	245	1.50	-	37.64	16.99	51.21

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96995G	56.75	88.20	-31.45	50.10	3	Vertical	319	2.70	-	39.84	9.49	42.68
RMS	12.9699G	45.63	68.20	-22.57	38.98	3	Vertical	319	2.70	-	39.84	9.49	42.68

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96992G	57.22	88.20	-30.98	50.57	3	Horizontal	208	1.80	-	39.84	9.49	42.68
RMS	12.96985G	48.62	68.20	-19.58	41.97	3	Horizontal	208	1.80	-	39.84	9.49	42.68

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46412G	54.15	83.54	-29.39	50.78	1	Vertical	297	1.54	-	37.69	17.04	51.36
AV	19.44396G	40.81	63.54	-22.73	37.43	1	Vertical	297	1.54	-	37.68	17.03	51.33

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4658G	55.29	83.54	-28.25	51.92	1	Horizontal	246	1.50	-	37.69	17.04	51.36
AV	19.4454G	43.05	63.54	-20.49	39.67	1	Horizontal	246	1.50	-	37.68	17.03	51.33

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04978G	56.34	88.20	-31.86	49.53	3	Vertical	318	2.67	-	39.95	9.52	42.66
RMS	13.04993G	45.59	68.20	-22.61	38.78	3	Vertical	318	2.67	-	39.95	9.52	42.66

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04976G	58.19	88.20	-30.01	51.38	3	Horizontal	192	1.80	-	39.95	9.52	42.66
RMS	13.04989G	48.80	68.20	-19.40	41.99	3	Horizontal	192	1.80	-	39.95	9.52	42.66

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59444G	53.40	83.54	-30.14	50.14	1	Vertical	287	1.52	-	37.66	17.09	51.49
AV	19.57404G	40.81	63.54	-22.73	37.52	1	Vertical	287	1.52	-	37.67	17.09	51.47

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56492G	58.18	83.54	-25.36	54.89	1	Horizontal	280	1.50	-	37.67	17.08	51.46
AV	19.58604G	45.41	63.54	-18.13	42.14	1	Horizontal	280	1.50	-	37.67	17.09	51.49

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12989G	56.76	88.20	-31.44	49.83	3	Vertical	320	2.68	-	40.06	9.55	42.68
RMS	13.12991G	44.15	68.20	-24.05	37.22	3	Vertical	320	2.68	-	40.06	9.55	42.68

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13005G	58.14	88.20	-30.06	51.21	3	Horizontal	196	1.80	-	40.06	9.55	42.68
RMS	13.12989G	48.54	68.20	-19.66	41.61	3	Horizontal	196	1.80	-	40.06	9.55	42.68

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69284G	58.80	83.54	-24.74	55.64	1	Vertical	306	1.57	-	37.62	17.13	51.59
AV	19.69476G	45.69	63.54	-17.85	42.53	1	Vertical	306	1.57	-	37.62	17.13	51.59

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.68636G	59.07	83.54	-24.47	55.90	1	Horizontal	281	1.49	-	37.63	17.13	51.59
AV	19.69308G	45.93	63.54	-17.61	42.77	1	Horizontal	281	1.49	-	37.62	17.13	51.59

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36952G	55.94	74.00	-18.06	48.65	3	Vertical	197	1.73	-	40.37	9.65	42.73
AV	13.36989G	42.53	54.00	-11.47	35.24	3	Vertical	197	1.73	-	40.37	9.65	42.73

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37034G	56.32	74.00	-17.68	49.03	3	Horizontal	192	1.80	-	40.37	9.65	42.73
AV	13.36992G	44.60	54.00	-9.40	37.31	3	Horizontal	192	1.80	-	40.37	9.65	42.73

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07276G	58.38	83.54	-25.16	55.54	1	Vertical	267	1.50	-	37.46	17.29	51.91
AV	20.05284G	45.69	63.54	-17.85	42.88	1	Vertical	267	1.50	-	37.44	17.28	51.91

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05212G	63.40	83.54	-20.14	60.59	1	Horizontal	277	1.50	-	37.44	17.28	51.91
AV	20.05284G	49.79	63.54	-13.75	46.98	1	Horizontal	277	1.50	-	37.44	17.28	51.91

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68961G	56.16	88.20	-32.04	48.63	3	Vertical	54	1.79	-	40.40	9.78	42.65
RMS	13.68995G	43.21	68.20	-24.99	35.68	3	Vertical	54	1.79	-	40.40	9.78	42.65

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68987G	57.99	88.20	-30.21	50.46	3	Horizontal	107	1.39	-	40.40	9.78	42.65
RMS	13.68987G	47.22	68.20	-20.98	39.69	3	Horizontal	107	1.39	-	40.40	9.78	42.65

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55012G	57.14	83.54	-26.40	53.93	1	Vertical	282	1.65	-	37.72	17.50	52.01
AV	20.52876G	44.18	63.54	-19.36	40.99	1	Vertical	282	1.65	-	37.71	17.49	52.01

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5302G	63.22	83.54	-20.32	60.03	1	Horizontal	206	1.48	-	37.71	17.49	52.01
AV	20.52924G	48.42	63.54	-15.12	45.23	1	Horizontal	206	1.48	-	37.71	17.49	52.01

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76988G	56.83	88.20	-31.37	49.01	3	Vertical	87	1.50	-	40.61	9.81	42.60
RMS	13.76993G	44.06	68.20	-24.14	36.24	3	Vertical	87	1.50	-	40.61	9.81	42.60

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76996G	58.41	88.20	-29.79	50.59	3	Horizontal	106	1.39	-	40.61	9.81	42.60
RMS	13.76992G	48.44	68.20	-19.76	40.62	3	Horizontal	106	1.39	-	40.61	9.81	42.60

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6514G	55.41	83.54	-28.13	52.14	1	Vertical	296	1.48	-	37.76	17.54	52.03
AV	20.65164G	42.18	63.54	-21.36	38.91	1	Vertical	296	1.48	-	37.76	17.54	52.03

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67084G	60.92	83.54	-22.62	57.63	1	Horizontal	207	1.47	-	37.77	17.55	52.03
AV	20.64972G	48.22	63.54	-15.32	44.95	1	Horizontal	207	1.47	-	37.76	17.54	52.03

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84997G	57.33	88.20	-30.87	49.24	3	Vertical	251	1.80	-	40.80	9.84	42.55
RMS	13.84994G	43.83	68.20	-24.37	35.74	3	Vertical	251	1.80	-	40.80	9.84	42.55

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85008G	58.46	88.20	-29.74	50.37	3	Horizontal	107	1.30	-	40.80	9.84	42.55
RMS	13.84999G	48.27	68.20	-19.93	40.18	3	Horizontal	107	1.30	-	40.80	9.84	42.55

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7702G	56.31	83.54	-27.23	52.92	1	Vertical	283	1.34	-	37.84	17.60	52.05
AV	20.76972G	43.14	63.54	-20.40	39.76	1	Vertical	283	1.34	-	37.84	17.59	52.05

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT X_4TX
Setting 20
01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76972G	61.03	83.54	-22.51	57.65	1	Horizontal	209	1.45	-	37.84	17.59	52.05
AV	20.76996G	47.79	63.54	-15.75	44.41	1	Horizontal	209	1.45	-	37.84	17.59	52.05

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00978G	57.44	88.20	-30.76	48.99	3	Vertical	34	1.67	-	41.01	9.90	42.46
RMS	14.00995G	44.74	68.20	-23.46	36.29	3	Vertical	34	1.67	-	41.01	9.90	42.46

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00986G	58.66	88.20	-29.54	50.21	3	Horizontal	113	1.35	-	41.01	9.90	42.46
RMS	14.00993G	47.84	68.20	-20.36	39.39	3	Horizontal	113	1.35	-	41.01	9.90	42.46

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99028G	54.39	83.54	-29.15	50.52	1	Vertical	211	1.49	-	38.28	17.69	52.10
AV	21.009G	40.69	63.54	-22.85	36.80	1	Vertical	211	1.49	-	38.29	17.70	52.10

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01044G	60.06	83.54	-23.48	56.17	1	Horizontal	204	1.45	-	38.29	17.70	52.10
AV	21.0102G	46.56	63.54	-16.98	42.67	1	Horizontal	204	1.45	-	38.29	17.70	52.10

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0922G	115.12	Inf	-Inf	104.32	3	Vertical	32	1.80	-	36.88	6.99	33.07
RMS	7.0918G	104.82	Inf	-Inf	94.02	3	Vertical	32	1.80	-	36.88	6.99	33.07
PK	7.1326G	69.44	88.20	-18.76	58.47	3	Vertical	32	1.80	-	37.03	7.03	33.09
RMS	7.131G	58.75	68.20	-9.45	47.79	3	Vertical	32	1.80	-	37.02	7.03	33.09

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0834G	117.34	Inf	-Inf	106.55	3	Horizontal	46	2.52	-	36.87	6.98	33.06
RMS	7.0838G	107.35	Inf	-Inf	96.56	3	Horizontal	46	2.52	-	36.87	6.98	33.06
PK	7.125G	69.39	88.20	-18.81	58.45	3	Horizontal	46	2.52	-	37.00	7.03	33.09
RMS	7.125G	59.85	68.20	-8.35	48.91	3	Horizontal	46	2.52	-	37.00	7.03	33.09

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16997G	57.64	88.20	-30.56	49.06	3	Vertical	247	1.80	-	41.03	9.97	42.42
RMS	14.16983G	44.34	68.20	-23.86	35.76	3	Vertical	247	1.80	-	41.03	9.97	42.42

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT X_4TX
Setting 20
01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17005G	58.67	88.20	-29.53	50.09	3	Horizontal	114	1.45	-	41.03	9.97	42.42
RMS	14.16988G	47.43	68.20	-20.77	38.85	3	Horizontal	114	1.45	-	41.03	9.97	42.42

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25884G	54.51	83.54	-29.03	50.71	1	Vertical	291	1.50	-	38.09	17.81	52.10
AV	21.2586G	42.15	63.54	-21.39	38.35	1	Vertical	291	1.50	-	38.09	17.81	52.10

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25812G	60.49	83.54	-23.05	56.69	1	Horizontal	208	1.72	-	38.09	17.81	52.10
AV	21.25884G	47.52	63.54	-16.02	43.72	1	Horizontal	208	1.72	-	38.09	17.81	52.10

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	64.28	88.20	-23.92	55.36	3	Vertical	134	1.80	-	35.37	6.36	32.81
RMS	5.9186G	53.93	68.20	-14.27	45.01	3	Vertical	134	1.80	-	35.37	6.36	32.81
PK	5.9994G	111.12	Inf	-Inf	102.06	3	Vertical	134	1.80	-	35.50	6.40	32.84
RMS	5.9586G	99.84	Inf	-Inf	90.78	3	Vertical	134	1.80	-	35.50	6.38	32.82

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9154G	69.96	88.20	-18.24	61.05	3	Horizontal	46	1.80	-	35.36	6.36	32.81
RMS	5.9146G	58.25	68.20	-9.95	49.34	3	Horizontal	46	1.80	-	35.36	6.36	32.81
PK	5.9938G	116.84	Inf	-Inf	107.78	3	Horizontal	46	1.80	-	35.50	6.40	32.84
RMS	6.0146G	106.43	Inf	-Inf	97.33	3	Horizontal	46	1.80	-	35.53	6.41	32.84

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97G	56.10	74.00	-17.90	51.36	3	Vertical	127	1.75	-	38.87	9.09	43.22
AV	11.96996G	47.55	54.00	-6.45	42.81	3	Vertical	127	1.75	-	38.87	9.09	43.22
PK	17.94828G	61.15	74.00	-12.85	47.90	3	Vertical	330	1.80	-	43.04	11.48	41.27
AV	17.99468G	47.15	54.00	-6.85	33.58	3	Vertical	330	1.80	-	43.27	11.50	41.20

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96988G	57.00	74.00	-17.00	52.26	3	Horizontal	21	1.80	-	38.87	9.09	43.22
AV	11.96996G	50.66	54.00	-3.34	45.92	3	Horizontal	21	1.80	-	38.87	9.09	43.22
PK	17.9634G	60.96	74.00	-13.04	47.60	3	Horizontal	59	1.80	-	43.12	11.49	41.25
AV	17.94712G	47.23	54.00	-6.77	33.98	3	Horizontal	59	1.80	-	43.04	11.48	41.27

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29014G	54.16	74.00	-19.84	49.31	3	Vertical	305	1.73	-	38.81	9.22	43.18
AV	12.28999G	43.91	54.00	-10.09	39.06	3	Vertical	305	1.73	-	38.81	9.22	43.18

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28995G	55.41	74.00	-18.59	50.56	3	Horizontal	196	2.22	-	38.81	9.22	43.18
AV	12.28989G	45.98	54.00	-8.02	41.13	3	Horizontal	196	2.22	-	38.81	9.22	43.18

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.38388G	50.08	83.54	-33.46	46.07	1	Vertical	246	1.50	-	37.55	16.60	50.14
AV	18.38388G	44.19	63.54	-19.35	40.18	1	Vertical	246	1.50	-	37.55	16.60	50.14

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_X_4TX
 Setting 20
 01-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.38388G	55.56	83.54	-27.98	51.55	1	Horizontal	146	1.50	-	37.55	16.60	50.14
AV	18.38388G	52.60	63.54	-10.94	48.59	1	Horizontal	146	1.50	-	37.55	16.60	50.14

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77001G	56.24	88.20	-31.96	50.17	3	Vertical	318	2.20	-	39.54	9.41	42.88
RMS	12.76999G	46.62	68.20	-21.58	40.55	3	Vertical	318	2.20	-	39.54	9.41	42.88

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7699G	58.18	88.20	-30.02	52.11	3	Horizontal	204	1.80	-	39.54	9.41	42.88
RMS	12.76989G	51.58	68.20	-16.62	45.51	3	Horizontal	204	1.80	-	39.54	9.41	42.88

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14412G	56.31	83.54	-27.23	52.81	1	Vertical	299	1.58	-	37.56	16.91	50.97
AV	19.143G	41.97	63.54	-21.57	38.47	1	Vertical	299	1.58	-	37.56	16.91	50.97

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1436G	58.55	83.54	-24.99	55.05	1	Horizontal	252	1.50	-	37.56	16.91	50.97
AV	19.1442G	43.96	63.54	-19.58	40.46	1	Horizontal	252	1.50	-	37.56	16.91	50.97

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93003G	56.18	88.20	-32.02	49.67	3	Vertical	314	2.23	-	39.76	9.47	42.72
RMS	12.92986G	45.80	68.20	-22.40	39.29	3	Vertical	314	2.23	-	39.76	9.47	42.72

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92981G	57.33	88.20	-30.87	50.82	3	Horizontal	206	1.80	-	39.76	9.47	42.72
RMS	12.92991G	49.04	68.20	-19.16	42.53	3	Horizontal	206	1.80	-	39.76	9.47	42.72

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3842G	54.49	83.54	-29.05	51.09	1	Vertical	298	1.56	-	37.65	17.01	51.26
AV	19.38384G	40.36	63.54	-23.18	36.96	1	Vertical	298	1.56	-	37.65	17.01	51.26

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.38408G	53.70	83.54	-29.84	50.30	1	Horizontal	248	1.50	-	37.65	17.01	51.26
AV	19.38576G	40.03	63.54	-23.51	36.63	1	Horizontal	248	1.50	-	37.65	17.01	51.26

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08976G	57.16	88.20	-31.04	50.30	3	Vertical	316	2.66	-	39.99	9.54	42.67
RMS	13.08986G	44.75	68.20	-23.45	37.89	3	Vertical	316	2.66	-	39.99	9.54	42.67

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08963G	58.00	88.20	-30.20	51.14	3	Horizontal	193	1.80	-	39.99	9.54	42.67
RMS	13.08992G	49.08	68.20	-19.12	42.22	3	Horizontal	193	1.80	-	39.99	9.54	42.67

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.65432G	54.62	83.54	-28.92	51.41	1	Vertical	308	1.57	-	37.64	17.12	51.55
AV	19.6548G	40.91	63.54	-22.63	37.70	1	Vertical	308	1.57	-	37.64	17.12	51.55

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.64568G	55.71	83.54	-27.83	52.51	1	Horizontal	283	1.50	-	37.64	17.11	51.55
AV	19.62552G	42.51	63.54	-21.03	39.28	1	Horizontal	283	1.50	-	37.65	17.11	51.53

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24977G	56.52	88.20	-31.68	49.37	3	Vertical	198	1.80	-	40.25	9.60	42.70
RMS	13.24986G	43.11	68.20	-25.09	35.96	3	Vertical	198	1.80	-	40.25	9.60	42.70

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24987G	57.70	88.20	-30.50	50.55	3	Horizontal	199	1.54	-	40.25	9.60	42.70
RMS	13.24999G	47.43	68.20	-20.77	40.28	3	Horizontal	199	1.54	-	40.25	9.60	42.70

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.89396G	55.62	83.54	-27.92	52.71	1	Vertical	267	1.53	-	37.48	17.22	51.79
AV	19.85292G	42.85	63.54	-20.69	39.88	1	Vertical	267	1.53	-	37.52	17.20	51.75

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8924G	59.44	83.54	-24.10	56.52	1	Horizontal	272	1.50	-	37.49	17.22	51.79
AV	19.8924G	45.81	63.54	-17.73	42.89	1	Horizontal	272	1.50	-	37.49	17.22	51.79

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41068G	56.40	88.20	-31.80	49.08	3	Vertical	201	1.80	-	40.40	9.66	42.74
RMS	13.40997G	42.16	68.20	-26.04	34.84	3	Vertical	201	1.80	-	40.40	9.66	42.74

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40997G	56.67	88.20	-31.53	49.35	3	Horizontal	195	1.70	-	40.40	9.66	42.74
RMS	13.40984G	44.18	68.20	-24.02	36.86	3	Horizontal	195	1.70	-	40.40	9.66	42.74

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1126G	59.07	83.54	-24.47	56.19	1	Vertical	268	1.50	-	37.49	17.31	51.92
AV	20.13192G	46.42	63.54	-17.12	43.52	1	Vertical	268	1.50	-	37.51	17.32	51.93

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.13192G	60.00	83.54	-23.54	57.10	1	Horizontal	280	1.51	-	37.51	17.32	51.93
AV	20.09208G	46.77	63.54	-16.77	43.92	1	Horizontal	280	1.51	-	37.47	17.30	51.92

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56842G	55.93	88.20	-32.27	48.52	3	Vertical	215	1.80	-	40.40	9.73	42.72
RMS	13.56994G	42.61	68.20	-25.59	35.20	3	Vertical	215	1.80	-	40.40	9.73	42.72

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5705G	56.48	88.20	-31.72	49.07	3	Horizontal	116	1.80	-	40.40	9.73	42.72
RMS	13.56988G	43.84	68.20	-24.36	36.43	3	Horizontal	116	1.80	-	40.40	9.73	42.72

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34864G	60.67	83.54	-22.87	57.59	1	Vertical	228	1.50	-	37.64	17.41	51.97
AV	20.34876G	46.80	63.54	-16.74	43.72	1	Vertical	228	1.50	-	37.64	17.41	51.97

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.32956G	65.15	83.54	-18.39	62.09	1	Horizontal	214	1.50	-	37.63	17.40	51.97
AV	20.34924G	52.12	63.54	-11.42	49.04	1	Horizontal	214	1.50	-	37.64	17.41	51.97

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT X_4TX
Setting 20
01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72927G	57.13	88.20	-31.07	49.47	3	Vertical	53	1.80	-	40.49	9.79	42.62
RMS	13.72993G	43.60	68.20	-24.60	35.94	3	Vertical	53	1.80	-	40.49	9.79	42.62

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73001G	58.56	88.20	-29.64	50.90	3	Horizontal	106	1.30	-	40.49	9.79	42.62
RMS	13.72992G	48.21	68.20	-19.99	40.55	3	Horizontal	106	1.30	-	40.49	9.79	42.62

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56728G	53.75	83.54	-29.79	50.52	1	Vertical	285	1.65	-	37.73	17.51	52.01
AV	20.568G	40.01	63.54	-23.53	36.78	1	Vertical	285	1.65	-	37.73	17.51	52.01

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61084G	59.65	83.54	-23.89	56.40	1	Horizontal	208	1.48	-	37.74	17.53	52.02
AV	20.59032G	44.83	63.54	-18.71	41.59	1	Horizontal	208	1.48	-	37.74	17.52	52.02

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89005G	56.74	88.20	-31.46	48.53	3	Vertical	247	1.79	-	40.88	9.86	42.53
RMS	13.88989G	43.71	68.20	-24.49	35.50	3	Vertical	247	1.79	-	40.88	9.86	42.53

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88987G	57.98	88.20	-30.22	49.77	3	Horizontal	105	1.33	-	40.88	9.86	42.53
RMS	13.88988G	48.05	68.20	-20.15	39.84	3	Horizontal	105	1.33	-	40.88	9.86	42.53

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83152G	53.07	83.54	-30.47	49.56	1	Vertical	298	1.50	-	37.96	17.62	52.07
AV	20.83092G	40.34	63.54	-23.20	36.83	1	Vertical	298	1.50	-	37.96	17.62	52.07

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83092G	58.63	83.54	-24.91	55.12	1	Horizontal	211	1.45	-	37.96	17.62	52.07
AV	20.83044G	45.08	63.54	-18.46	41.57	1	Horizontal	211	1.45	-	37.96	17.62	52.07

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0522G	111.19	Inf	-Inf	100.49	3	Vertical	30	1.80	-	36.80	6.95	33.05
RMS	7.0522G	101.31	Inf	-Inf	90.61	3	Vertical	30	1.80	-	36.80	6.95	33.05
PK	7.133G	66.88	88.20	-21.32	55.91	3	Vertical	30	1.80	-	37.03	7.03	33.09
RMS	7.1322G	56.19	68.20	-12.01	45.22	3	Vertical	30	1.80	-	37.03	7.03	33.09

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9906G	114.48	Inf	-Inf	103.80	3	Horizontal	280	1.95	-	36.80	6.90	33.02
RMS	6.989G	103.77	Inf	-Inf	93.10	3	Horizontal	280	1.95	-	36.80	6.89	33.02
PK	7.1298G	67.87	88.20	-20.33	56.91	3	Horizontal	280	1.95	-	37.02	7.03	33.09
RMS	7.1298G	56.56	68.20	-11.64	45.60	3	Horizontal	280	1.95	-	37.02	7.03	33.09

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0517G	57.38	88.20	-30.82	48.86	3	Vertical	33	1.68	-	41.05	9.92	42.45
RMS	14.04997G	44.50	68.20	-23.70	35.98	3	Vertical	33	1.68	-	41.05	9.92	42.45

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04996G	59.06	88.20	-29.14	50.54	3	Horizontal	112	1.33	-	41.05	9.92	42.45
RMS	14.04987G	47.94	68.20	-20.26	39.42	3	Horizontal	112	1.33	-	41.05	9.92	42.45

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07788G	51.94	83.54	-31.60	48.07	1	Vertical	292	1.48	-	38.24	17.73	52.10
AV	21.0786G	38.64	63.54	-24.90	34.77	1	Vertical	292	1.48	-	38.24	17.73	52.10

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.051G	57.47	83.54	-26.07	53.59	1	Horizontal	205	1.47	-	38.26	17.72	52.10
AV	21.07068G	44.19	63.54	-19.35	40.32	1	Horizontal	205	1.47	-	38.24	17.73	52.10


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX
6025MHz_TX



EUT_X_4TX
Setting 20
01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	67.19	88.20	-21.01	58.27	3	Vertical	130	1.80	-	35.37	6.36	32.81
RMS	5.918G	56.62	68.20	-11.58	47.70	3	Vertical	130	1.80	-	35.37	6.36	32.81
PK	5.977G	105.67	Inf	-Inf	96.61	3	Vertical	130	1.80	-	35.50	6.39	32.83
RMS	5.978G	95.97	Inf	-Inf	86.91	3	Vertical	130	1.80	-	35.50	6.39	32.83

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX
6025MHz_TX




EUT_X_4TX
Setting 20
01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	76.18	88.20	-12.02	67.28	3	Horizontal	28	1.80	-	35.35	6.36	32.81
RMS	5.913G	64.29	68.20	-3.91	55.39	3	Horizontal	28	1.80	-	35.35	6.36	32.81
PK	6.073G	112.74	Inf	-Inf	103.54	3	Horizontal	28	1.80	-	35.60	6.44	32.84
RMS	6.093G	102.27	Inf	-Inf	93.06	3	Horizontal	28	1.80	-	35.60	6.45	32.84

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04996G	54.65	74.00	-19.35	49.89	3	Vertical	305	1.79	-	38.85	9.12	43.21
AV	12.04988G	43.65	54.00	-10.35	38.89	3	Vertical	305	1.79	-	38.85	9.12	43.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
Setting 20
01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04976G	56.04	74.00	-17.96	51.28	3	Horizontal	199	1.73	-	38.85	9.12	43.21
AV	12.04993G	44.87	54.00	-9.13	40.11	3	Horizontal	199	1.73	-	38.85	9.12	43.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08808G	50.63	83.54	-32.91	46.37	1	Vertical	310	1.60	-	37.50	16.48	49.72
AV	18.08868G	37.70	63.54	-25.84	33.44	1	Vertical	310	1.60	-	37.50	16.48	49.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.066G	49.87	83.54	-33.67	45.59	1	Horizontal	228	1.51	-	37.50	16.47	49.69
AV	18.08724G	36.78	63.54	-26.76	32.52	1	Horizontal	228	1.51	-	37.50	16.48	49.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36984G	54.86	74.00	-19.14	49.84	3	Vertical	303	1.74	-	38.94	9.25	43.17
AV	12.36999G	44.83	54.00	-9.17	39.81	3	Vertical	303	1.74	-	38.94	9.25	43.17

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT X_4TX
Setting 20
01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36977G	53.96	74.00	-20.04	48.94	3	Horizontal	220	3.00	-	38.94	9.25	43.17
AV	12.36988G	42.77	54.00	-11.23	37.75	3	Horizontal	220	3.00	-	38.94	9.25	43.17

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.53952G	47.54	83.54	-36.00	43.60	1	Vertical	214	1.47	-	37.62	16.66	50.34
AV	18.53916G	34.29	63.54	-29.25	30.35	1	Vertical	214	1.47	-	37.62	16.66	50.34

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54312G	50.73	83.54	-32.81	46.79	1	Horizontal	213	1.63	-	37.62	16.66	50.34
AV	18.54204G	37.25	63.54	-26.29	33.31	1	Horizontal	213	1.63	-	37.62	16.66	50.34

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68989G	55.99	74.00	-18.01	50.19	3	Vertical	322	1.80	-	39.38	9.38	42.96
AV	12.68991G	45.27	54.00	-8.73	39.47	3	Vertical	322	1.80	-	39.38	9.38	42.96

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68977G	58.09	74.00	-15.91	52.29	3	Horizontal	203	2.27	-	39.38	9.38	42.96
AV	12.68988G	51.31	54.00	-2.69	45.51	3	Horizontal	203	2.27	-	39.38	9.38	42.96

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.044G	54.00	83.54	-29.54	50.46	1	Vertical	297	1.56	-	37.52	16.87	50.85
AV	19.06344G	39.86	63.54	-23.68	36.33	1	Vertical	297	1.56	-	37.53	16.88	50.88

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04088G	56.11	83.54	-27.43	52.57	1	Horizontal	209	1.48	-	37.52	16.87	50.85
AV	19.0428G	42.34	63.54	-21.20	38.80	1	Horizontal	209	1.48	-	37.52	16.87	50.85

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01012G	56.77	88.20	-31.43	50.01	3	Vertical	318	2.67	-	39.91	9.50	42.65
RMS	13.00992G	46.04	68.20	-22.16	39.28	3	Vertical	318	2.67	-	39.91	9.50	42.65

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00987G	57.56	88.20	-30.64	50.80	3	Horizontal	191	1.80	-	39.91	9.50	42.65
RMS	13.00986G	48.98	68.20	-19.22	42.22	3	Horizontal	191	1.80	-	39.91	9.50	42.65

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54008G	48.13	83.54	-35.41	44.82	1	Vertical	286	1.50	-	37.68	17.07	51.44
AV	19.48596G	35.37	63.54	-28.17	32.01	1	Vertical	286	1.50	-	37.69	17.05	51.38

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.50516G	54.09	83.54	-29.45	50.74	1	Horizontal	282	1.50	-	37.70	17.06	51.41
AV	19.52568G	38.94	63.54	-24.60	35.61	1	Horizontal	282	1.50	-	37.69	17.07	51.43

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33085G	55.97	74.00	-18.03	48.73	3	Vertical	198	1.80	-	40.33	9.63	42.72
AV	13.3298G	42.93	54.00	-11.07	35.69	3	Vertical	198	1.80	-	40.33	9.63	42.72

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33012G	57.27	74.00	-16.73	50.03	3	Horizontal	194	1.79	-	40.33	9.63	42.72
AV	13.32989G	45.41	54.00	-8.59	38.17	3	Horizontal	194	1.79	-	40.33	9.63	42.72

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9734G	55.38	83.54	-28.16	52.58	1	Vertical	222	1.64	-	37.42	17.25	51.87
AV	20.0124G	41.98	63.54	-21.56	39.20	1	Vertical	222	1.64	-	37.41	17.27	51.90

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0126G	58.77	83.54	-24.77	55.99	1	Horizontal	272	1.50	-	37.41	17.27	51.90
AV	19.9921G	44.83	63.54	-18.71	42.05	1	Horizontal	272	1.50	-	37.41	17.26	51.89

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64926G	57.33	88.20	-30.87	49.84	3	Vertical	216	1.80	-	40.40	9.76	42.67
RMS	13.64999G	43.80	68.20	-24.40	36.31	3	Vertical	216	1.80	-	40.40	9.76	42.67

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64983G	58.25	88.20	-29.95	50.76	3	Horizontal	104	1.28	-	40.40	9.76	42.67
RMS	13.64986G	47.49	68.20	-20.71	40.00	3	Horizontal	104	1.28	-	40.40	9.76	42.67

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4693G	55.89	83.54	-27.65	52.73	1	Vertical	283	1.66	-	37.69	17.46	51.99
AV	20.4501G	41.77	63.54	-21.77	38.62	1	Vertical	283	1.66	-	37.68	17.46	51.99

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT X_4TX
Setting 20
01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4697G	58.21	83.54	-25.33	55.05	1	Horizontal	207	1.48	-	37.69	17.46	51.99
AV	20.4701G	45.29	63.54	-18.25	42.13	1	Horizontal	207	1.48	-	37.69	17.46	51.99

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.053G	107.53	Inf	-Inf	96.82	3	Vertical	30	1.80	-	36.81	6.95	33.05
RMS	7.033G	98.36	Inf	-Inf	87.67	3	Vertical	30	1.80	-	36.80	6.93	33.04
PK	7.132G	74.26	88.20	-13.94	63.29	3	Vertical	30	1.80	-	37.03	7.03	33.09
RMS	7.132G	64.97	68.20	-3.23	54.00	3	Vertical	30	1.80	-	37.03	7.03	33.09

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
 Setting 20
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.929G	111.90	Inf	-Inf	101.37	3	Horizontal	283	1.98	-	36.67	6.86	33.00
RMS	6.929G	101.88	Inf	-Inf	91.35	3	Horizontal	283	1.98	-	36.67	6.86	33.00
PK	7.13G	74.94	88.20	-13.26	63.98	3	Horizontal	283	1.98	-	37.02	7.03	33.09
RMS	7.13G	64.36	68.20	-3.84	53.40	3	Horizontal	283	1.98	-	37.02	7.03	33.09

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96955G	57.51	88.20	-30.69	49.13	3	Vertical	86	1.66	-	40.97	9.89	42.48
RMS	13.96986G	43.59	68.20	-24.61	35.21	3	Vertical	86	1.66	-	40.97	9.89	42.48

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97001G	58.17	88.20	-30.03	49.79	3	Horizontal	105	1.32	-	40.97	9.89	42.48
RMS	13.96981G	47.26	68.20	-20.94	38.88	3	Horizontal	105	1.32	-	40.97	9.89	42.48

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9683G	51.34	83.54	-32.20	47.51	1	Vertical	213	1.50	-	38.24	17.68	52.09
AV	20.9491G	38.96	63.54	-24.58	35.18	1	Vertical	213	1.50	-	38.20	17.67	52.09

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



EUT_X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9503G	57.32	83.54	-26.22	53.54	1	Horizontal	211	1.48	-	38.20	17.67	52.09
AV	20.97G	43.27	63.54	-20.27	39.44	1	Horizontal	211	1.48	-	38.24	17.68	52.09


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX
6105MHz_TX



EUT_X_4TX
Setting 20
01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	65.64	88.20	-22.56	56.76	3	Vertical	14	1.80	-	35.33	6.35	32.80
RMS	5.909G	55.63	68.20	-12.57	46.74	3	Vertical	14	1.80	-	35.34	6.35	32.80
PK	6.069G	103.29	Inf	-Inf	94.10	3	Vertical	14	1.80	-	35.60	6.43	32.84
RMS	6.069G	92.62	Inf	-Inf	83.43	3	Vertical	14	1.80	-	35.60	6.43	32.84

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX
6105MHz_TX




EUT_X_4TX
Setting 20
01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	74.74	88.20	-13.46	65.84	3	Horizontal	29	1.80	-	35.35	6.36	32.81
RMS	5.913G	63.15	68.20	-5.05	54.25	3	Horizontal	29	1.80	-	35.35	6.36	32.81
PK	6.113G	109.67	Inf	-Inf	100.42	3	Horizontal	29	1.80	-	35.63	6.46	32.84
RMS	6.153G	99.88	Inf	-Inf	90.54	3	Horizontal	29	1.80	-	35.71	6.48	32.85

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX



EUT X_4TX
 Setting 20
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20982G	54.72	74.00	-19.28	49.84	3	Vertical	305	1.74	-	38.89	9.18	43.19
AV	12.20992G	44.25	54.00	-9.75	39.37	3	Vertical	305	1.74	-	38.89	9.18	43.19