


5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20998G	55.08	74.00	-18.92	50.20	3	Horizontal	202	1.72	-	38.89	9.18	43.19
AV	12.20994G	44.46	54.00	-9.54	39.58	3	Horizontal	202	1.72	-	38.89	9.18	43.19

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3273G	49.13	83.54	-34.41	45.09	1	Vertical	276	1.54	-	37.53	16.57	50.06
AV	18.3072G	35.64	63.54	-27.90	31.58	1	Vertical	276	1.54	-	37.52	16.57	50.03

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX



EUT\_X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3273G	49.43	83.54	-34.11	45.39	1	Horizontal	277	1.50	-	37.53	16.57	50.06
AV	18.3263G	35.75	63.54	-27.79	31.71	1	Horizontal	277	1.50	-	37.53	16.57	50.06

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX  
6265MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52998G	56.43	74.00	-17.57	51.11	3	Vertical	304	1.72	-	39.13	9.31	43.12
AV	12.52989G	46.66	54.00	-7.34	41.34	3	Vertical	304	1.72	-	39.13	9.31	43.12

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52991G	57.84	74.00	-16.16	52.52	3	Horizontal	197	2.23	-	39.13	9.31	43.12
AV	12.5299G	50.78	54.00	-3.22	45.46	3	Horizontal	197	2.23	-	39.13	9.31	43.12

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7949G	47.83	83.54	-35.71	43.99	1	Vertical	58	1.55	-	37.66	16.77	50.59
AV	18.7947G	36.49	63.54	-27.05	32.65	1	Vertical	58	1.55	-	37.66	16.77	50.59

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.8005G	48.92	83.54	-34.62	45.09	1	Horizontal	190	1.65	-	37.66	16.77	50.60
AV	18.795G	36.40	63.54	-27.14	32.56	1	Horizontal	190	1.65	-	37.66	16.77	50.59

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84984G	56.19	88.20	-32.01	49.90	3	Vertical	319	2.24	-	39.65	9.44	42.80
RMS	12.84994G	46.56	68.20	-21.64	40.27	3	Vertical	319	2.24	-	39.65	9.44	42.80



6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84999G	58.18	88.20	-30.02	51.89	3	Horizontal	205	1.80	-	39.65	9.44	42.80
RMS	12.84994G	51.42	68.20	-16.78	45.13	3	Horizontal	205	1.80	-	39.65	9.44	42.80

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT\_X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2959G	51.46	83.54	-32.08	48.03	1	Vertical	263	1.67	-	37.62	16.97	51.16
AV	19.2959G	44.13	63.54	-19.41	40.70	1	Vertical	263	1.67	-	37.62	16.97	51.16

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT\_X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2958G	49.19	83.54	-34.35	45.75	1	Horizontal	253	1.57	-	37.62	16.97	51.15
AV	19.2958G	40.20	63.54	-23.34	36.76	1	Horizontal	253	1.57	-	37.62	16.97	51.15

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT\_X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16955G	56.33	88.20	-31.87	49.31	3	Vertical	319	1.01	-	40.14	9.57	42.69
RMS	13.17G	43.45	68.20	-24.75	36.43	3	Vertical	319	1.01	-	40.14	9.57	42.69

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16994G	58.21	88.20	-29.99	51.19	3	Horizontal	196	1.80	-	40.14	9.57	42.69
RMS	13.16995G	47.99	68.20	-20.21	40.97	3	Horizontal	196	1.80	-	40.14	9.57	42.69

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT\_X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7932G	55.25	83.54	-28.29	52.19	1	Vertical	303	1.56	-	37.57	17.18	51.69
AV	19.7938G	38.99	63.54	-24.55	35.94	1	Vertical	303	1.56	-	37.56	17.18	51.69

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT\_X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7724G	53.85	83.54	-29.69	50.77	1	Horizontal	284	1.50	-	37.58	17.17	51.67
AV	19.7526G	38.05	63.54	-25.49	34.94	1	Horizontal	284	1.50	-	37.60	17.16	51.65

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49085G	56.07	88.20	-32.13	48.73	3	Vertical	43	1.80	-	40.40	9.70	42.76
RMS	13.48965G	42.03	68.20	-26.17	34.69	3	Vertical	43	1.80	-	40.40	9.70	42.76



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48994G	57.76	88.20	-30.44	50.42	3	Horizontal	236	1.86	-	40.40	9.70	42.76
RMS	13.4899G	44.58	68.20	-23.62	37.24	3	Horizontal	236	1.86	-	40.40	9.70	42.76

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT\_X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.269G	57.18	83.54	-26.36	54.14	1	Vertical	227	1.50	-	37.61	17.38	51.95
AV	20.2692G	41.45	63.54	-22.09	38.41	1	Vertical	227	1.50	-	37.61	17.38	51.95

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT\_X\_4TX  
 Setting 20  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.2686G	60.13	83.54	-23.41	57.09	1	Horizontal	246	1.50	-	37.61	17.38	51.95
AV	20.2682G	44.09	63.54	-19.45	41.05	1	Horizontal	246	1.50	-	37.61	17.38	51.95

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_X\_4TX  
 Setting 18.5  
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0418G	105.04	Inf	-Inf	94.34	3	Vertical	292	1.19	-	36.80	6.94	33.04
RMS	7.043G	94.59	Inf	-Inf	83.89	3	Vertical	292	1.19	-	36.80	6.94	33.04
PK	7.1414G	69.18	88.20	-19.02	58.16	3	Vertical	292	1.19	-	37.07	7.04	33.09
RMS	7.1402G	59.13	68.20	-9.07	48.12	3	Vertical	292	1.19	-	37.06	7.04	33.09

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_X\_4TX  
 Setting 18.5  
 01-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.869G	106.34	Inf	-Inf	95.99	3	Horizontal	285	1.80	-	36.50	6.83	32.98
RMS	6.8702G	96.72	Inf	-Inf	86.36	3	Horizontal	285	1.80	-	36.50	6.84	32.98
PK	7.1894G	69.29	88.20	-18.91	58.06	3	Horizontal	285	1.80	-	37.26	7.09	33.12
RMS	7.1426G	58.76	68.20	-9.44	47.74	3	Horizontal	285	1.80	-	37.07	7.04	33.09

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
 Setting 18.5  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80815G	57.41	88.20	-30.79	49.45	3	Vertical	252	1.80	-	40.72	9.82	42.58
RMS	13.80992G	43.75	68.20	-24.45	35.78	3	Vertical	252	1.80	-	40.72	9.82	42.57

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
 Setting 18.5  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80972G	58.56	88.20	-29.64	50.59	3	Horizontal	105	1.38	-	40.72	9.82	42.57
RMS	13.80995G	48.33	68.20	-19.87	40.36	3	Horizontal	105	1.38	-	40.72	9.82	42.57

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
 Setting 18.5  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.72G	50.76	83.54	-32.78	47.44	1	Vertical	284	1.50	-	37.79	17.57	52.04
AV	20.7198G	42.05	63.54	-21.49	38.73	1	Vertical	284	1.50	-	37.79	17.57	52.04



6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX



EUT X\_4TX  
 Setting 18.5  
 01-F-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7372G	54.41	83.54	-29.13	51.09	1	Horizontal	210	1.51	-	37.79	17.58	52.05
AV	20.72G	44.64	63.54	-18.90	41.32	1	Horizontal	210	1.51	-	37.79	17.57	52.04




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	67.52	68.20	-0.68	3	Horizontal	49	1.48	BP 1MHz

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.871G	61.86	88.20	-26.34	55.18	3	Vertical	4	2.26	-	34.38	7.24	34.94
RMS	5.9198G	50.65	68.20	-17.55	43.80	3	Vertical	4	2.26	-	34.54	7.26	34.95
PK	5.9612G	105.27	Inf	-Inf	98.33	3	Vertical	4	2.26	-	34.62	7.28	34.96
RMS	5.963G	95.54	Inf	-Inf	88.59	3	Vertical	4	2.26	-	34.63	7.28	34.96

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT X\_4TX  
 Setting 17  
 03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9216G	61.61	88.20	-26.59	54.76	3	Horizontal	44	1.63	-	34.54	7.26	34.95
RMS	5.9198G	50.72	68.20	-17.48	43.87	3	Horizontal	44	1.63	-	34.54	7.26	34.95
PK	5.9592G	111.19	Inf	-Inf	104.25	3	Horizontal	44	1.63	-	34.62	7.28	34.96
RMS	5.9634G	99.93	Inf	-Inf	92.98	3	Horizontal	44	1.63	-	34.63	7.28	34.96

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90951G	58.69	74.00	-15.31	49.49	3	Vertical	129	1.66	-	39.38	13.05	43.23
AV	11.90991G	48.18	54.00	-5.82	38.98	3	Vertical	129	1.66	-	39.38	13.05	43.23
PK	17.8591G	56.12	74.00	-17.88	35.09	3	Vertical	238	1.56	-	44.62	17.82	41.41
AV	17.86738G	44.48	54.00	-9.52	23.43	3	Vertical	238	1.56	-	44.63	17.82	41.40

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91007G	59.26	74.00	-14.74	50.06	3	Horizontal	15	1.76	-	39.38	13.05	43.23
AV	11.9098G	48.79	54.00	-5.21	39.59	3	Horizontal	15	1.76	-	39.38	13.05	43.23
PK	17.85512G	56.00	74.00	-18.00	35.00	3	Horizontal	332	2.05	-	44.61	17.81	41.42
AV	17.87436G	44.48	54.00	-9.52	23.40	3	Horizontal	332	2.05	-	44.65	17.82	41.39

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX



EUT\_X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81976G	53.27	83.54	-30.27	45.78	1	Vertical	214	1.50	-	38.80	18.96	50.27
AV	23.81979G	49.36	63.54	-14.18	41.87	1	Vertical	214	1.50	-	38.80	18.96	50.27

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8197G	58.69	83.54	-24.85	51.20	1	Horizontal	358	1.45	-	38.80	18.96	50.27
AV	23.81979G	57.20	63.54	-6.34	49.71	1	Horizontal	358	1.45	-	38.80	18.96	50.27



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34784G	58.62	74.00	-15.38	49.61	3	Vertical	133	1.80	-	38.80	13.38	43.17
AV	12.34976G	47.15	54.00	-6.85	38.14	3	Vertical	133	1.80	-	38.80	13.38	43.17

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35003G	58.23	74.00	-15.77	49.22	3	Horizontal	46	1.58	-	38.80	13.38	43.17
AV	12.34983G	48.13	54.00	-5.87	39.12	3	Horizontal	46	1.58	-	38.80	13.38	43.17

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52491G	47.46	83.54	-36.08	43.51	1	Vertical	239	1.52	-	37.61	16.66	50.32
AV	18.52479G	39.56	63.54	-23.98	35.61	1	Vertical	239	1.52	-	37.61	16.66	50.32

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52494G	48.52	83.54	-35.02	44.57	1	Horizontal	320	1.50	-	37.61	16.66	50.32
AV	18.52482G	39.87	63.54	-23.67	35.92	1	Horizontal	320	1.50	-	37.61	16.66	50.32

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82986G	59.13	88.20	-29.07	49.03	3	Vertical	120	2.17	-	39.16	13.76	42.82
RMS	12.82988G	48.79	68.20	-19.41	38.69	3	Vertical	120	2.17	-	39.16	13.76	42.82

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83G	60.24	88.20	-27.96	50.14	3	Horizontal	34	1.55	-	39.16	13.76	42.82
RMS	12.8299G	51.68	68.20	-16.52	41.58	3	Horizontal	34	1.55	-	39.16	13.76	42.82

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24677G	55.83	83.54	-27.71	52.38	1	Vertical	108	1.50	-	37.60	16.95	51.10
AV	19.24677G	44.75	63.54	-18.79	41.30	1	Vertical	108	1.50	-	37.60	16.95	51.10

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25103G	56.13	83.54	-27.41	52.68	1	Horizontal	66	1.50	-	37.60	16.95	51.10
AV	19.24632G	43.23	63.54	-20.31	39.78	1	Horizontal	66	1.50	-	37.60	16.95	51.10



6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87135G	59.48	88.20	-28.72	49.22	3	Vertical	59	1.80	-	39.24	13.80	42.78
RMS	12.86978G	48.67	68.20	-19.53	38.41	3	Vertical	59	1.80	-	39.24	13.80	42.78

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86973G	60.73	88.20	-27.47	50.47	3	Horizontal	33	1.89	-	39.24	13.80	42.78
RMS	12.86991G	52.94	68.20	-15.26	42.68	3	Horizontal	33	1.89	-	39.24	13.80	42.78

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29591G	50.02	83.54	-33.52	46.59	1	Vertical	60	1.50	-	37.62	16.97	51.16
AV	19.29585G	43.05	63.54	-20.49	39.62	1	Vertical	60	1.50	-	37.62	16.97	51.16

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3071G	54.13	83.54	-29.41	50.70	1	Horizontal	48	1.49	-	37.62	16.98	51.17
AV	19.30887G	43.21	63.54	-20.33	39.78	1	Horizontal	48	1.49	-	37.62	16.98	51.17

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94979G	58.87	88.20	-29.33	48.31	3	Vertical	63	1.84	-	39.40	13.86	42.70
RMS	12.94984G	47.35	68.20	-20.85	36.79	3	Vertical	63	1.84	-	39.40	13.86	42.70

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95G	60.43	88.20	-27.77	49.87	3	Horizontal	35	1.80	-	39.40	13.86	42.70
RMS	12.94989G	51.43	68.20	-16.77	40.87	3	Horizontal	35	1.80	-	39.40	13.86	42.70

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42137G	52.64	83.54	-30.90	49.26	1	Vertical	70	1.50	-	37.67	17.02	51.31
AV	19.42566G	41.22	63.54	-22.32	37.84	1	Vertical	70	1.50	-	37.67	17.02	51.31

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4215G	54.03	83.54	-29.51	50.65	1	Horizontal	89	1.50	-	37.67	17.02	51.31
AV	19.43015G	42.97	63.54	-20.57	39.59	1	Horizontal	89	1.50	-	37.67	17.03	51.32



6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02988G	59.90	88.20	-28.30	49.08	3	Vertical	266	2.12	-	39.56	13.92	42.66
RMS	13.02986G	49.83	68.20	-18.37	39.01	3	Vertical	266	2.12	-	39.56	13.92	42.66

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03002G	60.60	88.20	-27.60	49.78	3	Horizontal	29	1.80	-	39.56	13.92	42.66
RMS	13.02992G	52.55	68.20	-15.65	41.73	3	Horizontal	29	1.80	-	39.56	13.92	42.66

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54572G	55.20	83.54	-28.34	51.90	1	Vertical	68	1.50	-	37.68	17.07	51.45
AV	19.54413G	44.25	63.54	-19.29	40.94	1	Vertical	68	1.50	-	37.68	17.07	51.44

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.53545G	54.92	83.54	-28.62	51.60	1	Horizontal	69	1.70	-	37.69	17.07	51.44
AV	19.53995G	44.79	63.54	-18.75	41.48	1	Horizontal	69	1.70	-	37.68	17.07	51.44

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06995G	60.60	88.20	-27.60	49.67	3	Vertical	279	2.86	-	39.64	13.96	42.67
RMS	13.06974G	50.87	68.20	-17.33	39.94	3	Vertical	279	2.86	-	39.64	13.96	42.67

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06997G	61.49	88.20	-26.71	50.56	3	Horizontal	36	1.89	-	39.64	13.96	42.67
RMS	13.06987G	53.31	68.20	-14.89	42.38	3	Horizontal	36	1.89	-	39.64	13.96	42.67

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60164G	56.15	83.54	-27.39	52.89	1	Vertical	107	1.50	-	37.66	17.10	51.50
AV	19.60194G	44.86	63.54	-18.68	41.60	1	Vertical	107	1.50	-	37.66	17.10	51.50

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61103G	57.23	83.54	-26.31	53.98	1	Horizontal	70	1.50	-	37.66	17.10	51.51
AV	19.60677G	44.91	63.54	-18.63	41.66	1	Horizontal	70	1.50	-	37.66	17.10	51.51



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT X\_4TX  
Setting 17  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3944G	56.91	74.00	-17.09	39.12	3	Vertical	314	1.80	-	40.29	9.49	31.99
AV	13.38994G	44.13	54.00	-9.87	26.35	3	Vertical	314	1.80	-	40.28	9.49	31.99

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT X\_4TX  
Setting 17  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38964G	57.06	74.00	-16.94	39.28	3	Horizontal	286	2.15	-	40.28	9.49	31.99
AV	13.38982G	45.48	54.00	-8.52	27.70	3	Horizontal	286	2.15	-	40.28	9.49	31.99

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09496G	64.58	83.54	-18.96	61.72	1	Vertical	98	1.45	-	37.48	17.30	51.92
AV	20.0856G	52.82	63.54	-10.72	49.97	1	Vertical	98	1.45	-	37.47	17.30	51.92

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08248G	61.07	83.54	-22.47	58.22	1	Horizontal	39	1.50	-	37.47	17.30	51.92
AV	20.0844G	49.27	63.54	-14.27	46.42	1	Horizontal	39	1.50	-	37.47	17.30	51.92

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71014G	60.98	88.20	-27.22	48.53	3	Vertical	218	1.80	-	40.61	14.47	42.63
RMS	13.70984G	50.75	68.20	-17.45	38.30	3	Vertical	218	1.80	-	40.61	14.47	42.63

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70992G	63.53	88.20	-24.67	51.08	3	Horizontal	293	2.13	-	40.61	14.47	42.63
RMS	13.70983G	56.54	68.20	-11.66	44.09	3	Horizontal	293	2.13	-	40.61	14.47	42.63

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56491G	60.29	83.54	-23.25	57.06	1	Vertical	107	1.45	-	37.73	17.51	52.01
AV	20.5641G	49.60	63.54	-13.94	46.37	1	Vertical	107	1.45	-	37.73	17.51	52.01

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56023G	59.75	83.54	-23.79	56.54	1	Horizontal	41	1.49	-	37.72	17.50	52.01
AV	20.56332G	48.35	63.54	-15.19	45.12	1	Horizontal	41	1.49	-	37.73	17.51	52.01



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7541G	60.84	88.20	-27.36	48.30	3	Vertical	48	2.68	-	40.65	14.50	42.61
RMS	13.74989G	51.06	68.20	-17.14	38.52	3	Vertical	48	2.68	-	40.65	14.50	42.61

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74974G	62.57	88.20	-25.63	50.03	3	Horizontal	292	1.31	-	40.65	14.50	42.61
RMS	13.74988G	54.51	68.20	-13.69	41.97	3	Horizontal	292	1.31	-	40.65	14.50	42.61

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62416G	57.65	83.54	-25.89	54.39	1	Vertical	108	1.50	-	37.75	17.53	52.02
AV	20.62491G	45.82	63.54	-17.72	42.56	1	Vertical	108	1.50	-	37.75	17.53	52.02

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6202G	59.36	83.54	-24.18	56.10	1	Horizontal	43	1.49	-	37.75	17.53	52.02
AV	20.62716G	47.74	63.54	-15.80	44.49	1	Horizontal	43	1.49	-	37.75	17.53	52.03

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98955G	63.81	88.20	-24.39	50.33	3	Vertical	298	1.80	-	41.26	14.69	42.47
RMS	13.98972G	51.47	68.20	-16.73	37.99	3	Vertical	298	1.80	-	41.26	14.69	42.47

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98985G	63.90	88.20	-24.30	50.42	3	Horizontal	291	1.32	-	41.26	14.69	42.47
RMS	13.98982G	55.35	68.20	-12.85	41.87	3	Horizontal	291	1.32	-	41.26	14.69	42.47

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99997G	50.57	83.54	-32.97	46.68	1	Vertical	294	1.52	-	38.30	17.69	52.10
AV	20.99991G	44.05	63.54	-19.49	40.16	1	Vertical	294	1.52	-	38.30	17.69	52.10

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99955G	50.83	83.54	-32.71	46.94	1	Horizontal	203	1.50	-	38.30	17.69	52.10
AV	20.99985G	44.62	63.54	-18.92	40.73	1	Horizontal	203	1.50	-	38.30	17.69	52.10



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78996G	61.71	88.20	-26.49	49.08	3	Vertical	80	1.41	-	40.69	14.53	42.59
RMS	13.78988G	52.00	68.20	-16.20	39.37	3	Vertical	80	1.41	-	40.69	14.53	42.59

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78984G	63.33	88.20	-24.87	50.70	3	Horizontal	282	1.00	-	40.69	14.53	42.59
RMS	13.78993G	55.50	68.20	-12.70	42.87	3	Horizontal	282	1.00	-	40.69	14.53	42.59

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68371G	56.21	83.54	-27.33	52.92	1	Vertical	108	1.49	-	37.77	17.56	52.04
AV	20.68056G	44.71	63.54	-18.83	41.42	1	Vertical	108	1.49	-	37.77	17.56	52.04

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68479G	60.68	83.54	-22.86	57.39	1	Horizontal	75	1.45	-	37.77	17.56	52.04
AV	20.68467G	47.79	63.54	-15.75	44.50	1	Horizontal	75	1.45	-	37.77	17.56	52.04

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT X\_4TX  
Setting 17  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1008G	108.37	Inf	-Inf	99.02	3	Vertical	35	1.95	-	35.90	8.50	35.05
RMS	7.103G	97.82	Inf	-Inf	88.45	3	Vertical	35	1.95	-	35.91	8.51	35.05
PK	7.141G	63.64	88.20	-24.56	54.14	3	Vertical	35	1.95	-	35.98	8.58	35.06
RMS	7.1934G	52.39	68.20	-15.81	42.53	3	Vertical	35	1.95	-	36.26	8.69	35.09

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT X\_4TX  
Setting 17  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1026G	113.86	Inf	-Inf	104.49	3	Horizontal	279	1.47	-	35.91	8.51	35.05
RMS	7.091G	102.19	Inf	-Inf	92.90	3	Horizontal	279	1.47	-	35.85	8.48	35.04
PK	7.1268G	64.24	88.20	-23.96	54.80	3	Horizontal	279	1.47	-	35.95	8.55	35.06
RMS	7.195G	52.40	68.20	-15.80	42.53	3	Horizontal	279	1.47	-	36.27	8.69	35.09

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1858G	63.48	88.20	-24.72	49.27	3	Vertical	77	1.76	-	41.74	14.89	42.42
RMS	14.18991G	53.08	68.20	-15.12	38.84	3	Vertical	77	1.76	-	41.76	14.89	42.41

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT X\_4TX  
Setting 17  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18992G	63.85	88.20	-24.35	49.61	3	Horizontal	300	1.80	-	41.76	14.89	42.41
RMS	14.18988G	54.05	68.20	-14.15	39.81	3	Horizontal	300	1.80	-	41.76	14.89	42.41



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT X\_4TX  
Setting 17  
03-P-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.29118G	52.36	83.54	-31.18	48.57	1	Vertical	202	1.63	-	38.07	17.82	52.10
AV	21.28182G	41.39	63.54	-22.15	37.60	1	Vertical	202	1.63	-	38.07	17.82	52.10

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT X\_4TX  
Setting 17  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29064G	56.02	83.54	-27.52	52.23	1	Horizontal	35	1.50	-	38.07	17.82	52.10
AV	21.28542G	43.64	63.54	-19.90	39.85	1	Horizontal	35	1.50	-	38.07	17.82	52.10

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT X\_4TX  
Setting 11  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10585G	93.55	Inf	-Inf	84.18	3	Vertical	32	1.78	-	35.91	8.51	35.05
RMS	7.1057G	83.34	Inf	-Inf	73.97	3	Vertical	32	1.78	-	35.91	8.51	35.05
PK	7.1255G	76.81	88.20	-11.39	67.37	3	Vertical	32	1.78	BP 1MHz	35.95	8.55	35.06
RMS	7.1255G	62.24	68.20	-5.96	52.80	3	Vertical	32	1.78	BP 1MHz	35.95	8.55	35.06

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT X\_4TX  
Setting 11  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.12243G	97.35	Inf	-Inf	87.93	3	Horizontal	49	1.48	-	35.94	8.54	35.06
RMS	7.10788G	88.28	Inf	-Inf	78.89	3	Horizontal	49	1.48	-	35.92	8.52	35.05
PK	7.1255G	83.42	88.20	-4.78	73.98	3	Horizontal	49	1.48	BP 1MHz	35.95	8.55	35.06
RMS	7.1255G	67.52	68.20	-0.68	58.08	3	Horizontal	49	1.48	BP 1MHz	35.95	8.55	35.06

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT X\_4TX  
Setting 11  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23262G	62.91	88.20	-25.29	48.58	3	Vertical	78	1.80	-	41.80	14.93	42.40
RMS	14.22986G	52.66	68.20	-15.54	38.33	3	Vertical	78	1.80	-	41.80	14.93	42.40

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT X\_4TX  
Setting 11  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23003G	64.69	88.20	-23.51	50.36	3	Horizontal	283	1.01	-	41.80	14.93	42.40
RMS	14.22986G	55.49	68.20	-12.71	41.16	3	Horizontal	283	1.01	-	41.80	14.93	42.40

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT X\_4TX  
Setting 11  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.33954G	48.61	83.54	-34.93	44.84	1	Vertical	265	1.51	-	38.03	17.84	52.10
AV	21.34482G	39.64	63.54	-23.90	35.88	1	Vertical	265	1.51	-	38.02	17.84	52.10

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT X\_4TX  
Setting 11  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34488G	49.10	83.54	-34.44	45.33	1	Horizontal	63	1.49	-	38.02	17.85	52.10
AV	21.34461G	40.98	63.54	-22.56	37.22	1	Horizontal	63	1.49	-	38.02	17.84	52.10



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9224G	67.61	88.20	-20.59	60.76	3	Vertical	126	1.80	-	34.54	7.26	34.95
RMS	5.9242G	50.67	68.20	-17.53	43.81	3	Vertical	126	1.80	-	34.55	7.26	34.95
PK	5.949G	105.52	Inf	-Inf	98.61	3	Vertical	126	1.80	-	34.60	7.27	34.96
RMS	5.9466G	94.17	Inf	-Inf	87.27	3	Vertical	126	1.80	-	34.59	7.27	34.96

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	70.66	88.20	-17.54	63.80	3	Horizontal	44	1.64	-	34.55	7.26	34.95
RMS	5.925G	51.43	68.20	-16.77	44.57	3	Horizontal	44	1.64	-	34.55	7.26	34.95
PK	5.9552G	111.46	Inf	-Inf	104.53	3	Horizontal	44	1.64	-	34.61	7.28	34.96
RMS	5.9566G	99.77	Inf	-Inf	92.84	3	Horizontal	44	1.64	-	34.61	7.28	34.96

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92954G	58.80	74.00	-15.20	49.63	3	Vertical	131	1.68	-	39.34	13.06	43.23
AV	11.93004G	46.93	54.00	-7.07	37.76	3	Vertical	131	1.68	-	39.34	13.06	43.23
PK	17.89986G	55.65	74.00	-18.35	34.46	3	Vertical	228	2.97	-	44.70	17.84	41.35
AV	17.88828G	43.82	54.00	-10.18	22.67	3	Vertical	228	2.97	-	44.68	17.83	41.36

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92977G	58.31	74.00	-15.69	49.14	3	Horizontal	22	1.80	-	39.34	13.06	43.23
AV	11.92989G	49.29	54.00	-4.71	40.12	3	Horizontal	22	1.80	-	39.34	13.06	43.23
PK	17.89488G	55.72	74.00	-18.28	34.54	3	Horizontal	174	1.48	-	44.69	17.84	41.35
AV	17.89324G	43.82	54.00	-10.18	22.65	3	Horizontal	174	1.48	-	44.69	17.84	41.36

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85961G	53.56	83.54	-29.98	46.04	1	Vertical	215	1.50	-	38.80	18.98	50.26
AV	23.85982G	49.78	63.54	-13.76	42.26	1	Vertical	215	1.50	-	38.80	18.98	50.26

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85982G	59.08	83.54	-24.46	51.56	1	Horizontal	357	1.50	-	38.80	18.98	50.26
AV	23.85988G	55.45	63.54	-8.09	47.93	1	Horizontal	357	1.50	-	38.80	18.98	50.26

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32988G	58.05	74.00	-15.95	49.06	3	Vertical	135	1.80	-	38.80	13.36	43.17
AV	12.33002G	46.72	54.00	-7.28	37.73	3	Vertical	135	1.80	-	38.80	13.36	43.17

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32986G	58.96	74.00	-15.04	49.97	3	Horizontal	45	1.68	-	38.80	13.36	43.17
AV	12.3298G	47.94	54.00	-6.06	38.95	3	Horizontal	45	1.68	-	38.80	13.36	43.17



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49482G	47.13	83.54	-36.41	43.18	1	Vertical	239	1.54	-	37.60	16.64	50.29
AV	18.4947G	38.43	63.54	-25.11	34.48	1	Vertical	239	1.54	-	37.60	16.64	50.29

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49473G	47.65	83.54	-35.89	43.70	1	Horizontal	314	1.50	-	37.60	16.64	50.29
AV	18.49494G	36.75	63.54	-26.79	32.80	1	Horizontal	314	1.50	-	37.60	16.64	50.29

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81239G	59.04	88.20	-29.16	49.01	3	Vertical	92	1.80	-	39.12	13.75	42.84
RMS	12.80972G	47.26	68.20	-20.94	37.23	3	Vertical	92	1.80	-	39.12	13.75	42.84

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80999G	60.30	88.20	-27.90	50.27	3	Horizontal	32	1.93	-	39.12	13.75	42.84
RMS	12.80993G	51.48	68.20	-16.72	41.45	3	Horizontal	32	1.93	-	39.12	13.75	42.84

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21596G	53.87	83.54	-29.67	50.40	1	Vertical	107	1.50	-	37.59	16.94	51.06
AV	19.21791G	40.49	63.54	-23.05	37.02	1	Vertical	107	1.50	-	37.59	16.94	51.06

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21485G	55.30	83.54	-28.24	51.83	1	Horizontal	153	1.50	-	37.59	16.94	51.06
AV	19.21602G	41.58	63.54	-21.96	38.11	1	Horizontal	153	1.50	-	37.59	16.94	51.06

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88978G	59.35	88.20	-28.85	49.02	3	Vertical	269	2.07	-	39.28	13.81	42.76
RMS	12.88996G	48.00	68.20	-20.20	37.67	3	Vertical	269	2.07	-	39.28	13.81	42.76

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88982G	60.33	88.20	-27.87	50.00	3	Horizontal	37	1.90	-	39.28	13.81	42.76
RMS	12.88985G	50.33	68.20	-17.87	40.00	3	Horizontal	37	1.90	-	39.28	13.81	42.76



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.32963G	56.28	83.54	-27.26	52.86	1	Vertical	109	1.52	-	37.63	16.99	51.20
AV	19.33164G	41.18	63.54	-22.36	37.76	1	Vertical	109	1.52	-	37.63	16.99	51.20

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33293G	60.03	83.54	-23.51	56.61	1	Horizontal	47	1.50	-	37.63	16.99	51.20
AV	19.33428G	42.63	63.54	-20.91	39.21	1	Horizontal	47	1.50	-	37.63	16.99	51.20

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96994G	59.03	88.20	-29.17	48.39	3	Vertical	122	2.16	-	39.44	13.88	42.68
RMS	12.96988G	48.13	68.20	-20.07	37.49	3	Vertical	122	2.16	-	39.44	13.88	42.68

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96972G	60.63	88.20	-27.57	49.99	3	Horizontal	35	1.89	-	39.44	13.88	42.68
RMS	12.96991G	51.79	68.20	-16.41	41.15	3	Horizontal	35	1.89	-	39.44	13.88	42.68

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.44666G	52.19	83.54	-31.35	48.82	1	Vertical	70	1.49	-	37.68	17.03	51.34
AV	19.46136G	38.82	63.54	-24.72	35.45	1	Vertical	70	1.49	-	37.68	17.04	51.35

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45674G	56.17	83.54	-27.37	52.80	1	Horizontal	49	1.50	-	37.68	17.04	51.35
AV	19.455G	41.80	63.54	-21.74	38.43	1	Horizontal	49	1.50	-	37.68	17.04	51.35

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0538G	59.44	88.20	-28.76	48.55	3	Vertical	273.8	1.46	-	39.61	13.94	42.66
RMS	13.04991G	47.96	68.20	-20.24	37.08	3	Vertical	273.8	1.46	-	39.60	13.94	42.66

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04982G	61.00	88.20	-27.20	50.12	3	Horizontal	35	1.86	-	39.60	13.94	42.66
RMS	13.04982G	52.02	68.20	-16.18	41.14	3	Horizontal	35	1.86	-	39.60	13.94	42.66



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56981G	54.40	83.54	-29.14	51.12	1	Vertical	107	1.50	-	37.67	17.08	51.47
AV	19.5801G	40.73	63.54	-22.81	37.45	1	Vertical	107	1.50	-	37.67	17.09	51.48

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57428G	55.06	83.54	-28.48	51.77	1	Horizontal	91	1.48	-	37.67	17.09	51.47
AV	19.57644G	41.12	63.54	-22.42	37.84	1	Horizontal	91	1.48	-	37.67	17.09	51.48

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13383G	60.09	88.20	-28.11	49.03	3	Vertical	197	1.40	-	39.73	14.01	42.68
RMS	13.12985G	48.34	68.20	-19.86	37.29	3	Vertical	197	1.40	-	39.73	14.00	42.68

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13007G	61.40	88.20	-26.80	50.35	3	Horizontal	31	1.89	-	39.73	14.00	42.68
RMS	13.12986G	52.71	68.20	-15.49	41.66	3	Horizontal	31	1.89	-	39.73	14.00	42.68

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70571G	57.91	83.54	-25.63	54.76	1	Vertical	109	1.50	-	37.62	17.14	51.61
AV	19.69854G	43.32	63.54	-20.22	40.16	1	Vertical	109	1.50	-	37.62	17.14	51.60

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69119G	55.99	83.54	-27.55	52.83	1	Horizontal	88	1.50	-	37.62	17.13	51.59
AV	19.69155G	42.63	63.54	-20.91	39.47	1	Horizontal	88	1.50	-	37.62	17.13	51.59

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT X\_4TX  
Setting 19  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37094G	57.45	74.00	-16.55	39.71	3	Vertical	204	1.42	-	40.24	9.48	31.98
AV	13.37004G	43.28	54.00	-10.72	25.54	3	Vertical	204	1.42	-	40.24	9.48	31.98

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT X\_4TX  
Setting 19  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37G	57.19	74.00	-16.81	39.45	3	Horizontal	288	2.15	-	40.24	9.48	31.98
AV	13.36996G	45.33	54.00	-8.67	27.59	3	Horizontal	288	2.15	-	40.24	9.48	31.98



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0412G	60.70	83.54	-22.84	57.90	1	Vertical	4	1.50	-	37.43	17.28	51.91
AV	20.04066G	46.68	63.54	-16.86	43.88	1	Vertical	4	1.50	-	37.43	17.28	51.91

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05476G	60.04	83.54	-23.50	57.23	1	Horizontal	43	1.50	-	37.44	17.28	51.91
AV	20.05671G	45.54	63.54	-18.00	42.72	1	Horizontal	43	1.50	-	37.45	17.28	51.91

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68874G	60.47	88.20	-27.73	48.09	3	Vertical	51.8	1.78	-	40.58	14.45	42.65
RMS	13.68979G	49.53	68.20	-18.67	37.15	3	Vertical	51.8	1.78	-	40.58	14.45	42.65

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68985G	62.40	88.20	-25.80	50.02	3	Horizontal	294	2.13	-	40.58	14.45	42.65
RMS	13.68984G	55.23	68.20	-12.97	42.85	3	Horizontal	294	2.13	-	40.58	14.45	42.65

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.52531G	61.04	83.54	-22.50	57.85	1	Vertical	106	1.45	-	37.71	17.49	52.01
AV	20.53842G	47.12	63.54	-16.42	43.92	1	Vertical	106	1.45	-	37.72	17.49	52.01

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.52735G	60.51	83.54	-23.03	57.32	1	Horizontal	41	1.49	-	37.71	17.49	52.01
AV	20.52648G	45.59	63.54	-17.95	42.40	1	Horizontal	41	1.49	-	37.71	17.49	52.01

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7687G	61.13	88.20	-27.07	48.55	3	Vertical	48.1	1.50	-	40.67	14.51	42.60
RMS	13.76991G	49.18	68.20	-19.02	36.59	3	Vertical	48.1	1.50	-	40.67	14.52	42.60

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77003G	61.89	88.20	-26.31	49.30	3	Horizontal	286	1.87	-	40.67	14.52	42.60
RMS	13.76981G	53.52	68.20	-14.68	40.93	3	Horizontal	286	1.87	-	40.67	14.52	42.60



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64864G	58.91	83.54	-24.63	55.64	1	Vertical	107	1.45	-	37.76	17.54	52.03
AV	20.64357G	45.21	63.54	-18.33	41.94	1	Vertical	107	1.45	-	37.76	17.54	52.03

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6454G	57.21	83.54	-26.33	53.94	1	Horizontal	43	1.50	-	37.76	17.54	52.03
AV	20.65218G	43.24	63.54	-20.30	39.97	1	Horizontal	43	1.50	-	37.76	17.54	52.03

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0928G	108.03	Inf	-Inf	98.72	3	Vertical	289	1.84	-	35.86	8.49	35.04
RMS	7.0938G	96.95	Inf	-Inf	87.64	3	Vertical	289	1.84	-	35.86	8.49	35.04
PK	7.1294G	68.57	88.20	-19.63	59.11	3	Vertical	289	1.84	-	35.96	8.56	35.06
RMS	7.125G	52.53	68.20	-15.67	43.09	3	Vertical	289	1.84	-	35.95	8.55	35.06

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0666G	113.28	Inf	-Inf	104.18	3	Horizontal	283	1.51	-	35.70	8.43	35.03
RMS	7.0726G	99.57	Inf	-Inf	90.41	3	Horizontal	283	1.51	-	35.74	8.45	35.03
PK	7.1302G	72.73	88.20	-15.47	63.27	3	Horizontal	283	1.51	-	35.96	8.56	35.06
RMS	7.1274G	52.95	68.20	-15.25	43.51	3	Horizontal	283	1.51	-	35.95	8.55	35.06

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17333G	64.14	88.20	-24.06	50.00	3	Vertical	124	1.75	-	41.69	14.87	42.42
RMS	14.16996G	51.45	68.20	-16.75	37.32	3	Vertical	124	1.75	-	41.68	14.87	42.42

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16984G	64.65	88.20	-23.55	50.52	3	Horizontal	313	2.10	-	41.68	14.87	42.42
RMS	14.16984G	54.16	68.20	-14.04	40.03	3	Horizontal	313	2.10	-	41.68	14.87	42.42

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24459G	51.58	83.54	-31.96	47.78	1	Vertical	204	1.62	-	38.10	17.80	52.10
AV	21.25338G	38.97	63.54	-24.57	35.16	1	Vertical	204	1.62	-	38.10	17.81	52.10

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24342G	54.18	83.54	-29.36	50.37	1	Horizontal	37	1.50	-	38.11	17.80	52.10
AV	21.25743G	41.23	63.54	-22.31	37.43	1	Horizontal	37	1.50	-	38.09	17.81	52.10



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01345G	61.65	88.20	-26.55	48.09	3	Vertical	214	1.78	-	41.31	14.71	42.46
RMS	14.00989G	51.02	68.20	-17.18	37.46	3	Vertical	214	1.78	-	41.31	14.71	42.46

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00994G	63.14	88.20	-25.06	49.58	3	Horizontal	297	2.12	-	41.31	14.71	42.46
RMS	14.00986G	54.38	68.20	-13.82	40.82	3	Horizontal	297	2.12	-	41.31	14.71	42.46

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.00003G	50.93	83.54	-32.61	47.03	1	Vertical	294	1.52	-	38.30	17.70	52.10			
AV	21G	43.66	63.54	-19.88	39.76	1	Vertical	294	1.52	-	38.30	17.70	52.10			

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.00006G	51.45	83.54	-32.09	47.55	1	Horizontal	202	1.51	-	38.30	17.70	52.10
AV	21G	44.84	63.54	-18.70	40.94	1	Horizontal	202	1.51	-	38.30	17.70	52.10

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84992G	61.93	88.20	-26.27	49.10	3	Vertical	82.3	1.42	-	40.80	14.58	42.55
RMS	13.8499G	51.28	68.20	-16.92	38.45	3	Vertical	82.3	1.42	-	40.80	14.58	42.55

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84971G	63.33	88.20	-24.87	50.50	3	Horizontal	282	1.00	-	40.80	14.58	42.55
RMS	13.84986G	55.32	68.20	-12.88	42.49	3	Horizontal	282	1.00	-	40.80	14.58	42.55

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78739G	56.10	83.54	-27.44	52.69	1	Vertical	109	1.45	-	37.87	17.60	52.06
AV	20.78958G	43.30	63.54	-20.24	39.88	1	Vertical	109	1.45	-	37.88	17.60	52.06

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78073G	55.27	83.54	-28.27	51.87	1	Horizontal	44	1.50	-	37.86	17.60	52.06
AV	20.76765G	42.01	63.54	-21.53	38.63	1	Horizontal	44	1.50	-	37.84	17.59	52.05



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.821G	81.19	88.20	-7.01	74.61	3	Vertical	56	1.54	-	34.30	7.21	34.93
RMS	5.8234G	55.55	68.20	-12.65	48.97	3	Vertical	56	1.54	-	34.30	7.21	34.93
PK	6.009G	105.59	Inf	-Inf	98.53	3	Vertical	56	1.54	-	34.72	7.31	34.97
RMS	6.0074G	95.02	Inf	-Inf	87.97	3	Vertical	56	1.54	-	34.71	7.31	34.97

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.817G	76.66	88.20	-11.54	70.08	3	Horizontal	44	1.65	-	34.30	7.21	34.93
RMS	5.8274G	52.88	68.20	-15.32	46.30	3	Horizontal	44	1.65	-	34.30	7.21	34.93
PK	5.977G	110.93	Inf	-Inf	103.95	3	Horizontal	44	1.65	-	34.65	7.29	34.96
RMS	5.9706G	99.04	Inf	-Inf	92.07	3	Horizontal	44	1.65	-	34.64	7.29	34.96

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96932G	57.91	74.00	-16.09	48.79	3	Vertical	131	1.69	-	39.26	13.08	43.22
AV	11.96981G	46.78	54.00	-7.22	37.66	3	Vertical	131	1.69	-	39.26	13.08	43.22
PK	17.95528G	56.03	74.00	-17.97	34.61	3	Vertical	242	2.66	-	44.81	17.87	41.26
AV	17.96418G	44.32	54.00	-9.68	22.86	3	Vertical	242	2.66	-	44.83	17.88	41.25

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96995G	59.06	74.00	-14.94	49.94	3	Horizontal	22	1.77	-	39.26	13.08	43.22
AV	11.96984G	48.73	54.00	-5.27	39.61	3	Horizontal	22	1.77	-	39.26	13.08	43.22
PK	17.96026G	56.17	74.00	-17.83	34.72	3	Horizontal	60	1.25	-	44.82	17.88	41.25
AV	17.9649G	44.34	54.00	-9.66	22.87	3	Horizontal	60	1.25	-	44.83	17.88	41.24

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93985G	55.09	83.54	-28.45	47.50	1	Vertical	215	1.50	-	38.80	19.01	50.22
AV	23.93976G	51.59	63.54	-11.95	44.00	1	Vertical	215	1.50	-	38.80	19.01	50.22

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93982G	60.85	83.54	-22.69	53.26	1	Horizontal	69	1.45	-	38.80	19.01	50.22
AV	23.93976G	59.43	63.54	-4.11	51.84	1	Horizontal	69	1.45	-	38.80	19.01	50.22

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28725G	57.64	74.00	-16.36	48.68	3	Vertical	259	1.78	-	38.81	13.33	43.18
AV	12.29044G	45.90	54.00	-8.10	36.94	3	Vertical	259	1.78	-	38.81	13.33	43.18

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2899G	58.69	74.00	-15.31	49.73	3	Horizontal	43	1.80	-	38.81	13.33	43.18
AV	12.28984G	47.87	54.00	-6.13	38.91	3	Horizontal	43	1.80	-	38.81	13.33	43.18



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.42066G	53.41	83.54	-30.13	49.42	1	Vertical	128	1.52	-	37.57	16.61	50.19
AV	18.42024G	36.78	63.54	-26.76	32.79	1	Vertical	128	1.52	-	37.57	16.61	50.19

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43488G	47.02	83.54	-36.52	43.04	1	Horizontal	322	1.49	-	37.57	16.62	50.21
AV	18.43497G	38.63	63.54	-24.91	34.65	1	Horizontal	322	1.49	-	37.57	16.62	50.21

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76994G	58.45	88.20	-29.75	48.54	3	Vertical	54	2.04	-	39.07	13.72	42.88
RMS	12.77088G	46.97	68.20	-21.23	37.06	3	Vertical	54	2.04	-	39.07	13.72	42.88

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76964G	60.14	88.20	-28.06	50.23	3	Horizontal	32	1.93	-	39.07	13.72	42.88
RMS	12.76992G	50.75	68.20	-17.45	40.84	3	Horizontal	32	1.93	-	39.07	13.72	42.88

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14726G	54.23	83.54	-29.31	50.74	1	Vertical	134	1.50	-	37.56	16.91	50.98
AV	19.14216G	39.86	63.54	-23.68	36.36	1	Vertical	134	1.50	-	37.56	16.91	50.97

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14408G	56.32	83.54	-27.22	52.82	1	Horizontal	126	1.50	-	37.56	16.91	50.97
AV	19.14267G	41.09	63.54	-22.45	37.59	1	Horizontal	126	1.50	-	37.56	16.91	50.97

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92508G	59.06	88.20	-29.14	48.59	3	Vertical	205	1.66	-	39.35	13.84	42.72
RMS	12.92788G	46.49	68.20	-21.71	36.01	3	Vertical	205	1.66	-	39.36	13.84	42.72

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92971G	59.87	88.20	-28.33	49.39	3	Horizontal	34	1.58	-	39.36	13.84	42.72
RMS	12.92989G	50.26	68.20	-17.94	39.78	3	Horizontal	34	1.58	-	39.36	13.84	42.72



6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.38387G	54.33	83.54	-29.21	50.93	1	Vertical	40	1.50	-	37.65	17.01	51.26
AV	19.38246G	41.05	63.54	-22.49	37.65	1	Vertical	40	1.50	-	37.65	17.01	51.26

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.38909G	48.97	83.54	-34.57	45.57	1	Horizontal	8	1.50	-	37.66	17.01	51.27
AV	19.39455G	40.68	63.54	-22.86	37.28	1	Horizontal	8	1.50	-	37.66	17.01	51.27

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08973G	61.02	88.20	-27.18	50.04	3	Vertical	311.9	1.79	-	39.68	13.97	42.67
RMS	13.08981G	48.56	68.20	-19.64	37.58	3	Vertical	311.9	1.79	-	39.68	13.97	42.67

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09003G	62.21	88.20	-25.99	51.23	3	Horizontal	29	1.84	-	39.68	13.97	42.67
RMS	13.08995G	52.45	68.20	-15.75	41.47	3	Horizontal	29	1.84	-	39.68	13.97	42.67

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62141G	52.95	83.54	-30.59	49.72	1	Vertical	108	1.50	-	37.65	17.10	51.52
AV	19.62366G	39.70	63.54	-23.84	36.46	1	Vertical	108	1.50	-	37.65	17.11	51.52

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62009G	56.33	83.54	-27.21	53.10	1	Horizontal	88	1.49	-	37.65	17.10	51.52
AV	19.62702G	42.10	63.54	-21.44	38.87	1	Horizontal	88	1.49	-	37.65	17.11	51.53

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24976G	60.85	88.20	-27.35	49.50	3	Vertical	264	2.16	-	39.95	14.10	42.70
RMS	13.24981G	50.38	68.20	-17.82	39.03	3	Vertical	264	2.16	-	39.95	14.10	42.70

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24978G	62.02	88.20	-26.18	50.67	3	Horizontal	285	2.17	-	39.95	14.10	42.70
RMS	13.24982G	54.61	68.20	-13.59	43.26	3	Horizontal	285	2.17	-	39.95	14.10	42.70



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87188G	61.29	83.54	-22.25	58.35	1	Vertical	111	1.50	-	37.50	17.21	51.77
AV	19.86219G	44.37	63.54	-19.17	41.42	1	Vertical	111	1.50	-	37.51	17.20	51.76

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87137G	57.20	83.54	-26.34	54.26	1	Horizontal	53	1.50	-	37.50	17.21	51.77
AV	19.86207G	42.70	63.54	-20.84	39.75	1	Horizontal	53	1.50	-	37.51	17.20	51.76

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41084G	60.50	88.20	-27.70	48.78	3	Vertical	266	2.26	-	40.23	14.23	42.74
RMS	13.40978G	49.92	68.20	-18.28	38.20	3	Vertical	266	2.26	-	40.23	14.23	42.74

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4099G	62.78	88.20	-25.42	51.06	3	Horizontal	285	2.13	-	40.23	14.23	42.74
RMS	13.40987G	55.59	68.20	-12.61	43.87	3	Horizontal	285	2.13	-	40.23	14.23	42.74

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10525G	60.45	83.54	-23.09	57.58	1	Vertical	99	1.46	-	37.48	17.31	51.92
AV	20.10231G	45.98	63.54	-17.56	43.12	1	Vertical	99	1.46	-	37.48	17.30	51.92

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10372G	56.91	83.54	-26.63	54.04	1	Horizontal	46	1.52	-	37.48	17.31	51.92
AV	20.10042G	42.71	63.54	-20.83	39.85	1	Horizontal	46	1.52	-	37.48	17.30	51.92

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56933G	62.18	88.20	-26.02	50.11	3	Vertical	267.7	1.65	-	40.43	14.36	42.72
RMS	13.56989G	49.70	68.20	-18.50	37.63	3	Vertical	267.7	1.65	-	40.43	14.36	42.72

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56986G	62.64	88.20	-25.56	50.57	3	Horizontal	283	1.88	-	40.43	14.36	42.72
RMS	13.56988G	54.46	68.20	-13.74	42.39	3	Horizontal	283	1.88	-	40.43	14.36	42.72



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34996G	69.11	83.54	-14.43	66.03	1	Vertical	102	1.46	-	37.64	17.41	51.97
AV	20.34024G	54.13	63.54	-9.41	51.05	1	Vertical	102	1.46	-	37.64	17.41	51.97

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34654G	65.13	83.54	-18.41	62.05	1	Horizontal	45	1.49	-	37.64	17.41	51.97
AV	20.34501G	50.58	63.54	-12.96	47.50	1	Horizontal	45	1.49	-	37.64	17.41	51.97

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72996G	61.25	88.20	-26.95	48.76	3	Vertical	289.5	2.21	-	40.63	14.48	42.62
RMS	13.72979G	49.43	68.20	-18.77	36.94	3	Vertical	289.5	2.21	-	40.63	14.48	42.62

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72971G	62.87	88.20	-25.33	50.38	3	Horizontal	286	1.85	-	40.63	14.48	42.62
RMS	13.7299G	54.77	68.20	-13.43	42.28	3	Horizontal	286	1.85	-	40.63	14.48	42.62

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58897G	58.69	83.54	-24.85	55.45	1	Vertical	106	1.45	-	37.74	17.52	52.02
AV	20.60331G	45.16	63.54	-18.38	41.92	1	Vertical	106	1.45	-	37.74	17.52	52.02

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58954G	56.92	83.54	-26.62	53.68	1	Horizontal	50	1.50	-	37.74	17.52	52.02
AV	20.58204G	42.52	63.54	-21.02	39.30	1	Horizontal	50	1.50	-	37.73	17.51	52.02

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0462G	106.98	Inf	-Inf	98.01	3	Vertical	279	1.78	-	35.60	8.39	35.02
RMS	7.013G	96.25	Inf	-Inf	87.33	3	Vertical	279	1.78	-	35.60	8.33	35.01
PK	7.131G	64.16	88.20	-24.04	54.70	3	Vertical	279	1.78	-	35.96	8.56	35.06
RMS	7.225G	52.54	68.20	-15.66	42.49	3	Vertical	279	1.78	-	36.45	8.70	35.10

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.029G	110.80	Inf	-Inf	101.85	3	Horizontal	276	1.71	-	35.60	8.36	35.01
RMS	7.0314G	99.93	Inf	-Inf	90.98	3	Horizontal	276	1.71	-	35.60	8.36	35.01
PK	7.1294G	67.43	88.20	-20.77	57.97	3	Horizontal	276	1.71	-	35.96	8.56	35.06
RMS	7.1282G	52.66	68.20	-15.54	43.20	3	Horizontal	276	1.71	-	35.96	8.56	35.06



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05303G	62.07	88.20	-26.13	48.42	3	Vertical	254	2.97	-	41.35	14.75	42.45
RMS	14.04987G	51.26	68.20	-16.94	37.61	3	Vertical	254	2.97	-	41.35	14.75	42.45

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04962G	64.58	88.20	-23.62	50.93	3	Horizontal	297	2.12	-	41.35	14.75	42.45
RMS	14.04993G	54.74	68.20	-13.46	41.09	3	Horizontal	297	2.12	-	41.35	14.75	42.45

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07491G	49.50	83.54	-34.04	45.63	1	Vertical	279	1.52	-	38.24	17.73	52.10
AV	21.07488G	38.41	63.54	-25.13	34.54	1	Vertical	279	1.52	-	38.24	17.73	52.10

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06519G	52.56	83.54	-30.98	48.69	1	Horizontal	36	1.49	-	38.25	17.72	52.10
AV	21.06282G	40.04	63.54	-23.50	36.17	1	Horizontal	36	1.49	-	38.25	17.72	52.10

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89002G	62.57	88.20	-25.63	49.61	3	Vertical	246.6	1.62	-	40.88	14.61	42.53
RMS	13.88992G	50.97	68.20	-17.23	38.01	3	Vertical	246.6	1.62	-	40.88	14.61	42.53

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88972G	63.71	88.20	-24.49	50.75	3	Horizontal	291	1.31	-	40.88	14.61	42.53
RMS	13.88991G	55.10	68.20	-13.10	42.14	3	Horizontal	291	1.31	-	40.88	14.61	42.53

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82078G	55.74	83.54	-27.80	52.24	1	Vertical	109	1.45	-	37.94	17.62	52.06
AV	20.83464G	43.35	63.54	-20.19	39.83	1	Vertical	109	1.45	-	37.97	17.62	52.07

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82348G	55.00	83.54	-28.54	51.49	1	Horizontal	41	1.50	-	37.95	17.62	52.06
AV	20.82639G	40.86	63.54	-22.68	37.36	1	Horizontal	41	1.50	-	37.95	17.62	52.07



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT X\_4TX  
 Setting 25  
 03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8205G	79.92	88.20	-8.28	73.34	3	Vertical	57	1.57	-	34.30	7.21	34.93
RMS	5.829G	56.27	68.20	-11.93	49.69	3	Vertical	57	1.57	-	34.30	7.21	34.93
PK	6.033G	104.91	Inf	-Inf	97.76	3	Vertical	57	1.57	-	34.77	7.35	34.97
RMS	6.035G	95.08	Inf	-Inf	87.93	3	Vertical	57	1.57	-	34.77	7.35	34.97

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT X\_4TX  
 Setting 25  
 03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8955G	79.94	88.20	-8.26	73.16	3	Horizontal	47	1.58	-	34.48	7.25	34.95
RMS	5.821G	56.33	68.20	-11.87	49.75	3	Horizontal	47	1.58	-	34.30	7.21	34.93
PK	6.046G	110.80	Inf	-Inf	103.62	3	Horizontal	47	1.58	-	34.79	7.37	34.98
RMS	6.045G	99.22	Inf	-Inf	92.04	3	Horizontal	47	1.58	-	34.79	7.37	34.98

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04502G	57.79	74.00	-16.21	48.75	3	Vertical	360	1.65	-	39.11	13.14	43.21
AV	12.04972G	45.61	54.00	-8.39	36.58	3	Vertical	360	1.65	-	39.10	13.14	43.21

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05017G	58.04	74.00	-15.96	49.01	3	Horizontal	24	1.80	-	39.10	13.14	43.21
AV	12.04983G	48.39	54.00	-5.61	39.36	3	Horizontal	24	1.80	-	39.10	13.14	43.21

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07707G	51.85	83.54	-31.69	47.59	1	Vertical	87	1.50	-	37.50	16.47	49.71
AV	18.06582G	36.47	63.54	-27.07	32.19	1	Vertical	87	1.50	-	37.50	16.47	49.69

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06963G	47.82	83.54	-35.72	43.55	1	Horizontal	319	1.50	-	37.50	16.47	49.70
AV	18.07485G	37.96	63.54	-25.58	33.69	1	Horizontal	319	1.50	-	37.50	16.47	49.70

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37324G	57.53	74.00	-16.47	48.50	3	Vertical	254	2.62	-	38.80	13.40	43.17
AV	12.36998G	46.17	54.00	-7.83	37.14	3	Vertical	254	2.62	-	38.80	13.40	43.17

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX



EUT\_X\_4TX  
Setting 25  
03-J-P-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36991G	58.56	74.00	-15.44	49.53	3	Horizontal	44	1.61	-	38.80	13.40	43.17
AV	12.36989G	48.15	54.00	-5.85	39.12	3	Horizontal	44	1.61	-	38.80	13.40	43.17





5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




13/04/2023

EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55779G	57.58	83.54	-25.96	53.65	1	Vertical	130	1.52	-	37.62	16.67	50.36
AV	18.56709G	38.82	63.54	-24.72	34.89	1	Vertical	130	1.52	-	37.63	16.67	50.37

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56466G	58.25	83.54	-25.29	54.31	1	Horizontal	52	1.50	-	37.63	16.67	50.36
AV	18.567G	40.11	63.54	-23.43	36.18	1	Horizontal	52	1.50	-	37.63	16.67	50.37

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68512G	58.29	74.00	-15.71	48.63	3	Vertical	36	2.50	-	38.97	13.65	42.96
AV	12.69069G	46.74	54.00	-7.26	37.07	3	Vertical	36	2.50	-	38.98	13.65	42.96

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68974G	60.21	74.00	-13.79	50.54	3	Horizontal	28	1.96	-	38.98	13.65	42.96
AV	12.68982G	49.92	54.00	-4.08	40.25	3	Horizontal	28	1.96	-	38.98	13.65	42.96

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02402G	56.48	83.54	-27.06	52.94	1	Vertical	107	1.49	-	37.51	16.86	50.83
AV	19.03542G	39.92	63.54	-23.62	36.39	1	Vertical	107	1.49	-	37.51	16.86	50.84

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02378G	60.25	83.54	-23.29	56.71	1	Horizontal	141	1.50	-	37.51	16.86	50.83
AV	19.02159G	43.17	63.54	-20.37	39.63	1	Horizontal	141	1.50	-	37.51	16.86	50.83

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01268G	59.22	88.20	-28.98	48.43	3	Vertical	245	2.08	-	39.53	13.91	42.65
RMS	13.01322G	47.26	68.20	-20.94	36.47	3	Vertical	245	2.08	-	39.53	13.91	42.65

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00994G	60.86	88.20	-27.34	50.08	3	Horizontal	37	1.78	-	39.52	13.91	42.65
RMS	13.00988G	51.02	68.20	-17.18	40.24	3	Horizontal	37	1.78	-	39.52	13.91	42.65



6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52607G	50.85	83.54	-32.69	47.52	1	Vertical	71	1.50	-	37.69	17.07	51.43
AV	19.51182G	38.01	63.54	-25.53	34.66	1	Vertical	71	1.50	-	37.70	17.06	51.41

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51287G	50.50	83.54	-33.04	47.16	1	Horizontal	8	1.50	-	37.69	17.06	51.41
AV	19.51485G	40.24	63.54	-23.30	36.90	1	Horizontal	8	1.50	-	37.69	17.06	51.41

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32272G	59.39	74.00	-14.61	47.83	3	Vertical	310	2.81	-	40.12	14.16	42.72
AV	13.32064G	47.64	54.00	-6.36	36.08	3	Vertical	310	2.81	-	40.12	14.16	42.72

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33304G	59.57	74.00	-14.43	47.99	3	Horizontal	20	2.15	-	40.13	14.17	42.72
AV	13.32986G	48.48	54.00	-5.52	36.91	3	Horizontal	20	2.15	-	40.13	14.16	42.72

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99476G	61.55	83.54	-21.99	58.78	1	Vertical	111	1.50	-	37.40	17.26	51.89
AV	19.98165G	47.87	63.54	-15.67	45.09	1	Vertical	111	1.50	-	37.41	17.25	51.88

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99464G	54.98	83.54	-28.56	52.21	1	Horizontal	299	1.50	-	37.40	17.26	51.89
AV	19.98144G	41.77	63.54	-21.77	38.99	1	Horizontal	299	1.50	-	37.41	17.25	51.88

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65015G	60.72	88.20	-27.48	48.47	3	Vertical	53	1.80	-	40.50	14.42	42.67
RMS	13.64983G	49.67	68.20	-18.53	37.42	3	Vertical	53	1.80	-	40.50	14.42	42.67

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64972G	62.36	88.20	-25.84	50.11	3	Horizontal	283	1.86	-	40.50	14.42	42.67
RMS	13.64988G	54.71	68.20	-13.49	42.46	3	Horizontal	283	1.86	-	40.50	14.42	42.67



6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48391G	60.44	83.54	-23.10	57.28	1	Vertical	106	1.45	-	37.69	17.47	52.00
AV	20.48868G	46.15	63.54	-17.39	42.98	1	Vertical	106	1.45	-	37.70	17.47	52.00

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48844G	57.56	83.54	-25.98	54.39	1	Horizontal	135	1.50	-	37.70	17.47	52.00
AV	20.47392G	44.51	63.54	-19.03	41.34	1	Horizontal	135	1.50	-	37.69	17.47	51.99

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT X\_4TX  
Setting 25  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9765G	107.58	Inf	-Inf	98.68	3	Vertical	282	1.88	-	35.65	8.25	35.00
RMS	6.976G	96.53	Inf	-Inf	87.63	3	Vertical	282	1.88	-	35.65	8.25	35.00
PK	7.1305G	81.68	88.20	-6.52	72.22	3	Vertical	282	1.88	-	35.96	8.56	35.06
RMS	7.128G	56.76	68.20	-11.44	47.30	3	Vertical	282	1.88	-	35.96	8.56	35.06

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT X\_4TX  
Setting 25  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9085G	113.43	Inf	-Inf	104.70	3	Horizontal	275	1.49	-	35.62	8.12	35.01
RMS	6.909G	101.70	Inf	-Inf	92.97	3	Horizontal	275	1.49	-	35.62	8.12	35.01
PK	7.131G	84.82	88.20	-3.38	75.36	3	Horizontal	275	1.49	-	35.96	8.56	35.06
RMS	7.132G	61.09	68.20	-7.11	51.63	3	Horizontal	275	1.49	-	35.96	8.56	35.06

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97019G	62.15	88.20	-26.05	48.77	3	Vertical	298	1.80	-	41.18	14.68	42.48
RMS	13.96987G	51.44	68.20	-16.76	38.06	3	Vertical	298	1.80	-	41.18	14.68	42.48

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97017G	62.99	88.20	-25.21	49.61	3	Horizontal	290	1.32	-	41.18	14.68	42.48
RMS	13.96992G	55.25	68.20	-12.95	41.87	3	Horizontal	290	1.32	-	41.18	14.68	42.48

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94753G	51.40	83.54	-32.14	47.62	1	Vertical	109	1.47	-	38.20	17.67	52.09
AV	20.94228G	39.31	63.54	-24.23	35.55	1	Vertical	109	1.47	-	38.18	17.67	52.09

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94579G	49.46	83.54	-34.08	45.69	1	Horizontal	44	1.58	-	38.19	17.67	52.09
AV	20.95482G	40.32	63.54	-23.22	36.52	1	Horizontal	44	1.58	-	38.21	17.68	52.09



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
Setting 25  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.819G	81.02	88.20	-7.18	74.44	3	Vertical	55	1.80	-	34.30	7.21	34.93
RMS	5.819G	55.07	68.20	-13.13	48.49	3	Vertical	55	1.80	-	34.30	7.21	34.93
PK	6.035G	103.58	Inf	-Inf	96.43	3	Vertical	55	1.80	-	34.77	7.35	34.97
RMS	6.033G	93.48	Inf	-Inf	86.33	3	Vertical	55	1.80	-	34.77	7.35	34.97

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
 Setting 25  
 03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	74.22	88.20	-13.98	67.38	3	Horizontal	47	1.55	-	34.53	7.26	34.95
RMS	5.819G	57.38	68.20	-10.82	50.80	3	Horizontal	47	1.55	-	34.30	7.21	34.93
PK	6.049G	108.47	Inf	-Inf	101.28	3	Horizontal	47	1.55	-	34.80	7.37	34.98
RMS	6.051G	97.01	Inf	-Inf	89.81	3	Horizontal	47	1.55	-	34.80	7.38	34.98

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2066G	57.56	74.00	-16.44	48.59	3	Vertical	132	1.77	-	38.89	13.27	43.19
AV	12.20982G	46.67	54.00	-7.33	37.70	3	Vertical	132	1.77	-	38.89	13.27	43.19

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20754G	58.42	74.00	-15.58	49.45	3	Horizontal	32	1.95	-	38.89	13.27	43.19
AV	12.20996G	47.99	54.00	-6.01	39.02	3	Horizontal	32	1.95	-	38.89	13.27	43.19

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32085G	47.29	83.54	-36.25	43.24	1	Vertical	248	1.53	-	37.53	16.57	50.05
AV	18.31464G	38.71	63.54	-24.83	34.65	1	Vertical	248	1.53	-	37.53	16.57	50.04

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31761G	48.38	83.54	-35.16	44.32	1	Horizontal	317	1.49	-	37.53	16.57	50.04
AV	18.31485G	38.26	63.54	-25.28	34.20	1	Horizontal	317	1.49	-	37.53	16.57	50.04

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53032G	58.46	74.00	-15.54	49.26	3	Vertical	343	2.16	-	38.80	13.52	43.12
AV	12.52984G	46.92	54.00	-7.08	37.72	3	Vertical	343	2.16	-	38.80	13.52	43.12

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52981G	59.63	74.00	-14.37	50.43	3	Horizontal	24	2.20	-	38.80	13.52	43.12
AV	12.52983G	49.18	54.00	-4.82	39.98	3	Horizontal	24	2.20	-	38.80	13.52	43.12



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.80373G	52.70	83.54	-30.84	48.87	1	Vertical	126	1.50	-	37.66	16.77	50.60
AV	18.78006G	36.85	63.54	-26.69	32.99	1	Vertical	126	1.50	-	37.68	16.76	50.58

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.80094G	50.37	83.54	-33.17	46.54	1	Horizontal	312	1.50	-	37.66	16.77	50.60
AV	18.79479G	39.82	63.54	-23.72	35.98	1	Horizontal	312	1.50	-	37.66	16.77	50.59

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85046G	58.99	88.20	-29.21	48.81	3	Vertical	46	1.06	-	39.20	13.78	42.80
RMS	12.84984G	47.30	68.20	-20.90	37.12	3	Vertical	46	1.06	-	39.20	13.78	42.80

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84976G	60.41	88.20	-27.79	50.23	3	Horizontal	34	1.93	-	39.20	13.78	42.80
RMS	12.84979G	50.29	68.20	-17.91	40.11	3	Horizontal	34	1.93	-	39.20	13.78	42.80

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.28451G	55.30	83.54	-28.24	51.86	1	Vertical	39	1.49	-	37.61	16.97	51.14
AV	19.26966G	38.38	63.54	-25.16	34.93	1	Vertical	39	1.49	-	37.61	16.96	51.12

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.28496G	51.17	83.54	-32.37	47.73	1	Horizontal	313	1.50	-	37.61	16.97	51.14
AV	19.27473G	39.82	63.54	-23.72	36.38	1	Horizontal	313	1.50	-	37.61	16.96	51.13

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16979G	60.87	88.20	-27.33	49.75	3	Vertical	271	2.01	-	39.77	14.04	42.69
RMS	13.16987G	49.93	68.20	-18.27	38.81	3	Vertical	271	2.01	-	39.77	14.04	42.69

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17G	62.06	88.20	-26.14	50.94	3	Horizontal	286	2.16	-	39.77	14.04	42.69
RMS	13.16985G	53.99	68.20	-14.21	42.87	3	Horizontal	286	2.16	-	39.77	14.04	42.69



6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75422G	56.40	83.54	-27.14	53.29	1	Vertical	111	1.50	-	37.60	17.16	51.65
AV	19.76901G	40.73	63.54	-22.81	37.65	1	Vertical	111	1.50	-	37.58	17.17	51.67

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.76967G	51.76	83.54	-31.78	48.68	1	Horizontal	360	1.45	-	37.58	17.17	51.67
AV	19.75494G	41.08	63.54	-22.46	37.97	1	Horizontal	360	1.45	-	37.60	17.16	51.65

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4947G	60.83	88.20	-27.37	48.81	3	Vertical	131	1.80	-	40.48	14.30	42.76
RMS	13.48994G	49.26	68.20	-18.94	37.26	3	Vertical	131	1.80	-	40.47	14.29	42.76

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48979G	62.55	88.20	-25.65	50.55	3	Horizontal	285	2.16	-	40.47	14.29	42.76
RMS	13.48986G	55.14	68.20	-13.06	43.14	3	Horizontal	285	2.16	-	40.47	14.29	42.76

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.24937G	68.56	83.54	-14.98	65.54	1	Vertical	99	1.45	-	37.60	17.37	51.95
AV	20.23869G	49.69	63.54	-13.85	46.69	1	Vertical	99	1.45	-	37.59	17.36	51.95

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.24991G	63.53	83.54	-20.01	60.51	1	Horizontal	75	1.49	-	37.60	17.37	51.95
AV	20.24682G	48.01	63.54	-15.53	44.99	1	Horizontal	75	1.49	-	37.60	17.37	51.95

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
Setting 24  
03-P-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.88936G	104.78	Inf	-Inf	96.11	3	Vertical	133	1.61	-	35.60	8.08	35.01
AV	6.98796G	94.51	Inf	-Inf	85.61	3	Vertical	133	1.61	-	35.62	8.28	35.00
PK	7.2042G	79.98	88.20	-8.22	70.04	3	Vertical	133	1.61	-	36.33	8.70	35.09
AV	7.18652G	57.05	68.20	-11.15	47.25	3	Vertical	133	1.61	-	36.22	8.67	35.09

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
Setting 24  
03-P-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.76356G	106.96	Inf	-Inf	98.58	3	Horizontal	72	1.76	-	35.53	7.86	35.01
AV	6.76356G	95.79	Inf	-Inf	87.41	3	Horizontal	72	1.76	-	35.53	7.86	35.01
PK	7.12872G	77.73	88.20	-10.47	68.27	3	Horizontal	72	1.76	-	35.96	8.56	35.06
AV	7.13348G	54.65	68.20	-13.55	45.17	3	Horizontal	72	1.76	-	35.97	8.57	35.06



6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
Setting 24  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80998G	61.93	88.20	-26.27	49.23	3	Vertical	81	1.45	-	40.72	14.55	42.57
RMS	13.80996G	51.51	68.20	-16.69	38.81	3	Vertical	81	1.45	-	40.72	14.55	42.57

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
Setting 24  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81007G	63.12	88.20	-25.08	50.42	3	Horizontal	281	1.00	-	40.72	14.55	42.57
RMS	13.8099G	54.98	68.20	-13.22	42.28	3	Horizontal	281	1.00	-	40.72	14.55	42.57

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.72001G	52.83	83.54	-30.71	49.51	1	Vertical	226	1.49	-	37.79	17.57	52.04
AV	20.71998G	49.41	63.54	-14.13	46.09	1	Vertical	226	1.49	-	37.79	17.57	52.04

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX



EUT X\_4TX  
Setting 25  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.72004G	56.61	83.54	-26.93	53.29	1	Horizontal	334	1.50	-	37.79	17.57	52.04
AV	20.71998G	54.31	63.54	-9.23	50.99	1	Horizontal	334	1.50	-	37.79	17.57	52.04



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.960035G	-11.13	5.925G	-59.83	-46.79	-13.04	1
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.15469G	-8.87	6.105G	-58.33	-45.66	-12.67	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.17281G	-6.14	6.09916G	-36.54	-26.18	-10.36	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.25021G	-1.49	5.945G	-48.86	-38.59	-10.27	3
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.40694G	2.37	6.7402G	-42.34	-35.24	-7.10	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.507448G	-11.31	6.485G	-60.54	-46.85	-13.69	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.51949G	-8.97	6.465G	-57.99	-45.67	-12.32	2
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.43335G	-5.61	6.5106G	-36.44	-25.65	-10.79	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.54912G	0.83	6.745G	-47.20	-36.27	-10.93	3
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.65405G	2.19	7.00932G	-37.51	-31.52	-5.99	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.863152G	-10.57	6.825G	-59.60	-46.32	-13.28	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.6669G	-8.79	6.74476G	-57.20	-45.58	-11.62	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.85061G	-4.86	6.90988G	-33.40	-24.90	-8.50	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.67843G	0.21	6.905G	-46.99	-36.85	-10.14	3
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	7.0009G	2.05	6.42692G	-40.70	-35.81	-4.89	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	7.108526G	-10.92	7.10216G	-45.28	-30.96	-14.32	4
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.92224G	-7.08	6.985G	-56.32	-43.96	-12.36	3
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	7.01589G	-3.74	6.97916G	-33.64	-23.74	-9.90	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	7.02144G	0.07	6.745G	-47.31	-36.94	-10.37	3



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.960035G	-11.13	5.925G	-59.83	-46.79	-13.04	1
5955MHz	Pass	5.962313G	-10.66	5.92506G	-59.91	-46.22	-13.69	2
5955MHz	Pass	5.962013G	-10.49	5.925G	-59.48	-45.22	-14.26	3
5955MHz	Pass	5.947987G	-10.90	5.92512G	-59.78	-45.12	-14.66	4
6175MHz	Pass	6.178776G	-11.60	6.145G	-60.81	-46.97	-13.84	1
6175MHz	Pass	6.168706G	-11.54	6.145G	-60.86	-46.27	-14.59	2
6175MHz	Pass	6.166608G	-11.25	6.20494G	-60.70	-45.38	-15.32	3
6175MHz	Pass	6.165829G	-11.31	6.20494G	-60.92	-45.71	-15.21	4
6415MHz	Pass	6.417937G	-9.11	6.4027G	-44.07	-29.11	-14.96	1
6415MHz	Pass	6.406548G	-9.69	6.385G	-60.08	-45.56	-14.52	2
6415MHz	Pass	6.418716G	-9.32	6.38506G	-59.92	-44.27	-15.65	3
6415MHz	Pass	6.423092G	-9.71	6.38506G	-60.35	-45.43	-14.92	4
6435MHz	Pass	6.443631G	-8.75	6.42252G	-44.41	-28.78	-15.63	1
6435MHz	Pass	6.426069G	-9.37	6.42264G	-43.40	-28.27	-15.13	2
6435MHz	Pass	6.443991G	-8.91	6.46494G	-59.86	-43.27	-16.59	3
6435MHz	Pass	6.442972G	-9.29	6.465G	-60.15	-43.75	-16.40	4
6475MHz	Pass	6.482373G	-9.70	6.445G	-60.21	-45.32	-14.89	1
6475MHz	Pass	6.467567G	-10.33	6.445G	-60.38	-46.16	-14.22	2
6475MHz	Pass	6.468586G	-9.83	6.44518G	-59.71	-44.10	-15.61	3
6475MHz	Pass	6.466489G	-10.38	6.445G	-60.06	-45.07	-14.99	4
6515MHz	Pass	6.522493G	-10.67	6.485G	-60.60	-46.12	-14.48	1
6515MHz	Pass	6.507448G	-11.31	6.485G	-60.54	-46.85	-13.69	2
6515MHz	Pass	6.523452G	-10.60	6.48512G	-60.07	-44.78	-15.29	3
6515MHz	Pass	6.522972G	-11.37	6.485G	-60.30	-46.18	-14.12	4
6535MHz	Pass	6.542433G	-10.50	6.505G	-60.31	-46.04	-14.27	1
6535MHz	Pass	6.528706G	-10.95	6.505G	-60.00	-45.76	-14.24	2
6535MHz	Pass	6.543691G	-10.53	6.50512G	-60.00	-44.83	-15.17	3
6535MHz	Pass	6.543032G	-10.92	6.50506G	-59.93	-45.47	-14.46	4
6695MHz	Pass	6.686728G	-9.64	6.72488G	-59.84	-44.68	-15.16	1
6695MHz	Pass	6.685889G	-10.09	6.725G	-59.60	-45.14	-14.46	2
6695MHz	Pass	6.688467G	-9.85	6.72494G	-59.51	-44.84	-14.67	3
6695MHz	Pass	6.688107G	-9.82	6.725G	-59.56	-44.35	-15.21	4
6855MHz	Pass	6.847927G	-10.31	6.82506G	-59.63	-45.14	-14.49	1
6855MHz	Pass	6.863152G	-10.57	6.825G	-59.60	-46.32	-13.28	2
6855MHz	Pass	6.847088G	-10.14	6.88488G	-59.17	-44.44	-14.73	3
6855MHz	Pass	6.863511G	-10.38	6.885G	-59.42	-45.03	-14.39	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.883631G	-9.71	6.905G	-59.50	-44.68	-14.82	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.866009G	-10.02	6.84518G	-59.09	-45.53	-13.56	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.870924G	-9.59	6.84518G	-58.93	-44.82	-14.11	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.883631G	-9.70	6.90488G	-59.06	-44.39	-14.67	4
6895MHz	Pass	6.903991G	-9.20	6.92488G	-58.93	-44.57	-14.36	1
6895MHz	Pass	6.902852G	-9.34	6.86518G	-58.88	-44.52	-14.36	2
6895MHz	Pass	6.890145G	-9.16	6.865G	-58.90	-43.62	-15.28	3
6895MHz	Pass	6.903571G	-8.68	6.86512G	-58.88	-42.75	-16.13	4
6995MHz	Pass	7.002373G	-8.28	6.96512G	-58.83	-43.61	-15.22	1
6995MHz	Pass	7.002493G	-8.64	6.96506G	-58.91	-43.31	-15.60	2
6995MHz	Pass	7.002373G	-8.94	6.96506G	-58.64	-44.01	-14.63	3
6995MHz	Pass	7.003871G	-8.29	6.965G	-58.98	-44.16	-14.82	4
7095MHz	Pass	7.089905G	-9.24	7.10754G	-44.80	-29.27	-15.53	1
7095MHz	Pass	7.086129G	-10.12	7.0827G	-44.85	-30.16	-14.69	2
7095MHz	Pass	7.089366G	-9.94	7.065G	-61.45	-44.51	-16.94	3
7095MHz	Pass	7.086009G	-9.50	7.08234G	-45.53	-29.56	-15.97	4
7115MHz Straddle 6.875-7.125GHz	Pass	7.109965G	-10.97	7.08512G	-61.96	-46.14	-15.82	1
7115MHz Straddle 6.875-7.125GHz	Pass	7.106069G	-11.04	7.085G	-61.90	-46.17	-15.73	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7115MHz Straddle 6.875-7.125GHz	Pass	7.111883G	-10.62	7.08506G	-61.59	-45.25	-16.34	3
7115MHz Straddle 6.875-7.125GHz	Pass	7.108526G	-10.92	7.10216G	-45.28	-30.96	-14.32	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.98034G	-7.93	5.90524G	-57.40	-44.54	-12.86	1
5965MHz	Pass	5.98154G	-8.10	5.905G	-57.11	-44.27	-12.84	2
5965MHz	Pass	5.94666G	-7.63	5.905G	-57.08	-44.28	-12.80	3
5965MHz	Pass	5.97267G	-8.01	5.90512G	-57.61	-44.69	-12.92	4
6165MHz	Pass	6.16896G	-8.41	6.22488G	-58.39	-44.47	-13.92	1
6165MHz	Pass	6.18226G	-9.11	6.225G	-58.06	-44.56	-13.50	2
6165MHz	Pass	6.14786G	-8.56	6.22488G	-58.17	-45.06	-13.11	3
6165MHz	Pass	6.15469G	-8.87	6.105G	-58.33	-45.66	-12.67	4
6405MHz	Pass	6.42334G	-7.49	6.465G	-57.95	-43.49	-14.46	1
6405MHz	Pass	6.41627G	-8.08	6.46488G	-57.73	-44.76	-12.97	2
6405MHz	Pass	6.408G	-7.67	6.465G	-57.91	-43.50	-14.41	3
6405MHz	Pass	6.41351G	-8.48	6.465G	-58.20	-45.49	-12.71	4
6445MHz	Pass	6.45111G	-7.50	6.385G	-58.31	-44.02	-14.29	1
6445MHz	Pass	6.43865G	-8.50	6.38512G	-58.22	-45.49	-12.73	2
6445MHz	Pass	6.4613G	-7.58	6.505G	-57.97	-44.06	-13.91	3
6445MHz	Pass	6.45411G	-8.38	6.385G	-57.99	-45.26	-12.73	4
6485MHz	Pass	6.48836G	-7.30	6.42512G	-58.03	-43.15	-14.88	1
6485MHz	Pass	6.50226G	-8.56	6.42512G	-58.01	-45.10	-12.91	2
6485MHz	Pass	6.46702G	-7.57	6.425G	-57.83	-44.13	-13.70	3
6485MHz	Pass	6.49435G	-8.49	6.425G	-57.96	-45.28	-12.68	4
6525MHz Straddle 6.425-6.525GHz	Pass	6.53003G	-7.63	6.465G	-57.87	-44.15	-13.72	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.51949G	-8.97	6.465G	-57.99	-45.67	-12.32	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.50666G	-8.16	6.465G	-57.81	-44.51	-13.30	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.53423G	-8.99	6.465G	-58.01	-45.42	-12.59	4
6565MHz	Pass	6.55397G	-7.40	6.50524G	-57.88	-43.83	-14.05	1
6565MHz	Pass	6.55613G	-8.66	6.625G	-57.69	-45.09	-12.60	2
6565MHz	Pass	6.56872G	-7.94	6.50524G	-57.56	-44.20	-13.36	3
6565MHz	Pass	6.57375G	-8.43	6.50536G	-57.69	-45.02	-12.67	4
6685MHz	Pass	6.69759G	-7.71	6.74488G	-57.50	-44.48	-13.02	1
6685MHz	Pass	6.67121G	-8.71	6.74452G	-57.10	-45.37	-11.73	2
6685MHz	Pass	6.67829G	-8.12	6.74488G	-57.11	-44.66	-12.45	3
6685MHz	Pass	6.6669G	-8.79	6.74476G	-57.20	-45.58	-11.62	4
6845MHz	Pass	6.86298G	-8.49	6.905G	-57.27	-44.84	-12.43	1
6845MHz	Pass	6.82882G	-8.74	6.90488G	-57.21	-44.89	-12.32	2
6845MHz	Pass	6.8426G	-8.59	6.905G	-57.12	-45.42	-11.70	3
6845MHz	Pass	6.85339G	-8.91	6.78512G	-57.25	-44.89	-12.36	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.90142G	-7.33	6.82512G	-57.05	-43.96	-13.09	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.86978G	-7.85	6.945G	-56.61	-43.94	-12.67	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.88224G	-7.43	6.94476G	-56.71	-44.00	-12.71	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.89375G	-7.88	6.945G	-56.95	-44.44	-12.51	4
6925MHz	Pass	6.90654G	-7.14	6.985G	-56.66	-43.75	-12.91	1
6925MHz	Pass	6.91157G	-7.75	6.985G	-56.76	-44.27	-12.49	2
6925MHz	Pass	6.92224G	-7.08	6.985G	-56.32	-43.96	-12.36	3
6925MHz	Pass	6.91205G	-7.52	6.98476G	-56.64	-43.82	-12.82	4
7005MHz	Pass	7.0219G	-5.38	7.02816G	-39.82	-25.42	-14.40	1
7005MHz	Pass	7.00896G	-5.69	6.98196G	-39.68	-25.71	-13.97	2
7005MHz	Pass	7.00236G	-5.13	6.98208G	-38.72	-25.14	-13.58	3
7005MHz	Pass	7.0002G	-5.92	6.945G	-56.92	-42.57	-14.35	4
7085MHz	Pass	7.06846G	-6.40	7.06172G	-40.14	-26.45	-13.69	1
7085MHz	Pass	7.07145G	-7.04	7.06172G	-41.06	-27.07	-13.99	2
7085MHz	Pass	7.10298G	-6.29	7.10804G	-39.37	-26.09	-13.28	3
7085MHz	Pass	7.07193G	-6.58	7.06184G	-40.63	-26.59	-14.04	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-



Mask Non-beamforming mode



Appendix E.4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	6.0212G	-5.54	6.03108G	-36.52	-25.55	-10.97	1
5985MHz	Pass	6.01425G	-5.46	6.0318G	-37.56	-25.49	-12.07	2
5985MHz	Pass	6.02264G	-5.38	5.93868G	-36.64	-25.41	-11.23	3
5985MHz	Pass	5.99627G	-6.05	5.9394G	-36.50	-26.09	-10.41	4
6145MHz	Pass	6.1414G	-5.72	6.09844G	-37.02	-25.73	-11.29	1
6145MHz	Pass	6.17281G	-6.14	6.09916G	-36.54	-26.18	-10.36	2
6145MHz	Pass	6.13877G	-5.49	6.0982G	-36.49	-25.55	-10.94	3
6145MHz	Pass	6.11791G	-5.89	6.09844G	-36.61	-25.92	-10.69	4
6385MHz	Pass	6.40994G	-4.76	6.43252G	-37.85	-24.82	-13.03	1
6385MHz	Pass	6.39603G	-5.81	6.43084G	-36.42	-25.85	-10.57	2
6385MHz	Pass	6.39771G	-4.94	6.43108G	-36.04	-24.94	-11.10	3
6385MHz	Pass	6.35503G	-5.71	6.33724G	-38.64	-25.76	-12.88	4
6465MHz	Pass	6.48706G	-4.80	6.51156G	-36.28	-24.88	-11.40	1
6465MHz	Pass	6.43335G	-5.61	6.5106G	-36.44	-25.65	-10.79	2
6465MHz	Pass	6.45397G	-5.32	6.51108G	-36.59	-25.33	-11.26	3
6465MHz	Pass	6.43647G	-5.57	6.5118G	-38.09	-25.57	-12.52	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.56898G	-4.44	6.59156G	-36.73	-24.45	-12.28	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.53805G	-6.04	6.49844G	-38.33	-26.08	-12.25	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.55795G	-5.16	6.59084G	-36.11	-25.16	-10.95	3
6545MHz Straddle 6.425-6.525GHz	Pass	6.5299G	-6.18	6.49868G	-37.78	-25.38	-12.40	4
6625MHz	Pass	6.65761G	-4.20	6.6706G	-34.43	-24.20	-10.23	1
6625MHz	Pass	6.59527G	-5.25	6.57916G	-35.50	-25.26	-10.24	2
6625MHz	Pass	6.6624G	-4.84	6.5782G	-36.86	-24.88	-11.98	3
6625MHz	Pass	6.63195G	-5.23	6.57892G	-35.95	-25.24	-10.71	4
6705MHz	Pass	6.7424G	-3.55	6.65796G	-36.17	-23.59	-12.58	1
6705MHz	Pass	6.68846G	-4.79	6.65916G	-35.20	-24.79	-10.41	2
6705MHz	Pass	6.73713G	-4.20	6.65844G	-35.39	-24.27	-11.12	3
6705MHz	Pass	6.69733G	-4.52	6.65916G	-35.25	-24.53	-10.72	4
6785MHz	Pass	6.77949G	-3.36	6.73892G	-34.56	-23.36	-11.20	1
6785MHz	Pass	6.75047G	-4.70	6.73868G	-35.39	-24.78	-10.61	2
6785MHz	Pass	6.77877G	-3.58	6.73844G	-35.04	-23.65	-11.39	3
6785MHz	Pass	6.75G	-4.25	6.73868G	-35.88	-24.26	-11.62	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.8662G	-4.11	6.81868G	-35.25	-24.12	-11.13	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.85061G	-4.86	6.90988G	-33.40	-24.90	-8.50	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.84222G	-4.26	6.81868G	-35.02	-24.29	-10.73	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.89857G	-4.81	6.91084G	-35.57	-24.81	-10.76	4
6945MHz	Pass	6.9426G	-4.33	6.99156G	-36.61	-24.34	-12.27	1
6945MHz	Pass	6.92846G	-5.36	6.89964G	-35.29	-25.36	-9.93	2
6945MHz	Pass	6.91983G	-4.29	6.89868G	-35.57	-24.33	-11.24	3
6945MHz	Pass	6.90736G	-4.89	6.8982G	-35.90	-24.99	-10.91	4
7025MHz	Pass	7.00534G	-2.81	6.97892G	-34.28	-22.85	-11.43	1
7025MHz	Pass	7.01589G	-3.74	6.97916G	-33.64	-23.74	-9.90	2
7025MHz	Pass	7.01421G	-3.34	6.97868G	-34.74	-23.37	-11.37	3
7025MHz	Pass	7.01229G	-3.37	6.98012G	-33.68	-23.41	-10.27	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0087G	-0.54	6.265G	-49.80	-37.02	-12.78	1
6025MHz	Pass	6.0485G	-0.73	6.265G	-49.70	-37.97	-11.73	2
6025MHz	Pass	6.03939G	-0.96	6.265G	-49.21	-38.06	-11.15	3
6025MHz	Pass	6.01541G	-1.15	6.265G	-50.46	-38.39	-12.07	4
6185MHz	Pass	6.2483G	-0.49	5.945G	-49.35	-36.84	-12.51	1
6185MHz	Pass	6.23247G	-1.37	5.945G	-49.36	-38.61	-10.75	2
6185MHz	Pass	6.25021G	-1.49	5.945G	-48.86	-38.59	-10.27	3
6185MHz	Pass	6.11691G	-0.91	5.945G	-48.70	-37.88	-10.82	4
6345MHz	Pass	6.40878G	-0.33	6.58452G	-49.78	-37.10	-12.68	1
6345MHz	Pass	6.31623G	-1.27	6.585G	-50.20	-38.28	-11.92	2
6345MHz	Pass	6.38912G	-1.19	6.585G	-49.22	-37.89	-11.33	3







Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.29465G	-1.16	6.10596G	-49.21	-38.18	-11.03	4
6505MHz Straddle 6.425-6.525GHz	Pass	6.53137G	1.09	6.745G	-47.92	-35.56	-12.36	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.43643G	-0.20	6.745G	-49.14	-37.40	-11.74	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.54912G	0.83	6.745G	-47.20	-36.27	-10.93	3
6505MHz Straddle 6.425-6.525GHz	Pass	6.55535G	0.07	6.745G	-48.40	-37.03	-11.37	4
6665MHz	Pass	6.65061G	0.91	6.90452G	-46.86	-35.99	-10.87	1
6665MHz	Pass	6.59931G	-0.18	6.905G	-48.09	-37.24	-10.85	2
6665MHz	Pass	6.67843G	0.21	6.905G	-46.99	-36.85	-10.14	3
6665MHz	Pass	6.67555G	-0.05	6.90452G	-47.62	-37.00	-10.62	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.79239G	0.49	6.585G	-49.09	-36.52	-12.57	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.75355G	-0.59	6.58548G	-49.12	-37.45	-11.67	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.76602G	0.53	6.585G	-48.79	-36.85	-11.94	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.77081G	-0.16	6.585G	-48.77	-37.04	-11.73	4
6985MHz	Pass	7.00418G	0.66	6.745G	-48.03	-36.04	-11.99	1
6985MHz	Pass	7.01089G	-0.07	6.745G	-48.53	-37.17	-11.36	2
6985MHz	Pass	7.02144G	0.07	6.745G	-47.31	-36.94	-10.37	3
6985MHz	Pass	7.00226G	-0.04	6.745G	-47.85	-37.47	-10.38	4
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.24502G	1.67	6.58404G	-43.77	-35.69	-8.08	1
6105MHz	Pass	6.23543G	1.13	6.585G	-45.06	-36.72	-8.34	2
6105MHz	Pass	6.04458G	0.65	6.585G	-45.51	-37.20	-8.31	3
6105MHz	Pass	6.01485G	1.60	6.585G	-46.13	-36.39	-9.74	4
6265MHz	Pass	6.40694G	2.37	6.7402G	-42.34	-35.24	-7.10	1
6265MHz	Pass	6.25445G	1.76	6.745G	-43.95	-36.38	-7.57	2
6265MHz	Pass	6.33405G	1.62	6.745G	-43.23	-36.04	-7.19	3
6265MHz	Pass	6.11635G	1.99	6.745G	-44.10	-35.58	-8.52	4
6425MHz	Pass	6.55255G	2.06	6.905G	-42.01	-35.70	-6.31	1
6425MHz	Pass	6.31471G	0.66	5.94788G	-43.94	-36.99	-6.95	2
6425MHz	Pass	6.4413G	0.60	6.90212G	-43.29	-36.91	-6.38	3
6425MHz	Pass	6.43363G	0.84	5.945G	-43.34	-36.77	-6.57	4
6585MHz	Pass	6.65405G	2.19	7.00932G	-37.51	-31.52	-5.99	1
6585MHz	Pass	6.47663G	0.84	6.105G	-44.20	-37.06	-7.14	2
6585MHz	Pass	6.67707G	0.36	7.00644G	-39.69	-32.91	-6.78	3
6585MHz	Pass	6.53513G	0.69	6.10596G	-43.50	-36.90	-6.60	4
6745MHz	Pass	6.78048G	3.61	6.26884G	-38.65	-33.18	-5.47	1
6745MHz	Pass	6.67499G	1.99	6.265G	-41.31	-35.77	-5.54	2
6745MHz	Pass	6.77857G	2.14	7.22212G	-41.22	-35.51	-5.71	3
6745MHz	Pass	6.75843G	2.90	6.28228G	-40.34	-33.50	-6.84	4
6905MHz	Pass	7.0009G	2.05	6.42692G	-40.70	-35.81	-4.89	1
6905MHz	Pass	7.00762G	1.24	6.425G	-42.51	-36.33	-6.18	2
6905MHz	Pass	6.77841G	1.05	6.425G	-43.14	-36.66	-6.48	3
6905MHz	Pass	7.01049G	1.28	6.425G	-42.65	-36.43	-6.22	4








6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX  
6535MHz\_TX

MASK

10/03/2023

CF Freq  
6.535GHz  
Span  
60MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.542433G	-10.50	6.505G	-60.31	-46.04	-14.27	1
6.528706G	-10.95	6.505G	-60.00	-45.76	-14.24	2
6.543691G	-10.53	6.50512G	-60.00	-44.83	-15.17	3
6.543032G	-10.92	6.50506G	-59.93	-45.47	-14.46	4

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX  
6695MHz\_TX

MASK

10/03/2023

CF Freq  
6.695GHz  
Span  
60MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.686728G	-9.64	6.72488G	-59.84	-44.68	-15.16	1
6.685889G	-10.09	6.725G	-59.60	-45.14	-14.46	2
6.688467G	-9.85	6.72494G	-59.51	-44.84	-14.67	3
6.688107G	-9.82	6.725G	-59.56	-44.35	-15.21	4