






6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX
6855MHz_TX

MASK

10/03/2023

CF Freq
6.855GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.847927G	-10.31	6.82506G	-59.63	-45.14	-14.49	1
6.863152G	-10.57	6.825G	-59.60	-46.32	-13.28	2
6.847088G	-10.14	6.88488G	-59.17	-44.44	-14.73	3
6.863511G	-10.38	6.885G	-59.42	-45.03	-14.39	4





6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX

MASK



10/03/2023



CF Freq
6.875GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.883631G	-9.71	6.905G	-59.50	-44.68	-14.82	1
6.866009G	-10.02	6.84518G	-59.09	-45.53	-13.56	2
6.870924G	-9.59	6.84518G	-58.93	-44.82	-14.11	3
6.883631G	-9.70	6.90488G	-59.06	-44.39	-14.67	4






5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX
5965MHz_TX

MASK

10/03/2023

CF Freq
5.965GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.98034G	-7.93	5.90524G	-57.40	-44.54	-12.86	1
5.98154G	-8.10	5.905G	-57.11	-44.27	-12.84	2
5.94666G	-7.63	5.905G	-57.08	-44.28	-12.80	3
5.97267G	-8.01	5.90512G	-57.61	-44.69	-12.92	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX
6165MHz_TX

MASK

10/03/2023

CF Freq
6.165GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16896G	-8.41	6.22488G	-58.39	-44.47	-13.92	1
6.18226G	-9.11	6.225G	-58.06	-44.56	-13.50	2
6.14786G	-8.56	6.22488G	-58.17	-45.06	-13.11	3
6.15469G	-8.87	6.105G	-58.33	-45.66	-12.67	4





5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX
6405MHz_TX

MASK

10/03/2023

CF Freq
6.405GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42334G	-7.49	6.465G	-57.95	-43.49	-14.46	1
6.41627G	-8.08	6.46488G	-57.73	-44.76	-12.97	2
6.408G	-7.67	6.465G	-57.91	-43.50	-14.41	3
6.41351G	-8.48	6.465G	-58.20	-45.49	-12.71	4





6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX
6445MHz_TX

MASK

10/03/2023

CF Freq
6.445GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45111G	-7.50	6.385G	-58.31	-44.02	-14.29	1
6.43865G	-8.50	6.38512G	-58.22	-45.49	-12.73	2
6.4613G	-7.58	6.505G	-57.97	-44.06	-13.91	3
6.45411G	-8.38	6.385G	-57.99	-45.26	-12.73	4





6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX
6485MHz_TX

MASK

10/03/2023

CF Freq
6.485GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48836G	-7.30	6.42512G	-58.03	-43.15	-14.88	1
6.50226G	-8.56	6.42512G	-58.01	-45.10	-12.91	2
6.46702G	-7.57	6.425G	-57.83	-44.13	-13.70	3
6.49435G	-8.49	6.425G	-57.96	-45.28	-12.68	4





6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX

MASK

10/03/2023

CF Freq
6.525GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53003G	-7.63	6.465G	-57.87	-44.15	-13.72	1
6.51949G	-8.97	6.465G	-57.99	-45.67	-12.32	2
6.50666G	-8.16	6.465G	-57.81	-44.51	-13.30	3
6.53423G	-8.99	6.465G	-58.01	-45.42	-12.59	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX
6565MHz_TX

MASK

10/03/2023

CF Freq
6.565GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55397G	-7.40	6.50524G	-57.88	-43.83	-14.05	1
6.55613G	-8.66	6.625G	-57.69	-45.09	-12.60	2
6.56872G	-7.94	6.50524G	-57.56	-44.20	-13.36	3
6.57375G	-8.43	6.50536G	-57.69	-45.02	-12.67	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX
6685MHz_TX

MASK

10/03/2023

CF Freq
6.685GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69759G	-7.71	6.74488G	-57.50	-44.48	-13.02	1
6.67121G	-8.71	6.74452G	-57.10	-45.37	-11.73	2
6.67829G	-8.12	6.74488G	-57.11	-44.66	-12.45	3
6.6669G	-8.79	6.74476G	-57.20	-45.58	-11.62	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX
6845MHz_TX

MASK

10/03/2023

CF Freq
6.845GHz


Span
120MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86298G	-8.49	6.905G	-57.27	-44.84	-12.43	1
6.82882G	-8.74	6.90488G	-57.21	-44.89	-12.32	2
6.8426G	-8.59	6.905G	-57.12	-45.42	-11.70	3
6.85339G	-8.91	6.78512G	-57.25	-44.89	-12.36	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX

MASK

10/03/2023

CF Freq
6.885GHz


Span
120MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90142G	-7.33	6.82512G	-57.05	-43.96	-13.09	1
6.86978G	-7.85	6.945G	-56.61	-43.94	-12.67	2
6.88224G	-7.43	6.94476G	-56.71	-44.00	-12.71	3
6.89375G	-7.88	6.945G	-56.95	-44.44	-12.51	4





6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX
6925MHz_TX

MASK

10/03/2023

CF Freq
6.925GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90654G	-7.14	6.985G	-56.66	-43.75	-12.91	1
6.91157G	-7.75	6.985G	-56.76	-44.27	-12.49	2
6.92224G	-7.08	6.985G	-56.32	-43.96	-12.36	3
6.91205G	-7.52	6.98476G	-56.64	-43.82	-12.82	4





6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX
7005MHz_TX

MASK

10/03/2023

CF Freq
7.005GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0219G	-5.38	7.02816G	-39.82	-25.42	-14.40	1
7.00896G	-5.69	6.98196G	-39.68	-25.71	-13.97	2
7.00236G	-5.13	6.98208G	-38.72	-25.14	-13.58	3
7.0002G	-5.92	6.945G	-56.92	-42.57	-14.35	4





6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX
7085MHz_TX

MASK

10/03/2023

CF Freq
7.085GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.06846G	-6.40	7.06172G	-40.14	-26.45	-13.69	1
7.07145G	-7.04	7.06172G	-41.06	-27.07	-13.99	2
7.10298G	-6.29	7.10804G	-39.37	-26.09	-13.28	3
7.07193G	-6.58	7.06184G	-40.63	-26.59	-14.04	4





5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX
5985MHz_TX

MASK



10/03/2023

CF Freq
5.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0212G	-5.54	6.03108G	-36.52	-25.55	-10.97	1
6.01425G	-5.46	6.0318G	-37.56	-25.49	-12.07	2
6.02264G	-5.38	5.93868G	-36.64	-25.41	-11.23	3
5.99627G	-6.05	5.9394G	-36.50	-26.09	-10.41	4




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX
6465MHz_TX

MASK

10/03/2023

CF Freq
6.465GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48706G	-4.80	6.51156G	-36.28	-24.88	-11.40	1
6.43335G	-5.61	6.5106G	-36.44	-25.65	-10.79	2
6.45397G	-5.32	6.51108G	-36.59	-25.33	-11.26	3
6.43647G	-5.57	6.5118G	-38.09	-25.57	-12.52	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX

MASK



10/03/2023

CF Freq
6.545GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56898G	-4.44	6.59156G	-36.73	-24.45	-12.28	1
6.53805G	-6.04	6.49844G	-38.33	-26.08	-12.25	2
6.55795G	-5.16	6.59084G	-36.11	-25.16	-10.95	3
6.5299G	-6.18	6.49868G	-37.78	-25.38	-12.40	4




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX
6785MHz_TX

MASK

10/03/2023

CF Freq
6.785GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77949G	-3.36	6.73892G	-34.56	-23.36	-11.20	1
6.75047G	-4.70	6.73868G	-35.39	-24.78	-10.61	2
6.77877G	-3.58	6.73844G	-35.04	-23.65	-11.39	3
6.75G	-4.25	6.73868G	-35.88	-24.26	-11.62	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX

MASK

10/03/2023

CF Freq
6.865GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8662G	-4.11	6.81868G	-35.25	-24.12	-11.13	1
6.85061G	-4.86	6.90988G	-33.40	-24.90	-8.50	2
6.84222G	-4.26	6.81868G	-35.02	-24.29	-10.73	3
6.89857G	-4.81	6.91084G	-35.57	-24.81	-10.76	4





6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX
6945MHz_TX

MASK

10/03/2023

CF Freq
6.945GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9426G	-4.33	6.99156G	-36.61	-24.34	-12.27	1
6.92846G	-5.36	6.89964G	-35.29	-25.36	-9.93	2
6.91983G	-4.29	6.89868G	-35.57	-24.33	-11.24	3
6.90736G	-4.89	6.8982G	-35.90	-24.99	-10.91	4





6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX
7025MHz_TX

MASK

10/03/2023

CF Freq
7.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00534G	-2.81	6.97892G	-34.28	-22.85	-11.43	1
7.01589G	-3.74	6.97916G	-33.64	-23.74	-9.90	2
7.01421G	-3.34	6.97868G	-34.74	-23.37	-11.37	3
7.01229G	-3.37	6.98012G	-33.68	-23.41	-10.27	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX
6025MHz_TX

MASK

10/03/2023

CF Freq
6.025GHz


Span
480MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0087G	-0.54	6.265G	-49.80	-37.02	-12.78	1
6.0485G	-0.73	6.265G	-49.70	-37.97	-11.73	2
6.03939G	-0.96	6.265G	-49.21	-38.06	-11.15	3
6.01541G	-1.15	6.265G	-50.46	-38.39	-12.07	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX
6185MHz_TX

MASK

10/03/2023

CF Freq
6.185GHz


Span
480MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS





Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2483G	-0.49	5.945G	-49.35	-36.84	-12.51	1
6.23247G	-1.37	5.945G	-49.36	-38.61	-10.75	2
6.25021G	-1.49	5.945G	-48.86	-38.59	-10.27	3
6.11691G	-0.91	5.945G	-48.70	-37.88	-10.82	4




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX
6665MHz_TX

MASK

10/03/2023

CF Freq
6.665GHz
Span
480MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.65061G	0.91	6.90452G	-46.86	-35.99	-10.87	1
6.59931G	-0.18	6.905G	-48.09	-37.24	-10.85	2
6.67843G	0.21	6.905G	-46.99	-36.85	-10.14	3
6.67555G	-0.05	6.90452G	-47.62	-37.00	-10.62	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX

MASK

10/03/2023

CF Freq
6.825GHz
Span
480MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79239G	0.49	6.585G	-49.09	-36.52	-12.57	1
6.75355G	-0.59	6.58548G	-49.12	-37.45	-11.67	2
6.76602G	0.53	6.585G	-48.79	-36.85	-11.94	3
6.77081G	-0.16	6.585G	-48.77	-37.04	-11.73	4





6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX
6985MHz_TX

MASK

10/03/2023

CF Freq
6.985GHz
Span
480MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00418G	0.66	6.745G	-48.03	-36.04	-11.99	1
7.01089G	-0.07	6.745G	-48.53	-37.17	-11.36	2
7.02144G	0.07	6.745G	-47.31	-36.94	-10.37	3
7.00226G	-0.04	6.745G	-47.85	-37.47	-10.38	4





5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX
6105MHz_TX

MASK

10/03/2023

CF Freq
6.105GHz
Span
960MHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24502G	1.67	6.58404G	-43.77	-35.69	-8.08	1
6.23543G	1.13	6.585G	-45.06	-36.72	-8.34	2
6.04458G	0.65	6.585G	-45.51	-37.20	-8.31	3
6.01485G	1.60	6.585G	-46.13	-36.39	-9.74	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX
6265MHz_TX

MASK

10/03/2023

CF Freq
6.265GHz
Span
960MHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40694G	2.37	6.7402G	-42.34	-35.24	-7.10	1
6.25445G	1.76	6.745G	-43.95	-36.38	-7.57	2
6.33405G	1.62	6.745G	-43.23	-36.04	-7.19	3
6.11635G	1.99	6.745G	-44.10	-35.58	-8.52	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX
6425MHz_TX

MASK

10/03/2023

CF Freq
6.425GHz
Span
960MHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55255G	2.06	6.905G	-42.01	-35.70	-6.31	1
6.31471G	0.66	5.94788G	-43.94	-36.99	-6.95	2
6.4413G	0.60	6.90212G	-43.29	-36.91	-6.38	3
6.43363G	0.84	5.945G	-43.34	-36.77	-6.57	4





6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX
6585MHz_TX

MASK

10/03/2023

CF Freq
6.585GHz
Span
960MHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.65405G	2.19	7.00932G	-37.51	-31.52	-5.99	1
6.47663G	0.84	6.105G	-44.20	-37.06	-7.14	2
6.67707G	0.36	7.00644G	-39.69	-32.91	-6.78	3
6.53513G	0.69	6.10596G	-43.50	-36.90	-6.60	4





6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX
6745MHz_TX

MASK

10/03/2023

CF Freq
6.745GHz
Span
960MHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.78048G	3.61	6.26884G	-38.65	-33.18	-5.47	1
6.67499G	1.99	6.265G	-41.31	-35.77	-5.54	2
6.77857G	2.14	7.22212G	-41.22	-35.51	-5.71	3
6.75843G	2.90	6.28228G	-40.34	-33.50	-6.84	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX
6905MHz_TX

MASK

10/03/2023

CF Freq
6.905GHz


Span
960MHz


RBW
5MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0009G	2.05	6.42692G	-40.70	-35.81	-4.89	1
7.00762G	1.24	6.425G	-42.51	-36.33	-6.18	2
6.77841G	1.05	6.425G	-43.14	-36.66	-6.48	3
7.01049G	1.28	6.425G	-42.65	-36.43	-6.22	4



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.16621G	-11.46	6.222G	-59.89	-51.46	-8.43	3
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.14982G	-8.79	6.2492G	-56.18	-48.79	-7.39	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.12142G	-5.18	6.2914G	-52.70	-45.18	-7.52	3
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	5.97785G	-1.20	6.425G	-49.08	-38.82	-10.26	2
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.2584G	1.14	6.9002G	-45.44	-38.86	-6.58	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.46811G	-13.03	6.5091G	-59.51	-53.03	-6.48	3
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.53219G	-10.22	6.4448G	-56.18	-50.22	-5.96	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.49897G	-6.22	6.3242G	-52.84	-46.22	-6.62	3
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.53217G	-0.44	6.9042G	-48.66	-34.35	-14.31	3
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.4602G	1.40	7.225G	-45.05	-33.29	-11.76	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.86861G	-13.50	6.9095G	-59.08	-53.50	-5.58	1
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.888G	-9.68	6.9844G	-54.99	-49.68	-5.31	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.80778G	-7.38	6.9842G	-52.12	-47.38	-4.74	1
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.89533G	-1.56	7.2242G	-49.51	-35.43	-14.08	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.8457G	0.45	7.4986G	-44.18	-32.58	-11.60	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	7.10801G	-14.80	7.1635G	-59.12	-54.80	-4.32	3
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	7.06802G	-8.12	7G	-54.70	-48.12	-6.58	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.98744G	-6.64	7.2242G	-52.00	-46.64	-5.36	3
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	7.01297G	-1.62	7.3842G	-48.58	-38.07	-10.51	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96369G	-7.24	5.9894G	-59.86	-47.24	-12.62	1
5955MHz	Pass	5.9587G	-11.22	5.9865G	-60.66	-51.22	-9.44	2
5955MHz	Pass	5.94751G	-10.47	6.0022G	-60.05	-50.47	-9.58	3
5955MHz	Pass	5.96249G	-10.08	5.9883G	-60.33	-50.08	-10.25	4
6175MHz	Pass	6.16741G	-9.44	6.2105G	-59.99	-49.44	-10.55	1
6175MHz	Pass	6.16861G	-11.51	6.2104G	-60.25	-51.51	-8.74	2
6175MHz	Pass	6.16621G	-11.46	6.222G	-59.89	-51.46	-8.43	3
6175MHz	Pass	6.16741G	-11.69	6.219G	-60.14	-51.69	-8.45	4
6415MHz	Pass	6.42249G	-10.11	6.4571G	-59.78	-50.11	-9.67	1
6415MHz	Pass	6.42239G	-9.58	6.4512G	-59.03	-49.58	-9.45	2
6415MHz	Pass	6.40591G	-10.48	6.4485G	-59.19	-50.48	-8.71	3
6415MHz	Pass	6.42249G	-10.59	6.4585G	-59.79	-50.59	-9.20	4
6435MHz	Pass	6.42621G	-11.39	6.4784G	-59.95	-51.39	-8.56	1
6435MHz	Pass	6.43G	-10.74	6.4681G	-59.80	-50.74	-9.06	2
6435MHz	Pass	6.44279G	-12.22	6.4842G	-59.45	-52.22	-7.23	3
6435MHz	Pass	6.4399G	-11.78	6.4691G	-59.67	-51.78	-7.89	4
6475MHz	Pass	6.46661G	-12.17	6.5098G	-59.88	-52.17	-7.71	1
6475MHz	Pass	6.46751G	-11.24	6.509G	-59.77	-51.24	-8.53	2
6475MHz	Pass	6.46811G	-13.03	6.5091G	-59.51	-53.03	-6.48	3
6475MHz	Pass	6.46681G	-12.57	6.5087G	-59.70	-52.57	-7.13	4
6515MHz	Pass	6.50611G	-11.72	6.4742G	-59.96	-51.72	-8.24	1
6515MHz	Pass	6.5177G	-10.68	6.473G	-59.76	-50.68	-9.08	2
6515MHz	Pass	6.52339G	-11.67	6.4771G	-59.52	-51.67	-7.85	3
6515MHz	Pass	6.52G	-11.16	6.4805G	-59.70	-51.16	-8.54	4
6535MHz	Pass	6.54259G	-12.17	6.4996G	-59.82	-52.17	-7.65	1
6535MHz	Pass	6.54249G	-11.20	6.4886G	-59.54	-51.20	-8.34	2
6535MHz	Pass	6.54159G	-12.68	6.4995G	-59.28	-52.68	-6.60	3
6535MHz	Pass	6.52991G	-12.05	6.4954G	-59.54	-52.05	-7.49	4
6695MHz	Pass	6.6999G	-13.55	6.7384G	-60.81	-53.55	-7.26	1
6695MHz	Pass	6.68711G	-11.44	6.7313G	-60.45	-51.44	-9.01	2
6695MHz	Pass	6.70369G	-12.59	6.7301G	-60.20	-52.59	-7.61	3
6695MHz	Pass	6.70349G	-12.43	6.744G	-60.42	-52.43	-7.99	4
6855MHz	Pass	6.8597G	-13.04	6.8954G	-59.45	-53.04	-6.41	1
6855MHz	Pass	6.8525G	-11.44	6.9049G	-59.38	-51.44	-7.94	2
6855MHz	Pass	6.86299G	-12.26	6.8924G	-59.02	-52.26	-6.76	3
6855MHz	Pass	6.86239G	-11.33	6.8997G	-59.14	-51.33	-7.81	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.86861G	-13.50	6.9095G	-59.08	-53.50	-5.58	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.86741G	-12.49	6.912G	-58.71	-52.49	-6.22	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.88329G	-12.98	6.9093G	-58.80	-52.98	-5.82	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.88249G	-12.33	6.9218G	-59.01	-52.33	-6.68	4
6895MHz	Pass	6.90369G	-13.23	6.9449G	-58.96	-53.23	-5.73	1
6895MHz	Pass	6.88961G	-12.75	6.943G	-58.65	-52.75	-5.90	2
6895MHz	Pass	6.8925G	-12.80	6.945G	-58.57	-52.80	-5.77	3
6895MHz	Pass	6.90369G	-12.09	6.934G	-58.67	-52.09	-6.58	4
6995MHz	Pass	6.98761G	-11.56	6.9597G	-58.82	-51.56	-7.26	1
6995MHz	Pass	7.00249G	-10.92	6.9634G	-58.35	-50.83	-7.52	2
6995MHz	Pass	6.98651G	-11.18	6.9592G	-58.22	-51.18	-7.04	3
6995MHz	Pass	6.98861G	-10.52	6.9565G	-58.55	-50.52	-8.03	4
7095MHz	Pass	7.08751G	-12.05	7.1338G	-59.71	-52.05	-7.66	1
7095MHz	Pass	7.10039G	-10.77	7.1351G	-59.27	-50.77	-8.50	2
7095MHz	Pass	7.08841G	-11.69	7.1352G	-59.20	-51.69	-7.51	3
7095MHz	Pass	7.10349G	-10.72	7.1364G	-59.34	-50.72	-8.62	4
7115MHz Straddle 6.875-7.125GHz	Pass	7.10731G	-14.84	7.1559G	-59.69	-54.84	-4.85	1
7115MHz Straddle 6.875-7.125GHz	Pass	7.10861G	-13.40	7.1641G	-59.28	-53.40	-5.88	2



Mask_Beamforming mode

Appendix E.5



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7115MHz Straddle 6.875-7.125GHz	Pass	7.10801G	-14.80	7.1635G	-59.12	-54.80	-4.32	3
7115MHz Straddle 6.875-7.125GHz	Pass	7.10771G	-13.81	7.1647G	-59.27	-53.81	-5.46	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.98258G	-3.13	6.032G	-56.06	-43.13	-12.93	1
5965MHz	Pass	5.97779G	-6.62	6.0312G	-56.78	-46.62	-10.16	2
5965MHz	Pass	5.94742G	-6.44	6.0354G	-56.60	-46.44	-10.16	3
5965MHz	Pass	5.95401G	-6.56	6.0404G	-56.90	-46.56	-10.34	4
6165MHz	Pass	6.15081G	-7.00	6.2308G	-56.60	-47.00	-9.60	1
6165MHz	Pass	6.17979G	-8.74	6.2492G	-56.80	-48.74	-8.06	2
6165MHz	Pass	6.14982G	-8.79	6.2492G	-56.18	-48.79	-7.39	3
6165MHz	Pass	6.15621G	-9.04	6.2608G	-56.72	-49.04	-7.68	4
6405MHz	Pass	6.41619G	-6.82	6.4908G	-56.13	-46.82	-9.31	1
6405MHz	Pass	6.41759G	-6.77	6.499G	-55.95	-46.77	-9.18	2
6405MHz	Pass	6.38862G	-6.92	6.5002G	-55.68	-46.92	-8.76	3
6405MHz	Pass	6.41759G	-7.36	6.494G	-55.99	-47.36	-8.63	4
6445MHz	Pass	6.42782G	-8.06	6.3724G	-56.54	-48.06	-8.48	1
6445MHz	Pass	6.42842G	-7.57	6.3772G	-56.12	-47.57	-8.55	2
6445MHz	Pass	6.4474G	-8.49	6.3788G	-56.03	-48.49	-7.54	3
6445MHz	Pass	6.42762G	-8.24	6.3716G	-56.29	-48.24	-8.05	4
6485MHz	Pass	6.50278G	-8.95	6.411G	-56.59	-48.95	-7.64	1
6485MHz	Pass	6.49279G	-7.09	6.4154G	-56.56	-47.09	-9.47	2
6485MHz	Pass	6.46942G	-9.14	6.4076G	-56.20	-49.14	-7.06	3
6485MHz	Pass	6.49979G	-9.01	6.4176G	-56.41	-49.01	-7.40	4
6525MHz Straddle 6.425-6.525GHz	Pass	6.5288G	-10.14	6.432G	-56.58	-50.14	-6.44	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.5244G	-6.95	6.451G	-56.25	-46.95	-9.30	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.53219G	-10.22	6.4448G	-56.18	-50.22	-5.96	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.50762G	-9.78	6.4516G	-56.48	-49.78	-6.70	4
6565MHz	Pass	6.55101G	-8.69	6.4958G	-56.32	-48.69	-7.63	1
6565MHz	Pass	6.55761G	-6.38	6.4988G	-56.05	-46.38	-9.67	2
6565MHz	Pass	6.54762G	-8.78	6.499G	-55.80	-48.78	-7.02	3
6565MHz	Pass	6.5678G	-8.51	6.49G	-56.03	-48.51	-7.52	4
6685MHz	Pass	6.6834G	-9.75	6.7614G	-57.14	-49.75	-7.39	1
6685MHz	Pass	6.67381G	-8.23	6.7498G	-56.91	-48.23	-8.68	2
6685MHz	Pass	6.70238G	-9.28	6.7686G	-56.69	-49.28	-7.41	3
6685MHz	Pass	6.70198G	-9.63	6.7778G	-56.86	-49.63	-7.23	4
6845MHz	Pass	6.82742G	-10.06	6.9446G	-55.80	-50.06	-5.74	1
6845MHz	Pass	6.85699G	-9.20	6.9326G	-55.60	-49.20	-6.40	2
6845MHz	Pass	6.85979G	-9.77	6.945G	-55.34	-49.77	-5.57	3
6845MHz	Pass	6.86098G	-9.08	6.9386G	-55.45	-49.08	-6.37	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.90078G	-9.40	6.9688G	-55.52	-49.40	-6.12	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.86982G	-9.17	6.968G	-55.32	-49.17	-6.15	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.888G	-9.68	6.9844G	-54.99	-49.68	-5.31	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.89999G	-8.91	6.9826G	-55.19	-48.91	-6.28	4
6925MHz	Pass	6.90882G	-7.67	7.0032G	-54.97	-47.67	-7.30	1
6925MHz	Pass	6.94238G	-6.96	7.0026G	-54.58	-46.96	-7.62	2
6925MHz	Pass	6.921G	-7.75	6.9986G	-54.53	-47.75	-6.78	3
6925MHz	Pass	6.91021G	-6.45	6.9968G	-54.73	-46.45	-8.28	4
7005MHz	Pass	6.98702G	-7.75	6.9382G	-55.48	-47.75	-7.73	1
7005MHz	Pass	7.01999G	-7.29	6.9356G	-55.08	-47.29	-7.79	2
7005MHz	Pass	6.99541G	-7.80	6.9272G	-55.07	-47.80	-7.27	3
7005MHz	Pass	7.02118G	-7.35	6.9384G	-55.09	-47.35	-7.74	4
7085MHz	Pass	7.09879G	-8.05	7.0076G	-55.08	-48.05	-7.03	1
7085MHz	Pass	7.07341G	-7.53	7.007G	-54.69	-47.53	-7.16	2
7085MHz	Pass	7.06802G	-8.12	7G	-54.70	-48.12	-6.58	3
7085MHz	Pass	7.07121G	-6.91	6.9962G	-54.83	-46.91	-7.92	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-







Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	6.01337G	0.09	6.1274G	-51.63	-39.91	-11.72	1
5985MHz	Pass	6.01737G	-4.91	6.183G	-53.48	-44.91	-8.57	2
5985MHz	Pass	5.95823G	-3.64	6.1486G	-53.06	-43.64	-9.42	3
5985MHz	Pass	6.01137G	-3.41	6.183G	-53.27	-43.41	-9.86	4
6145MHz	Pass	6.15619G	-2.23	6.2898G	-52.66	-42.23	-10.43	1
6145MHz	Pass	6.17457G	-4.57	6.2906G	-52.78	-44.57	-8.21	2
6145MHz	Pass	6.12142G	-5.18	6.2914G	-52.70	-45.18	-7.52	3
6145MHz	Pass	6.12302G	-4.67	6.3186G	-52.96	-44.67	-8.29	4
6385MHz	Pass	6.40098G	-1.65	6.2394G	-52.47	-41.65	-10.82	1
6385MHz	Pass	6.41257G	-1.60	6.2366G	-52.63	-41.50	-11.13	2
6385MHz	Pass	6.35543G	-2.19	6.2466G	-52.04	-42.19	-9.85	3
6385MHz	Pass	6.42296G	-1.53	6.2474G	-52.49	-41.53	-10.96	4
6465MHz	Pass	6.45141G	-5.50	6.3262G	-53.23	-45.50	-7.73	1
6465MHz	Pass	6.49657G	-4.66	6.3342G	-53.15	-44.66	-8.49	2
6465MHz	Pass	6.49897G	-6.22	6.3242G	-52.84	-46.22	-6.62	3
6465MHz	Pass	6.463G	-5.86	6.3046G	-53.15	-45.86	-7.29	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.50784G	-4.97	6.355G	-53.18	-44.97	-8.21	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.50824G	-3.49	6.345G	-53.35	-41.53	-11.82	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.56498G	-5.10	6.4058G	-52.66	-45.10	-7.56	3
6545MHz Straddle 6.425-6.525GHz	Pass	6.57497G	-4.46	6.3842G	-52.86	-44.46	-8.40	4
6625MHz	Pass	6.60742G	-5.36	6.4914G	-52.84	-45.35	-7.49	1
6625MHz	Pass	6.65097G	-3.22	6.4706G	-51.78	-43.22	-8.56	2
6625MHz	Pass	6.59343G	-4.84	6.4762G	-52.37	-44.84	-7.53	3
6625MHz	Pass	6.64898G	-4.50	6.487G	-52.65	-44.50	-8.15	4
6705MHz	Pass	6.68342G	-6.35	6.9046G	-52.57	-46.35	-6.22	1
6705MHz	Pass	6.67743G	-4.72	6.8986G	-52.25	-44.72	-7.53	2
6705MHz	Pass	6.68222G	-5.58	6.9026G	-52.17	-45.58	-6.59	3
6705MHz	Pass	6.73457G	-5.37	6.9006G	-52.18	-45.37	-6.81	4
6785MHz	Pass	6.80778G	-7.38	6.9842G	-52.12	-47.38	-4.74	1
6785MHz	Pass	6.77021G	-5.84	6.9702G	-51.71	-45.84	-5.87	2
6785MHz	Pass	6.81777G	-6.38	6.975G	-51.56	-46.38	-5.18	3
6785MHz	Pass	6.81737G	-6.02	6.9842G	-51.71	-46.02	-5.69	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.90136G	-6.37	7.007G	-51.81	-46.37	-5.44	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.85741G	-5.20	7.021G	-53.09	-45.20	-7.89	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.83023G	-5.47	7.001G	-51.32	-45.47	-5.85	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.8602G	-4.97	7.0066G	-51.52	-44.97	-6.55	4
6945MHz	Pass	6.92142G	-6.22	7.137G	-52.95	-46.22	-6.73	1
6945MHz	Pass	6.93821G	-5.80	7.1438G	-52.64	-45.80	-6.84	2
6945MHz	Pass	6.98256G	-6.33	7.1322G	-52.60	-46.33	-6.27	3
6945MHz	Pass	6.96618G	-5.23	7.1422G	-52.57	-45.23	-7.34	4
7025MHz	Pass	7.00902G	-6.55	7.2242G	-52.46	-46.55	-5.91	1
7025MHz	Pass	7.03099G	-6.27	7.2194G	-52.13	-46.27	-5.86	2
7025MHz	Pass	6.98744G	-6.64	7.2242G	-52.00	-46.64	-5.36	3
7025MHz	Pass	6.99063G	-5.48	7.2222G	-52.13	-45.48	-6.65	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06256G	2.13	6.425G	-48.55	-36.45	-12.10	1
6025MHz	Pass	5.97785G	-1.20	6.425G	-49.08	-38.82	-10.26	2
6025MHz	Pass	5.94988G	-0.17	6.425G	-49.70	-37.63	-12.07	3
6025MHz	Pass	6.03699G	-0.63	6.4242G	-49.21	-38.39	-10.82	4
6185MHz	Pass	6.24014G	2.50	6.0234G	-32.05	-17.52	-14.53	1
6185MHz	Pass	6.25773G	0.37	6.585G	-48.57	-33.19	-15.38	2
6185MHz	Pass	6.24014G	1.08	6.585G	-49.49	-32.81	-16.68	3
6185MHz	Pass	6.19219G	0.59	6.585G	-49.15	-33.55	-15.60	4
6345MHz	Pass	6.35539G	0.27	6.745G	-50.33	-33.66	-16.67	1
6345MHz	Pass	6.41213G	0.09	6.745G	-49.77	-33.72	-16.05	2
6345MHz	Pass	6.27787G	-0.45	5.9458G	-48.69	-34.57	-14.12	3







Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.3482G	-0.13	6.745G	-49.85	-34.43	-15.42	4
6505MHz Straddle 6.425-6.525GHz	Pass	6.44826G	0.78	6.9042G	-49.12	-33.67	-15.45	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.501G	1.02	6.905G	-48.76	-33.67	-15.09	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.53217G	-0.44	6.9042G	-48.66	-34.35	-14.31	3
6505MHz Straddle 6.425-6.525GHz	Pass	6.56974G	0.67	6.9042G	-48.74	-33.28	-15.46	4
6665MHz	Pass	6.60666G	-1.07	6.265G	-50.08	-35.00	-15.08	1
6665MHz	Pass	6.71055G	0.23	7.0642G	-49.51	-33.40	-16.11	2
6665MHz	Pass	6.67699G	-0.46	6.2674G	-49.04	-34.09	-14.95	3
6665MHz	Pass	6.70896G	-0.13	7.065G	-49.59	-34.10	-15.49	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.89533G	-1.56	7.2242G	-49.51	-35.43	-14.08	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.85937G	-0.84	7.2242G	-49.21	-34.75	-14.46	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.81781G	-0.65	7.2234G	-48.89	-34.67	-14.22	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.87855G	-0.08	7.225G	-48.91	-33.89	-15.02	4
6985MHz	Pass	6.92666G	-1.54	7.385G	-49.01	-38.35	-10.66	1
6985MHz	Pass	7.01297G	-1.62	7.3842G	-48.58	-38.07	-10.51	2
6985MHz	Pass	7.01217G	-1.84	7.385G	-48.50	-36.40	-12.10	3
6985MHz	Pass	6.97781G	-0.51	7.385G	-48.61	-34.52	-14.09	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1561G	3.80	6.433G	-30.50	-16.33	-14.17	1
6105MHz	Pass	6.2584G	1.14	6.9002G	-45.44	-38.86	-6.58	2
6105MHz	Pass	5.95G	5.18	6.8986G	-45.31	-34.82	-10.49	3
6105MHz	Pass	6.0187G	1.53	6.881G	-45.42	-38.47	-6.95	4
6265MHz	Pass	6.3305G	2.54	7.0634G	-45.70	-31.83	-13.87	1
6265MHz	Pass	6.3801G	1.55	7.065G	-45.92	-32.30	-13.62	2
6265MHz	Pass	6.1531G	1.45	7.0634G	-45.86	-32.54	-13.32	3
6265MHz	Pass	6.4009G	1.19	7.065G	-45.97	-32.14	-13.83	4
6425MHz	Pass	6.4538G	2.32	7.225G	-45.49	-31.94	-13.55	1
6425MHz	Pass	6.5529G	2.26	7.225G	-45.13	-31.22	-13.91	2
6425MHz	Pass	6.4602G	1.40	7.225G	-45.05	-33.29	-11.76	3
6425MHz	Pass	6.5657G	1.71	7.225G	-45.02	-31.58	-13.44	4
6585MHz	Pass	6.4555G	2.19	7.385G	-45.05	-31.10	-13.95	1
6585MHz	Pass	6.6409G	2.50	7.3834G	-44.86	-30.73	-14.13	2
6585MHz	Pass	6.5914G	2.73	7.385G	-44.72	-31.70	-13.02	3
6585MHz	Pass	6.5626G	2.56	7.385G	-44.78	-31.04	-13.74	4
6745MHz	Pass	6.8457G	0.45	7.4986G	-44.18	-32.58	-11.60	1
6745MHz	Pass	6.8569G	1.94	7.4986G	-43.96	-30.85	-13.11	2
6745MHz	Pass	6.8153G	1.28	7.497G	-43.68	-30.43	-13.25	3
6745MHz	Pass	6.8521G	1.56	7.4986G	-43.93	-30.03	-13.90	4
6905MHz	Pass	6.9274G	-0.46	6.105G	-46.97	-35.15	-11.82	1
6905MHz	Pass	6.9402G	0.11	6.1066G	-47.00	-34.52	-12.48	2
6905MHz	Pass	6.9114G	0.33	6.105G	-46.55	-33.81	-12.74	3
6905MHz	Pass	6.9785G	1.21	6.105G	-46.75	-33.35	-13.40	4































































































Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-75.23	4.77	-80.09	≤ -62
						Minimal	-76.23	4.77	-81.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-75.23	4.77	-80.08	≤ -62
						Minimal	-76.23	4.77	-81.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-74.23	4.77	-79.03	≤ -62
						Minimal	-75.23	4.77	-80.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-72.23	4.77	-77.07	≤ -62
						Minimal	-73.23	4.77	-78.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-66.23	4.77	-71.02	≤ -62
						Minimal	-67.23	4.77	-72.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				Center	6105	OFF	-60.23	4.77	-65.01	≤ -62
						Minimal	-61.23	4.77	-66.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				High edge	6260	OFF	-61.23	4.77	-66.01	≤ -62
						Minimal	-62.23	4.77	-67.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-62.23	4.77	-67.03	≤ -62
						Minimal	-63.23	4.77	-68.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				Center	6425	OFF	-61.23	4.77	-66.02	≤ -62
						Minimal	-62.23	4.77	-67.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				High edge	6580	OFF	-65.23	4.77	-70.02	≤ -62
						Minimal	-66.23	4.77	-71.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
6/7	159	320	6745	Low edge	6590	OFF	-63.23	4.77	-68.04	≤ -62
						Minimal	-64.23	4.77	-69.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				Center	6745	OFF	-62.23	4.77	-67.02	≤ -62
						Minimal	-63.23	4.77	-68.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				High edge	6900	OFF	-66.23	4.77	-71.06	≤ -62
						Minimal	-67.23	4.77	-72.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62



Contention-Based Protocol Result


Appendix F



7/8	191	320	6905	Low edge	6750	OFF	-64.23	4.77	-69.01	≤ -62
						Minimal	-65.23	4.77	-70.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				Center	6905	OFF	-61.23	4.77	-66.01	≤ -62
						Minimal	-62.23	4.77	-67.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				High edge	7060	OFF	-62.23	4.77	-67.02	≤ -62
						Minimal	-63.23	4.77	-68.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62



Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-80.09	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-80.08	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-79.03	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-77.07	OFF	9	90	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-71.02	OFF	9	90	90	PASS
				Center	6105	-65.01	OFF	10	100	90	PASS
				High edge	6260	-66.01	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-67.03	OFF	9	90	90	PASS
				Center	6425	-66.02	OFF	10	100	90	PASS
				High edge	6580	-70.02	OFF	9	90	90	PASS
6/7	159	320	6745	Low edge	6590	-68.04	OFF	10	100	90	PASS
				Center	6745	-67.02	OFF	10	100	90	PASS
				High edge	6900	-71.06	OFF	10	100	90	PASS
7/8	191	320	6905	Low edge	6750	-69.01	OFF	9	90	90	PASS
				Center	6905	-66.01	OFF	9	90	90	PASS
				High edge	7060	-67.02	OFF	10	100	90	PASS






Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz







Date: 31.MAY.2023 01:39:48



Frequency (MHz): 6455 MHz







Date: 31.MAY.2023 01:40:27

























Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6425 MHz



Date: 29 MAY 2023 15:04:30


Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz




Date: 29 MAY 2023 15:07:35


Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal

Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.415G	6.41498207G	2.795	Within Band	1	10 min
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.405G	6.40496214G	5.9115	Within Band	1	0 min
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.385G	6.38496239G	5.8908	Within Band	1	0 min
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.025G	6.02497416G	4.2895	Within Band	1	5 min
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.265G	6.26497149G	4.55	Within Band	1	10 min
6.425-6.525GHz	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.515G	6.51497916G	3.1988	Within Band	1	5 min
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.525G	6.52497G	4.5975	Within Band	1	2 min
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.545G	6.54497273G	4.1664	Within Band	1	2 min
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.505G	6.50497213G	4.2841	Within Band	1	10 min
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.425G	6.42497039G	4.6093	Within Band	1	0 min
6.525-6.875GHz	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.875G	6.87497202G	4.0692	Within Band	1	5 min
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.565G	6.56496949G	4.6478	Within Band	1	5 min
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.785G	6.78495486G	6.6532	Within Band	1	10 min
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.665G	6.66497152G	4.2725	Within Band	1	2 min
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.905G	6.90496768G	4.6804	Within Band	1	5 min
6.875-7.125GHz	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.895G	6.89494754G	7.6084	Within Band	1	5 min
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.885G	6.88496242G	5.4587	Within Band	1	2 min
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.865G	6.86495513G	6.5359	Within Band	1	2 min
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.985G	6.98497018G	4.2686	Within Band	1	2 min