

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.98
802.11ax HEW40_Nss1,(MCS0)_4TX	4.95
802.11ax HEW80_Nss1,(MCS0)_4TX	4.98
802.11ax HEW160_Nss1,(MCS0)_4TX	4.94
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.98
802.11ax HEW40_Nss1,(MCS0)_4TX	4.99
802.11ax HEW80_Nss1,(MCS0)_4TX	4.94
802.11ax HEW160_Nss1,(MCS0)_4TX	4.83
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.76
802.11ax HEW40_Nss1,(MCS0)_4TX	4.99
802.11ax HEW80_Nss1,(MCS0)_4TX	4.99
802.11ax HEW160_Nss1,(MCS0)_4TX	4.97
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.99
802.11ax HEW40_Nss1,(MCS0)_4TX	4.85
802.11ax HEW80_Nss1,(MCS0)_4TX	4.92
802.11ax HEW160_Nss1,(MCS0)_4TX	4.79

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:





Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.98	5.00
6175MHz	Pass	4.82	5.00
6415MHz	Pass	4.70	5.00
6435MHz	Pass	4.63	5.00
6475MHz	Pass	4.98	5.00
6515MHz	Pass	4.81	5.00
6535MHz	Pass	4.61	5.00
6695MHz	Pass	4.60	5.00
6855MHz	Pass	4.76	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.70	5.00
6875MHz Straddle 6.875-7.125GHz	Pass	-Inf	5.00
6895MHz	Pass	4.91	5.00
6995MHz	Pass	4.99	5.00
7095MHz	Pass	4.95	5.00
7115MHz	Pass	-0.26	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.90	5.00
6165MHz	Pass	4.93	5.00
6405MHz	Pass	4.95	5.00
6445MHz	Pass	4.99	5.00
6485MHz	Pass	4.91	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.83	5.00
6525MHz Straddle 6.525-6.875GHz	Pass	-Inf	5.00
6565MHz	Pass	4.99	5.00
6685MHz	Pass	4.98	5.00
6845MHz	Pass	4.08	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	3.89	5.00
6885MHz Straddle 6.875-7.125GHz	Pass	-Inf	5.00
6925MHz	Pass	4.85	5.00
7005MHz	Pass	4.84	5.00
7085MHz	Pass	4.76	5.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.96	5.00
6145MHz	Pass	4.96	5.00
6385MHz	Pass	4.98	5.00
6465MHz	Pass	4.94	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.87	5.00
6545MHz Straddle 6.525-6.875GHz	Pass	-Inf	5.00
6625MHz	Pass	4.94	5.00
6705MHz	Pass	4.99	5.00
6785MHz	Pass	4.95	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.76	5.00
6865MHz Straddle 6.875-7.125GHz	Pass	-Inf	5.00
6945MHz	Pass	4.88	5.00
7025MHz	Pass	4.92	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.77	5.00
6185MHz	Pass	4.94	5.00
6345MHz	Pass	4.88	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.83	5.00
6505MHz Straddle 6.525-6.875GHz	Pass	-Inf	5.00
6665MHz	Pass	4.97	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.85	5.00
6825MHz Straddle 6.875-7.125GHz	Pass	-Inf	5.00







Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6985MHz	Pass	4.79	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;




















































































Summary



Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.97
802.11ax HEW40_Nss1,(MCS0)_4TX	4.97
802.11ax HEW80_Nss1,(MCS0)_4TX	4.94
802.11ax HEW160_Nss1,(MCS0)_4TX	4.98
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.89
802.11ax HEW40_Nss1,(MCS0)_4TX	4.98
802.11ax HEW80_Nss1,(MCS0)_4TX	4.93
802.11ax HEW160_Nss1,(MCS0)_4TX	4.87
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.88
802.11ax HEW40_Nss1,(MCS0)_4TX	4.95
802.11ax HEW80_Nss1,(MCS0)_4TX	4.96
802.11ax HEW160_Nss1,(MCS0)_4TX	4.79
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.97
802.11ax HEW40_Nss1,(MCS0)_4TX	4.89
802.11ax HEW80_Nss1,(MCS0)_4TX	4.85
802.11ax HEW160_Nss1,(MCS0)_4TX	4.78



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.78	5.00
6175MHz	Pass	4.97	5.00
6415MHz	Pass	4.77	5.00
6435MHz	Pass	4.85	5.00
6475MHz	Pass	4.89	5.00
6515MHz	Pass	4.79	5.00
6535MHz	Pass	4.86	5.00
6695MHz	Pass	4.85	5.00
6855MHz	Pass	4.77	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.88	5.00
6895MHz	Pass	4.77	5.00
6995MHz	Pass	4.97	5.00
7095MHz	Pass	4.76	5.00
7115MHz	Pass	0.23	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.84	5.00
6165MHz	Pass	4.97	5.00
6405MHz	Pass	4.93	5.00
6445MHz	Pass	4.94	5.00
6485MHz	Pass	4.98	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.77	5.00
6565MHz	Pass	4.84	5.00
6685MHz	Pass	4.95	5.00
6845MHz	Pass	4.95	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.81	5.00
6925MHz	Pass	4.76	5.00
7005MHz	Pass	4.82	5.00
7085MHz	Pass	4.89	5.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.94	5.00
6145MHz	Pass	4.77	5.00
6385MHz	Pass	4.91	5.00
6465MHz	Pass	4.83	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.93	5.00
6625MHz	Pass	4.77	5.00
6705MHz	Pass	4.83	5.00
6785MHz	Pass	4.96	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.82	5.00
6945MHz	Pass	4.82	5.00
7025MHz	Pass	4.85	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.82	5.00
6185MHz	Pass	4.98	5.00
6345MHz	Pass	4.87	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.87	5.00
6665MHz	Pass	4.79	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.77	5.00
6985MHz	Pass	4.78	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





















































































Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	QP	30M	36.96	40.00	-3.04	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	30M	36.96	40.00	-3.04	-2.55	3	Vertical	96	2.00	"Worst"	39.51	25.20	0.74	28.49
PK	67.83M	30.91	40.00	-9.09	-15.17	3	Vertical	3	2.00	-	46.08	12.26	1.08	28.51
PK	519.85M	34.90	46.00	-11.10	-3.00	3	Vertical	154	1.00	-	37.90	23.32	3.03	29.35
PK	541.19M	36.07	46.00	-9.93	-1.85	3	Vertical	185	1.00	-	37.92	24.40	3.11	29.36
PK	549.92M	35.33	46.00	-10.67	-1.35	3	Vertical	174	1.00	-	36.68	24.88	3.14	29.37
QP	683.78M	41.22	46.00	-4.78	-0.98	3	Vertical	0	1.00	-	42.20	24.96	3.43	29.37

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	30M	36.02	40.00	-3.98	-2.55	3	Horizontal	117	2.00	"Worst"	38.57	25.20	0.74	28.49
PK	67.83M	31.07	40.00	-8.93	-15.17	3	Horizontal	154	2.00	-	46.24	12.26	1.08	28.51
PK	490.75M	35.46	46.00	-10.54	-3.16	3	Horizontal	142	1.00	-	38.62	23.18	2.93	29.27
PK	512.09M	38.00	46.00	-8.00	-3.06	3	Horizontal	133	1.00	-	41.06	23.29	3.00	29.35
PK	533.43M	37.70	46.00	-8.30	-2.56	3	Horizontal	260	1.00	-	40.26	23.72	3.08	29.36
PK	683.78M	37.37	46.00	-8.63	-0.98	3	Horizontal	283	1.00	-	38.35	24.96	3.43	29.37




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	17.9476G	53.67	54.00	-0.33	3	Vertical	45	1.76	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	64.37	88.20	-23.83	55.04	3	Vertical	120	1.80	-	34.15	6.22	31.04
RMS	5.923G	53.10	68.20	-15.10	43.77	3	Vertical	120	1.80	-	34.15	6.22	31.04
PK	5.9482G	115.97	Inf	-Inf	106.58	3	Vertical	120	1.80	-	34.20	6.25	31.06
RMS	5.9582G	106.05	Inf	-Inf	96.66	3	Vertical	120	1.80	-	34.20	6.26	31.07

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	65.10	88.20	-23.10	55.78	3	Horizontal	165	2.32	-	34.14	6.22	31.04
RMS	5.9222G	54.35	68.20	-13.85	45.03	3	Horizontal	165	2.32	-	34.14	6.22	31.04
PK	5.9574G	119.00	Inf	-Inf	109.61	3	Horizontal	165	2.32	-	34.20	6.26	31.07
RMS	5.957G	109.44	Inf	-Inf	100.06	3	Horizontal	165	2.32	-	34.20	6.25	31.07

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9157G	56.44	74.00	-17.56	43.23	3	Vertical	182	2.72	-	38.97	8.57	34.33
AV	11.91006G	44.60	54.00	-9.40	31.38	3	Vertical	182	2.72	-	38.98	8.57	34.33
PK	17.8571G	65.71	74.00	-8.29	46.28	3	Vertical	261	1.80	-	41.51	11.51	33.59
AV	17.8741G	52.30	54.00	-1.70	32.82	3	Vertical	261	1.80	-	41.55	11.52	33.59

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5955MHz_TX



EUT_Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90076G	55.50	74.00	-18.50	42.25	3	Horizontal	68	1.71	-	39.00	8.57	34.32
AV	11.9103G	43.25	54.00	-10.75	30.03	3	Horizontal	68	1.71	-	38.98	8.57	34.33
PK	17.872G	66.23	74.00	-7.77	46.76	3	Horizontal	5	1.80	-	41.54	11.52	33.59
AV	17.8698G	52.06	54.00	-1.94	32.59	3	Horizontal	5	1.80	-	41.54	11.52	33.59


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6175MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	61.98	88.20	-26.22	52.74	3	Vertical	113	2.64	-	34.07	6.19	31.02
RMS	5.9038G	51.09	68.20	-17.11	41.81	3	Vertical	113	2.64	-	34.11	6.20	31.03
PK	6.1666G	119.50	Inf	-Inf	109.82	3	Vertical	113	2.64	-	34.53	6.30	31.15
RMS	6.1666G	108.28	Inf	-Inf	98.60	3	Vertical	113	2.64	-	34.53	6.30	31.15


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6175MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9014G	61.90	88.20	-26.30	52.63	3	Horizontal	30	1.83	-	34.10	6.20	31.03
RMS	5.9242G	51.25	68.20	-16.95	41.92	3	Horizontal	30	1.83	-	34.15	6.22	31.04
PK	6.1834G	119.12	Inf	-Inf	109.41	3	Horizontal	30	1.83	-	34.57	6.30	31.16
RMS	6.1786G	109.66	Inf	-Inf	99.95	3	Horizontal	30	1.83	-	34.56	6.30	31.15

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6175MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3509G	57.39	74.00	-16.61	41.71	3	Vertical	354	1.60	-	38.75	9.12	32.19
AV	12.3509G	45.40	54.00	-8.60	29.72	3	Vertical	354	1.60	-	38.75	9.12	32.19

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6175MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35666G	55.26	74.00	-18.74	39.58	3	Horizontal	313	1.56	-	38.74	9.12	32.18
AV	12.35108G	43.29	54.00	-10.71	27.61	3	Horizontal	313	1.56	-	38.75	9.12	32.19


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6175MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5197G	58.11	83.54	-25.43	54.17	1	Vertical	6	1.50	-	37.61	16.65	50.32
AV	18.5245G	43.99	63.54	-19.55	40.04	1	Vertical	6	1.50	-	37.61	16.66	50.32


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6175MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5246G	58.52	83.54	-25.02	54.57	1	Horizontal	34	1.50	-	37.61	16.66	50.32
AV	18.5246G	44.78	63.54	-18.76	40.83	1	Horizontal	34	1.50	-	37.61	16.66	50.32


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6415MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8294G	62.86	88.20	-25.34	53.91	3	Vertical	70	2.03	-	33.80	6.12	30.97
RMS	5.9014G	51.04	68.20	-17.16	41.77	3	Vertical	70	2.03	-	34.10	6.20	31.03
PK	6.4078G	117.58	Inf	-Inf	108.02	3	Vertical	70	2.03	-	34.38	6.40	31.22
RMS	6.4078G	105.67	Inf	-Inf	96.11	3	Vertical	70	2.03	-	34.38	6.40	31.22


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6415MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	62.02	88.20	-26.18	52.74	3	Horizontal	172	1.90	-	34.11	6.20	31.03
RMS	5.9206G	51.08	68.20	-17.12	41.76	3	Horizontal	172	1.90	-	34.14	6.22	31.04
PK	6.4102G	120.10	Inf	-Inf	110.53	3	Horizontal	172	1.90	-	34.38	6.41	31.22
RMS	6.4102G	109.07	Inf	-Inf	99.50	3	Horizontal	172	1.90	-	34.38	6.41	31.22


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6415MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83546G	61.94	88.20	-26.26	45.62	3	Vertical	300	1.77	-	38.97	9.29	31.94
RMS	12.83024G	48.71	68.20	-19.49	32.40	3	Vertical	300	1.77	-	38.96	9.29	31.94


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6415MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8306G	60.72	88.20	-27.48	44.41	3	Horizontal	300	1.79	-	38.96	9.29	31.94
RMS	12.8303G	48.71	68.20	-19.49	32.40	3	Horizontal	300	1.79	-	38.96	9.29	31.94


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6415MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2565G	51.70	83.54	-31.84	48.25	1	Vertical	70	1.50	-	37.60	16.96	51.11
AV	19.2462G	37.25	63.54	-26.29	33.80	1	Vertical	70	1.50	-	37.60	16.95	51.10


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6415MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.256G	57.41	83.54	-26.13	53.97	1	Horizontal	47	1.50	-	37.60	16.95	51.11
AV	19.246G	41.25	63.54	-22.29	37.80	1	Horizontal	47	1.50	-	37.60	16.95	51.10


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6435MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8474G	61.91	88.20	-26.29	52.95	3	Vertical	106	2.65	-	33.80	6.14	30.98
RMS	5.798G	50.86	68.20	-17.34	41.91	3	Vertical	106	2.65	-	33.80	6.10	30.95
PK	6.4376G	118.22	Inf	-Inf	108.71	3	Vertical	106	2.65	-	34.32	6.42	31.23
RMS	6.4324G	106.01	Inf	-Inf	96.48	3	Vertical	106	2.65	-	34.34	6.42	31.23


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6435MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8864G	61.52	88.20	-26.68	52.33	3	Horizontal	173	1.86	-	34.02	6.18	31.01
RMS	5.902G	50.94	68.20	-17.26	41.67	3	Horizontal	173	1.86	-	34.10	6.20	31.03
PK	6.4298G	118.99	Inf	-Inf	109.47	3	Horizontal	173	1.86	-	34.34	6.41	31.23
RMS	6.4402G	107.58	Inf	-Inf	98.07	3	Horizontal	173	1.86	-	34.32	6.42	31.23


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6435MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87498G	62.23	88.20	-25.97	45.80	3	Vertical	1	1.60	-	39.05	9.31	31.93
RMS	12.87036G	49.71	68.20	-18.49	33.30	3	Vertical	1	1.60	-	39.04	9.30	31.93


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6435MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87822G	60.54	88.20	-27.66	44.09	3	Horizontal	301	1.10	-	39.06	9.31	31.92
RMS	12.87282G	48.45	68.20	-19.75	32.02	3	Horizontal	301	1.10	-	39.05	9.31	31.93


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6435MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3163G	52.62	83.54	-30.92	49.19	1	Vertical	38	1.50	-	37.63	16.98	51.18
AV	19.3057G	38.40	63.54	-25.14	34.97	1	Vertical	38	1.50	-	37.62	16.98	51.17


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6435MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3162G	57.94	83.54	-25.60	54.51	1	Horizontal	46	1.50	-	37.63	16.98	51.18
AV	19.3063G	42.39	63.54	-21.15	38.96	1	Horizontal	46	1.50	-	37.62	16.98	51.17


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6475MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	62.81	88.20	-25.39	53.62	3	Vertical	102	2.73	-	34.02	6.18	31.01
RMS	5.9122G	50.85	68.20	-17.35	41.55	3	Vertical	102	2.73	-	34.12	6.21	31.03
PK	6.4722G	117.57	Inf	-Inf	108.07	3	Vertical	102	2.73	-	34.30	6.44	31.24
RMS	6.4722G	106.76	Inf	-Inf	97.26	3	Vertical	102	2.73	-	34.30	6.44	31.24
PK	7.1498G	61.07	88.20	-27.13	50.35	3	Vertical	102	2.73	-	35.70	6.85	31.83
RMS	7.175G	50.38	68.20	-17.82	39.50	3	Vertical	102	2.73	-	35.85	6.87	31.84


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6475MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.789G	61.78	88.20	-26.42	52.82	3	Horizontal	172	1.72	-	33.80	6.10	30.94
RMS	5.9038G	50.84	68.20	-17.36	41.56	3	Horizontal	172	1.72	-	34.11	6.20	31.03
PK	6.4694G	119.29	Inf	-Inf	109.80	3	Horizontal	172	1.72	-	34.30	6.43	31.24
RMS	6.4806G	107.05	Inf	-Inf	97.55	3	Horizontal	172	1.72	-	34.30	6.44	31.24
PK	7.1442G	60.85	88.20	-27.35	50.16	3	Horizontal	172	1.72	-	35.67	6.84	31.82
RMS	7.175G	50.28	68.20	-17.92	39.40	3	Horizontal	172	1.72	-	35.85	6.87	31.84


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6475MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94844G	62.06	88.20	-26.14	45.47	3	Vertical	344	1.33	-	39.15	9.33	31.89
RMS	12.95072G	48.94	68.20	-19.26	32.35	3	Vertical	344	1.33	-	39.15	9.33	31.89


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6475MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95534G	60.28	88.20	-27.92	43.68	3	Horizontal	58	1.85	-	39.16	9.33	31.89
RMS	12.95006G	47.71	68.20	-20.49	31.12	3	Horizontal	58	1.85	-	39.15	9.33	31.89


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6475MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4416G	52.03	83.54	-31.51	48.65	1	Vertical	14	1.50	-	37.68	17.03	51.33
AV	19.4215G	38.55	63.54	-24.99	35.17	1	Vertical	14	1.50	-	37.67	17.02	51.31


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6475MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4168G	58.77	83.54	-24.77	55.38	1	Horizontal	47	1.50	-	37.67	17.02	51.30
AV	19.4217G	42.63	63.54	-20.91	39.25	1	Horizontal	47	1.50	-	37.67	17.02	51.31


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6515MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8934G	60.98	88.20	-27.22	51.75	3	Vertical	102	2.61	-	34.06	6.19	31.02
RMS	5.8962G	50.67	68.20	-17.53	41.42	3	Vertical	102	2.61	-	34.08	6.19	31.02
PK	6.5122G	116.65	Inf	-Inf	107.10	3	Vertical	102	2.61	-	34.35	6.46	31.26
RMS	6.5066G	105.95	Inf	-Inf	96.43	3	Vertical	102	2.61	-	34.33	6.45	31.26
PK	7.173G	62.25	88.20	-25.95	51.38	3	Vertical	102	2.61	-	35.84	6.87	31.84
RMS	7.215G	50.41	68.20	-17.79	39.32	3	Vertical	102	2.61	-	36.06	6.89	31.86


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6515MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8262G	61.56	88.20	-26.64	52.61	3	Horizontal	161	2.00	-	33.80	6.12	30.97
RMS	5.8962G	50.59	68.20	-17.61	41.34	3	Horizontal	161	2.00	-	34.08	6.19	31.02
PK	6.5206G	118.80	Inf	-Inf	109.23	3	Horizontal	161	2.00	-	34.38	6.46	31.27
RMS	6.5122G	107.98	Inf	-Inf	98.43	3	Horizontal	161	2.00	-	34.35	6.46	31.26
PK	7.1618G	60.72	88.20	-27.48	49.92	3	Horizontal	161	2.00	-	35.77	6.86	31.83
RMS	7.215G	50.22	68.20	-17.98	39.13	3	Horizontal	161	2.00	-	36.06	6.89	31.86


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6515MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02862G	61.41	88.20	-26.79	44.62	3	Vertical	344	1.34	-	39.31	9.36	31.88
RMS	13.03078G	48.32	68.20	-19.88	31.52	3	Vertical	344	1.34	-	39.32	9.36	31.88


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6515MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03276G	59.89	88.20	-28.31	43.08	3	Horizontal	62	1.80	-	39.33	9.36	31.88
RMS	13.02988G	47.17	68.20	-21.03	30.37	3	Horizontal	62	1.80	-	39.32	9.36	31.88

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6515MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5387G	58.05	83.54	-25.49	54.74	1	Vertical	355	1.56	-	37.68	17.07	51.44
AV	19.5437G	42.92	63.54	-20.62	39.61	1	Vertical	355	1.56	-	37.68	17.07	51.44

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6515MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5432G	57.99	83.54	-25.55	54.68	1	Horizontal	286	1.50	-	37.68	17.07	51.44
AV	19.5437G	43.51	63.54	-20.03	40.20	1	Horizontal	286	1.50	-	37.68	17.07	51.44


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6535MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	61.11	88.20	-27.09	51.80	3	Vertical	102	1.61	-	34.13	6.21	31.03
RMS	5.9078G	50.51	68.20	-17.69	41.22	3	Vertical	102	1.61	-	34.12	6.20	31.03
PK	6.5434G	118.05	Inf	-Inf	108.40	3	Vertical	102	1.61	-	34.47	6.47	31.29
RMS	6.5322G	105.79	Inf	-Inf	96.17	3	Vertical	102	1.61	-	34.43	6.47	31.28
PK	7.193G	61.55	88.20	-26.65	50.55	3	Vertical	102	1.61	-	35.96	6.89	31.85
RMS	7.235G	50.41	68.20	-17.79	39.27	3	Vertical	102	1.61	-	36.14	6.88	31.88

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6535MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	61.18	88.20	-27.02	51.93	3	Horizontal	161	1.80	-	34.08	6.19	31.02
RMS	5.9078G	50.49	68.20	-17.71	41.20	3	Horizontal	161	1.80	-	34.12	6.20	31.03
PK	6.5322G	119.11	Inf	-Inf	109.49	3	Horizontal	161	1.80	-	34.43	6.47	31.28
RMS	6.5322G	107.30	Inf	-Inf	97.68	3	Horizontal	161	1.80	-	34.43	6.47	31.28
PK	7.2294G	60.57	88.20	-27.63	49.43	3	Horizontal	161	1.80	-	36.12	6.89	31.87
RMS	7.235G	50.37	68.20	-17.83	39.23	3	Horizontal	161	1.80	-	36.14	6.88	31.88

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06406G	60.94	88.20	-27.26	44.00	3	Vertical	342	1.34	-	39.46	9.37	31.89
RMS	13.0688G	49.12	68.20	-19.08	32.16	3	Vertical	342	1.34	-	39.48	9.37	31.89

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06478G	60.54	88.20	-27.66	43.60	3	Horizontal	62	1.80	-	39.46	9.37	31.89
RMS	13.06982G	47.98	68.20	-20.22	31.02	3	Horizontal	62	1.80	-	39.48	9.37	31.89

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6034G	58.36	83.54	-25.18	55.10	1	Vertical	352	1.58	-	37.66	17.10	51.50
AV	19.6036G	43.73	63.54	-19.81	40.47	1	Vertical	352	1.58	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6535MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6038G	58.09	83.54	-25.45	54.83	1	Horizontal	287	1.50	-	37.66	17.10	51.50
AV	19.6039G	43.84	63.54	-19.70	40.58	1	Horizontal	287	1.50	-	37.66	17.10	51.50


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6695MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	116.59	Inf	-Inf	106.48	3	Vertical	91	1.98	-	35.01	6.55	31.45
RMS	6.6884G	105.84	Inf	-Inf	95.78	3	Vertical	91	1.98	-	34.95	6.54	31.43
PK	7.2406G	61.23	88.20	-26.97	50.07	3	Vertical	91	1.98	-	36.16	6.88	31.88
RMS	7.2428G	50.66	68.20	-17.54	39.49	3	Vertical	91	1.98	-	36.17	6.88	31.88


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6695MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6862G	118.49	Inf	-Inf	108.44	3	Horizontal	160	1.26	-	34.94	6.54	31.43
RMS	6.6972G	107.74	Inf	-Inf	97.64	3	Horizontal	160	1.26	-	34.99	6.55	31.44
PK	7.223G	60.87	88.20	-27.33	49.76	3	Horizontal	160	1.26	-	36.09	6.89	31.87
RMS	7.2384G	50.64	68.20	-17.56	39.49	3	Horizontal	160	1.26	-	36.15	6.88	31.88

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6695MHz_TX




EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38856G	59.36	74.00	-14.64	41.58	3	Vertical	333	1.73	-	40.28	9.49	31.99
AV	13.38886G	47.07	54.00	-6.93	29.29	3	Vertical	333	1.73	-	40.28	9.49	31.99

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3969G	59.27	74.00	-14.73	41.48	3	Horizontal	307	2.44	-	40.29	9.49	31.99
AV	13.38904G	46.61	54.00	-7.39	28.83	3	Horizontal	307	2.44	-	40.28	9.49	31.99


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6695MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0898G	51.20	83.54	-32.34	48.35	1	Vertical	191	1.61	-	37.47	17.30	51.92
AV	20.0847G	37.92	63.54	-25.62	35.07	1	Vertical	191	1.61	-	37.47	17.30	51.92


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6695MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0891G	54.98	83.54	-28.56	52.13	1	Horizontal	257	1.60	-	37.47	17.30	51.92
AV	20.0839G	41.63	63.54	-21.91	38.78	1	Horizontal	257	1.60	-	37.47	17.30	51.92


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6855MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	116.71	Inf	-Inf	106.48	3	Vertical	83	1.80	-	35.20	6.62	31.59
RMS	6.8536G	107.29	Inf	-Inf	97.06	3	Vertical	83	1.80	-	35.20	6.63	31.60
PK	7.1336G	61.13	88.20	-27.07	50.52	3	Vertical	83	1.80	-	35.60	6.83	31.82
RMS	7.2008G	50.21	68.20	-17.99	39.17	3	Vertical	83	1.80	-	36.00	6.90	31.86


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6855MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8564G	118.73	Inf	-Inf	108.50	3	Horizontal	159	1.11	-	35.20	6.63	31.60
RMS	6.862G	108.98	Inf	-Inf	98.75	3	Horizontal	159	1.11	-	35.20	6.63	31.60
PK	7.2036G	61.17	88.20	-27.03	50.12	3	Horizontal	159	1.11	-	36.01	6.90	31.86
RMS	7.205G	50.25	68.20	-17.95	39.19	3	Horizontal	159	1.11	-	36.02	6.90	31.86


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6855MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70838G	59.71	88.20	-28.49	41.01	3	Vertical	339	2.82	-	40.92	9.60	31.82
RMS	13.70832G	46.67	68.20	-21.53	27.97	3	Vertical	339	2.82	-	40.92	9.60	31.82


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6855MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7028G	59.13	88.20	-29.07	40.45	3	Horizontal	311	1.66	-	40.91	9.60	31.83
RMS	13.70754G	46.79	68.20	-21.41	28.09	3	Horizontal	311	1.66	-	40.92	9.60	31.82


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6855MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5648G	52.24	83.54	-31.30	49.01	1	Vertical	218	1.58	-	37.73	17.51	52.01
AV	20.5646G	39.17	63.54	-24.37	35.94	1	Vertical	218	1.58	-	37.73	17.51	52.01


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6855MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.564G	54.61	83.54	-28.93	51.38	1	Horizontal	75	1.50	-	37.73	17.51	52.01
AV	20.5641G	40.86	63.54	-22.68	37.63	1	Horizontal	75	1.50	-	37.73	17.51	52.01


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX



EUT_Y_4TX
 Setting 70
 02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	118.24	Inf	-Inf	108.03	3	Vertical	83	1.77	-	35.20	6.64	31.63
RMS	6.8736G	107.03	Inf	-Inf	96.81	3	Vertical	83	1.77	-	35.20	6.64	31.62
PK	7.2194G	61.68	88.20	-26.52	50.58	3	Vertical	83	1.77	-	36.08	6.89	31.87
RMS	7.225G	50.42	68.20	-17.78	39.30	3	Vertical	83	1.77	-	36.10	6.89	31.87

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX








EUT_Y_4TX
 Setting 70
 02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8764G	119.80	Inf	-Inf	109.58	3	Horizontal	160	1.05	-	35.20	6.64	31.62
RMS	6.882G	109.11	Inf	-Inf	98.89	3	Horizontal	160	1.05	-	35.20	6.64	31.62
PK	7.1284G	60.89	88.20	-27.31	50.30	3	Horizontal	160	1.05	-	35.57	6.83	31.81
RMS	7.225G	50.51	68.20	-17.69	39.39	3	Horizontal	160	1.05	-	36.10	6.89	31.87

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


23/12/2022

EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75426G	58.01	88.20	-30.19	39.17	3	Vertical	56	1.92	-	41.01	9.61	31.78
RMS	13.7488G	45.61	68.20	-22.59	26.78	3	Vertical	56	1.92	-	41.00	9.61	31.78

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75012G	58.97	88.20	-29.23	40.14	3	Horizontal	310	1.60	-	41.00	9.61	31.78
RMS	13.74994G	47.07	68.20	-21.13	28.24	3	Horizontal	310	1.60	-	41.00	9.61	31.78

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 70
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6253G	50.30	83.54	-33.24	47.05	1	Vertical	324	1.50	-	37.75	17.53	52.03
AV	20.625G	40.54	63.54	-23.00	37.28	1	Vertical	324	1.50	-	37.75	17.53	52.02

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.625G	51.29	83.54	-32.25	48.03	1	Horizontal	229	1.60	-	37.75	17.53	52.02
AV	20.625G	43.78	63.54	-19.76	40.52	1	Horizontal	229	1.60	-	37.75	17.53	52.02


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6895MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	116.86	Inf	-Inf	106.65	3	Vertical	85	1.94	-	35.20	6.64	31.63
RMS	6.9034G	106.66	Inf	-Inf	96.46	3	Vertical	85	1.94	-	35.20	6.65	31.65
PK	7.1902G	61.13	88.20	-27.07	50.15	3	Vertical	85	1.94	-	35.94	6.89	31.85
RMS	7.1746G	50.01	68.20	-18.19	39.13	3	Vertical	85	1.94	-	35.85	6.87	31.84


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6895MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.901G	118.58	Inf	-Inf	108.37	3	Horizontal	158	1.24	-	35.20	6.65	31.64
RMS	6.8962G	108.27	Inf	-Inf	98.06	3	Horizontal	158	1.24	-	35.20	6.65	31.64
PK	7.1674G	60.89	88.20	-27.31	50.06	3	Horizontal	158	1.24	-	35.80	6.87	31.84
RMS	7.1734G	50.03	68.20	-18.17	39.16	3	Horizontal	158	1.24	-	35.84	6.87	31.84


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6895MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79324G	59.63	88.20	-28.57	40.65	3	Vertical	345	2.70	-	41.09	9.63	31.74
RMS	13.78856G	46.32	68.20	-21.88	27.35	3	Vertical	345	2.70	-	41.08	9.63	31.74

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6895MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79228G	59.45	88.20	-28.75	40.48	3	Horizontal	300	1.61	-	41.08	9.63	31.74
RMS	13.78976G	47.46	68.20	-20.74	28.49	3	Horizontal	300	1.61	-	41.08	9.63	31.74

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6796G	47.54	83.54	-36.00	44.25	1	Vertical	158	1.50	-	37.77	17.56	52.04
AV	20.6986G	33.69	63.54	-29.85	30.39	1	Vertical	158	1.50	-	37.78	17.56	52.04

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6895MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6953G	47.36	83.54	-36.18	44.06	1	Horizontal	2	1.50	-	37.78	17.56	52.04
AV	20.6972G	33.72	63.54	-29.82	30.42	1	Horizontal	2	1.50	-	37.78	17.56	52.04


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6995MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9886G	115.05	Inf	-Inf	104.89	3	Vertical	84	1.77	-	35.20	6.69	31.73
RMS	6.9982G	106.76	Inf	-Inf	96.60	3	Vertical	84	1.77	-	35.20	6.70	31.74
PK	7.139G	61.63	88.20	-26.57	50.98	3	Vertical	84	1.77	-	35.63	6.84	31.82
RMS	7.1934G	50.80	68.20	-17.40	39.80	3	Vertical	84	1.77	-	35.96	6.89	31.85


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6995MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9966G	117.30	Inf	-Inf	107.14	3	Horizontal	157	1.09	-	35.20	6.70	31.74
RMS	6.9918G	107.49	Inf	-Inf	97.32	3	Horizontal	157	1.09	-	35.20	6.70	31.73
PK	7.1302G	61.02	88.20	-27.18	50.43	3	Horizontal	157	1.09	-	35.58	6.83	31.82
RMS	7.187G	50.36	68.20	-17.84	39.40	3	Horizontal	157	1.09	-	35.92	6.89	31.85

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6995MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99108G	58.27	88.20	-29.93	38.54	3	Vertical	51	1.80	-	41.58	9.70	31.55
RMS	14.00182G	45.34	68.20	-22.86	25.57	3	Vertical	51	1.80	-	41.61	9.70	31.54

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9831G	58.49	88.20	-29.71	38.79	3	Horizontal	360	1.16	-	41.57	9.69	31.56
RMS	14.00128G	45.26	68.20	-22.94	25.49	3	Horizontal	360	1.16	-	41.61	9.70	31.54

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9891G	52.74	83.54	-30.80	48.87	1	Vertical	201	1.52	-	38.28	17.69	52.10
AV	20.9839G	39.45	63.54	-24.09	35.59	1	Vertical	201	1.52	-	38.27	17.69	52.10

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9917G	58.24	83.54	-25.30	54.37	1	Horizontal	251	1.65	-	38.28	17.69	52.10
AV	20.9867G	43.46	63.54	-20.08	39.60	1	Horizontal	251	1.65	-	38.27	17.69	52.10


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
7095MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0938G	117.20	Inf	-Inf	106.81	3	Vertical	87	1.80	-	35.39	6.79	31.79
RMS	7.0934G	106.80	Inf	-Inf	96.41	3	Vertical	87	1.80	-	35.39	6.79	31.79
PK	7.1254G	67.37	88.20	-20.83	56.80	3	Vertical	87	1.80	-	35.55	6.83	31.81
RMS	7.1282G	55.76	68.20	-12.44	45.17	3	Vertical	87	1.80	-	35.57	6.83	31.81

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
7095MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.091G	117.75	Inf	-Inf	107.37	3	Horizontal	255	2.05	-	35.38	6.79	31.79
RMS	7.101G	106.91	Inf	-Inf	96.50	3	Horizontal	255	2.05	-	35.41	6.80	31.80
PK	7.1314G	66.46	88.20	-21.74	55.86	3	Horizontal	255	2.05	-	35.59	6.83	31.82
RMS	7.1262G	56.22	68.20	-11.98	45.64	3	Horizontal	255	2.05	-	35.56	6.83	31.81

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17962G	58.35	88.20	-29.85	37.80	3	Vertical	34	1.57	-	42.24	9.77	31.46
RMS	14.20374G	45.82	68.20	-22.38	25.19	3	Vertical	34	1.57	-	42.30	9.78	31.45

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
7095MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2041G	58.04	88.20	-30.16	37.41	3	Horizontal	50	1.80	-	42.30	9.78	31.45
RMS	14.20374G	45.82	68.20	-22.38	25.19	3	Horizontal	50	1.80	-	42.30	9.78	31.45

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2818G	56.55	83.54	-26.99	52.76	1	Vertical	203	1.50	-	38.07	17.82	52.10
AV	21.2868G	43.32	63.54	-20.22	39.53	1	Vertical	203	1.50	-	38.07	17.82	52.10

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2816G	62.57	83.54	-20.97	58.78	1	Horizontal	245	1.50	-	38.07	17.82	52.10
AV	21.2817G	48.23	63.54	-15.31	44.44	1	Horizontal	245	1.50	-	38.07	17.82	52.10

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


7115MHz_TX



EUT_Y_4TX
Setting 13
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.12248G	96.36	Inf	-Inf	85.82	3	Vertical	87	1.80	-	35.53	6.82	31.81
RMS	7.11848G	85.46	Inf	-Inf	74.94	3	Vertical	87	1.80	-	35.51	6.82	31.81
PK	7.1255G	79.31	88.20	-8.89	68.74	3	Vertical	87	1.80	BP 1MHz	35.55	6.83	31.81
RMS	7.1255G	67.23	68.20	-0.97	56.66	3	Vertical	87	1.80	BP 1MHz	35.55	6.83	31.81

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
7115MHz_TX




EUT_Y_4TX
Setting 13
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1075G	94.90	Inf	-Inf	84.44	3	Horizontal	250	1.80	-	35.45	6.81	31.80
RMS	7.12113G	86.12	Inf	-Inf	75.58	3	Horizontal	250	1.80	-	35.53	6.82	31.81
PK	7.1255G	79.99	88.20	-8.21	69.42	3	Horizontal	250	1.80	BP 1MHz	35.55	6.83	31.81
RMS	7.1255G	67.70	68.20	-0.50	57.13	3	Horizontal	250	1.80	BP 1MHz	35.55	6.83	31.81

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 13
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.24116G	58.63	88.20	-29.57	37.93	3	Vertical	-0	1.64	-	42.34	9.80	31.44
RMS	14.2177G	45.92	68.20	-22.28	25.26	3	Vertical	-0	1.64	-	42.32	9.79	31.45

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 13
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23492G	58.81	88.20	-29.39	38.13	3	Horizontal	167	2.73	-	42.33	9.79	31.44
RMS	14.21692G	45.91	68.20	-22.29	25.25	3	Horizontal	167	2.73	-	42.32	9.79	31.45

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




23/12/2022

EUT Y_4TX
Setting 13
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3464G	57.23	83.54	-26.31	53.46	1	Vertical	202	1.50	-	38.02	17.85	52.10
AV	21.3416G	43.78	63.54	-19.76	40.01	1	Vertical	202	1.50	-	38.03	17.84	52.10

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
7115MHz_TX




23/12/2022

EUT Y_4TX
Setting 13
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3465G	61.03	83.54	-22.51	57.26	1	Horizontal	245	1.50	-	38.02	17.85	52.10
AV	21.3416G	47.36	63.54	-16.18	43.59	1	Horizontal	245	1.50	-	38.03	17.84	52.10

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	65.35	88.20	-22.85	56.03	3	Vertical	112	3.00	-	34.14	6.22	31.04
RMS	5.9218G	53.89	68.20	-14.31	44.57	3	Vertical	112	3.00	-	34.14	6.22	31.04
PK	5.9618G	112.28	Inf	-Inf	102.89	3	Vertical	112	3.00	-	34.20	6.26	31.07
RMS	5.977G	102.95	Inf	-Inf	93.55	3	Vertical	112	3.00	-	34.20	6.28	31.08

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	67.25	88.20	-20.95	57.95	3	Horizontal	165	2.32	-	34.13	6.21	31.04
RMS	5.9222G	57.01	68.20	-11.19	47.69	3	Horizontal	165	2.32	-	34.14	6.22	31.04
PK	5.9726G	115.93	Inf	-Inf	106.54	3	Horizontal	165	2.32	-	34.20	6.27	31.08
RMS	5.9622G	105.43	Inf	-Inf	96.04	3	Horizontal	165	2.32	-	34.20	6.26	31.07

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93168G	55.20	74.00	-18.80	42.02	3	Vertical	181	2.71	-	38.94	8.58	34.34
AV	11.93G	44.74	54.00	-9.26	31.56	3	Vertical	181	2.71	-	38.94	8.58	34.34
PK	17.8787G	65.47	74.00	-8.53	45.97	3	Vertical	160	1.80	-	41.56	11.52	33.58
AV	17.8714G	53.34	54.00	-0.66	33.87	3	Vertical	160	1.80	-	41.54	11.52	33.59

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX



EUT_Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93804G	55.53	74.00	-18.47	42.37	3	Horizontal	66	1.45	-	38.92	8.58	34.34
AV	11.93828G	44.81	54.00	-9.19	31.65	3	Horizontal	66	1.45	-	38.92	8.58	34.34
PK	17.8707G	65.67	74.00	-8.33	46.20	3	Horizontal	360	1.80	-	41.54	11.52	33.59
AV	17.8808G	53.34	54.00	-0.66	33.84	3	Horizontal	360	1.80	-	41.56	11.52	33.58


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6165MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8962G	61.77	88.20	-26.43	52.52	3	Vertical	112	2.64	-	34.08	6.19	31.02
RMS	5.9142G	50.51	68.20	-17.69	41.20	3	Vertical	112	2.64	-	34.13	6.21	31.03
PK	6.177G	114.63	Inf	-Inf	104.93	3	Vertical	112	2.64	-	34.55	6.30	31.15
RMS	6.1566G	103.43	Inf	-Inf	93.77	3	Vertical	112	2.64	-	34.51	6.30	31.15

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6165MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	61.31	88.20	-26.89	52.00	3	Horizontal	175	1.80	-	34.13	6.21	31.03
RMS	5.913G	50.57	68.20	-17.63	41.26	3	Horizontal	175	1.80	-	34.13	6.21	31.03
PK	6.1554G	115.15	Inf	-Inf	105.49	3	Horizontal	175	1.80	-	34.51	6.30	31.15
RMS	6.1554G	104.68	Inf	-Inf	95.02	3	Horizontal	175	1.80	-	34.51	6.30	31.15

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33636G	55.82	74.00	-18.18	40.13	3	Vertical	4	1.03	-	38.76	9.12	32.19
AV	12.3309G	44.55	54.00	-9.45	28.86	3	Vertical	4	1.03	-	38.77	9.12	32.20

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6165MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32778G	54.61	74.00	-19.39	38.93	3	Horizontal	313	1.80	-	38.77	9.11	32.20
AV	12.33642G	43.46	54.00	-10.54	27.77	3	Horizontal	313	1.80	-	38.76	9.12	32.19


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6165MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5096G	54.46	83.54	-29.08	50.52	1	Vertical	7	1.50	-	37.60	16.65	50.31
AV	18.5044G	41.54	63.54	-22.00	37.59	1	Vertical	7	1.50	-	37.60	16.65	50.30


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6165MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5044G	54.80	83.54	-28.74	50.85	1	Horizontal	36	1.50	-	37.60	16.65	50.30
AV	18.5044G	42.59	63.54	-20.95	38.64	1	Horizontal	36	1.50	-	37.60	16.65	50.30


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6405MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8746G	61.08	88.20	-27.12	51.96	3	Vertical	67	2.03	-	33.95	6.17	31.00
RMS	5.8266G	50.65	68.20	-17.55	41.70	3	Vertical	67	2.03	-	33.80	6.12	30.97
PK	6.417G	112.43	Inf	-Inf	102.88	3	Vertical	67	2.03	-	34.37	6.41	31.23
RMS	6.4194G	100.78	Inf	-Inf	91.24	3	Vertical	67	2.03	-	34.36	6.41	31.23


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6405MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.36	88.20	-26.84	52.03	3	Horizontal	173	1.74	-	34.15	6.22	31.04
RMS	5.9082G	50.46	68.20	-17.74	41.17	3	Horizontal	173	1.74	-	34.12	6.20	31.03
PK	6.4098G	115.37	Inf	-Inf	105.81	3	Horizontal	173	1.74	-	34.38	6.40	31.22
RMS	6.4002G	103.86	Inf	-Inf	94.28	3	Horizontal	173	1.74	-	34.40	6.40	31.22


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6405MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80556G	58.63	88.20	-29.57	42.40	3	Vertical	360	1.63	-	38.91	9.28	31.96
RMS	12.81018G	47.99	68.20	-20.21	31.74	3	Vertical	360	1.63	-	38.92	9.28	31.95


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6405MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80538G	57.53	88.20	-30.67	41.30	3	Horizontal	299	1.79	-	38.91	9.28	31.96
RMS	12.81012G	47.01	68.20	-21.19	30.76	3	Horizontal	299	1.79	-	38.92	9.28	31.95


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6405MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2237G	49.56	83.54	-33.98	46.10	1	Vertical	40	1.50	-	37.59	16.94	51.07
AV	19.2255G	36.99	63.54	-26.55	33.53	1	Vertical	40	1.50	-	37.59	16.94	51.07

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6405MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2222G	52.54	83.54	-31.00	49.08	1	Horizontal	284	1.50	-	37.59	16.94	51.07
AV	19.2238G	40.82	63.54	-22.72	37.36	1	Horizontal	284	1.50	-	37.59	16.94	51.07

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8106G	63.49	88.20	-24.71	54.55	3	Vertical	104	2.65	-	33.80	6.10	30.96
RMS	5.8054G	50.50	68.20	-17.70	41.55	3	Vertical	104	2.65	-	33.80	6.10	30.95
PK	6.4372G	112.40	Inf	-Inf	102.88	3	Vertical	104	2.65	-	34.33	6.42	31.23
RMS	6.4372G	101.65	Inf	-Inf	92.13	3	Vertical	104	2.65	-	34.33	6.42	31.23

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8418G	61.06	88.20	-27.14	52.11	3	Horizontal	173	1.88	-	33.80	6.13	30.98
RMS	5.9094G	50.40	68.20	-17.80	41.11	3	Horizontal	173	1.88	-	34.12	6.20	31.03
PK	6.4502G	114.91	Inf	-Inf	105.42	3	Horizontal	173	1.88	-	34.30	6.43	31.24
RMS	6.4502G	103.70	Inf	-Inf	94.21	3	Horizontal	173	1.88	-	34.30	6.43	31.24


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6445MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8825G	61.14	88.20	-27.06	44.69	3	Vertical	-0	1.58	-	39.06	9.31	31.92
RMS	12.88982G	50.11	68.20	-18.09	33.64	3	Vertical	-0	1.58	-	39.08	9.31	31.92


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6445MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8912G	60.07	88.20	-28.13	43.60	3	Horizontal	298	1.74	-	39.08	9.31	31.92
RMS	12.89546G	48.54	68.20	-19.66	32.06	3	Horizontal	298	1.74	-	39.09	9.31	31.92


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6445MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3558G	52.27	83.54	-31.27	48.86	1	Vertical	64	1.50	-	37.64	17.00	51.23
AV	19.3364G	39.13	63.54	-24.41	35.71	1	Vertical	64	1.50	-	37.63	16.99	51.20


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6445MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3368G	52.75	83.54	-30.79	49.33	1	Horizontal	49	1.50	-	37.63	16.99	51.20
AV	19.3385G	41.28	63.54	-22.26	37.86	1	Horizontal	49	1.50	-	37.64	16.99	51.21


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6485MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	62.02	88.20	-26.18	52.90	3	Vertical	103	2.63	-	33.96	6.17	31.01
RMS	5.9138G	50.35	68.20	-17.85	41.04	3	Vertical	103	2.63	-	34.13	6.21	31.03
PK	6.4878G	113.11	Inf	-Inf	103.62	3	Vertical	103	2.63	-	34.30	6.44	31.25
RMS	6.4766G	102.23	Inf	-Inf	92.73	3	Vertical	103	2.63	-	34.30	6.44	31.24
PK	7.1486G	59.51	88.20	-28.69	48.80	3	Vertical	103	2.63	-	35.69	6.85	31.83
RMS	7.1822G	49.69	68.20	-18.51	38.77	3	Vertical	103	2.63	-	35.89	6.88	31.85


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6485MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8354G	60.88	88.20	-27.32	51.92	3	Horizontal	173	1.80	-	33.80	6.13	30.97
RMS	5.7934G	50.39	68.20	-17.81	41.43	3	Horizontal	173	1.80	-	33.80	6.10	30.94
PK	6.4906G	115.05	Inf	-Inf	105.55	3	Horizontal	173	1.80	-	34.30	6.45	31.25
RMS	6.4906G	103.53	Inf	-Inf	94.03	3	Horizontal	173	1.80	-	34.30	6.45	31.25
PK	7.1822G	60.60	88.20	-27.60	49.68	3	Horizontal	173	1.80	-	35.89	6.88	31.85
RMS	7.1822G	49.67	68.20	-18.53	38.75	3	Horizontal	173	1.80	-	35.89	6.88	31.85


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6485MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9838G	61.33	88.20	-26.87	44.69	3	Vertical	340	1.33	-	39.18	9.34	31.88
RMS	12.97102G	49.57	68.20	-18.63	32.94	3	Vertical	340	1.33	-	39.17	9.34	31.88


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6485MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96952G	59.31	88.20	-28.89	42.68	3	Horizontal	58	1.88	-	39.17	9.34	31.88
RMS	12.9676G	48.39	68.20	-19.81	31.76	3	Horizontal	58	1.88	-	39.17	9.34	31.88


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6485MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4664G	52.23	83.54	-31.31	48.86	1	Vertical	11	1.50	-	37.69	17.04	51.36
AV	19.4513G	40.24	63.54	-23.30	36.86	1	Vertical	11	1.50	-	37.68	17.04	51.34

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6485MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4579G	53.90	83.54	-29.64	50.53	1	Horizontal	284	1.50	-	37.68	17.04	51.35
AV	19.4582G	42.35	63.54	-21.19	38.98	1	Horizontal	284	1.50	-	37.68	17.04	51.35

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.867G	61.97	88.20	-26.23	52.91	3	Vertical	100	2.79	-	33.90	6.16	31.00
RMS	5.8922G	50.36	68.20	-17.84	41.14	3	Vertical	100	2.79	-	34.05	6.19	31.02
PK	6.5306G	114.10	Inf	-Inf	104.49	3	Vertical	100	2.79	-	34.42	6.47	31.28
RMS	6.5166G	101.58	Inf	-Inf	92.02	3	Vertical	100	2.79	-	34.37	6.46	31.27
PK	7.1522G	61.57	88.20	-26.63	50.84	3	Vertical	100	2.79	-	35.71	6.85	31.83
RMS	7.2222G	50.09	68.20	-18.11	38.98	3	Vertical	100	2.79	-	36.09	6.89	31.87

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9006G	60.79	88.20	-27.41	51.51	3	Horizontal	161	2.00	-	34.10	6.20	31.02
RMS	5.895G	50.36	68.20	-17.84	41.12	3	Horizontal	161	2.00	-	34.07	6.19	31.02
PK	6.5278G	115.04	Inf	-Inf	105.45	3	Horizontal	161	2.00	-	34.41	6.46	31.28
RMS	6.5222G	104.16	Inf	-Inf	94.58	3	Horizontal	161	2.00	-	34.39	6.46	31.27
PK	7.2138G	60.57	88.20	-27.63	49.48	3	Horizontal	161	2.00	-	36.06	6.89	31.86
RMS	7.225G	50.02	68.20	-18.18	38.90	3	Horizontal	161	2.00	-	36.10	6.89	31.87

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04904G	61.22	88.20	-26.98	44.33	3	Vertical	342	1.31	-	39.40	9.37	31.88
RMS	13.0488G	50.52	68.20	-17.68	33.63	3	Vertical	342	1.31	-	39.40	9.37	31.88

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04466G	60.82	88.20	-27.38	43.95	3	Horizontal	60	2.04	-	39.38	9.37	31.88
RMS	13.0524G	49.26	68.20	-18.94	32.37	3	Horizontal	60	2.04	-	39.41	9.37	31.89

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5613G	54.88	83.54	-28.66	51.58	1	Vertical	353	1.58	-	37.68	17.08	51.46
AV	19.5734G	42.35	63.54	-21.19	39.06	1	Vertical	353	1.58	-	37.67	17.09	51.47

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5637G	54.63	83.54	-28.91	51.34	1	Horizontal	291	1.50	-	37.67	17.08	51.46
AV	19.5788G	42.07	63.54	-21.47	38.79	1	Horizontal	291	1.50	-	37.67	17.09	51.48

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6565MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5674G	115.38	Inf	-Inf	105.69	3	Vertical	101	2.93	-	34.53	6.48	31.32
RMS	6.5722G	103.13	Inf	-Inf	93.42	3	Vertical	101	2.93	-	34.54	6.49	31.32
PK	7.141G	59.50	88.20	-28.70	48.83	3	Vertical	101	2.93	-	35.65	6.84	31.82
RMS	7.1602G	49.51	68.20	-18.69	38.72	3	Vertical	101	2.93	-	35.76	6.86	31.83

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5674G	117.19	Inf	-Inf	107.50	3	Horizontal	160	1.96	-	34.53	6.48	31.32
RMS	6.577G	105.64	Inf	-Inf	95.93	3	Horizontal	160	1.96	-	34.55	6.49	31.33
PK	7.1386G	60.37	88.20	-27.83	49.72	3	Horizontal	160	1.96	-	35.63	6.84	31.82
RMS	7.165G	49.46	68.20	-18.74	38.64	3	Horizontal	160	1.96	-	35.79	6.87	31.84

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13378G	60.35	88.20	-27.85	43.16	3	Vertical	340	1.30	-	39.70	9.40	31.91
RMS	13.13114G	49.62	68.20	-18.58	32.44	3	Vertical	340	1.30	-	39.69	9.40	31.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1261G	59.77	88.20	-28.43	42.61	3	Horizontal	53	2.15	-	39.68	9.39	31.91
RMS	13.13216G	48.73	68.20	-19.47	31.54	3	Horizontal	53	2.15	-	39.70	9.40	31.91


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6565MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6818G	53.53	83.54	-30.01	50.35	1	Vertical	334	1.64	-	37.63	17.13	51.58
AV	19.7091G	40.18	63.54	-23.36	37.03	1	Vertical	334	1.64	-	37.62	17.14	51.61


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6565MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6836G	57.60	83.54	-25.94	54.42	1	Horizontal	287	1.50	-	37.63	17.13	51.58
AV	19.6983G	44.11	63.54	-19.43	40.95	1	Horizontal	287	1.50	-	37.62	17.14	51.60


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6685MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.679G	112.58	Inf	-Inf	102.55	3	Vertical	80	2.13	-	34.92	6.54	31.43
RMS	6.693G	102.42	Inf	-Inf	92.34	3	Vertical	80	2.13	-	34.97	6.55	31.44
PK	7.167G	60.31	88.20	-27.89	49.48	3	Vertical	80	2.13	-	35.80	6.87	31.84
RMS	7.177G	49.70	68.20	-18.50	38.80	3	Vertical	80	2.13	-	35.86	6.88	31.84


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6685MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.667G	114.20	Inf	-Inf	104.21	3	Horizontal	161	1.81	-	34.87	6.53	31.41
RMS	6.687G	104.37	Inf	-Inf	94.31	3	Horizontal	161	1.81	-	34.95	6.54	31.43
PK	7.177G	60.15	88.20	-28.05	49.25	3	Horizontal	161	1.81	-	35.86	6.88	31.84
RMS	7.179G	49.67	68.20	-18.53	38.76	3	Horizontal	161	1.81	-	35.87	6.88	31.84

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6685MHz_TX




EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.35662G	57.87	74.00	-16.13	40.17	3	Vertical	334	1.79	-	40.21	9.47	31.98
AV	13.36844G	47.02	54.00	-6.98	29.28	3	Vertical	334	1.79	-	40.24	9.48	31.98

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38236G	56.90	74.00	-17.10	39.14	3	Horizontal	229	2.96	-	40.26	9.48	31.98
AV	13.37006G	46.03	54.00	-7.97	28.29	3	Horizontal	229	2.96	-	40.24	9.48	31.98


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6685MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0347G	51.98	83.54	-31.56	49.18	1	Vertical	311	1.54	-	37.43	17.28	51.91
AV	20.05G	39.97	63.54	-23.57	37.16	1	Vertical	311	1.54	-	37.44	17.28	51.91


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6685MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0586G	54.77	83.54	-28.77	51.94	1	Horizontal	74	1.50	-	37.45	17.29	51.91
AV	20.0487G	42.60	63.54	-20.94	39.79	1	Horizontal	74	1.50	-	37.44	17.28	51.91


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6845MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.853G	114.77	Inf	-Inf	104.54	3	Vertical	85	1.96	-	35.20	6.63	31.60
RMS	6.8386G	104.18	Inf	-Inf	93.94	3	Vertical	85	1.96	-	35.20	6.62	31.58
PK	7.2146G	60.66	88.20	-27.54	49.57	3	Vertical	85	1.96	-	36.06	6.89	31.86
RMS	7.2386G	50.37	68.20	-17.83	39.22	3	Vertical	85	1.96	-	36.15	6.88	31.88

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6845MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	116.19	Inf	-Inf	105.96	3	Horizontal	158	1.80	-	35.20	6.63	31.60
RMS	6.8418G	105.33	Inf	-Inf	95.09	3	Horizontal	158	1.80	-	35.20	6.62	31.58
PK	7.2338G	61.18	88.20	-27.02	50.04	3	Horizontal	158	1.80	-	36.14	6.88	31.88
RMS	7.2402G	50.34	68.20	-17.86	39.18	3	Horizontal	158	1.80	-	36.16	6.88	31.88

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68328G	57.96	88.20	-30.24	39.34	3	Vertical	55	2.03	-	40.87	9.59	31.84
RMS	13.6888G	46.53	68.20	-21.67	27.90	3	Vertical	55	2.03	-	40.88	9.59	31.84


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6845MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70476G	58.80	88.20	-29.40	40.11	3	Horizontal	312	1.80	-	40.91	9.60	31.82
RMS	13.68982G	46.96	68.20	-21.24	28.33	3	Horizontal	312	1.80	-	40.88	9.59	31.84


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6845MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5244G	50.70	83.54	-32.84	47.50	1	Vertical	217	1.51	-	37.71	17.49	52.00
AV	20.5297G	38.48	63.54	-25.06	35.29	1	Vertical	217	1.51	-	37.71	17.49	52.01


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6845MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.539G	53.92	83.54	-29.62	50.72	1	Horizontal	74	1.51	-	37.72	17.49	52.01
AV	20.5241G	41.42	63.54	-22.12	38.22	1	Horizontal	74	1.51	-	37.71	17.49	52.00


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



EUT_Y_4TX
 Setting 70
 02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8976G	113.58	Inf	-Inf	103.37	3	Vertical	84	1.92	-	35.20	6.65	31.64
RMS	6.8934G	103.77	Inf	-Inf	93.56	3	Vertical	84	1.92	-	35.20	6.65	31.64
PK	7.1818G	60.95	88.20	-27.25	50.03	3	Vertical	84	1.92	-	35.89	6.88	31.85
RMS	7.2308G	50.50	68.20	-17.70	39.37	3	Vertical	84	1.92	-	36.12	6.88	31.87

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 70
 02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.892G	115.57	Inf	-Inf	105.35	3	Horizontal	160	1.05	-	35.20	6.65	31.63
RMS	6.8766G	105.43	Inf	-Inf	95.21	3	Horizontal	160	1.05	-	35.20	6.64	31.62
PK	7.2336G	61.29	88.20	-26.91	50.16	3	Horizontal	160	1.05	-	36.13	6.88	31.88
RMS	7.2322G	50.42	68.20	-17.78	39.28	3	Horizontal	160	1.05	-	36.13	6.88	31.87

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX








EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77084G	57.59	88.20	-30.61	38.69	3	Vertical	169	1.80	-	41.04	9.62	31.76
RMS	13.78434G	46.64	68.20	-21.56	27.70	3	Vertical	169	1.80	-	41.07	9.62	31.75

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


23/12/2022

EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77738G	57.99	88.20	-30.21	39.07	3	Horizontal	310	1.80	-	41.05	9.62	31.75
RMS	13.76988G	46.71	68.20	-21.49	27.81	3	Horizontal	310	1.80	-	41.04	9.62	31.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6522G	50.85	83.54	-32.69	47.58	1	Vertical	220	1.57	-	37.76	17.54	52.03
AV	20.642G	38.99	63.54	-24.55	35.72	1	Vertical	220	1.57	-	37.76	17.54	52.03

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6623G	53.26	83.54	-30.28	49.98	1	Horizontal	243	1.50	-	37.76	17.55	52.03
AV	20.6519G	40.17	63.54	-23.37	36.90	1	Horizontal	243	1.50	-	37.76	17.54	52.03


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6925MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9334G	113.41	Inf	-Inf	103.21	3	Vertical	83	1.80	-	35.20	6.67	31.67
RMS	6.9334G	103.18	Inf	-Inf	92.98	3	Vertical	83	1.80	-	35.20	6.67	31.67
PK	7.2178G	61.33	88.20	-26.87	50.24	3	Vertical	83	1.80	-	36.07	6.89	31.87
RMS	7.225G	50.30	68.20	-17.90	39.18	3	Vertical	83	1.80	-	36.10	6.89	31.87


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6925MHz_TX







EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9322G	113.80	Inf	-Inf	103.60	3	Horizontal	158	1.37	-	35.20	6.67	31.67
RMS	6.9166G	103.72	Inf	-Inf	93.52	3	Horizontal	158	1.37	-	35.20	6.66	31.66
PK	7.2238G	61.10	88.20	-27.10	49.98	3	Horizontal	158	1.37	-	36.10	6.89	31.87
RMS	7.2238G	50.15	68.20	-18.05	39.03	3	Horizontal	158	1.37	-	36.10	6.89	31.87

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6925MHz_TX




Lim.PK 
 PK 
 Lim.AV 
 AV 

23/12/2022

EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84598G	58.54	88.20	-29.66	39.34	3	Vertical	351	1.80	-	41.24	9.65	31.69
RMS	13.85528G	47.34	68.20	-20.86	28.10	3	Vertical	351	1.80	-	41.27	9.65	31.68


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6925MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85708G	58.25	88.20	-29.95	39.01	3	Horizontal	4	1.80	-	41.27	9.65	31.68
RMS	13.8584G	47.37	68.20	-20.83	28.12	3	Horizontal	4	1.80	-	41.28	9.65	31.68


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6925MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7846G	51.00	83.54	-32.54	47.59	1	Vertical	219	1.65	-	37.87	17.60	52.06
AV	20.7793G	38.94	63.54	-24.60	35.54	1	Vertical	219	1.65	-	37.86	17.60	52.06


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6925MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7668G	54.79	83.54	-28.75	51.42	1	Horizontal	226	1.44	-	37.83	17.59	52.05
AV	20.7815G	41.50	63.54	-22.04	38.10	1	Horizontal	226	1.44	-	37.86	17.60	52.06


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7005MHz_TX



EUT_Y_4TX
 Setting 70
 02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9986G	114.61	Inf	-Inf	104.45	3	Vertical	91	1.80	-	35.20	6.70	31.74
RMS	6.9986G	103.63	Inf	-Inf	93.47	3	Vertical	91	1.80	-	35.20	6.70	31.74
PK	7.137G	61.99	88.20	-26.21	51.35	3	Vertical	91	1.80	-	35.62	6.84	31.82
RMS	7.2042G	50.72	68.20	-17.48	39.66	3	Vertical	91	1.80	-	36.02	6.90	31.86

**6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7005MHz_TX**




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9962G	113.64	Inf	-Inf	103.48	3	Horizontal	160	1.02	-	35.20	6.70	31.74
RMS	6.997G	104.45	Inf	-Inf	94.29	3	Horizontal	160	1.02	-	35.20	6.70	31.74
PK	7.1562G	61.59	88.20	-26.61	50.82	3	Horizontal	160	1.02	-	35.74	6.86	31.83
RMS	7.2026G	50.23	68.20	-17.97	39.18	3	Horizontal	160	1.02	-	36.01	6.90	31.86

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00616G	58.25	88.20	-29.95	38.47	3	Vertical	270	2.33	-	41.62	9.70	31.54
RMS	14.00238G	47.05	68.20	-21.15	27.28	3	Vertical	270	2.33	-	41.61	9.70	31.54

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02284G	58.31	88.20	-29.89	38.44	3	Horizontal	92	1.80	-	41.69	9.71	31.53
RMS	14.00136G	46.98	68.20	-21.22	27.21	3	Horizontal	92	1.80	-	41.61	9.70	31.54

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.014G	52.28	83.54	-31.26	48.39	1	Vertical	201	1.53	-	38.29	17.70	52.10
AV	21.0089G	39.85	63.54	-23.69	35.96	1	Vertical	201	1.53	-	38.29	17.70	52.10


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7005MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0015G	57.38	83.54	-26.16	53.48	1	Horizontal	246	1.65	-	38.30	17.70	52.10
AV	21.0119G	45.50	63.54	-18.04	41.61	1	Horizontal	246	1.65	-	38.29	17.70	52.10


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7085MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0886G	114.30	Inf	-Inf	103.92	3	Vertical	88	1.81	-	35.38	6.79	31.79
RMS	7.093G	104.43	Inf	-Inf	94.04	3	Vertical	88	1.81	-	35.39	6.79	31.79
PK	7.1282G	64.65	88.20	-23.55	54.06	3	Vertical	88	1.81	-	35.57	6.83	31.81
RMS	7.1286G	54.13	68.20	-14.07	43.54	3	Vertical	88	1.81	-	35.57	6.83	31.81

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7085MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.091G	115.05	Inf	-Inf	104.67	3	Horizontal	255	2.05	-	35.38	6.79	31.79
RMS	7.081G	104.18	Inf	-Inf	93.83	3	Horizontal	255	2.05	-	35.36	6.78	31.79
PK	7.131G	65.17	88.20	-23.03	54.57	3	Horizontal	255	2.05	-	35.59	6.83	31.82
RMS	7.1258G	53.94	68.20	-14.26	43.37	3	Horizontal	255	2.05	-	35.55	6.83	31.81

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1634G	58.56	88.20	-29.64	38.07	3	Vertical	307	3.00	-	42.19	9.77	31.47
RMS	14.17168G	47.28	68.20	-20.92	26.76	3	Vertical	307	3.00	-	42.22	9.77	31.47


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7085MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18488G	58.30	88.20	-29.90	37.74	3	Horizontal	205	1.01	-	42.25	9.77	31.46
RMS	14.18092G	47.14	68.20	-21.06	26.59	3	Horizontal	205	1.01	-	42.24	9.77	31.46


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7085MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2717G	54.60	83.54	-28.94	50.81	1	Vertical	202	1.51	-	38.08	17.81	52.10
AV	21.2466G	43.02	63.54	-20.52	39.22	1	Vertical	202	1.51	-	38.10	17.80	52.10

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7085MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2618G	60.64	83.54	-22.90	56.84	1	Horizontal	245	1.50	-	38.09	17.81	52.10
AV	21.2515G	48.76	63.54	-14.78	44.96	1	Horizontal	245	1.50	-	38.10	17.80	52.10

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	64.26	88.20	-23.94	54.96	3	Vertical	112	3.00	-	34.13	6.21	31.04
RMS	5.9218G	53.94	68.20	-14.26	44.62	3	Vertical	112	3.00	-	34.14	6.22	31.04
PK	5.9818G	109.06	Inf	-Inf	99.67	3	Vertical	112	3.00	-	34.20	6.28	31.09
RMS	5.977G	99.71	Inf	-Inf	90.31	3	Vertical	112	3.00	-	34.20	6.28	31.08

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX





EUT_Y_4TX
Setting 70
02-P-G-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	66.67	88.20	-21.53	57.37	3	Horizontal	166	2.43	-	34.13	6.21	31.04
RMS	5.9218G	56.33	68.20	-11.87	47.01	3	Horizontal	166	2.43	-	34.14	6.22	31.04
PK	5.957G	111.92	Inf	-Inf	102.54	3	Horizontal	166	2.43	-	34.20	6.25	31.07
RMS	5.9722G	101.96	Inf	-Inf	92.57	3	Horizontal	166	2.43	-	34.20	6.27	31.08


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Lim.PK 

PK 

Lim.AV 

AV 


24/12/2022

EUT_Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96136G	54.95	74.00	-19.05	41.84	3	Vertical	19	1.73	-	38.88	8.59	34.36
AV	11.9811G	43.61	54.00	-10.39	30.55	3	Vertical	19	1.73	-	38.84	8.59	34.37
PK	17.9583G	65.66	74.00	-8.34	46.01	3	Vertical	45	1.76	-	41.66	11.57	33.58
AV	17.9476G	53.67	54.00	-0.33	34.03	3	Vertical	45	1.76	-	41.65	11.57	33.58

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




24/12/2022

EUT_Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97648G	55.57	74.00	-18.43	42.50	3	Horizontal	67	1.42	-	38.85	8.59	34.37
AV	11.96286G	44.65	54.00	-9.35	31.55	3	Horizontal	67	1.42	-	38.87	8.59	34.36
PK	17.9765G	65.57	74.00	-8.43	45.88	3	Horizontal	261	1.80	-	41.68	11.58	33.57
AV	17.946G	53.57	54.00	-0.43	33.94	3	Horizontal	261	1.80	-	41.65	11.56	33.58

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	61.26	88.20	-26.94	52.01	3	Vertical	108	2.64	-	34.08	6.19	31.02
RMS	5.9158G	50.62	68.20	-17.58	41.32	3	Vertical	108	2.64	-	34.13	6.21	31.04
PK	6.157G	109.34	Inf	-Inf	99.68	3	Vertical	108	2.64	-	34.51	6.30	31.15
RMS	6.157G	98.94	Inf	-Inf	89.28	3	Vertical	108	2.64	-	34.51	6.30	31.15

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6145MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	62.02	88.20	-26.18	52.74	3	Horizontal	30	1.66	-	34.10	6.20	31.02
RMS	5.9134G	50.68	68.20	-17.52	41.37	3	Horizontal	30	1.66	-	34.13	6.21	31.03
PK	6.1582G	111.85	Inf	-Inf	102.18	3	Horizontal	30	1.66	-	34.52	6.30	31.15
RMS	6.1534G	101.05	Inf	-Inf	91.39	3	Horizontal	30	1.66	-	34.51	6.30	31.15

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.30074G	54.73	74.00	-19.27	39.04	3	Vertical	163	2.62	-	38.80	9.11	32.22
AV	12.28988G	43.71	54.00	-10.29	28.02	3	Vertical	163	2.62	-	38.81	9.10	32.22


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6145MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28898G	54.90	74.00	-19.10	39.22	3	Horizontal	39	2.66	-	38.81	9.10	32.23
AV	12.28712G	43.14	54.00	-10.86	27.46	3	Horizontal	39	2.66	-	38.81	9.10	32.23


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6145MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4351G	49.30	83.54	-34.24	45.32	1	Vertical	347	1.50	-	37.57	16.62	50.21
AV	18.4349G	39.51	63.54	-24.03	35.53	1	Vertical	347	1.50	-	37.57	16.62	50.21


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6145MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4387G	48.86	83.54	-34.68	44.87	1	Horizontal	242	1.50	-	37.58	16.62	50.21
AV	18.435G	40.10	63.54	-23.44	36.12	1	Horizontal	242	1.50	-	37.57	16.62	50.21


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6385MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8234G	61.10	88.20	-27.10	52.16	3	Vertical	108	2.71	-	33.80	6.11	30.97
AV	5.9098G	50.59	68.20	-17.61	41.29	3	Vertical	108	2.71	-	34.12	6.21	31.03
PK	6.3874G	110.44	Inf	-Inf	100.87	3	Vertical	108	2.71	-	34.40	6.39	31.22
AV	6.397G	99.02	Inf	-Inf	89.44	3	Vertical	108	2.71	-	34.40	6.40	31.22


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6385MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	61.76	88.20	-26.44	52.48	3	Horizontal	172	1.74	-	34.11	6.20	31.03
RMS	5.9242G	50.60	68.20	-17.60	41.27	3	Horizontal	172	1.74	-	34.15	6.22	31.04
PK	6.3706G	112.68	Inf	-Inf	103.10	3	Horizontal	172	1.74	-	34.40	6.39	31.21
RMS	6.3706G	100.53	Inf	-Inf	90.95	3	Horizontal	172	1.74	-	34.40	6.39	31.21


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6385MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78044G	56.03	88.20	-32.17	39.87	3	Vertical	-0	1.62	-	38.86	9.27	31.97
RMS	12.77054G	45.01	68.20	-23.19	28.87	3	Vertical	-0	1.62	-	38.84	9.27	31.97


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6385MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7805G	55.70	88.20	-32.50	39.54	3	Horizontal	293	1.74	-	38.86	9.27	31.97
RMS	12.77012G	44.95	68.20	-23.25	28.81	3	Horizontal	293	1.74	-	38.84	9.27	31.97


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6385MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.151G	47.87	83.54	-35.67	44.38	1	Vertical	227	1.50	-	37.56	16.91	50.98
AV	19.1786G	35.52	63.54	-28.02	32.04	1	Vertical	227	1.50	-	37.57	16.92	51.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6385MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.13G	48.48	83.54	-35.06	44.99	1	Horizontal	264	1.50	-	37.55	16.90	50.96
AV	19.1617G	35.65	63.54	-27.89	32.16	1	Horizontal	264	1.50	-	37.56	16.92	50.99

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	61.58	88.20	-26.62	52.46	3	Vertical	102	2.63	-	33.96	6.17	31.01
RMS	5.8254G	50.92	68.20	-17.28	41.97	3	Vertical	102	2.63	-	33.80	6.12	30.97
PK	6.4572G	111.43	Inf	-Inf	101.94	3	Vertical	102	2.63	-	34.30	6.43	31.24
RMS	6.4572G	99.55	Inf	-Inf	90.06	3	Vertical	102	2.63	-	34.30	6.43	31.24


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6465MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	61.49	88.20	-26.71	52.16	3	Horizontal	173	1.97	-	34.15	6.22	31.04
RMS	5.828G	50.87	68.20	-17.33	41.92	3	Horizontal	173	1.97	-	33.80	6.12	30.97
PK	6.4494G	113.29	Inf	-Inf	103.80	3	Horizontal	173	1.97	-	34.30	6.42	31.23
RMS	6.4546G	100.71	Inf	-Inf	91.22	3	Horizontal	173	1.97	-	34.30	6.43	31.24


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6465MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9303G	58.98	88.20	-29.22	42.42	3	Vertical	-0	1.57	-	39.13	9.33	31.90
RMS	12.92046G	47.97	68.20	-20.23	31.43	3	Vertical	-0	1.57	-	39.12	9.32	31.90


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6465MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92526G	56.70	88.20	-31.50	40.15	3	Horizontal	57	1.84	-	39.13	9.32	31.90
RMS	12.91524G	46.08	68.20	-22.12	29.55	3	Horizontal	57	1.84	-	39.12	9.32	31.91


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6465MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3764G	48.97	83.54	-34.57	45.57	1	Vertical	68	1.50	-	37.65	17.00	51.25
AV	19.3763G	37.72	63.54	-25.82	34.32	1	Vertical	68	1.50	-	37.65	17.00	51.25

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6465MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3869G	50.39	83.54	-33.15	46.99	1	Horizontal	45	1.50	-	37.65	17.01	51.26
AV	19.3817G	38.64	63.54	-24.90	35.24	1	Horizontal	45	1.50	-	37.65	17.01	51.26

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8842G	61.40	88.20	-26.80	52.22	3	Vertical	102	1.62	-	34.01	6.18	31.01
RMS	5.9038G	50.58	68.20	-17.62	41.30	3	Vertical	102	1.62	-	34.11	6.20	31.03
PK	6.5338G	110.46	Inf	-Inf	100.83	3	Vertical	102	1.62	-	34.44	6.47	31.28
RMS	6.5282G	99.08	Inf	-Inf	89.49	3	Vertical	102	1.62	-	34.41	6.46	31.28
PK	7.2254G	61.32	88.20	-26.88	50.20	3	Vertical	102	1.62	-	36.10	6.89	31.87
RMS	7.245G	50.87	68.20	-17.33	39.69	3	Vertical	102	1.62	-	36.18	6.88	31.88

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	61.95	88.20	-26.25	52.76	3	Horizontal	159	1.77	-	34.02	6.18	31.01
RMS	5.915G	50.60	68.20	-17.60	41.30	3	Horizontal	159	1.77	-	34.13	6.21	31.04
PK	6.5366G	112.46	Inf	-Inf	102.83	3	Horizontal	159	1.77	-	34.45	6.47	31.29
RMS	6.5618G	102.10	Inf	-Inf	92.41	3	Horizontal	159	1.77	-	34.52	6.48	31.31
PK	7.2114G	60.73	88.20	-27.47	49.65	3	Horizontal	159	1.77	-	36.05	6.89	31.86
RMS	7.245G	50.76	68.20	-17.44	39.58	3	Horizontal	159	1.77	-	36.18	6.88	31.88

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1023G	59.69	88.20	-28.51	42.59	3	Vertical	341	1.30	-	39.61	9.39	31.90
RMS	13.08862G	48.85	68.20	-19.35	31.82	3	Vertical	341	1.30	-	39.55	9.38	31.90

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09192G	57.93	88.20	-30.27	40.88	3	Horizontal	39	1.76	-	39.57	9.38	31.90
RMS	13.0972G	47.21	68.20	-20.99	30.14	3	Horizontal	39	1.76	-	39.59	9.38	31.90

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
 Setting 70
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6289G	51.76	83.54	-31.78	48.53	1	Vertical	352	1.58	-	37.65	17.11	51.53
AV	19.6589G	40.35	63.54	-23.19	37.15	1	Vertical	352	1.58	-	37.64	17.12	51.56

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6341G	53.81	83.54	-29.73	50.58	1	Horizontal	287	1.49	-	37.65	17.11	51.53
AV	19.6539G	41.60	63.54	-21.94	38.39	1	Horizontal	287	1.49	-	37.64	17.12	51.55


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6625MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5938G	110.51	Inf	-Inf	100.76	3	Vertical	79	2.03	-	34.59	6.50	31.34
RMS	6.589G	98.31	Inf	-Inf	88.58	3	Vertical	79	2.03	-	34.58	6.49	31.34
PK	7.2106G	60.89	88.20	-27.31	49.82	3	Vertical	79	2.03	-	36.04	6.89	31.86
RMS	7.225G	50.27	68.20	-17.93	39.15	3	Vertical	79	2.03	-	36.10	6.89	31.87

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6625MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6274G	113.95	Inf	-Inf	104.10	3	Horizontal	161	1.80	-	34.71	6.51	31.37
RMS	6.637G	102.07	Inf	-Inf	92.18	3	Horizontal	161	1.80	-	34.75	6.52	31.38
PK	7.1434G	61.03	88.20	-27.17	50.35	3	Horizontal	161	1.80	-	35.66	6.84	31.82
RMS	7.2226G	50.31	68.20	-17.89	39.20	3	Horizontal	161	1.80	-	36.09	6.89	31.87

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26848G	58.69	74.00	-15.31	41.16	3	Vertical	342	1.32	-	40.04	9.44	31.95
AV	13.26848G	48.02	54.00	-5.98	30.49	3	Vertical	342	1.32	-	40.04	9.44	31.95

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25156G	58.84	74.00	-15.16	41.35	3	Horizontal	58	2.14	-	40.00	9.44	31.95
AV	13.26152G	47.26	54.00	-6.74	29.75	3	Horizontal	58	2.14	-	40.02	9.44	31.95

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88532G	52.42	83.54	-31.12	49.51	1	Vertical	38	1.35	-	37.49	17.21	51.79
AV	19.87512G	40.18	63.54	-23.36	37.25	1	Vertical	38	1.35	-	37.50	17.21	51.78