



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6625MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8474G	55.73	83.54	-27.81	52.76	1	Horizontal	287	1.50	-	37.52	17.20	51.75
AV	19.86768G	43.23	63.54	-20.31	40.28	1	Horizontal	287	1.50	-	37.51	17.21	51.77


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6705MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.713G	110.97	Inf	-Inf	100.84	3	Vertical	78	1.90	-	35.03	6.56	31.46
RMS	6.693G	100.20	Inf	-Inf	90.12	3	Vertical	78	1.90	-	34.97	6.55	31.44
PK	7.167G	60.50	88.20	-27.70	49.67	3	Vertical	78	1.90	-	35.80	6.87	31.84
RMS	7.205G	50.06	68.20	-18.14	39.00	3	Vertical	78	1.90	-	36.02	6.90	31.86


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6705MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.677G	111.72	Inf	-Inf	101.69	3	Horizontal	160	1.80	-	34.91	6.54	31.42
RMS	6.697G	101.71	Inf	-Inf	91.61	3	Horizontal	160	1.80	-	34.99	6.55	31.44
PK	7.205G	61.60	88.20	-26.60	50.54	3	Horizontal	160	1.80	-	36.02	6.90	31.86
RMS	7.205G	49.93	68.20	-18.27	38.87	3	Horizontal	160	1.80	-	36.02	6.90	31.86


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6705MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.42386G	59.28	88.20	-28.92	41.41	3	Vertical	336	1.78	-	40.37	9.50	32.00
RMS	13.40874G	46.62	68.20	-21.58	28.79	3	Vertical	336	1.78	-	40.33	9.49	31.99


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6705MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4241G	58.20	88.20	-30.00	40.33	3	Horizontal	286	2.42	-	40.37	9.50	32.00
RMS	13.41408G	47.24	68.20	-20.96	29.40	3	Horizontal	286	2.42	-	40.34	9.49	31.99


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6705MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10912G	48.02	83.54	-35.52	45.14	1	Vertical	310	1.50	-	37.49	17.31	51.92
AV	20.106G	36.52	63.54	-27.02	33.65	1	Vertical	310	1.50	-	37.48	17.31	51.92


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6705MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.094G	50.83	83.54	-32.71	47.97	1	Horizontal	73	1.50	-	37.48	17.30	51.92
AV	20.10924G	38.17	63.54	-25.37	35.29	1	Horizontal	73	1.50	-	37.49	17.31	51.92


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6785MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7962G	113.44	Inf	-Inf	103.19	3	Vertical	159	1.80	-	35.19	6.60	31.54
RMS	6.7766G	103.13	Inf	-Inf	92.91	3	Vertical	159	1.80	-	35.15	6.59	31.52
PK	7.1266G	60.40	88.20	-27.80	49.82	3	Vertical	159	1.80	-	35.56	6.83	31.81
RMS	7.128G	49.70	68.20	-18.50	39.11	3	Vertical	159	1.80	-	35.57	6.83	31.81


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6785MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7472G	112.69	Inf	-Inf	102.52	3	Horizontal	158	1.87	-	35.09	6.57	31.49
RMS	6.7766G	103.09	Inf	-Inf	92.87	3	Horizontal	158	1.87	-	35.15	6.59	31.52
PK	7.1294G	60.33	88.20	-27.87	49.74	3	Horizontal	158	1.87	-	35.58	6.83	31.82
RMS	7.1266G	49.71	68.20	-18.49	39.13	3	Horizontal	158	1.87	-	35.56	6.83	31.81


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6785MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55572G	57.91	88.20	-30.29	39.68	3	Vertical	338	2.72	-	40.66	9.54	31.97
RMS	13.56388G	46.76	68.20	-21.44	28.51	3	Vertical	338	2.72	-	40.66	9.55	31.96


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6785MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56868G	58.44	88.20	-29.76	40.17	3	Horizontal	294	1.47	-	40.67	9.55	31.95
RMS	13.56988G	47.14	68.20	-21.06	28.87	3	Horizontal	294	1.47	-	40.67	9.55	31.95


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6785MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34492G	49.51	83.54	-34.03	46.43	1	Vertical	211	1.50	-	37.64	17.41	51.97
AV	20.3304G	37.44	63.54	-26.10	34.38	1	Vertical	211	1.50	-	37.63	17.40	51.97


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6785MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3394G	51.46	83.54	-32.08	48.38	1	Horizontal	74	1.50	-	37.64	17.41	51.97
AV	20.33904G	40.09	63.54	-23.45	37.01	1	Horizontal	74	1.50	-	37.64	17.41	51.97


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT_Y_4TX
 Setting 70
 02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8734G	111.97	Inf	-Inf	101.75	3	Vertical	84	1.88	-	35.20	6.64	31.62
RMS	6.8734G	100.92	Inf	-Inf	90.70	3	Vertical	84	1.88	-	35.20	6.64	31.62
PK	7.165G	60.59	88.20	-27.61	49.77	3	Vertical	84	1.88	-	35.79	6.87	31.84
RMS	7.1494G	50.07	68.20	-18.13	39.35	3	Vertical	84	1.88	-	35.70	6.85	31.83


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT_Y_4TX
 Setting 70
 02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.871G	113.38	Inf	-Inf	103.15	3	Horizontal	158	1.79	-	35.20	6.64	31.61
RMS	6.8566G	103.16	Inf	-Inf	92.93	3	Horizontal	158	1.79	-	35.20	6.63	31.60
PK	7.1362G	60.58	88.20	-27.62	49.94	3	Horizontal	158	1.79	-	35.62	6.84	31.82
RMS	7.1626G	49.89	68.20	-18.31	39.08	3	Horizontal	158	1.79	-	35.78	6.86	31.83

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 70
 02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73066G	57.22	88.20	-30.98	38.45	3	Vertical	35	1.90	-	40.96	9.61	31.80
RMS	13.73012G	46.20	68.20	-22.00	27.43	3	Vertical	35	1.90	-	40.96	9.61	31.80

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73108G	58.17	88.20	-30.03	39.40	3	Horizontal	289	1.40	-	40.96	9.61	31.80
RMS	13.73012G	47.81	68.20	-20.39	29.04	3	Horizontal	289	1.40	-	40.96	9.61	31.80

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 70
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.625G	50.92	83.54	-32.62	47.66	1	Vertical	336	1.58	-	37.75	17.53	52.02
AV	20.625G	41.39	63.54	-22.15	38.13	1	Vertical	336	1.58	-	37.75	17.53	52.02

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62492G	51.39	83.54	-32.15	48.13	1	Horizontal	229	1.65	-	37.75	17.53	52.02
AV	20.62508G	44.70	63.54	-18.84	41.45	1	Horizontal	229	1.65	-	37.75	17.53	52.03


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6945MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9726G	110.59	Inf	-Inf	100.41	3	Vertical	84	1.80	-	35.20	6.69	31.71
RMS	6.933G	100.28	Inf	-Inf	90.08	3	Vertical	84	1.80	-	35.20	6.67	31.67
PK	7.1478G	61.15	88.20	-27.05	50.44	3	Vertical	84	1.80	-	35.69	6.85	31.83
RMS	7.2438G	50.67	68.20	-17.53	39.49	3	Vertical	84	1.80	-	36.18	6.88	31.88

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6945MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9618G	111.10	Inf	-Inf	100.92	3	Horizontal	159	1.80	-	35.20	6.68	31.70
RMS	6.957G	100.79	Inf	-Inf	90.61	3	Horizontal	159	1.80	-	35.20	6.68	31.70
PK	7.1418G	61.77	88.20	-26.43	51.10	3	Horizontal	159	1.80	-	35.65	6.84	31.82
RMS	7.245G	50.49	68.20	-17.71	39.31	3	Horizontal	159	1.80	-	36.18	6.88	31.88

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88136G	58.39	88.20	-29.81	39.04	3	Vertical	209	1.80	-	41.34	9.66	31.65
RMS	13.88988G	47.50	68.20	-20.70	28.12	3	Vertical	209	1.80	-	41.37	9.66	31.65

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.87806G	58.17	88.20	-30.03	38.84	3	Horizontal	294	1.59	-	41.33	9.66	31.66
RMS	13.88994G	48.39	68.20	-19.81	29.01	3	Horizontal	294	1.59	-	41.37	9.66	31.65


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6945MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.81212G	50.37	83.54	-33.17	46.90	1	Vertical	216	1.65	-	37.92	17.61	52.06
AV	20.83932G	38.62	63.54	-24.92	35.08	1	Vertical	216	1.65	-	37.98	17.63	52.07


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6945MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84124G	51.99	83.54	-31.55	48.45	1	Horizontal	236	1.43	-	37.98	17.63	52.07
AV	20.83148G	40.37	63.54	-23.17	36.86	1	Horizontal	236	1.43	-	37.96	17.62	52.07


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
7025MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.993G	109.71	Inf	-Inf	99.54	3	Vertical	78	1.77	-	35.20	6.70	31.73
RMS	7.013G	100.24	Inf	-Inf	90.05	3	Vertical	78	1.77	-	35.23	6.71	31.75
PK	7.129G	67.04	88.20	-21.16	56.45	3	Vertical	78	1.77	-	35.57	6.83	31.81
RMS	7.125G	55.69	68.20	-12.51	45.12	3	Vertical	78	1.77	-	35.55	6.83	31.81


**6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
7025MHz_TX**



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0154G	110.58	Inf	-Inf	100.38	3	Horizontal	257	1.99	-	35.23	6.72	31.75
RMS	6.9954G	100.60	Inf	-Inf	90.44	3	Horizontal	257	1.99	-	35.20	6.70	31.74
PK	7.1266G	70.56	88.20	-17.64	59.98	3	Horizontal	257	1.99	-	35.56	6.83	31.81
RMS	7.1266G	57.64	68.20	-10.56	47.06	3	Horizontal	257	1.99	-	35.56	6.83	31.81


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
7025MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04904G	58.66	88.20	-29.54	38.66	3	Vertical	302	1.80	-	41.80	9.72	31.52
RMS	14.04964G	47.84	68.20	-20.36	27.84	3	Vertical	302	1.80	-	41.80	9.72	31.52


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
7025MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0587G	57.42	88.20	-30.78	37.39	3	Horizontal	211	1.09	-	41.83	9.72	31.52
RMS	14.05108G	47.02	68.20	-21.18	27.02	3	Horizontal	211	1.09	-	41.80	9.72	31.52


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
7025MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.05244G	49.58	83.54	-33.96	45.70	1	Vertical	206	1.50	-	38.26	17.72	52.10
AV	21.09868G	37.19	63.54	-26.35	33.33	1	Vertical	206	1.50	-	38.22	17.74	52.10


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
7025MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.09692G	55.77	83.54	-27.77	51.91	1	Horizontal	248	1.60	-	38.22	17.74	52.10
AV	21.09132G	43.67	63.54	-19.87	39.81	1	Horizontal	248	1.60	-	38.23	17.73	52.10


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6025MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.914G	71.01	88.20	-17.19	61.70	3	Vertical	79	2.67	-	34.13	6.21	31.03
RMS	5.914G	57.81	68.20	-10.39	48.50	3	Vertical	79	2.67	-	34.13	6.21	31.03
PK	5.989G	108.88	Inf	-Inf	99.48	3	Vertical	79	2.67	-	34.20	6.29	31.09
RMS	5.994G	97.93	Inf	-Inf	88.54	3	Vertical	79	2.67	-	34.20	6.29	31.10


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6025MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.914G	71.90	88.20	-16.30	62.59	3	Horizontal	188	2.30	-	34.13	6.21	31.03
RMS	5.924G	60.78	68.20	-7.42	51.45	3	Horizontal	188	2.30	-	34.15	6.22	31.04
PK	5.999G	110.72	Inf	-Inf	101.32	3	Horizontal	188	2.30	-	34.20	6.30	31.10
RMS	5.994G	100.56	Inf	-Inf	91.17	3	Horizontal	188	2.30	-	34.20	6.29	31.10


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6025MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05228G	55.10	74.00	-18.90	39.32	3	Vertical	266	2.77	-	39.14	9.02	32.38
RMS	12.06374G	44.94	54.00	-9.06	29.18	3	Vertical	266	2.77	-	39.11	9.02	32.37


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6025MHz_TX



EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05576G	54.74	74.00	-19.26	38.96	3	Horizontal	211	2.40	-	39.13	9.02	32.37
RMS	12.05378G	44.89	54.00	-9.11	29.11	3	Horizontal	211	2.40	-	39.14	9.02	32.38


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6025MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0856G	52.73	83.54	-30.81	48.47	1	Vertical	313	1.55	-	37.50	16.48	49.72
AV	18.0676G	42.69	63.54	-20.85	38.41	1	Vertical	313	1.55	-	37.50	16.47	49.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6025MHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0516G	55.46	83.54	-28.08	51.17	1	Horizontal	235	1.48	-	37.50	16.46	49.67
AV	18.0678G	44.69	63.54	-18.85	40.41	1	Horizontal	235	1.48	-	37.50	16.47	49.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	65.68	88.20	-22.52	56.38	3	Vertical	113	2.41	-	34.12	6.21	31.03
RMS	5.921G	51.16	68.20	-17.04	41.84	3	Vertical	113	2.41	-	34.14	6.22	31.04
PK	6.2074G	108.12	Inf	-Inf	98.39	3	Vertical	113	2.41	-	34.59	6.30	31.16
RMS	6.217G	97.38	Inf	-Inf	87.67	3	Vertical	113	2.41	-	34.57	6.31	31.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6185MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9018G	61.70	88.20	-26.50	52.43	3	Horizontal	29	1.84	-	34.10	6.20	31.03
RMS	5.9226G	51.33	68.20	-16.87	42.00	3	Horizontal	29	1.84	-	34.15	6.22	31.04
PK	6.1578G	109.92	Inf	-Inf	100.25	3	Horizontal	29	1.84	-	34.52	6.30	31.15
RMS	6.153G	99.52	Inf	-Inf	89.86	3	Horizontal	29	1.84	-	34.51	6.30	31.15

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36208G	53.62	74.00	-20.38	37.93	3	Vertical	121	1.48	-	38.74	9.13	32.18
AV	12.3805G	44.28	54.00	-9.72	28.60	3	Vertical	121	1.48	-	38.72	9.13	32.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38254G	53.64	74.00	-20.36	37.96	3	Horizontal	82	3.00	-	38.72	9.13	32.17
AV	12.37492G	44.63	54.00	-9.37	28.94	3	Horizontal	82	3.00	-	38.73	9.13	32.17


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6185MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5732G	50.40	83.54	-33.14	46.46	1	Vertical	346	1.50	-	37.63	16.68	50.37
AV	18.555G	41.25	63.54	-22.29	37.31	1	Vertical	346	1.50	-	37.62	16.67	50.35


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6185MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5872G	53.65	83.54	-29.89	49.73	1	Horizontal	313	1.56	-	37.63	16.68	50.39
AV	18.5724G	44.02	63.54	-19.52	40.09	1	Horizontal	313	1.56	-	37.63	16.67	50.37


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6345MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.865G	61.22	88.20	-26.98	52.17	3	Vertical	106	2.52	-	33.89	6.16	31.00
RMS	5.923G	50.91	68.20	-17.29	41.58	3	Vertical	106	2.52	-	34.15	6.22	31.04
PK	6.331G	107.52	Inf	-Inf	97.95	3	Vertical	106	2.52	-	34.40	6.37	31.20
RMS	6.377G	96.37	Inf	-Inf	86.79	3	Vertical	106	2.52	-	34.40	6.39	31.21


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6345MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	61.29	88.20	-26.91	51.98	3	Horizontal	173	1.76	-	34.14	6.21	31.04
RMS	5.925G	50.94	68.20	-17.26	41.61	3	Horizontal	173	1.76	-	34.15	6.22	31.04
PK	6.405G	109.77	Inf	-Inf	100.20	3	Horizontal	173	1.76	-	34.39	6.40	31.22
RMS	6.375G	98.32	Inf	-Inf	88.74	3	Horizontal	173	1.76	-	34.40	6.39	31.21

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6345MHz_TX




23/12/2022

EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6987G	53.80	74.00	-20.20	37.86	3	Vertical	114	2.66	-	38.70	9.24	32.00
AV	12.67812G	44.02	54.00	-9.98	28.09	3	Vertical	114	2.66	-	38.70	9.24	32.01


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6345MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6963G	53.58	74.00	-20.42	37.64	3	Horizontal	214	2.62	-	38.70	9.24	32.00
AV	12.6798G	44.58	54.00	-9.42	28.65	3	Horizontal	214	2.62	-	38.70	9.24	32.01


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6345MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.9874G	48.88	83.54	-34.66	45.32	1	Vertical	68	1.50	-	37.51	16.84	50.79
AV	19.0456G	40.30	63.54	-23.24	36.76	1	Vertical	68	1.50	-	37.52	16.87	50.85


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6345MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0524G	49.82	83.54	-33.72	46.29	1	Horizontal	284	1.42	-	37.52	16.87	50.86
AV	19.0522G	39.98	63.54	-23.56	36.45	1	Horizontal	284	1.42	-	37.52	16.87	50.86

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 70
 02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8078G	60.87	88.20	-27.33	51.92	3	Vertical	101	1.62	-	33.80	6.10	30.95
RMS	5.8246G	50.85	68.20	-17.35	41.90	3	Vertical	101	1.62	-	33.80	6.12	30.97
PK	6.5722G	108.88	Inf	-Inf	99.17	3	Vertical	101	1.62	-	34.54	6.49	31.32
RMS	6.5274G	97.00	Inf	-Inf	87.41	3	Vertical	101	1.62	-	34.41	6.46	31.28
PK	7.149G	59.91	88.20	-28.29	49.20	3	Vertical	101	1.62	-	35.69	6.85	31.83
RMS	7.205G	50.18	68.20	-18.02	39.12	3	Vertical	101	1.62	-	36.02	6.90	31.86

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8946G	61.45	88.20	-26.75	52.21	3	Horizontal	160	1.98	-	34.07	6.19	31.02
RMS	5.9198G	50.71	68.20	-17.49	41.39	3	Horizontal	160	1.98	-	34.14	6.22	31.04
PK	6.5806G	109.66	Inf	-Inf	99.94	3	Horizontal	160	1.98	-	34.56	6.49	31.33
RMS	6.477G	99.46	Inf	-Inf	89.96	3	Horizontal	160	1.98	-	34.30	6.44	31.24
PK	7.1406G	60.25	88.20	-27.95	49.59	3	Horizontal	160	1.98	-	35.64	6.84	31.82
RMS	7.205G	50.12	68.20	-18.08	39.06	3	Horizontal	160	1.98	-	36.02	6.90	31.86

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00736G	54.66	88.20	-33.54	37.95	3	Vertical	296	2.09	-	39.23	9.35	31.87
RMS	13.00994G	45.31	68.20	-22.89	28.59	3	Vertical	296	2.09	-	39.24	9.35	31.87

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02416G	54.68	88.20	-33.52	37.90	3	Horizontal	150	2.43	-	39.30	9.36	31.88
RMS	13.02248G	45.41	68.20	-22.79	28.64	3	Horizontal	150	2.43	-	39.29	9.36	31.88

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
 Setting 70
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5256G	53.54	83.54	-30.00	50.21	1	Vertical	211	1.58	-	37.69	17.07	51.43
AV	19.5276G	43.39	63.54	-20.15	40.06	1	Vertical	211	1.58	-	37.69	17.07	51.43

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5282G	52.49	83.54	-31.05	49.16	1	Horizontal	285	1.50	-	37.69	17.07	51.43
AV	19.5486G	42.53	63.54	-21.01	39.23	1	Horizontal	285	1.50	-	37.68	17.07	51.45


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6665MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6892G	108.43	Inf	-Inf	98.37	3	Vertical	78	2.12	-	34.96	6.54	31.44
RMS	6.6936G	97.35	Inf	-Inf	87.27	3	Vertical	78	2.12	-	34.97	6.55	31.44
PK	7.1864G	60.66	88.20	-27.54	49.70	3	Vertical	78	2.12	-	35.92	6.89	31.85
RMS	7.215G	50.27	68.20	-17.93	39.18	3	Vertical	78	2.12	-	36.06	6.89	31.86

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6665MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6606G	111.19	Inf	-Inf	101.23	3	Horizontal	160	1.80	-	34.84	6.53	31.41
RMS	6.6364G	99.70	Inf	-Inf	89.81	3	Horizontal	160	1.80	-	34.75	6.52	31.38
PK	7.2128G	60.55	88.20	-27.65	49.47	3	Horizontal	160	1.80	-	36.05	6.89	31.86
RMS	7.215G	50.30	68.20	-17.90	39.21	3	Horizontal	160	1.80	-	36.06	6.89	31.86

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX








EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32166G	56.11	74.00	-17.89	38.48	3	Vertical	86	2.69	-	40.14	9.46	31.97
AV	13.34236G	46.76	54.00	-7.24	29.08	3	Vertical	86	2.69	-	40.18	9.47	31.97

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


23/12/2022

EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3384G	56.24	74.00	-17.76	38.56	3	Horizontal	238	2.07	-	40.18	9.47	31.97
AV	13.33456G	46.83	54.00	-7.17	29.16	3	Horizontal	238	2.07	-	40.17	9.47	31.97

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20G	50.89	83.54	-32.65	48.13	1	Vertical	37	1.50	-	37.40	17.26	51.90
AV	20.0002G	44.82	63.54	-18.72	42.06	1	Vertical	37	1.50	-	37.40	17.26	51.90


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6665MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20G	55.27	83.54	-28.27	52.51	1	Horizontal	282	1.49	-	37.40	17.26	51.90
AV	20G	51.03	63.54	-12.51	48.27	1	Horizontal	282	1.49	-	37.40	17.26	51.90


**6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX**



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7978G	109.85	Inf	-Inf	99.59	3	Vertical	81	1.91	-	35.20	6.60	31.54
RMS	6.8138G	98.28	Inf	-Inf	88.03	3	Vertical	81	1.91	-	35.20	6.61	31.56
PK	7.1418G	61.58	88.20	-26.62	50.91	3	Vertical	81	1.91	-	35.65	6.84	31.82
RMS	7.2186G	50.91	68.20	-17.29	39.82	3	Vertical	81	1.91	-	36.07	6.89	31.87


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



EUT_Y_4TX
 Setting 70
 02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.857G	110.21	Inf	-Inf	99.98	3	Horizontal	158	1.80	-	35.20	6.63	31.60
RMS	6.7962G	99.97	Inf	-Inf	89.72	3	Horizontal	158	1.80	-	35.19	6.60	31.54
PK	7.225G	62.24	88.20	-25.96	51.12	3	Horizontal	158	1.80	-	36.10	6.89	31.87
RMS	7.225G	50.69	68.20	-17.51	39.57	3	Horizontal	158	1.80	-	36.10	6.89	31.87

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 70
 02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64136G	57.27	88.20	-30.93	38.80	3	Vertical	261	1.63	-	40.78	9.57	31.88
RMS	13.64988G	48.01	68.20	-20.19	29.51	3	Vertical	261	1.63	-	40.80	9.58	31.88

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.66152G	56.87	88.20	-31.33	38.33	3	Horizontal	214	1.20	-	40.82	9.58	31.86
RMS	13.65012G	47.69	68.20	-20.51	29.19	3	Horizontal	214	1.20	-	40.80	9.58	31.88

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.466G	49.35	83.54	-34.19	46.19	1	Vertical	41	1.50	-	37.69	17.46	51.99
AV	20.485G	39.68	63.54	-23.86	36.52	1	Vertical	41	1.50	-	37.69	17.47	52.00

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4854G	52.45	83.54	-31.09	49.29	1	Horizontal	77	1.50	-	37.69	17.47	52.00
AV	20.4854G	42.06	63.54	-21.48	38.90	1	Horizontal	77	1.50	-	37.69	17.47	52.00


6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6985MHz_TX



EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.927G	108.89	Inf	-Inf	98.70	3	Vertical	104	2.60	-	35.20	6.66	31.67
RMS	6.957G	98.97	Inf	-Inf	88.79	3	Vertical	104	2.60	-	35.20	6.68	31.70
PK	7.125G	68.42	88.20	-19.78	57.85	3	Vertical	104	2.60	-	35.55	6.83	31.81
RMS	7.129G	54.14	68.20	-14.06	43.55	3	Vertical	104	2.60	-	35.57	6.83	31.81

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6985MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.987G	110.05	Inf	-Inf	99.89	3	Horizontal	157	1.12	-	35.20	6.69	31.73
RMS	6.957G	99.91	Inf	-Inf	89.73	3	Horizontal	157	1.12	-	35.20	6.68	31.70
PK	7.137G	67.67	88.20	-20.53	57.03	3	Horizontal	157	1.12	-	35.62	6.84	31.82
RMS	7.127G	53.53	68.20	-14.67	42.95	3	Horizontal	157	1.12	-	35.56	6.83	31.81

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9562G	57.56	88.20	-30.64	37.95	3	Vertical	249	2.57	-	41.51	9.68	31.58
RMS	13.96244G	48.06	68.20	-20.14	28.43	3	Vertical	249	2.57	-	41.52	9.69	31.58

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 70
02-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9772G	56.81	88.20	-31.39	37.13	3	Horizontal	179	1.86	-	41.55	9.69	31.56
RMS	13.96178G	48.18	68.20	-20.02	28.55	3	Horizontal	179	1.86	-	41.52	9.69	31.58

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9554G	51.01	83.54	-32.53	47.21	1	Vertical	37	1.54	-	38.21	17.68	52.09
AV	20.9522G	40.09	63.54	-23.45	36.31	1	Vertical	37	1.54	-	38.20	17.67	52.09

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6985MHz_TX



EUT Y_4TX
Setting 70
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.965G	52.01	83.54	-31.53	48.19	1	Horizontal	282	1.54	-	38.23	17.68	52.09
AV	20.9652G	41.66	63.54	-21.88	37.84	1	Horizontal	282	1.54	-	38.23	17.68	52.09




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	68.01	68.20	-0.19	3	Horizontal	249	1.85	BP 1MHz

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 35
04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9042G	63.01	88.20	-25.19	54.88	3	Vertical	53	1.68	-	34.93	5.75	32.55
RMS	5.9242G	50.92	68.20	-17.28	42.67	3	Vertical	53	1.68	-	35.05	5.76	32.56
PK	5.963G	109.14	Inf	-Inf	100.70	3	Vertical	53	1.68	-	35.23	5.78	32.57
RMS	5.9638G	98.50	Inf	-Inf	90.06	3	Vertical	53	1.68	-	35.23	5.78	32.57

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	62.69	88.20	-25.51	54.55	3	Horizontal	75	1.86	-	34.94	5.75	32.55
RMS	5.925G	50.92	68.20	-17.28	42.67	3	Horizontal	75	1.86	-	35.05	5.76	32.56
PK	5.9462G	109.63	Inf	-Inf	101.24	3	Horizontal	75	1.86	-	35.18	5.77	32.56
RMS	5.9466G	98.85	Inf	-Inf	90.46	3	Horizontal	75	1.86	-	35.18	5.77	32.56

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 35
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9122G	56.76	74.00	-17.24	43.54	3	Vertical	174	1.62	-	38.98	8.57	34.33
AV	11.90976G	45.38	54.00	-8.62	32.16	3	Vertical	174	1.62	-	38.98	8.57	34.33
PK	17.86344G	64.58	74.00	-9.42	45.13	3	Vertical	122	1.80	-	41.53	11.51	33.59
AV	17.85644G	50.71	54.00	-3.29	31.28	3	Vertical	122	1.80	-	41.51	11.51	33.59

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 35
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.904G	56.86	74.00	-17.14	43.62	3	Horizontal	134	1.80	-	38.99	8.57	34.32
AV	11.90444G	44.35	54.00	-9.65	31.11	3	Horizontal	134	1.80	-	38.99	8.57	34.32
PK	17.85972G	63.95	74.00	-10.05	44.51	3	Horizontal	330	2.45	-	41.52	11.51	33.59
AV	17.86032G	50.45	54.00	-3.55	31.01	3	Horizontal	330	2.45	-	41.52	11.51	33.59

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	61.66	88.20	-26.54	53.58	3	Vertical	85	1.85	-	34.88	5.75	32.55
RMS	5.9194G	50.72	68.20	-17.48	42.50	3	Vertical	85	1.85	-	35.02	5.76	32.56
PK	6.1822G	109.50	Inf	-Inf	100.67	3	Vertical	85	1.85	-	35.50	5.98	32.65
RMS	6.1774G	98.73	Inf	-Inf	89.90	3	Vertical	85	1.85	-	35.50	5.98	32.65

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8858G	61.80	88.20	-26.40	53.85	3	Horizontal	86	1.85	-	34.76	5.74	32.55
RMS	5.9194G	51.07	68.20	-17.13	42.85	3	Horizontal	86	1.85	-	35.02	5.76	32.56
PK	6.1762G	109.65	Inf	-Inf	100.82	3	Horizontal	86	1.85	-	35.50	5.98	32.65
RMS	6.1786G	99.34	Inf	-Inf	90.51	3	Horizontal	86	1.85	-	35.50	5.98	32.65

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35104G	56.57	74.00	-17.43	43.31	3	Vertical	61	1.57	-	38.70	8.78	34.22
AV	12.3522G	44.42	54.00	-9.58	31.16	3	Vertical	61	1.57	-	38.70	8.78	34.22

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3517G	56.21	74.00	-17.79	42.95	3	Horizontal	331	1.33	-	38.70	8.78	34.22
AV	12.34798G	44.34	54.00	-9.66	31.09	3	Horizontal	331	1.33	-	38.70	8.77	34.22

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.524G	48.15	83.54	-35.39	44.21	1	Vertical	360	1.50	-	37.61	16.65	50.32
AV	18.52476G	37.87	63.54	-25.67	33.92	1	Vertical	360	1.50	-	37.61	16.66	50.32

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52432G	57.70	83.54	-25.84	53.76	1	Horizontal	341.4	1.50	-	37.61	16.65	50.32
AV	18.52496G	45.54	63.54	-18.00	41.59	1	Horizontal	341.4	1.50	-	37.61	16.66	50.32

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	62.13	88.20	-26.07	54.06	3	Vertical	70	1.90	-	34.87	5.75	32.55
RMS	5.9158G	51.10	68.20	-17.10	42.90	3	Vertical	70	1.90	-	34.99	5.76	32.55
PK	6.4102G	107.16	Inf	-Inf	98.31	3	Vertical	70	1.90	-	35.58	6.01	32.74
RMS	6.4126G	97.53	Inf	-Inf	88.69	3	Vertical	70	1.90	-	35.57	6.01	32.74

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	62.33	88.20	-25.87	54.09	3	Horizontal	168	1.87	-	35.04	5.76	32.56
RMS	5.923G	51.05	68.20	-17.15	42.81	3	Horizontal	168	1.87	-	35.04	5.76	32.56
PK	6.4198G	105.84	Inf	-Inf	97.00	3	Horizontal	168	1.87	-	35.56	6.02	32.74
RMS	6.4174G	96.10	Inf	-Inf	87.25	3	Horizontal	168	1.87	-	35.57	6.02	32.74

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8317G	58.18	88.20	-30.02	43.88	3	Vertical	67	1.31	-	39.33	9.02	34.05
RMS	12.83066G	45.43	68.20	-22.77	31.13	3	Vertical	67	1.31	-	39.33	9.02	34.05

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82936G	57.38	88.20	-30.82	43.09	3	Horizontal	21	2.38	-	39.33	9.01	34.05
RMS	12.82784G	45.36	68.20	-22.84	31.07	3	Horizontal	21	2.38	-	39.33	9.01	34.05

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2422G	46.73	83.54	-36.81	43.27	1	Vertical	331	1.51	-	37.60	16.95	51.09
AV	19.24726G	35.02	63.54	-28.52	31.57	1	Vertical	331	1.51	-	37.60	16.95	51.10

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24284G	46.83	83.54	-36.71	43.37	1	Horizontal	330	1.57	-	37.60	16.95	51.09
AV	19.24636G	34.89	63.54	-28.65	31.44	1	Horizontal	330	1.57	-	37.60	16.95	51.10

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	61.68	88.20	-26.52	53.64	3	Vertical	71	1.80	-	34.84	5.75	32.55
RMS	5.915G	51.02	68.20	-17.18	42.82	3	Vertical	71	1.80	-	34.99	5.76	32.55
PK	6.4402G	106.79	Inf	-Inf	97.98	3	Vertical	71	1.80	-	35.52	6.04	32.75
RMS	6.4402G	96.45	Inf	-Inf	87.64	3	Vertical	71	1.80	-	35.52	6.04	32.75

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	61.53	88.20	-26.67	53.29	3	Horizontal	35	2.10	-	35.04	5.76	32.56
RMS	5.925G	50.93	68.20	-17.27	42.68	3	Horizontal	35	2.10	-	35.05	5.76	32.56
PK	6.435G	107.35	Inf	-Inf	98.53	3	Horizontal	35	2.10	-	35.53	6.04	32.75
RMS	6.4428G	97.87	Inf	-Inf	89.07	3	Horizontal	35	2.10	-	35.51	6.04	32.75

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87284G	57.15	88.20	-31.05	42.78	3	Vertical	166	2.19	-	39.37	9.04	34.04
RMS	12.86782G	45.08	68.20	-23.12	30.72	3	Vertical	166	2.19	-	39.37	9.03	34.04

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86974G	56.81	88.20	-31.39	42.45	3	Horizontal	300	2.89	-	39.37	9.03	34.04
RMS	12.86954G	45.21	68.20	-22.99	30.85	3	Horizontal	300	2.89	-	39.37	9.03	34.04

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3025G	46.80	83.54	-36.74	43.37	1	Vertical	2	1.53	-	37.62	16.97	51.16
AV	19.3076G	35.03	63.54	-28.51	31.60	1	Vertical	2	1.53	-	37.62	16.98	51.17

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3011G	47.30	83.54	-36.24	43.87	1	Horizontal	202	1.53	-	37.62	16.97	51.16
AV	19.3065G	35.16	63.54	-28.38	31.73	1	Horizontal	202	1.53	-	37.62	16.98	51.17

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	61.52	88.20	-26.68	53.34	3	Vertical	82	1.94	-	34.97	5.76	32.55
RMS	5.9234G	50.94	68.20	-17.26	42.70	3	Vertical	82	1.94	-	35.04	5.76	32.56
PK	6.4834G	107.03	Inf	-Inf	98.08	3	Vertical	82	1.94	-	35.63	6.08	32.76
RMS	6.4806G	97.17	Inf	-Inf	88.23	3	Vertical	82	1.94	-	35.62	6.08	32.76
PK	7.1666G	62.65	88.20	-25.55	52.02	3	Vertical	82	1.94	-	37.03	6.77	33.17
RMS	7.175G	51.64	68.20	-16.56	40.99	3	Vertical	82	1.94	-	37.05	6.77	33.17

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8982G	61.61	88.20	-26.59	53.53	3	Horizontal	168	1.89	-	34.88	5.75	32.55
RMS	5.9206G	50.94	68.20	-17.26	42.72	3	Horizontal	168	1.89	-	35.02	5.76	32.56
PK	6.4778G	110.32	Inf	-Inf	101.39	3	Horizontal	168	1.89	-	35.61	6.08	32.76
RMS	6.4722G	100.57	Inf	-Inf	91.67	3	Horizontal	168	1.89	-	35.59	6.07	32.76
PK	7.161G	61.69	88.20	-26.51	51.07	3	Horizontal	168	1.89	-	37.02	6.76	33.16
RMS	7.1666G	51.61	68.20	-16.59	40.98	3	Horizontal	168	1.89	-	37.03	6.77	33.17

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95444G	56.60	88.20	-31.60	42.08	3	Vertical	62	1.46	-	39.45	9.08	34.01
RMS	12.95328G	44.82	68.20	-23.38	30.30	3	Vertical	62	1.46	-	39.45	9.08	34.01

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9499G	56.93	88.20	-31.27	42.43	3	Horizontal	77	1.43	-	39.45	9.07	34.02
RMS	12.94722G	44.71	68.20	-23.49	30.21	3	Horizontal	77	1.43	-	39.45	9.07	34.02

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42448G	46.69	83.54	-36.85	43.31	1	Vertical	203	2.64	-	37.67	17.02	51.31
AV	19.43248G	35.02	63.54	-28.52	31.64	1	Vertical	203	2.64	-	37.67	17.03	51.32

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42788G	47.60	83.54	-35.94	44.21	1	Horizontal	57	1.55	-	37.67	17.03	51.31
AV	19.429G	34.93	63.54	-28.61	31.54	1	Horizontal	57	1.55	-	37.67	17.03	51.31

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9018G	61.13	88.20	-27.07	53.02	3	Vertical	69	1.90	-	34.91	5.75	32.55
RMS	5.9186G	50.91	68.20	-17.29	42.70	3	Vertical	69	1.90	-	35.01	5.76	32.56
PK	6.5094G	106.19	Inf	-Inf	97.10	3	Vertical	69	1.90	-	35.76	6.11	32.78
RMS	6.5094G	96.37	Inf	-Inf	87.28	3	Vertical	69	1.90	-	35.76	6.11	32.78
PK	7.215G	62.61	88.20	-25.59	51.78	3	Vertical	69	1.90	-	37.19	6.82	33.18
RMS	7.215G	52.00	68.20	-16.20	41.17	3	Vertical	69	1.90	-	37.19	6.82	33.18

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9018G	61.47	88.20	-26.73	53.36	3	Horizontal	70	1.90	-	34.91	5.75	32.55
RMS	5.9242G	50.90	68.20	-17.30	42.65	3	Horizontal	70	1.90	-	35.05	5.76	32.56
PK	6.5094G	106.10	Inf	-Inf	97.01	3	Horizontal	70	1.90	-	35.76	6.11	32.78
RMS	6.5094G	96.64	Inf	-Inf	87.55	3	Horizontal	70	1.90	-	35.76	6.11	32.78
PK	7.2122G	62.45	88.20	-25.75	51.65	3	Horizontal	70	1.90	-	37.17	6.81	33.18
RMS	7.2122G	51.97	68.20	-16.23	41.17	3	Horizontal	70	1.90	-	37.17	6.81	33.18

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0261G	57.21	88.20	-30.99	42.57	3	Vertical	132	2.50	-	39.53	9.11	34.00
RMS	13.02638G	45.28	68.20	-22.92	30.64	3	Vertical	132	2.50	-	39.53	9.11	34.00

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03198G	57.25	88.20	-30.95	42.61	3	Horizontal	48	1.80	-	39.53	9.12	34.01
RMS	13.03346G	45.37	68.20	-22.83	30.73	3	Horizontal	48	1.80	-	39.53	9.12	34.01

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54602G	46.89	83.54	-36.65	43.59	1	Vertical	5	1.54	-	37.68	17.07	51.45
AV	19.54686G	35.18	63.54	-28.36	31.88	1	Vertical	5	1.54	-	37.68	17.07	51.45

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54964G	47.22	83.54	-36.32	43.91	1	Horizontal	299	1.56	-	37.68	17.08	51.45
AV	19.54676G	35.12	63.54	-28.42	31.82	1	Horizontal	299	1.56	-	37.68	17.07	51.45

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	60.72	88.20	-27.48	52.61	3	Vertical	70	1.66	-	34.91	5.75	32.55
RMS	5.9246G	50.88	68.20	-17.32	42.63	3	Vertical	70	1.66	-	35.05	5.76	32.56
PK	6.5378G	105.01	Inf	-Inf	95.74	3	Vertical	70	1.66	-	35.93	6.14	32.80
RMS	6.5406G	95.90	Inf	-Inf	86.62	3	Vertical	70	1.66	-	35.94	6.14	32.80
PK	7.207G	62.78	88.20	-25.42	52.01	3	Vertical	70	1.66	-	37.14	6.81	33.18
RMS	7.235G	52.08	68.20	-16.12	41.13	3	Vertical	70	1.66	-	37.31	6.83	33.19

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	61.62	88.20	-26.58	53.45	3	Horizontal	154	2.00	-	34.96	5.76	32.55
RMS	5.9246G	50.89	68.20	-17.31	42.64	3	Horizontal	154	2.00	-	35.05	5.76	32.56
PK	6.5266G	108.02	Inf	-Inf	98.82	3	Horizontal	154	2.00	-	35.86	6.13	32.79
RMS	6.5266G	98.23	Inf	-Inf	89.03	3	Horizontal	154	2.00	-	35.86	6.13	32.79
PK	7.2042G	63.19	88.20	-25.01	52.44	3	Horizontal	154	2.00	-	37.13	6.80	33.18
RMS	7.2322G	52.10	68.20	-16.10	41.17	3	Horizontal	154	2.00	-	37.29	6.83	33.19

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06826G	56.90	88.20	-31.30	42.21	3	Vertical	90	2.44	-	39.57	9.13	34.01
RMS	13.0676G	45.14	68.20	-23.06	30.45	3	Vertical	90	2.44	-	39.57	9.13	34.01

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07322G	56.77	88.20	-31.43	42.07	3	Horizontal	169	1.24	-	39.57	9.14	34.01
RMS	13.06624G	45.19	68.20	-23.01	30.50	3	Horizontal	169	1.24	-	39.57	9.13	34.01

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60686G	46.39	83.54	-37.15	43.14	1	Vertical	161	1.51	-	37.66	17.10	51.51
AV	19.60476G	34.78	63.54	-28.76	31.52	1	Vertical	161	1.51	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60064G	46.40	83.54	-37.14	43.14	1	Horizontal	170	1.52	-	37.66	17.10	51.50
AV	19.6035G	34.78	63.54	-28.76	31.52	1	Horizontal	170	1.52	-	37.66	17.10	51.50

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	106.04	Inf	-Inf	96.54	3	Vertical	54	2.12	-	36.21	6.20	32.91
RMS	6.7016G	97.19	Inf	-Inf	87.69	3	Vertical	54	2.12	-	36.21	6.20	32.91
PK	7.2186G	62.71	88.20	-25.49	51.86	3	Vertical	54	2.12	-	37.21	6.82	33.18
RMS	7.2428G	52.21	68.20	-15.99	41.20	3	Vertical	54	2.12	-	37.36	6.84	33.19

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 35
04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	109.18	Inf	-Inf	99.68	3	Horizontal	158	2.05	-	36.20	6.20	32.90
RMS	6.6972G	99.97	Inf	-Inf	90.47	3	Horizontal	158	2.05	-	36.20	6.20	32.90
PK	7.2252G	62.92	88.20	-25.28	52.03	3	Horizontal	158	2.05	-	37.25	6.83	33.19
RMS	7.2384G	52.17	68.20	-16.03	41.19	3	Horizontal	158	2.05	-	37.33	6.84	33.19

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39488G	56.74	74.00	-17.26	41.41	3	Vertical	87	1.33	-	40.09	9.30	34.06
AV	13.38776G	45.09	54.00	-8.91	29.77	3	Vertical	87	1.33	-	40.09	9.29	34.06

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39418G	56.84	74.00	-17.16	41.51	3	Horizontal	115	1.31	-	40.09	9.30	34.06
AV	13.38728G	45.09	54.00	-8.91	29.77	3	Horizontal	115	1.31	-	40.09	9.29	34.06

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08956G	46.26	83.54	-37.28	43.41	1	Vertical	165	1.50	-	37.47	17.30	51.92
AV	20.08624G	34.75	63.54	-28.79	31.90	1	Vertical	165	1.50	-	37.47	17.30	51.92

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08368G	46.43	83.54	-37.11	43.58	1	Horizontal	107	1.57	-	37.47	17.30	51.92
AV	20.08992G	34.84	63.54	-28.70	31.99	1	Horizontal	107	1.57	-	37.47	17.30	51.92

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8564G	106.84	Inf	-Inf	97.21	3	Vertical	76	1.27	-	36.33	6.31	33.01
RMS	6.8564G	96.70	Inf	-Inf	87.07	3	Vertical	76	1.27	-	36.33	6.31	33.01
PK	7.163G	63.56	88.20	-24.64	52.94	3	Vertical	76	1.27	-	37.03	6.76	33.17
RMS	7.205G	52.00	68.20	-16.20	41.25	3	Vertical	76	1.27	-	37.13	6.80	33.18

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8592G	108.26	Inf	-Inf	98.61	3	Horizontal	152	1.50	-	36.34	6.32	33.01
RMS	6.8578G	98.53	Inf	-Inf	88.89	3	Horizontal	152	1.50	-	36.33	6.32	33.01
PK	7.1574G	62.23	88.20	-25.97	51.62	3	Horizontal	152	1.50	-	37.01	6.76	33.16
RMS	7.2022G	51.98	68.20	-16.22	41.25	3	Horizontal	152	1.50	-	37.11	6.80	33.18

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70866G	58.36	88.20	-29.84	42.56	3	Vertical	115	2.07	-	40.31	9.45	33.96
RMS	13.7061G	46.11	68.20	-22.09	30.31	3	Vertical	115	2.07	-	40.31	9.45	33.96

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71414G	58.16	88.20	-30.04	42.35	3	Horizontal	19	2.79	-	40.31	9.46	33.96
RMS	13.70532G	46.17	68.20	-22.03	30.37	3	Horizontal	19	2.79	-	40.31	9.45	33.96

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56524G	46.65	83.54	-36.89	43.42	1	Vertical	293	1.51	-	37.73	17.51	52.01
AV	20.56894G	35.18	63.54	-28.36	31.95	1	Vertical	293	1.51	-	37.73	17.51	52.01

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56366G	46.94	83.54	-36.60	43.71	1	Horizontal	42	1.58	-	37.73	17.51	52.01
AV	20.5637G	35.11	63.54	-28.43	31.88	1	Horizontal	42	1.58	-	37.73	17.51	52.01

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8798G	101.24	Inf	-Inf	91.49	3	Vertical	77	1.80	-	36.42	6.36	33.03
RMS	6.869G	86.09	Inf	-Inf	76.39	3	Vertical	77	1.80	-	36.38	6.34	33.02
PK	7.127G	62.22	88.20	-25.98	51.69	3	Vertical	77	1.80	-	36.95	6.73	33.15
RMS	7.1726G	51.75	68.20	-16.45	41.10	3	Vertical	77	1.80	-	37.05	6.77	33.17

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.881G	109.52	Inf	-Inf	99.77	3	Horizontal	158	1.74	-	36.42	6.36	33.03
RMS	6.881G	99.71	Inf	-Inf	89.96	3	Horizontal	158	1.74	-	36.42	6.36	33.03
PK	7.1258G	62.41	88.20	-25.79	51.88	3	Horizontal	158	1.74	-	36.95	6.73	33.15
RMS	7.1654G	51.75	68.20	-16.45	41.12	3	Horizontal	158	1.74	-	37.03	6.77	33.17

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75384G	58.65	88.20	-29.55	42.75	3	Vertical	53	1.63	-	40.35	9.48	33.93
RMS	13.7502G	46.28	68.20	-21.92	30.38	3	Vertical	53	1.63	-	40.35	9.48	33.93

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7485G	57.98	88.20	-30.22	42.10	3	Horizontal	273	2.18	-	40.35	9.47	33.94
RMS	13.75372G	46.33	68.20	-21.87	30.43	3	Horizontal	273	2.18	-	40.35	9.48	33.93

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62882G	46.88	83.54	-36.66	43.63	1	Vertical	320	1.50	-	37.75	17.53	52.03
AV	20.62556G	35.55	63.54	-27.99	32.30	1	Vertical	320	1.50	-	37.75	17.53	52.03

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62586G	47.23	83.54	-36.31	43.98	1	Horizontal	161	1.54	-	37.75	17.53	52.03
AV	20.62074G	35.50	63.54	-28.04	32.24	1	Horizontal	161	1.54	-	37.75	17.53	52.02

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	109.90	Inf	-Inf	100.02	3	Vertical	72	1.48	-	36.51	6.41	33.04
RMS	6.9034G	100.11	Inf	-Inf	90.23	3	Vertical	72	1.48	-	36.51	6.41	33.04
PK	7.1566G	62.52	88.20	-25.68	51.91	3	Vertical	72	1.48	-	37.01	6.76	33.16
RMS	7.1938G	51.94	68.20	-16.26	41.24	3	Vertical	72	1.48	-	37.09	6.79	33.18

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8902G	112.54	Inf	-Inf	102.74	3	Horizontal	159	1.92	-	36.46	6.38	33.04
RMS	6.8926G	101.06	Inf	-Inf	91.24	3	Horizontal	159	1.92	-	36.47	6.39	33.04
PK	7.1566G	62.74	88.20	-25.46	52.13	3	Horizontal	159	1.92	-	37.01	6.76	33.16
RMS	7.1938G	51.94	68.20	-16.26	41.24	3	Horizontal	159	1.92	-	37.09	6.79	33.18

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78692G	58.74	88.20	-29.46	42.77	3	Vertical	252	3.00	-	40.39	9.49	33.91
RMS	13.78686G	46.31	68.20	-21.89	30.34	3	Vertical	252	3.00	-	40.39	9.49	33.91

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7865G	57.73	88.20	-30.47	41.76	3	Horizontal	97	1.71	-	40.39	9.49	33.91
RMS	13.78582G	46.25	68.20	-21.95	30.28	3	Horizontal	97	1.71	-	40.39	9.49	33.91

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68482G	46.77	83.54	-36.77	43.48	1	Vertical	183	1.53	-	37.77	17.56	52.04
AV	20.68064G	35.14	63.54	-28.40	31.85	1	Vertical	183	1.53	-	37.77	17.56	52.04

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68074G	46.66	83.54	-36.88	43.37	1	Horizontal	9	1.56	-	37.77	17.56	52.04
AV	20.68138G	35.14	63.54	-28.40	31.85	1	Horizontal	9	1.56	-	37.77	17.56	52.04

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	109.50	Inf	-Inf	99.22	3	Vertical	64	1.45	-	36.79	6.60	33.11
RMS	7.0038G	100.49	Inf	-Inf	90.21	3	Vertical	64	1.45	-	36.79	6.60	33.11
PK	7.1382G	63.10	88.20	-25.10	52.54	3	Vertical	64	1.45	-	36.98	6.74	33.16
RMS	7.1894G	51.92	68.20	-16.28	41.22	3	Vertical	64	1.45	-	37.08	6.79	33.17

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 35
04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9942G	109.60	Inf	-Inf	99.33	3	Horizontal	154	1.28	-	36.79	6.59	33.11
RMS	6.9926G	99.72	Inf	-Inf	89.44	3	Horizontal	154	1.28	-	36.79	6.59	33.10
PK	7.1654G	63.14	88.20	-25.06	52.51	3	Horizontal	154	1.28	-	37.03	6.77	33.17
RMS	7.195G	51.98	68.20	-16.22	41.28	3	Horizontal	154	1.28	-	37.09	6.79	33.18

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98678G	60.02	88.20	-28.18	43.46	3	Vertical	234	1.73	-	40.77	9.59	33.80
RMS	13.98578G	47.37	68.20	-20.83	30.81	3	Vertical	234	1.73	-	40.77	9.59	33.80

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99332G	59.56	88.20	-28.64	42.96	3	Horizontal	108	1.27	-	40.79	9.60	33.79
RMS	13.99156G	47.34	68.20	-20.86	30.75	3	Horizontal	108	1.27	-	40.78	9.60	33.79

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98126G	48.03	83.54	-35.51	44.18	1	Vertical	339	1.50	-	38.26	17.69	52.10
AV	20.98726G	35.63	63.54	-27.91	31.77	1	Vertical	339	1.50	-	38.27	17.69	52.10

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98792G	47.41	83.54	-36.13	43.54	1	Horizontal	66	1.55	-	38.28	17.69	52.10
AV	20.9873G	35.57	63.54	-27.97	31.71	1	Horizontal	66	1.55	-	38.27	17.69	52.10

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 35
04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1042G	108.37	Inf	-Inf	97.91	3	Vertical	86	1.21	-	36.91	6.70	33.15
RMS	7.1038G	98.79	Inf	-Inf	88.33	3	Vertical	86	1.21	-	36.91	6.70	33.15
PK	7.153G	63.02	88.20	-25.18	52.42	3	Vertical	86	1.21	-	37.01	6.75	33.16
RMS	7.125G	52.12	68.20	-16.08	41.60	3	Vertical	86	1.21	-	36.95	6.72	33.15

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.093G	109.32	Inf	-Inf	98.90	3	Horizontal	160	1.88	-	36.87	6.69	33.14
RMS	7.0862G	98.96	Inf	-Inf	88.57	3	Horizontal	160	1.88	-	36.84	6.69	33.14
PK	7.1894G	63.34	88.20	-24.86	52.64	3	Horizontal	160	1.88	-	37.08	6.79	33.17
RMS	7.1254G	52.23	68.20	-15.97	41.70	3	Horizontal	160	1.88	-	36.95	6.73	33.15

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19252G	59.61	88.20	-28.59	43.03	3	Vertical	246	2.26	-	40.61	9.67	33.70
RMS	14.18614G	47.61	68.20	-20.59	31.01	3	Vertical	246	2.26	-	40.63	9.67	33.70

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19266G	59.52	88.20	-28.68	42.94	3	Horizontal	262	2.76	-	40.61	9.67	33.70
RMS	14.19206G	47.76	68.20	-20.44	31.17	3	Horizontal	262	2.76	-	40.62	9.67	33.70

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28026G	46.96	83.54	-36.58	43.16	1	Vertical	55	1.53	-	38.08	17.82	52.10
AV	21.28214G	35.81	63.54	-27.73	32.02	1	Vertical	55	1.53	-	38.07	17.82	52.10

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
 Setting 35
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28148G	47.52	83.54	-36.02	43.73	1	Horizontal	135	1.55	-	38.07	17.82	52.10
AV	21.28326G	35.60	63.54	-27.94	31.81	1	Horizontal	135	1.55	-	38.07	17.82	52.10

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
 Setting -10
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1255G	75.97	88.20	-12.23	65.44	3	Vertical	63	1.55	BP 1MHz	36.95	6.73	33.15
PK	7.1153G	89.26	Inf	-Inf	78.76	3	Vertical	63	1.55	-	36.93	6.72	33.15
RMS	7.1255G	57.80	68.20	-10.40	47.27	3	Vertical	63	1.55	BP 1MHz	36.95	6.73	33.15
RMS	7.11515G	73.96	Inf	-Inf	63.46	3	Vertical	63	1.55	-	36.93	6.72	33.15

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
 Setting -10
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
RMS	7.1255G	68.01	68.20	-0.19	57.48	3	Horizontal	249	1.85	BP 1MHz	36.95	6.73	33.15
RMS	7.11778G	82.89	Inf	-Inf	72.38	3	Horizontal	249	1.85	-	36.94	6.72	33.15
PK	7.1255G	78.95	88.20	-9.25	68.42	3	Horizontal	249	1.85	BP 1MHz	36.95	6.73	33.15
PK	7.10748G	92.05	Inf	-Inf	81.58	3	Horizontal	249	1.85	-	36.91	6.71	33.15

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
 Setting -10
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23122G	59.92	88.20	-28.28	43.32	3	Vertical	306	2.77	-	40.60	9.68	33.68
RMS	14.23214G	47.76	68.20	-20.44	31.16	3	Vertical	306	2.77	-	40.60	9.68	33.68

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
 Setting -10
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2291G	60.44	88.20	-27.76	43.84	3	Horizontal	92	1.29	-	40.60	9.68	33.68
RMS	14.23084G	47.63	68.20	-20.57	31.03	3	Horizontal	92	1.29	-	40.60	9.68	33.68

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
 Setting -10
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34124G	47.14	83.54	-36.40	43.37	1	Vertical	141	1.56	-	38.03	17.84	52.10
AV	21.34258G	35.35	63.54	-28.19	31.58	1	Vertical	141	1.56	-	38.03	17.84	52.10

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
 Setting -10
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3493G	48.05	83.54	-35.49	44.28	1	Horizontal	193	1.54	-	38.02	17.85	52.10
AV	21.34568G	35.14	63.54	-28.40	31.37	1	Horizontal	193	1.54	-	38.02	17.85	52.10

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8946G	62.16	88.20	-26.04	54.11	3	Vertical	96	1.30	-	34.85	5.75	32.55
RMS	5.925G	51.20	68.20	-17.00	42.95	3	Vertical	96	1.30	-	35.05	5.76	32.56
PK	5.9618G	109.55	Inf	-Inf	101.12	3	Vertical	96	1.30	-	35.22	5.78	32.57
RMS	5.9622G	99.54	Inf	-Inf	91.11	3	Vertical	96	1.30	-	35.22	5.78	32.57

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	61.88	88.20	-26.32	53.74	3	Horizontal	113	1.51	-	34.94	5.75	32.55
RMS	5.925G	51.25	68.20	-16.95	43.00	3	Horizontal	113	1.51	-	35.05	5.76	32.56
PK	5.961G	108.21	Inf	-Inf	99.78	3	Horizontal	113	1.51	-	35.22	5.78	32.57
RMS	5.959G	97.05	Inf	-Inf	88.62	3	Horizontal	113	1.51	-	35.22	5.78	32.57

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93454G	56.13	74.00	-17.87	42.96	3	Vertical	188	1.56	-	38.93	8.58	34.34
AV	11.93154G	43.64	54.00	-10.36	30.46	3	Vertical	188	1.56	-	38.94	8.58	34.34

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92714G	55.93	74.00	-18.07	42.74	3	Horizontal	94	1.41	-	38.95	8.58	34.34
AV	11.9337G	43.50	54.00	-10.50	30.33	3	Horizontal	94	1.41	-	38.93	8.58	34.34

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 45
04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	61.31	88.20	-26.89	53.09	3	Vertical	109	2.18	-	35.02	5.76	32.56
RMS	5.9154G	50.94	68.20	-17.26	42.74	3	Vertical	109	2.18	-	34.99	5.76	32.55
PK	6.1794G	105.80	Inf	-Inf	96.97	3	Vertical	109	2.18	-	35.50	5.98	32.65
RMS	6.1818G	95.67	Inf	-Inf	86.84	3	Vertical	109	2.18	-	35.50	5.98	32.65

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 45
04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	61.58	88.20	-26.62	53.36	3	Horizontal	180	1.00	-	35.02	5.76	32.56
RMS	5.925G	50.97	68.20	-17.23	42.72	3	Horizontal	180	1.00	-	35.05	5.76	32.56
PK	6.1626G	108.43	Inf	-Inf	99.61	3	Horizontal	180	1.00	-	35.50	5.96	32.64
RMS	6.1626G	98.19	Inf	-Inf	89.37	3	Horizontal	180	1.00	-	35.50	5.96	32.64

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32744G	56.23	74.00	-17.77	43.05	3	Vertical	69	1.67	-	38.65	8.76	34.23
AV	12.3284G	43.68	54.00	-10.32	30.49	3	Vertical	69	1.67	-	38.66	8.76	34.23

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3307G	56.26	74.00	-17.74	43.06	3	Horizontal	109	2.59	-	38.66	8.77	34.23
AV	12.33396G	43.62	54.00	-10.38	30.41	3	Horizontal	109	2.59	-	38.67	8.77	34.23

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49456G	46.35	83.54	-37.19	42.40	1	Vertical	325	1.54	-	37.60	16.64	50.29
AV	18.49146G	34.22	63.54	-29.32	30.27	1	Vertical	325	1.54	-	37.60	16.64	50.29

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49938G	46.16	83.54	-37.38	42.22	1	Horizontal	262	1.50	-	37.60	16.64	50.30
AV	18.49656G	34.20	63.54	-29.34	30.26	1	Horizontal	262	1.50	-	37.60	16.64	50.30

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 45
04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	61.25	88.20	-26.95	53.14	3	Vertical	90	1.76	-	34.91	5.75	32.55
RMS	5.9202G	50.91	68.20	-17.29	42.69	3	Vertical	90	1.76	-	35.02	5.76	32.56
PK	6.4146G	105.19	Inf	-Inf	96.35	3	Vertical	90	1.76	-	35.57	6.01	32.74
RMS	6.4122G	93.61	Inf	-Inf	84.76	3	Vertical	90	1.76	-	35.58	6.01	32.74

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8266G	61.59	88.20	-26.61	54.06	3	Horizontal	170	1.80	-	34.35	5.71	32.53
RMS	5.9226G	50.94	68.20	-17.26	42.70	3	Horizontal	170	1.80	-	35.04	5.76	32.56
PK	6.3954G	108.62	Inf	-Inf	99.77	3	Horizontal	170	1.80	-	35.58	6.00	32.73
RMS	6.3882G	98.04	Inf	-Inf	89.22	3	Horizontal	170	1.80	-	35.55	6.00	32.73

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8124G	56.97	88.20	-31.23	42.71	3	Vertical	130	2.68	-	39.31	9.01	34.06
RMS	12.80714G	44.70	68.20	-23.50	30.45	3	Vertical	130	2.68	-	39.31	9.00	34.06

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81492G	56.90	88.20	-31.30	42.64	3	Horizontal	327	2.56	-	39.31	9.01	34.06
RMS	12.80686G	44.70	68.20	-23.50	30.45	3	Horizontal	327	2.56	-	39.31	9.00	34.06

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21094G	46.67	83.54	-36.87	43.20	1	Vertical	185	1.55	-	37.58	16.94	51.05
AV	19.21968G	34.49	63.54	-29.05	31.02	1	Vertical	185	1.55	-	37.59	16.94	51.06

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21794G	46.99	83.54	-36.55	43.52	1	Horizontal	279	1.58	-	37.59	16.94	51.06
AV	19.21898G	34.56	63.54	-28.98	31.09	1	Horizontal	279	1.58	-	37.59	16.94	51.06

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8652G	61.15	88.20	-27.05	53.41	3	Vertical	98	1.72	-	34.55	5.73	32.54
RMS	5.925G	50.90	68.20	-17.30	42.65	3	Vertical	98	1.72	-	35.05	5.76	32.56
PK	6.4424G	105.72	Inf	-Inf	96.91	3	Vertical	98	1.72	-	35.52	6.04	32.75
RMS	6.4476G	95.42	Inf	-Inf	86.62	3	Vertical	98	1.72	-	35.50	6.05	32.75

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.873G	61.64	88.20	-26.56	53.81	3	Horizontal	81	1.79	-	34.63	5.74	32.54
RMS	5.9172G	50.92	68.20	-17.28	42.72	3	Horizontal	81	1.79	-	35.00	5.76	32.56
PK	6.4398G	107.00	Inf	-Inf	98.19	3	Horizontal	81	1.79	-	35.52	6.04	32.75
RMS	6.4398G	96.70	Inf	-Inf	87.89	3	Horizontal	81	1.79	-	35.52	6.04	32.75

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8864G	56.83	88.20	-31.37	42.43	3	Vertical	16	2.38	-	39.39	9.04	34.03
RMS	12.89256G	44.38	68.20	-23.82	29.97	3	Vertical	16	2.38	-	39.39	9.05	34.03

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88798G	57.17	88.20	-31.03	42.77	3	Horizontal	94	2.25	-	39.39	9.04	34.03
RMS	12.88762G	44.38	68.20	-23.82	29.98	3	Horizontal	94	2.25	-	39.39	9.04	34.03

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 45
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33116G	46.85	83.54	-36.69	43.43	1	Vertical	108	1.51	-	37.63	16.99	51.20
AV	19.33222G	34.83	63.54	-28.71	31.41	1	Vertical	108	1.51	-	37.63	16.99	51.20

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 45
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33052G	47.16	83.54	-36.38	43.74	1	Horizontal	167	1.55	-	37.63	16.99	51.20
AV	19.33234G	34.76	63.54	-28.78	31.34	1	Horizontal	167	1.55	-	37.63	16.99	51.20

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8886G	61.93	88.20	-26.27	53.95	3	Vertical	98	1.64	-	34.79	5.74	32.55
RMS	5.9194G	50.90	68.20	-17.30	42.68	3	Vertical	98	1.64	-	35.02	5.76	32.56
PK	6.499G	104.96	Inf	-Inf	95.93	3	Vertical	98	1.64	-	35.70	6.10	32.77
RMS	6.4878G	95.57	Inf	-Inf	86.60	3	Vertical	98	1.64	-	35.65	6.09	32.77
PK	7.143G	62.80	88.20	-25.40	52.23	3	Vertical	98	1.64	-	36.99	6.74	33.16
RMS	7.185G	51.68	68.20	-16.52	41.00	3	Vertical	98	1.64	-	37.07	6.78	33.17

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	61.52	88.20	-26.68	53.34	3	Horizontal	187	1.80	-	34.97	5.76	32.55
RMS	5.9166G	50.89	68.20	-17.31	42.68	3	Horizontal	187	1.80	-	35.00	5.76	32.55
PK	6.4878G	107.70	Inf	-Inf	98.73	3	Horizontal	187	1.80	-	35.65	6.09	32.77
RMS	6.4906G	97.37	Inf	-Inf	88.39	3	Horizontal	187	1.80	-	35.66	6.09	32.77
PK	7.1514G	61.67	88.20	-26.53	51.08	3	Horizontal	187	1.80	-	37.00	6.75	33.16
RMS	7.185G	51.65	68.20	-16.55	40.97	3	Horizontal	187	1.80	-	37.07	6.78	33.17

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96798G	56.53	88.20	-31.67	41.99	3	Vertical	173	2.28	-	39.47	9.08	34.01
RMS	12.96514G	43.91	68.20	-24.29	29.37	3	Vertical	173	2.28	-	39.47	9.08	34.01

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9723G	56.90	88.20	-31.30	42.35	3	Horizontal	80	2.43	-	39.47	9.09	34.01
RMS	12.96852G	43.92	68.20	-24.28	29.38	3	Horizontal	80	2.43	-	39.47	9.08	34.01

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45184G	47.34	83.54	-36.20	43.96	1	Vertical	324	1.53	-	37.68	17.04	51.34
AV	19.45148G	35.03	63.54	-28.51	31.65	1	Vertical	324	1.53	-	37.68	17.04	51.34

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 45
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4528G	47.39	83.54	-36.15	44.01	1	Horizontal	186	1.57	-	37.68	17.04	51.34
AV	19.45314G	34.88	63.54	-28.66	31.50	1	Horizontal	186	1.57	-	37.68	17.04	51.34

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	60.96	88.20	-27.24	52.72	3	Vertical	69	1.80	-	35.04	5.76	32.56
RMS	5.923G	50.89	68.20	-17.31	42.65	3	Vertical	69	1.80	-	35.04	5.76	32.56
PK	6.511G	107.84	Inf	-Inf	98.74	3	Vertical	69	1.80	-	35.77	6.11	32.78
RMS	6.5418G	97.10	Inf	-Inf	87.81	3	Vertical	69	1.80	-	35.95	6.14	32.80
PK	7.2082G	62.29	88.20	-25.91	51.51	3	Vertical	69	1.80	-	37.15	6.81	33.18
RMS	7.225G	52.00	68.20	-16.20	41.11	3	Vertical	69	1.80	-	37.25	6.83	33.19

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 45
04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	61.80	88.20	-26.40	53.60	3	Horizontal	156	2.00	-	34.99	5.76	32.55
RMS	5.9202G	50.93	68.20	-17.27	42.71	3	Horizontal	156	2.00	-	35.02	5.76	32.56
PK	6.5194G	109.22	Inf	-Inf	100.06	3	Horizontal	156	2.00	-	35.82	6.12	32.78
RMS	6.5222G	99.78	Inf	-Inf	90.62	3	Horizontal	156	2.00	-	35.83	6.12	32.79
PK	7.2138G	62.72	88.20	-25.48	51.91	3	Horizontal	156	2.00	-	37.18	6.81	33.18
RMS	7.2194G	52.00	68.20	-16.20	41.14	3	Horizontal	156	2.00	-	37.22	6.82	33.18

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0471G	57.34	88.20	-30.86	42.68	3	Vertical	313	1.84	-	39.55	9.12	34.01
RMS	13.04902G	44.54	68.20	-23.66	29.88	3	Vertical	313	1.84	-	39.55	9.12	34.01

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.054G	56.98	88.20	-31.22	42.31	3	Horizontal	360	1.56	-	39.55	9.13	34.01
RMS	13.04522G	44.52	68.20	-23.68	29.86	3	Horizontal	360	1.56	-	39.55	9.12	34.01

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57052G	47.22	83.54	-36.32	43.94	1	Vertical	216	1.57	-	37.67	17.08	51.47
AV	19.57332G	34.35	63.54	-29.19	31.06	1	Vertical	216	1.57	-	37.67	17.09	51.47

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57786G	46.36	83.54	-37.18	43.08	1	Horizontal	202	1.50	-	37.67	17.09	51.48
AV	19.57726G	34.41	63.54	-29.13	31.13	1	Horizontal	202	1.50	-	37.67	17.09	51.48

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 45
04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8927G	60.88	88.20	-27.32	52.85	3	Vertical	98	1.60	-	34.83	5.75	32.55
RMS	5.9197G	50.94	68.20	-17.26	42.72	3	Vertical	98	1.60	-	35.02	5.76	32.56
PK	6.5758G	108.14	Inf	-Inf	98.68	3	Vertical	98	1.60	-	36.10	6.18	32.82
RMS	6.5785G	98.51	Inf	-Inf	89.04	3	Vertical	98	1.60	-	36.11	6.18	32.82
PK	7.1833G	62.68	88.20	-25.52	52.00	3	Vertical	98	1.60	-	37.07	6.78	33.17
RMS	7.24G	52.10	68.20	-16.10	41.11	3	Vertical	98	1.60	-	37.34	6.84	33.19

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 45
04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9197G	61.96	88.20	-26.24	53.74	3	Horizontal	148	1.88	-	35.02	5.76	32.56
RMS	5.9143G	50.93	68.20	-17.27	42.73	3	Horizontal	148	1.88	-	34.99	5.76	32.55
PK	6.5758G	109.74	Inf	-Inf	100.28	3	Horizontal	148	1.88	-	36.10	6.18	32.82
RMS	6.5785G	99.14	Inf	-Inf	89.67	3	Horizontal	148	1.88	-	36.11	6.18	32.82
PK	7.2319G	62.41	88.20	-25.79	51.48	3	Horizontal	148	1.88	-	37.29	6.83	33.19
RMS	7.24G	52.16	68.20	-16.04	41.17	3	Horizontal	148	1.88	-	37.34	6.84	33.19

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12692G	57.58	88.20	-30.62	42.79	3	Vertical	85	2.52	-	39.65	9.16	34.02
RMS	13.134G	45.00	68.20	-23.20	30.18	3	Vertical	85	2.52	-	39.67	9.17	34.02

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13392G	57.95	88.20	-30.25	43.13	3	Horizontal	337	2.34	-	39.67	9.17	34.02
RMS	13.1306G	44.95	68.20	-23.25	30.14	3	Horizontal	337	2.34	-	39.66	9.17	34.02

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69324G	65.97	83.54	-17.57	43.59	1	Vertical	301	1.56	-	43.39	12.70	33.71
AV	19.69276G	53.93	63.54	-9.61	31.55	1	Vertical	301	1.56	-	43.39	12.70	33.71

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69808G	66.14	83.54	-17.40	43.75	1	Horizontal	325	1.55	-	43.40	12.70	33.71
AV	19.6982G	54.00	63.54	-9.54	31.62	1	Horizontal	325	1.55	-	43.39	12.70	33.71

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.675G	106.86	Inf	-Inf	97.35	3	Vertical	73	2.12	-	36.20	6.20	32.89
RMS	6.677G	96.01	Inf	-Inf	86.50	3	Vertical	73	2.12	-	36.20	6.20	32.89
PK	7.185G	63.14	88.20	-25.06	52.46	3	Vertical	73	2.12	-	37.07	6.78	33.17
RMS	7.179G	51.74	68.20	-16.46	41.07	3	Vertical	73	2.12	-	37.06	6.78	33.17

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 45
04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.693G	109.60	Inf	-Inf	100.10	3	Horizontal	155	1.80	-	36.20	6.20	32.90
RMS	6.697G	100.01	Inf	-Inf	90.51	3	Horizontal	155	1.80	-	36.20	6.20	32.90
PK	7.163G	62.49	88.20	-25.71	51.87	3	Horizontal	155	1.80	-	37.03	6.76	33.17
RMS	7.181G	51.76	68.20	-16.44	41.09	3	Horizontal	155	1.80	-	37.06	6.78	33.17

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37478G	56.83	74.00	-17.17	41.53	3	Vertical	295	1.79	-	40.07	9.29	34.06
AV	13.37368G	44.56	54.00	-9.44	29.26	3	Vertical	295	1.79	-	40.07	9.29	34.06

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37252G	57.15	74.00	-16.85	41.85	3	Horizontal	7	1.43	-	40.07	9.29	34.06
AV	13.36756G	44.55	54.00	-9.45	29.26	3	Horizontal	7	1.43	-	40.07	9.28	34.06

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05448G	66.71	83.54	-16.83	43.69	1	Vertical	276	1.54	-	43.75	12.94	33.67
AV	20.05428G	54.55	63.54	-8.99	31.53	1	Vertical	276	1.54	-	43.75	12.94	33.67

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05892G	66.57	83.54	-16.97	43.54	1	Horizontal	316	1.51	-	43.76	12.94	33.67
AV	20.05486G	54.49	63.54	-9.05	31.47	1	Horizontal	316	1.51	-	43.75	12.94	33.67

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8274G	105.81	Inf	-Inf	96.16	3	Vertical	78	1.82	-	36.39	6.25	32.99
RMS	6.853G	95.64	Inf	-Inf	86.03	3	Vertical	78	1.82	-	36.31	6.31	33.01
PK	7.1778G	62.62	88.20	-25.58	51.95	3	Vertical	78	1.82	-	37.06	6.78	33.17
RMS	7.2402G	52.22	68.20	-15.98	41.23	3	Vertical	78	1.82	-	37.34	6.84	33.19

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.837G	110.17	Inf	-Inf	100.55	3	Horizontal	157	1.80	-	36.35	6.27	33.00
RMS	6.8354G	99.15	Inf	-Inf	89.52	3	Horizontal	157	1.80	-	36.36	6.27	33.00
PK	7.2402G	63.04	88.20	-25.16	52.05	3	Horizontal	157	1.80	-	37.34	6.84	33.19
RMS	7.2386G	52.37	68.20	-15.83	41.39	3	Horizontal	157	1.80	-	37.33	6.84	33.19

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6899G	58.83	88.20	-29.37	43.07	3	Vertical	64	1.38	-	40.29	9.44	33.97
RMS	13.69128G	45.77	68.20	-22.43	30.00	3	Vertical	64	1.38	-	40.29	9.45	33.97

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68986G	58.10	88.20	-30.10	42.34	3	Horizontal	163	1.27	-	40.29	9.44	33.97
RMS	13.68508G	45.69	68.20	-22.51	29.93	3	Horizontal	163	1.27	-	40.29	9.44	33.97

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5395G	67.97	83.54	-15.57	44.13	1	Vertical	321	1.50	-	44.24	13.25	33.65
AV	20.5309G	55.44	63.54	-8.10	31.59	1	Vertical	321	1.50	-	44.23	13.25	33.63

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
 Setting 45
 04-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53916G	67.88	83.54	-15.66	44.04	1	Horizontal	134	1.52	-	44.24	13.25	33.65
AV	20.53518G	55.37	63.54	-8.17	31.52	1	Horizontal	134	1.52	-	44.24	13.25	33.64

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.878G	105.17	Inf	-Inf	95.43	3	Vertical	94.5	1.77	-	36.41	6.36	33.03
RMS	6.8808G	95.64	Inf	-Inf	85.89	3	Vertical	94.5	1.77	-	36.42	6.36	33.03
PK	7.214G	62.77	88.20	-25.43	51.96	3	Vertical	94.5	1.77	-	37.18	6.81	33.18
RMS	7.235G	52.29	68.20	-15.91	41.34	3	Vertical	94.5	1.77	-	37.31	6.83	33.19

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 45
04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8836G	110.47	Inf	-Inf	100.70	3	Horizontal	156.2	1.80	-	36.43	6.37	33.03
RMS	6.8794G	99.96	Inf	-Inf	90.21	3	Horizontal	156.2	1.80	-	36.42	6.36	33.03
PK	7.1972G	62.92	88.20	-25.28	52.21	3	Horizontal	156.2	1.80	-	37.09	6.80	33.18
RMS	7.2266G	52.29	68.20	-15.91	41.39	3	Horizontal	156.2	1.80	-	37.26	6.83	33.19

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77154G	58.43	88.20	-29.77	42.49	3	Vertical	40	1.81	-	40.37	9.49	33.92
RMS	13.76628G	46.29	68.20	-21.91	30.37	3	Vertical	40	1.81	-	40.37	9.48	33.93

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77446G	58.13	88.20	-30.07	42.19	3	Horizontal	261	1.81	-	40.37	9.49	33.92
RMS	13.76574G	46.36	68.20	-21.84	30.44	3	Horizontal	261	1.81	-	40.37	9.48	33.93

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65392G	67.69	83.54	-15.85	43.91	1	Vertical	98	1.57	-	44.35	13.33	33.90
AV	20.6522G	55.84	63.54	-7.70	32.07	1	Vertical	98	1.57	-	44.35	13.32	33.90

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65502G	67.63	83.54	-15.91	43.85	1	Horizontal	267	1.55	-	44.36	13.33	33.91
AV	20.65732G	55.92	63.54	-7.62	32.14	1	Horizontal	267	1.55	-	44.36	13.33	33.91

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 45
04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9262G	109.93	Inf	-Inf	99.94	3	Vertical	81.4	1.80	-	36.60	6.45	33.06
RMS	6.9226G	99.50	Inf	-Inf	89.52	3	Vertical	81.4	1.80	-	36.59	6.45	33.06
PK	7.2178G	63.14	88.20	-25.06	52.29	3	Vertical	81.4	1.80	-	37.21	6.82	33.18
RMS	7.219G	52.23	68.20	-15.97	41.38	3	Vertical	81.4	1.80	-	37.21	6.82	33.18

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9274G	108.84	Inf	-Inf	98.84	3	Horizontal	157	1.12	-	36.61	6.45	33.06
RMS	6.931G	97.81	Inf	-Inf	87.79	3	Horizontal	157	1.12	-	36.62	6.46	33.06
PK	7.2106G	62.92	88.20	-25.28	52.13	3	Horizontal	157	1.12	-	37.16	6.81	33.18
RMS	7.2238G	51.72	68.20	-16.48	40.85	3	Horizontal	157	1.12	-	37.24	6.82	33.19

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84806G	59.15	88.20	-29.05	43.01	3	Vertical	216	1.32	-	40.50	9.52	33.88
RMS	13.85214G	46.72	68.20	-21.48	30.57	3	Vertical	216	1.32	-	40.50	9.53	33.88

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8529G	58.91	88.20	-29.29	42.75	3	Horizontal	309	1.90	-	40.51	9.53	33.88
RMS	13.84646G	46.83	68.20	-21.37	30.70	3	Horizontal	309	1.90	-	40.49	9.52	33.88

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77954G	66.72	83.54	-16.82	43.02	1	Vertical	135	1.54	-	44.48	13.41	34.19
AV	20.777G	55.35	63.54	-8.19	31.64	1	Vertical	135	1.54	-	44.48	13.41	34.18

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7704G	67.73	83.54	-15.81	44.03	1	Horizontal	219	1.55	-	44.47	13.40	34.17
AV	20.77004G	55.29	63.54	-8.25	31.58	1	Horizontal	219	1.55	-	44.47	13.40	34.16

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9914G	106.94	Inf	-Inf	96.68	3	Vertical	75.2	1.98	-	36.78	6.58	33.10
RMS	6.9914G	97.42	Inf	-Inf	87.16	3	Vertical	75.2	1.98	-	36.78	6.58	33.10
PK	7.1986G	63.78	88.20	-24.42	53.06	3	Vertical	75.2	1.98	-	37.10	6.80	33.18
RMS	7.2026G	52.04	68.20	-16.16	41.30	3	Vertical	75.2	1.98	-	37.12	6.80	33.18

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 45
04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9938G	108.35	Inf	-Inf	98.08	3	Horizontal	161	1.25	-	36.79	6.59	33.11
RMS	6.9874G	97.32	Inf	-Inf	87.08	3	Horizontal	161	1.25	-	36.77	6.57	33.10
PK	7.1346G	63.12	88.20	-25.08	52.58	3	Horizontal	161	1.25	-	36.97	6.73	33.16
RMS	7.2018G	52.05	68.20	-16.15	41.32	3	Horizontal	161	1.25	-	37.11	6.80	33.18

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01362G	59.41	88.20	-28.79	42.79	3	Vertical	159	1.82	-	40.80	9.60	33.78
RMS	14.01368G	46.94	68.20	-21.26	30.32	3	Vertical	159	1.82	-	40.80	9.60	33.78

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0097G	59.50	88.20	-28.70	42.89	3	Horizontal	234	1.97	-	40.80	9.60	33.79
RMS	14.01354G	47.00	68.20	-21.20	30.38	3	Horizontal	234	1.97	-	40.80	9.60	33.78

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01118G	67.26	83.54	-16.28	43.65	1	Vertical	324	1.51	-	44.71	13.56	34.66
AV	21.01694G	54.88	63.54	-8.66	31.26	1	Vertical	324	1.51	-	44.72	13.56	34.66

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 45
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0185G	66.76	83.54	-16.78	43.13	1	Horizontal	11	1.53	-	44.72	13.56	34.65
AV	21.01418G	54.78	63.54	-8.76	31.17	1	Horizontal	11	1.53	-	44.71	13.56	34.66

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0742G	106.84	Inf	-Inf	96.51	3	Vertical	86	1.85	-	36.80	6.67	33.14
RMS	7.0724G	96.82	Inf	-Inf	86.49	3	Vertical	86	1.85	-	36.79	6.67	33.13
PK	7.2266G	63.14	88.20	-25.06	52.24	3	Vertical	86	1.85	-	37.26	6.83	33.19
RMS	7.2332G	52.39	68.20	-15.81	41.45	3	Vertical	86	1.85	-	37.30	6.83	33.19

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0892G	106.80	Inf	-Inf	96.39	3	Horizontal	151.7	1.00	-	36.86	6.69	33.14
RMS	7.0934G	95.98	Inf	-Inf	85.56	3	Horizontal	151.7	1.00	-	36.87	6.69	33.14
PK	7.1756G	63.06	88.20	-25.14	52.40	3	Horizontal	151.7	1.00	-	37.05	6.78	33.17
RMS	7.2338G	52.37	68.20	-15.83	41.43	3	Horizontal	151.7	1.00	-	37.30	6.83	33.19

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16656G	59.28	88.20	-28.92	42.66	3	Vertical	177	2.84	-	40.67	9.66	33.71
RMS	14.16806G	47.10	68.20	-21.10	30.49	3	Vertical	177	2.84	-	40.66	9.66	33.71

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17296G	59.53	88.20	-28.67	42.93	3	Horizontal	275	2.92	-	40.65	9.66	33.71
RMS	14.1651G	47.06	68.20	-21.14	30.44	3	Horizontal	275	2.92	-	40.67	9.66	33.71

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25052G	68.46	83.54	-15.08	44.14	1	Vertical	260	1.58	-	44.95	13.71	34.34
AV	21.25646G	55.89	63.54	-7.65	31.54	1	Vertical	260	1.58	-	44.96	13.72	34.33

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
 Setting 45
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25408G	68.23	83.54	-15.31	43.89	1	Horizontal	165	1.55	-	44.95	13.72	34.33
AV	21.25566G	55.83	63.54	-7.71	31.48	1	Horizontal	165	1.55	-	44.96	13.72	34.33

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUTY_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.914G	62.52	88.20	-25.68	54.33	3	Vertical	79	1.51	-	34.98	5.76	32.55
RMS	5.925G	51.42	68.20	-16.78	43.17	3	Vertical	79	1.51	-	35.05	5.76	32.56
PK	6.008G	108.01	Inf	-Inf	99.46	3	Vertical	79	1.51	-	35.32	5.81	32.58
RMS	6.007G	97.88	Inf	-Inf	89.34	3	Vertical	79	1.51	-	35.31	5.81	32.58

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	63.80	88.20	-24.40	55.59	3	Horizontal	136	2.56	-	35.01	5.76	32.56
RMS	5.923G	52.78	68.20	-15.42	44.54	3	Horizontal	136	2.56	-	35.04	5.76	32.56
PK	5.957G	110.33	Inf	-Inf	101.91	3	Horizontal	136	2.56	-	35.21	5.78	32.57
RMS	5.957G	99.99	Inf	-Inf	91.57	3	Horizontal	136	2.56	-	35.21	5.78	32.57

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUTY_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96646G	55.57	74.00	-18.43	42.47	3	Vertical	3	1.73	-	38.87	8.59	34.36
AV	11.96814G	43.93	54.00	-10.07	30.84	3	Vertical	3	1.73	-	38.86	8.59	34.36

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUTY_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96556G	55.90	74.00	-18.10	42.80	3	Horizontal	23	2.06	-	38.87	8.59	34.36
AV	11.97192G	43.83	54.00	-10.17	30.74	3	Horizontal	23	2.06	-	38.86	8.59	34.36

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	61.85	88.20	-26.35	53.64	3	Vertical	81	1.64	-	35.01	5.76	32.56
RMS	5.923G	50.95	68.20	-17.25	42.71	3	Vertical	81	1.64	-	35.04	5.76	32.56
PK	6.1354G	109.08	Inf	-Inf	100.30	3	Vertical	81	1.64	-	35.47	5.94	32.63
RMS	6.133G	97.71	Inf	-Inf	88.94	3	Vertical	81	1.64	-	35.47	5.93	32.63

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	61.89	88.20	-26.31	53.79	3	Horizontal	357	1.82	-	34.90	5.75	32.55
RMS	5.9086G	50.90	68.20	-17.30	42.75	3	Horizontal	357	1.82	-	34.95	5.75	32.55
PK	6.1378G	108.65	Inf	-Inf	99.86	3	Horizontal	357	1.82	-	35.48	5.94	32.63
RMS	6.1366G	97.20	Inf	-Inf	88.42	3	Horizontal	357	1.82	-	35.47	5.94	32.63

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28606G	56.72	74.00	-17.28	43.63	3	Vertical	158	1.54	-	38.60	8.74	34.25
AV	12.28962G	43.64	54.00	-10.36	30.55	3	Vertical	158	1.54	-	38.60	8.74	34.25

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29064G	55.94	74.00	-18.06	42.84	3	Horizontal	258	2.42	-	38.60	8.75	34.25
AV	12.2906G	43.65	54.00	-10.35	30.55	3	Horizontal	258	2.42	-	38.60	8.75	34.25

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4381G	62.54	83.54	-21.00	42.56	1	Vertical	338	1.51	-	42.14	11.88	34.04
AV	18.43564G	50.41	63.54	-13.13	30.43	1	Vertical	338	1.51	-	42.14	11.88	34.04

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4327G	62.66	83.54	-20.88	42.69	1	Vertical	289	1.58	-	42.13	11.88	34.04
AV	18.43614G	50.33	63.54	-13.21	30.35	1	Vertical	289	1.58	-	42.14	11.88	34.04

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	62.03	88.20	-26.17	53.95	3	Vertical	70	1.88	-	34.88	5.75	32.55
RMS	5.9146G	50.84	68.20	-17.36	42.64	3	Vertical	70	1.88	-	34.99	5.76	32.55
PK	6.4066G	105.81	Inf	-Inf	96.94	3	Vertical	70	1.88	-	35.59	6.01	32.73
RMS	6.4114G	96.06	Inf	-Inf	87.21	3	Vertical	70	1.88	-	35.58	6.01	32.74

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8306G	62.74	88.20	-25.46	55.19	3	Horizontal	170	1.10	-	34.36	5.72	32.53
RMS	5.9218G	50.91	68.20	-17.29	42.68	3	Horizontal	170	1.10	-	35.03	5.76	32.56
PK	6.3874G	108.77	Inf	-Inf	99.95	3	Horizontal	170	1.10	-	35.55	6.00	32.73
RMS	6.3946G	97.97	Inf	-Inf	89.12	3	Horizontal	170	1.10	-	35.58	6.00	32.73

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77464G	57.29	88.20	-30.91	43.12	3	Vertical	286	1.31	-	39.25	8.99	34.07
RMS	12.77326G	44.68	68.20	-23.52	30.51	3	Vertical	286	1.31	-	39.25	8.99	34.07

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77356G	56.56	88.20	-31.64	42.39	3	Horizontal	153	1.46	-	39.25	8.99	34.07
RMS	12.7728G	44.68	68.20	-23.52	30.51	3	Horizontal	153	1.46	-	39.25	8.99	34.07

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 55
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15662G	64.78	83.54	-18.76	43.58	1	Vertical	94	1.56	-	42.86	12.35	34.01
AV	19.15146G	52.27	63.54	-11.27	31.09	1	Vertical	94	1.56	-	42.85	12.35	34.02

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 55
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15652G	64.73	83.54	-18.81	43.53	1	Horizontal	284	1.57	-	42.86	12.35	34.01
AV	19.15584G	52.26	63.54	-11.28	31.06	1	Horizontal	284	1.57	-	42.86	12.35	34.01

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8228G	62.29	88.20	-25.91	54.76	3	Vertical	70	1.87	-	34.35	5.71	32.53
RMS	5.919G	50.51	68.20	-17.69	42.30	3	Vertical	70	1.87	-	35.01	5.76	32.56
PK	6.4364G	107.09	Inf	-Inf	98.27	3	Vertical	70	1.87	-	35.53	6.04	32.75
RMS	6.439G	96.34	Inf	-Inf	87.53	3	Vertical	70	1.87	-	35.52	6.04	32.75

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 55
04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	61.01	88.20	-27.19	52.82	3	Horizontal	169	1.07	-	34.98	5.76	32.55
RMS	5.9164G	50.83	68.20	-17.37	42.62	3	Horizontal	169	1.07	-	35.00	5.76	32.55
PK	6.4286G	108.63	Inf	-Inf	99.80	3	Horizontal	169	1.07	-	35.54	6.03	32.74
RMS	6.4286G	99.71	Inf	-Inf	90.88	3	Horizontal	169	1.07	-	35.54	6.03	32.74

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92908G	56.54	88.20	-31.66	42.07	3	Vertical	116	2.57	-	39.43	9.06	34.02
RMS	12.92748G	44.74	68.20	-23.46	30.27	3	Vertical	116	2.57	-	39.43	9.06	34.02

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93418G	56.55	88.20	-31.65	42.07	3	Horizontal	318	2.44	-	39.43	9.07	34.02
RMS	12.929G	44.66	68.20	-23.54	30.19	3	Horizontal	318	2.44	-	39.43	9.06	34.02

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 55
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39088G	65.08	83.54	-18.46	43.31	1	Vertical	162	1.54	-	43.09	12.50	33.82
AV	19.39798G	53.40	63.54	-10.14	31.60	1	Vertical	162	1.54	-	43.10	12.51	33.81

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 55
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3957G	65.53	83.54	-18.01	43.74	1	Horizontal	201	1.55	-	43.10	12.51	33.82
AV	19.39726G	53.26	63.54	-10.28	31.46	1	Horizontal	201	1.55	-	43.10	12.51	33.81

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	60.94	88.20	-27.26	52.76	3	Vertical	66.6	1.72	-	34.97	5.76	32.55
RMS	5.9234G	50.87	68.20	-17.33	42.63	3	Vertical	66.6	1.72	-	35.04	5.76	32.56
PK	6.5478G	105.99	Inf	-Inf	96.65	3	Vertical	66.6	1.72	-	35.99	6.15	32.80
RMS	6.5478G	95.89	Inf	-Inf	86.55	3	Vertical	66.6	1.72	-	35.99	6.15	32.80
PK	7.1358G	62.47	88.20	-25.73	51.92	3	Vertical	66.6	1.72	-	36.97	6.74	33.16
RMS	7.2394G	52.08	68.20	-16.12	41.09	3	Vertical	66.6	1.72	-	37.34	6.84	33.19

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	61.24	88.20	-26.96	53.04	3	Horizontal	149.5	1.80	-	34.99	5.76	32.55
RMS	5.9178G	50.90	68.20	-17.30	42.69	3	Horizontal	149.5	1.80	-	35.01	5.76	32.56
PK	6.5814G	107.52	Inf	-Inf	98.04	3	Horizontal	149.5	1.80	-	36.13	6.18	32.83
RMS	6.5758G	97.50	Inf	-Inf	88.04	3	Horizontal	149.5	1.80	-	36.10	6.18	32.82
PK	7.2394G	63.54	88.20	-24.66	52.55	3	Horizontal	149.5	1.80	-	37.34	6.84	33.19
RMS	7.2422G	52.12	68.20	-16.08	41.12	3	Horizontal	149.5	1.80	-	37.35	6.84	33.19

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.095G	56.53	88.20	-31.67	41.81	3	Vertical	202	2.51	-	39.59	9.15	34.02
RMS	13.0871G	44.55	68.20	-23.65	29.83	3	Vertical	202	2.51	-	39.59	9.14	34.01

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09072G	57.43	88.20	-30.77	42.70	3	Horizontal	270	2.90	-	39.59	9.15	34.01
RMS	13.0947G	44.54	68.20	-23.66	29.82	3	Horizontal	270	2.90	-	39.59	9.15	34.02

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63856G	65.88	83.54	-17.66	43.59	1	Vertical	248	1.55	-	43.34	12.67	33.72
AV	19.6392G	53.31	63.54	-10.23	31.02	1	Vertical	248	1.55	-	43.34	12.67	33.72

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




08/01/2023

EUT Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63346G	66.02	83.54	-17.52	43.75	1	Horizontal	234	1.56	-	43.33	12.66	33.72
AV	19.63874G	53.45	63.54	-10.09	31.16	1	Horizontal	234	1.56	-	43.34	12.67	33.72

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6538G	106.98	Inf	-Inf	97.45	3	Vertical	70	1.80	-	36.20	6.20	32.87
RMS	6.6154G	96.43	Inf	-Inf	86.88	3	Vertical	70	1.80	-	36.20	6.20	32.85
PK	7.1554G	63.35	88.20	-24.85	52.74	3	Vertical	70	1.80	-	37.01	6.76	33.16
RMS	7.225G	52.02	68.20	-16.18	41.13	3	Vertical	70	1.80	-	37.25	6.83	33.19

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5986G	110.69	Inf	-Inf	101.14	3	Horizontal	154	1.84	-	36.19	6.20	32.84
RMS	6.5962G	100.04	Inf	-Inf	90.50	3	Horizontal	154	1.84	-	36.18	6.20	32.84
PK	7.1914G	62.77	88.20	-25.43	52.08	3	Horizontal	154	1.84	-	37.08	6.79	33.18
RMS	7.2154G	52.00	68.20	-16.20	41.17	3	Horizontal	154	1.84	-	37.19	6.82	33.18

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25124G	56.93	74.00	-17.07	41.84	3	Vertical	142	1.23	-	39.90	9.23	34.04
RMS	13.2453G	45.16	68.20	-23.04	30.09	3	Vertical	142	1.23	-	39.89	9.22	34.04

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24962G	57.58	88.20	-30.62	42.50	3	Horizontal	3	1.21	-	39.90	9.22	34.04
RMS	13.24532G	45.09	68.20	-23.11	30.02	3	Horizontal	3	1.21	-	39.89	9.22	34.04

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87816G	67.05	83.54	-16.49	44.34	1	Vertical	125	1.55	-	43.58	12.82	33.69
AV	19.87786G	54.74	63.54	-8.80	32.03	1	Vertical	125	1.55	-	43.58	12.82	33.69

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87328G	66.51	83.54	-17.03	43.81	1	Horizontal	70	1.57	-	43.57	12.82	33.69
AV	19.87612G	54.68	63.54	-8.86	31.97	1	Horizontal	70	1.57	-	43.58	12.82	33.69

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.675G	106.07	Inf	-Inf	96.56	3	Vertical	79	1.86	-	36.20	6.20	32.89
RMS	6.675G	96.28	Inf	-Inf	86.77	3	Vertical	79	1.86	-	36.20	6.20	32.89
PK	7.197G	62.21	88.20	-25.99	51.50	3	Vertical	79	1.86	-	37.09	6.80	33.18
RMS	7.205G	51.85	68.20	-16.35	41.10	3	Vertical	79	1.86	-	37.13	6.80	33.18

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.693G	110.38	Inf	-Inf	100.88	3	Horizontal	157	2.05	-	36.20	6.20	32.90
RMS	6.697G	99.69	Inf	-Inf	90.19	3	Horizontal	157	2.05	-	36.20	6.20	32.90
PK	7.183G	62.86	88.20	-25.34	52.18	3	Horizontal	157	2.05	-	37.07	6.78	33.17
RMS	7.193G	51.82	68.20	-16.38	41.12	3	Horizontal	157	2.05	-	37.09	6.79	33.18

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40934G	56.39	88.20	-31.81	41.06	3	Vertical	348	1.59	-	40.10	9.30	34.07
RMS	13.41402G	44.73	68.20	-23.47	29.39	3	Vertical	348	1.59	-	40.10	9.31	34.07

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4116G	56.51	88.20	-31.69	41.17	3	Horizontal	158	2.20	-	40.10	9.31	34.07
RMS	13.41092G	44.72	68.20	-23.48	29.38	3	Horizontal	158	2.20	-	40.10	9.31	34.07

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11052G	66.76	83.54	-16.78	43.63	1	Vertical	109	1.56	-	43.81	12.97	33.65
AV	20.11762G	55.11	63.54	-8.43	31.96	1	Vertical	109	1.56	-	43.82	12.98	33.65

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11912G	67.16	83.54	-16.38	44.01	1	Horizontal	310	1.50	-	43.82	12.98	33.65
AV	20.11758G	55.11	63.54	-8.43	31.96	1	Horizontal	310	1.50	-	43.82	12.98	33.65

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8174G	107.59	Inf	-Inf	97.92	3	Vertical	83	1.60	-	36.43	6.23	32.99
RMS	6.8156G	98.03	Inf	-Inf	88.34	3	Vertical	83	1.60	-	36.44	6.23	32.98
PK	7.2242G	63.25	88.20	-24.95	52.37	3	Vertical	83	1.60	-	37.25	6.82	33.19
RMS	7.235G	52.19	68.20	-16.01	41.24	3	Vertical	83	1.60	-	37.31	6.83	33.19

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.776G	112.07	Inf	-Inf	102.38	3	Horizontal	157	2.02	-	36.45	6.20	32.96
RMS	6.7742G	101.62	Inf	-Inf	91.93	3	Horizontal	157	2.02	-	36.45	6.20	32.96
PK	7.1882G	63.06	88.20	-25.14	52.36	3	Horizontal	157	2.02	-	37.08	6.79	33.17
RMS	7.2332G	52.17	68.20	-16.03	41.23	3	Horizontal	157	2.02	-	37.30	6.83	33.19

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56912G	57.84	88.20	-30.36	42.33	3	Vertical	163	1.10	-	40.17	9.38	34.04
RMS	13.57108G	45.46	68.20	-22.74	29.94	3	Vertical	163	1.10	-	40.17	9.39	34.04

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57204G	57.27	88.20	-30.93	41.75	3	Horizontal	241	1.18	-	40.17	9.39	34.04
RMS	13.56874G	45.44	68.20	-22.76	29.93	3	Horizontal	241	1.18	-	40.17	9.38	34.04

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35098G	67.42	83.54	-16.12	43.84	1	Vertical	74	1.52	-	44.05	13.13	33.60
AV	20.35504G	55.80	63.54	-7.74	32.20	1	Vertical	74	1.52	-	44.06	13.13	33.59

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35842G	67.71	83.54	-15.83	44.11	1	Horizontal	198	1.54	-	44.06	13.13	33.59
AV	20.35566G	55.80	63.54	-7.74	32.20	1	Horizontal	198	1.54	-	44.06	13.13	33.59

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.879G	107.18	Inf	-Inf	97.43	3	Vertical	93.4	1.52	-	36.42	6.36	33.03
RMS	6.8804G	97.53	Inf	-Inf	87.78	3	Vertical	93.4	1.52	-	36.42	6.36	33.03
PK	7.1912G	63.03	88.20	-25.17	52.34	3	Vertical	93.4	1.52	-	37.08	6.79	33.18
RMS	7.2066G	52.15	68.20	-16.05	41.38	3	Vertical	93.4	1.52	-	37.14	6.81	33.18

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 55
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.879G	109.99	Inf	-Inf	100.24	3	Horizontal	159	1.99	-	36.42	6.36	33.03
RMS	6.8776G	99.53	Inf	-Inf	89.79	3	Horizontal	159	1.99	-	36.41	6.36	33.03
PK	7.208G	62.57	88.20	-25.63	51.79	3	Horizontal	159	1.99	-	37.15	6.81	33.18
RMS	7.2108G	52.12	68.20	-16.08	41.33	3	Horizontal	159	1.99	-	37.16	6.81	33.18

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72984G	57.76	88.20	-30.44	41.92	3	Vertical	318	1.87	-	40.33	9.46	33.95
RMS	13.7254G	45.36	68.20	-22.84	29.52	3	Vertical	318	1.87	-	40.33	9.46	33.95

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
 Setting 55
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73248G	58.59	88.20	-29.61	42.74	3	Horizontal	285	1.70	-	40.33	9.47	33.95
RMS	13.73216G	45.42	68.20	-22.78	29.57	3	Horizontal	285	1.70	-	40.33	9.47	33.95