


6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 55  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59904G	67.68	83.54	-15.86	43.87	1	Vertical	130	1.53	-	44.30	13.29	33.78
AV	20.59632G	55.38	63.54	-8.16	31.57	1	Vertical	130	1.53	-	44.30	13.29	33.78

6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 55  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59598G	67.23	83.54	-16.31	43.41	1	Horizontal	24	1.57	-	44.30	13.29	33.77
AV	20.59982G	55.45	63.54	-8.09	31.64	1	Horizontal	24	1.57	-	44.30	13.29	33.78

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
Setting 55  
04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.928G	107.81	Inf	-Inf	97.80	3	Vertical	80	1.86	-	36.61	6.46	33.06
RMS	6.923G	97.64	Inf	-Inf	87.66	3	Vertical	80	1.86	-	36.59	6.45	33.06
PK	7.189G	62.88	88.20	-25.32	52.18	3	Vertical	80	1.86	-	37.08	6.79	33.17
RMS	7.188G	51.97	68.20	-16.23	41.27	3	Vertical	80	1.86	-	37.08	6.79	33.17

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
 Setting 55  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.934G	107.68	Inf	-Inf	97.64	3	Horizontal	154	1.87	-	36.64	6.47	33.07
RMS	6.954G	97.19	Inf	-Inf	87.05	3	Horizontal	154	1.87	-	36.71	6.51	33.08
PK	7.148G	63.82	88.20	-24.38	53.23	3	Horizontal	154	1.87	-	37.00	6.75	33.16
RMS	7.194G	51.96	68.20	-16.24	41.26	3	Horizontal	154	1.87	-	37.09	6.79	33.18

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
 Setting 55  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88762G	58.61	88.20	-29.59	42.35	3	Vertical	91	2.97	-	40.58	9.54	33.86
RMS	13.88908G	46.27	68.20	-21.93	30.00	3	Vertical	91	2.97	-	40.58	9.54	33.85

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
 Setting 55  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8927G	58.25	88.20	-29.95	41.96	3	Horizontal	320	1.38	-	40.59	9.55	33.85
RMS	13.88876G	46.21	68.20	-21.99	29.94	3	Horizontal	320	1.38	-	40.58	9.54	33.85

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX  
Setting 55  
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83496G	67.73	83.54	-15.81	44.07	1	Vertical	150	1.54	-	44.53	13.44	34.31
AV	20.83092G	55.33	63.54	-8.21	31.66	1	Vertical	150	1.54	-	44.53	13.44	34.30

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
 Setting 55  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8313G	67.82	83.54	-15.72	44.15	1	Horizontal	241	1.54	-	44.53	13.44	34.30
AV	20.8321G	55.25	63.54	-8.29	31.58	1	Horizontal	241	1.54	-	44.53	13.44	34.30



6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
 Setting 55  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0106G	106.88	Inf	-Inf	96.60	3	Vertical	69	1.72	-	36.78	6.61	33.11
RMS	7.0098G	96.22	Inf	-Inf	85.94	3	Vertical	69	1.72	-	36.78	6.61	33.11
PK	7.1978G	63.66	88.20	-24.54	52.94	3	Vertical	69	1.72	-	37.10	6.80	33.18
RMS	7.125G	52.35	68.20	-15.85	41.83	3	Vertical	69	1.72	-	36.95	6.72	33.15

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 55  
04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.989G	110.85	Inf	-Inf	100.59	3	Horizontal	157	2.00	-	36.78	6.58	33.10
RMS	6.9882G	98.94	Inf	-Inf	88.68	3	Horizontal	157	2.00	-	36.78	6.58	33.10
PK	7.1314G	64.96	88.20	-23.24	54.42	3	Horizontal	157	2.00	-	36.96	6.73	33.15
RMS	7.125G	52.48	68.20	-15.72	41.96	3	Horizontal	157	2.00	-	36.95	6.72	33.15

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
 Setting 55  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04954G	59.43	88.20	-28.77	42.78	3	Vertical	310	1.96	-	40.80	9.62	33.77
RMS	14.05132G	46.96	68.20	-21.24	30.31	3	Vertical	310	1.96	-	40.80	9.62	33.77

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
 Setting 55  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04642G	59.12	88.20	-29.08	42.47	3	Horizontal	46	1.28	-	40.80	9.62	33.77
RMS	14.0477G	46.87	68.20	-21.33	30.22	3	Horizontal	46	1.28	-	40.80	9.62	33.77

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
 Setting 55  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07528G	67.59	83.54	-15.95	43.79	1	Vertical	297	1.56	-	44.78	13.60	34.58
AV	21.07118G	55.34	63.54	-8.20	31.55	1	Vertical	297	1.56	-	44.77	13.60	34.58

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
 Setting 55  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07608G	67.33	83.54	-16.21	43.53	1	Horizontal	97	1.53	-	44.78	13.60	34.58
AV	21.07054G	55.41	63.54	-8.13	31.62	1	Horizontal	97	1.53	-	44.77	13.60	34.58

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 65  
04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	64.85	88.20	-23.35	56.62	3	Vertical	69	1.44	-	35.03	5.76	32.56
RMS	5.923G	53.65	68.20	-14.55	45.41	3	Vertical	69	1.44	-	35.04	5.76	32.56
PK	6.069G	108.30	Inf	-Inf	99.64	3	Vertical	69	1.44	-	35.40	5.87	32.61
RMS	6.068G	97.89	Inf	-Inf	89.23	3	Vertical	69	1.44	-	35.40	5.87	32.61

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	66.70	88.20	-21.50	58.49	3	Horizontal	120	1.96	-	35.01	5.76	32.56
RMS	5.916G	54.38	68.20	-13.82	46.17	3	Horizontal	120	1.96	-	35.00	5.76	32.55
PK	5.995G	109.06	Inf	-Inf	100.55	3	Horizontal	120	1.96	-	35.29	5.80	32.58
RMS	5.999G	98.29	Inf	-Inf	89.77	3	Horizontal	120	1.96	-	35.30	5.80	32.58



5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05232G	55.66	74.00	-18.34	42.59	3	Vertical	179	2.00	-	38.80	8.63	34.36
AV	12.0542G	44.02	54.00	-9.98	30.95	3	Vertical	179	2.00	-	38.80	8.63	34.36

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 65  
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04572G	55.65	74.00	-18.35	42.59	3	Horizontal	321	2.97	-	38.80	8.62	34.36
AV	12.0544G	43.84	54.00	-10.16	30.76	3	Horizontal	321	2.97	-	38.80	8.63	34.35

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07706G	46.63	83.54	-36.91	42.37	1	Vertical	16	1.52	-	37.50	16.47	49.71
AV	18.07016G	34.71	63.54	-28.83	30.44	1	Vertical	16	1.52	-	37.50	16.47	49.70

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07726G	46.34	83.54	-37.20	42.08	1	Horizontal	83	1.50	-	37.50	16.47	49.71
AV	18.07002G	34.63	63.54	-28.91	30.36	1	Horizontal	83	1.50	-	37.50	16.47	49.70

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	66.05	88.20	-22.15	57.81	3	Vertical	84	1.84	-	35.04	5.76	32.56
RMS	5.8314G	51.28	68.20	-16.92	43.73	3	Vertical	84	1.84	-	34.36	5.72	32.53
PK	6.1786G	109.10	Inf	-Inf	100.27	3	Vertical	84	1.84	-	35.50	5.98	32.65
RMS	6.1754G	96.80	Inf	-Inf	87.97	3	Vertical	84	1.84	-	35.50	5.98	32.65

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	62.11	88.20	-26.09	54.06	3	Horizontal	27	1.77	-	34.85	5.75	32.55
RMS	5.9242G	51.39	68.20	-16.81	43.14	3	Horizontal	27	1.77	-	35.05	5.76	32.56
PK	6.2074G	110.24	Inf	-Inf	101.40	3	Horizontal	27	1.77	-	35.50	6.00	32.66
RMS	6.209G	99.42	Inf	-Inf	90.58	3	Horizontal	27	1.77	-	35.50	6.00	32.66

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37428G	55.93	74.00	-18.07	42.60	3	Vertical	359	1.26	-	38.75	8.79	34.21
AV	12.37136G	43.44	54.00	-10.56	30.12	3	Vertical	359	1.26	-	38.74	8.79	34.21

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3717G	55.78	74.00	-18.22	42.46	3	Horizontal	89	1.57	-	38.74	8.79	34.21
AV	12.37116G	43.57	54.00	-10.43	30.25	3	Horizontal	89	1.57	-	38.74	8.79	34.21



5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 65  
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55554G	63.12	83.54	-20.42	43.01	1	Vertical	234	1.51	-	42.26	11.96	34.11
AV	18.55614G	50.43	63.54	-13.11	30.32	1	Vertical	234	1.51	-	42.26	11.96	34.11

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 65  
04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55338G	62.64	83.54	-20.90	42.54	1	Horizontal	62	1.53	-	42.25	11.96	34.11
AV	18.55236G	50.42	63.54	-13.12	30.32	1	Horizontal	62	1.53	-	42.25	11.96	34.11

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	61.96	88.20	-26.24	53.74	3	Vertical	103	1.82	-	35.02	5.76	32.56
RMS	5.9226G	51.12	68.20	-17.08	42.88	3	Vertical	103	1.82	-	35.04	5.76	32.56
PK	6.3666G	105.42	Inf	-Inf	96.67	3	Vertical	103	1.82	-	35.47	6.00	32.72
RMS	6.3642G	95.59	Inf	-Inf	86.85	3	Vertical	103	1.82	-	35.46	6.00	32.72

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	62.72	88.20	-25.48	54.47	3	Horizontal	186	2.02	-	35.05	5.76	32.56
RMS	5.925G	51.23	68.20	-16.97	42.98	3	Horizontal	186	2.02	-	35.05	5.76	32.56
PK	6.3258G	109.03	Inf	-Inf	100.33	3	Horizontal	186	2.02	-	35.40	6.00	32.70
RMS	6.3258G	98.09	Inf	-Inf	89.39	3	Horizontal	186	2.02	-	35.40	6.00	32.70

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68716G	57.31	74.00	-16.69	43.39	3	Vertical	354	1.99	-	39.07	8.94	34.09
AV	12.6902G	44.80	54.00	-9.20	30.86	3	Vertical	354	1.99	-	39.08	8.95	34.09

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69104G	56.58	74.00	-17.42	42.64	3	Horizontal	120	2.74	-	39.08	8.95	34.09
AV	12.69116G	44.86	54.00	-9.14	30.92	3	Horizontal	120	2.74	-	39.08	8.95	34.09

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03234G	63.80	83.54	-19.74	42.91	1	Vertical	357	1.57	-	42.73	12.27	34.11
AV	19.03706G	51.96	63.54	-11.58	31.06	1	Vertical	357	1.57	-	42.74	12.27	34.11

5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0357G	63.82	83.54	-19.72	42.92	1	Horizontal	70	1.53	-	42.74	12.27	34.11
AV	19.03828G	51.96	63.54	-11.58	31.06	1	Horizontal	70	1.53	-	42.74	12.27	34.11



6.425-6.525GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	61.93	88.20	-26.27	53.79	3	Vertical	71	1.93	-	34.94	5.75	32.55
RMS	5.9226G	50.97	68.20	-17.23	42.73	3	Vertical	71	1.93	-	35.04	5.76	32.56
PK	6.4816G	106.64	Inf	-Inf	97.69	3	Vertical	71	1.93	-	35.63	6.08	32.76
RMS	6.479G	96.51	Inf	-Inf	87.57	3	Vertical	71	1.93	-	35.62	6.08	32.76
PK	7.1498G	62.36	88.20	-25.84	51.77	3	Vertical	71	1.93	-	37.00	6.75	33.16
RMS	7.1368G	51.55	68.20	-16.65	41.00	3	Vertical	71	1.93	-	36.97	6.74	33.16

6.425-6.525GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	62.07	88.20	-26.13	53.83	3	Horizontal	152	1.93	-	35.04	5.76	32.56
RMS	5.92G	50.99	68.20	-17.21	42.77	3	Horizontal	152	1.93	-	35.02	5.76	32.56
PK	6.5674G	109.52	Inf	-Inf	100.10	3	Horizontal	152	1.93	-	36.07	6.17	32.82
RMS	6.5674G	99.39	Inf	-Inf	89.97	3	Horizontal	152	1.93	-	36.07	6.17	32.82
PK	7.1498G	62.59	88.20	-25.61	52.00	3	Horizontal	152	1.93	-	37.00	6.75	33.16
RMS	7.1368G	51.61	68.20	-16.59	41.06	3	Horizontal	152	1.93	-	36.97	6.74	33.16

6.425-6.525GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01204G	56.91	88.20	-31.29	42.29	3	Vertical	141	2.73	-	39.51	9.11	34.00
RMS	13.01476G	45.15	68.20	-23.05	30.53	3	Vertical	141	2.73	-	39.51	9.11	34.00

6.425-6.525GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.012G	57.27	88.20	-30.93	42.65	3	Horizontal	49	1.52	-	39.51	9.11	34.00
RMS	13.01268G	45.08	68.20	-23.12	30.46	3	Horizontal	49	1.52	-	39.51	9.11	34.00

6.425-6.525GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5123G	65.59	83.54	-17.95	43.53	1	Vertical	144	1.52	-	43.21	12.58	33.73
AV	19.51186G	54.02	63.54	-9.52	31.96	1	Vertical	144	1.52	-	43.21	12.58	33.73

6.425-6.525GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51022G	65.39	83.54	-18.15	43.33	1	Horizontal	185	1.55	-	43.21	12.58	33.73
AV	19.51652G	53.90	63.54	-9.64	31.82	1	Horizontal	185	1.55	-	43.22	12.59	33.73

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6518G	104.28	Inf	-Inf	94.75	3	Vertical	80	1.59	-	36.20	6.20	32.87
RMS	6.6562G	94.96	Inf	-Inf	85.44	3	Vertical	80	1.59	-	36.20	6.20	32.88
PK	7.1952G	62.98	88.20	-25.22	52.27	3	Vertical	80	1.59	-	37.09	6.80	33.18
RMS	7.215G	52.06	68.20	-16.14	41.23	3	Vertical	80	1.59	-	37.19	6.82	33.18

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.654G	109.16	Inf	-Inf	99.63	3	Horizontal	158	2.05	-	36.20	6.20	32.87
RMS	6.654G	98.67	Inf	-Inf	89.14	3	Horizontal	158	2.05	-	36.20	6.20	32.87
PK	7.2018G	62.96	88.20	-25.24	52.23	3	Horizontal	158	2.05	-	37.11	6.80	33.18
RMS	7.215G	52.06	68.20	-16.14	41.23	3	Horizontal	158	2.05	-	37.19	6.82	33.18



6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32754G	57.78	74.00	-16.22	42.54	3	Vertical	57	1.26	-	40.03	9.26	34.05
AV	13.33026G	45.10	54.00	-8.90	29.85	3	Vertical	57	1.26	-	40.03	9.27	34.05

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32552G	57.28	74.00	-16.72	42.04	3	Horizontal	106	1.85	-	40.03	9.26	34.05
AV	13.32642G	45.04	54.00	-8.96	29.80	3	Horizontal	106	1.85	-	40.03	9.26	34.05

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99758G	66.70	83.54	-16.84	43.78	1	Vertical	225	1.53	-	43.70	12.90	33.68
AV	19.99912G	54.54	63.54	-9.00	31.62	1	Vertical	225	1.53	-	43.70	12.90	33.68

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99784G	66.41	83.54	-17.13	43.49	1	Horizontal	213	1.54	-	43.70	12.90	33.68
AV	19.9991G	54.67	63.54	-8.87	31.75	1	Horizontal	213	1.54	-	43.70	12.90	33.68

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.857G	108.24	Inf	-Inf	98.61	3	Vertical	71	2.05	-	36.33	6.31	33.01
RMS	6.8522G	97.17	Inf	-Inf	87.57	3	Vertical	71	2.05	-	36.31	6.30	33.01
PK	7.217G	63.98	88.20	-24.22	53.14	3	Vertical	71	2.05	-	37.20	6.82	33.18
RMS	7.2138G	52.34	68.20	-15.86	41.53	3	Vertical	71	2.05	-	37.18	6.81	33.18

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7754G	110.33	Inf	-Inf	100.64	3	Horizontal	156	2.02	-	36.45	6.20	32.96
RMS	6.8794G	99.56	Inf	-Inf	89.81	3	Horizontal	156	2.02	-	36.42	6.36	33.03
PK	7.2122G	63.51	88.20	-24.69	52.71	3	Horizontal	156	2.02	-	37.17	6.81	33.18
RMS	7.225G	52.25	68.20	-15.95	41.36	3	Horizontal	156	2.02	-	37.25	6.83	33.19

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6526G	57.84	88.20	-30.36	42.15	3	Vertical	34	1.62	-	40.25	9.43	33.99
RMS	13.6482G	46.00	68.20	-22.20	30.32	3	Vertical	34	1.62	-	40.25	9.42	33.99

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65232G	57.91	88.20	-30.29	42.22	3	Horizontal	340	1.11	-	40.25	9.43	33.99
RMS	13.65416G	46.02	68.20	-22.18	30.33	3	Horizontal	340	1.11	-	40.25	9.43	33.99



6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47854G	68.04	83.54	-15.50	44.22	1	Vertical	61	1.53	-	44.18	13.21	33.57
AV	20.47962G	56.18	63.54	-7.36	32.35	1	Vertical	61	1.53	-	44.18	13.21	33.56

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47232G	67.83	83.54	-15.71	44.02	1	Horizontal	358	1.50	-	44.17	13.21	33.57
AV	20.4721G	56.10	63.54	-7.44	32.29	1	Horizontal	358	1.50	-	44.17	13.21	33.57

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.922G	107.57	Inf	-Inf	97.60	3	Vertical	79	1.80	-	36.59	6.44	33.06
RMS	6.922G	95.72	Inf	-Inf	85.75	3	Vertical	79	1.80	-	36.59	6.44	33.06
PK	7.232G	63.97	88.20	-24.23	53.04	3	Vertical	79	1.80	-	37.29	6.83	33.19
RMS	7.182G	51.83	68.20	-16.37	41.16	3	Vertical	79	1.80	-	37.06	6.78	33.17

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-P-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.966G	108.99	Inf	-Inf	98.82	3	Horizontal	159	1.95	-	36.73	6.53	33.09
RMS	6.964G	98.95	Inf	-Inf	88.78	3	Horizontal	159	1.95	-	36.73	6.53	33.09
PK	7.227G	63.35	88.20	-24.85	52.45	3	Horizontal	159	1.95	-	37.26	6.83	33.19
RMS	7.23G	52.37	68.20	-15.83	41.45	3	Horizontal	159	1.95	-	37.28	6.83	33.19

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96686G	59.11	88.20	-29.09	42.61	3	Vertical	204	1.89	-	40.73	9.58	33.81
RMS	13.97168G	46.66	68.20	-21.54	30.14	3	Vertical	204	1.89	-	40.74	9.59	33.81

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9718G	59.13	88.20	-29.07	42.61	3	Horizontal	258	1.20	-	40.74	9.59	33.81
RMS	13.9747G	46.62	68.20	-21.58	30.08	3	Horizontal	258	1.20	-	40.75	9.59	33.80

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
 Setting 65  
 04-P-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9584G	67.34	83.54	-16.20	43.75	1	Vertical	307	1.58	-	44.66	13.52	34.59
AV	20.95518G	54.98	63.54	-8.56	31.38	1	Vertical	307	1.58	-	44.66	13.52	34.58

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX



6985MHz\_TX






EUT Y\_4TX  
Setting 65  
04-P-S-5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95242G	67.24	83.54	-16.30	43.64	1	Horizontal	342	1.55	-	44.65	13.52	34.57
AV	20.9562G	54.98	63.54	-8.56	31.38	1	Horizontal	342	1.55	-	44.66	13.52	34.58






















































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	5.9586G	-10.46	5.9711G	-40.28	-33.02	-7.26	3
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	5.97119G	-7.21	5.9994G	-38.64	-32.05	-6.59	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	5.97621G	-4.26	6.0586G	-36.63	-30.23	-6.40	3
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.16342G	0.98	6.4514G	-46.73	-39.02	-7.71	4
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.4774G	-8.29	6.4623G	-36.87	-28.73	-8.14	3
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.4886G	-6.51	6.5184G	-38.89	-31.24	-7.65	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.55619G	-3.90	6.6146G	-36.31	-28.90	-7.41	2
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.53297G	0.13	6.7594G	-48.34	-39.87	-8.47	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.5325G	-10.81	6.5515G	-41.65	-34.35	-7.30	1
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.87861G	-8.54	6.8486G	-41.12	-34.10	-7.02	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.87659G	-4.98	6.9334G	-36.84	-29.86	-6.98	2
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.69297G	-1.47	6.9418G	-49.04	-41.47	-7.57	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	7.1184G	-25.69	7.1507G	-71.01	-65.69	-5.32	2
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	7.09G	-7.39	7.0544G	-37.11	-30.61	-6.50	2
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.95739G	-6.27	6.9878G	-33.46	-26.31	-7.15	2
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.95703G	-0.97	6.7338G	-48.88	-40.97	-7.91	4





Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9587G	-9.20	5.9691G	-37.51	-29.70	-7.81	1
5955MHz	Pass	5.9538G	-9.40	5.9701G	-38.99	-31.56	-7.43	2
5955MHz	Pass	5.9586G	-10.46	5.9711G	-40.28	-33.02	-7.26	3
5955MHz	Pass	5.9563G	-10.08	5.9695G	-39.01	-30.81	-8.20	4
6175MHz	Pass	6.1734G	-9.12	6.1613G	-38.21	-29.45	-8.76	1
6175MHz	Pass	6.1738G	-10.35	6.16G	-40.06	-31.87	-8.19	2
6175MHz	Pass	6.1726G	-9.03	6.1604G	-38.68	-31.05	-7.63	3
6175MHz	Pass	6.1736G	-8.93	6.1599G	-39.25	-30.79	-8.46	4
6415MHz	Pass	6.4162G	-9.92	6.4G	-39.83	-31.65	-8.18	1
6415MHz	Pass	6.4174G	-11.05	6.3999G	-40.82	-32.56	-8.26	2
6415MHz	Pass	6.4124G	-8.94	6.4001G	-39.01	-31.11	-7.90	3
6415MHz	Pass	6.4175G	-9.15	6.4297G	-39.04	-29.85	-9.19	4
6435MHz	Pass	6.4364G	-10.57	6.4212G	-39.56	-30.88	-8.68	1
6435MHz	Pass	6.4399G	-11.72	6.4205G	-41.31	-32.82	-8.49	2
6435MHz	Pass	6.4375G	-9.53	6.4201G	-39.43	-31.00	-8.43	3
6435MHz	Pass	6.4325G	-9.91	6.45G	-39.79	-30.88	-8.91	4
6475MHz	Pass	6.4737G	-9.01	6.4592G	-39.81	-29.85	-9.96	1
6475MHz	Pass	6.4774G	-10.29	6.4901G	-40.42	-32.02	-8.40	2
6475MHz	Pass	6.4774G	-8.29	6.4623G	-36.87	-28.73	-8.14	3
6475MHz	Pass	6.4762G	-8.46	6.4905G	-39.07	-30.04	-9.03	4
6515MHz	Pass	6.5162G	-10.86	6.5299G	-40.30	-30.95	-9.35	1
6515MHz	Pass	6.5174G	-11.89	6.5297G	-41.55	-32.87	-8.68	2
6515MHz	Pass	6.5124G	-10.23	6.5012G	-39.06	-30.36	-8.70	3
6515MHz	Pass	6.5124G	-10.18	6.5003G	-39.78	-30.79	-8.99	4
6535MHz	Pass	6.5325G	-10.81	6.5515G	-41.65	-34.35	-7.30	1
6535MHz	Pass	6.5326G	-11.94	6.5488G	-40.72	-32.25	-8.47	2
6535MHz	Pass	6.5374G	-10.33	6.52G	-39.99	-31.24	-8.75	3
6535MHz	Pass	6.5336G	-10.45	6.5192G	-40.65	-32.47	-8.18	4
6695MHz	Pass	6.6937G	-8.77	6.7101G	-38.73	-29.64	-9.09	1
6695MHz	Pass	6.6937G	-9.63	6.7098G	-39.27	-31.19	-8.08	2
6695MHz	Pass	6.6974G	-9.17	6.7094G	-38.64	-29.35	-9.29	3
6695MHz	Pass	6.6924G	-9.27	6.6779G	-40.88	-32.58	-8.30	4
6855MHz	Pass	6.8562G	-10.60	6.8712G	-40.77	-32.46	-8.31	1
6855MHz	Pass	6.8561G	-10.25	6.8686G	-38.88	-30.27	-8.61	2
6855MHz	Pass	6.8525G	-11.30	6.8702G	-41.17	-31.54	-9.63	3
6855MHz	Pass	6.8525G	-11.15	6.8705G	-41.45	-32.39	-9.06	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.8713G	-10.52	6.8604G	-39.93	-31.91	-8.02	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.8713G	-10.07	6.8887G	-38.88	-30.27	-8.61	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.8725G	-11.09	6.8891G	-40.29	-31.67	-8.62	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.88G	-11.05	6.8607G	-40.44	-31.50	-8.94	4
6875MHz Straddle 6.875-7.125GHz								
6895MHz	Pass	6.8938G	-9.05	6.8783G	-39.94	-32.06	-7.88	1
6895MHz	Pass	6.8937G	-8.02	6.9097G	-37.69	-28.25	-9.44	2
6895MHz	Pass	6.8925G	-9.40	6.8797G	-39.76	-31.22	-8.54	3
6895MHz	Pass	6.89G	-9.57	6.8801G	-39.27	-29.76	-9.51	4
6995MHz	Pass	6.9912G	-10.20	6.9808G	-39.30	-31.21	-8.09	1
6995MHz	Pass	6.9912G	-7.81	6.9799G	-37.76	-28.88	-8.88	2
6995MHz	Pass	6.9974G	-9.84	7.013G	-42.46	-34.63	-7.83	3
6995MHz	Pass	6.9999G	-9.85	7.0084G	-38.60	-30.84	-7.76	4
7095MHz	Pass	7.1G	-11.92	7.08G	-41.76	-32.02	-9.74	1
7095MHz	Pass	7.0924G	-9.03	7.081G	-37.91	-30.03	-7.88	2
7095MHz	Pass	7.0912G	-11.42	7.1096G	-41.14	-32.76	-8.38	3
7095MHz	Pass	7.0999G	-10.91	7.1101G	-40.63	-32.16	-8.47	4
7115MHz	Pass	7.10841G	-25.10	7.1509G	-71.06	-65.10	-5.96	1





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7115MHz	Pass	7.1184G	-25.69	7.1507G	-71.01	-65.69	-5.32	2
7115MHz	Pass	7.10911G	-25.21	7.1486G	-70.86	-65.21	-5.65	3
7115MHz	Pass	7.12129G	-24.75	7.1523G	-70.97	-64.75	-6.22	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97739G	-6.65	5.9874G	-34.05	-26.74	-7.31	1
5965MHz	Pass	5.96G	-6.55	5.9868G	-33.63	-26.55	-7.08	2
5965MHz	Pass	5.97G	-6.92	5.9946G	-36.84	-29.55	-7.29	3
5965MHz	Pass	5.97119G	-7.21	5.9994G	-38.64	-32.05	-6.59	4
6165MHz	Pass	6.17139G	-7.18	6.1392G	-36.89	-28.38	-8.51	1
6165MHz	Pass	6.1626G	-8.55	6.1326G	-40.35	-32.64	-7.71	2
6165MHz	Pass	6.17G	-7.13	6.1872G	-35.17	-27.20	-7.97	3
6165MHz	Pass	6.16G	-7.33	6.1868G	-34.84	-27.37	-7.47	4
6405MHz	Pass	6.4026G	-6.99	6.4316G	-36.96	-27.74	-9.22	1
6405MHz	Pass	6.41119G	-6.55	6.4382G	-39.11	-31.11	-8.00	2
6405MHz	Pass	6.4014G	-7.25	6.4274G	-35.28	-27.30	-7.98	3
6405MHz	Pass	6.409G	-7.48	6.438G	-39.29	-31.68	-7.61	4
6445MHz	Pass	6.45119G	-6.30	6.4786G	-39.14	-30.96	-8.18	1
6445MHz	Pass	6.44G	-6.32	6.4784G	-38.89	-30.51	-8.38	2
6445MHz	Pass	6.4424G	-7.48	6.4088G	-41.22	-32.96	-8.26	3
6445MHz	Pass	6.4474G	-7.05	6.4088G	-41.01	-32.25	-8.76	4
6485MHz	Pass	6.4886G	-6.51	6.5184G	-38.89	-31.24	-7.65	1
6485MHz	Pass	6.49019G	-6.44	6.5174G	-38.39	-30.53	-7.86	2
6485MHz	Pass	6.4874G	-7.90	6.5174G	-39.96	-31.40	-8.56	3
6485MHz	Pass	6.4876G	-7.42	6.5184G	-40.25	-31.14	-9.11	4
6525MHz Straddle 6.425-6.525GHz	Pass	6.5288G	-5.83	6.5546G	-36.49	-28.44	-8.05	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.53239G	-5.42	6.554G	-36.07	-27.77	-8.30	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.5226G	-7.03	6.4874G	-41.16	-33.25	-7.91	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.51741G	-6.35	6.5594G	-39.10	-31.21	-7.89	4
6525MHz Straddle 6.525-6.875GHz								
6565MHz	Pass	6.55861G	-6.05	6.5986G	-38.71	-30.60	-8.11	1
6565MHz	Pass	6.5624G	-5.64	6.5964G	-36.86	-29.35	-7.51	2
6565MHz	Pass	6.5674G	-7.22	6.5976G	-39.87	-31.30	-8.57	3
6565MHz	Pass	6.5688G	-6.64	6.5984G	-38.89	-31.26	-7.63	4
6685MHz	Pass	6.6888G	-6.10	6.651G	-38.84	-31.02	-7.82	1
6685MHz	Pass	6.69379G	-7.20	6.7146G	-38.10	-29.84	-8.26	2
6685MHz	Pass	6.6826G	-7.48	6.6486G	-40.58	-33.39	-7.19	3
6685MHz	Pass	6.68G	-6.33	6.7186G	-39.19	-30.80	-8.39	4
6845MHz	Pass	6.85119G	-7.93	6.878G	-39.94	-32.29	-7.65	1
6845MHz	Pass	6.85119G	-7.73	6.8762G	-38.67	-31.32	-7.35	2
6845MHz	Pass	6.85G	-8.64	6.8762G	-39.65	-31.75	-7.90	3
6845MHz	Pass	6.8402G	-8.50	6.8758G	-39.59	-31.80	-7.79	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.87861G	-8.54	6.8486G	-41.12	-34.10	-7.02	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.87741G	-7.92	6.918G	-39.50	-32.41	-7.09	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.8824G	-8.85	6.9184G	-40.88	-33.74	-7.14	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.8876G	-9.03	6.8512G	-40.95	-33.75	-7.20	4
6885MHz Straddle 6.875-7.125GHz								
6925MHz	Pass	6.91621G	-5.89	6.8886G	-39.46	-31.67	-7.79	1
6925MHz	Pass	6.93G	-7.22	6.9596G	-39.60	-32.38	-7.22	2
6925MHz	Pass	6.92G	-8.82	6.9574G	-40.57	-32.80	-7.77	3
6925MHz	Pass	6.9288G	-6.30	6.8886G	-39.46	-32.00	-7.46	4
7005MHz	Pass	7.0014G	-9.63	6.9678G	-42.69	-35.30	-7.39	1
7005MHz	Pass	7.01119G	-7.22	6.9686G	-40.47	-33.21	-7.26	2
7005MHz	Pass	7.0026G	-9.18	6.9676G	-42.76	-35.09	-7.67	3
7005MHz	Pass	6.99981G	-9.31	6.9686G	-42.17	-35.15	-7.02	4
7085MHz	Pass	7.0812G	-10.28	7.0508G	-41.12	-34.35	-6.77	1
7085MHz	Pass	7.09G	-7.39	7.0544G	-37.11	-30.61	-6.50	2





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7085MHz	Pass	7.09G	-9.90	7.054G	-39.49	-32.59	-6.90	3
7085MHz	Pass	7.09259G	-9.48	7.0602G	-37.16	-29.54	-7.62	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.97341G	-3.45	6.0278G	-30.98	-23.52	-7.46	1
5985MHz	Pass	5.97021G	-3.50	5.9422G	-30.08	-23.52	-6.56	2
5985MHz	Pass	5.97621G	-4.26	6.0586G	-36.63	-30.23	-6.40	3
5985MHz	Pass	5.97221G	-4.59	6.0498G	-35.41	-28.83	-6.58	4
6145MHz	Pass	6.15739G	-3.62	6.187G	-30.62	-23.62	-7.00	1
6145MHz	Pass	6.13221G	-4.34	6.1022G	-32.24	-24.37	-7.87	2
6145MHz	Pass	6.16018G	-4.33	6.1878G	-32.05	-24.40	-7.65	3
6145MHz	Pass	6.15659G	-4.19	6.1878G	-32.00	-24.20	-7.80	4
6385MHz	Pass	6.37381G	-4.93	6.3422G	-32.66	-24.95	-7.71	1
6385MHz	Pass	6.39339G	-4.65	6.4374G	-34.46	-26.22	-8.24	2
6385MHz	Pass	6.39579G	-5.04	6.4278G	-32.16	-25.11	-7.05	3
6385MHz	Pass	6.37421G	-5.11	6.4286G	-33.19	-25.12	-8.07	4
6465MHz	Pass	6.45381G	-3.67	6.5078G	-31.49	-23.68	-7.81	1
6465MHz	Pass	6.45261G	-3.42	6.5078G	-30.72	-23.02	-7.70	2
6465MHz	Pass	6.45221G	-4.51	6.4058G	-35.92	-27.37	-8.55	3
6465MHz	Pass	6.45181G	-4.45	6.4218G	-32.61	-24.48	-8.13	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.55779G	-4.34	6.6146G	-36.85	-29.23	-7.62	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.55619G	-3.90	6.6146G	-36.31	-28.90	-7.41	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.55699G	-5.46	6.5018G	-33.31	-25.52	-7.79	3
6545MHz Straddle 6.425-6.525GHz	Pass	6.53261G	-5.20	6.4878G	-35.94	-27.88	-8.06	4
6545MHz Straddle 6.525-6.875GHz								
6625MHz	Pass	6.61621G	-5.77	6.6962G	-39.75	-31.06	-8.69	1
6625MHz	Pass	6.63739G	-6.40	6.6966G	-39.58	-31.90	-7.68	2
6625MHz	Pass	6.63619G	-6.73	6.4934G	-55.39	-46.73	-8.66	3
6625MHz	Pass	6.61261G	-5.63	6.5818G	-33.15	-25.65	-7.50	4
6705MHz	Pass	6.69381G	-4.35	6.7478G	-31.78	-24.39	-7.39	1
6705MHz	Pass	6.69261G	-5.37	6.773G	-38.00	-30.14	-7.86	2
6705MHz	Pass	6.69221G	-5.61	6.6478G	-36.26	-28.06	-8.20	3
6705MHz	Pass	6.69341G	-4.55	6.647G	-35.19	-27.40	-7.79	4
6785MHz	Pass	6.79619G	-4.79	6.7274G	-35.49	-27.48	-8.01	1
6785MHz	Pass	6.77621G	-3.91	6.8562G	-36.87	-29.35	-7.52	2
6785MHz	Pass	6.79659G	-4.46	6.7422G	-31.93	-24.53	-7.40	3
6785MHz	Pass	6.79699G	-5.19	6.7414G	-33.09	-25.21	-7.88	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.85341G	-5.96	6.9086G	-33.49	-25.99	-7.50	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.87659G	-4.98	6.9334G	-36.84	-29.86	-6.98	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.87699G	-5.70	6.9374G	-39.47	-31.34	-8.13	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.87699G	-6.21	7.0062G	-54.90	-46.21	-8.69	4
6865MHz Straddle 6.875-7.125GHz								
6945MHz	Pass	6.93381G	-5.47	6.8866G	-35.94	-27.53	-8.41	1
6945MHz	Pass	6.95739G	-6.27	6.9878G	-33.46	-26.31	-7.15	2
6945MHz	Pass	6.93021G	-8.17	6.9878G	-35.72	-28.18	-7.54	3
6945MHz	Pass	6.93141G	-5.60	6.9018G	-33.40	-25.62	-7.78	4
7025MHz	Pass	7.01381G	-4.36	6.9514G	-37.61	-30.41	-7.20	1
7025MHz	Pass	7.03739G	-5.38	7.0682G	-32.75	-25.44	-7.31	2
7025MHz	Pass	7.01261G	-6.83	6.9818G	-34.36	-26.89	-7.47	3
7025MHz	Pass	7.01261G	-4.84	7.0682G	-32.64	-24.90	-7.74	4
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99623G	1.13	6.2802G	-48.23	-38.87	-9.36	1
6025MHz	Pass	5.96346G	0.93	6.281G	-48.55	-39.07	-9.48	2
6025MHz	Pass	6.04978G	0.59	6.2778G	-47.81	-39.41	-8.40	3
6025MHz	Pass	6.00102G	0.71	6.2786G	-47.59	-39.29	-8.30	4
6185MHz	Pass	6.15623G	1.04	6.4418G	-48.69	-38.96	-9.73	1
6185MHz	Pass	6.16022G	0.97	6.4362G	-48.82	-39.03	-9.79	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6185MHz	Pass	6.16102G	0.52	6.441G	-48.53	-39.48	-9.05	3
6185MHz	Pass	6.16342G	0.98	6.4514G	-46.73	-39.02	-7.71	4
6345MHz	Pass	6.36898G	-0.13	6.0962G	-49.18	-39.98	-9.20	1
6345MHz	Pass	6.37137G	-0.29	6.0938G	-49.15	-40.29	-8.86	2
6345MHz	Pass	6.37137G	-0.33	6.0962G	-50.00	-40.18	-9.82	3
6345MHz	Pass	6.36978G	-0.14	6.0946G	-49.72	-40.14	-9.58	4
6505MHz Straddle 6.425-6.525GHz	Pass	6.52898G	0.34	6.7626G	-48.93	-39.66	-9.27	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.53297G	0.13	6.7594G	-48.34	-39.87	-8.47	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.48022G	-0.16	6.7594G	-50.01	-40.16	-9.85	3
6505MHz Straddle 6.425-6.525GHz	Pass	6.53217G	-0.18	6.7546G	-49.48	-40.15	-9.33	4
6505MHz Straddle 6.525-6.875GHz								
6665MHz	Pass	6.63863G	-1.05	6.925G	-49.77	-41.05	-8.72	1
6665MHz	Pass	6.69297G	-1.47	6.9418G	-49.04	-41.47	-7.57	2
6665MHz	Pass	6.63783G	-1.71	6.409G	-50.16	-41.71	-8.45	3
6665MHz	Pass	6.63943G	-1.47	6.4122G	-49.77	-41.47	-8.30	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.79943G	-0.79	6.573G	-49.60	-40.79	-8.81	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.84978G	0.22	7.0762G	-48.81	-39.77	-9.04	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.80102G	-0.64	6.573G	-49.34	-40.64	-8.70	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.79863G	-0.71	6.5714G	-49.28	-40.71	-8.57	4
6825MHz Straddle 6.875-7.125GHz								
6985MHz	Pass	6.95783G	-0.94	6.7282G	-48.94	-40.94	-8.00	1
6985MHz	Pass	6.96102G	-1.56	7.2362G	-50.17	-41.56	-8.61	2
6985MHz	Pass	6.95943G	-2.67	7.2458G	-50.62	-42.67	-7.95	3
6985MHz	Pass	6.95703G	-0.97	6.7338G	-48.88	-40.97	-7.91	4






6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
6475MHz\_TX

MASK

11/01/2023

CF Freq  
6.475GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4737G	-9.01	6.4592G	-39.81	-29.85	-9.96	1
6.4774G	-10.29	6.4901G	-40.42	-32.02	-8.40	2
6.4774G	-8.29	6.4623G	-36.87	-28.73	-8.14	3
6.4762G	-8.46	6.4905G	-39.07	-30.04	-9.03	4

6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
6515MHz\_TX

MASK

11/01/2023

CF Freq  
6.515GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5162G	-10.86	6.5299G	-40.30	-30.95	-9.35	1
6.5174G	-11.89	6.5297G	-41.55	-32.87	-8.68	2
6.5124G	-10.23	6.5012G	-39.06	-30.36	-8.70	3
6.5124G	-10.18	6.5003G	-39.78	-30.79	-8.99	4





6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
6535MHz\_TX

MASK

11/01/2023

CF Freq  
6.535GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5325G	-10.81	6.5515G	-41.65	-34.35	-7.30	1
6.5326G	-11.94	6.5488G	-40.72	-32.25	-8.47	2
6.5374G	-10.33	6.52G	-39.99	-31.24	-8.75	3
6.5336G	-10.45	6.5192G	-40.65	-32.47	-8.18	4





6.525-6.875GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
6695MHz\_TX

MASK

11/01/2023



CF Freq  
6.695GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS







Port 1   
Port 2   
Port 3   
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6937G	-8.77	6.7101G	-38.73	-29.64	-9.09	1
6.6937G	-9.63	6.7098G	-39.27	-31.19	-8.08	2
6.6974G	-9.17	6.7094G	-38.64	-29.35	-9.29	3
6.6924G	-9.27	6.6779G	-40.88	-32.58	-8.30	4










5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
5965MHz\_TX

MASK

11/01/2023

CF Freq  
5.965GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97739G	-6.65	5.9874G	-34.05	-26.74	-7.31	1
5.96G	-6.55	5.9868G	-33.63	-26.55	-7.08	2
5.97G	-6.92	5.9946G	-36.84	-29.55	-7.29	3
5.97119G	-7.21	5.9994G	-38.64	-32.05	-6.59	4

5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
6165MHz\_TX

MASK

11/01/2023

CF Freq  
6.165GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17139G	-7.18	6.1392G	-36.89	-28.38	-8.51	1
6.1626G	-8.55	6.1326G	-40.35	-32.64	-7.71	2
6.17G	-7.13	6.1872G	-35.17	-27.20	-7.97	3
6.16G	-7.33	6.1868G	-34.84	-27.37	-7.47	4





5.925-6.425GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
6405MHz\_TX

MASK

11/01/2023

CF Freq  
6.405GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4026G	-6.99	6.4316G	-36.96	-27.74	-9.22	1
6.41119G	-6.55	6.4382G	-39.11	-31.11	-8.00	2
6.4014G	-7.25	6.4274G	-35.28	-27.30	-7.98	3
6.409G	-7.48	6.438G	-39.29	-31.68	-7.61	4





6.425-6.525GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
6445MHz\_TX

MASK



11/01/2023

CF Freq  
6.445GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45119G	-6.30	6.4786G	-39.14	-30.96	-8.18	1
6.44G	-6.32	6.4784G	-38.89	-30.51	-8.38	2
6.4424G	-7.48	6.4088G	-41.22	-32.96	-8.26	3
6.4474G	-7.05	6.4088G	-41.01	-32.25	-8.76	4








6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
6565MHz\_TX

MASK

11/01/2023

CF Freq  
6.565GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55861G	-6.05	6.5986G	-38.71	-30.60	-8.11	1
6.5624G	-5.64	6.5964G	-36.86	-29.35	-7.51	2
6.5674G	-7.22	6.5976G	-39.87	-31.30	-8.57	3
6.5688G	-6.64	6.5984G	-38.89	-31.26	-7.63	4





6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
6685MHz\_TX

MASK

11/01/2023

CF Freq  
6.685GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6888G	-6.10	6.651G	-38.84	-31.02	-7.82	1
6.69379G	-7.20	6.7146G	-38.10	-29.84	-8.26	2
6.6826G	-7.48	6.6486G	-40.58	-33.39	-7.19	3
6.68G	-6.33	6.7186G	-39.19	-30.80	-8.39	4





6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
6845MHz\_TX

MASK

11/01/2023

CF Freq  
6.845GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85119G	-7.93	6.878G	-39.94	-32.29	-7.65	1
6.85119G	-7.73	6.8762G	-38.67	-31.32	-7.35	2
6.85G	-8.64	6.8762G	-39.65	-31.75	-7.90	3
6.8402G	-8.50	6.8758G	-39.59	-31.80	-7.79	4





6.525-6.875GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
6885MHz Straddle 6.525-6.875GHz\_TX

MASK

11/01/2023

CF Freq  
6.885GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87861G	-8.54	6.8486G	-41.12	-34.10	-7.02	1
6.87741G	-7.92	6.918G	-39.50	-32.41	-7.09	2
6.8824G	-8.85	6.9184G	-40.88	-33.74	-7.14	3
6.8876G	-9.03	6.8512G	-40.95	-33.75	-7.20	4




6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
6925MHz\_TX

MASK

11/01/2023

CF Freq  
6.925GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91621G	-5.89	6.8886G	-39.46	-31.67	-7.79	1
6.93G	-7.22	6.9596G	-39.60	-32.38	-7.22	2
6.92G	-8.82	6.9574G	-40.57	-32.80	-7.77	3
6.9288G	-6.30	6.8886G	-39.46	-32.00	-7.46	4

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
7005MHz\_TX

MASK

11/01/2023

CF Freq  
7.005GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0014G	-9.63	6.9678G	-42.69	-35.30	-7.39	1
7.01119G	-7.22	6.9686G	-40.47	-33.21	-7.26	2
7.0026G	-9.18	6.9676G	-42.76	-35.09	-7.67	3
6.99981G	-9.31	6.9686G	-42.17	-35.15	-7.02	4





6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
7085MHz\_TX

MASK

11/01/2023

CF Freq  
7.085GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0812G	-10.28	7.0508G	-41.12	-34.35	-6.77	1
7.09G	-7.39	7.0544G	-37.11	-30.61	-6.50	2
7.09G	-9.90	7.054G	-39.49	-32.59	-6.90	3
7.09259G	-9.48	7.0602G	-37.16	-29.54	-7.62	4





5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX  
5985MHz\_TX

MASK

11/01/2023

CF Freq  
5.985GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97341G	-3.45	6.0278G	-30.98	-23.52	-7.46	1
5.97021G	-3.50	5.9422G	-30.08	-23.52	-6.56	2
5.97621G	-4.26	6.0586G	-36.63	-30.23	-6.40	3
5.97221G	-4.59	6.0498G	-35.41	-28.83	-6.58	4

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX  
6145MHz\_TX

MASK

11/01/2023

CF Freq  
6.145GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15739G	-3.62	6.187G	-30.62	-23.62	-7.00	1
6.13221G	-4.34	6.1022G	-32.24	-24.37	-7.87	2
6.16018G	-4.33	6.1878G	-32.05	-24.40	-7.65	3
6.15659G	-4.19	6.1878G	-32.00	-24.20	-7.80	4

5.925-6.425GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX  
6385MHz\_TX

MASK

11/01/2023

CF Freq  
6.385GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37381G	-4.93	6.3422G	-32.66	-24.95	-7.71	1
6.39339G	-4.65	6.4374G	-34.46	-26.22	-8.24	2
6.39579G	-5.04	6.4278G	-32.16	-25.11	-7.05	3
6.37421G	-5.11	6.4286G	-33.19	-25.12	-8.07	4





6.425-6.525GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX  
6465MHz\_TX

MASK

11/01/2023

CF Freq  
6.465GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45381G	-3.67	6.5078G	-31.49	-23.68	-7.81	1
6.45261G	-3.42	6.5078G	-30.72	-23.02	-7.70	2
6.45221G	-4.51	6.4058G	-35.92	-27.37	-8.55	3
6.45181G	-4.45	6.4218G	-32.61	-24.48	-8.13	4





6.425-6.525GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX  
6545MHz Straddle 6.425-6.525GHz\_TX

MASK



11/01/2023

CF Freq  
6.545GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55779G	-4.34	6.6146G	-36.85	-29.23	-7.62	1
6.55619G	-3.90	6.6146G	-36.31	-28.90	-7.41	2
6.55699G	-5.46	6.5018G	-33.31	-25.52	-7.79	3
6.53261G	-5.20	6.4878G	-35.94	-27.88	-8.06	4








6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX  
6785MHz\_TX

MASK

11/01/2023

CF Freq  
6.785GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79619G	-4.79	6.7274G	-35.49	-27.48	-8.01	1
6.77621G	-3.91	6.8562G	-36.87	-29.35	-7.52	2
6.79659G	-4.46	6.7422G	-31.93	-24.53	-7.40	3
6.79699G	-5.19	6.7414G	-33.09	-25.21	-7.88	4





6.525-6.875GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX  
6865MHz Straddle 6.525-6.875GHz\_TX

MASK

11/01/2023

CF Freq  
6.865GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 2   
Port 3   
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85341G	-5.96	6.9086G	-33.49	-25.99	-7.50	1
6.87659G	-4.98	6.9334G	-36.84	-29.86	-6.98	2
6.87699G	-5.70	6.9374G	-39.47	-31.34	-8.13	3
6.87699G	-6.21	7.0062G	-54.90	-46.21	-8.69	4

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX  
6945MHz\_TX

MASK

11/01/2023

CF Freq  
6.945GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93381G	-5.47	6.8866G	-35.94	-27.53	-8.41	1
6.95739G	-6.27	6.9878G	-33.46	-26.31	-7.15	2
6.93021G	-8.17	6.9878G	-35.72	-28.18	-7.54	3
6.93141G	-5.60	6.9018G	-33.40	-25.62	-7.78	4

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX  
7025MHz\_TX

MASK



11/01/2023

CF Freq  
7.025GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01381G	-4.36	6.9514G	-37.61	-30.41	-7.20	1
7.03739G	-5.38	7.0682G	-32.75	-25.44	-7.31	2
7.01261G	-6.83	6.9818G	-34.36	-26.89	-7.47	3
7.01261G	-4.84	7.0682G	-32.64	-24.90	-7.74	4






5.925-6.425GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX  
6345MHz\_TX

MASK

12/01/2023

CF Freq  
6.345GHz  
Span  
800MHz  
RBW  
3MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36898G	-0.13	6.0962G	-49.18	-39.98	-9.20	1
6.37137G	-0.29	6.0938G	-49.15	-40.29	-8.86	2
6.37137G	-0.33	6.0962G	-50.00	-40.18	-9.82	3
6.36978G	-0.14	6.0946G	-49.72	-40.14	-9.58	4

6.425-6.525GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX  
6505MHz Straddle 6.425-6.525GHz\_TX

MASK

12/01/2023

CF Freq  
6.505GHz  
Span  
800MHz  
RBW  
3MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52898G	0.34	6.7626G	-48.93	-39.66	-9.27	1
6.53297G	0.13	6.7594G	-48.34	-39.87	-8.47	2
6.48022G	-0.16	6.7594G	-50.01	-40.16	-9.85	3
6.53217G	-0.18	6.7546G	-49.48	-40.15	-9.33	4

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX  
6665MHz\_TX

MASK

12/01/2023

CF Freq  
6.665GHz  
Span  
800MHz  
RBW  
3MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63863G	-1.05	6.925G	-49.77	-41.05	-8.72	1
6.69297G	-1.47	6.9418G	-49.04	-41.47	-7.57	2
6.63783G	-1.71	6.409G	-50.16	-41.71	-8.45	3
6.63943G	-1.47	6.4122G	-49.77	-41.47	-8.30	4

6.525-6.875GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX  
6825MHz Straddle 6.525-6.875GHz\_TX

MASK


12/01/2023

CF Freq  
6.825GHz  
Span  
800MHz  
RBW  
3MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79943G	-0.79	6.573G	-49.60	-40.79	-8.81	1
6.84978G	0.22	7.0762G	-48.81	-39.77	-9.04	2
6.80102G	-0.64	6.573G	-49.34	-40.64	-8.70	3
6.79863G	-0.71	6.5714G	-49.28	-40.71	-8.57	4






Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.00	2.00	-68.01	≤ -62
						Minimal	-67.00	2.00	-69.00	≤ -62
						ON	-80.00	2.00	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-66.73	2.27	-69.07	≤ -62
						Minimal	-67.73	2.27	-70.00	≤ -62
						ON	-79.73	2.27	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-66.06	2.94	-69.04	≤ -62
						Minimal	-67.06	2.94	-70.00	≤ -62
						ON	-79.06	2.94	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-64.15	3.85	-68.03	≤ -62
						Minimal	-65.15	3.85	-69.00	≤ -62
						ON	-78.15	3.85	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-65.00	2.00	-67.03	≤ -62
						Minimal	-66.00	2.00	-68.00	≤ -62
						ON	-80.00	2.00	-82.00	≤ -62
				Center	6185	OFF	-67.00	2.00	-69.01	≤ -62
						Minimal	-68.00	2.00	-70.00	≤ -62
						ON	-80.00	2.00	-82.00	≤ -62
				High edge	6260	OFF	-68.00	2.00	-70.07	≤ -62
						Minimal	-69.00	2.00	-71.00	≤ -62
						ON	-80.00	2.00	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-65.73	2.27	-68.08	≤ -62
						Minimal	-66.73	2.27	-69.00	≤ -62
						ON	-79.73	2.27	-82.00	≤ -62
				Center	6505	OFF	-64.73	2.27	-67.05	≤ -62
						Minimal	-65.73	2.27	-68.00	≤ -62
						ON	-79.73	2.27	-82.00	≤ -62
				High edge	6580	OFF	-67.73	2.27	-70.01	≤ -62
						Minimal	-68.73	2.27	-71.00	≤ -62
						ON	-79.73	2.27	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-66.06	2.94	-69.03	≤ -62
						Minimal	-67.06	2.94	-70.00	≤ -62
						ON	-79.06	2.94	-82.00	≤ -62
				Center	6665	OFF	-65.06	2.94	-68.05	≤ -62
						Minimal	-66.06	2.94	-69.00	≤ -62
						ON	-79.06	2.94	-82.00	≤ -62
				High edge	6740	OFF	-65.06	2.94	-68.04	≤ -62
						Minimal	-66.06	2.94	-69.00	≤ -62
						ON	-79.06	2.94	-82.00	≤ -62
8	207	160	6895	Low edge	6910	OFF	-64.15	3.85	-68.06	≤ -62
						Minimal	-65.15	3.85	-69.00	≤ -62
						ON	-78.15	3.85	-82.00	≤ -62
				Center	6985	OFF	-64.15	3.85	-68.01	≤ -62
						Minimal	-65.15	3.85	-69.00	≤ -62
						ON	-78.15	3.85	-82.00	≤ -62
				High edge	7060	OFF	-65.15	3.85	-69.02	≤ -62
						Minimal	-66.15	3.85	-70.00	≤ -62
						ON	-78.15	3.85	-82.00	≤ -62

Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-68.01	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-69.07	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-69.04	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-68.03	OFF	9	90	90	PASS

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-67.03	OFF	10	100	90	PASS
				Center	6185	-69.01	OFF	10	100	90	PASS
				High edge	6260	-70.07	OFF	10	100	90	PASS
6	111	160	6505	Low edge	6430	-68.08	OFF	10	100	90	PASS
				Center	6505	-67.05	OFF	10	100	90	PASS
				High edge	6580	-70.01	OFF	10	100	90	PASS
7	143	160	6665	Low edge	6590	-69.03	OFF	9	90	90	PASS
				Center	6665	-68.05	OFF	10	100	90	PASS
				High edge	6740	-68.04	OFF	9	90	90	PASS
8	207	160	6985	Low edge	6910	-68.06	OFF	9	90	90	PASS
				Center	6985	-68.01	OFF	10	100	90	PASS
				High edge	7060	-69.02	OFF	10	100	90	PASS







Incumbent signal (AWGN) Plot

Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Frequency (MHz): 6455 MHz






Frequency (MHz): 6695 MHz





Date: 25.FEB.2023 17:27:46


Frequency (MHz): 7015 MHz




Date: 25.FEB.2023 17:29:20




Frequency (MHz): 6260 MHz




Frequency (MHz): 6430 MHz




Frequency (MHz): 6505 MHz



Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Date: 25.FEB.2023 17:36:23

Frequency (MHz): 6665 MHz




Date: 25.FEB.2023 17:39:44

Frequency (MHz): 6740 MHz




Date: 25.FEB.2023 17:40:32

Frequency (MHz): 6910 MHz





Date: 25.FEB.2023 17:41:46

Frequency (MHz): 6985 MHz




Frequency (MHz): 7060 MHz






Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal







Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal