


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 103  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4126G	56.67	74.00	-17.33	43.03	3	Horizontal	20	2.85	-	39.20	8.42	33.98
AV	11.42008G	43.81	54.00	-10.19	30.17	3	Horizontal	20	2.85	-	39.20	8.43	33.99
PK	17.13024G	64.30	68.20	-3.90	45.86	3	Horizontal	340	1.80	-	40.99	11.03	33.58

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 59  
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.113G	58.83	74.00	-15.17	52.98	3	Vertical	89	1.83	-	32.97	5.41	32.53
AV	5.147G	46.96	54.00	-7.04	41.12	3	Vertical	89	1.83	-	32.91	5.45	32.52
PK	5.262G	107.00	Inf	-Inf	100.91	3	Vertical	89	1.83	-	33.05	5.53	32.49
AV	5.252G	94.70	Inf	-Inf	88.65	3	Vertical	89	1.83	-	33.01	5.53	32.49
PK	5.352G	62.65	74.00	-11.35	56.33	3	Vertical	89	1.83	-	33.21	5.58	32.47
AV	5.35G	51.98	54.00	-2.02	45.67	3	Vertical	89	1.83	-	33.20	5.58	32.47
PK	5.516G	59.35	68.20	-8.85	52.35	3	Vertical	89	1.83	-	33.83	5.60	32.43

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT Y\_4TX  
 Setting 59  
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.074G	58.38	74.00	-15.62	52.55	3	Horizontal	257	1.80	-	33.00	5.37	32.54
AV	5.103G	47.00	54.00	-7.00	41.14	3	Horizontal	257	1.80	-	32.99	5.40	32.53
PK	5.284G	108.10	Inf	-Inf	101.91	3	Horizontal	257	1.80	-	33.14	5.54	32.49
AV	5.284G	96.79	Inf	-Inf	90.60	3	Horizontal	257	1.80	-	33.14	5.54	32.49
PK	5.352G	63.98	74.00	-10.02	57.66	3	Horizontal	257	1.80	-	33.21	5.58	32.47
AV	5.35G	53.89	54.00	-0.11	47.58	3	Horizontal	257	1.80	-	33.20	5.58	32.47
PK	5.482G	59.48	68.20	-8.72	52.55	3	Horizontal	257	1.80	-	33.76	5.60	32.43

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUTY\_4TX  
 Setting 59  
 04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5831G	56.56	68.20	-11.64	42.23	3	Vertical	360	2.77	-	39.27	8.17	33.11
PK	15.8748G	60.32	74.00	-13.68	45.44	3	Vertical	30	1.80	-	38.57	10.26	33.95
AV	15.8804G	47.27	54.00	-6.73	32.38	3	Vertical	30	1.80	-	38.58	10.26	33.95

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 59  
 04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5991G	55.48	68.20	-12.72	41.12	3	Horizontal	194	2.42	-	39.30	8.18	33.12
PK	15.8655G	58.79	74.00	-15.21	43.91	3	Horizontal	83	2.25	-	38.57	10.25	33.94
AV	15.8794G	47.02	54.00	-6.98	32.13	3	Horizontal	83	2.25	-	38.58	10.26	33.95

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 Setting 66  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	59.45	68.20	-8.75	53.15	3	Vertical	287	1.78	-	33.20	5.57	32.47
AV	5.35G	47.60	54.00	-6.40	41.30	3	Vertical	287	1.78	-	33.20	5.57	32.47
PK	5.4564G	63.77	74.00	-10.23	56.90	3	Vertical	287	1.78	-	33.71	5.60	32.44
AV	5.4596G	52.40	54.00	-1.60	45.52	3	Vertical	287	1.78	-	33.72	5.60	32.44
PK	5.4692G	64.56	68.20	-3.64	57.66	3	Vertical	287	1.78	-	33.74	5.60	32.44
PK	5.5116G	108.95	Inf	-Inf	101.96	3	Vertical	287	1.78	-	33.82	5.60	32.43
AV	5.5412G	97.15	Inf	-Inf	90.11	3	Vertical	287	1.78	-	33.88	5.60	32.44
PK	5.7292G	59.69	68.20	-8.51	52.27	3	Vertical	287	1.78	-	34.26	5.66	32.50

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 Setting 66  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	59.05	68.20	-9.15	52.75	3	Horizontal	244	1.80	-	33.20	5.57	32.47
AV	5.35G	47.38	54.00	-6.62	41.08	3	Horizontal	244	1.80	-	33.20	5.57	32.47
PK	5.4596G	64.07	74.00	-9.93	57.19	3	Horizontal	244	1.80	-	33.72	5.60	32.44
AV	5.4556G	52.18	54.00	-1.82	45.31	3	Horizontal	244	1.80	-	33.71	5.60	32.44
PK	5.47G	65.56	68.20	-2.64	58.66	3	Horizontal	244	1.80	-	33.74	5.60	32.44
PK	5.5604G	112.49	Inf	-Inf	105.40	3	Horizontal	244	1.80	-	33.94	5.60	32.45
AV	5.5604G	100.66	Inf	-Inf	93.57	3	Horizontal	244	1.80	-	33.94	5.60	32.45
PK	5.7268G	60.94	68.20	-7.26	53.53	3	Horizontal	244	1.80	-	34.25	5.66	32.50

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUTY\_4TX  
 Setting 66  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.004G	56.71	74.00	-17.29	42.49	3	Vertical	328	1.80	-	39.39	8.30	33.47
AV	11.0416G	44.40	54.00	-9.60	30.28	3	Vertical	328	1.80	-	39.32	8.31	33.51



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUTY\_4TX  
 Setting 66  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.8808G	56.50	74.00	-17.50	42.20	3	Horizontal	261	1.80	-	39.40	8.26	33.36
AV	10.9952G	44.34	54.00	-9.66	30.10	3	Horizontal	261	1.80	-	39.40	8.30	33.46

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 Setting 83  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4468G	61.37	74.00	-12.63	54.53	3	Vertical	284	1.98	-	33.68	5.60	32.44
AV	5.446G	49.82	54.00	-4.18	42.98	3	Vertical	284	1.98	-	33.68	5.60	32.44
PK	5.4684G	60.63	68.20	-7.57	53.73	3	Vertical	284	1.98	-	33.74	5.60	32.44
PK	5.6164G	113.88	Inf	-Inf	106.63	3	Vertical	284	1.98	-	34.10	5.61	32.46
AV	5.5964G	102.53	Inf	-Inf	95.30	3	Vertical	284	1.98	-	34.09	5.60	32.46
PK	5.7412G	64.25	68.20	-3.95	56.80	3	Vertical	284	1.98	-	34.28	5.67	32.50

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT Y\_4TX  
 Setting 83  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	61.54	74.00	-12.46	54.66	3	Horizontal	244	1.94	-	33.72	5.60	32.44
AV	5.4596G	50.62	54.00	-3.38	43.74	3	Horizontal	244	1.94	-	33.72	5.60	32.44
PK	5.4692G	62.42	68.20	-5.78	55.52	3	Horizontal	244	1.94	-	33.74	5.60	32.44
PK	5.6052G	117.79	Inf	-Inf	110.55	3	Horizontal	244	1.94	-	34.10	5.60	32.46
AV	5.5996G	106.50	Inf	-Inf	99.26	3	Horizontal	244	1.94	-	34.10	5.60	32.46
PK	5.73G	68.10	68.20	-0.10	60.67	3	Horizontal	244	1.94	-	34.26	5.67	32.50

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUTY\_4TX  
 Setting 83  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0288G	56.43	74.00	-17.57	42.28	3	Vertical	-0	1.80	-	39.34	8.31	33.50
AV	11.0304G	44.45	54.00	-9.55	30.30	3	Vertical	-0	1.80	-	39.34	8.31	33.50

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUTY\_4TX  
 Setting 83  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1216G	56.21	74.00	-17.79	42.28	3	Horizontal	133	2.86	-	39.20	8.34	33.61
AV	11.072G	44.44	54.00	-9.56	30.41	3	Horizontal	133	2.86	-	39.26	8.32	33.55

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 96  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6812G	116.49	Inf	-Inf	109.17	3	Vertical	288	2.02	-	34.16	5.64	32.48
AV	5.6812G	104.84	Inf	-Inf	97.52	3	Vertical	288	2.02	-	34.16	5.64	32.48
PK	5.8516G	64.86	68.20	-3.34	57.25	3	Vertical	288	2.02	-	34.42	5.73	32.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 96  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6604G	119.01	Inf	-Inf	111.74	3	Horizontal	244	1.80	-	34.12	5.63	32.48
AV	5.6804G	107.19	Inf	-Inf	99.87	3	Horizontal	244	1.80	-	34.16	5.64	32.48
PK	5.8508G	67.92	68.20	-0.28	60.32	3	Horizontal	244	1.80	-	34.41	5.73	32.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 96  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2232G	56.21	74.00	-17.79	42.36	3	Vertical	292	1.80	-	39.22	8.37	33.74
AV	11.4064G	44.08	54.00	-9.92	30.43	3	Vertical	292	1.80	-	39.20	8.42	33.97



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 96  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4632G	56.56	74.00	-17.44	42.96	3	Horizontal	360	2.70	-	39.20	8.44	34.04
AV	11.5512G	43.90	54.00	-10.10	30.35	3	Horizontal	360	2.70	-	39.20	8.47	34.12

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUTY\_4TX  
 Setting 56  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	60.17	74.00	-13.83	54.34	3	Vertical	90	1.75	-	32.91	5.44	32.52
AV	5.1476G	50.98	54.00	-3.02	45.15	3	Vertical	90	1.75	-	32.90	5.45	32.52
PK	5.1924G	103.92	Inf	-Inf	98.04	3	Vertical	90	1.75	-	32.90	5.49	32.51
AV	5.2276G	94.18	Inf	-Inf	88.21	3	Vertical	90	1.75	-	32.96	5.51	32.50
PK	5.3828G	64.24	74.00	-9.76	57.78	3	Vertical	90	1.75	-	33.33	5.59	32.46
AV	5.3828G	53.84	54.00	-0.16	47.38	3	Vertical	90	1.75	-	33.33	5.59	32.46
PK	5.634G	59.68	68.20	-8.52	52.43	3	Vertical	90	1.75	-	34.10	5.62	32.47

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUTY\_4TX  
 Setting 56  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	61.04	74.00	-12.96	55.21	3	Horizontal	235	1.97	-	32.90	5.45	32.52
AV	5.1428G	51.91	54.00	-2.09	46.08	3	Horizontal	235	1.97	-	32.91	5.44	32.52
PK	5.2228G	107.16	Inf	-Inf	101.20	3	Horizontal	235	1.97	-	32.95	5.51	32.50
AV	5.2276G	96.57	Inf	-Inf	90.60	3	Horizontal	235	1.97	-	32.96	5.51	32.50
PK	5.3828G	62.91	74.00	-11.09	56.45	3	Horizontal	235	1.97	-	33.33	5.59	32.46
AV	5.386G	53.90	54.00	-0.10	47.43	3	Horizontal	235	1.97	-	33.34	5.59	32.46
PK	5.6228G	60.45	68.20	-7.75	53.21	3	Horizontal	235	1.97	-	34.10	5.61	32.47

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUTY\_4TX  
 Setting 56  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8076G	60.48	74.00	-13.52	45.65	3	Vertical	296	2.04	-	38.51	10.23	33.91
AV	15.7404G	49.64	54.00	-4.36	34.97	3	Vertical	296	2.04	-	38.32	10.21	33.86

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUTY\_4TX  
 Setting 56  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8452G	60.09	74.00	-13.91	45.22	3	Horizontal	200	1.80	-	38.55	10.25	33.93
AV	15.8644G	49.78	54.00	-4.22	34.91	3	Horizontal	200	1.80	-	38.56	10.25	33.94

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT Y\_4TX  
Setting 65  
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2596G	59.39	68.20	-8.81	53.31	3	Vertical	285	1.98	-	33.04	5.53	32.49
PK	5.4564G	62.67	74.00	-11.33	55.80	3	Vertical	285	1.98	-	33.71	5.60	32.44
AV	5.4564G	53.77	54.00	-0.23	46.90	3	Vertical	285	1.98	-	33.71	5.60	32.44
PK	5.4628G	64.48	68.20	-3.72	57.59	3	Vertical	285	1.98	-	33.73	5.60	32.44
PK	5.6068G	107.16	Inf	-Inf	99.92	3	Vertical	285	1.98	-	34.10	5.60	32.46
AV	5.602G	97.19	Inf	-Inf	89.95	3	Vertical	285	1.98	-	34.10	5.60	32.46
PK	5.7316G	61.72	68.20	-6.48	54.29	3	Vertical	285	1.98	-	34.26	5.67	32.50

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 Setting 65  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3444G	60.71	68.20	-7.49	54.41	3	Horizontal	246	2.14	-	33.20	5.57	32.47
PK	5.4564G	63.10	74.00	-10.90	56.23	3	Horizontal	246	2.14	-	33.71	5.60	32.44
AV	5.4516G	53.37	54.00	-0.63	46.51	3	Horizontal	246	2.14	-	33.70	5.60	32.44
PK	5.466G	63.45	68.20	-4.75	56.56	3	Horizontal	246	2.14	-	33.73	5.60	32.44
PK	5.5956G	110.55	Inf	-Inf	103.33	3	Horizontal	246	2.14	-	34.08	5.60	32.46
AV	5.6004G	99.92	Inf	-Inf	92.68	3	Horizontal	246	2.14	-	34.10	5.60	32.46
PK	5.7252G	64.79	68.20	-3.41	57.38	3	Horizontal	246	2.14	-	34.25	5.66	32.50

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUTY\_4TX  
 Setting 65  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.052G	56.91	74.00	-17.09	42.82	3	Vertical	13	1.80	-	39.30	8.32	33.53
AV	11.04G	46.13	54.00	-7.87	32.01	3	Vertical	13	1.80	-	39.32	8.31	33.51



5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUTY\_4TX  
 Setting 65  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0768G	56.51	74.00	-17.49	42.50	3	Horizontal	50	1.80	-	39.25	8.32	33.56
AV	11.076G	46.02	54.00	-7.98	32.01	3	Horizontal	50	1.80	-	39.25	8.32	33.56

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TX




EUTY\_4TX  
 Setting 99  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	60.01	74.00	-13.99	54.17	3	Vertical	87	1.92	-	32.92	5.44	32.52
AV	5.149G	47.79	54.00	-6.21	41.96	3	Vertical	87	1.92	-	32.90	5.45	32.52
PK	5.263G	122.40	Inf	-Inf	116.31	3	Vertical	87	1.92	-	33.05	5.53	32.49
AV	5.2618G	109.91	Inf	-Inf	103.82	3	Vertical	87	1.92	-	33.05	5.53	32.49
PK	5.3926G	61.05	74.00	-12.95	54.54	3	Vertical	87	1.92	-	33.37	5.60	32.46
AV	5.35G	48.06	54.00	-5.94	41.75	3	Vertical	87	1.92	-	33.20	5.58	32.47

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TX




EUT Y\_4TX  
 Setting 99  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	60.85	74.00	-13.15	55.02	3	Horizontal	214	2.00	-	32.90	5.45	32.52
AV	5.15G	48.34	54.00	-5.66	42.51	3	Horizontal	214	2.00	-	32.90	5.45	32.52
PK	5.257G	127.01	Inf	-Inf	120.94	3	Horizontal	214	2.00	-	33.03	5.53	32.49
AV	5.2546G	114.68	Inf	-Inf	108.62	3	Horizontal	214	2.00	-	33.02	5.53	32.49
PK	5.3542G	61.65	74.00	-12.35	55.32	3	Horizontal	214	2.00	-	33.22	5.58	32.47
AV	5.35G	49.15	54.00	-4.85	42.84	3	Horizontal	214	2.00	-	33.20	5.58	32.47

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
 Setting 99  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78014G	59.30	74.00	-14.70	44.53	3	Vertical	161	1.29	-	38.44	10.22	33.89
AV	15.77616G	46.32	54.00	-7.68	31.56	3	Vertical	161	1.29	-	38.43	10.22	33.89

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
 Setting 99  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77902G	58.88	74.00	-15.12	44.11	3	Horizontal	277	2.37	-	38.44	10.22	33.89
AV	15.7824G	46.48	54.00	-7.52	31.70	3	Horizontal	277	2.37	-	38.45	10.22	33.89

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUTY\_4TX  
Setting 96  
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3004G	122.36	Inf	-Inf	116.09	3	Vertical	35	2.83	-	33.20	5.55	32.48
AV	5.3008G	109.69	Inf	-Inf	103.42	3	Vertical	35	2.83	-	33.20	5.55	32.48
PK	5.3508G	64.82	74.00	-9.18	58.51	3	Vertical	35	2.83	-	33.20	5.58	32.47
AV	5.3504G	51.01	54.00	-2.99	44.70	3	Vertical	35	2.83	-	33.20	5.58	32.47

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUTY\_4TX  
 Setting 96  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2912G	124.14	Inf	-Inf	117.91	3	Horizontal	180	1.80	-	33.16	5.55	32.48
AV	5.2916G	112.08	Inf	-Inf	105.84	3	Horizontal	180	1.80	-	33.17	5.55	32.48
PK	5.3548G	68.15	74.00	-5.85	61.82	3	Horizontal	180	1.80	-	33.22	5.58	32.47
AV	5.35G	53.87	54.00	-0.13	47.56	3	Horizontal	180	1.80	-	33.20	5.58	32.47

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUTY\_4TX  
 Setting 96  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9026G	59.36	74.00	-14.64	44.46	3	Vertical	244	2.50	-	38.60	10.27	33.97
AV	15.89656G	46.43	54.00	-7.57	31.53	3	Vertical	244	2.50	-	38.60	10.26	33.96



5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
 Setting 96  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89654G	59.14	74.00	-14.86	44.24	3	Horizontal	161	2.72	-	38.60	10.26	33.96
AV	15.8971G	46.60	54.00	-7.40	31.70	3	Horizontal	161	2.72	-	38.60	10.26	33.96

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUTY\_4TX  
Setting 81  
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	119.25	Inf	-Inf	112.97	3	Vertical	289	1.80	-	33.20	5.56	32.48
AV	5.322G	106.23	Inf	-Inf	99.95	3	Vertical	289	1.80	-	33.20	5.56	32.48
PK	5.3502G	66.51	74.00	-7.49	60.20	3	Vertical	289	1.80	-	33.20	5.58	32.47
AV	5.3502G	53.33	54.00	-0.67	47.02	3	Vertical	289	1.80	-	33.20	5.58	32.47

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUTY\_4TX  
 Setting 81  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3266G	120.93	Inf	-Inf	114.65	3	Horizontal	152	1.80	-	33.20	5.56	32.48
AV	5.3288G	108.18	Inf	-Inf	101.89	3	Horizontal	152	1.80	-	33.20	5.56	32.47
PK	5.35G	67.02	74.00	-6.98	60.71	3	Horizontal	152	1.80	-	33.20	5.58	32.47
AV	5.35G	52.94	54.00	-1.06	46.63	3	Horizontal	152	1.80	-	33.20	5.58	32.47

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
 Setting 81  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9637G	58.96	74.00	-15.04	44.14	3	Vertical	207	2.53	-	38.54	10.29	34.01
AV	15.9623G	46.06	54.00	-7.94	31.24	3	Vertical	207	2.53	-	38.54	10.29	34.01

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUTY\_4TX  
 Setting 81  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96168G	59.36	74.00	-14.64	44.54	3	Horizontal	152	2.47	-	38.54	10.29	34.01
AV	15.96364G	45.93	54.00	-8.07	31.11	3	Horizontal	152	2.47	-	38.54	10.29	34.01

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT\_Y\_4TX  
 Setting 88  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	64.06	74.00	-9.94	57.19	3	Vertical	286	2.15	-	33.71	5.60	32.44
AV	5.46G	50.90	54.00	-3.10	44.02	3	Vertical	286	2.15	-	33.72	5.60	32.44
PK	5.469G	66.08	68.20	-2.12	59.18	3	Vertical	286	2.15	-	33.74	5.60	32.44
PK	5.5048G	122.30	Inf	-Inf	115.32	3	Vertical	286	2.15	-	33.81	5.60	32.43
AV	5.507G	109.07	Inf	-Inf	102.09	3	Vertical	286	2.15	-	33.81	5.60	32.43

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUTY\_4TX  
 Setting 88  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	62.96	74.00	-11.04	56.09	3	Horizontal	178	1.80	-	33.71	5.60	32.44
AV	5.459G	50.13	54.00	-3.87	43.25	3	Horizontal	178	1.80	-	33.72	5.60	32.44
PK	5.4686G	64.59	68.20	-3.61	57.69	3	Horizontal	178	1.80	-	33.74	5.60	32.44
PK	5.5074G	124.84	Inf	-Inf	117.86	3	Horizontal	178	1.80	-	33.81	5.60	32.43
AV	5.508G	113.30	Inf	-Inf	106.31	3	Horizontal	178	1.80	-	33.82	5.60	32.43

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUTY\_4TX  
 Setting 88  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0011G	56.95	74.00	-17.05	42.71	3	Vertical	332	2.58	-	39.40	8.30	33.46
AV	11.00236G	43.47	54.00	-10.53	29.23	3	Vertical	332	2.58	-	39.40	8.30	33.46



5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUTY\_4TX  
 Setting 88  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00004G	57.39	74.00	-16.61	43.15	3	Horizontal	80	2.00	-	39.40	8.30	33.46
AV	11.00082G	43.46	54.00	-10.54	29.22	3	Horizontal	80	2.00	-	39.40	8.30	33.46

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 Setting 104  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4474G	60.72	74.00	-13.28	53.88	3	Vertical	283	1.76	-	33.68	5.60	32.44
AV	5.4324G	48.46	54.00	-5.54	41.72	3	Vertical	283	1.76	-	33.59	5.60	32.45
PK	5.4624G	60.98	68.20	-7.22	54.10	3	Vertical	283	1.76	-	33.72	5.60	32.44
PK	5.5782G	124.20	Inf	-Inf	117.04	3	Vertical	283	1.76	-	34.01	5.60	32.45
AV	5.5776G	111.44	Inf	-Inf	104.28	3	Vertical	283	1.76	-	34.01	5.60	32.45
PK	5.7294G	61.12	68.20	-7.08	53.70	3	Vertical	283	1.76	-	34.26	5.66	32.50

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 Setting 104  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4492G	61.61	74.00	-12.39	54.75	3	Horizontal	244	1.80	-	33.70	5.60	32.44
AV	5.4564G	48.61	54.00	-5.39	41.74	3	Horizontal	244	1.80	-	33.71	5.60	32.44
PK	5.4684G	62.40	68.20	-5.80	55.50	3	Horizontal	244	1.80	-	33.74	5.60	32.44
PK	5.5746G	126.78	Inf	-Inf	119.63	3	Horizontal	244	1.80	-	34.00	5.60	32.45
AV	5.5794G	114.53	Inf	-Inf	107.36	3	Horizontal	244	1.80	-	34.02	5.60	32.45
PK	5.7258G	61.59	68.20	-6.61	54.18	3	Horizontal	244	1.80	-	34.25	5.66	32.50

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUTY\_4TX  
 Setting 104  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16122G	56.41	74.00	-17.59	42.52	3	Vertical	85	1.49	-	39.20	8.35	33.66
AV	11.1584G	42.78	54.00	-11.22	28.89	3	Vertical	85	1.49	-	39.20	8.35	33.66

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUTY\_4TX  
 Setting 104  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15606G	56.22	74.00	-17.78	42.33	3	Horizontal	231	2.33	-	39.20	8.35	33.66
AV	11.15796G	42.91	54.00	-11.09	29.02	3	Horizontal	231	2.33	-	39.20	8.35	33.66

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
 Setting 59  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6938G	116.46	Inf	-Inf	109.11	3	Vertical	284	1.73	-	34.19	5.65	32.49
AV	5.6934G	103.61	Inf	-Inf	96.26	3	Vertical	284	1.73	-	34.19	5.65	32.49
PK	5.7252G	63.51	68.20	-4.69	56.10	3	Vertical	284	1.73	-	34.25	5.66	32.50

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
 Setting 59  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7046G	120.14	Inf	-Inf	112.77	3	Horizontal	242.2	1.70	-	34.21	5.65	32.49
AV	5.7072G	107.12	Inf	-Inf	99.75	3	Horizontal	242.2	1.70	-	34.21	5.65	32.49
PK	5.726G	66.57	68.20	-1.63	59.16	3	Horizontal	242.2	1.70	-	34.25	5.66	32.50

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUTY\_4TX  
 Setting 59  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39784G	56.02	74.00	-17.98	42.36	3	Vertical	237	2.08	-	39.20	8.42	33.96
AV	11.39722G	42.72	54.00	-11.28	29.06	3	Vertical	237	2.08	-	39.20	8.42	33.96



5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUTY\_4TX  
 Setting 59  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4017G	56.04	74.00	-17.96	42.39	3	Horizontal	24	2.95	-	39.20	8.42	33.97
AV	11.40018G	42.68	54.00	-11.32	29.02	3	Horizontal	24	2.95	-	39.20	8.42	33.96

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 102  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	122.09	Inf	-Inf	114.70	3	Vertical	307	1.80	-	34.23	5.66	32.50
AV	5.7112G	111.24	Inf	-Inf	103.85	3	Vertical	307	1.80	-	34.22	5.66	32.49
PK	5.9184G	61.01	68.20	-7.19	52.80	3	Vertical	307	1.80	-	35.01	5.76	32.56

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 102  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7216G	122.50	Inf	-Inf	115.10	3	Horizontal	247	1.80	-	34.24	5.66	32.50
AV	5.7112G	111.56	Inf	-Inf	104.17	3	Horizontal	247	1.80	-	34.22	5.66	32.49
PK	5.8768G	61.35	68.20	-6.85	53.48	3	Horizontal	247	1.80	-	34.67	5.74	32.54

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 102  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44808G	55.49	74.00	-18.51	41.88	3	Vertical	45	1.70	-	39.20	8.43	34.02
AV	11.43224G	42.43	54.00	-11.57	28.80	3	Vertical	45	1.70	-	39.20	8.43	34.00
PK	17.16736G	65.92	68.20	-2.28	47.34	3	Vertical	224	1.67	-	41.10	11.06	33.58

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 102  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44324G	55.65	74.00	-18.35	42.04	3	Horizontal	56	2.59	-	39.20	8.43	34.02
AV	11.43972G	42.59	54.00	-11.41	28.97	3	Horizontal	56	2.59	-	39.20	8.43	34.01
PK	17.16132G	63.51	68.20	-4.69	44.96	3	Horizontal	89	2.08	-	41.08	11.05	33.58

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUTY\_4TX  
Setting 95  
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	63.68	74.00	-10.32	57.84	3	Vertical	90	1.85	-	32.91	5.45	32.52
AV	5.15G	49.70	54.00	-4.30	43.87	3	Vertical	90	1.85	-	32.90	5.45	32.52
PK	5.2544G	120.32	Inf	-Inf	114.26	3	Vertical	90	1.85	-	33.02	5.53	32.49
AV	5.2568G	107.29	Inf	-Inf	101.22	3	Vertical	90	1.85	-	33.03	5.53	32.49
PK	5.3588G	67.14	74.00	-6.86	60.79	3	Vertical	90	1.85	-	33.24	5.58	32.47
AV	5.3516G	53.12	54.00	-0.88	46.80	3	Vertical	90	1.85	-	33.21	5.58	32.47

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT Y\_4TX  
Setting 95  
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	62.37	74.00	-11.63	56.53	3	Horizontal	219	1.62	-	32.91	5.45	32.52
AV	5.1482G	49.25	54.00	-4.75	43.42	3	Horizontal	219	1.62	-	32.90	5.45	32.52
PK	5.2724G	123.41	Inf	-Inf	117.27	3	Horizontal	219	1.62	-	33.09	5.54	32.49
AV	5.2724G	110.97	Inf	-Inf	104.83	3	Horizontal	219	1.62	-	33.09	5.54	32.49
PK	5.3612G	65.00	74.00	-9.00	58.65	3	Horizontal	219	1.62	-	33.24	5.58	32.47
AV	5.3504G	52.23	54.00	-1.77	45.92	3	Horizontal	219	1.62	-	33.20	5.58	32.47

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
 Setting 95  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81132G	59.62	74.00	-14.38	44.79	3	Vertical	29	1.12	-	38.51	10.23	33.91
AV	15.80982G	46.32	54.00	-7.68	31.49	3	Vertical	29	1.12	-	38.51	10.23	33.91



5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
 Setting 95  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81428G	59.86	74.00	-14.14	45.03	3	Horizontal	83	1.85	-	38.51	10.23	33.91
AV	15.81246G	46.28	54.00	-7.72	31.45	3	Horizontal	83	1.85	-	38.51	10.23	33.91

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUTY\_4TX  
Setting 65  
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3276G	114.46	Inf	-Inf	108.17	3	Vertical	286	1.84	-	33.20	5.56	32.47
AV	5.326G	101.44	Inf	-Inf	95.16	3	Vertical	286	1.84	-	33.20	5.56	32.48
PK	5.35G	68.66	74.00	-5.34	62.35	3	Vertical	286	1.84	-	33.20	5.58	32.47
AV	5.3504G	53.63	54.00	-0.37	47.32	3	Vertical	286	1.84	-	33.20	5.58	32.47

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUTY\_4TX  
 Setting 65  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	115.20	Inf	-Inf	108.92	3	Horizontal	160	1.88	-	33.20	5.56	32.48
AV	5.3116G	102.97	Inf	-Inf	96.69	3	Horizontal	160	1.88	-	33.20	5.56	32.48
PK	5.352G	63.32	74.00	-10.68	57.00	3	Horizontal	160	1.88	-	33.21	5.58	32.47
AV	5.35G	50.01	54.00	-3.99	43.70	3	Horizontal	160	1.88	-	33.20	5.58	32.47

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUTY\_4TX  
 Setting 65  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93224G	59.39	74.00	-14.61	44.53	3	Vertical	10	1.63	-	38.57	10.28	33.99
AV	15.92646G	45.61	54.00	-8.39	30.75	3	Vertical	10	1.63	-	38.57	10.27	33.98

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUTY\_4TX  
 Setting 65  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92534G	59.19	74.00	-14.81	44.33	3	Horizontal	94	2.50	-	38.57	10.27	33.98
AV	15.93278G	45.67	54.00	-8.33	30.81	3	Horizontal	94	2.50	-	38.57	10.28	33.99

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT\_Y\_4TX  
 Setting 71  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.12	74.00	-9.88	57.25	3	Vertical	283	1.80	-	33.71	5.60	32.44
AV	5.46G	51.39	54.00	-2.61	44.51	3	Vertical	283	1.80	-	33.72	5.60	32.44
PK	5.4688G	68.00	68.20	-0.20	61.10	3	Vertical	283	1.80	-	33.74	5.60	32.44
PK	5.5112G	114.05	Inf	-Inf	107.06	3	Vertical	283	1.80	-	33.82	5.60	32.43
AV	5.5152G	101.33	Inf	-Inf	94.33	3	Vertical	283	1.80	-	33.83	5.60	32.43

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUTY\_4TX  
 Setting 71  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	61.52	74.00	-12.48	54.65	3	Horizontal	178	2.02	-	33.71	5.60	32.44
AV	5.46G	48.96	54.00	-5.04	42.08	3	Horizontal	178	2.02	-	33.72	5.60	32.44
PK	5.47G	64.76	68.20	-3.44	57.86	3	Horizontal	178	2.02	-	33.74	5.60	32.44
PK	5.5132G	118.83	Inf	-Inf	111.83	3	Horizontal	178	2.02	-	33.83	5.60	32.43
AV	5.512G	105.58	Inf	-Inf	98.59	3	Horizontal	178	2.02	-	33.82	5.60	32.43

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUTY\_4TX  
 Setting 71  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01864G	56.79	74.00	-17.21	42.60	3	Vertical	129	1.10	-	39.36	8.31	33.48
AV	11.02062G	42.88	54.00	-11.12	28.70	3	Vertical	129	1.10	-	39.36	8.31	33.49



5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUTY\_4TX  
 Setting 71  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02252G	56.82	74.00	-17.18	42.65	3	Horizontal	29	2.87	-	39.35	8.31	33.49
AV	11.02098G	42.88	54.00	-11.12	28.70	3	Horizontal	29	2.87	-	39.36	8.31	33.49

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUTY\_4TX  
 Setting 92  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	60.90	74.00	-13.10	54.03	3	Vertical	304	1.91	-	33.71	5.60	32.44
AV	5.4596G	48.69	54.00	-5.31	41.81	3	Vertical	304	1.91	-	33.72	5.60	32.44
PK	5.466G	61.30	68.20	-6.90	54.41	3	Vertical	304	1.91	-	33.73	5.60	32.44
PK	5.5532G	118.68	Inf	-Inf	111.62	3	Vertical	304	1.91	-	33.91	5.60	32.45
AV	5.5324G	106.24	Inf	-Inf	99.22	3	Vertical	304	1.91	-	33.86	5.60	32.44
PK	5.7388G	63.00	68.20	-5.20	55.55	3	Vertical	304	1.91	-	34.28	5.67	32.50

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
 Setting 92  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4444G	63.52	74.00	-10.48	56.69	3	Horizontal	90	2.00	-	33.67	5.60	32.44
PK	5.4692G	65.04	68.20	-3.16	58.14	3	Horizontal	90	2.00	-	33.74	5.60	32.44
AV	5.4596G	50.40	54.00	-3.60	43.52	3	Horizontal	90	2.00	-	33.72	5.60	32.44
PK	5.542G	123.77	Inf	-Inf	116.73	3	Horizontal	90	2.00	-	33.88	5.60	32.44
AV	5.5428G	110.45	Inf	-Inf	103.40	3	Horizontal	90	2.00	-	33.89	5.60	32.44
PK	5.7332G	62.50	68.20	-5.70	55.06	3	Horizontal	90	2.00	-	34.27	5.67	32.50

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUTY\_4TX  
 Setting 92  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1044G	57.03	74.00	-16.97	43.09	3	Vertical	18	2.95	-	39.20	8.33	33.59
AV	11.09504G	42.67	54.00	-11.33	28.71	3	Vertical	18	2.95	-	39.21	8.33	33.58

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUTY\_4TX  
 Setting 92  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09796G	56.59	74.00	-17.41	42.64	3	Horizontal	335	2.17	-	39.20	8.33	33.58
AV	11.09688G	42.70	54.00	-11.30	28.74	3	Horizontal	335	2.17	-	39.21	8.33	33.58

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUTY\_4TX  
 Setting 51  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6752G	110.75	Inf	-Inf	103.44	3	Vertical	286	1.85	-	34.15	5.64	32.48
AV	5.6804G	97.86	Inf	-Inf	90.54	3	Vertical	286	1.85	-	34.16	5.64	32.48
PK	5.726G	62.61	68.20	-5.59	55.20	3	Vertical	286	1.85	-	34.25	5.66	32.50

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUTY\_4TX  
Setting 51  
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.686G	114.08	Inf	-Inf	106.76	3	Horizontal	240	1.90	-	34.17	5.64	32.49
AV	5.6852G	101.68	Inf	-Inf	94.36	3	Horizontal	240	1.90	-	34.17	5.64	32.49
PK	5.7256G	68.05	68.20	-0.15	60.64	3	Horizontal	240	1.90	-	34.25	5.66	32.50

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUTY\_4TX  
 Setting 51  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33594G	55.40	74.00	-18.60	41.62	3	Vertical	287	2.42	-	39.26	8.40	33.88
AV	11.3419G	41.93	54.00	-12.07	28.16	3	Vertical	287	2.42	-	39.26	8.40	33.89



5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUTY\_4TX  
 Setting 51  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33574G	55.92	74.00	-18.08	42.14	3	Horizontal	114	1.04	-	39.26	8.40	33.88
AV	11.33924G	41.90	54.00	-12.10	28.13	3	Horizontal	114	1.04	-	39.26	8.40	33.89

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 103  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	122.88	Inf	-Inf	115.53	3	Vertical	287	1.84	-	34.19	5.65	32.49
AV	5.6956G	109.99	Inf	-Inf	102.64	3	Vertical	287	1.84	-	34.19	5.65	32.49
PK	5.8572G	61.79	68.20	-6.41	54.13	3	Vertical	287	1.84	-	34.47	5.73	32.54

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
Setting 103  
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	125.41	Inf	-Inf	118.05	3	Horizontal	243	1.94	-	34.20	5.65	32.49
AV	5.706G	113.52	Inf	-Inf	106.15	3	Horizontal	243	1.94	-	34.21	5.65	32.49
PK	5.85G	67.39	68.20	-0.81	59.80	3	Horizontal	243	1.94	-	34.40	5.72	32.53

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 103  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41488G	55.02	74.00	-18.98	41.38	3	Vertical	240	1.22	-	39.20	8.42	33.98
AV	11.417G	41.70	54.00	-12.30	28.06	3	Vertical	240	1.22	-	39.20	8.43	33.99
PK	17.12632G	64.71	68.20	-3.49	46.28	3	Vertical	220	2.46	-	40.98	11.03	33.58

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 103  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4252G	54.97	74.00	-19.03	41.34	3	Horizontal	48	1.16	-	39.20	8.43	34.00
AV	11.41992G	41.62	54.00	-12.38	27.98	3	Horizontal	48	1.16	-	39.20	8.43	33.99
PK	17.12108G	63.76	68.20	-4.44	45.35	3	Horizontal	260	2.95	-	40.96	11.03	33.58

5.25-5.35GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT Y\_4TX  
 Setting 61  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	59.14	74.00	-14.86	53.30	3	Vertical	88	1.99	-	32.93	5.43	32.52
AV	5.1484G	46.53	54.00	-7.47	40.70	3	Vertical	88	1.99	-	32.90	5.45	32.52
PK	5.2548G	108.84	Inf	-Inf	102.78	3	Vertical	88	1.99	-	33.02	5.53	32.49
AV	5.2556G	96.78	Inf	-Inf	90.72	3	Vertical	88	1.99	-	33.02	5.53	32.49
PK	5.35G	66.09	74.00	-7.91	59.78	3	Vertical	88	1.99	-	33.20	5.58	32.47
AV	5.3548G	53.77	54.00	-0.23	47.44	3	Vertical	88	1.99	-	33.22	5.58	32.47
PK	5.4724G	59.13	68.20	-9.07	52.23	3	Vertical	88	1.99	-	33.74	5.60	32.44

5.25-5.35GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT Y\_4TX  
Setting 61  
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	58.84	74.00	-15.16	53.00	3	Horizontal	177	1.80	-	32.91	5.45	32.52
AV	5.1492G	46.48	54.00	-7.52	40.65	3	Horizontal	177	1.80	-	32.90	5.45	32.52
PK	5.302G	110.97	Inf	-Inf	104.70	3	Horizontal	177	1.80	-	33.20	5.55	32.48
AV	5.3012G	99.21	Inf	-Inf	92.94	3	Horizontal	177	1.80	-	33.20	5.55	32.48
PK	5.354G	64.78	74.00	-9.22	58.45	3	Horizontal	177	1.80	-	33.22	5.58	32.47
AV	5.35G	53.29	54.00	-0.71	46.98	3	Horizontal	177	1.80	-	33.20	5.58	32.47
PK	5.4852G	59.84	68.20	-8.36	52.90	3	Horizontal	177	1.80	-	33.77	5.60	32.43

5.25-5.35GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUTY\_4TX  
 Setting 61  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88696G	59.68	74.00	-14.32	44.79	3	Vertical	-0	1.10	-	38.59	10.26	33.96
AV	15.8832G	46.38	54.00	-7.62	31.50	3	Vertical	-0	1.10	-	38.58	10.26	33.96



5.25-5.35GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 61  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87128G	61.25	74.00	-12.75	46.38	3	Horizontal	174	1.80	-	38.57	10.25	33.95
AV	15.8816G	47.18	54.00	-6.82	32.29	3	Horizontal	174	1.80	-	38.58	10.26	33.95

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUTY\_4TX  
 Setting 71  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3484G	59.83	68.20	-8.37	53.53	3	Vertical	324	1.80	-	33.20	5.57	32.47
PK	5.446G	63.64	74.00	-10.36	56.80	3	Vertical	324	1.80	-	33.68	5.60	32.44
AV	5.446G	50.70	54.00	-3.30	43.86	3	Vertical	324	1.80	-	33.68	5.60	32.44
PK	5.466G	64.69	68.20	-3.51	57.80	3	Vertical	324	1.80	-	33.73	5.60	32.44
PK	5.5028G	112.01	Inf	-Inf	105.03	3	Vertical	324	1.80	-	33.81	5.60	32.43
AV	5.5428G	95.00	Inf	-Inf	87.95	3	Vertical	324	1.80	-	33.89	5.60	32.44
PK	5.7284G	60.58	68.20	-7.62	53.16	3	Vertical	324	1.80	-	34.26	5.66	32.50

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 Setting 71  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3484G	60.17	68.20	-8.03	53.87	3	Horizontal	245	1.80	-	33.20	5.57	32.47
PK	5.4564G	66.51	74.00	-7.49	59.64	3	Horizontal	245	1.80	-	33.71	5.60	32.44
AV	5.4572G	53.46	54.00	-0.54	46.59	3	Horizontal	245	1.80	-	33.71	5.60	32.44
PK	5.47G	68.14	68.20	-0.06	61.24	3	Horizontal	245	1.80	-	33.74	5.60	32.44
PK	5.4972G	115.14	Inf	-Inf	108.18	3	Horizontal	245	1.80	-	33.79	5.60	32.43
AV	5.4924G	102.34	Inf	-Inf	95.39	3	Horizontal	245	1.80	-	33.78	5.60	32.43
PK	5.7268G	61.69	68.20	-6.51	54.28	3	Horizontal	245	1.80	-	34.25	5.66	32.50

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUTY\_4TX  
 Setting 71  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05704G	56.87	74.00	-17.13	42.79	3	Vertical	350	1.59	-	39.29	8.32	33.53
AV	11.0568G	43.36	54.00	-10.64	29.28	3	Vertical	350	1.59	-	39.29	8.32	33.53

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUTY\_4TX  
 Setting 71  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04984G	57.34	74.00	-16.66	43.25	3	Horizontal	168	1.80	-	39.30	8.31	33.52
AV	11.05232G	43.31	54.00	-10.69	29.22	3	Horizontal	168	1.80	-	39.30	8.32	33.53

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 Setting 87  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.426G	60.40	74.00	-13.60	53.69	3	Vertical	240	1.68	-	33.56	5.60	32.45
PK	5.462G	59.99	68.20	-8.21	53.11	3	Vertical	240	1.68	-	33.72	5.60	32.44
AV	5.4556G	47.98	54.00	-6.02	41.11	3	Vertical	240	1.68	-	33.71	5.60	32.44
PK	5.6188G	113.81	Inf	-Inf	106.57	3	Vertical	240	1.68	-	34.10	5.61	32.47
AV	5.6156G	102.40	Inf	-Inf	95.15	3	Vertical	240	1.68	-	34.10	5.61	32.46
PK	5.726G	63.21	68.20	-4.99	55.80	3	Vertical	240	1.68	-	34.25	5.66	32.50

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 Setting 87  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	63.70	74.00	-10.30	56.83	3	Horizontal	96	1.80	-	33.71	5.60	32.44
AV	5.4572G	49.82	54.00	-4.18	42.95	3	Horizontal	96	1.80	-	33.71	5.60	32.44
PK	5.47G	62.73	68.20	-5.47	55.83	3	Horizontal	96	1.80	-	33.74	5.60	32.44
PK	5.6156G	118.88	Inf	-Inf	111.63	3	Horizontal	96	1.80	-	34.10	5.61	32.46
AV	5.5996G	107.27	Inf	-Inf	100.03	3	Horizontal	96	1.80	-	34.10	5.60	32.46
PK	5.7276G	67.70	68.20	-0.50	60.28	3	Horizontal	96	1.80	-	34.26	5.66	32.50

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUTY\_4TX  
 Setting 87  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23768G	56.37	74.00	-17.63	42.52	3	Vertical	8	1.80	-	39.24	8.37	33.76
AV	11.22272G	42.79	54.00	-11.21	28.94	3	Vertical	8	1.80	-	39.22	8.37	33.74



5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUTY\_4TX  
 Setting 87  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23888G	57.01	74.00	-16.99	43.16	3	Horizontal	227	1.80	-	39.24	8.37	33.76
AV	11.2168G	42.66	54.00	-11.34	28.80	3	Horizontal	227	1.80	-	39.22	8.37	33.73

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 97  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7276G	116.23	Inf	-Inf	108.81	3	Vertical	162	2.04	-	34.26	5.66	32.50
AV	5.6844G	103.58	Inf	-Inf	96.26	3	Vertical	162	2.04	-	34.17	5.64	32.49
PK	5.8508G	63.31	68.20	-4.89	55.71	3	Vertical	162	2.04	-	34.41	5.73	32.54

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 97  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7204G	121.04	Inf	-Inf	113.64	3	Horizontal	244	2.04	-	34.24	5.66	32.50
AV	5.7196G	108.69	Inf	-Inf	101.29	3	Horizontal	244	2.04	-	34.24	5.66	32.50
PK	5.8516G	67.73	68.20	-0.47	60.12	3	Horizontal	244	2.04	-	34.42	5.73	32.54

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 97  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38672G	56.25	74.00	-17.75	42.57	3	Vertical	360	1.80	-	39.21	8.42	33.95
AV	11.3608G	42.61	54.00	-11.39	28.87	3	Vertical	360	1.80	-	39.24	8.41	33.91
PK	17.07504G	63.38	68.20	-4.82	45.15	3	Vertical	218	1.80	-	40.80	11.00	33.57

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUTY\_4TX  
 Setting 97  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36328G	56.55	74.00	-17.45	42.82	3	Horizontal	351	1.80	-	39.24	8.41	33.92
AV	11.37176G	42.60	54.00	-11.40	28.89	3	Horizontal	351	1.80	-	39.23	8.41	33.93
PK	17.08616G	64.19	68.20	-4.01	45.91	3	Horizontal	38	1.02	-	40.84	11.01	33.57

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
 Setting 64  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	71.27	74.00	-2.73	65.44	3	Vertical	90	2.07	-	32.91	5.44	32.52
AV	5.1444G	53.38	54.00	-0.62	47.55	3	Vertical	90	2.07	-	32.91	5.44	32.52
PK	5.1812G	112.39	Inf	-Inf	106.52	3	Vertical	90	2.07	-	32.90	5.48	32.51
AV	5.2308G	94.19	Inf	-Inf	88.21	3	Vertical	90	2.07	-	32.96	5.52	32.50
PK	5.4036G	67.66	74.00	-6.34	61.10	3	Vertical	90	2.07	-	33.42	5.60	32.46
AV	5.3972G	53.02	54.00	-0.98	46.49	3	Vertical	90	2.07	-	33.39	5.60	32.46
PK	5.4628G	60.12	68.20	-8.08	53.23	3	Vertical	90	2.07	-	33.73	5.60	32.44

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUTY\_4TX  
 Setting 64  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	67.56	74.00	-6.44	61.72	3	Horizontal	299	1.75	-	32.92	5.44	32.52
AV	5.1428G	51.57	54.00	-2.43	45.74	3	Horizontal	299	1.75	-	32.91	5.44	32.52
PK	5.3188G	106.35	Inf	-Inf	100.07	3	Horizontal	299	1.75	-	33.20	5.56	32.48
AV	5.3172G	93.53	Inf	-Inf	87.25	3	Horizontal	299	1.75	-	33.20	5.56	32.48
PK	5.362G	64.15	74.00	-9.85	57.79	3	Horizontal	299	1.75	-	33.25	5.58	32.47
AV	5.35G	50.98	54.00	-3.02	44.67	3	Horizontal	299	1.75	-	33.20	5.58	32.47
PK	5.474G	60.45	68.20	-7.75	53.54	3	Horizontal	299	1.75	-	33.75	5.60	32.44

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUTY\_4TX  
 Setting 64  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5188G	56.58	68.20	-11.62	42.34	3	Vertical	234	1.41	-	39.14	8.16	33.06
PK	15.76224G	60.41	74.00	-13.59	45.68	3	Vertical	77	2.31	-	38.39	10.22	33.88
AV	15.75472G	46.30	54.00	-7.70	31.60	3	Vertical	77	2.31	-	38.36	10.21	33.87



5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUTY\_4TX  
 Setting 64  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51576G	56.51	68.20	-11.69	42.28	3	Horizontal	322	3.00	-	39.13	8.15	33.05
PK	15.75984G	60.33	74.00	-13.67	45.61	3	Horizontal	39	1.80	-	38.38	10.22	33.88
AV	15.74384G	46.35	54.00	-7.65	31.68	3	Horizontal	39	1.80	-	38.33	10.21	33.87

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 Setting 68  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3444G	59.47	68.20	-8.73	53.17	3	Vertical	69	1.80	-	33.20	5.57	32.47
PK	5.4148G	66.88	74.00	-7.12	60.24	3	Vertical	69	1.80	-	33.49	5.60	32.45
AV	5.4084G	51.28	54.00	-2.72	44.68	3	Vertical	69	1.80	-	33.45	5.60	32.45
PK	5.4692G	62.94	68.20	-5.26	56.04	3	Vertical	69	1.80	-	33.74	5.60	32.44
PK	5.4964G	109.55	Inf	-Inf	102.59	3	Vertical	69	1.80	-	33.79	5.60	32.43
AV	5.5444G	92.87	Inf	-Inf	85.82	3	Vertical	69	1.80	-	33.89	5.60	32.44
PK	5.7812G	64.56	68.20	-3.64	57.08	3	Vertical	69	1.80	-	34.30	5.69	32.51

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 Setting 68  
 04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2948G	60.67	68.20	-7.53	54.42	3	Horizontal	239	1.80	-	33.18	5.55	32.48
PK	5.4452G	65.47	74.00	-8.53	58.64	3	Horizontal	239	1.80	-	33.67	5.60	32.44
AV	5.434G	50.19	54.00	-3.81	43.44	3	Horizontal	239	1.80	-	33.60	5.60	32.45
PK	5.466G	67.65	68.20	-0.55	60.76	3	Horizontal	239	1.80	-	33.73	5.60	32.44
PK	5.6004G	110.86	Inf	-Inf	103.62	3	Horizontal	239	1.80	-	34.10	5.60	32.46
AV	5.5956G	97.85	Inf	-Inf	90.63	3	Horizontal	239	1.80	-	34.08	5.60	32.46
PK	5.7828G	65.04	68.20	-3.16	57.56	3	Horizontal	239	1.80	-	34.30	5.69	32.51

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUTY\_4TX  
 Setting 68  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12072G	56.89	74.00	-17.11	42.96	3	Vertical	180	1.80	-	39.20	8.34	33.61
AV	11.12072G	42.37	54.00	-11.63	28.44	3	Vertical	180	1.80	-	39.20	8.34	33.61

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5570MHz\_TX



EUTY\_4TX  
 Setting 68  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15784G	56.04	74.00	-17.96	42.15	3	Horizontal	348	1.61	-	39.20	8.35	33.66
AV	11.12304G	42.35	54.00	-11.65	28.43	3	Horizontal	348	1.61	-	39.20	8.34	33.62