




802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

18/01/2020

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57974G	43.29	54.00	-10.71	18.08	3	Vertical	89	1.46	-	25.21	39.33	9.53	30.78
PK	11.59876G	58.02	74.00	-15.98	18.06	3	Vertical	89	1.46	-	39.96	39.30	9.54	30.78
PK	17.38398G	66.23	68.20	-1.97	22.58	3	Vertical	356	1.50	-	43.65	42.63	11.45	31.50



802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

18/01/2020

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5897G	45.02	54.00	-8.98	18.08	3	Horizontal	324	2.54	-	26.94	39.32	9.54	30.78
PK	11.59246G	59.37	74.00	-14.63	18.07	3	Horizontal	324	2.54	-	41.30	39.31	9.54	30.78
PK	17.3868G	65.67	68.20	-2.53	22.60	3	Horizontal	309	1.50	-	43.07	42.65	11.45	31.50



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/02/2020

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.59	54.00	-0.41	8.37	3	Vertical	18	1.59	-	45.22	31.70	6.00	29.33
AV	5.2062G	106.79	Inf	-Inf	8.27	3	Vertical	18	1.59	-	98.52	31.58	6.03	29.34
PK	5.1438G	67.20	74.00	-6.80	8.38	3	Vertical	18	1.59	-	58.82	31.71	6.00	29.33
PK	5.1858G	115.99	Inf	-Inf	8.31	3	Vertical	18	1.59	-	107.68	31.63	6.02	29.34



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/02/2020

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	51.79	54.00	-2.21	8.37	3	Horizontal	260	1.73	-	43.42	31.70	6.00	29.33
AV	5.208G	101.97	Inf	-Inf	8.27	3	Horizontal	260	1.73	-	93.70	31.58	6.03	29.34
PK	5.1498G	67.88	74.00	-6.12	8.37	3	Horizontal	260	1.73	-	59.51	31.70	6.00	29.33
PK	5.2008G	111.05	Inf	-Inf	8.29	3	Horizontal	260	1.73	-	102.76	31.60	6.03	29.34



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/02/2020

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56478G	46.28	54.00	-7.72	17.43	3	Vertical	144	1.50	-	28.85	38.47	10.82	31.86
PK	10.37028G	57.69	68.20	-10.51	17.55	3	Vertical	93	1.49	-	40.14	39.38	8.70	30.53
PK	15.5625G	60.47	74.00	-13.53	17.44	3	Vertical	144	1.50	-	43.03	38.48	10.82	31.86



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/02/2020

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55848G	46.21	54.00	-7.79	17.46	3	Horizontal	352	2.50	-	28.75	38.50	10.82	31.86
PK	10.3803G	55.07	68.20	-13.13	17.57	3	Horizontal	226	1.50	-	37.50	39.39	8.71	30.53
PK	15.55674G	60.65	74.00	-13.35	17.47	3	Horizontal	352	2.50	-	43.18	38.51	10.82	31.86



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

08/02/2020

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1388G	48.63	54.00	-5.37	8.38	3	Vertical	15	1.50	-	40.25	31.72	5.99	29.33
AV	5.224G	106.37	Inf	-Inf	8.23	3	Vertical	15	1.50	-	98.14	31.53	6.04	29.34
AV	5.3524G	47.06	54.00	-6.94	8.15	3	Vertical	15	1.50	-	38.91	31.40	6.11	29.36
PK	5.146G	73.49	74.00	-0.51	8.38	3	Vertical	15	1.50	-	65.11	31.71	6.00	29.33
PK	5.2264G	120.04	Inf	-Inf	8.22	3	Vertical	15	1.50	-	111.82	31.52	6.04	29.34
PK	5.3518G	67.27	74.00	-6.73	8.15	3	Vertical	15	1.50	-	59.12	31.40	6.11	29.36



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

08/02/2020

5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	47.15	54.00	-6.85	8.37	3	Horizontal	144	1.51	-	38.78	31.70	6.00	29.33
AV	5.2174G	101.39	Inf	-Inf	8.25	3	Horizontal	144	1.51	-	93.14	31.55	6.04	29.34
AV	5.3626G	45.82	54.00	-8.18	8.19	3	Horizontal	144	1.51	-	37.63	31.43	6.12	29.36
PK	5.1478G	71.66	74.00	-2.34	8.37	3	Horizontal	144	1.51	-	63.29	31.70	6.00	29.33
PK	5.2276G	118.23	Inf	-Inf	8.22	3	Horizontal	144	1.51	-	110.01	31.52	6.04	29.34
PK	5.3608G	59.60	74.00	-14.40	8.17	3	Horizontal	144	1.51	-	51.43	31.42	6.11	29.36






802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

08/02/2020

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67998G	44.86	54.00	-9.14	16.96	3	Vertical	358	2.13	-	27.90	37.98	10.87	31.89
PK	10.44932G	66.16	68.20	-2.04	17.68	3	Vertical	87	1.32	-	48.48	39.48	8.76	30.56
PK	15.684G	58.95	74.00	-15.05	16.94	3	Vertical	358	2.13	-	42.01	37.96	10.87	31.89



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

08/02/2020

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68058G	44.68	54.00	-9.32	16.95	3	Horizontal	13	1.22	-	27.73	37.97	10.87	31.89
PK	10.44722G	62.34	68.20	-5.86	17.67	3	Horizontal	185	1.58	-	44.67	39.48	8.75	30.56
PK	15.6825G	58.62	74.00	-15.38	16.95	3	Horizontal	13	1.22	-	41.67	37.97	10.87	31.89



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/01/2020

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	112.31	Inf	-Inf	8.94	3	Vertical	345	1.32	-	103.37	31.91	6.39	29.36
PK	5.6386G	67.46	68.20	-0.74	8.68	3	Vertical	345	1.32	-	58.78	31.74	6.30	29.36
PK	5.7586G	125.87	Inf	-Inf	8.96	3	Vertical	345	1.32	-	116.91	31.92	6.40	29.36
PK	5.9578G	61.50	68.20	-6.70	9.47	3	Vertical	345	1.32	-	52.03	32.26	6.56	29.35



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/01/2020

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	103.03	Inf	-Inf	8.96	3	Horizontal	194	1.49	-	94.07	31.92	6.40	29.36
PK	5.6482G	62.99	68.20	-5.21	8.70	3	Horizontal	194	1.49	-	54.29	31.75	6.31	29.36
PK	5.7526G	117.89	Inf	-Inf	8.94	3	Horizontal	194	1.49	-	108.95	31.91	6.39	29.36
PK	5.935G	61.68	68.20	-6.52	9.42	3	Horizontal	194	1.49	-	52.26	32.23	6.54	29.35



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/01/2020

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4897G	44.44	54.00	-9.56	18.17	3	Vertical	72	1.71	-	26.27	39.47	9.47	30.77
PK	11.5087G	58.13	74.00	-15.87	18.15	3	Vertical	72	1.71	-	39.98	39.44	9.48	30.77
PK	17.27214G	64.04	68.20	-4.16	21.76	3	Vertical	342	2.07	-	42.28	41.90	11.41	31.55



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/01/2020

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50982G	44.32	54.00	-9.68	18.15	3	Horizontal	323	2.44	-	26.17	39.44	9.48	30.77
PK	11.51888G	57.45	74.00	-16.55	18.14	3	Horizontal	323	2.44	-	39.31	39.42	9.49	30.77
PK	17.271G	65.21	68.20	-2.99	21.75	3	Horizontal	68	2.06	-	43.46	41.89	11.41	31.55



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/01/2020

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	112.25	Inf	-Inf	9.07	3	Vertical	128	2.14	-	103.18	32.00	6.43	29.36
PK	5.6378G	61.01	68.20	-7.19	8.68	3	Vertical	128	2.14	-	52.33	31.74	6.30	29.36
PK	5.7926G	124.47	Inf	-Inf	9.05	3	Vertical	128	2.14	-	115.42	31.99	6.42	29.36
PK	5.9342G	64.23	68.20	-3.97	9.42	3	Vertical	128	2.14	-	54.81	32.23	6.54	29.35



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/01/2020

5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7854G	106.39	Inf	-Inf	9.03	3	Horizontal	195	1.59	-	97.36	31.97	6.42	29.36
PK	5.5634G	59.97	68.20	-8.23	8.64	3	Horizontal	195	1.59	-	51.33	31.77	6.24	29.37
PK	5.7878G	119.24	Inf	-Inf	9.04	3	Horizontal	195	1.59	-	110.20	31.98	6.42	29.36
PK	5.9366G	60.80	68.20	-7.40	9.43	3	Horizontal	195	1.59	-	51.37	32.24	6.54	29.35






802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/01/2020

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59258G	44.75	54.00	-9.25	18.07	3	Vertical	62	1.40	-	26.68	39.31	9.54	30.78
PK	11.59284G	58.66	74.00	-15.34	18.07	3	Vertical	62	1.40	-	40.59	39.31	9.54	30.78
PK	17.38668G	65.01	68.20	-3.19	22.60	3	Vertical	328	1.50	-	42.41	42.65	11.45	31.50



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/01/2020

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59372G	43.56	54.00	-10.44	18.07	3	Horizontal	318	1.84	-	25.49	39.31	9.54	30.78
PK	11.58502G	57.38	74.00	-16.62	18.07	3	Horizontal	318	1.84	-	39.31	39.32	9.53	30.78
PK	17.38086G	64.53	68.20	-3.67	22.56	3	Horizontal	141	1.50	-	41.97	42.61	11.45	31.50



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

02/03/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.42	54.00	-0.58	8.37	3	Vertical	11	1.50	-	45.05	31.70	6.00	29.33
AV	5.213G	101.84	Inf	-Inf	8.26	3	Vertical	11	1.50	-	93.58	31.56	6.04	29.34
AV	5.453G	47.80	54.00	-6.20	8.50	3	Vertical	11	1.50	-	39.30	31.71	6.16	29.37
PK	5.15G	64.71	74.00	-9.29	8.37	3	Vertical	11	1.50	-	56.34	31.70	6.00	29.33
PK	5.212G	109.09	Inf	-Inf	8.25	3	Vertical	11	1.50	-	100.84	31.56	6.03	29.34
PK	5.394G	60.69	74.00	-13.31	8.26	3	Vertical	11	1.50	-	52.43	31.49	6.13	29.36



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

02/03/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	49.36	54.00	-4.64	8.37	3	Horizontal	144	2.32	-	40.99	31.70	6.00	29.33
AV	5.224G	98.24	Inf	-Inf	8.23	3	Horizontal	144	2.32	-	90.01	31.53	6.04	29.34
AV	5.454G	47.50	54.00	-6.50	8.52	3	Horizontal	144	2.32	-	38.98	31.72	6.17	29.37
PK	5.146G	61.21	74.00	-12.79	8.38	3	Horizontal	144	2.32	-	52.83	31.71	6.00	29.33
PK	5.226G	104.74	Inf	-Inf	8.22	3	Horizontal	144	2.32	-	96.52	31.52	6.04	29.34
PK	5.413G	60.21	74.00	-13.79	8.33	3	Horizontal	144	2.32	-	51.88	31.55	6.14	29.36



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

03/03/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61662G	46.03	54.00	-7.97	17.21	3	Vertical	80	1.50	-	28.82	38.25	10.84	31.88
PK	10.42006G	57.44	68.20	-10.76	17.64	3	Vertical	252	1.82	-	39.80	39.45	8.74	30.55
PK	15.62664G	59.80	74.00	-14.20	17.17	3	Vertical	80	1.50	-	42.63	38.21	10.84	31.88



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

03/03/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63264G	46.07	54.00	-7.93	17.15	3	Horizontal	4	1.50	-	28.92	38.18	10.85	31.88
PK	10.42336G	56.98	68.20	-11.22	17.64	3	Horizontal	222	1.62	-	39.34	39.45	8.74	30.55
PK	15.63756G	59.92	74.00	-14.08	17.13	3	Horizontal	4	1.50	-	42.79	38.16	10.85	31.88



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

16/02/2020

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	109.29	Inf	-Inf	8.95	3	Vertical	128	2.15	-	100.34	31.91	6.40	29.36
PK	5.6454G	66.08	68.20	-2.12	8.70	3	Vertical	128	2.15	-	57.38	31.75	6.31	29.36
PK	5.751G	117.63	Inf	-Inf	8.93	3	Vertical	128	2.15	-	108.70	31.90	6.39	29.36
PK	5.9634G	64.91	68.20	-3.29	9.47	3	Vertical	128	2.15	-	55.44	32.26	6.56	29.35



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

16/02/2020

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7906G	102.72	Inf	-Inf	9.04	3	Horizontal	201	1.50	-	93.68	31.98	6.42	29.36
PK	5.6502G	64.94	68.35	-3.41	8.70	3	Horizontal	201	1.50	-	56.24	31.75	6.31	29.36
PK	5.7906G	109.48	Inf	-Inf	9.04	3	Horizontal	201	1.50	-	100.44	31.98	6.42	29.36
PK	5.937G	61.70	68.20	-6.50	9.43	3	Horizontal	201	1.50	-	52.27	32.24	6.54	29.35






802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

22/02/2020

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55444G	46.06	54.00	-7.94	18.10	3	Vertical	87	1.45	-	27.96	39.37	9.51	30.78
PK	11.5575G	58.56	74.00	-15.44	18.09	3	Vertical	87	1.45	-	40.47	39.36	9.51	30.78
PK	17.33484G	61.46	68.20	-6.74	22.22	3	Vertical	293	1.50	-	39.24	42.31	11.43	31.52



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

22/02/2020

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55G	45.64	54.00	-8.36	18.11	3	Horizontal	292	1.75	-	27.53	39.38	9.51	30.78
PK	11.56446G	57.62	74.00	-16.38	18.09	3	Horizontal	292	1.75	-	39.53	39.35	9.52	30.78
PK	17.32116G	61.87	68.20	-6.33	22.12	3	Horizontal	229	1.50	-	39.75	42.22	11.43	31.53



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

13/02/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.74	54.00	-0.26	8.37	3	Vertical	10	1.52	-	45.37	31.70	6.00	29.33
AV	5.23G	102.16	Inf	-Inf	8.21	3	Vertical	10	1.52	-	93.95	31.51	6.04	29.34
AV	5.402G	47.07	54.00	-6.93	8.29	3	Vertical	10	1.52	-	38.78	31.51	6.14	29.36
PK	5.146G	65.43	74.00	-8.57	8.38	3	Vertical	10	1.52	-	57.05	31.71	6.00	29.33
PK	5.203G	112.62	Inf	-Inf	8.28	3	Vertical	10	1.52	-	104.34	31.59	6.03	29.34
PK	5.387G	59.54	74.00	-14.46	8.24	3	Vertical	10	1.52	-	51.30	31.47	6.13	29.36



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

13/02/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	46.95	54.00	-7.05	8.38	3	Horizontal	187	2.41	-	38.57	31.71	6.00	29.33
AV	5.215G	92.72	Inf	-Inf	8.26	3	Horizontal	187	2.41	-	84.46	31.56	6.04	29.34
AV	5.44G	46.43	54.00	-7.57	8.46	3	Horizontal	187	2.41	-	37.97	31.66	6.16	29.36
PK	5.144G	59.57	74.00	-14.43	8.38	3	Horizontal	187	2.41	-	51.19	31.71	6.00	29.33
PK	5.208G	102.65	Inf	-Inf	8.27	3	Horizontal	187	2.41	-	94.38	31.58	6.03	29.34
PK	5.365G	59.52	74.00	-14.48	8.19	3	Horizontal	187	2.41	-	51.33	31.43	6.12	29.36



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

13/02/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61536G	45.74	54.00	-8.26	17.21	3	Vertical	246	1.01	-	28.53	38.25	10.84	31.88
PK	10.41994G	56.75	68.20	-11.45	17.64	3	Vertical	273	2.29	-	39.11	39.45	8.74	30.55
PK	15.6192G	59.77	74.00	-14.23	17.20	3	Vertical	246	1.01	-	42.57	38.24	10.84	31.88



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

13/02/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6192G	45.82	54.00	-8.18	17.20	3	Horizontal	37	1.72	-	28.62	38.24	10.84	31.88
PK	10.42006G	56.18	68.20	-12.02	17.64	3	Horizontal	226	1.50	-	38.54	39.45	8.74	30.55
PK	15.615G	59.24	74.00	-14.76	17.22	3	Horizontal	37	1.72	-	42.02	38.26	10.84	31.88



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

15/02/2020

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8002G	108.70	Inf	-Inf	9.07	3	Vertical	127	2.16	-	99.63	32.00	6.43	29.36
PK	5.6502G	68.20	68.35	-0.15	8.70	3	Vertical	127	2.16	-	59.50	31.75	6.31	29.36
PK	5.7474G	118.22	Inf	-Inf	8.92	3	Vertical	127	2.16	-	109.30	31.89	6.39	29.36
PK	5.9466G	67.85	68.20	-0.35	9.45	3	Vertical	127	2.16	-	58.40	32.25	6.55	29.35



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

15/02/2020

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7822G	101.68	Inf	-Inf	9.02	3	Horizontal	200	1.50	-	92.66	31.96	6.42	29.36
PK	5.6478G	64.62	68.20	-3.58	8.70	3	Horizontal	200	1.50	-	55.92	31.75	6.31	29.36
PK	5.7474G	110.92	Inf	-Inf	8.92	3	Horizontal	200	1.50	-	102.00	31.89	6.39	29.36
PK	5.9274G	62.11	68.20	-6.09	9.41	3	Horizontal	200	1.50	-	52.70	32.23	6.53	29.35






802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

22/02/2020

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55918G	44.95	54.00	-9.05	18.10	3	Vertical	89	1.54	-	26.85	39.36	9.52	30.78
PK	11.5608G	58.17	74.00	-15.83	18.10	3	Vertical	89	1.54	-	40.07	39.36	9.52	30.78
PK	17.33496G	61.49	68.20	-6.71	22.22	3	Vertical	240	1.50	-	39.27	42.31	11.43	31.52



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

22/02/2020

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54976G	44.63	54.00	-9.37	18.11	3	Horizontal	293	1.63	-	26.52	39.38	9.51	30.78
PK	11.54526G	57.38	74.00	-16.62	18.11	3	Horizontal	293	1.63	-	39.27	39.38	9.51	30.78
PK	17.3235G	61.50	68.20	-6.70	22.14	3	Horizontal	281	1.73	-	39.36	42.24	11.43	31.53



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Condition
Mode 1	Pass	AV	4.86G	36.03	54.00	-17.97	7.60	Vertical

**Mode Configure**

Mode	Configure
Mode 1	2.4G+5G

### Radiation-above 1GHz\_Mode 1


06/03/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.376G	26.24	54.00	-27.76	-2.87	3	Vertical	360	1.50	-	29.11	25.88	2.93	31.68
AV	2.252G	27.56	54.00	-26.44	1.52	3	Vertical	360	1.50	-	26.04	27.95	3.87	30.30
AV	4.86G	36.03	54.00	-17.97	7.60	3	Vertical	360	1.50	-	28.43	31.16	5.82	29.38
PK	1.376G	38.14	74.00	-35.86	-2.87	3	Vertical	360	1.50	-	41.01	25.88	2.93	31.68
PK	2.252G	42.07	74.00	-31.93	1.52	3	Vertical	360	1.50	-	40.55	27.95	3.87	30.30
PK	4.86G	52.12	74.00	-21.88	7.60	3	Vertical	360	1.50	-	44.52	31.16	5.82	29.38

### Radiation-above 1GHz\_Mode 1

06/03/2020



P2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.464G	25.92	54.00	-28.08	-2.56	3	Horizontal	0	1.50	-	28.48	25.71	3.02	31.29
AV	2.084G	26.84	54.00	-27.16	0.28	3	Horizontal	0	1.50	-	26.56	26.96	3.71	30.39
AV	4.704G	32.00	54.00	-22.00	7.35	3	Horizontal	0	1.50	-	24.65	31.10	5.71	29.46
PK	1.464G	38.98	74.00	-35.02	-2.56	3	Horizontal	0	1.50	-	41.54	25.71	3.02	31.29
PK	2.084G	40.05	74.00	-33.95	0.28	3	Horizontal	0	1.50	-	39.77	26.96	3.71	30.39
PK	4.704G	45.54	74.00	-28.46	7.35	3	Horizontal	0	1.50	-	38.19	31.10	5.71	29.46