


802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	108.55	Inf	-Inf	9.69	3	Vertical	63	2.76	-	98.86	32.00	6.98	29.29
PK	5.6506G	66.12	68.64	-2.52	9.38	3	Vertical	63	2.76	-	56.74	31.70	6.93	29.25
PK	5.7586G	120.16	Inf	-Inf	9.69	3	Vertical	63	2.76	-	110.47	32.00	6.98	29.29
PK	6.0394G	58.76	68.20	-9.44	10.27	3	Vertical	63	2.76	-	48.49	32.54	7.12	29.39

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7418G	112.08	Inf	-Inf	9.67	3	Horizontal	270	2.63	-	102.41	31.98	6.97	29.28
PK	5.6602G	75.13	75.75	-0.62	9.42	3	Horizontal	270	2.63	-	65.71	31.74	6.93	29.25
PK	5.761G	123.10	Inf	-Inf	9.69	3	Horizontal	270	2.63	-	113.41	32.00	6.98	29.29
PK	5.9458G	59.67	68.20	-8.53	10.10	3	Horizontal	270	2.63	-	49.57	32.38	7.07	29.35



802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49G	44.23	54.00	-9.77	19.08	3	Vertical	307	2.00	-	25.15	39.99	9.47	30.38
PK	11.50056G	57.73	74.00	-16.27	19.10	3	Vertical	307	2.00	-	38.63	40.00	9.48	30.38

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50752G	44.60	54.00	-9.40	19.09	3	Horizontal	343	2.27	-	25.51	39.99	9.48	30.38
PK	11.51104G	56.95	74.00	-17.05	19.09	3	Horizontal	343	2.27	-	37.86	39.99	9.48	30.38



802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	110.01	Inf	-Inf	9.70	3	Vertical	65	2.75	-	100.31	32.00	7.00	29.30
PK	5.639G	61.87	68.20	-6.33	9.41	3	Vertical	65	2.75	-	52.46	31.74	6.92	29.25
PK	5.7986G	121.33	Inf	-Inf	9.70	3	Vertical	65	2.75	-	111.63	32.00	7.00	29.30
PK	5.9318G	67.33	68.20	-0.87	10.05	3	Vertical	65	2.75	-	57.28	32.33	7.07	29.35

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	111.92	Inf	-Inf	9.70	3	Horizontal	272	2.19	-	102.22	32.00	7.00	29.30
PK	5.6318G	62.50	68.20	-5.70	9.45	3	Horizontal	272	2.19	-	53.05	31.77	6.92	29.24
PK	5.7818G	122.61	Inf	-Inf	9.69	3	Horizontal	272	2.19	-	112.92	32.00	6.99	29.30
PK	5.9318G	65.94	68.20	-2.26	10.05	3	Horizontal	272	2.19	-	55.89	32.33	7.07	29.35

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60144G	44.81	54.00	-9.19	19.06	3	Vertical	287	1.58	-	25.75	39.89	9.52	30.35
PK	11.6032G	56.98	74.00	-17.02	19.06	3	Vertical	287	1.58	-	37.92	39.88	9.52	30.34

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6052G	44.80	54.00	-9.20	19.05	3	Horizontal	191	1.62	-	25.75	39.87	9.52	30.34
PK	11.60408G	57.50	74.00	-16.50	19.06	3	Horizontal	191	1.62	-	38.44	39.88	9.52	30.34

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.37	54.00	-5.63	9.60	3	Vertical	103	2.99	-	38.77	32.00	6.78	29.18
AV	5.235G	94.14	Inf	-Inf	9.14	3	Vertical	103	2.99	-	85.00	31.52	6.80	29.18
AV	5.441G	46.23	54.00	-7.77	9.20	3	Vertical	103	2.99	-	37.03	31.58	6.82	29.20
PK	5.118G	57.84	74.00	-16.16	9.52	3	Vertical	103	2.99	-	48.32	31.94	6.76	29.18
PK	5.195G	103.26	Inf	-Inf	9.44	3	Vertical	103	2.99	-	93.82	31.82	6.80	29.18
PK	5.39G	56.67	74.00	-17.33	9.03	3	Vertical	103	2.99	-	47.64	31.42	6.80	29.19

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	53.63	54.00	-0.37	9.56	3	Horizontal	275	3.00	-	44.07	31.97	6.77	29.18
AV	5.235G	101.46	Inf	-Inf	9.14	3	Horizontal	275	3.00	-	92.32	31.52	6.80	29.18
AV	5.355G	47.42	54.00	-6.58	8.75	3	Horizontal	275	3.00	-	38.67	31.14	6.80	29.19
PK	5.135G	65.94	74.00	-8.06	9.56	3	Horizontal	275	3.00	-	56.38	31.97	6.77	29.18
PK	5.195G	111.53	Inf	-Inf	9.44	3	Horizontal	275	3.00	-	102.09	31.82	6.80	29.18
PK	5.377G	58.00	74.00	-16.00	8.93	3	Horizontal	275	3.00	-	49.07	31.32	6.80	29.19



802.11ax HEW80\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42109G	56.33	68.20	-11.87	18.24	3	Vertical	223	2.37	-	38.09	39.62	8.99	30.37

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4209G	56.36	68.20	-11.84	18.24	3	Horizontal	122	1.42	-	38.12	39.62	8.99	30.37



802.11ax HEW80\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7834G	101.92	Inf	-Inf	9.69	3	Vertical	56	3.00	-	92.23	32.00	6.99	29.30
PK	5.6166G	65.25	68.20	-2.95	9.50	3	Vertical	56	3.00	-	55.75	31.83	6.91	29.24
PK	5.7846G	111.64	Inf	-Inf	9.69	3	Vertical	56	3.00	-	101.95	32.00	6.99	29.30
PK	5.9238G	61.30	69.09	-7.79	10.02	3	Vertical	56	3.00	-	51.28	32.30	7.06	29.34

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.781G	104.63	Inf	-Inf	9.69	3	Horizontal	271	2.26	-	94.94	32.00	6.99	29.30
PK	5.6394G	67.32	68.20	-0.88	9.41	3	Horizontal	271	2.26	-	57.91	31.74	6.92	29.25
PK	5.763G	115.14	Inf	-Inf	9.69	3	Horizontal	271	2.26	-	105.45	32.00	6.98	29.29
PK	5.9238G	62.49	69.09	-6.60	10.02	3	Horizontal	271	2.26	-	52.47	32.30	7.06	29.34



802.11ax HEW80\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.586G	45.97	54.00	-8.03	19.07	3	Vertical	168	1.71	-	26.90	39.91	9.51	30.35
PK	11.55576G	57.26	74.00	-16.74	19.08	3	Vertical	168	1.71	-	38.18	39.94	9.50	30.36

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58474G	46.10	54.00	-7.90	19.08	3	Horizontal	251	1.77	-	27.02	39.92	9.51	30.35
PK	11.58366G	56.80	74.00	-17.20	19.08	3	Horizontal	251	1.77	-	37.72	39.92	9.51	30.35





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss4,(MCS0)_4TX	Pass	AV	5.15G	53.60	54.00	-0.40	3	Horizontal	270	2.94	-
802.11ac VHT40_Nss4,(MCS0)_4TX	Pass	AV	5.15G	53.55	54.00	-0.45	3	Horizontal	271	2.55	-
802.11ac VHT80_Nss4,(MCS0)_4TX	Pass	AV	5.1345G	53.46	54.00	-0.54	3	Horizontal	271	2.81	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	5.1494G	53.63	54.00	-0.37	3	Horizontal	268	2.88	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.15G	53.13	54.00	-0.87	3	Horizontal	270	2.91	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	5.116G	53.48	54.00	-0.52	3	Horizontal	270	2.63	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss4,(MCS0)_4TX	Pass	PK	5.9366G	67.20	68.20	-1.00	3	Vertical	68	2.85	-
802.11ac VHT40_Nss4,(MCS0)_4TX	Pass	PK	5.6434G	68.13	68.20	-0.07	3	Horizontal	268	2.49	-
802.11ac VHT80_Nss4,(MCS0)_4TX	Pass	PK	5.6226G	67.70	68.20	-0.50	3	Horizontal	268	2.57	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	5.5846G	68.08	68.20	-0.12	3	Horizontal	269	2.35	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	PK	5.615G	67.92	68.20	-0.28	3	Horizontal	264	2.44	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	PK	5.6226G	67.89	68.20	-0.31	3	Horizontal	266	2.35	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	48.81	54.00	-5.19	3	Vertical	0	2.37	-
5180MHz	Pass	AV	5.1822G	103.70	Inf	-Inf	3	Vertical	0	2.37	-
5180MHz	Pass	PK	5.15G	64.99	74.00	-9.01	3	Vertical	0	2.37	-
5180MHz	Pass	PK	5.1844G	113.06	Inf	-Inf	3	Vertical	0	2.37	-
5180MHz	Pass	AV	5.15G	52.61	54.00	-1.39	3	Horizontal	271	2.95	-
5180MHz	Pass	AV	5.1734G	110.53	Inf	-Inf	3	Horizontal	271	2.95	-
5180MHz	Pass	PK	5.1496G	69.40	74.00	-4.60	3	Horizontal	271	2.95	-
5180MHz	Pass	PK	5.1862G	120.03	Inf	-Inf	3	Horizontal	271	2.95	-
5180MHz	Pass	PK	10.35891G	56.33	68.20	-11.87	3	Vertical	264	2.49	-
5180MHz	Pass	PK	10.35928G	56.08	68.20	-12.12	3	Horizontal	68	1.49	-
5200MHz	Pass	AV	5.15G	49.45	54.00	-4.55	3	Vertical	10	2.40	-
5200MHz	Pass	AV	5.202G	108.32	Inf	-Inf	3	Vertical	10	2.40	-
5200MHz	Pass	PK	5.1452G	66.03	74.00	-7.97	3	Vertical	10	2.40	-
5200MHz	Pass	PK	5.2068G	117.22	Inf	-Inf	3	Vertical	10	2.40	-
5200MHz	Pass	AV	5.15G	53.60	54.00	-0.40	3	Horizontal	270	2.94	-
5200MHz	Pass	AV	5.1936G	114.38	Inf	-Inf	3	Horizontal	270	2.94	-
5200MHz	Pass	PK	5.15G	67.42	74.00	-6.58	3	Horizontal	270	2.94	-
5200MHz	Pass	PK	5.2064G	123.84	Inf	-Inf	3	Horizontal	270	2.94	-
5200MHz	Pass	PK	10.40033G	56.45	68.20	-11.75	3	Vertical	127	2.22	-
5200MHz	Pass	PK	10.39996G	56.85	68.20	-11.35	3	Horizontal	229	2.28	-
5240MHz	Pass	AV	5.1488G	48.20	54.00	-5.80	3	Vertical	0	2.43	-
5240MHz	Pass	AV	5.2418G	110.86	Inf	-Inf	3	Vertical	0	2.43	-
5240MHz	Pass	AV	5.3684G	45.82	54.00	-8.18	3	Vertical	0	2.43	-
5240MHz	Pass	PK	5.147G	60.47	74.00	-13.53	3	Vertical	0	2.43	-
5240MHz	Pass	PK	5.2352G	120.57	Inf	-Inf	3	Vertical	0	2.43	-
5240MHz	Pass	PK	5.3624G	57.62	74.00	-16.38	3	Vertical	0	2.43	-
5240MHz	Pass	AV	5.15G	52.30	54.00	-1.70	3	Horizontal	271	2.82	-
5240MHz	Pass	AV	5.2334G	117.78	Inf	-Inf	3	Horizontal	271	2.82	-
5240MHz	Pass	AV	5.351G	49.96	54.00	-4.04	3	Horizontal	271	2.82	-
5240MHz	Pass	PK	5.15G	63.56	74.00	-10.44	3	Horizontal	271	2.82	-
5240MHz	Pass	PK	5.2466G	127.81	Inf	-Inf	3	Horizontal	271	2.82	-
5240MHz	Pass	PK	5.3504G	62.34	74.00	-11.66	3	Horizontal	271	2.82	-
5240MHz	Pass	PK	10.47935G	57.28	68.20	-10.92	3	Vertical	132	1.99	-
5240MHz	Pass	PK	10.47805G	56.85	68.20	-11.35	3	Horizontal	247	1.39	-
5745MHz	Pass	AV	5.7426G	112.36	Inf	-Inf	3	Vertical	69	2.88	-
5745MHz	Pass	PK	5.6478G	60.68	68.20	-7.52	3	Vertical	69	2.88	-
5745MHz	Pass	PK	5.7414G	121.24	Inf	-Inf	3	Vertical	69	2.88	-
5745MHz	Pass	PK	5.961G	58.72	68.20	-9.48	3	Vertical	69	2.88	-
5745MHz	Pass	AV	5.739G	114.83	Inf	-Inf	3	Horizontal	271	2.51	-
5745MHz	Pass	PK	5.6166G	61.68	68.20	-6.52	3	Horizontal	271	2.51	-
5745MHz	Pass	PK	5.751G	125.49	Inf	-Inf	3	Horizontal	271	2.51	-
5745MHz	Pass	PK	5.9634G	58.94	68.20	-9.26	3	Horizontal	271	2.51	-
5745MHz	Pass	AV	11.49221G	44.74	54.00	-9.26	3	Vertical	120	1.22	-
5745MHz	Pass	PK	11.48784G	56.70	74.00	-17.30	3	Vertical	120	1.22	-
5745MHz	Pass	AV	11.49219G	44.88	54.00	-9.12	3	Horizontal	254	1.48	-
5745MHz	Pass	PK	11.49239G	57.10	74.00	-16.90	3	Horizontal	254	1.48	-
5785MHz	Pass	AV	5.7826G	112.77	Inf	-Inf	3	Vertical	69	2.77	-
5785MHz	Pass	PK	5.5366G	58.24	68.20	-9.96	3	Vertical	69	2.77	-
5785MHz	Pass	PK	5.7778G	122.17	Inf	-Inf	3	Vertical	69	2.77	-
5785MHz	Pass	PK	5.9638G	59.12	68.20	-9.08	3	Vertical	69	2.77	-
5785MHz	Pass	AV	5.779G	114.99	Inf	-Inf	3	Horizontal	269	2.35	-
5785MHz	Pass	PK	5.6494G	60.83	68.20	-7.37	3	Horizontal	269	2.35	-
5785MHz	Pass	PK	5.791G	125.22	Inf	-Inf	3	Horizontal	269	2.35	-
5785MHz	Pass	PK	5.9434G	59.32	68.20	-8.88	3	Horizontal	269	2.35	-
5785MHz	Pass	AV	11.57006G	44.87	54.00	-9.13	3	Vertical	95	2.22	-
5785MHz	Pass	PK	11.5722G	56.83	74.00	-17.17	3	Vertical	95	2.22	-
5785MHz	Pass	AV	11.5693G	44.87	54.00	-9.13	3	Horizontal	152	1.81	-
5785MHz	Pass	PK	11.56803G	56.91	74.00	-17.09	3	Horizontal	152	1.81	-
5825MHz	Pass	AV	5.8226G	113.47	Inf	-Inf	3	Vertical	68	2.85	-
5825MHz	Pass	PK	5.6102G	58.16	68.20	-10.04	3	Vertical	68	2.85	-



RSE TX above 1GHz\_Non Beamforming\_4T4S

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8214G	122.93	Inf	-Inf	3	Vertical	68	2.85	-
5825MHz	Pass	PK	5.9366G	67.20	68.20	-1.00	3	Vertical	68	2.85	-
5825MHz	Pass	AV	5.8274G	112.66	Inf	-Inf	3	Horizontal	60	2.77	-
5825MHz	Pass	PK	5.6318G	58.35	68.20	-9.85	3	Horizontal	60	2.77	-
5825MHz	Pass	PK	5.8262G	123.51	Inf	-Inf	3	Horizontal	60	2.77	-
5825MHz	Pass	PK	5.9318G	66.23	68.20	-1.97	3	Horizontal	60	2.77	-
5825MHz	Pass	AV	11.6495G	45.07	54.00	-8.93	3	Vertical	59	1.41	-
5825MHz	Pass	PK	11.65011G	56.89	74.00	-17.11	3	Vertical	59	1.41	-
5825MHz	Pass	AV	11.64796G	44.83	54.00	-9.17	3	Horizontal	334	1.58	-
5825MHz	Pass	PK	11.64758G	57.21	74.00	-16.79	3	Horizontal	334	1.58	-
802.11ac VHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	49.18	54.00	-4.82	3	Vertical	26	2.21	-
5190MHz	Pass	AV	5.182G	98.43	Inf	-Inf	3	Vertical	26	2.21	-
5190MHz	Pass	PK	5.1436G	61.90	74.00	-12.10	3	Vertical	26	2.21	-
5190MHz	Pass	PK	5.1836G	108.22	Inf	-Inf	3	Vertical	26	2.21	-
5190MHz	Pass	AV	5.15G	53.15	54.00	-0.85	3	Horizontal	270	2.08	-
5190MHz	Pass	AV	5.1932G	103.98	Inf	-Inf	3	Horizontal	270	2.08	-
5190MHz	Pass	PK	5.1404G	65.73	74.00	-8.27	3	Horizontal	270	2.08	-
5190MHz	Pass	PK	5.1956G	113.01	Inf	-Inf	3	Horizontal	270	2.08	-
5190MHz	Pass	PK	10.37844G	53.92	68.20	-14.28	3	Vertical	335	1.26	-
5190MHz	Pass	PK	10.38199G	54.16	68.20	-14.04	3	Horizontal	85	2.10	-
5230MHz	Pass	AV	5.1496G	49.44	54.00	-4.56	3	Vertical	36	2.34	-
5230MHz	Pass	AV	5.222G	104.12	Inf	-Inf	3	Vertical	36	2.34	-
5230MHz	Pass	PK	5.148G	65.13	74.00	-8.87	3	Vertical	36	2.34	-
5230MHz	Pass	PK	5.2264G	113.92	Inf	-Inf	3	Vertical	36	2.34	-
5230MHz	Pass	AV	5.15G	53.55	54.00	-0.45	3	Horizontal	271	2.55	-
5230MHz	Pass	AV	5.2336G	110.34	Inf	-Inf	3	Horizontal	271	2.55	-
5230MHz	Pass	PK	5.1496G	66.06	74.00	-7.94	3	Horizontal	271	2.55	-
5230MHz	Pass	PK	5.2344G	119.37	Inf	-Inf	3	Horizontal	271	2.55	-
5230MHz	Pass	PK	10.45823G	55.81	68.20	-12.39	3	Vertical	348	2.30	-
5230MHz	Pass	PK	10.45965G	54.87	68.20	-13.33	3	Horizontal	252	2.27	-
5755MHz	Pass	AV	5.7622G	106.04	Inf	-Inf	3	Vertical	45	2.81	-
5755MHz	Pass	PK	5.6374G	62.69	68.20	-5.51	3	Vertical	45	2.81	-
5755MHz	Pass	PK	5.761G	114.45	Inf	-Inf	3	Vertical	45	2.81	-
5755MHz	Pass	PK	5.9266G	57.91	68.20	-10.29	3	Vertical	45	2.81	-
5755MHz	Pass	AV	5.7586G	110.15	Inf	-Inf	3	Horizontal	268	2.49	-
5755MHz	Pass	PK	5.6434G	68.13	68.20	-0.07	3	Horizontal	268	2.49	-
5755MHz	Pass	PK	5.7622G	119.44	Inf	-Inf	3	Horizontal	268	2.49	-
5755MHz	Pass	PK	5.9374G	59.06	68.20	-9.14	3	Horizontal	268	2.49	-
5755MHz	Pass	AV	11.51118G	46.01	54.00	-7.99	3	Vertical	312	1.35	-
5755MHz	Pass	PK	11.51138G	57.10	74.00	-16.90	3	Vertical	312	1.35	-
5755MHz	Pass	AV	11.51227G	45.79	54.00	-8.21	3	Horizontal	84	1.11	-
5755MHz	Pass	PK	11.51012G	56.96	74.00	-17.04	3	Horizontal	84	1.11	-
5795MHz	Pass	AV	5.7866G	108.88	Inf	-Inf	3	Vertical	64	2.77	-
5795MHz	Pass	PK	5.6402G	61.55	68.20	-6.65	3	Vertical	64	2.77	-
5795MHz	Pass	PK	5.7842G	117.48	Inf	-Inf	3	Vertical	64	2.77	-
5795MHz	Pass	PK	5.9258G	64.40	68.20	-3.80	3	Vertical	64	2.77	-
5795MHz	Pass	AV	5.7986G	111.77	Inf	-Inf	3	Horizontal	270	2.43	-
5795MHz	Pass	PK	5.6018G	67.39	68.20	-0.81	3	Horizontal	270	2.43	-
5795MHz	Pass	PK	5.801G	121.00	Inf	-Inf	3	Horizontal	270	2.43	-
5795MHz	Pass	PK	5.9246G	67.32	68.50	-1.18	3	Horizontal	270	2.43	-
5795MHz	Pass	AV	11.58996G	46.35	54.00	-7.65	3	Vertical	37	1.46	-
5795MHz	Pass	PK	11.58954G	57.25	74.00	-16.75	3	Vertical	37	1.46	-
5795MHz	Pass	AV	11.58906G	46.25	54.00	-7.75	3	Horizontal	16	1.24	-
5795MHz	Pass	PK	11.59043G	57.64	74.00	-16.36	3	Horizontal	16	1.24	-
802.11ac VHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.146G	49.48	54.00	-4.52	3	Vertical	37	2.35	-
5210MHz	Pass	AV	5.207G	94.33	Inf	-Inf	3	Vertical	37	2.35	-
5210MHz	Pass	AV	5.404G	47.36	54.00	-6.64	3	Vertical	37	2.35	-
5210MHz	Pass	PK	5.145G	58.53	74.00	-15.47	3	Vertical	37	2.35	-
5210MHz	Pass	PK	5.226G	102.26	Inf	-Inf	3	Vertical	37	2.35	-
5210MHz	Pass	PK	5.452G	55.32	74.00	-18.68	3	Vertical	37	2.35	-



RSE TX above 1GHz\_Non Beamforming\_4T4S

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.1345G	53.46	54.00	-0.54	3	Horizontal	271	2.81	-
5210MHz	Pass	AV	5.2335G	100.08	Inf	-Inf	3	Horizontal	271	2.81	-
5210MHz	Pass	AV	5.423G	48.70	54.00	-5.30	3	Horizontal	271	2.81	-
5210MHz	Pass	PK	5.134G	63.43	74.00	-10.57	3	Horizontal	271	2.81	-
5210MHz	Pass	PK	5.236G	107.82	Inf	-Inf	3	Horizontal	271	2.81	-
5210MHz	Pass	PK	5.381G	57.17	74.00	-16.83	3	Horizontal	271	2.81	-
5210MHz	Pass	PK	10.41958G	56.44	68.20	-11.76	3	Vertical	13	2.31	-
5210MHz	Pass	PK	10.41844G	56.74	68.20	-11.46	3	Horizontal	99	2.20	-
5775MHz	Pass	AV	5.7774G	101.77	Inf	-Inf	3	Vertical	59	2.82	-
5775MHz	Pass	PK	5.637G	64.80	68.20	-3.40	3	Vertical	59	2.82	-
5775MHz	Pass	PK	5.7822G	109.64	Inf	-Inf	3	Vertical	59	2.82	-
5775MHz	Pass	PK	5.925G	61.19	68.20	-7.01	3	Vertical	59	2.82	-
5775MHz	Pass	AV	5.7822G	105.26	Inf	-Inf	3	Horizontal	268	2.57	-
5775MHz	Pass	PK	5.6226G	67.70	68.20	-0.50	3	Horizontal	268	2.57	-
5775MHz	Pass	PK	5.7822G	112.71	Inf	-Inf	3	Horizontal	268	2.57	-
5775MHz	Pass	PK	5.925G	63.35	68.20	-4.85	3	Horizontal	268	2.57	-
5775MHz	Pass	AV	11.55119G	47.41	54.00	-6.59	3	Vertical	330	1.77	-
5775MHz	Pass	PK	11.55198G	58.17	74.00	-15.83	3	Vertical	330	1.77	-
5775MHz	Pass	AV	11.55137G	47.41	54.00	-6.59	3	Horizontal	206	2.07	-
5775MHz	Pass	PK	11.552G	57.27	74.00	-16.73	3	Horizontal	206	2.07	-
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	49.50	54.00	-4.50	3	Vertical	41	2.40	-
5180MHz	Pass	AV	5.1816G	102.53	Inf	-Inf	3	Vertical	41	2.40	-
5180MHz	Pass	PK	5.1498G	65.82	74.00	-8.18	3	Vertical	41	2.40	-
5180MHz	Pass	PK	5.1736G	113.99	Inf	-Inf	3	Vertical	41	2.40	-
5180MHz	Pass	AV	5.1494G	53.63	54.00	-0.37	3	Horizontal	268	2.88	-
5180MHz	Pass	AV	5.1838G	107.99	Inf	-Inf	3	Horizontal	268	2.88	-
5180MHz	Pass	PK	5.1496G	70.26	74.00	-3.74	3	Horizontal	268	2.88	-
5180MHz	Pass	PK	5.1822G	118.79	Inf	-Inf	3	Horizontal	268	2.88	-
5180MHz	Pass	PK	10.35886G	55.05	68.20	-13.15	3	Vertical	41	2.40	-
5180MHz	Pass	PK	10.36414G	56.06	68.20	-12.14	3	Horizontal	45	2.04	-
5200MHz	Pass	AV	5.1484G	48.72	54.00	-5.28	3	Vertical	44	2.26	-
5200MHz	Pass	AV	5.2068G	105.74	Inf	-Inf	3	Vertical	44	2.26	-
5200MHz	Pass	PK	5.1488G	62.23	74.00	-11.77	3	Vertical	44	2.26	-
5200MHz	Pass	PK	5.1936G	117.11	Inf	-Inf	3	Vertical	44	2.26	-
5200MHz	Pass	AV	5.1492G	53.32	54.00	-0.68	3	Horizontal	269	2.83	-
5200MHz	Pass	AV	5.204G	111.78	Inf	-Inf	3	Horizontal	269	2.83	-
5200MHz	Pass	PK	5.1488G	68.30	74.00	-5.70	3	Horizontal	269	2.83	-
5200MHz	Pass	PK	5.2064G	122.96	Inf	-Inf	3	Horizontal	269	2.83	-
5200MHz	Pass	PK	10.3995G	55.68	68.20	-12.52	3	Vertical	116	1.31	-
5200MHz	Pass	PK	10.39832G	56.21	68.20	-11.99	3	Horizontal	264	1.99	-
5240MHz	Pass	AV	5.1494G	48.00	54.00	-6.00	3	Vertical	47	2.27	-
5240MHz	Pass	AV	5.2436G	109.18	Inf	-Inf	3	Vertical	47	2.27	-
5240MHz	Pass	AV	5.3516G	46.34	54.00	-7.66	3	Vertical	47	2.27	-
5240MHz	Pass	PK	5.1404G	60.73	74.00	-13.27	3	Vertical	47	2.27	-
5240MHz	Pass	PK	5.2436G	120.40	Inf	-Inf	3	Vertical	47	2.27	-
5240MHz	Pass	PK	5.35G	58.15	74.00	-15.85	3	Vertical	47	2.27	-
5240MHz	Pass	AV	5.15G	51.50	54.00	-2.50	3	Horizontal	268	2.52	-
5240MHz	Pass	AV	5.2436G	115.03	Inf	-Inf	3	Horizontal	268	2.52	-
5240MHz	Pass	AV	5.3534G	49.40	54.00	-4.60	3	Horizontal	268	2.52	-
5240MHz	Pass	PK	5.1452G	64.52	74.00	-9.48	3	Horizontal	268	2.52	-
5240MHz	Pass	PK	5.2466G	126.46	Inf	-Inf	3	Horizontal	268	2.52	-
5240MHz	Pass	PK	5.354G	61.77	74.00	-12.23	3	Horizontal	268	2.52	-
5240MHz	Pass	PK	10.48398G	56.18	68.20	-12.02	3	Vertical	147	1.59	-
5240MHz	Pass	PK	10.48204G	55.87	68.20	-12.33	3	Horizontal	25	1.70	-
5745MHz	Pass	AV	5.7426G	109.53	Inf	-Inf	3	Vertical	63	2.87	-
5745MHz	Pass	PK	5.6502G	60.38	68.35	-7.97	3	Vertical	63	2.87	-
5745MHz	Pass	PK	5.7486G	120.58	Inf	-Inf	3	Vertical	63	2.87	-
5745MHz	Pass	PK	5.937G	57.69	68.20	-10.51	3	Vertical	63	2.87	-
5745MHz	Pass	AV	5.7426G	112.08	Inf	-Inf	3	Horizontal	268	2.44	-
5745MHz	Pass	PK	5.637G	60.62	68.20	-7.58	3	Horizontal	268	2.44	-
5745MHz	Pass	PK	5.751G	124.40	Inf	-Inf	3	Horizontal	268	2.44	-



RSE TX above 1GHz\_Non Beamforming\_4T4S

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.9322G	57.76	68.20	-10.44	3	Horizontal	268	2.44	-
5745MHz	Pass	AV	11.46472G	43.76	54.00	-10.24	3	Vertical	80	2.42	-
5745MHz	Pass	PK	11.5116G	55.98	74.00	-18.02	3	Vertical	80	2.42	-
5745MHz	Pass	AV	11.48808G	44.26	54.00	-9.74	3	Horizontal	359	1.65	-
5745MHz	Pass	PK	11.4844G	57.13	74.00	-16.87	3	Horizontal	359	1.65	-
5785MHz	Pass	AV	5.7874G	111.15	Inf	-Inf	3	Vertical	63	3.00	-
5785MHz	Pass	PK	5.6446G	59.46	68.20	-8.74	3	Vertical	63	3.00	-
5785MHz	Pass	PK	5.7898G	122.75	Inf	-Inf	3	Vertical	63	3.00	-
5785MHz	Pass	PK	5.941G	58.97	68.20	-9.23	3	Vertical	63	3.00	-
5785MHz	Pass	AV	5.7838G	113.12	Inf	-Inf	3	Horizontal	269	2.35	-
5785MHz	Pass	PK	5.5846G	68.08	68.20	-0.12	3	Horizontal	269	2.35	-
5785MHz	Pass	PK	5.791G	125.64	Inf	-Inf	3	Horizontal	269	2.35	-
5785MHz	Pass	PK	5.9254G	61.64	68.20	-6.56	3	Horizontal	269	2.35	-
5785MHz	Pass	AV	11.60552G	44.31	54.00	-9.69	3	Vertical	349	1.72	-
5785MHz	Pass	PK	11.57944G	56.83	74.00	-17.17	3	Vertical	349	1.72	-
5785MHz	Pass	AV	11.57G	45.74	54.00	-8.26	3	Horizontal	319	1.42	-
5785MHz	Pass	PK	11.57928G	57.68	74.00	-16.32	3	Horizontal	319	1.42	-
5825MHz	Pass	AV	5.819G	109.87	Inf	-Inf	3	Vertical	63	2.94	-
5825MHz	Pass	PK	5.6318G	57.91	68.20	-10.29	3	Vertical	63	2.94	-
5825MHz	Pass	PK	5.8298G	120.90	Inf	-Inf	3	Vertical	63	2.94	-
5825MHz	Pass	PK	5.9258G	62.56	68.20	-5.64	3	Vertical	63	2.94	-
5825MHz	Pass	AV	5.8178G	111.46	Inf	-Inf	3	Horizontal	269	2.46	-
5825MHz	Pass	PK	5.6378G	58.57	68.20	-9.63	3	Horizontal	269	2.46	-
5825MHz	Pass	PK	5.831G	123.34	Inf	-Inf	3	Horizontal	269	2.46	-
5825MHz	Pass	PK	5.927G	63.51	68.20	-4.69	3	Horizontal	269	2.46	-
5825MHz	Pass	AV	11.64972G	45.31	54.00	-8.69	3	Vertical	304	1.56	-
5825MHz	Pass	PK	11.65312G	57.13	74.00	-16.87	3	Vertical	304	1.56	-
5825MHz	Pass	AV	11.65G	45.53	54.00	-8.47	3	Horizontal	322	1.50	-
5825MHz	Pass	PK	11.65748G	57.72	74.00	-16.28	3	Horizontal	322	1.50	-
802.11ax HEW40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1484G	48.45	54.00	-5.55	3	Vertical	17	2.44	-
5190MHz	Pass	AV	5.1868G	96.04	Inf	-Inf	3	Vertical	17	2.44	-
5190MHz	Pass	PK	5.1492G	58.38	74.00	-15.62	3	Vertical	17	2.44	-
5190MHz	Pass	PK	5.1864G	106.97	Inf	-Inf	3	Vertical	17	2.44	-
5190MHz	Pass	AV	5.15G	53.13	54.00	-0.87	3	Horizontal	270	2.91	-
5190MHz	Pass	AV	5.1836G	102.24	Inf	-Inf	3	Horizontal	270	2.91	-
5190MHz	Pass	PK	5.1496G	63.61	74.00	-10.39	3	Horizontal	270	2.91	-
5190MHz	Pass	PK	5.1848G	112.92	Inf	-Inf	3	Horizontal	270	2.91	-
5190MHz	Pass	PK	10.372G	55.29	68.20	-12.91	3	Vertical	34	1.50	-
5190MHz	Pass	PK	10.3866G	56.52	68.20	-11.68	3	Horizontal	9	1.74	-
5230MHz	Pass	AV	5.1488G	47.60	54.00	-6.40	3	Vertical	187	1.47	-
5230MHz	Pass	AV	5.2356G	99.45	Inf	-Inf	3	Vertical	187	1.47	-
5230MHz	Pass	PK	5.1484G	60.02	74.00	-13.98	3	Vertical	187	1.47	-
5230MHz	Pass	PK	5.2456G	109.57	Inf	-Inf	3	Vertical	187	1.47	-
5230MHz	Pass	AV	5.15G	52.92	54.00	-1.08	3	Horizontal	267	2.83	-
5230MHz	Pass	AV	5.2388G	107.28	Inf	-Inf	3	Horizontal	267	2.83	-
5230MHz	Pass	PK	5.148G	65.34	74.00	-8.66	3	Horizontal	267	2.83	-
5230MHz	Pass	PK	5.2268G	117.11	Inf	-Inf	3	Horizontal	267	2.83	-
5230MHz	Pass	PK	10.4836G	55.26	68.20	-12.94	3	Vertical	21	1.58	-
5230MHz	Pass	PK	10.4353G	55.67	68.20	-12.53	3	Horizontal	224	2.25	-
5755MHz	Pass	AV	5.7598G	105.31	Inf	-Inf	3	Vertical	68	2.89	-
5755MHz	Pass	PK	5.6518G	67.34	69.53	-2.19	3	Vertical	68	2.89	-
5755MHz	Pass	PK	5.7622G	115.72	Inf	-Inf	3	Vertical	68	2.89	-
5755MHz	Pass	PK	5.929G	57.71	68.20	-10.49	3	Vertical	68	2.89	-
5755MHz	Pass	AV	5.7622G	108.40	Inf	-Inf	3	Horizontal	265	2.35	-
5755MHz	Pass	PK	5.6446G	67.38	68.20	-0.82	3	Horizontal	265	2.35	-
5755MHz	Pass	PK	5.7622G	117.93	Inf	-Inf	3	Horizontal	265	2.35	-
5755MHz	Pass	PK	6.0538G	57.77	68.20	-10.43	3	Horizontal	265	2.35	-
5755MHz	Pass	AV	11.50716G	44.36	54.00	-9.64	3	Vertical	158	1.82	-
5755MHz	Pass	PK	11.501G	56.24	74.00	-17.76	3	Vertical	158	1.82	-
5755MHz	Pass	AV	11.51284G	44.77	54.00	-9.23	3	Horizontal	315	1.29	-
5755MHz	Pass	PK	11.51428G	55.97	74.00	-18.03	3	Horizontal	315	1.29	-




RSE TX above 1GHz\_Non Beamforming\_4T4S

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5795MHz	Pass	AV	5.789G	106.09	Inf	-Inf	3	Vertical	64	3.00	-
5795MHz	Pass	PK	5.6414G	60.25	68.20	-7.95	3	Vertical	64	3.00	-
5795MHz	Pass	PK	5.795G	116.21	Inf	-Inf	3	Vertical	64	3.00	-
5795MHz	Pass	PK	5.9354G	64.90	68.20	-3.30	3	Vertical	64	3.00	-
5795MHz	Pass	AV	5.8022G	108.86	Inf	-Inf	3	Horizontal	264	2.44	-
5795MHz	Pass	PK	5.615G	67.92	68.20	-0.28	3	Horizontal	264	2.44	-
5795MHz	Pass	PK	5.8034G	118.84	Inf	-Inf	3	Horizontal	264	2.44	-
5795MHz	Pass	PK	5.9546G	65.84	68.20	-2.36	3	Horizontal	264	2.44	-
5795MHz	Pass	AV	11.58992G	45.56	54.00	-8.44	3	Vertical	120	1.39	-
5795MHz	Pass	PK	11.58436G	56.69	74.00	-17.31	3	Vertical	120	1.39	-
5795MHz	Pass	AV	11.586G	45.34	54.00	-8.66	3	Horizontal	330	1.92	-
5795MHz	Pass	PK	11.59472G	56.71	74.00	-17.29	3	Horizontal	330	1.92	-
802.11ax HEW80_Nss4 (MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.146G	47.95	54.00	-6.05	3	Vertical	185	1.53	-
5210MHz	Pass	AV	5.212G	90.12	Inf	-Inf	3	Vertical	185	1.53	-
5210MHz	Pass	AV	5.424G	46.26	54.00	-7.74	3	Vertical	185	1.53	-
5210MHz	Pass	PK	5.118G	57.97	74.00	-16.03	3	Vertical	185	1.53	-
5210MHz	Pass	PK	5.234G	97.49	Inf	-Inf	3	Vertical	185	1.53	-
5210MHz	Pass	PK	5.418G	55.05	74.00	-18.95	3	Vertical	185	1.53	-
5210MHz	Pass	AV	5.116G	53.48	54.00	-0.52	3	Horizontal	270	2.63	-
5210MHz	Pass	AV	5.216G	100.28	Inf	-Inf	3	Horizontal	270	2.63	-
5210MHz	Pass	AV	5.375G	47.32	54.00	-6.68	3	Horizontal	270	2.63	-
5210MHz	Pass	PK	5.117G	66.18	74.00	-7.82	3	Horizontal	270	2.63	-
5210MHz	Pass	PK	5.216G	106.94	Inf	-Inf	3	Horizontal	270	2.63	-
5210MHz	Pass	PK	5.407G	55.67	74.00	-18.33	3	Horizontal	270	2.63	-
5210MHz	Pass	PK	10.41964G	55.33	68.20	-12.87	3	Vertical	271	1.12	-
5210MHz	Pass	PK	10.41152G	55.03	68.20	-13.17	3	Horizontal	234	1.20	-
5775MHz	Pass	AV	5.757G	99.04	Inf	-Inf	3	Vertical	59	2.97	-
5775MHz	Pass	PK	5.619G	63.16	68.20	-5.04	3	Vertical	59	2.97	-
5775MHz	Pass	PK	5.8014G	106.08	Inf	-Inf	3	Vertical	59	2.97	-
5775MHz	Pass	PK	6.0366G	56.80	68.20	-11.40	3	Vertical	59	2.97	-
5775MHz	Pass	AV	5.7618G	102.55	Inf	-Inf	3	Horizontal	266	2.35	-
5775MHz	Pass	PK	5.6226G	67.89	68.20	-0.31	3	Horizontal	266	2.35	-
5775MHz	Pass	PK	5.7618G	110.42	Inf	-Inf	3	Horizontal	266	2.35	-
5775MHz	Pass	PK	5.9634G	59.27	68.20	-8.93	3	Horizontal	266	2.35	-
5775MHz	Pass	AV	11.55864G	46.61	54.00	-7.39	3	Vertical	152	1.11	-
5775MHz	Pass	PK	11.55388G	56.01	74.00	-17.99	3	Vertical	152	1.11	-
5775MHz	Pass	AV	11.5584G	46.00	54.00	-8.00	3	Horizontal	14	1.68	-
5775MHz	Pass	PK	11.55928G	55.71	74.00	-18.29	3	Horizontal	14	1.68	-

802.11ac VHT20\_Nss4,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.81	54.00	-5.19	9.60	3	Vertical	0	2.37	-	39.21	32.00	6.78	29.18
AV	5.1822G	103.70	Inf	-Inf	9.48	3	Vertical	0	2.37	-	94.22	31.87	6.79	29.18
PK	5.15G	64.99	74.00	-9.01	9.60	3	Vertical	0	2.37	-	55.39	32.00	6.78	29.18
PK	5.1844G	113.06	Inf	-Inf	9.47	3	Vertical	0	2.37	-	103.59	31.86	6.79	29.18

802.11ac VHT20\_Nss4,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.61	54.00	-1.39	9.60	3	Horizontal	271	2.95	-	43.01	32.00	6.78	29.18
AV	5.1734G	110.53	Inf	-Inf	9.52	3	Horizontal	271	2.95	-	101.01	31.91	6.79	29.18
PK	5.1496G	69.40	74.00	-4.60	9.59	3	Horizontal	271	2.95	-	59.81	32.00	6.77	29.18
PK	5.1862G	120.03	Inf	-Inf	9.47	3	Horizontal	271	2.95	-	110.56	31.86	6.79	29.18



802.11ac VHT20\_Nss4,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35891G	56.33	68.20	-11.87	18.05	3	Vertical	264	2.49	-	38.28	39.44	8.96	30.35

802.11ac VHT20\_Nss4,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35928G	56.08	68.20	-12.12	18.05	3	Horizontal	68	1.49	-	38.03	39.44	8.96	30.35



**802.11ac VHT20\_Nss4,(MCS0)\_4TX**


**5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.45	54.00	-4.55	9.60	3	Vertical	10	2.40	-	39.85	32.00	6.78	29.18
AV	5.202G	108.32	Inf	-Inf	9.40	3	Vertical	10	2.40	-	98.92	31.78	6.80	29.18
PK	5.1452G	66.03	74.00	-7.97	9.58	3	Vertical	10	2.40	-	56.45	31.99	6.77	29.18
PK	5.2068G	117.22	Inf	-Inf	9.37	3	Vertical	10	2.40	-	107.85	31.75	6.80	29.18

**802.11ac VHT20\_Nss4,(MCS0)\_4TX**

**5200MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.60	54.00	-0.40	9.60	3	Horizontal	270	2.94	-	44.00	32.00	6.78	29.18
AV	5.1936G	114.38	Inf	-Inf	9.45	3	Horizontal	270	2.94	-	104.93	31.83	6.80	29.18
PK	5.15G	67.42	74.00	-6.58	9.60	3	Horizontal	270	2.94	-	57.82	32.00	6.78	29.18
PK	5.2064G	123.84	Inf	-Inf	9.37	3	Horizontal	270	2.94	-	114.47	31.75	6.80	29.18



802.11ac VHT20\_Nss4,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40033G	56.45	68.20	-11.75	18.22	3	Vertical	127	2.22	-	38.23	39.60	8.98	30.36

802.11ac VHT20\_Nss4,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39996G	56.85	68.20	-11.35	18.22	3	Horizontal	229	2.28	-	38.63	39.60	8.98	30.36

802.11ac VHT20\_Nss4,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	48.20	54.00	-5.80	9.59	3	Vertical	0	2.43	-	38.61	32.00	6.77	29.18
AV	5.2418G	110.86	Inf	-Inf	9.09	3	Vertical	0	2.43	-	101.77	31.47	6.80	29.18
AV	5.3684G	45.82	54.00	-8.18	8.86	3	Vertical	0	2.43	-	36.96	31.25	6.80	29.19
PK	5.147G	60.47	74.00	-13.53	9.58	3	Vertical	0	2.43	-	50.89	31.99	6.77	29.18
PK	5.2352G	120.57	Inf	-Inf	9.14	3	Vertical	0	2.43	-	111.43	31.52	6.80	29.18
PK	5.3624G	57.62	74.00	-16.38	8.81	3	Vertical	0	2.43	-	48.81	31.20	6.80	29.19

802.11ac VHT20\_Nss4,(MCS0)\_4TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.30	54.00	-1.70	9.60	3	Horizontal	271	2.82	-	42.70	32.00	6.78	29.18
AV	5.2334G	117.78	Inf	-Inf	9.15	3	Horizontal	271	2.82	-	108.63	31.53	6.80	29.18
AV	5.351G	49.96	54.00	-4.04	8.72	3	Horizontal	271	2.82	-	41.24	31.11	6.80	29.19
PK	5.15G	63.56	74.00	-10.44	9.60	3	Horizontal	271	2.82	-	53.96	32.00	6.78	29.18
PK	5.2466G	127.81	Inf	-Inf	9.05	3	Horizontal	271	2.82	-	118.76	31.43	6.80	29.18
PK	5.3504G	62.34	74.00	-11.66	8.71	3	Horizontal	271	2.82	-	53.63	31.10	6.80	29.19



802.11ac VHT20\_Nss4,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47935G	57.28	68.20	-10.92	18.32	3	Vertical	132	1.99	-	38.96	39.68	9.02	30.38

802.11ac VHT20\_Nss4,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47805G	56.85	68.20	-11.35	18.32	3	Horizontal	247	1.39	-	38.53	39.68	9.02	30.38

802.11ac VHT20\_Nss4,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	112.36	Inf	-Inf	9.68	3	Vertical	69	2.88	-	102.68	31.99	6.97	29.28
PK	5.6478G	60.68	68.20	-7.52	9.38	3	Vertical	69	2.88	-	51.30	31.71	6.92	29.25
PK	5.7414G	121.24	Inf	-Inf	9.67	3	Vertical	69	2.88	-	111.57	31.98	6.97	29.28
PK	5.961G	58.72	68.20	-9.48	10.10	3	Vertical	69	2.88	-	48.62	32.38	7.08	29.36

802.11ac VHT20\_Nss4,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	114.83	Inf	-Inf	9.67	3	Horizontal	271	2.51	-	105.16	31.98	6.97	29.28
PK	5.6166G	61.68	68.20	-6.52	9.50	3	Horizontal	271	2.51	-	52.18	31.83	6.91	29.24
PK	5.751G	125.49	Inf	-Inf	9.69	3	Horizontal	271	2.51	-	115.80	32.00	6.98	29.29
PK	5.9634G	58.94	68.20	-9.26	10.09	3	Horizontal	271	2.51	-	48.85	32.37	7.08	29.36

802.11ac VHT20\_Nss4,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49221G	44.74	54.00	-9.26	19.08	3	Vertical	120	1.22	-	25.66	39.99	9.47	30.38
PK	11.48784G	56.70	74.00	-17.30	19.08	3	Vertical	120	1.22	-	37.62	39.99	9.47	30.38

802.11ac VHT20\_Nss4,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49219G	44.88	54.00	-9.12	19.08	3	Horizontal	254	1.48	-	25.80	39.99	9.47	30.38
PK	11.49239G	57.10	74.00	-16.90	19.08	3	Horizontal	254	1.48	-	38.02	39.99	9.47	30.38

**802.11ac VHT20\_Nss4,(MCS0)\_4TX**


**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	112.77	Inf	-Inf	9.69	3	Vertical	69	2.77	-	103.08	32.00	6.99	29.30
PK	5.5366G	58.24	68.20	-9.96	9.46	3	Vertical	69	2.77	-	48.78	31.80	6.87	29.21
PK	5.7778G	122.17	Inf	-Inf	9.70	3	Vertical	69	2.77	-	112.47	32.00	6.99	29.29
PK	5.9638G	59.12	68.20	-9.08	10.09	3	Vertical	69	2.77	-	49.03	32.37	7.08	29.36

**802.11ac VHT20\_Nss4,(MCS0)\_4TX**

**5785MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	114.99	Inf	-Inf	9.70	3	Horizontal	269	2.35	-	105.29	32.00	6.99	29.29
PK	5.6494G	60.83	68.20	-7.37	9.37	3	Horizontal	269	2.35	-	51.46	31.70	6.92	29.25
PK	5.791G	125.22	Inf	-Inf	9.70	3	Horizontal	269	2.35	-	115.52	32.00	7.00	29.30
PK	5.9434G	59.32	68.20	-8.88	10.09	3	Horizontal	269	2.35	-	49.23	32.37	7.07	29.35



802.11ac VHT20\_Nss4,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57006G	44.87	54.00	-9.13	19.08	3	Vertical	95	2.22	-	25.79	39.93	9.51	30.36
PK	11.5722G	56.83	74.00	-17.17	19.08	3	Vertical	95	2.22	-	37.75	39.93	9.51	30.36

802.11ac VHT20\_Nss4,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5693G	44.87	54.00	-9.13	19.08	3	Horizontal	152	1.81	-	25.79	39.93	9.51	30.36
PK	11.56803G	56.91	74.00	-17.09	19.08	3	Horizontal	152	1.81	-	37.83	39.93	9.51	30.36





802.11ac VHT20\_Nss4,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	113.47	Inf	-Inf	9.75	3	Vertical	68	2.85	-	103.72	32.05	7.01	29.31
PK	5.6102G	58.16	68.20	-10.04	9.53	3	Vertical	68	2.85	-	48.63	31.86	6.91	29.24
PK	5.8214G	122.93	Inf	-Inf	9.74	3	Vertical	68	2.85	-	113.19	32.04	7.01	29.31
PK	5.9366G	67.20	68.20	-1.00	10.07	3	Vertical	68	2.85	-	57.13	32.35	7.07	29.35

802.11ac VHT20\_Nss4,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	112.66	Inf	-Inf	9.75	3	Horizontal	60	2.77	-	102.91	32.05	7.01	29.31
PK	5.6318G	58.35	68.20	-9.85	9.45	3	Horizontal	60	2.77	-	48.90	31.77	6.92	29.24
PK	5.8262G	123.51	Inf	-Inf	9.75	3	Horizontal	60	2.77	-	113.76	32.05	7.01	29.31
PK	5.9318G	66.23	68.20	-1.97	10.05	3	Horizontal	60	2.77	-	56.18	32.33	7.07	29.35

802.11ac VHT20\_Nss4,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6495G	45.07	54.00	-8.93	18.81	3	Vertical	59	1.41	-	26.26	39.60	9.54	30.33
PK	11.65011G	56.89	74.00	-17.11	18.81	3	Vertical	59	1.41	-	38.08	39.60	9.54	30.33

802.11ac VHT20\_Nss4,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64796G	44.83	54.00	-9.17	18.82	3	Horizontal	334	1.58	-	26.01	39.61	9.54	30.33
PK	11.64758G	57.21	74.00	-16.79	18.82	3	Horizontal	334	1.58	-	38.39	39.61	9.54	30.33

**802.11ac VHT40\_Nss4,(MCS0)\_4TX**


**5190MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.18	54.00	-4.82	9.60	3	Vertical	26	2.21	-	39.58	32.00	6.78	29.18
AV	5.182G	98.43	Inf	-Inf	9.48	3	Vertical	26	2.21	-	88.95	31.87	6.79	29.18
PK	5.1436G	61.90	74.00	-12.10	9.58	3	Vertical	26	2.21	-	52.32	31.99	6.77	29.18
PK	5.1836G	108.22	Inf	-Inf	9.48	3	Vertical	26	2.21	-	98.74	31.87	6.79	29.18

**802.11ac VHT40\_Nss4,(MCS0)\_4TX**

**5190MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.15	54.00	-0.85	9.60	3	Horizontal	270	2.08	-	43.55	32.00	6.78	29.18
AV	5.1932G	103.98	Inf	-Inf	9.45	3	Horizontal	270	2.08	-	94.53	31.83	6.80	29.18
PK	5.1404G	65.73	74.00	-8.27	9.57	3	Horizontal	270	2.08	-	56.16	31.98	6.77	29.18
PK	5.1956G	113.01	Inf	-Inf	9.44	3	Horizontal	270	2.08	-	103.57	31.82	6.80	29.18



802.11ac VHT40\_Nss4,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37844G	53.92	68.20	-14.28	18.13	3	Vertical	335	1.26	-	35.79	39.51	8.97	30.35

802.11ac VHT40\_Nss4,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38199G	54.16	68.20	-14.04	18.15	3	Horizontal	85	2.10	-	36.01	39.53	8.97	30.35

802.11ac VHT40\_Nss4,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.44	54.00	-4.56	9.59	3	Vertical	36	2.34	-	39.85	32.00	6.77	29.18
AV	5.222G	104.12	Inf	-Inf	9.24	3	Vertical	36	2.34	-	94.88	31.62	6.80	29.18
PK	5.148G	65.13	74.00	-8.87	9.59	3	Vertical	36	2.34	-	55.54	32.00	6.77	29.18
PK	5.2264G	113.92	Inf	-Inf	9.21	3	Vertical	36	2.34	-	104.71	31.59	6.80	29.18

802.11ac VHT40\_Nss4,(MCS0)\_4TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.55	54.00	-0.45	9.60	3	Horizontal	271	2.55	-	43.95	32.00	6.78	29.18
AV	5.2336G	110.34	Inf	-Inf	9.15	3	Horizontal	271	2.55	-	101.19	31.53	6.80	29.18
PK	5.1496G	66.06	74.00	-7.94	9.59	3	Horizontal	271	2.55	-	56.47	32.00	6.77	29.18
PK	5.2344G	119.37	Inf	-Inf	9.14	3	Horizontal	271	2.55	-	110.23	31.52	6.80	29.18



802.11ac VHT40\_Nss4,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45823G	55.81	68.20	-12.39	18.29	3	Vertical	348	2.30	-	37.52	39.66	9.01	30.38

802.11ac VHT40\_Nss4,(MCS0)\_4TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45965G	54.87	68.20	-13.33	18.29	3	Horizontal	252	2.27	-	36.58	39.66	9.01	30.38



802.11ac VHT40\_Nss4,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7622G	106.04	Inf	-Inf	9.69	3	Vertical	45	2.81	-	96.35	32.00	6.98	29.29
PK	5.6374G	62.69	68.20	-5.51	9.42	3	Vertical	45	2.81	-	53.27	31.75	6.92	29.25
PK	5.761G	114.45	Inf	-Inf	9.69	3	Vertical	45	2.81	-	104.76	32.00	6.98	29.29
PK	5.9266G	57.91	68.20	-10.29	10.02	3	Vertical	45	2.81	-	47.89	32.31	7.06	29.35

802.11ac VHT40\_Nss4,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	110.15	Inf	-Inf	9.69	3	Horizontal	268	2.49	-	100.46	32.00	6.98	29.29
PK	5.6434G	68.13	68.20	-0.07	9.40	3	Horizontal	268	2.49	-	58.73	31.73	6.92	29.25
PK	5.7622G	119.44	Inf	-Inf	9.69	3	Horizontal	268	2.49	-	109.75	32.00	6.98	29.29
PK	5.9374G	59.06	68.20	-9.14	10.07	3	Horizontal	268	2.49	-	48.99	32.35	7.07	29.35

802.11ac VHT40\_Nss4,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51118G	46.01	54.00	-7.99	19.09	3	Vertical	312	1.35	-	26.92	39.99	9.48	30.38
PK	11.51138G	57.10	74.00	-16.90	19.09	3	Vertical	312	1.35	-	38.01	39.99	9.48	30.38

802.11ac VHT40\_Nss4,(MCS0)\_4TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51227G	45.79	54.00	-8.21	19.09	3	Horizontal	84	1.11	-	26.70	39.99	9.48	30.38
PK	11.51012G	56.96	74.00	-17.04	19.09	3	Horizontal	84	1.11	-	37.87	39.99	9.48	30.38





802.11ac VHT40\_Nss4,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	108.88	Inf	-Inf	9.69	3	Vertical	64	2.77	-	99.19	32.00	6.99	29.30
PK	5.6402G	61.55	68.20	-6.65	9.41	3	Vertical	64	2.77	-	52.14	31.74	6.92	29.25
PK	5.7842G	117.48	Inf	-Inf	9.69	3	Vertical	64	2.77	-	107.79	32.00	6.99	29.30
PK	5.9258G	64.40	68.20	-3.80	10.02	3	Vertical	64	2.77	-	54.38	32.30	7.06	29.34

802.11ac VHT40\_Nss4,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	111.77	Inf	-Inf	9.70	3	Horizontal	270	2.43	-	102.07	32.00	7.00	29.30
PK	5.6018G	67.39	68.20	-0.81	9.56	3	Horizontal	270	2.43	-	57.83	31.89	6.90	29.23
PK	5.801G	121.00	Inf	-Inf	9.70	3	Horizontal	270	2.43	-	111.30	32.00	7.00	29.30
PK	5.9246G	67.32	68.50	-1.18	10.02	3	Horizontal	270	2.43	-	57.30	32.30	7.06	29.34



802.11ac VHT40\_Nss4,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58996G	46.35	54.00	-7.65	19.08	3	Vertical	37	1.46	-	27.27	39.91	9.52	30.35
PK	11.58954G	57.25	74.00	-16.75	19.08	3	Vertical	37	1.46	-	38.17	39.91	9.52	30.35

802.11ac VHT40\_Nss4,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58906G	46.25	54.00	-7.75	19.08	3	Horizontal	16	1.24	-	27.17	39.91	9.52	30.35
PK	11.59043G	57.64	74.00	-16.36	19.08	3	Horizontal	16	1.24	-	38.56	39.91	9.52	30.35



802.11ac VHT80\_Nss4,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	49.48	54.00	-4.52	9.58	3	Vertical	37	2.35	-	39.90	31.99	6.77	29.18
AV	5.207G	94.33	Inf	-Inf	9.36	3	Vertical	37	2.35	-	84.97	31.74	6.80	29.18
AV	5.404G	47.36	54.00	-6.64	9.12	3	Vertical	37	2.35	-	38.24	31.51	6.80	29.19
PK	5.145G	58.53	74.00	-15.47	9.58	3	Vertical	37	2.35	-	48.95	31.99	6.77	29.18
PK	5.226G	102.26	Inf	-Inf	9.21	3	Vertical	37	2.35	-	93.05	31.59	6.80	29.18
PK	5.452G	55.32	74.00	-18.68	9.24	3	Vertical	37	2.35	-	46.08	31.61	6.83	29.20

802.11ac VHT80\_Nss4,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1345G	53.46	54.00	-0.54	9.56	3	Horizontal	271	2.81	-	43.90	31.97	6.77	29.18
AV	5.2335G	100.08	Inf	-Inf	9.15	3	Horizontal	271	2.81	-	90.93	31.53	6.80	29.18
AV	5.423G	48.70	54.00	-5.30	9.16	3	Horizontal	271	2.81	-	39.54	31.55	6.81	29.20
PK	5.134G	63.43	74.00	-10.57	9.56	3	Horizontal	271	2.81	-	53.87	31.97	6.77	29.18
PK	5.236G	107.82	Inf	-Inf	9.13	3	Horizontal	271	2.81	-	98.69	31.51	6.80	29.18
PK	5.381G	57.17	74.00	-16.83	8.96	3	Horizontal	271	2.81	-	48.21	31.35	6.80	29.19



802.11ac VHT80\_Nss4,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41958G	56.44	68.20	-11.76	18.24	3	Vertical	13	2.31	-	38.20	39.62	8.99	30.37

802.11ac VHT80\_Nss4,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41844G	56.74	68.20	-11.46	18.24	3	Horizontal	99	2.20	-	38.50	39.62	8.99	30.37

802.11ac VHT80\_Nss4,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7774G	101.77	Inf	-Inf	9.70	3	Vertical	59	2.82	-	92.07	32.00	6.99	29.29
PK	5.637G	64.80	68.20	-3.40	9.42	3	Vertical	59	2.82	-	55.38	31.75	6.92	29.25
PK	5.7822G	109.64	Inf	-Inf	9.69	3	Vertical	59	2.82	-	99.95	32.00	6.99	29.30
PK	5.925G	61.19	68.20	-7.01	10.02	3	Vertical	59	2.82	-	51.17	32.30	7.06	29.34

802.11ac VHT80\_Nss4,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7822G	105.26	Inf	-Inf	9.69	3	Horizontal	268	2.57	-	95.57	32.00	6.99	29.30
PK	5.6226G	67.70	68.20	-0.50	9.48	3	Horizontal	268	2.57	-	58.22	31.81	6.91	29.24
PK	5.7822G	112.71	Inf	-Inf	9.69	3	Horizontal	268	2.57	-	103.02	32.00	6.99	29.30
PK	5.925G	63.35	68.20	-4.85	10.02	3	Horizontal	268	2.57	-	53.33	32.30	7.06	29.34

802.11ac VHT80\_Nss4,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55119G	47.41	54.00	-6.59	19.09	3	Vertical	330	1.77	-	28.32	39.95	9.50	30.36
PK	11.55198G	58.17	74.00	-15.83	19.09	3	Vertical	330	1.77	-	39.08	39.95	9.50	30.36

802.11ac VHT80\_Nss4,(MCS0)\_4TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55137G	47.41	54.00	-6.59	19.09	3	Horizontal	206	2.07	-	28.32	39.95	9.50	30.36
PK	11.552G	57.27	74.00	-16.73	19.09	3	Horizontal	206	2.07	-	38.18	39.95	9.50	30.36



802.11ax HEW20\_Nss4,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.50	54.00	-4.50	9.60	3	Vertical	41	2.40	-	39.90	32.00	6.78	29.18
AV	5.1816G	102.53	Inf	-Inf	9.48	3	Vertical	41	2.40	-	93.05	31.87	6.79	29.18
PK	5.1498G	65.82	74.00	-8.18	9.59	3	Vertical	41	2.40	-	56.23	32.00	6.77	29.18
PK	5.1736G	113.99	Inf	-Inf	9.52	3	Vertical	41	2.40	-	104.47	31.91	6.79	29.18

802.11ax HEW20\_Nss4,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.63	54.00	-0.37	9.59	3	Horizontal	268	2.88	-	44.04	32.00	6.77	29.18
AV	5.1838G	107.99	Inf	-Inf	9.47	3	Horizontal	268	2.88	-	98.52	31.86	6.79	29.18
PK	5.1496G	70.26	74.00	-3.74	9.59	3	Horizontal	268	2.88	-	60.67	32.00	6.77	29.18
PK	5.1822G	118.79	Inf	-Inf	9.48	3	Horizontal	268	2.88	-	109.31	31.87	6.79	29.18



802.11ax HEW20\_Nss4,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35886G	55.05	68.20	-13.15	18.05	3	Vertical	41	2.40	-	37.00	39.44	8.96	30.35

802.11ax HEW20\_Nss4,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36414G	56.06	68.20	-12.14	18.07	3	Horizontal	45	2.04	-	37.99	39.46	8.96	30.35



802.11ax HEW20\_Nss4,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	48.72	54.00	-5.28	9.59	3	Vertical	44	2.26	-	39.13	32.00	6.77	29.18
AV	5.2068G	105.74	Inf	-Inf	9.37	3	Vertical	44	2.26	-	96.37	31.75	6.80	29.18
PK	5.1488G	62.23	74.00	-11.77	9.59	3	Vertical	44	2.26	-	52.64	32.00	6.77	29.18
PK	5.1936G	117.11	Inf	-Inf	9.45	3	Vertical	44	2.26	-	107.66	31.83	6.80	29.18

802.11ax HEW20\_Nss4,(MCS0)\_4TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.32	54.00	-0.68	9.59	3	Horizontal	269	2.83	-	43.73	32.00	6.77	29.18
AV	5.204G	111.78	Inf	-Inf	9.39	3	Horizontal	269	2.83	-	102.39	31.77	6.80	29.18
PK	5.1488G	68.30	74.00	-5.70	9.59	3	Horizontal	269	2.83	-	58.71	32.00	6.77	29.18
PK	5.2064G	122.96	Inf	-Inf	9.37	3	Horizontal	269	2.83	-	113.59	31.75	6.80	29.18



802.11ax HEW20\_Nss4,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3995G	55.68	68.20	-12.52	18.22	3	Vertical	116	1.31	-	37.46	39.60	8.98	30.36

802.11ax HEW20\_Nss4,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39832G	56.21	68.20	-11.99	18.21	3	Horizontal	264	1.99	-	38.00	39.59	8.98	30.36

802.11ax HEW20\_Nss4,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	48.00	54.00	-6.00	9.59	3	Vertical	47	2.27	-	38.41	32.00	6.77	29.18
AV	5.2436G	109.18	Inf	-Inf	9.07	3	Vertical	47	2.27	-	100.11	31.45	6.80	29.18
AV	5.3516G	46.34	54.00	-7.66	8.72	3	Vertical	47	2.27	-	37.62	31.11	6.80	29.19
PK	5.1404G	60.73	74.00	-13.27	9.57	3	Vertical	47	2.27	-	51.16	31.98	6.77	29.18
PK	5.2436G	120.40	Inf	-Inf	9.07	3	Vertical	47	2.27	-	111.33	31.45	6.80	29.18
PK	5.35G	58.15	74.00	-15.85	8.71	3	Vertical	47	2.27	-	49.44	31.10	6.80	29.19

802.11ax HEW20\_Nss4,(MCS0)\_4TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.50	54.00	-2.50	9.60	3	Horizontal	268	2.52	-	41.90	32.00	6.78	29.18
AV	5.2436G	115.03	Inf	-Inf	9.07	3	Horizontal	268	2.52	-	105.96	31.45	6.80	29.18
AV	5.3534G	49.40	54.00	-4.60	8.74	3	Horizontal	268	2.52	-	40.66	31.13	6.80	29.19
PK	5.1452G	64.52	74.00	-9.48	9.58	3	Horizontal	268	2.52	-	54.94	31.99	6.77	29.18
PK	5.2466G	126.46	Inf	-Inf	9.05	3	Horizontal	268	2.52	-	117.41	31.43	6.80	29.18
PK	5.354G	61.77	74.00	-12.23	8.74	3	Horizontal	268	2.52	-	53.03	31.13	6.80	29.19



802.11ax HEW20\_Nss4,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48398G	56.18	68.20	-12.02	18.31	3	Vertical	147	1.59	-	37.87	39.68	9.02	30.39

802.11ax HEW20\_Nss4,(MCS0)\_4TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48204G	55.87	68.20	-12.33	18.32	3	Horizontal	25	1.70	-	37.55	39.68	9.02	30.38



802.11ax HEW20\_Nss4,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	109.53	Inf	-Inf	9.68	3	Vertical	63	2.87	-	99.85	31.99	6.97	29.28
PK	5.6502G	60.38	68.35	-7.97	9.38	3	Vertical	63	2.87	-	51.00	31.70	6.93	29.25
PK	5.7486G	120.58	Inf	-Inf	9.69	3	Vertical	63	2.87	-	110.89	32.00	6.97	29.28
PK	5.937G	57.69	68.20	-10.51	10.07	3	Vertical	63	2.87	-	47.62	32.35	7.07	29.35

802.11ax HEW20\_Nss4,(MCS0)\_4TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	112.08	Inf	-Inf	9.68	3	Horizontal	268	2.44	-	102.40	31.99	6.97	29.28
PK	5.637G	60.62	68.20	-7.58	9.42	3	Horizontal	268	2.44	-	51.20	31.75	6.92	29.25
PK	5.751G	124.40	Inf	-Inf	9.69	3	Horizontal	268	2.44	-	114.71	32.00	6.98	29.29
PK	5.9322G	57.76	68.20	-10.44	10.05	3	Horizontal	268	2.44	-	47.71	32.33	7.07	29.35



802.11ax HEW20\_Nss4,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.46472G	43.76	54.00	-10.24	19.04	3	Vertical	80	2.42	-	24.72	39.96	9.46	30.38
PK	11.5116G	55.98	74.00	-18.02	19.09	3	Vertical	80	2.42	-	36.89	39.99	9.48	30.38

802.11ax HEW20\_Nss4,(MCS0)\_4TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48808G	44.26	54.00	-9.74	19.08	3	Horizontal	359	1.65	-	25.18	39.99	9.47	30.38
PK	11.4844G	57.13	74.00	-16.87	19.07	3	Horizontal	359	1.65	-	38.06	39.98	9.47	30.38



802.11ax HEW20\_Nss4,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	111.15	Inf	-Inf	9.69	3	Vertical	63	3.00	-	101.46	32.00	6.99	29.30
PK	5.6446G	59.46	68.20	-8.74	9.39	3	Vertical	63	3.00	-	50.07	31.72	6.92	29.25
PK	5.7898G	122.75	Inf	-Inf	9.69	3	Vertical	63	3.00	-	113.06	32.00	6.99	29.30
PK	5.941G	58.97	68.20	-9.23	10.08	3	Vertical	63	3.00	-	48.89	32.36	7.07	29.35

802.11ax HEW20\_Nss4,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	113.12	Inf	-Inf	9.69	3	Horizontal	269	2.35	-	103.43	32.00	6.99	29.30
PK	5.5846G	68.08	68.20	-0.12	9.53	3	Horizontal	269	2.35	-	58.55	31.87	6.89	29.23
PK	5.791G	125.64	Inf	-Inf	9.70	3	Horizontal	269	2.35	-	115.94	32.00	7.00	29.30
PK	5.9254G	61.64	68.20	-6.56	10.02	3	Horizontal	269	2.35	-	51.62	32.30	7.06	29.34



802.11ax HEW20\_Nss4,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60552G	44.31	54.00	-9.69	19.05	3	Vertical	349	1.72	-	25.26	39.87	9.52	30.34
PK	11.57944G	56.83	74.00	-17.17	19.08	3	Vertical	349	1.72	-	37.75	39.92	9.51	30.35

802.11ax HEW20\_Nss4,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57G	45.74	54.00	-8.26	19.08	3	Horizontal	319	1.42	-	26.66	39.93	9.51	30.36
PK	11.57928G	57.68	74.00	-16.32	19.08	3	Horizontal	319	1.42	-	38.60	39.92	9.51	30.35





802.11ax HEW20\_Nss4,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	109.87	Inf	-Inf	9.74	3	Vertical	63	2.94	-	100.13	32.04	7.01	29.31
PK	5.6318G	57.91	68.20	-10.29	9.45	3	Vertical	63	2.94	-	48.46	31.77	6.92	29.24
PK	5.8298G	120.90	Inf	-Inf	9.76	3	Vertical	63	2.94	-	111.14	32.06	7.01	29.31
PK	5.9258G	62.56	68.20	-5.64	10.02	3	Vertical	63	2.94	-	52.54	32.30	7.06	29.34

802.11ax HEW20\_Nss4,(MCS0)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	111.46	Inf	-Inf	9.74	3	Horizontal	269	2.46	-	101.72	32.04	7.01	29.31
PK	5.6378G	58.57	68.20	-9.63	9.42	3	Horizontal	269	2.46	-	49.15	31.75	6.92	29.25
PK	5.831G	123.34	Inf	-Inf	9.77	3	Horizontal	269	2.46	-	113.57	32.06	7.02	29.31
PK	5.927G	63.51	68.20	-4.69	10.02	3	Horizontal	269	2.46	-	53.49	32.31	7.06	29.35



802.11ax HEW20\_Nss4,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64972G	45.31	54.00	-8.69	18.81	3	Vertical	304	1.56	-	26.50	39.60	9.54	30.33
PK	11.65312G	57.13	74.00	-16.87	18.79	3	Vertical	304	1.56	-	38.34	39.58	9.54	30.33

802.11ax HEW20\_Nss4,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	45.53	54.00	-8.47	18.81	3	Horizontal	322	1.50	-	26.72	39.60	9.54	30.33
PK	11.65748G	57.72	74.00	-16.28	18.78	3	Horizontal	322	1.50	-	38.94	39.56	9.55	30.33

802.11ax HEW40\_Nss4,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	48.45	54.00	-5.55	9.59	3	Vertical	17	2.44	-	38.86	32.00	6.77	29.18
AV	5.1868G	96.04	Inf	-Inf	9.46	3	Vertical	17	2.44	-	86.58	31.85	6.79	29.18
PK	5.1492G	58.38	74.00	-15.62	9.59	3	Vertical	17	2.44	-	48.79	32.00	6.77	29.18
PK	5.1864G	106.97	Inf	-Inf	9.46	3	Vertical	17	2.44	-	97.51	31.85	6.79	29.18

802.11ax HEW40\_Nss4,(MCS0)\_4TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.13	54.00	-0.87	9.60	3	Horizontal	270	2.91	-	43.53	32.00	6.78	29.18
AV	5.1836G	102.24	Inf	-Inf	9.48	3	Horizontal	270	2.91	-	92.76	31.87	6.79	29.18
PK	5.1496G	63.61	74.00	-10.39	9.59	3	Horizontal	270	2.91	-	54.02	32.00	6.77	29.18
PK	5.1848G	112.92	Inf	-Inf	9.47	3	Horizontal	270	2.91	-	103.45	31.86	6.79	29.18



802.11ax HEW40\_Nss4,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.372G	55.29	68.20	-12.91	18.11	3	Vertical	34	1.50	-	37.18	39.49	8.97	30.35

802.11ax HEW40\_Nss4,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3866G	56.52	68.20	-11.68	18.16	3	Horizontal	9	1.74	-	38.36	39.55	8.97	30.36

802.11ax HEW40\_Nss4,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.60	54.00	-6.40	9.59	3	Vertical	187	1.47	-	38.01	32.00	6.77	29.18
AV	5.2356G	99.45	Inf	-Inf	9.14	3	Vertical	187	1.47	-	90.31	31.52	6.80	29.18
PK	5.1484G	60.02	74.00	-13.98	9.59	3	Vertical	187	1.47	-	50.43	32.00	6.77	29.18
PK	5.2456G	109.57	Inf	-Inf	9.06	3	Vertical	187	1.47	-	100.51	31.44	6.80	29.18

802.11ax HEW40\_Nss4,(MCS0)\_4TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.92	54.00	-1.08	9.60	3	Horizontal	267	2.83	-	43.32	32.00	6.78	29.18
AV	5.2388G	107.28	Inf	-Inf	9.11	3	Horizontal	267	2.83	-	98.17	31.49	6.80	29.18
PK	5.148G	65.34	74.00	-8.66	9.59	3	Horizontal	267	2.83	-	55.75	32.00	6.77	29.18
PK	5.2268G	117.11	Inf	-Inf	9.21	3	Horizontal	267	2.83	-	107.90	31.59	6.80	29.18



802.11ax HEW40\_Nss4,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4836G	55.26	68.20	-12.94	18.31	3	Vertical	21	1.58	-	36.95	39.68	9.02	30.39

802.11ax HEW40\_Nss4,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4353G	55.67	68.20	-12.53	18.27	3	Horizontal	224	2.25	-	37.40	39.64	9.00	30.37

802.11ax HEW40\_Nss4,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	105.31	Inf	-Inf	9.69	3	Vertical	68	2.89	-	95.62	32.00	6.98	29.29
PK	5.6518G	67.34	69.53	-2.19	9.39	3	Vertical	68	2.89	-	57.95	31.71	6.93	29.25
PK	5.7622G	115.72	Inf	-Inf	9.69	3	Vertical	68	2.89	-	106.03	32.00	6.98	29.29
PK	5.929G	57.71	68.20	-10.49	10.03	3	Vertical	68	2.89	-	47.68	32.32	7.06	29.35

802.11ax HEW40\_Nss4,(MCS0)\_4TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7622G	108.40	Inf	-Inf	9.69	3	Horizontal	265	2.35	-	98.71	32.00	6.98	29.29
PK	5.6446G	67.38	68.20	-0.82	9.39	3	Horizontal	265	2.35	-	57.99	31.72	6.92	29.25
PK	5.7622G	117.93	Inf	-Inf	9.69	3	Horizontal	265	2.35	-	108.24	32.00	6.98	29.29
PK	6.0538G	57.77	68.20	-10.43	10.32	3	Horizontal	265	2.35	-	47.45	32.59	7.13	29.40



802.11ax HEW40\_Nss4,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50716G	44.36	54.00	-9.64	19.09	3	Vertical	158	1.82	-	25.27	39.99	9.48	30.38
PK	11.501G	56.24	74.00	-17.76	19.10	3	Vertical	158	1.82	-	37.14	40.00	9.48	30.38

802.11ax HEW40\_Nss4,(MCS0)\_4TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51284G	44.77	54.00	-9.23	19.09	3	Horizontal	315	1.29	-	25.68	39.99	9.48	30.38
PK	11.51428G	55.97	74.00	-18.03	19.09	3	Horizontal	315	1.29	-	36.88	39.99	9.48	30.38





802.11ax HEW40\_Nss4,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	106.09	Inf	-Inf	9.69	3	Vertical	64	3.00	-	96.40	32.00	6.99	29.30
PK	5.6414G	60.25	68.20	-7.95	9.40	3	Vertical	64	3.00	-	50.85	31.73	6.92	29.25
PK	5.795G	116.21	Inf	-Inf	9.70	3	Vertical	64	3.00	-	106.51	32.00	7.00	29.30
PK	5.9354G	64.90	68.20	-3.30	10.06	3	Vertical	64	3.00	-	54.84	32.34	7.07	29.35

802.11ax HEW40\_Nss4,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8022G	108.86	Inf	-Inf	9.70	3	Horizontal	264	2.44	-	99.16	32.00	7.00	29.30
PK	5.615G	67.92	68.20	-0.28	9.51	3	Horizontal	264	2.44	-	58.41	31.84	6.91	29.24
PK	5.8034G	118.84	Inf	-Inf	9.71	3	Horizontal	264	2.44	-	109.13	32.01	7.00	29.30
PK	5.9546G	65.84	68.20	-2.36	10.12	3	Horizontal	264	2.44	-	55.72	32.39	7.08	29.35



802.11ax HEW40\_Nss4,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58992G	45.56	54.00	-8.44	19.08	3	Vertical	120	1.39	-	26.48	39.91	9.52	30.35
PK	11.58436G	56.69	74.00	-17.31	19.08	3	Vertical	120	1.39	-	37.61	39.92	9.51	30.35

802.11ax HEW40\_Nss4,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.586G	45.34	54.00	-8.66	19.07	3	Horizontal	330	1.92	-	26.27	39.91	9.51	30.35
PK	11.59472G	56.71	74.00	-17.29	19.08	3	Horizontal	330	1.92	-	37.63	39.91	9.52	30.35



802.11ax HEW80\_Nss4,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	47.95	54.00	-6.05	9.58	3	Vertical	185	1.53	-	38.37	31.99	6.77	29.18
AV	5.212G	90.12	Inf	-Inf	9.32	3	Vertical	185	1.53	-	80.80	31.70	6.80	29.18
AV	5.424G	46.26	54.00	-7.74	9.16	3	Vertical	185	1.53	-	37.10	31.55	6.81	29.20
PK	5.118G	57.97	74.00	-16.03	9.52	3	Vertical	185	1.53	-	48.45	31.94	6.76	29.18
PK	5.234G	97.49	Inf	-Inf	9.15	3	Vertical	185	1.53	-	88.34	31.53	6.80	29.18
PK	5.418G	55.05	74.00	-18.95	9.15	3	Vertical	185	1.53	-	45.90	31.54	6.81	29.20

802.11ax HEW80\_Nss4,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.116G	53.48	54.00	-0.52	9.51	3	Horizontal	270	2.63	-	43.97	31.93	6.76	29.18
AV	5.216G	100.28	Inf	-Inf	9.29	3	Horizontal	270	2.63	-	90.99	31.67	6.80	29.18
AV	5.375G	47.32	54.00	-6.68	8.91	3	Horizontal	270	2.63	-	38.41	31.30	6.80	29.19
PK	5.117G	66.18	74.00	-7.82	9.51	3	Horizontal	270	2.63	-	56.67	31.93	6.76	29.18
PK	5.216G	106.94	Inf	-Inf	9.29	3	Horizontal	270	2.63	-	97.65	31.67	6.80	29.18
PK	5.407G	55.67	74.00	-18.33	9.12	3	Horizontal	270	2.63	-	46.55	31.51	6.80	29.19



802.11ax HEW80\_Nss4,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41964G	55.33	68.20	-12.87	18.24	3	Vertical	271	1.12	-	37.09	39.62	8.99	30.37

802.11ax HEW80\_Nss4,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41152G	55.03	68.20	-13.17	18.24	3	Horizontal	234	1.20	-	36.79	39.61	8.99	30.36



802.11ax HEW80\_Nss4,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	99.04	Inf	-Inf	9.69	3	Vertical	59	2.97	-	89.35	32.00	6.98	29.29
PK	5.619G	63.16	68.20	-5.04	9.49	3	Vertical	59	2.97	-	53.67	31.82	6.91	29.24
PK	5.8014G	106.08	Inf	-Inf	9.70	3	Vertical	59	2.97	-	96.38	32.00	7.00	29.30
PK	6.0366G	56.80	68.20	-11.40	10.25	3	Vertical	59	2.97	-	46.55	32.52	7.12	29.39

802.11ax HEW80\_Nss4,(MCS0)\_4TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7618G	102.55	Inf	-Inf	9.69	3	Horizontal	266	2.35	-	92.86	32.00	6.98	29.29
PK	5.6226G	67.89	68.20	-0.31	9.48	3	Horizontal	266	2.35	-	58.41	31.81	6.91	29.24
PK	5.7618G	110.42	Inf	-Inf	9.69	3	Horizontal	266	2.35	-	100.73	32.00	6.98	29.29
PK	5.9634G	59.27	68.20	-8.93	10.09	3	Horizontal	266	2.35	-	49.18	32.37	7.08	29.36



802.11ax HEW80\_Nss4,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55864G	46.61	54.00	-7.39	19.08	3	Vertical	152	1.11	-	27.53	39.94	9.50	30.36
PK	11.55388G	56.01	74.00	-17.99	19.09	3	Vertical	152	1.11	-	36.92	39.95	9.50	30.36

802.11ax HEW80\_Nss4,(MCS0)\_4TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5584G	46.00	54.00	-8.00	19.08	3	Horizontal	14	1.68	-	26.92	39.94	9.50	30.36
PK	11.55928G	55.71	74.00	-18.29	19.08	3	Horizontal	14	1.68	-	36.63	39.94	9.50	30.36



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1468G	53.72	54.00	-0.28	3	Vertical	43	2.67	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.55	54.00	-0.45	3	Horizontal	269	2.70	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.145G	52.02	54.00	-1.98	3	Horizontal	267	1.69	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1492G	53.59	54.00	-0.41	3	Horizontal	273	2.66	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1472G	53.89	54.00	-0.11	3	Horizontal	270	2.83	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.141G	53.11	54.00	-0.89	3	Horizontal	271	2.76	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.35248G	67.96	68.20	-0.24	3	Horizontal	193	1.38	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	Pass	PK	17.2698G	66.05	68.20	-2.15	3	Horizontal	193	1.38	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6454G	67.80	68.20	-0.40	3	Horizontal	281	2.15	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.47068G	67.10	68.20	-1.10	3	Horizontal	200	1.36	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6494G	66.52	68.20	-1.68	3	Horizontal	264	2.13	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.643G	68.00	68.20	-0.20	3	Horizontal	263	2.47	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	49.71	54.00	-4.29	3	Vertical	0	2.44	-
5180MHz	Pass	AV	5.1754G	106.79	Inf	-Inf	3	Vertical	0	2.44	-
5180MHz	Pass	PK	5.15G	63.41	74.00	-10.59	3	Vertical	0	2.44	-
5180MHz	Pass	PK	5.1724G	113.45	Inf	-Inf	3	Vertical	0	2.44	-
5180MHz	Pass	AV	5.15G	53.16	54.00	-0.84	3	Horizontal	269	2.65	-
5180MHz	Pass	AV	5.1838G	111.64	Inf	-Inf	3	Horizontal	269	2.65	-
5180MHz	Pass	PK	5.1498G	66.60	74.00	-7.40	3	Horizontal	269	2.65	-
5180MHz	Pass	PK	5.1838G	118.10	Inf	-Inf	3	Horizontal	269	2.65	-
5180MHz	Pass	AV	15.52G	45.15	54.00	-8.85	3	Vertical	312	2.42	-
5180MHz	Pass	PK	10.3728G	55.91	68.20	-12.29	3	Vertical	177	1.12	-
5180MHz	Pass	PK	15.53696G	57.51	74.00	-16.49	3	Vertical	312	2.42	-
5180MHz	Pass	AV	15.53728G	45.17	54.00	-8.83	3	Horizontal	323	1.42	-
5180MHz	Pass	PK	10.37512G	55.81	68.20	-12.39	3	Horizontal	15	2.21	-
5180MHz	Pass	PK	15.54128G	57.87	74.00	-16.13	3	Horizontal	323	1.42	-
5200MHz	Pass	AV	5.1468G	53.72	54.00	-0.28	3	Vertical	43	2.67	-
5200MHz	Pass	AV	5.2064G	114.15	Inf	-Inf	3	Vertical	43	2.67	-
5200MHz	Pass	PK	5.1468G	68.43	74.00	-5.57	3	Vertical	43	2.67	-
5200MHz	Pass	PK	5.2064G	120.82	Inf	-Inf	3	Vertical	43	2.67	-
5200MHz	Pass	AV	5.1492G	53.64	54.00	-0.36	3	Horizontal	40	1.44	-
5200MHz	Pass	AV	5.2076G	114.35	Inf	-Inf	3	Horizontal	40	1.44	-
5200MHz	Pass	PK	5.148G	65.05	74.00	-8.95	3	Horizontal	40	1.44	-
5200MHz	Pass	PK	5.2084G	121.30	Inf	-Inf	3	Horizontal	40	1.44	-
5200MHz	Pass	AV	15.6048G	46.36	54.00	-7.64	3	Vertical	219	1.73	-
5200MHz	Pass	PK	10.41952G	56.78	68.20	-11.42	3	Vertical	244	1.63	-
5200MHz	Pass	PK	15.59424G	59.98	74.00	-14.02	3	Vertical	219	1.73	-
5200MHz	Pass	AV	15.59808G	46.30	54.00	-7.70	3	Horizontal	319	1.50	-
5200MHz	Pass	PK	10.38896G	56.88	68.20	-11.32	3	Horizontal	268	2.46	-
5200MHz	Pass	PK	15.59376G	59.41	74.00	-14.59	3	Horizontal	319	1.50	-
5240MHz	Pass	AV	5.15G	50.98	54.00	-3.02	3	Vertical	40	2.52	-
5240MHz	Pass	AV	5.2316G	114.18	Inf	-Inf	3	Vertical	40	2.52	-
5240MHz	Pass	AV	5.3534G	47.86	54.00	-6.14	3	Vertical	40	2.52	-
5240MHz	Pass	PK	5.15G	62.86	74.00	-11.14	3	Vertical	40	2.52	-
5240MHz	Pass	PK	5.2334G	120.91	Inf	-Inf	3	Vertical	40	2.52	-
5240MHz	Pass	PK	5.3534G	59.18	74.00	-14.82	3	Vertical	40	2.52	-
5240MHz	Pass	AV	5.15G	50.14	54.00	-3.86	3	Horizontal	268	2.95	-
5240MHz	Pass	AV	5.2454G	119.88	Inf	-Inf	3	Horizontal	268	2.95	-
5240MHz	Pass	AV	5.3522G	47.76	54.00	-6.24	3	Horizontal	268	2.95	-
5240MHz	Pass	PK	5.147G	62.55	74.00	-11.45	3	Horizontal	268	2.95	-
5240MHz	Pass	PK	5.2484G	126.80	Inf	-Inf	3	Horizontal	268	2.95	-
5240MHz	Pass	PK	5.351G	59.49	74.00	-14.51	3	Horizontal	268	2.95	-
5240MHz	Pass	AV	15.72104G	49.25	54.00	-4.75	3	Vertical	222	1.60	-
5240MHz	Pass	PK	10.49648G	56.56	68.20	-11.64	3	Vertical	314	1.39	-
5240MHz	Pass	PK	15.71888G	61.92	74.00	-12.08	3	Vertical	222	1.60	-
5240MHz	Pass	AV	15.72424G	50.24	54.00	-3.76	3	Horizontal	240	1.50	-
5240MHz	Pass	PK	10.47888G	57.28	68.20	-10.92	3	Horizontal	252	1.54	-
5240MHz	Pass	PK	15.72528G	62.83	74.00	-11.17	3	Horizontal	240	1.50	-
5745MHz	Pass	AV	5.751G	113.79	Inf	-Inf	3	Vertical	58	1.62	-
5745MHz	Pass	PK	5.6178G	59.55	68.20	-8.65	3	Vertical	58	1.62	-
5745MHz	Pass	PK	5.751G	121.09	Inf	-Inf	3	Vertical	58	1.62	-
5745MHz	Pass	PK	5.9862G	58.13	68.20	-10.07	3	Vertical	58	1.62	-
5745MHz	Pass	AV	5.751G	118.16	Inf	-Inf	3	Horizontal	258	2.31	-
5745MHz	Pass	PK	5.6502G	61.22	68.35	-7.13	3	Horizontal	258	2.31	-
5745MHz	Pass	PK	5.751G	125.27	Inf	-Inf	3	Horizontal	258	2.31	-
5745MHz	Pass	PK	5.9514G	58.89	68.20	-9.31	3	Horizontal	258	2.31	-
5745MHz	Pass	AV	11.49016G	44.34	54.00	-9.66	3	Vertical	54	2.09	-
5745MHz	Pass	PK	11.49072G	56.61	74.00	-17.39	3	Vertical	54	2.09	-
5745MHz	Pass	PK	17.22852G	62.09	68.20	-6.11	3	Vertical	272	1.50	-
5745MHz	Pass	AV	11.48444G	44.30	54.00	-9.70	3	Horizontal	246	2.41	-
5745MHz	Pass	PK	11.48836G	56.40	74.00	-17.60	3	Horizontal	246	2.41	-
5745MHz	Pass	PK	17.23976G	66.57	68.20	-1.63	3	Horizontal	196	1.50	-





RSE TX above 1GHz\_Beamforming

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.7922G	110.59	Inf	-Inf	3	Vertical	53	1.20	-
5785MHz	Pass	PK	5.6446G	58.13	68.20	-10.07	3	Vertical	53	1.20	-
5785MHz	Pass	PK	5.7922G	116.79	Inf	-Inf	3	Vertical	53	1.20	-
5785MHz	Pass	PK	5.9362G	58.55	68.20	-9.65	3	Vertical	53	1.20	-
5785MHz	Pass	AV	5.7886G	117.93	Inf	-Inf	3	Horizontal	263	2.10	-
5785MHz	Pass	PK	5.593G	59.55	68.20	-8.65	3	Horizontal	263	2.10	-
5785MHz	Pass	PK	5.7874G	124.75	Inf	-Inf	3	Horizontal	263	2.10	-
5785MHz	Pass	PK	6.0586G	59.44	68.20	-8.76	3	Horizontal	263	2.10	-
5785MHz	Pass	AV	11.5676G	44.25	54.00	-9.75	3	Vertical	81	2.06	-
5785MHz	Pass	PK	11.57088G	56.90	74.00	-17.10	3	Vertical	81	2.06	-
5785MHz	Pass	PK	17.35056G	62.40	68.20	-5.80	3	Vertical	284	3.00	-
5785MHz	Pass	AV	11.57388G	44.09	54.00	-9.91	3	Horizontal	21	2.47	-
5785MHz	Pass	PK	11.57876G	56.35	74.00	-17.65	3	Horizontal	21	2.47	-
5785MHz	Pass	PK	17.35248G	67.96	68.20	-0.24	3	Horizontal	193	1.38	-
5825MHz	Pass	AV	5.8178G	113.84	Inf	-Inf	3	Vertical	49	1.81	-
5825MHz	Pass	PK	5.5622G	58.38	68.20	-9.82	3	Vertical	49	1.81	-
5825MHz	Pass	PK	5.8178G	121.77	Inf	-Inf	3	Vertical	49	1.81	-
5825MHz	Pass	PK	5.9522G	58.56	68.20	-9.64	3	Vertical	49	1.81	-
5825MHz	Pass	AV	5.8178G	118.93	Inf	-Inf	3	Horizontal	267	2.11	-
5825MHz	Pass	PK	5.609G	59.79	68.20	-8.41	3	Horizontal	267	2.11	-
5825MHz	Pass	PK	5.8178G	125.72	Inf	-Inf	3	Horizontal	267	2.11	-
5825MHz	Pass	PK	5.9318G	60.82	68.20	-7.38	3	Horizontal	267	2.11	-
5825MHz	Pass	AV	11.65832G	44.23	54.00	-9.77	3	Vertical	122	2.49	-
5825MHz	Pass	PK	11.65192G	56.37	74.00	-17.63	3	Vertical	122	2.49	-
5825MHz	Pass	PK	17.47572G	63.94	68.20	-4.26	3	Vertical	238	1.82	-
5825MHz	Pass	AV	11.64488G	44.31	54.00	-9.69	3	Horizontal	24	1.29	-
5825MHz	Pass	PK	11.65768G	56.61	74.00	-17.39	3	Horizontal	24	1.29	-
5825MHz	Pass	PK	17.47992G	66.91	68.20	-1.29	3	Horizontal	196	1.50	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1488G	52.37	54.00	-1.63	3	Vertical	42	2.64	-
5190MHz	Pass	AV	5.2068G	102.53	Inf	-Inf	3	Vertical	42	2.64	-
5190MHz	Pass	PK	5.144G	62.46	74.00	-11.54	3	Vertical	42	2.64	-
5190MHz	Pass	PK	5.2076G	109.40	Inf	-Inf	3	Vertical	42	2.64	-
5190MHz	Pass	AV	5.15G	53.55	54.00	-0.45	3	Horizontal	269	2.70	-
5190MHz	Pass	AV	5.1856G	107.34	Inf	-Inf	3	Horizontal	269	2.70	-
5190MHz	Pass	PK	5.1492G	65.81	74.00	-8.19	3	Horizontal	269	2.70	-
5190MHz	Pass	PK	5.186G	113.75	Inf	-Inf	3	Horizontal	269	2.70	-
5190MHz	Pass	AV	15.55G	45.00	54.00	-9.00	3	Vertical	100	2.03	-
5190MHz	Pass	PK	10.38672G	56.08	68.20	-12.12	3	Vertical	347	1.85	-
5190MHz	Pass	PK	15.56024G	57.34	74.00	-16.66	3	Vertical	100	2.03	-
5190MHz	Pass	AV	15.56392G	45.04	54.00	-8.96	3	Horizontal	100	2.16	-
5190MHz	Pass	PK	10.36232G	55.81	68.20	-12.39	3	Horizontal	1	1.82	-
5190MHz	Pass	PK	15.56184G	57.25	74.00	-16.75	3	Horizontal	100	2.16	-
5230MHz	Pass	AV	5.1468G	49.68	54.00	-4.32	3	Vertical	0	1.50	-
5230MHz	Pass	AV	5.2444G	103.85	Inf	-Inf	3	Vertical	0	1.50	-
5230MHz	Pass	PK	5.1468G	61.34	74.00	-12.66	3	Vertical	0	1.50	-
5230MHz	Pass	PK	5.2412G	110.38	Inf	-Inf	3	Vertical	0	1.50	-
5230MHz	Pass	AV	5.1496G	52.74	54.00	-1.26	3	Horizontal	269	2.94	-
5230MHz	Pass	AV	5.2452G	111.52	Inf	-Inf	3	Horizontal	269	2.94	-
5230MHz	Pass	PK	5.1492G	65.07	74.00	-8.93	3	Horizontal	269	2.94	-
5230MHz	Pass	PK	5.242G	118.21	Inf	-Inf	3	Horizontal	269	2.94	-
5230MHz	Pass	AV	15.69104G	44.33	54.00	-9.67	3	Vertical	279	2.31	-
5230MHz	Pass	PK	10.44864G	56.14	68.20	-12.06	3	Vertical	152	2.07	-
5230MHz	Pass	PK	15.6756G	56.32	74.00	-17.68	3	Vertical	279	2.31	-
5230MHz	Pass	AV	15.68024G	44.38	54.00	-9.62	3	Horizontal	247	2.16	-
5230MHz	Pass	PK	10.46104G	56.28	68.20	-11.92	3	Horizontal	101	1.17	-
5230MHz	Pass	PK	15.69056G	57.19	74.00	-16.81	3	Horizontal	247	2.16	-
5755MHz	Pass	AV	5.767G	109.05	Inf	-Inf	3	Vertical	74	2.47	-
5755MHz	Pass	PK	5.6494G	63.32	68.20	-4.88	3	Vertical	74	2.47	-
5755MHz	Pass	PK	5.7658G	116.93	Inf	-Inf	3	Vertical	74	2.47	-
5755MHz	Pass	PK	5.9266G	59.59	68.20	-8.61	3	Vertical	74	2.47	-
5755MHz	Pass	AV	5.7466G	114.65	Inf	-Inf	3	Horizontal	261	2.15	-



RSE TX above 1GHz\_Beamforming

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	5.6494G	64.97	68.20	-3.23	3	Horizontal	261	2.15	-
5755MHz	Pass	PK	5.743G	121.59	Inf	-Inf	3	Horizontal	261	2.15	-
5755MHz	Pass	PK	5.9302G	60.83	68.20	-7.37	3	Horizontal	261	2.15	-
5755MHz	Pass	AV	11.50856G	44.03	54.00	-9.97	3	Vertical	213	2.43	-
5755MHz	Pass	PK	11.52384G	56.57	74.00	-17.43	3	Vertical	213	2.43	-
5755MHz	Pass	PK	17.27092G	61.81	68.20	-6.39	3	Vertical	256	2.89	-
5755MHz	Pass	AV	11.52744G	44.16	54.00	-9.84	3	Horizontal	135	1.35	-
5755MHz	Pass	PK	11.52232G	56.93	74.00	-17.07	3	Horizontal	135	1.35	-
5755MHz	Pass	PK	17.2698G	66.05	68.20	-2.15	3	Horizontal	193	1.38	-
5795MHz	Pass	AV	5.807G	111.77	Inf	-Inf	3	Vertical	54	1.62	-
5795MHz	Pass	PK	5.6474G	59.85	68.20	-8.35	3	Vertical	54	1.62	-
5795MHz	Pass	PK	5.807G	118.81	Inf	-Inf	3	Vertical	54	1.62	-
5795MHz	Pass	PK	5.927G	61.34	68.20	-6.86	3	Vertical	54	1.62	-
5795MHz	Pass	AV	5.7842G	115.21	Inf	-Inf	3	Horizontal	262	2.11	-
5795MHz	Pass	PK	5.6402G	61.13	68.20	-7.07	3	Horizontal	262	2.11	-
5795MHz	Pass	PK	5.7914G	121.66	Inf	-Inf	3	Horizontal	262	2.11	-
5795MHz	Pass	PK	5.9294G	65.27	68.20	-2.93	3	Horizontal	262	2.11	-
5795MHz	Pass	AV	11.59656G	44.27	54.00	-9.73	3	Vertical	323	1.97	-
5795MHz	Pass	PK	11.59336G	57.14	74.00	-16.86	3	Vertical	323	1.97	-
5795MHz	Pass	PK	17.39068G	62.04	68.20	-6.16	3	Vertical	127	1.50	-
5795MHz	Pass	AV	11.60264G	44.39	54.00	-9.61	3	Horizontal	67	2.46	-
5795MHz	Pass	PK	11.5804G	56.63	74.00	-17.37	3	Horizontal	67	2.46	-
5795MHz	Pass	PK	17.3754G	64.41	68.20	-3.79	3	Horizontal	196	1.50	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.144G	50.38	54.00	-3.62	3	Vertical	45	2.64	-
5210MHz	Pass	AV	5.214G	98.59	Inf	-Inf	3	Vertical	45	2.64	-
5210MHz	Pass	AV	5.384G	45.08	54.00	-8.92	3	Vertical	45	2.64	-
5210MHz	Pass	PK	5.136G	60.05	74.00	-13.95	3	Vertical	45	2.64	-
5210MHz	Pass	PK	5.214G	105.17	Inf	-Inf	3	Vertical	45	2.64	-
5210MHz	Pass	PK	5.413G	57.22	74.00	-16.78	3	Vertical	45	2.64	-
5210MHz	Pass	AV	5.145G	52.02	54.00	-1.98	3	Horizontal	267	1.69	-
5210MHz	Pass	AV	5.235G	102.62	Inf	-Inf	3	Horizontal	267	1.69	-
5210MHz	Pass	AV	5.352G	45.44	54.00	-8.56	3	Horizontal	267	1.69	-
5210MHz	Pass	PK	5.144G	62.46	74.00	-11.54	3	Horizontal	267	1.69	-
5210MHz	Pass	PK	5.234G	108.82	Inf	-Inf	3	Horizontal	267	1.69	-
5210MHz	Pass	PK	5.358G	57.68	74.00	-16.32	3	Horizontal	267	1.69	-
5210MHz	Pass	AV	15.615G	44.58	54.00	-9.42	3	Vertical	55	2.18	-
5210MHz	Pass	PK	10.42426G	56.36	68.20	-11.84	3	Vertical	228	1.56	-
5210MHz	Pass	PK	15.62988G	57.34	74.00	-16.66	3	Vertical	55	2.18	-
5210MHz	Pass	AV	15.615G	44.58	54.00	-9.42	3	Horizontal	324	2.21	-
5210MHz	Pass	PK	10.40566G	56.65	68.20	-11.55	3	Horizontal	144	2.49	-
5210MHz	Pass	PK	15.6198G	56.98	74.00	-17.02	3	Horizontal	324	2.21	-
5775MHz	Pass	AV	5.7966G	99.86	Inf	-Inf	3	Vertical	277	2.23	-
5775MHz	Pass	PK	5.649G	64.41	68.20	-3.79	3	Vertical	277	2.23	-
5775MHz	Pass	PK	5.763G	109.58	Inf	-Inf	3	Vertical	277	2.23	-
5775MHz	Pass	PK	5.925G	62.08	68.20	-6.12	3	Vertical	277	2.23	-
5775MHz	Pass	AV	5.7834G	102.52	Inf	-Inf	3	Horizontal	281	2.15	-
5775MHz	Pass	PK	5.6454G	67.80	68.20	-0.40	3	Horizontal	281	2.15	-
5775MHz	Pass	PK	5.763G	112.27	Inf	-Inf	3	Horizontal	281	2.15	-
5775MHz	Pass	PK	5.925G	64.00	68.20	-4.20	3	Horizontal	281	2.15	-
5775MHz	Pass	AV	11.5838G	44.33	54.00	-9.67	3	Vertical	109	1.85	-
5775MHz	Pass	PK	11.5888G	56.30	74.00	-17.70	3	Vertical	109	1.85	-
5775MHz	Pass	PK	17.2784G	61.68	68.20	-6.52	3	Vertical	274	2.04	-
5775MHz	Pass	AV	11.5926G	44.30	54.00	-9.70	3	Horizontal	39	1.32	-
5775MHz	Pass	PK	11.5888G	56.27	74.00	-17.73	3	Horizontal	39	1.32	-
5775MHz	Pass	PK	17.3188G	60.54	68.20	-7.66	3	Horizontal	230	2.17	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.81	54.00	-2.19	3	Vertical	360	2.39	-
5180MHz	Pass	AV	5.1792G	108.68	Inf	-Inf	3	Vertical	360	2.39	-
5180MHz	Pass	PK	5.1492G	65.19	74.00	-8.81	3	Vertical	360	2.39	-
5180MHz	Pass	PK	5.1804G	117.75	Inf	-Inf	3	Vertical	360	2.39	-
5180MHz	Pass	AV	5.1492G	53.59	54.00	-0.41	3	Horizontal	273	2.66	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	AV	5.1852G	112.62	Inf	-Inf	3	Horizontal	273	2.66	-
5180MHz	Pass	PK	5.1494G	69.32	74.00	-4.68	3	Horizontal	273	2.66	-
5180MHz	Pass	PK	5.1892G	122.07	Inf	-Inf	3	Horizontal	273	2.66	-
5180MHz	Pass	AV	15.54714G	45.02	54.00	-8.98	3	Vertical	192	1.72	-
5180MHz	Pass	PK	10.36228G	56.51	68.20	-11.69	3	Vertical	157	1.39	-
5180MHz	Pass	PK	15.54168G	58.33	74.00	-15.67	3	Vertical	192	1.72	-
5180MHz	Pass	AV	15.54054G	45.01	54.00	-8.99	3	Horizontal	163	1.16	-
5180MHz	Pass	PK	10.36876G	56.07	68.20	-12.13	3	Horizontal	247	1.50	-
5180MHz	Pass	PK	15.55194G	57.86	74.00	-16.14	3	Horizontal	163	1.16	-
5200MHz	Pass	AV	5.15G	49.47	54.00	-4.53	3	Vertical	130	1.47	-
5200MHz	Pass	AV	5.192G	109.02	Inf	-Inf	3	Vertical	130	1.47	-
5200MHz	Pass	PK	5.1496G	62.19	74.00	-11.81	3	Vertical	130	1.47	-
5200MHz	Pass	PK	5.1924G	116.13	Inf	-Inf	3	Vertical	130	1.47	-
5200MHz	Pass	AV	5.15G	53.44	54.00	-0.56	3	Horizontal	268	2.66	-
5200MHz	Pass	AV	5.192G	115.29	Inf	-Inf	3	Horizontal	268	2.66	-
5200MHz	Pass	PK	5.1496G	66.90	74.00	-7.10	3	Horizontal	268	2.66	-
5200MHz	Pass	PK	5.2004G	122.88	Inf	-Inf	3	Horizontal	268	2.66	-
5200MHz	Pass	AV	15.60054G	44.72	54.00	-9.28	3	Vertical	274	2.43	-
5200MHz	Pass	PK	10.3877G	56.30	68.20	-11.90	3	Vertical	100	1.50	-
5200MHz	Pass	PK	15.60012G	57.36	74.00	-16.64	3	Vertical	274	2.43	-
5200MHz	Pass	AV	15.5946G	45.51	54.00	-8.49	3	Horizontal	330	1.48	-
5200MHz	Pass	PK	10.4135G	56.44	68.20	-11.76	3	Horizontal	75	1.39	-
5200MHz	Pass	PK	15.60246G	58.58	74.00	-15.42	3	Horizontal	330	1.48	-
5240MHz	Pass	AV	5.1494G	49.46	54.00	-4.54	3	Vertical	37	2.37	-
5240MHz	Pass	AV	5.2424G	109.04	Inf	-Inf	3	Vertical	37	2.37	-
5240MHz	Pass	AV	5.3528G	46.78	54.00	-7.22	3	Vertical	37	2.37	-
5240MHz	Pass	PK	5.1488G	64.48	74.00	-9.52	3	Vertical	37	2.37	-
5240MHz	Pass	PK	5.2406G	117.61	Inf	-Inf	3	Vertical	37	2.37	-
5240MHz	Pass	PK	5.3552G	58.96	74.00	-15.04	3	Vertical	37	2.37	-
5240MHz	Pass	AV	5.15G	53.55	54.00	-0.45	3	Horizontal	272	2.67	-
5240MHz	Pass	AV	5.249G	118.67	Inf	-Inf	3	Horizontal	272	2.67	-
5240MHz	Pass	AV	5.35G	49.33	54.00	-4.67	3	Horizontal	272	2.67	-
5240MHz	Pass	PK	5.1416G	66.69	74.00	-7.31	3	Horizontal	272	2.67	-
5240MHz	Pass	PK	5.249G	127.51	Inf	-Inf	3	Horizontal	272	2.67	-
5240MHz	Pass	PK	5.3546G	62.77	74.00	-11.23	3	Horizontal	272	2.67	-
5240MHz	Pass	AV	15.72672G	47.27	54.00	-6.73	3	Vertical	222	1.50	-
5240MHz	Pass	PK	10.46752G	55.97	68.20	-12.23	3	Vertical	144	1.71	-
5240MHz	Pass	PK	15.72426G	59.59	74.00	-14.41	3	Vertical	222	1.50	-
5240MHz	Pass	AV	15.7185G	49.82	54.00	-4.18	3	Horizontal	240	1.50	-
5240MHz	Pass	PK	10.48156G	56.22	68.20	-11.98	3	Horizontal	270	1.50	-
5240MHz	Pass	PK	15.71532G	61.34	74.00	-12.66	3	Horizontal	240	1.50	-
5745MHz	Pass	AV	5.7366G	110.21	Inf	-Inf	3	Vertical	281	1.78	-
5745MHz	Pass	PK	5.5386G	62.64	68.20	-5.56	3	Vertical	281	1.78	-
5745MHz	Pass	PK	5.745G	118.37	Inf	-Inf	3	Vertical	281	1.78	-
5745MHz	Pass	PK	5.9754G	63.93	68.20	-4.27	3	Vertical	281	1.78	-
5745MHz	Pass	AV	5.7474G	115.96	Inf	-Inf	3	Horizontal	267	2.14	-
5745MHz	Pass	PK	5.6478G	60.79	68.20	-7.41	3	Horizontal	267	2.14	-
5745MHz	Pass	PK	5.745G	124.95	Inf	-Inf	3	Horizontal	267	2.14	-
5745MHz	Pass	PK	5.9718G	58.44	68.20	-9.76	3	Horizontal	267	2.14	-
5745MHz	Pass	AV	11.49108G	43.95	54.00	-10.05	3	Vertical	234	1.84	-
5745MHz	Pass	PK	11.48742G	56.36	74.00	-17.64	3	Vertical	234	1.84	-
5745MHz	Pass	PK	17.23062G	62.21	68.20	-5.99	3	Vertical	146	1.77	-
5745MHz	Pass	AV	11.49006G	44.09	54.00	-9.91	3	Horizontal	311	2.82	-
5745MHz	Pass	PK	11.49258G	56.65	74.00	-17.35	3	Horizontal	311	2.82	-
5745MHz	Pass	PK	17.23608G	66.98	68.20	-1.22	3	Horizontal	195	1.43	-
5785MHz	Pass	AV	5.7934G	112.74	Inf	-Inf	3	Vertical	51	1.70	-
5785MHz	Pass	PK	5.6062G	58.52	68.20	-9.68	3	Vertical	51	1.70	-
5785MHz	Pass	PK	5.7946G	121.89	Inf	-Inf	3	Vertical	51	1.70	-
5785MHz	Pass	PK	6.0502G	57.93	68.20	-10.27	3	Vertical	51	1.70	-
5785MHz	Pass	AV	5.7934G	117.08	Inf	-Inf	3	Horizontal	262	2.48	-
5785MHz	Pass	PK	5.6434G	59.36	68.20	-8.84	3	Horizontal	262	2.48	-
5785MHz	Pass	PK	5.7946G	125.85	Inf	-Inf	3	Horizontal	262	2.48	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.9338G	60.34	68.20	-7.86	3	Horizontal	262	2.48	-
5785MHz	Pass	AV	11.57846G	44.21	54.00	-9.79	3	Vertical	199	1.79	-
5785MHz	Pass	PK	11.56562G	56.71	74.00	-17.29	3	Vertical	199	1.79	-
5785MHz	Pass	PK	17.35506G	65.85	68.20	-2.35	3	Vertical	283	2.96	-
5785MHz	Pass	AV	11.57366G	44.38	54.00	-9.62	3	Horizontal	142	1.51	-
5785MHz	Pass	PK	11.57192G	56.52	74.00	-17.48	3	Horizontal	142	1.51	-
5785MHz	Pass	PK	17.35464G	67.04	68.20	-1.16	3	Horizontal	202	1.49	-
5825MHz	Pass	AV	5.8202G	114.61	Inf	-Inf	3	Vertical	56	1.62	-
5825MHz	Pass	PK	5.5358G	62.48	68.20	-5.72	3	Vertical	56	1.62	-
5825MHz	Pass	PK	5.825G	123.98	Inf	-Inf	3	Vertical	56	1.62	-
5825MHz	Pass	PK	5.927G	65.95	68.20	-2.25	3	Vertical	56	1.62	-
5825MHz	Pass	AV	5.8274G	116.55	Inf	-Inf	3	Horizontal	268	2.10	-
5825MHz	Pass	PK	5.5922G	57.79	68.20	-10.41	3	Horizontal	268	2.10	-
5825MHz	Pass	PK	5.825G	125.07	Inf	-Inf	3	Horizontal	268	2.10	-
5825MHz	Pass	PK	5.9294G	65.38	68.20	-2.82	3	Horizontal	268	2.10	-
5825MHz	Pass	AV	11.65198G	44.27	54.00	-9.73	3	Vertical	293	1.46	-
5825MHz	Pass	PK	11.64004G	56.55	74.00	-17.45	3	Vertical	293	1.46	-
5825MHz	Pass	PK	17.46198G	63.95	68.20	-4.25	3	Vertical	323	2.95	-
5825MHz	Pass	AV	11.65216G	45.55	54.00	-8.45	3	Horizontal	149	1.76	-
5825MHz	Pass	PK	11.6524G	57.78	74.00	-16.22	3	Horizontal	149	1.76	-
5825MHz	Pass	PK	17.47068G	67.10	68.20	-1.10	3	Horizontal	200	1.36	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	49.96	54.00	-4.04	3	Vertical	33	2.63	-
5190MHz	Pass	AV	5.1888G	99.12	Inf	-Inf	3	Vertical	33	2.63	-
5190MHz	Pass	PK	5.1424G	63.94	74.00	-10.06	3	Vertical	33	2.63	-
5190MHz	Pass	PK	5.1916G	107.93	Inf	-Inf	3	Vertical	33	2.63	-
5190MHz	Pass	AV	5.1496G	52.86	54.00	-1.14	3	Horizontal	266	2.14	-
5190MHz	Pass	AV	5.1728G	105.12	Inf	-Inf	3	Horizontal	266	2.14	-
5190MHz	Pass	PK	5.1496G	65.74	74.00	-8.26	3	Horizontal	266	2.14	-
5190MHz	Pass	PK	5.1716G	114.35	Inf	-Inf	3	Horizontal	266	2.14	-
5190MHz	Pass	AV	15.55722G	44.94	54.00	-9.06	3	Vertical	300	1.48	-
5190MHz	Pass	PK	10.38318G	57.37	68.20	-10.83	3	Vertical	223	1.50	-
5190MHz	Pass	PK	15.55698G	57.06	74.00	-16.94	3	Vertical	300	1.48	-
5190MHz	Pass	AV	15.5634G	44.88	54.00	-9.12	3	Horizontal	332	1.53	-
5190MHz	Pass	PK	10.38762G	56.43	68.20	-11.77	3	Horizontal	131	1.52	-
5190MHz	Pass	PK	15.56484G	57.30	74.00	-16.70	3	Horizontal	332	1.53	-
5230MHz	Pass	AV	5.15G	53.61	54.00	-0.39	3	Vertical	42	2.52	-
5230MHz	Pass	AV	5.214G	108.03	Inf	-Inf	3	Vertical	42	2.52	-
5230MHz	Pass	PK	5.144G	69.40	74.00	-4.60	3	Vertical	42	2.52	-
5230MHz	Pass	PK	5.2156G	116.97	Inf	-Inf	3	Vertical	42	2.52	-
5230MHz	Pass	PK	5.2404G	119.62	Inf	-Inf	3	Horizontal	270	2.83	-
5230MHz	Pass	AV	5.2436G	110.91	Inf	-Inf	3	Horizontal	270	2.83	-
5230MHz	Pass	PK	5.1472G	69.11	74.00	-4.89	3	Horizontal	270	2.83	-
5230MHz	Pass	AV	5.1472G	53.89	54.00	-0.11	3	Horizontal	270	2.83	-
5230MHz	Pass	AV	15.67758G	44.23	54.00	-9.77	3	Vertical	335	1.22	-
5230MHz	Pass	PK	10.44986G	56.21	68.20	-11.99	3	Vertical	7	2.37	-
5230MHz	Pass	PK	15.68604G	57.07	74.00	-16.93	3	Vertical	335	1.22	-
5230MHz	Pass	AV	15.67992G	44.36	54.00	-9.64	3	Horizontal	148	1.61	-
5230MHz	Pass	PK	10.45292G	56.23	68.20	-11.97	3	Horizontal	189	1.83	-
5230MHz	Pass	PK	15.69918G	57.57	74.00	-16.43	3	Horizontal	148	1.61	-
5755MHz	Pass	AV	5.7502G	107.51	Inf	-Inf	3	Vertical	51	1.33	-
5755MHz	Pass	PK	5.6518G	62.01	69.53	-7.52	3	Vertical	51	1.33	-
5755MHz	Pass	PK	5.7502G	116.28	Inf	-Inf	3	Vertical	51	1.33	-
5755MHz	Pass	PK	5.923G	60.19	69.68	-9.49	3	Vertical	51	1.33	-
5755MHz	Pass	AV	5.743G	111.06	Inf	-Inf	3	Horizontal	264	2.13	-
5755MHz	Pass	PK	5.6494G	66.52	68.20	-1.68	3	Horizontal	264	2.13	-
5755MHz	Pass	PK	5.743G	120.13	Inf	-Inf	3	Horizontal	264	2.13	-
5755MHz	Pass	PK	5.9266G	60.40	68.20	-7.80	3	Horizontal	264	2.13	-
5755MHz	Pass	AV	11.5243G	44.15	54.00	-9.85	3	Vertical	331	1.50	-
5755MHz	Pass	PK	11.515G	56.90	74.00	-17.10	3	Vertical	331	1.50	-
5755MHz	Pass	PK	17.2446G	61.19	68.20	-7.01	3	Vertical	139	1.50	-
5755MHz	Pass	AV	11.4927G	44.24	54.00	-9.76	3	Horizontal	342	2.30	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	11.5183G	56.49	74.00	-17.51	3	Horizontal	342	2.30	-
5755MHz	Pass	PK	17.2642G	61.96	68.20	-6.24	3	Horizontal	193	1.37	-
5795MHz	Pass	AV	5.783G	109.34	Inf	-Inf	3	Vertical	46	1.67	-
5795MHz	Pass	PK	5.5922G	58.55	68.20	-9.65	3	Vertical	46	1.67	-
5795MHz	Pass	PK	5.783G	118.16	Inf	-Inf	3	Vertical	46	1.67	-
5795MHz	Pass	PK	5.9234G	62.49	69.38	-6.89	3	Vertical	46	1.67	-
5795MHz	Pass	AV	5.7974G	113.38	Inf	-Inf	3	Horizontal	262	2.56	-
5795MHz	Pass	PK	5.6498G	62.82	68.20	-5.38	3	Horizontal	262	2.56	-
5795MHz	Pass	PK	5.7962G	122.22	Inf	-Inf	3	Horizontal	262	2.56	-
5795MHz	Pass	PK	5.927G	63.62	68.20	-4.58	3	Horizontal	262	2.56	-
5795MHz	Pass	AV	11.6116G	44.35	54.00	-9.65	3	Vertical	360	1.58	-
5795MHz	Pass	PK	11.5849G	57.01	74.00	-16.99	3	Vertical	360	1.58	-
5795MHz	Pass	PK	17.3982G	61.81	68.20	-6.39	3	Vertical	319	2.53	-
5795MHz	Pass	AV	11.5985G	44.26	54.00	-9.74	3	Horizontal	193	1.63	-
5795MHz	Pass	PK	11.5661G	56.70	74.00	-17.30	3	Horizontal	193	1.63	-
5795MHz	Pass	PK	17.3806G	63.84	68.20	-4.36	3	Horizontal	97	1.48	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	51.41	54.00	-2.59	3	Vertical	44	2.43	-
5210MHz	Pass	AV	5.208G	96.14	Inf	-Inf	3	Vertical	44	2.43	-
5210MHz	Pass	AV	5.389G	45.08	54.00	-8.92	3	Vertical	44	2.43	-
5210MHz	Pass	PK	5.146G	62.17	74.00	-11.83	3	Vertical	44	2.43	-
5210MHz	Pass	PK	5.203G	106.50	Inf	-Inf	3	Vertical	44	2.43	-
5210MHz	Pass	PK	5.427G	57.23	74.00	-16.77	3	Vertical	44	2.43	-
5210MHz	Pass	AV	5.141G	53.11	54.00	-0.89	3	Horizontal	271	2.76	-
5210MHz	Pass	AV	5.229G	101.57	Inf	-Inf	3	Horizontal	271	2.76	-
5210MHz	Pass	AV	5.36G	45.63	54.00	-8.37	3	Horizontal	271	2.76	-
5210MHz	Pass	PK	5.131G	65.16	74.00	-8.84	3	Horizontal	271	2.76	-
5210MHz	Pass	PK	5.231G	113.43	Inf	-Inf	3	Horizontal	271	2.76	-
5210MHz	Pass	PK	5.389G	57.21	74.00	-16.79	3	Horizontal	271	2.76	-
5210MHz	Pass	AV	15.58662G	44.68	54.00	-9.32	3	Vertical	360	1.52	-
5210MHz	Pass	PK	10.43494G	56.50	68.20	-11.70	3	Vertical	309	2.69	-
5210MHz	Pass	PK	15.64602G	56.72	74.00	-17.28	3	Vertical	360	1.52	-
5210MHz	Pass	AV	15.60012G	44.88	54.00	-9.12	3	Horizontal	152	1.50	-
5210MHz	Pass	PK	10.40056G	56.50	68.20	-11.70	3	Horizontal	119	2.40	-
5210MHz	Pass	PK	15.5913G	58.03	74.00	-15.97	3	Horizontal	152	1.50	-
5775MHz	Pass	AV	5.8038G	104.02	Inf	-Inf	3	Vertical	56	1.78	-
5775MHz	Pass	PK	5.6394G	65.67	68.20	-2.53	3	Vertical	56	1.78	-
5775MHz	Pass	PK	5.7942G	112.57	Inf	-Inf	3	Vertical	56	1.78	-
5775MHz	Pass	PK	5.9286G	63.88	68.20	-4.32	3	Vertical	56	1.78	-
5775MHz	Pass	AV	5.7954G	106.95	Inf	-Inf	3	Horizontal	263	2.47	-
5775MHz	Pass	PK	5.643G	68.00	68.20	-0.20	3	Horizontal	263	2.47	-
5775MHz	Pass	PK	5.7942G	115.65	Inf	-Inf	3	Horizontal	263	2.47	-
5775MHz	Pass	PK	5.9346G	67.31	68.20	-0.89	3	Horizontal	263	2.47	-
5775MHz	Pass	AV	11.51624G	44.08	54.00	-9.92	3	Vertical	222	2.33	-
5775MHz	Pass	PK	11.56792G	56.64	74.00	-17.36	3	Vertical	222	2.33	-
5775MHz	Pass	PK	17.32052G	61.18	68.20	-7.02	3	Vertical	285	2.33	-
5775MHz	Pass	AV	11.54984G	44.17	54.00	-9.83	3	Horizontal	261	2.28	-
5775MHz	Pass	PK	11.56264G	56.59	74.00	-17.41	3	Horizontal	261	2.28	-
5775MHz	Pass	PK	17.3002G	61.82	68.20	-6.38	3	Horizontal	196	2.51	-

**802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX  
5180MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	49.71	54.00	-4.29	9.59	3	Vertical	0	2.44	-	40.12	32.00	6.77	29.18
AV	5.1754G	106.79	Inf	-Inf	9.56	3	Vertical	0	2.44	-	97.23	31.95	6.79	29.18
PK	5.15G	63.41	74.00	-10.59	9.60	3	Vertical	0	2.44	-	53.81	32.00	6.78	29.18
PK	5.1724G	113.45	Inf	-Inf	9.57	3	Vertical	0	2.44	-	103.88	31.96	6.79	29.18


**802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX  
5180MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.16	54.00	-0.84	9.60	3	Horizontal	269	2.65	-	43.56	32.00	6.78	29.18
AV	5.1838G	111.64	Inf	-Inf	9.54	3	Horizontal	269	2.65	-	102.10	31.93	6.79	29.18
PK	5.1498G	66.60	74.00	-7.40	9.59	3	Horizontal	269	2.65	-	57.01	32.00	6.77	29.18
PK	5.1838G	118.10	Inf	-Inf	9.54	3	Horizontal	269	2.65	-	108.56	31.93	6.79	29.18

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52G	45.15	54.00	-8.85	18.43	3	Vertical	312	2.42	-	26.72	38.18	11.28	31.03
PK	10.3728G	55.91	68.20	-12.29	18.11	3	Vertical	177	1.12	-	37.80	39.49	8.97	30.35
PK	15.53696G	57.51	74.00	-16.49	18.34	3	Vertical	312	2.42	-	39.17	38.08	11.29	31.03

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53728G	45.17	54.00	-8.83	18.34	3	Horizontal	323	1.42	-	26.83	38.08	11.29	31.03
PK	10.37512G	55.81	68.20	-12.39	18.12	3	Horizontal	15	2.21	-	37.69	39.50	8.97	30.35
PK	15.54128G	57.87	74.00	-16.13	18.31	3	Horizontal	323	1.42	-	39.56	38.05	11.29	31.03

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	53.72	54.00	-0.28	9.59	3	Vertical	43	2.67	-	44.13	32.00	6.77	29.18
AV	5.2064G	114.15	Inf	-Inf	9.47	3	Vertical	43	2.67	-	104.68	31.85	6.80	29.18
PK	5.1468G	68.43	74.00	-5.57	9.59	3	Vertical	43	2.67	-	58.84	32.00	6.77	29.18
PK	5.2064G	120.82	Inf	-Inf	9.47	3	Vertical	43	2.67	-	111.35	31.85	6.80	29.18

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.64	54.00	-0.36	9.59	3	Horizontal	40	1.44	-	44.05	32.00	6.77	29.18
AV	5.2076G	114.35	Inf	-Inf	9.46	3	Horizontal	40	1.44	-	104.89	31.84	6.80	29.18
PK	5.148G	65.05	74.00	-8.95	9.59	3	Horizontal	40	1.44	-	55.46	32.00	6.77	29.18
PK	5.2084G	121.30	Inf	-Inf	9.45	3	Horizontal	40	1.44	-	111.85	31.83	6.80	29.18





802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6048G	46.36	54.00	-7.64	17.97	3	Vertical	219	1.73	-	28.39	37.69	11.32	31.04
PK	10.41952G	56.78	68.20	-11.42	18.24	3	Vertical	244	1.63	-	38.54	39.62	8.99	30.37
PK	15.59424G	59.98	74.00	-14.02	18.01	3	Vertical	219	1.73	-	41.97	37.73	11.32	31.04

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59808G	46.30	54.00	-7.70	17.99	3	Horizontal	319	1.50	-	28.31	37.71	11.32	31.04
PK	10.38896G	56.88	68.20	-11.32	18.18	3	Horizontal	268	2.46	-	38.70	39.56	8.98	30.36
PK	15.59376G	59.41	74.00	-14.59	18.02	3	Horizontal	319	1.50	-	41.39	37.74	11.32	31.04

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.98	54.00	-3.02	9.60	3	Vertical	40	2.52	-	41.38	32.00	6.78	29.18
AV	5.2316G	114.18	Inf	-Inf	9.27	3	Vertical	40	2.52	-	104.91	31.65	6.80	29.18
AV	5.3534G	47.86	54.00	-6.14	8.74	3	Vertical	40	2.52	-	39.12	31.13	6.80	29.19
PK	5.15G	62.86	74.00	-11.14	9.60	3	Vertical	40	2.52	-	53.26	32.00	6.78	29.18
PK	5.2334G	120.91	Inf	-Inf	9.25	3	Vertical	40	2.52	-	111.66	31.63	6.80	29.18
PK	5.3534G	59.18	74.00	-14.82	8.74	3	Vertical	40	2.52	-	50.44	31.13	6.80	29.19

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.14	54.00	-3.86	9.60	3	Horizontal	268	2.95	-	40.54	32.00	6.78	29.18
AV	5.2454G	119.88	Inf	-Inf	9.16	3	Horizontal	268	2.95	-	110.72	31.54	6.80	29.18
AV	5.3522G	47.76	54.00	-6.24	8.73	3	Horizontal	268	2.95	-	39.03	31.12	6.80	29.19
PK	5.147G	62.55	74.00	-11.45	9.59	3	Horizontal	268	2.95	-	52.96	32.00	6.77	29.18
PK	5.2484G	126.80	Inf	-Inf	9.13	3	Horizontal	268	2.95	-	117.67	31.51	6.80	29.18
PK	5.351G	59.49	74.00	-14.51	8.72	3	Horizontal	268	2.95	-	50.77	31.11	6.80	29.19

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72104G	49.25	54.00	-4.75	17.70	3	Vertical	222	1.60	-	31.55	37.38	11.37	31.05
PK	10.49648G	56.56	68.20	-11.64	18.33	3	Vertical	314	1.39	-	38.23	39.70	9.02	30.39
PK	15.71888G	61.92	74.00	-12.08	17.70	3	Vertical	222	1.60	-	44.22	37.38	11.37	31.05

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72424G	50.24	54.00	-3.76	17.71	3	Horizontal	240	1.50	-	32.53	37.38	11.38	31.05
PK	10.47888G	57.28	68.20	-10.92	18.32	3	Horizontal	252	1.54	-	38.96	39.68	9.02	30.38
PK	15.72528G	62.83	74.00	-11.17	17.70	3	Horizontal	240	1.50	-	45.13	37.37	11.38	31.05



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	113.79	Inf	-Inf	9.59	3	Vertical	58	1.62	-	104.20	31.90	6.98	29.29
PK	5.6178G	59.55	68.20	-8.65	9.33	3	Vertical	58	1.62	-	50.22	31.66	6.91	29.24
PK	5.751G	121.09	Inf	-Inf	9.59	3	Vertical	58	1.62	-	111.50	31.90	6.98	29.29
PK	5.9862G	58.13	68.20	-10.07	10.05	3	Vertical	58	1.62	-	48.08	32.33	7.09	29.37

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	118.16	Inf	-Inf	9.59	3	Horizontal	258	2.31	-	108.57	31.90	6.98	29.29
PK	5.6502G	61.22	68.35	-7.13	9.28	3	Horizontal	258	2.31	-	51.94	31.60	6.93	29.25
PK	5.751G	125.27	Inf	-Inf	9.59	3	Horizontal	258	2.31	-	115.68	31.90	6.98	29.29
PK	5.9514G	58.89	68.20	-9.31	10.13	3	Horizontal	258	2.31	-	48.76	32.40	7.08	29.35



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49016G	44.34	54.00	-9.66	19.00	3	Vertical	54	2.09	-	25.34	39.91	9.47	30.38
PK	11.49072G	56.61	74.00	-17.39	19.00	3	Vertical	54	2.09	-	37.61	39.91	9.47	30.38
PK	17.22852G	62.09	68.20	-6.11	21.34	3	Vertical	272	1.50	-	40.75	39.90	12.18	30.74

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48444G	44.30	54.00	-9.70	19.01	3	Horizontal	246	2.41	-	25.29	39.92	9.47	30.38
PK	11.48836G	56.40	74.00	-17.60	19.00	3	Horizontal	246	2.41	-	37.40	39.91	9.47	30.38
PK	17.23976G	66.57	68.20	-1.63	21.34	3	Horizontal	196	1.50	-	45.23	39.90	12.18	30.74



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	110.59	Inf	-Inf	9.60	3	Vertical	53	1.20	-	100.99	31.90	7.00	29.30
PK	5.6446G	58.13	68.20	-10.07	9.28	3	Vertical	53	1.20	-	48.85	31.61	6.92	29.25
PK	5.7922G	116.79	Inf	-Inf	9.60	3	Vertical	53	1.20	-	107.19	31.90	7.00	29.30
PK	5.9362G	58.55	68.20	-9.65	10.06	3	Vertical	53	1.20	-	48.49	32.34	7.07	29.35

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	117.93	Inf	-Inf	9.59	3	Horizontal	263	2.10	-	108.34	31.90	6.99	29.30
PK	5.593G	59.55	68.20	-8.65	9.37	3	Horizontal	263	2.10	-	50.18	31.70	6.90	29.23
PK	5.7874G	124.75	Inf	-Inf	9.59	3	Horizontal	263	2.10	-	115.16	31.90	6.99	29.30
PK	6.0586G	59.44	68.20	-8.76	10.21	3	Horizontal	263	2.10	-	49.23	32.48	7.13	29.40

**802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5676G	44.25	54.00	-9.75	18.98	3	Vertical	81	2.06	-	25.27	39.83	9.51	30.36
PK	11.57088G	56.90	74.00	-17.10	18.98	3	Vertical	81	2.06	-	37.92	39.83	9.51	30.36
PK	17.35056G	62.40	68.20	-5.80	21.84	3	Vertical	284	3.00	-	40.56	40.30	12.24	30.70

**802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX**  
**5785MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57388G	44.09	54.00	-9.91	18.99	3	Horizontal	21	2.47	-	25.10	39.83	9.51	30.35
PK	11.57876G	56.35	74.00	-17.65	18.98	3	Horizontal	21	2.47	-	37.37	39.82	9.51	30.35
PK	17.35248G	67.96	68.20	-0.24	21.86	3	Horizontal	193	1.38	-	46.10	40.32	12.24	30.70



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	113.84	Inf	-Inf	9.67	3	Vertical	49	1.81	-	104.17	31.97	7.01	29.31
PK	5.5622G	58.38	68.20	-9.82	9.36	3	Vertical	49	1.81	-	49.02	31.70	6.88	29.22
PK	5.8178G	121.77	Inf	-Inf	9.67	3	Vertical	49	1.81	-	112.10	31.97	7.01	29.31
PK	5.9522G	58.56	68.20	-9.64	10.13	3	Vertical	49	1.81	-	48.43	32.40	7.08	29.35

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	118.93	Inf	-Inf	9.67	3	Horizontal	267	2.11	-	109.26	31.97	7.01	29.31
PK	5.609G	59.79	68.20	-8.41	9.34	3	Horizontal	267	2.11	-	50.45	31.68	6.90	29.24
PK	5.8178G	125.72	Inf	-Inf	9.67	3	Horizontal	267	2.11	-	116.05	31.97	7.01	29.31
PK	5.9318G	60.82	68.20	-7.38	10.05	3	Horizontal	267	2.11	-	50.77	32.33	7.07	29.35



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65832G	44.23	54.00	-9.77	18.73	3	Vertical	122	2.49	-	25.50	39.51	9.55	30.33
PK	11.65192G	56.37	74.00	-17.63	18.75	3	Vertical	122	2.49	-	37.62	39.54	9.54	30.33
PK	17.47572G	63.94	68.20	-4.26	22.64	3	Vertical	238	1.82	-	41.30	41.00	12.31	30.67

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64488G	44.31	54.00	-9.69	18.79	3	Horizontal	24	1.29	-	25.52	39.58	9.54	30.33
PK	11.65768G	56.61	74.00	-17.39	18.73	3	Horizontal	24	1.29	-	37.88	39.51	9.55	30.33
PK	17.47992G	66.91	68.20	-1.29	22.66	3	Horizontal	196	1.50	-	44.25	41.02	12.31	30.67

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	52.37	54.00	-1.63	9.59	3	Vertical	42	2.64	-	42.78	32.00	6.77	29.18
AV	5.2068G	102.53	Inf	-Inf	9.47	3	Vertical	42	2.64	-	93.06	31.85	6.80	29.18
PK	5.144G	62.46	74.00	-11.54	9.59	3	Vertical	42	2.64	-	52.87	32.00	6.77	29.18
PK	5.2076G	109.40	Inf	-Inf	9.46	3	Vertical	42	2.64	-	99.94	31.84	6.80	29.18

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

#### 5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.55	54.00	-0.45	9.60	3	Horizontal	269	2.70	-	43.95	32.00	6.78	29.18
AV	5.1856G	107.34	Inf	-Inf	9.54	3	Horizontal	269	2.70	-	97.80	31.93	6.79	29.18
PK	5.1492G	65.81	74.00	-8.19	9.59	3	Horizontal	269	2.70	-	56.22	32.00	6.77	29.18
PK	5.186G	113.75	Inf	-Inf	9.54	3	Horizontal	269	2.70	-	104.21	31.93	6.79	29.18



802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55G	45.00	54.00	-9.00	18.26	3	Vertical	100	2.03	-	26.74	38.00	11.30	31.04
PK	10.38672G	56.08	68.20	-12.12	18.16	3	Vertical	347	1.85	-	37.92	39.55	8.97	30.36
PK	15.56024G	57.34	74.00	-16.66	18.20	3	Vertical	100	2.03	-	39.14	37.94	11.30	31.04

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56392G	45.04	54.00	-8.96	18.18	3	Horizontal	100	2.16	-	26.86	37.92	11.30	31.04
PK	10.36232G	55.81	68.20	-12.39	18.06	3	Horizontal	1	1.82	-	37.75	39.45	8.96	30.35
PK	15.56184G	57.25	74.00	-16.75	18.19	3	Horizontal	100	2.16	-	39.06	37.93	11.30	31.04

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	49.68	54.00	-4.32	9.59	3	Vertical	0	1.50	-	40.09	32.00	6.77	29.18
AV	5.2444G	103.85	Inf	-Inf	9.16	3	Vertical	0	1.50	-	94.69	31.54	6.80	29.18
PK	5.1468G	61.34	74.00	-12.66	9.59	3	Vertical	0	1.50	-	51.75	32.00	6.77	29.18
PK	5.2412G	110.38	Inf	-Inf	9.19	3	Vertical	0	1.50	-	101.19	31.57	6.80	29.18

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.74	54.00	-1.26	9.59	3	Horizontal	269	2.94	-	43.15	32.00	6.77	29.18
AV	5.2452G	111.52	Inf	-Inf	9.16	3	Horizontal	269	2.94	-	102.36	31.54	6.80	29.18
PK	5.1492G	65.07	74.00	-8.93	9.59	3	Horizontal	269	2.94	-	55.48	32.00	6.77	29.18
PK	5.242G	118.21	Inf	-Inf	9.18	3	Horizontal	269	2.94	-	109.03	31.56	6.80	29.18



802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69104G	44.33	54.00	-9.67	17.74	3	Vertical	279	2.31	-	26.59	37.43	11.36	31.05
PK	10.44864G	56.14	68.20	-12.06	18.28	3	Vertical	152	2.07	-	37.86	39.65	9.00	30.37
PK	15.6756G	56.32	74.00	-17.68	17.77	3	Vertical	279	2.31	-	38.55	37.47	11.35	31.05

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68024G	44.38	54.00	-9.62	17.77	3	Horizontal	247	2.16	-	26.61	37.46	11.36	31.05
PK	10.46104G	56.28	68.20	-11.92	18.29	3	Horizontal	101	1.17	-	37.99	39.66	9.01	30.38
PK	15.69056G	57.19	74.00	-16.81	17.74	3	Horizontal	247	2.16	-	39.45	37.43	11.36	31.05



802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.767G	109.05	Inf	-Inf	9.59	3	Vertical	74	2.47	-	99.46	31.90	6.98	29.29
PK	5.6494G	63.32	68.20	-4.88	9.27	3	Vertical	74	2.47	-	54.05	31.60	6.92	29.25
PK	5.7658G	116.93	Inf	-Inf	9.59	3	Vertical	74	2.47	-	107.34	31.90	6.98	29.29
PK	5.9266G	59.59	68.20	-8.61	10.02	3	Vertical	74	2.47	-	49.57	32.31	7.06	29.35

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	114.65	Inf	-Inf	9.58	3	Horizontal	261	2.15	-	105.07	31.89	6.97	29.28
PK	5.6494G	64.97	68.20	-3.23	9.27	3	Horizontal	261	2.15	-	55.70	31.60	6.92	29.25
PK	5.743G	121.59	Inf	-Inf	9.58	3	Horizontal	261	2.15	-	112.01	31.89	6.97	29.28
PK	5.9302G	60.83	68.20	-7.37	10.04	3	Horizontal	261	2.15	-	50.79	32.32	7.07	29.35



802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50856G	44.03	54.00	-9.97	18.99	3	Vertical	213	2.43	-	25.04	39.89	9.48	30.38
PK	11.52384G	56.57	74.00	-17.43	19.00	3	Vertical	213	2.43	-	37.57	39.88	9.49	30.37
PK	17.27092G	61.81	68.20	-6.39	21.37	3	Vertical	256	2.89	-	40.44	39.90	12.20	30.73

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52744G	44.16	54.00	-9.84	18.99	3	Horizontal	135	1.35	-	25.17	39.87	9.49	30.37
PK	11.52232G	56.93	74.00	-17.07	19.00	3	Horizontal	135	1.35	-	37.93	39.88	9.49	30.37
PK	17.2698G	66.05	68.20	-2.15	21.37	3	Horizontal	193	1.38	-	44.68	39.90	12.20	30.73



802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.807G	111.77	Inf	-Inf	9.63	3	Vertical	54	1.62	-	102.14	31.93	7.00	29.30
PK	5.6474G	59.85	68.20	-8.35	9.28	3	Vertical	54	1.62	-	50.57	31.61	6.92	29.25
PK	5.807G	118.81	Inf	-Inf	9.63	3	Vertical	54	1.62	-	109.18	31.93	7.00	29.30
PK	5.927G	61.34	68.20	-6.86	10.02	3	Vertical	54	1.62	-	51.32	32.31	7.06	29.35

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7842G	115.21	Inf	-Inf	9.59	3	Horizontal	262	2.11	-	105.62	31.90	6.99	29.30
PK	5.6402G	61.13	68.20	-7.07	9.29	3	Horizontal	262	2.11	-	51.84	31.62	6.92	29.25
PK	5.7914G	121.66	Inf	-Inf	9.60	3	Horizontal	262	2.11	-	112.06	31.90	7.00	29.30
PK	5.9294G	65.27	68.20	-2.93	10.03	3	Horizontal	262	2.11	-	55.24	32.32	7.06	29.35



802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59656G	44.27	54.00	-9.73	18.97	3	Vertical	323	1.97	-	25.30	39.80	9.52	30.35
PK	11.59336G	57.14	74.00	-16.86	18.98	3	Vertical	323	1.97	-	38.16	39.81	9.52	30.35
PK	17.39068G	62.04	68.20	-6.16	22.20	3	Vertical	127	1.50	-	39.84	40.63	12.26	30.69

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60264G	44.39	54.00	-9.61	18.96	3	Horizontal	67	2.46	-	25.43	39.79	9.52	30.35
PK	11.5804G	56.63	74.00	-17.37	18.98	3	Horizontal	67	2.46	-	37.65	39.82	9.51	30.35
PK	17.3754G	64.41	68.20	-3.79	22.06	3	Horizontal	196	1.50	-	42.35	40.50	12.26	30.70

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX


#### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	50.38	54.00	-3.62	9.59	3	Vertical	45	2.64	-	40.79	32.00	6.77	29.18
AV	5.214G	98.59	Inf	-Inf	9.41	3	Vertical	45	2.64	-	89.18	31.79	6.80	29.18
AV	5.384G	45.08	54.00	-8.92	8.98	3	Vertical	45	2.64	-	36.10	31.37	6.80	29.19
PK	5.136G	60.05	74.00	-13.95	9.59	3	Vertical	45	2.64	-	50.46	32.00	6.77	29.18
PK	5.214G	105.17	Inf	-Inf	9.41	3	Vertical	45	2.64	-	95.76	31.79	6.80	29.18
PK	5.413G	57.22	74.00	-16.78	9.15	3	Vertical	45	2.64	-	48.07	31.53	6.81	29.19

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX


#### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	52.02	54.00	-1.98	9.59	3	Horizontal	267	1.69	-	42.43	32.00	6.77	29.18
AV	5.235G	102.62	Inf	-Inf	9.24	3	Horizontal	267	1.69	-	93.38	31.62	6.80	29.18
AV	5.352G	45.44	54.00	-8.56	8.73	3	Horizontal	267	1.69	-	36.71	31.12	6.80	29.19
PK	5.144G	62.46	74.00	-11.54	9.59	3	Horizontal	267	1.69	-	52.87	32.00	6.77	29.18
PK	5.234G	108.82	Inf	-Inf	9.25	3	Horizontal	267	1.69	-	99.57	31.63	6.80	29.18
PK	5.358G	57.68	74.00	-16.32	8.77	3	Horizontal	267	1.69	-	48.91	31.16	6.80	29.19

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.615G	44.58	54.00	-9.42	17.95	3	Vertical	55	2.18	-	26.63	37.66	11.33	31.04
PK	10.42426G	56.36	68.20	-11.84	18.24	3	Vertical	228	1.56	-	38.12	39.62	8.99	30.37
PK	15.62988G	57.34	74.00	-16.66	17.90	3	Vertical	55	2.18	-	39.44	37.61	11.33	31.04

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.615G	44.58	54.00	-9.42	17.95	3	Horizontal	324	2.21	-	26.63	37.66	11.33	31.04
PK	10.40566G	56.65	68.20	-11.55	18.23	3	Horizontal	144	2.49	-	38.42	39.61	8.98	30.36
PK	15.6198G	56.98	74.00	-17.02	17.93	3	Horizontal	324	2.21	-	39.05	37.64	11.33	31.04



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7966G	99.86	Inf	-Inf	9.60	3	Vertical	277	2.23	-	90.26	31.90	7.00	29.30
PK	5.649G	64.41	68.20	-3.79	9.27	3	Vertical	277	2.23	-	55.14	31.60	6.92	29.25
PK	5.763G	109.58	Inf	-Inf	9.59	3	Vertical	277	2.23	-	99.99	31.90	6.98	29.29
PK	5.925G	62.08	68.20	-6.12	10.02	3	Vertical	277	2.23	-	52.06	32.30	7.06	29.34

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7834G	102.52	Inf	-Inf	9.59	3	Horizontal	281	2.15	-	92.93	31.90	6.99	29.30
PK	5.6454G	67.80	68.20	-0.40	9.28	3	Horizontal	281	2.15	-	58.52	31.61	6.92	29.25
PK	5.763G	112.27	Inf	-Inf	9.59	3	Horizontal	281	2.15	-	102.68	31.90	6.98	29.29
PK	5.925G	64.00	68.20	-4.20	10.02	3	Horizontal	281	2.15	-	53.98	32.30	7.06	29.34



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5838G	44.33	54.00	-9.67	18.98	3	Vertical	109	1.85	-	25.35	39.82	9.51	30.35
PK	11.5888G	56.30	74.00	-17.70	18.97	3	Vertical	109	1.85	-	37.33	39.81	9.51	30.35
PK	17.2784G	61.68	68.20	-6.52	21.37	3	Vertical	274	2.04	-	40.31	39.90	12.20	30.73

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5926G	44.30	54.00	-9.70	18.98	3	Horizontal	39	1.32	-	25.32	39.81	9.52	30.35
PK	11.5888G	56.27	74.00	-17.73	18.97	3	Horizontal	39	1.32	-	37.30	39.81	9.51	30.35
PK	17.3188G	60.54	68.20	-7.66	21.57	3	Horizontal	230	2.17	-	38.97	40.05	12.23	30.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.81	54.00	-2.19	9.60	3	Vertical	360	2.39	-	42.21	32.00	6.78	29.18
AV	5.1792G	108.68	Inf	-Inf	9.55	3	Vertical	360	2.39	-	99.13	31.94	6.79	29.18
PK	5.1492G	65.19	74.00	-8.81	9.59	3	Vertical	360	2.39	-	55.60	32.00	6.77	29.18
PK	5.1804G	117.75	Inf	-Inf	9.55	3	Vertical	360	2.39	-	108.20	31.94	6.79	29.18

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.59	54.00	-0.41	9.59	3	Horizontal	273	2.66	-	44.00	32.00	6.77	29.18
AV	5.1852G	112.62	Inf	-Inf	9.54	3	Horizontal	273	2.66	-	103.08	31.93	6.79	29.18
PK	5.1494G	69.32	74.00	-4.68	9.59	3	Horizontal	273	2.66	-	59.73	32.00	6.77	29.18
PK	5.1892G	122.07	Inf	-Inf	9.53	3	Horizontal	273	2.66	-	112.54	31.92	6.79	29.18



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54714G	45.02	54.00	-8.98	18.29	3	Vertical	192	1.72	-	26.73	38.02	11.30	31.03
PK	10.36228G	56.51	68.20	-11.69	18.06	3	Vertical	157	1.39	-	38.45	39.45	8.96	30.35
PK	15.54168G	58.33	74.00	-15.67	18.31	3	Vertical	192	1.72	-	40.02	38.05	11.29	31.03

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54054G	45.01	54.00	-8.99	18.32	3	Horizontal	163	1.16	-	26.69	38.06	11.29	31.03
PK	10.36876G	56.07	68.20	-12.13	18.10	3	Horizontal	247	1.50	-	37.97	39.48	8.97	30.35
PK	15.55194G	57.86	74.00	-16.14	18.25	3	Horizontal	163	1.16	-	39.61	37.99	11.30	31.04

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.47	54.00	-4.53	9.60	3	Vertical	130	1.47	-	39.87	32.00	6.78	29.18
AV	5.192G	109.02	Inf	-Inf	9.54	3	Vertical	130	1.47	-	99.48	31.92	6.80	29.18
PK	5.1496G	62.19	74.00	-11.81	9.59	3	Vertical	130	1.47	-	52.60	32.00	6.77	29.18
PK	5.1924G	116.13	Inf	-Inf	9.54	3	Vertical	130	1.47	-	106.59	31.92	6.80	29.18

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.44	54.00	-0.56	9.60	3	Horizontal	268	2.66	-	43.84	32.00	6.78	29.18
AV	5.192G	115.29	Inf	-Inf	9.54	3	Horizontal	268	2.66	-	105.75	31.92	6.80	29.18
PK	5.1496G	66.90	74.00	-7.10	9.59	3	Horizontal	268	2.66	-	57.31	32.00	6.77	29.18
PK	5.2004G	122.88	Inf	-Inf	9.52	3	Horizontal	268	2.66	-	113.36	31.90	6.80	29.18






**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60054G	44.72	54.00	-9.28	17.98	3	Vertical	274	2.43	-	26.74	37.70	11.32	31.04
PK	10.3877G	56.30	68.20	-11.90	18.16	3	Vertical	100	1.50	-	38.14	39.55	8.97	30.36
PK	15.60012G	57.36	74.00	-16.64	17.98	3	Vertical	274	2.43	-	39.38	37.70	11.32	31.04


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5946G	45.51	54.00	-8.49	18.01	3	Horizontal	330	1.48	-	27.50	37.73	11.32	31.04
PK	10.4135G	56.44	68.20	-11.76	18.24	3	Horizontal	75	1.39	-	38.20	39.61	8.99	30.36
PK	15.60246G	58.58	74.00	-15.42	17.97	3	Horizontal	330	1.48	-	40.61	37.69	11.32	31.04

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	49.46	54.00	-4.54	9.59	3	Vertical	37	2.37	-	39.87	32.00	6.77	29.18
AV	5.2424G	109.04	Inf	-Inf	9.18	3	Vertical	37	2.37	-	99.86	31.56	6.80	29.18
AV	5.3528G	46.78	54.00	-7.22	8.73	3	Vertical	37	2.37	-	38.05	31.12	6.80	29.19
PK	5.1488G	64.48	74.00	-9.52	9.59	3	Vertical	37	2.37	-	54.89	32.00	6.77	29.18
PK	5.2406G	117.61	Inf	-Inf	9.20	3	Vertical	37	2.37	-	108.41	31.58	6.80	29.18
PK	5.3552G	58.96	74.00	-15.04	8.75	3	Vertical	37	2.37	-	50.21	31.14	6.80	29.19


802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.55	54.00	-0.45	9.60	3	Horizontal	272	2.67	-	43.95	32.00	6.78	29.18
AV	5.249G	118.67	Inf	-Inf	9.13	3	Horizontal	272	2.67	-	109.54	31.51	6.80	29.18
AV	5.35G	49.33	54.00	-4.67	8.71	3	Horizontal	272	2.67	-	40.62	31.10	6.80	29.19
PK	5.1416G	66.69	74.00	-7.31	9.59	3	Horizontal	272	2.67	-	57.10	32.00	6.77	29.18
PK	5.249G	127.51	Inf	-Inf	9.13	3	Horizontal	272	2.67	-	118.38	31.51	6.80	29.18
PK	5.3546G	62.77	74.00	-11.23	8.75	3	Horizontal	272	2.67	-	54.02	31.14	6.80	29.19

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
5240MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72672G	47.27	54.00	-6.73	17.70	3	Vertical	222	1.50	-	29.57	37.37	11.38	31.05
PK	10.46752G	55.97	68.20	-12.23	18.30	3	Vertical	144	1.71	-	37.67	39.67	9.01	30.38
PK	15.72426G	59.59	74.00	-14.41	17.71	3	Vertical	222	1.50	-	41.88	37.38	11.38	31.05

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
5240MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7185G	49.82	54.00	-4.18	17.70	3	Horizontal	240	1.50	-	32.12	37.38	11.37	31.05
PK	10.48156G	56.22	68.20	-11.98	18.32	3	Horizontal	270	1.50	-	37.90	39.68	9.02	30.38
PK	15.71532G	61.34	74.00	-12.66	17.70	3	Horizontal	240	1.50	-	43.64	37.38	11.37	31.05



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	110.21	Inf	-Inf	9.56	3	Vertical	281	1.78	-	100.65	31.87	6.97	29.28
PK	5.5386G	62.64	68.20	-5.56	9.38	3	Vertical	281	1.78	-	53.26	31.72	6.87	29.21
PK	5.745G	118.37	Inf	-Inf	9.58	3	Vertical	281	1.78	-	108.79	31.89	6.97	29.28
PK	5.9754G	63.93	68.20	-4.27	10.08	3	Vertical	281	1.78	-	53.85	32.35	7.09	29.36

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	115.96	Inf	-Inf	9.58	3	Horizontal	267	2.14	-	106.38	31.89	6.97	29.28
PK	5.6478G	60.79	68.20	-7.41	9.27	3	Horizontal	267	2.14	-	51.52	31.60	6.92	29.25
PK	5.745G	124.95	Inf	-Inf	9.58	3	Horizontal	267	2.14	-	115.37	31.89	6.97	29.28
PK	5.9718G	58.44	68.20	-9.76	10.09	3	Horizontal	267	2.14	-	48.35	32.36	7.09	29.36




**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49108G	43.95	54.00	-10.05	19.00	3	Vertical	234	1.84	-	24.95	39.91	9.47	30.38
PK	11.48742G	56.36	74.00	-17.64	19.00	3	Vertical	234	1.84	-	37.36	39.91	9.47	30.38
PK	17.23062G	62.21	68.20	-5.99	21.34	3	Vertical	146	1.77	-	40.87	39.90	12.18	30.74


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49006G	44.09	54.00	-9.91	19.00	3	Horizontal	311	2.82	-	25.09	39.91	9.47	30.38
PK	11.49258G	56.65	74.00	-17.35	19.00	3	Horizontal	311	2.82	-	37.65	39.91	9.47	30.38
PK	17.23608G	66.98	68.20	-1.22	21.34	3	Horizontal	195	1.43	-	45.64	39.90	12.18	30.74

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	112.74	Inf	-Inf	9.60	3	Vertical	51	1.70	-	103.14	31.90	7.00	29.30
PK	5.6062G	58.52	68.20	-9.68	9.35	3	Vertical	51	1.70	-	49.17	31.69	6.90	29.24
PK	5.7946G	121.89	Inf	-Inf	9.60	3	Vertical	51	1.70	-	112.29	31.90	7.00	29.30
PK	6.0502G	57.93	68.20	-10.27	10.23	3	Vertical	51	1.70	-	47.70	32.50	7.13	29.40

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	117.08	Inf	-Inf	9.60	3	Horizontal	262	2.48	-	107.48	31.90	7.00	29.30
PK	5.6434G	59.36	68.20	-8.84	9.28	3	Horizontal	262	2.48	-	50.08	31.61	6.92	29.25
PK	5.7946G	125.85	Inf	-Inf	9.60	3	Horizontal	262	2.48	-	116.25	31.90	7.00	29.30
PK	5.9338G	60.34	68.20	-7.86	10.06	3	Horizontal	262	2.48	-	50.28	32.34	7.07	29.35

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57846G	44.21	54.00	-9.79	18.98	3	Vertical	199	1.79	-	25.23	39.82	9.51	30.35
PK	11.56562G	56.71	74.00	-17.29	18.97	3	Vertical	199	1.79	-	37.74	39.83	9.50	30.36
PK	17.35506G	65.85	68.20	-2.35	21.89	3	Vertical	283	2.96	-	43.96	40.34	12.25	30.70

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57366G	44.38	54.00	-9.62	18.99	3	Horizontal	142	1.51	-	25.39	39.83	9.51	30.35
PK	11.57192G	56.52	74.00	-17.48	18.98	3	Horizontal	142	1.51	-	37.54	39.83	9.51	30.36
PK	17.35464G	67.04	68.20	-1.16	21.89	3	Horizontal	202	1.49	-	45.15	40.34	12.25	30.70



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	114.61	Inf	-Inf	9.68	3	Vertical	56	1.62	-	104.93	31.98	7.01	29.31
PK	5.5358G	62.48	68.20	-5.72	9.39	3	Vertical	56	1.62	-	53.09	31.73	6.87	29.21
PK	5.825G	123.98	Inf	-Inf	9.70	3	Vertical	56	1.62	-	114.28	32.00	7.01	29.31
PK	5.927G	65.95	68.20	-2.25	10.02	3	Vertical	56	1.62	-	55.93	32.31	7.06	29.35

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	116.55	Inf	-Inf	9.71	3	Horizontal	268	2.10	-	106.84	32.01	7.01	29.31
PK	5.5922G	57.79	68.20	-10.41	9.37	3	Horizontal	268	2.10	-	48.42	31.70	6.90	29.23
PK	5.825G	125.07	Inf	-Inf	9.70	3	Horizontal	268	2.10	-	115.37	32.00	7.01	29.31
PK	5.9294G	65.38	68.20	-2.82	10.03	3	Horizontal	268	2.10	-	55.35	32.32	7.06	29.35




**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65198G	44.27	54.00	-9.73	18.75	3	Vertical	293	1.46	-	25.52	39.54	9.54	30.33
PK	11.64004G	56.55	74.00	-17.45	18.81	3	Vertical	293	1.46	-	37.74	39.60	9.54	30.33
PK	17.46198G	63.95	68.20	-4.25	22.58	3	Vertical	323	2.95	-	41.37	40.95	12.30	30.67

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX  
5825MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65216G	45.55	54.00	-8.45	18.75	3	Horizontal	149	1.76	-	26.80	39.54	9.54	30.33
PK	11.6524G	57.78	74.00	-16.22	18.75	3	Horizontal	149	1.76	-	39.03	39.54	9.54	30.33
PK	17.47068G	67.10	68.20	-1.10	22.62	3	Horizontal	200	1.36	-	44.48	40.98	12.31	30.67



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.96	54.00	-4.04	9.59	3	Vertical	33	2.63	-	40.37	32.00	6.77	29.18
AV	5.1888G	99.12	Inf	-Inf	9.53	3	Vertical	33	2.63	-	89.59	31.92	6.79	29.18
PK	5.1424G	63.94	74.00	-10.06	9.59	3	Vertical	33	2.63	-	54.35	32.00	6.77	29.18
PK	5.1916G	107.93	Inf	-Inf	9.54	3	Vertical	33	2.63	-	98.39	31.92	6.80	29.18

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.86	54.00	-1.14	9.59	3	Horizontal	266	2.14	-	43.27	32.00	6.77	29.18
AV	5.1728G	105.12	Inf	-Inf	9.56	3	Horizontal	266	2.14	-	95.56	31.95	6.79	29.18
PK	5.1496G	65.74	74.00	-8.26	9.59	3	Horizontal	266	2.14	-	56.15	32.00	6.77	29.18
PK	5.1716G	114.35	Inf	-Inf	9.57	3	Horizontal	266	2.14	-	104.78	31.96	6.79	29.18



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55722G	44.94	54.00	-9.06	18.22	3	Vertical	300	1.48	-	26.72	37.96	11.30	31.04
PK	10.38318G	57.37	68.20	-10.83	18.15	3	Vertical	223	1.50	-	39.22	39.53	8.97	30.35
PK	15.55698G	57.06	74.00	-16.94	18.22	3	Vertical	300	1.48	-	38.84	37.96	11.30	31.04

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5634G	44.88	54.00	-9.12	18.18	3	Horizontal	332	1.53	-	26.70	37.92	11.30	31.04
PK	10.38762G	56.43	68.20	-11.77	18.16	3	Horizontal	131	1.52	-	38.27	39.55	8.97	30.36
PK	15.56484G	57.30	74.00	-16.70	18.17	3	Horizontal	332	1.53	-	39.13	37.91	11.30	31.04



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.61	54.00	-0.39	9.60	3	Vertical	42	2.52	-	44.01	32.00	6.78	29.18
AV	5.214G	108.03	Inf	-Inf	9.41	3	Vertical	42	2.52	-	98.62	31.79	6.80	29.18
PK	5.144G	69.40	74.00	-4.60	9.59	3	Vertical	42	2.52	-	59.81	32.00	6.77	29.18
PK	5.2156G	116.97	Inf	-Inf	9.40	3	Vertical	42	2.52	-	107.57	31.78	6.80	29.18

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.2404G	119.62	Inf	-Inf	9.20	3	Horizontal	270	2.83	-	110.42	31.58	6.80	29.18
AV	5.2436G	110.91	Inf	-Inf	9.17	3	Horizontal	270	2.83	-	101.74	31.55	6.80	29.18
PK	5.1472G	69.11	74.00	-4.89	9.59	3	Horizontal	270	2.83	-	59.52	32.00	6.77	29.18
AV	5.1472G	53.89	54.00	-0.11	9.59	3	Horizontal	270	2.83	-	44.30	32.00	6.77	29.18




**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67758G	44.23	54.00	-9.77	17.77	3	Vertical	335	1.22	-	26.46	37.47	11.35	31.05
PK	10.44986G	56.21	68.20	-11.99	18.28	3	Vertical	7	2.37	-	37.93	39.65	9.00	30.37
PK	15.68604G	57.07	74.00	-16.93	17.75	3	Vertical	335	1.22	-	39.32	37.44	11.36	31.05


**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67992G	44.36	54.00	-9.64	17.77	3	Horizontal	148	1.61	-	26.59	37.46	11.36	31.05
PK	10.45292G	56.23	68.20	-11.97	18.27	3	Horizontal	189	1.83	-	37.96	39.65	9.00	30.38
PK	15.69918G	57.57	74.00	-16.43	17.71	3	Horizontal	148	1.61	-	39.86	37.40	11.36	31.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	107.51	Inf	-Inf	9.59	3	Vertical	51	1.33	-	97.92	31.90	6.98	29.29
PK	5.6518G	62.01	69.53	-7.52	9.29	3	Vertical	51	1.33	-	52.72	31.61	6.93	29.25
PK	5.7502G	116.28	Inf	-Inf	9.59	3	Vertical	51	1.33	-	106.69	31.90	6.98	29.29
PK	5.923G	60.19	69.68	-9.49	10.01	3	Vertical	51	1.33	-	50.18	32.29	7.06	29.34

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.743G	111.06	Inf	-Inf	9.58	3	Horizontal	264	2.13	-	101.48	31.89	6.97	29.28
PK	5.6494G	66.52	68.20	-1.68	9.27	3	Horizontal	264	2.13	-	57.25	31.60	6.92	29.25
PK	5.743G	120.13	Inf	-Inf	9.58	3	Horizontal	264	2.13	-	110.55	31.89	6.97	29.28
PK	5.9266G	60.40	68.20	-7.80	10.02	3	Horizontal	264	2.13	-	50.38	32.31	7.06	29.35




**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5243G	44.15	54.00	-9.85	19.00	3	Vertical	331	1.50	-	25.15	39.88	9.49	30.37
PK	11.515G	56.90	74.00	-17.10	18.99	3	Vertical	331	1.50	-	37.91	39.88	9.48	30.37
PK	17.2446G	61.19	68.20	-7.01	21.34	3	Vertical	139	1.50	-	39.85	39.90	12.18	30.74

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
5755MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4927G	44.24	54.00	-9.76	19.00	3	Horizontal	342	2.30	-	25.24	39.91	9.47	30.38
PK	11.5183G	56.49	74.00	-17.51	18.99	3	Horizontal	342	2.30	-	37.50	39.88	9.48	30.37
PK	17.2642G	61.96	68.20	-6.24	21.37	3	Horizontal	193	1.37	-	40.59	39.90	12.20	30.73



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.783G	109.34	Inf	-Inf	9.59	3	Vertical	46	1.67	-	99.75	31.90	6.99	29.30
PK	5.5922G	58.55	68.20	-9.65	9.37	3	Vertical	46	1.67	-	49.18	31.70	6.90	29.23
PK	5.783G	118.16	Inf	-Inf	9.59	3	Vertical	46	1.67	-	108.57	31.90	6.99	29.30
PK	5.9234G	62.49	69.38	-6.89	10.01	3	Vertical	46	1.67	-	52.48	32.29	7.06	29.34

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	113.38	Inf	-Inf	9.60	3	Horizontal	262	2.56	-	103.78	31.90	7.00	29.30
PK	5.6498G	62.82	68.20	-5.38	9.27	3	Horizontal	262	2.56	-	53.55	31.60	6.92	29.25
PK	5.7962G	122.22	Inf	-Inf	9.60	3	Horizontal	262	2.56	-	112.62	31.90	7.00	29.30
PK	5.927G	63.62	68.20	-4.58	10.02	3	Horizontal	262	2.56	-	53.60	32.31	7.06	29.35






**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6116G	44.35	54.00	-9.65	18.93	3	Vertical	360	1.58	-	25.42	39.74	9.53	30.34
PK	11.5849G	57.01	74.00	-16.99	18.98	3	Vertical	360	1.58	-	38.03	39.82	9.51	30.35
PK	17.3982G	61.81	68.20	-6.39	22.27	3	Vertical	319	2.53	-	39.54	40.69	12.27	30.69


**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX  
5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5985G	44.26	54.00	-9.74	18.97	3	Horizontal	193	1.63	-	25.29	39.80	9.52	30.35
PK	11.5661G	56.70	74.00	-17.30	18.97	3	Horizontal	193	1.63	-	37.73	39.83	9.50	30.36
PK	17.3806G	63.84	68.20	-4.36	22.10	3	Horizontal	97	1.48	-	41.74	40.54	12.26	30.70

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.41	54.00	-2.59	9.60	3	Vertical	44	2.43	-	41.81	32.00	6.78	29.18
AV	5.208G	96.14	Inf	-Inf	9.46	3	Vertical	44	2.43	-	86.68	31.84	6.80	29.18
AV	5.389G	45.08	54.00	-8.92	9.02	3	Vertical	44	2.43	-	36.06	31.41	6.80	29.19
PK	5.146G	62.17	74.00	-11.83	9.59	3	Vertical	44	2.43	-	52.58	32.00	6.77	29.18
PK	5.203G	106.50	Inf	-Inf	9.50	3	Vertical	44	2.43	-	97.00	31.88	6.80	29.18
PK	5.427G	57.23	74.00	-16.77	9.16	3	Vertical	44	2.43	-	48.07	31.55	6.81	29.20

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	53.11	54.00	-0.89	9.59	3	Horizontal	271	2.76	-	43.52	32.00	6.77	29.18
AV	5.229G	101.57	Inf	-Inf	9.29	3	Horizontal	271	2.76	-	92.28	31.67	6.80	29.18
AV	5.36G	45.63	54.00	-8.37	8.79	3	Horizontal	271	2.76	-	36.84	31.18	6.80	29.19
PK	5.131G	65.16	74.00	-8.84	9.59	3	Horizontal	271	2.76	-	55.57	32.00	6.77	29.18
PK	5.231G	113.43	Inf	-Inf	9.27	3	Horizontal	271	2.76	-	104.16	31.65	6.80	29.18
PK	5.389G	57.21	74.00	-16.79	9.02	3	Horizontal	271	2.76	-	48.19	31.41	6.80	29.19

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58662G	44.68	54.00	-9.32	18.05	3	Vertical	360	1.52	-	26.63	37.78	11.31	31.04
PK	10.43494G	56.50	68.20	-11.70	18.26	3	Vertical	309	2.69	-	38.24	39.63	9.00	30.37
PK	15.64602G	56.72	74.00	-17.28	17.86	3	Vertical	360	1.52	-	38.86	37.56	11.34	31.04

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60012G	44.88	54.00	-9.12	17.98	3	Horizontal	152	1.50	-	26.90	37.70	11.32	31.04
PK	10.40056G	56.50	68.20	-11.70	18.22	3	Horizontal	119	2.40	-	38.28	39.60	8.98	30.36
PK	15.5913G	58.03	74.00	-15.97	18.03	3	Horizontal	152	1.50	-	40.00	37.75	11.32	31.04



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8038G	104.02	Inf	-Inf	9.62	3	Vertical	56	1.78	-	94.40	31.92	7.00	29.30
PK	5.6394G	65.67	68.20	-2.53	9.29	3	Vertical	56	1.78	-	56.38	31.62	6.92	29.25
PK	5.7942G	112.57	Inf	-Inf	9.60	3	Vertical	56	1.78	-	102.97	31.90	7.00	29.30
PK	5.9286G	63.88	68.20	-4.32	10.02	3	Vertical	56	1.78	-	53.86	32.31	7.06	29.35


802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7954G	106.95	Inf	-Inf	9.60	3	Horizontal	263	2.47	-	97.35	31.90	7.00	29.30
PK	5.643G	68.00	68.20	-0.20	9.28	3	Horizontal	263	2.47	-	58.72	31.61	6.92	29.25
PK	5.7942G	115.65	Inf	-Inf	9.60	3	Horizontal	263	2.47	-	106.05	31.90	7.00	29.30
PK	5.9346G	67.31	68.20	-0.89	10.06	3	Horizontal	263	2.47	-	57.25	32.34	7.07	29.35

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX  
5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51624G	44.08	54.00	-9.92	18.99	3	Vertical	222	2.33	-	25.09	39.88	9.48	30.37
PK	11.56792G	56.64	74.00	-17.36	18.98	3	Vertical	222	2.33	-	37.66	39.83	9.51	30.36
PK	17.32052G	61.18	68.20	-7.02	21.58	3	Vertical	285	2.33	-	39.60	40.06	12.23	30.71

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX  
5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54984G	44.17	54.00	-9.83	18.99	3	Horizontal	261	2.28	-	25.18	39.85	9.50	30.36
PK	11.56264G	56.59	74.00	-17.41	18.98	3	Horizontal	261	2.28	-	37.61	39.84	9.50	30.36
PK	17.3002G	61.82	68.20	-6.38	21.40	3	Horizontal	196	2.51	-	40.42	39.90	12.22	30.72



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.16G	38.76	54.00	-15.24	Vertical

Mode Configure

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.276G	35.47	54.00	-18.53	3	Vertical	183	2.13	-
Mode 1	Pass	AV	2.16G	38.76	54.00	-15.24	3	Vertical	20	1.50	-
Mode 1	Pass	AV	5.194G	35.16	54.00	-18.84	3	Vertical	166	1.04	-
Mode 1	Pass	PK	1.276G	45.86	74.00	-28.14	3	Vertical	183	2.13	-
Mode 1	Pass	PK	2.16G	51.29	74.00	-22.71	3	Vertical	20	1.50	-
Mode 1	Pass	PK	5.194G	48.87	74.00	-25.13	3	Vertical	166	1.04	-
Mode 1	Pass	AV	2.086G	25.96	54.00	-28.04	3	Horizontal	144	1.50	-
Mode 1	Pass	AV	2.986G	31.15	54.00	-22.85	3	Horizontal	16	1.50	-
Mode 1	Pass	AV	5.236G	29.85	54.00	-24.15	3	Horizontal	75	1.15	-
Mode 1	Pass	PK	2.086G	39.39	74.00	-34.61	3	Horizontal	144	1.50	-
Mode 1	Pass	PK	2.986G	43.46	74.00	-30.54	3	Horizontal	16	1.50	-
Mode 1	Pass	PK	5.236G	42.83	74.00	-31.17	3	Horizontal	75	1.15	-




**Radiated Emissions above 1GHz\_Mode 1**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.276G	35.47	54.00	-18.53	-3.08	3	Vertical	183	2.13	-	38.55	25.75	3.01	31.84
AV	2.16G	38.76	54.00	-15.24	1.78	3	Vertical	20	1.50	-	36.98	27.86	4.06	30.14
AV	5.194G	35.16	54.00	-18.84	9.53	3	Vertical	166	1.04	-	25.63	31.91	6.80	29.18
PK	1.276G	45.86	74.00	-28.14	-3.08	3	Vertical	183	2.13	-	48.94	25.75	3.01	31.84
PK	2.16G	51.29	74.00	-22.71	1.78	3	Vertical	20	1.50	-	49.51	27.86	4.06	30.14
PK	5.194G	48.87	74.00	-25.13	9.53	3	Vertical	166	1.04	-	39.34	31.91	6.80	29.18

### Radiated Emissions above 1GHz\_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.086G	25.96	54.00	-28.04	0.77	3	Horizontal	144	1.50	-	25.19	26.96	3.99	30.18
AV	2.986G	31.15	54.00	-22.85	3.62	3	Horizontal	16	1.50	-	27.53	28.47	4.98	29.83
AV	5.236G	29.85	54.00	-24.15	9.23	3	Horizontal	75	1.15	-	20.62	31.61	6.80	29.18
PK	2.086G	39.39	74.00	-34.61	0.77	3	Horizontal	144	1.50	-	38.62	26.96	3.99	30.18
PK	2.986G	43.46	74.00	-30.54	3.62	3	Horizontal	16	1.50	-	39.84	28.47	4.98	29.83
PK	5.236G	42.83	74.00	-31.17	9.23	3	Horizontal	75	1.15	-	33.60	31.61	6.80	29.18