


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

01/02/2020




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

01/02/2020




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5745MHz

01/02/2020




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5785MHz

01/02/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.66	13.66	9.23	7.27	9.04	6.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5825MHz

01/02/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.54	13.54	9.44	6.71	9.35	7.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5510MHz

01/02/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.66	5.66	0.24	-1.00	0.33	-0.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5550MHz

01/02/2020




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5670MHz

01/02/2020




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

01/02/2020




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

01/02/2020




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5755MHz

01/02/2020




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5795MHz

01/02/2020




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5530MHz

01/02/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.14	3.14	-2.83	-2.70	-2.02	-2.97

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5610MHz

01/02/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.31	3.31	-1.80	-2.74	-1.71	-2.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

01/02/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.74	3.74	-1.48	-3.19	-1.05	-3.20

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

01/02/2020




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz

03/02/2020




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5570MHz

01/02/2020





For non-beamforming function:

For 802.11ax HEW20 5745 MHz:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.499G	63.64	68.20	-4.56	3	Vertical	43	2.68	-

802.11ax HEW20_Nss1,(MCS0)_4TX

26/02/2020

5745MHz_TX




EUT Y_4TX
Setting 98
02-D-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.499G	63.64	68.20	-4.56	54.04	3	Vertical	43	2.68	-	33.90	6.21	30.51
PK	5.75G	124.60	Inf	-Inf	115.00	3	Vertical	43	2.68	-	33.80	6.37	30.57
AV	5.75G	112.11	Inf	-Inf	102.51	3	Vertical	43	2.68	-	33.80	6.37	30.57
PK	5.953G	61.61	68.20	-6.59	51.80	3	Vertical	43	2.68	-	34.11	6.32	30.62

802.11ax HEW20_Nss1,(MCS0)_4TX

26/02/2020

5745MHz_TX




EUT Y_4TX
Setting 98
02-D-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.543G	61.95	68.20	-6.25	52.28	3	Horizontal	137	2.09	-	33.94	6.25	30.52
PK	5.754G	120.23	Inf	-Inf	110.62	3	Horizontal	137	2.09	-	33.80	6.38	30.57
AV	5.748G	108.05	Inf	-Inf	98.45	3	Horizontal	137	2.09	-	33.80	6.37	30.57
PK	5.926G	60.52	68.20	-7.68	50.75	3	Horizontal	137	2.09	-	34.05	6.34	30.62

802.11ax HEW20_Nss1,(MCS0)_4TX

26/02/2020

5745MHz_TX




EUT Y_4TX
Setting 98
02-D-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4998G	56.18	74.00	-17.82	40.13	3	Vertical	37	3.00	-	38.80	8.85	31.60
AV	11.49152G	42.35	54.00	-11.65	26.31	3	Vertical	37	3.00	-	38.79	8.85	31.60

802.11ax HEW20_Nss1,(MCS0)_4TX

26/02/2020

5745MHz_TX



EUT Y_4TX
Setting 98
02-D-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4848G	55.64	74.00	-18.36	39.60	3	Horizontal	274	1.80	-	38.79	8.85	31.60
AV	11.4916G	41.62	54.00	-12.38	25.58	3	Horizontal	274	1.80	-	38.79	8.85	31.60



For other channel:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3508G	53.93	54.00	-0.07	8.28	3	Horizontal	88	1.51	-

802.11a_Nss1,(6Mbps)_2TX

14/09/2019

5260MHz_TX




EUT Y_2TX
Setting 120
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	58.69	74.00	-15.31	7.94	3	Vertical	305	1.36	-	50.75
AV	5.149G	46.38	54.00	-7.62	7.94	3	Vertical	305	1.36	-	38.44
PK	5.262G	118.35	Inf	-Inf	8.16	3	Vertical	305	1.36	-	110.19
AV	5.2624G	108.61	Inf	-Inf	8.15	3	Vertical	305	1.36	-	100.46
PK	5.3512G	59.66	74.00	-14.34	8.28	3	Vertical	305	1.36	-	51.38
AV	5.3536G	46.99	54.00	-7.01	8.28	3	Vertical	305	1.36	-	38.71

802.11a_Nss1,(6Mbps)_2TX

14/09/2019

5260MHz_TX




EUT Y_2TX
Setting 120
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	61.87	74.00	-12.13	7.94	3	Horizontal	93	1.50	-	53.93
AV	5.1484G	47.97	54.00	-6.03	7.94	3	Horizontal	93	1.50	-	40.03
PK	5.2672G	122.41	Inf	-Inf	8.16	3	Horizontal	93	1.50	-	114.25
AV	5.2624G	112.23	Inf	-Inf	8.15	3	Horizontal	93	1.50	-	104.08
PK	5.3542G	62.00	74.00	-12.00	8.28	3	Horizontal	93	1.50	-	53.72
AV	5.35G	49.02	54.00	-4.98	8.28	3	Horizontal	93	1.50	-	40.74

802.11a_Nss1,(6Mbps)_2TX

14/09/2019

5260MHz_TX




EUT Y_2TX
Setting 120
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.51778G	61.51	68.20	-6.69	14.57	3	Vertical	73	1.46	-	46.94			
PK	15.77814G	59.46	74.00	-14.54	15.44	3	Vertical	119	1.50	-	44.02			
AV	15.77826G	46.03	54.00	-7.97	15.44	3	Vertical	119	1.50	-	30.59			

802.11a_Nss1,(6Mbps)_2TX

14/09/2019

5260MHz_TX




EUT Y_2TX
Setting 120
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.5137G	61.99	68.20	-6.21	14.56	3	Horizontal	77	1.45	-	47.43			
PK	15.78408G	61.48	74.00	-12.52	15.43	3	Horizontal	120	1.35	-	46.05			
AV	15.77886G	47.64	54.00	-6.36	15.44	3	Horizontal	120	1.35	-	32.20			

802.11a_Nss1,(6Mbps)_2TX

15/09/2019

5300MHz_TX




EUT Y_2TX
Setting 106
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.3024G	116.33	Inf	-Inf	8.21	3	Vertical	309	1.20	-	108.12			
AV	5.3024G	107.16	Inf	-Inf	8.21	3	Vertical	309	1.20	-	98.95			
PK	5.3576G	66.64	74.00	-7.36	8.28	3	Vertical	309	1.20	-	58.36			
AV	5.3524G	49.88	54.00	-4.12	8.28	3	Vertical	309	1.20	-	41.60			

802.11a_Nss1,(6Mbps)_2TX

15/09/2019

5300MHz_TX




EUT Y_2TX
Setting 106
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	120.54	Inf	-Inf	8.21	3	Horizontal	92	1.54	-	112.33
AV	5.2972G	110.89	Inf	-Inf	8.21	3	Horizontal	92	1.54	-	102.68
PK	5.352G	70.18	74.00	-3.82	8.28	3	Horizontal	92	1.54	-	61.90
AV	5.352G	53.53	54.00	-0.47	8.28	3	Horizontal	92	1.54	-	45.25

802.11a_Nss1,(6Mbps)_2TX

15/09/2019

5300MHz_TX




EUT Y_2TX
Setting 106
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.612G	52.81	74.00	-21.19	14.50	3	Vertical	218	2.32	-	38.31			
AV	10.6036G	39.69	54.00	-14.31	14.52	3	Vertical	218	2.32	-	25.17			
PK	15.89142G	53.40	74.00	-20.60	15.14	3	Vertical	212	1.68	-	38.26			
AV	15.9039G	40.32	54.00	-13.68	15.12	3	Vertical	212	1.68	-	25.20			

802.11a_Nss1,(6Mbps)_2TX

15/09/2019

5300MHz_TX




EUT Y_2TX
Setting 106
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.60906G	52.99	74.00	-21.01	14.50	3	Horizontal	338	1.14	-	38.49			
AV	10.60352G	39.55	54.00	-14.45	14.52	3	Horizontal	338	1.14	-	25.03			
PK	15.89424G	57.95	74.00	-16.05	15.15	3	Horizontal	128	1.37	-	42.80			
AV	15.89832G	43.06	54.00	-10.94	15.13	3	Horizontal	128	1.37	-	27.93			

802.11a_Nss1,(6Mbps)_2TX

14/09/2019

5320MHz_TX




EUT Y_2TX
Setting 87
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.3224G	111.73	Inf	-Inf	8.23	3	Vertical	301	1.14	-	103.50			
AV	5.3224G	102.71	Inf	-Inf	8.23	3	Vertical	301	1.14	-	94.48			
PK	5.354G	66.31	74.00	-7.69	8.28	3	Vertical	301	1.14	-	58.03			
AV	5.3528G	49.88	54.00	-4.12	8.28	3	Vertical	301	1.14	-	41.60			

802.11a_Nss1,(6Mbps)_2TX

14/09/2019

5320MHz_TX




EUT Y_2TX
Setting 87
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	115.64	Inf	-Inf	8.23	3	Horizontal	65	1.64	-	107.41
AV	5.3224G	106.52	Inf	-Inf	8.23	3	Horizontal	65	1.64	-	98.29
PK	5.3536G	71.07	74.00	-2.93	8.28	3	Horizontal	65	1.64	-	62.79
AV	5.3528G	53.53	54.00	-0.47	8.28	3	Horizontal	65	1.64	-	45.25

802.11a_Nss1,(6Mbps)_2TX

14/09/2019

5320MHz_TX




EUT_Y_2TX
Setting 87
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.62776G	52.69	74.00	-21.31	14.49	3	Vertical	349	1.33	-	38.20			
AV	10.65338G	39.55	54.00	-14.45	14.48	3	Vertical	349	1.33	-	25.07			
PK	15.96228G	53.21	74.00	-20.79	14.96	3	Vertical	198	1.80	-	38.25			
AV	15.9492G	39.90	54.00	-14.10	14.99	3	Vertical	198	1.80	-	24.91			

802.11a_Nss1,(6Mbps)_2TX

14/09/2019

5320MHz_TX




EUT Y_2TX
Setting 87
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.64348G	52.90	74.00	-21.10	14.49	3	Horizontal	171	2.16	-	38.41			
AV	10.63796G	39.86	54.00	-14.14	14.49	3	Horizontal	171	2.16	-	25.37			
PK	15.94734G	53.41	74.00	-20.59	14.99	3	Horizontal	251	2.48	-	38.42			
AV	15.95622G	39.79	54.00	-14.21	14.98	3	Horizontal	251	2.48	-	24.81			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5500MHz_TX




EUT Y_4TX
Setting 78
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4564G	59.87	74.00	-14.13	8.44	3	Vertical	324	1.34	-	51.43			
AV	5.4596G	46.36	54.00	-7.64	8.45	3	Vertical	324	1.34	-	37.91			
PK	5.4684G	66.26	68.20	-1.94	8.46	3	Vertical	324	1.34	-	57.80			
PK	5.4964G	114.83	Inf	-Inf	8.52	3	Vertical	324	1.34	-	106.31			
AV	5.4956G	104.91	Inf	-Inf	8.51	3	Vertical	324	1.34	-	96.40			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019


5500MHz_TX

EUT Y_4TX
Setting 78
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4584G	58.87	74.00	-15.13	8.45	3	Horizontal	329	1.93	-	50.42			
AV	5.4552G	46.37	54.00	-7.63	8.44	3	Horizontal	329	1.93	-	37.93			
PK	5.4692G	67.97	68.20	-0.23	8.46	3	Horizontal	329	1.93	-	59.51			
PK	5.4964G	114.50	Inf	-Inf	8.52	3	Horizontal	329	1.93	-	105.98			
AV	5.4972G	104.75	Inf	-Inf	8.52	3	Horizontal	329	1.93	-	96.23			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5500MHz_TX




EUT Y_4TX
Setting 78
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.01496G	52.99	74.00	-21.01	14.28	3	Vertical	198	1.38	-	38.71			
AV	11.01632G	39.50	54.00	-14.50	14.28	3	Vertical	198	1.38	-	25.22			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5500MHz_TX




EUT Y_4TX
Setting 78
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.01512G	52.80	74.00	-21.20	14.28	3	Horizontal	261	1.28	-	38.52			
AV	11.0156G	39.69	54.00	-14.31	14.28	3	Horizontal	261	1.28	-	25.41			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5580MHz_TX




EUT Y_4TX
Setting 105
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.448G	60.31	74.00	-13.69	8.42	3	Vertical	26	2.51	-	51.89			
AV	5.4408G	47.90	54.00	-6.10	8.41	3	Vertical	26	2.51	-	39.49			
PK	5.4688G	59.99	68.20	-8.21	8.46	3	Vertical	26	2.51	-	51.53			
PK	5.5848G	123.47	Inf	-Inf	8.57	3	Vertical	26	2.51	-	114.90			
AV	5.584G	113.99	Inf	-Inf	8.57	3	Vertical	26	2.51	-	105.42			
PK	5.7464G	60.29	68.20	-7.91	8.82	3	Vertical	26	2.51	-	51.47			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5580MHz_TX




EUT Y_4TX
Setting 105
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4536G	58.80	74.00	-15.20	8.44	3	Horizontal	323	1.48	-	50.36			
AV	5.4552G	46.36	54.00	-7.64	8.44	3	Horizontal	323	1.48	-	37.92			
PK	5.4696G	58.97	68.20	-9.23	8.46	3	Horizontal	323	1.48	-	50.51			
PK	5.5768G	119.35	Inf	-Inf	8.57	3	Horizontal	323	1.48	-	110.78			
AV	5.5768G	109.61	Inf	-Inf	8.57	3	Horizontal	323	1.48	-	101.04			
PK	5.7544G	59.74	68.20	-8.46	8.83	3	Horizontal	323	1.48	-	50.91			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5580MHz_TX




EUT Y_4TX
Setting 105
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.16376G	53.38	74.00	-20.62	14.47	3	Vertical	310	1.23	-	38.91			
AV	11.16392G	39.95	54.00	-14.05	14.47	3	Vertical	310	1.23	-	25.48			
PK	16.73992G	67.97	68.20	-0.23	18.15	3	Vertical	11	1.57	-	49.82			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5580MHz_TX




EUT Y_4TX
Setting 105
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1616G	53.23	74.00	-20.77	14.47	3	Horizontal	288	1.02	-	38.76			
AV	11.16144G	39.70	54.00	-14.30	14.47	3	Horizontal	288	1.02	-	25.23			
PK	16.73952G	68.08	68.20	-0.12	18.15	3	Horizontal	293	1.88	-	49.93			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5700MHz_TX




EUT_Y_4TX
Setting 74
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.705G	117.75	Inf	-Inf	8.76	3	Vertical	16	2.65	-	108.99			
AV	5.704G	108.61	Inf	-Inf	8.76	3	Vertical	16	2.65	-	99.85			
PK	5.7256G	66.30	68.20	-1.90	8.79	3	Vertical	16	2.65	-	57.51			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5700MHz_TX




EUT Y_4TX
Setting 74
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.698G	114.46	Inf	-Inf	8.75	3	Horizontal	172	3.00	-	105.71			
AV	5.6982G	105.08	Inf	-Inf	8.75	3	Horizontal	172	3.00	-	96.33			
PK	5.725G	67.96	68.20	-0.24	8.79	3	Horizontal	172	3.00	-	59.17			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5700MHz_TX




EUT Y_4TX
Setting 74
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.38472G	53.55	74.00	-20.45	14.75	3	Vertical	341	1.46	-	38.80			
AV	11.38784G	40.24	54.00	-13.76	14.76	3	Vertical	341	1.46	-	25.48			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5700MHz_TX




EUT Y_4TX
Setting 74
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.40704G	53.69	74.00	-20.31	14.79	3	Horizontal	229	2.07	-	38.90			
AV	11.40728G	40.27	54.00	-13.73	14.79	3	Horizontal	229	2.07	-	25.48			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 107
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4572G	59.06	74.00	-14.94	8.44	3	Vertical	40	2.64	-	50.62			
AV	5.456G	46.92	54.00	-7.08	8.44	3	Vertical	40	2.64	-	38.48			
PK	5.462G	58.85	68.20	-9.35	8.45	3	Vertical	40	2.64	-	50.40			
PK	5.726G	126.28	Inf	-Inf	8.79	3	Vertical	40	2.64	-	117.49			
AV	5.726G	116.34	Inf	-Inf	8.79	3	Vertical	40	2.64	-	107.55			
PK	5.8724G	61.47	68.20	-6.73	8.91	3	Vertical	40	2.64	-	52.56			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 107
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4512G	58.21	74.00	-15.79	8.44	3	Horizontal	165	1.49	-	49.77			
AV	5.4512G	46.01	54.00	-7.99	8.44	3	Horizontal	165	1.49	-	37.57			
PK	5.4692G	57.73	68.20	-10.47	8.46	3	Horizontal	165	1.49	-	49.27			
PK	5.7248G	120.58	Inf	-Inf	8.78	3	Horizontal	165	1.49	-	111.80			
AV	5.726G	110.68	Inf	-Inf	8.79	3	Horizontal	165	1.49	-	101.89			
PK	5.9648G	59.47	68.20	-8.73	8.93	3	Horizontal	165	1.49	-	50.54			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 107
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.4428G	53.82	74.00	-20.18	14.82	3	Vertical	240	2.23	-	39.00			
AV	11.44288G	40.48	54.00	-13.52	14.82	3	Vertical	240	2.23	-	25.66			
PK	17.17232G	67.87	68.20	-0.33	20.34	3	Vertical	71	2.48	-	47.53			

802.11a_Nss1,(6Mbps)_4TX

17/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 107
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.43272G	53.55	74.00	-20.45	14.82	3	Horizontal	336	2.00	-	38.73			
AV	11.43288G	40.26	54.00	-13.74	14.82	3	Horizontal	336	2.00	-	25.44			
PK	17.17232G	68.10	68.20	-0.10	20.34	3	Horizontal	339	2.69	-	47.76			

802.11ax HEW20_Nss1,(MCS0)_2TX

14/09/2019

5260MHz_TX




EUT Y_2TX
Setting 120
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.1466G	61.10	74.00	-12.90	7.94	3	Vertical	300	1.06	-	53.16			
AV	5.15G	46.57	54.00	-7.43	7.94	3	Vertical	300	1.06	-	38.63			
PK	5.2612G	119.59	Inf	-Inf	8.15	3	Vertical	300	1.06	-	111.44			
AV	5.2612G	105.77	Inf	-Inf	8.15	3	Vertical	300	1.06	-	97.62			
PK	5.353G	61.89	74.00	-12.11	8.28	3	Vertical	300	1.06	-	53.61			
AV	5.3512G	47.66	54.00	-6.34	8.28	3	Vertical	300	1.06	-	39.38			

802.11ax HEW20_Nss1,(MCS0)_2TX

14/09/2019

5260MHz_TX




EUT Y_2TX
Setting 120
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	64.61	74.00	-9.39	7.94	3	Horizontal	251	1.57	-	56.67
AV	5.15G	50.06	54.00	-3.94	7.94	3	Horizontal	251	1.57	-	42.12
PK	5.2528G	123.85	Inf	-Inf	8.14	3	Horizontal	251	1.57	-	115.71
AV	5.2552G	111.03	Inf	-Inf	8.15	3	Horizontal	251	1.57	-	102.88
PK	5.3506G	65.28	74.00	-8.72	8.28	3	Horizontal	251	1.57	-	57.00
AV	5.3512G	50.49	54.00	-3.51	8.28	3	Horizontal	251	1.57	-	42.21

802.11ax HEW20_Nss1,(MCS0)_2TX

14/09/2019

5260MHz_TX




EUT Y_2TX
Setting 120
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.52276G	56.50	68.20	-11.70	14.56	3	Vertical	145	1.50	-	41.94			
PK	15.78192G	61.97	74.00	-12.03	15.43	3	Vertical	126	2.02	-	46.54			
AV	15.77946G	47.94	54.00	-6.06	15.44	3	Vertical	126	2.02	-	32.50			

802.11ax HEW20_Nss1,(MCS0)_2TX

14/09/2019

5260MHz_TX




EUT Y_2TX
Setting 120
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.51586G	61.13	68.20	-7.07	14.56	3	Horizontal	78	1.38	-	46.57			
PK	15.7818G	61.49	74.00	-12.51	15.43	3	Horizontal	136	1.37	-	46.06			
AV	15.77952G	47.42	54.00	-6.58	15.44	3	Horizontal	136	1.37	-	31.98			

802.11ax HEW20_Nss1,(MCS0)_2TX

14/09/2019

5300MHz_TX




EUT Y_2TX
Setting 103
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2932G	116.46	Inf	-Inf	8.20	3	Vertical	313	1.01	-	108.26
AV	5.2956G	103.35	Inf	-Inf	8.20	3	Vertical	313	1.01	-	95.15
PK	5.3516G	66.45	74.00	-7.55	8.28	3	Vertical	313	1.01	-	58.17
AV	5.3516G	49.96	54.00	-4.04	8.28	3	Vertical	313	1.01	-	41.68

802.11ax HEW20_Nss1,(MCS0)_2TX

14/09/2019

5300MHz_TX




EUT Y_2TX
Setting 103
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2932G	121.96	Inf	-Inf	8.20	3	Horizontal	87	1.50	-	113.76
AV	5.2984G	108.19	Inf	-Inf	8.21	3	Horizontal	87	1.50	-	99.98
PK	5.3516G	71.80	74.00	-2.20	8.28	3	Horizontal	87	1.50	-	63.52
AV	5.3501G	53.54	54.00	-0.46	8.28	3	Horizontal	87	1.50	-	45.26

802.11ax HEW20_Nss1,(MCS0)_2TX

15/09/2019

5300MHz_TX




EUT Y_2TX
Setting 103
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.60648G	53.38	74.00	-20.62	14.51	3	Vertical	228	1.26	-	38.87			
AV	10.60136G	38.87	54.00	-15.13	14.51	3	Vertical	228	1.26	-	24.36			
PK	15.89388G	53.01	74.00	-20.99	15.14	3	Vertical	200	2.10	-	37.87			
AV	15.8868G	38.87	54.00	-15.13	15.16	3	Vertical	200	2.10	-	23.71			

802.11ax HEW20_Nss1,(MCS0)_2TX

14/09/2019

5300MHz_TX




EUT Y_2TX
Setting 103
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.60246G	52.99	74.00	-21.01	14.52	3	Horizontal	177	2.48	-	38.47			
AV	10.60336G	38.86	54.00	-15.14	14.52	3	Horizontal	177	2.48	-	24.34			
PK	15.89124G	53.33	74.00	-20.67	15.15	3	Horizontal	269	1.45	-	38.18			
AV	15.88542G	38.92	54.00	-15.08	15.16	3	Horizontal	269	1.45	-	23.76			

802.11ax HEW20_Nss1,(MCS0)_2TX

14/09/2019

5320MHz_TX




EUT Y_2TX
Setting 84
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.3212G	113.12	Inf	-Inf	8.23	3	Vertical	310	1.14	-	104.89			
AV	5.3236G	100.20	Inf	-Inf	8.24	3	Vertical	310	1.14	-	91.96			
PK	5.3512G	69.50	74.00	-4.50	8.28	3	Vertical	310	1.14	-	61.22			
AV	5.3512G	50.68	54.00	-3.32	8.28	3	Vertical	310	1.14	-	42.40			

802.11ax HEW20_Nss1,(MCS0)_2TX

14/09/2019

5320MHz_TX




EUT Y_2TX
Setting 84
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3212G	117.32	Inf	-Inf	8.23	3	Horizontal	63	1.63	-	109.09
AV	5.3208G	103.96	Inf	-Inf	8.23	3	Horizontal	63	1.63	-	95.73
PK	5.3516G	72.62	74.00	-1.38	8.28	3	Horizontal	63	1.63	-	64.34
AV	5.3512G	53.73	54.00	-0.27	8.28	3	Horizontal	63	1.63	-	45.45

802.11ax HEW20_Nss1,(MCS0)_2TX

14/09/2019

5320MHz_TX




EUT Y_2TX
Setting 84
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.63226G	53.44	74.00	-20.56	14.49	3	Vertical	167	1.16	-	38.95			
AV	10.63472G	38.85	54.00	-15.15	14.49	3	Vertical	167	1.16	-	24.36			
PK	15.94704G	53.46	74.00	-20.54	14.99	3	Vertical	315	1.66	-	38.47			
AV	15.95424G	38.85	54.00	-15.15	14.97	3	Vertical	315	1.66	-	23.88			

802.11ax HEW20_Nss1,(MCS0)_2TX

14/09/2019

5320MHz_TX




EUT Y_2TX
Setting 84
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.63646G	53.52	74.00	-20.48	14.49	3	Horizontal	330	1.94	-	39.03			
AV	10.6322G	38.85	54.00	-15.15	14.49	3	Horizontal	330	1.94	-	24.36			
PK	15.96594G	53.25	74.00	-20.75	14.95	3	Horizontal	346	2.44	-	38.30			
AV	15.95244G	38.76	54.00	-15.24	14.98	3	Horizontal	346	2.44	-	23.78			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5500MHz_TX




EUT Y_4TX
Setting 81
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4592G	61.87	74.00	-12.13	8.45	3	Vertical	326	1.71	-	53.42			
AV	5.4592G	47.54	54.00	-6.46	8.45	3	Vertical	326	1.71	-	39.09			
PK	5.4692G	68.01	68.20	-0.19	8.46	3	Vertical	326	1.71	-	59.55			
PK	5.4924G	115.49	Inf	-Inf	8.51	3	Vertical	326	1.71	-	106.98			
AV	5.4972G	102.72	Inf	-Inf	8.52	3	Vertical	326	1.71	-	94.20			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5500MHz_TX




EUT Y_4TX
Setting 81
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4592G	61.00	74.00	-13.00	8.45	3	Horizontal	328	1.67	-	52.55			
AV	5.4592G	47.48	54.00	-6.52	8.45	3	Horizontal	328	1.67	-	39.03			
PK	5.4692G	66.96	68.20	-1.24	8.46	3	Horizontal	328	1.67	-	58.50			
PK	5.502G	114.64	Inf	-Inf	8.52	3	Horizontal	328	1.67	-	106.12			
AV	5.5072G	102.20	Inf	-Inf	8.52	3	Horizontal	328	1.67	-	93.68			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5500MHz_TX




EUT Y_4TX
Setting 81
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.01416G	53.00	74.00	-21.00	14.28	3	Vertical	163	2.05	-	38.72			
AV	11.01432G	38.99	54.00	-15.01	14.28	3	Vertical	163	2.05	-	24.71			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5500MHz_TX




EUT Y_4TX
Setting 81
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.01472G	53.17	74.00	-20.83	14.28	3	Horizontal	269	2.13	-	38.89			
AV	11.01468G	38.89	54.00	-15.11	14.28	3	Horizontal	269	2.13	-	24.61			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5580MHz_TX




EUT Y_4TX
Setting 103
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4536G	60.50	74.00	-13.50	8.44	3	Vertical	30	2.41	-	52.06			
AV	5.4392G	47.06	54.00	-6.94	8.41	3	Vertical	30	2.41	-	38.65			
PK	5.464G	59.48	68.20	-8.72	8.45	3	Vertical	30	2.41	-	51.03			
PK	5.5824G	124.46	Inf	-Inf	8.57	3	Vertical	30	2.41	-	115.89			
AV	5.5832G	111.86	Inf	-Inf	8.57	3	Vertical	30	2.41	-	103.29			
PK	5.728G	60.46	68.20	-7.74	8.80	3	Vertical	30	2.41	-	51.66			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5580MHz_TX




EUT Y_4TX
Setting 103
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.444G	58.46	74.00	-15.54	8.42	3	Horizontal	324	1.47	-	50.04
AV	5.452G	45.77	54.00	-8.23	8.44	3	Horizontal	324	1.47	-	37.33
PK	5.4696G	58.04	68.20	-10.16	8.46	3	Horizontal	324	1.47	-	49.58
PK	5.5776G	120.35	Inf	-Inf	8.57	3	Horizontal	324	1.47	-	111.78
AV	5.5776G	107.53	Inf	-Inf	8.57	3	Horizontal	324	1.47	-	98.96
PK	5.7304G	59.44	68.20	-8.76	8.80	3	Horizontal	324	1.47	-	50.64

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5580MHz_TX




EUT Y_4TX
Setting 103
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.16104G	53.05	74.00	-20.95	14.47	3	Vertical	332	1.32	-	38.58			
AV	11.16088G	38.88	54.00	-15.12	14.47	3	Vertical	332	1.32	-	24.41			
PK	16.74512G	68.13	68.20	-0.07	18.17	3	Vertical	10	1.87	-	49.96			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5580MHz_TX




EUT Y_4TX
Setting 103
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.16084G	52.54	74.00	-21.46	14.47	3	Horizontal	119	2.35	-	38.07			
AV	11.16004G	38.90	54.00	-15.10	14.46	3	Horizontal	119	2.35	-	24.44			
PK	16.74G	64.08	68.20	-4.12	18.15	3	Horizontal	289	1.85	-	45.93			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5700MHz_TX




EUT Y_4TX
Setting 63
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.693G	117.60	Inf	-Inf	8.74	3	Vertical	30	2.55	-	108.86			
AV	5.703G	103.65	Inf	-Inf	8.75	3	Vertical	30	2.55	-	94.90			
PK	5.7274G	68.08	68.20	-0.12	8.80	3	Vertical	30	2.55	-	59.28			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5700MHz_TX




EUT Y_4TX
Setting 63
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.7012G	112.26	Inf	-Inf	8.75	3	Horizontal	169	1.41	-	103.51			
AV	5.696G	99.30	Inf	-Inf	8.74	3	Horizontal	169	1.41	-	90.56			
PK	5.7264G	65.61	68.20	-2.59	8.79	3	Horizontal	169	1.41	-	56.82			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5700MHz_TX




EUT Y_4TX
Setting 63
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.41456G	53.98	74.00	-20.02	14.79	3	Vertical	350	2.32	-	39.19			
AV	11.41412G	39.49	54.00	-14.51	14.79	3	Vertical	350	2.32	-	24.70			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5700MHz_TX




EUT Y_4TX
Setting 63
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.41472G	54.02	74.00	-19.98	14.79	3	Horizontal	354	1.92	-	39.23			
AV	11.41704G	39.50	54.00	-14.50	14.79	3	Horizontal	354	1.92	-	24.71			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4572G	59.10	74.00	-14.90	8.44	3	Vertical	29	1.58	-	50.66			
AV	5.4596G	46.30	54.00	-7.70	8.45	3	Vertical	29	1.58	-	37.85			
PK	5.4644G	59.27	68.20	-8.93	8.45	3	Vertical	29	1.58	-	50.82			
PK	5.726G	124.61	Inf	-Inf	8.79	3	Vertical	29	1.58	-	115.82			
AV	5.7152G	111.91	Inf	-Inf	8.77	3	Vertical	29	1.58	-	103.14			
PK	5.9612G	59.83	68.20	-8.37	8.93	3	Vertical	29	1.58	-	50.90			

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4356G	57.98	74.00	-16.02	8.41	3	Horizontal	166	1.48	-	49.57
AV	5.4476G	45.47	54.00	-8.53	8.42	3	Horizontal	166	1.48	-	37.05
PK	5.4692G	58.40	68.20	-9.80	8.46	3	Horizontal	166	1.48	-	49.94
PK	5.7212G	122.36	Inf	-Inf	8.78	3	Horizontal	166	1.48	-	113.58
AV	5.7188G	108.90	Inf	-Inf	8.77	3	Horizontal	166	1.48	-	100.13
PK	5.864G	59.33	68.20	-8.87	8.91	3	Horizontal	166	1.48	-	50.42

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4344G	53.77	74.00	-20.23	14.82	3	Vertical	78	2.25	-	38.95
AV	11.43912G	39.85	54.00	-14.15	14.82	3	Vertical	78	2.25	-	25.03
PK	17.16184G	65.92	68.20	-2.28	20.27	3	Vertical	66	2.13	-	45.65

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43968G	53.95	74.00	-20.05	14.82	3	Horizontal	27	2.33	-	39.13
AV	11.439248G	39.58	54.00	-14.42	14.82	3	Horizontal	27	2.33	-	24.76
PK	17.17192G	67.81	68.20	-0.39	20.34	3	Horizontal	348	2.69	-	47.47

802.11ax HEW40_Nss1,(MCS0)_2TX

15/09/2019

5270MHz_TX




EUT Y_2TX
Setting 97
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1374G	59.34	74.00	-14.66	7.92	3	Vertical	309	1.04	-	51.42
AV	5.1476G	47.37	54.00	-6.63	7.94	3	Vertical	309	1.04	-	39.43
PK	5.2862G	113.51	Inf	-Inf	8.19	3	Vertical	309	1.04	-	105.32
AV	5.276G	102.13	Inf	-Inf	8.17	3	Vertical	309	1.04	-	93.96
PK	5.3516G	64.48	74.00	-9.52	8.28	3	Vertical	309	1.04	-	56.20
AV	5.3516G	51.30	54.00	-2.70	8.28	3	Vertical	309	1.04	-	43.02

802.11ax HEW40_Nss1,(MCS0)_2TX

15/09/2019

5270MHz_TX




EUT Y_2TX
Setting 97
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	62.65	74.00	-11.35	7.94	3	Horizontal	243	2.30	-	54.71
AV	5.1494G	50.45	54.00	-3.55	7.94	3	Horizontal	243	2.30	-	42.51
PK	5.2604G	117.57	Inf	-Inf	8.15	3	Horizontal	243	2.30	-	109.42
AV	5.2658G	106.41	Inf	-Inf	8.16	3	Horizontal	243	2.30	-	98.25
PK	5.3516G	67.97	74.00	-6.03	8.28	3	Horizontal	243	2.30	-	59.69
AV	5.3516G	53.91	54.00	-0.09	8.28	3	Horizontal	243	2.30	-	45.63

802.11ax HEW40_Nss1,(MCS0)_2TX

15/09/2019

5270MHz_TX




EUT Y_2TX
Setting 97
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.81678G	53.49	74.00	-20.51	15.34	3	Vertical	157	1.14	-	38.15			
AV	15.79692G	40.55	54.00	-13.45	15.39	3	Vertical	157	1.14	-	25.16			

802.11ax HEW40_Nss1,(MCS0)_2TX

15/09/2019

5270MHz_TX




EUT Y_2TX
Setting 97
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.80694G	53.58	74.00	-20.42	15.37	3	Horizontal	265	1.68	-	38.21			
AV	15.79608G	40.44	54.00	-13.56	15.39	3	Horizontal	265	1.68	-	25.05			

802.11ax HEW40_Nss1,(MCS0)_2TX

15/09/2019

5310MHz_TX




EUT Y_2TX
Setting 78
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.326G	107.88	Inf	-Inf	8.25	3	Vertical	306	1.06	-	99.63			
AV	5.306G	96.67	Inf	-Inf	8.22	3	Vertical	306	1.06	-	88.45			
PK	5.3512G	67.59	74.00	-6.41	8.28	3	Vertical	306	1.06	-	59.31			
AV	5.3512G	49.66	54.00	-4.34	8.28	3	Vertical	306	1.06	-	41.38			

802.11ax HEW40_Nss1,(MCS0)_2TX

15/09/2019

5310MHz_TX




EUT Y_2TX
Setting 78
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.326G	111.95	Inf	-Inf	8.25	3	Horizontal	88	1.51	-	103.70			
AV	5.296G	101.27	Inf	-Inf	8.21	3	Horizontal	88	1.51	-	93.06			
PK	5.3508G	72.71	74.00	-1.29	8.28	3	Horizontal	88	1.51	-	64.43			
AV	5.3508G	53.93	54.00	-0.07	8.28	3	Horizontal	88	1.51	-	45.65			

802.11ax HEW40_Nss1,(MCS0)_2TX

15/09/2019

5310MHz_TX




EUT Y_2TX
Setting 78
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.62984G	53.12	74.00	-20.88	14.49	3	Vertical	143	1.45	-	38.63			
AV	10.61634G	40.36	54.00	-13.64	14.50	3	Vertical	143	1.45	-	25.86			
PK	15.936G	53.12	74.00	-20.88	15.03	3	Vertical	354	1.61	-	38.09			
AV	15.92866G	40.38	54.00	-13.62	15.05	3	Vertical	354	1.61	-	25.33			

802.11ax HEW40_Nss1,(MCS0)_2TX

15/09/2019

5310MHz_TX




EUT Y_2TX
Setting 78
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.62468G	53.13	74.00	-20.87	14.50	3	Horizontal	332	1.19	-	38.63			
AV	10.6224G	40.37	54.00	-13.63	14.50	3	Horizontal	332	1.19	-	25.87			
PK	15.92748G	53.26	74.00	-20.74	15.05	3	Horizontal	289	1.89	-	38.21			
AV	15.9282G	40.12	54.00	-13.88	15.05	3	Horizontal	289	1.89	-	25.07			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5510MHz_TX




EUT Y_4TX
Setting 73
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4576G	63.32	74.00	-10.68	8.44	3	Vertical	28	2.46	-	54.88			
AV	5.4576G	50.99	54.00	-3.01	8.44	3	Vertical	28	2.46	-	42.55			
PK	5.468G	67.96	68.20	-0.24	8.46	3	Vertical	28	2.46	-	59.50			
PK	5.518G	115.51	Inf	-Inf	8.53	3	Vertical	28	2.46	-	106.98			
AV	5.5228G	103.78	Inf	-Inf	8.53	3	Vertical	28	2.46	-	95.25			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5510MHz_TX




EUT Y_4TX
Setting 73
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4588G	61.34	74.00	-12.66	8.45	3	Horizontal	323	1.58	-	52.89			
AV	5.4592G	48.92	54.00	-5.08	8.45	3	Horizontal	323	1.58	-	40.47			
PK	5.4676G	64.64	68.20	-3.56	8.46	3	Horizontal	323	1.58	-	56.18			
PK	5.5172G	112.04	Inf	-Inf	8.53	3	Horizontal	323	1.58	-	103.51			
AV	5.5172G	99.15	Inf	-Inf	8.53	3	Horizontal	323	1.58	-	90.62			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5510MHz_TX




EUT Y_4TX
Setting 73
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.02536G	52.99	74.00	-21.01	14.29	3	Vertical	290	2.06	-	38.70			
AV	11.0254G	40.26	54.00	-13.74	14.29	3	Vertical	290	2.06	-	25.97			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5510MHz_TX




EUT Y_4TX
Setting 73
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.02084G	53.43	74.00	-20.57	14.29	3	Horizontal	121	2.37	-	39.14			
AV	11.02088G	40.36	54.00	-13.64	14.29	3	Horizontal	121	2.37	-	26.07			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5550MHz_TX




EUT Y_4TX
Setting 95
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4588G	64.62	74.00	-9.38	8.45	3	Vertical	30	2.80	-	56.17			
AV	5.4582G	50.72	54.00	-3.28	8.45	3	Vertical	30	2.80	-	42.27			
PK	5.4684G	68.13	68.20	-0.07	8.46	3	Vertical	30	2.80	-	59.67			
PK	5.538G	118.87	Inf	-Inf	8.54	3	Vertical	30	2.80	-	110.33			
AV	5.5434G	108.31	Inf	-Inf	8.55	3	Vertical	30	2.80	-	99.76			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5550MHz_TX




EUT Y_4TX
Setting 95
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4474G	61.81	74.00	-12.19	8.42	3	Horizontal	5	1.39	-	53.39			
AV	5.457G	49.27	54.00	-4.73	8.44	3	Horizontal	5	1.39	-	40.83			
PK	5.469G	64.91	68.20	-3.29	8.46	3	Horizontal	5	1.39	-	56.45			
PK	5.5626G	114.89	Inf	-Inf	8.56	3	Horizontal	5	1.39	-	106.33			
AV	5.5674G	103.84	Inf	-Inf	8.56	3	Horizontal	5	1.39	-	95.28			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5550MHz_TX




EUT Y_4TX
Setting 95
02-A-3
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.10102G	53.41	74.00	-20.59	14.39	3	Vertical	189	1.38	-	39.02			
AV	11.09148G	40.91	54.00	-13.09	14.38	3	Vertical	189	1.38	-	26.53			
PK	16.6386G	57.30	68.20	-10.90	17.71	3	Vertical	138	1.30	-	39.59			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5550MHz_TX




EUT Y_4TX
Setting 95
02-A-3
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.08782G	52.90	74.00	-21.10	14.38	3	Horizontal	169	1.32	-	38.52			
AV	11.0916G	40.66	54.00	-13.34	14.38	3	Horizontal	169	1.32	-	26.28			
PK	16.64826G	57.33	68.20	-10.87	17.74	3	Horizontal	293	2.84	-	39.59			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5670MHz_TX




EUT Y_4TX
Setting 78
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.6784G	118.45	Inf	-Inf	8.72	3	Vertical	28	2.79	-	109.73			
AV	5.6736G	106.71	Inf	-Inf	8.70	3	Vertical	28	2.79	-	98.01			
PK	5.7264G	67.92	68.20	-0.28	8.79	3	Vertical	28	2.79	-	59.13			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5670MHz_TX




EUT Y_4TX
Setting 78
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.6808G	112.97	Inf	-Inf	8.72	3	Horizontal	231	2.67	-	104.25			
AV	5.676G	101.84	Inf	-Inf	8.72	3	Horizontal	231	2.67	-	93.12			
PK	5.7258G	65.11	68.20	-3.09	8.79	3	Horizontal	231	2.67	-	56.32			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5670MHz_TX



EUT Y_4TX
Setting 78
02-A-3
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.33406G	53.58	74.00	-20.42	14.70	3	Vertical	313	2.67	-	38.88			
AV	11.35404G	40.27	54.00	-13.73	14.72	3	Vertical	313	2.67	-	25.55			
PK	17.00214G	58.53	68.20	-9.67	19.32	3	Vertical	344	2.52	-	39.21			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5670MHz_TX




EUT Y_4TX
Setting 78
02-A-3
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.3259G	53.18	74.00	-20.82	14.68	3	Horizontal	240	2.66	-	38.50			
AV	11.334G	40.36	54.00	-13.64	14.70	3	Horizontal	240	2.66	-	25.66			
PK	17.0139G	58.50	68.20	-9.70	19.39	3	Horizontal	322	1.95	-	39.11			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7204G	123.45	Inf	-Inf	8.78	3	Vertical	6	1.70	-	114.67
AV	5.7052G	111.49	Inf	-Inf	8.76	3	Vertical	6	1.70	-	102.73
PK	5.8524G	66.40	68.20	-1.80	8.90	3	Vertical	6	1.70	-	57.50

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6948G	120.98	Inf	-Inf	8.74	3	Horizontal	170	2.77	-	112.24
AV	5.7052G	108.54	Inf	-Inf	8.76	3	Horizontal	170	2.77	-	99.78
PK	5.858G	62.08	68.20	-6.12	8.90	3	Horizontal	170	2.77	-	53.18

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.42078G	54.93	74.00	-19.07	14.80	3	Vertical	276	2.02	-	40.13			
AV	11.42098G	41.78	54.00	-12.22	14.80	3	Vertical	276	2.02	-	26.98			
PK	17.12568G	64.31	68.20	-3.89	20.06	3	Vertical	58	1.66	-	44.25			

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.41136G	53.97	74.00	-20.03	14.79	3	Horizontal	78	1.13	-	39.18			
AV	11.41772G	41.90	54.00	-12.10	14.79	3	Horizontal	78	1.13	-	27.11			
PK	17.12972G	63.10	68.20	-5.10	20.08	3	Horizontal	350	1.58	-	43.02			

802.11ax HEW80_Nss1,(MCS0)_2TX

15/09/2019

5290MHz_TX




EUT Y_2TX
Setting 80
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	58.61	74.00	-15.39	7.94	3	Vertical	313	1.04	-	50.67
AV	5.149G	46.79	54.00	-7.21	7.94	3	Vertical	313	1.04	-	38.85
PK	5.289G	106.86	Inf	-Inf	8.20	3	Vertical	313	1.04	-	98.66
AV	5.276G	94.75	Inf	-Inf	8.17	3	Vertical	313	1.04	-	86.58
PK	5.356G	67.70	74.00	-6.30	8.28	3	Vertical	313	1.04	-	59.42
AV	5.351G	50.41	54.00	-3.59	8.28	3	Vertical	313	1.04	-	42.13
PK	5.465G	58.46	68.20	-9.74	8.45	3	Vertical	313	1.04	-	50.01

802.11ax HEW80_Nss1,(MCS0)_2TX

15/09/2019

5290MHz_TX




EUT Y_2TX
Setting 80
02-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	59.85	74.00	-14.15	7.94	3	Horizontal	85	1.46	-	51.91
AV	5.145G	48.10	54.00	-5.90	7.94	3	Horizontal	85	1.46	-	40.16
PK	5.289G	111.70	Inf	-Inf	8.20	3	Horizontal	85	1.46	-	103.50
AV	5.283G	99.72	Inf	-Inf	8.18	3	Horizontal	85	1.46	-	91.54
PK	5.356G	72.19	74.00	-1.81	8.28	3	Horizontal	85	1.46	-	63.91
AV	5.35G	53.65	54.00	-0.35	8.28	3	Horizontal	85	1.46	-	45.37
PK	5.519G	58.15	68.20	-10.05	8.53	3	Horizontal	85	1.46	-	49.62

802.11ax HEW80_Nss1,(MCS0)_2TX

15/09/2019

5290MHz_TX




EUT Y_2TX
Setting 80
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.88434G	53.07	74.00	-20.93	15.17	3	Vertical	174	1.25	-	37.90			
AV	15.85572G	40.67	54.00	-13.33	15.24	3	Vertical	174	1.25	-	25.43			

802.11ax HEW80_Nss1,(MCS0)_2TX

15/09/2019

5290MHz_TX




EUT Y_2TX
Setting 80
02-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.87972G	53.52	74.00	-20.48	15.18	3	Horizontal	347	2.04	-	38.34			
AV	15.86976G	40.64	54.00	-13.36	15.21	3	Horizontal	347	2.04	-	25.43			

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5530MHz_TX




EUT_Y_4TX
Setting 72
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.321G	57.61	68.20	-10.59	8.23	3	Vertical	33	2.91	-	49.38			
PK	5.446G	69.02	74.00	-4.98	8.42	3	Vertical	33	2.91	-	60.60			
PK	5.466G	67.89	68.20	-0.31	8.46	3	Vertical	33	2.91	-	59.43			
AV	5.46G	53.76	54.00	-0.24	8.45	3	Vertical	33	2.91	-	45.31			
PK	5.529G	113.92	Inf	-Inf	8.54	3	Vertical	33	2.91	-	105.38			
AV	5.519G	101.82	Inf	-Inf	8.53	3	Vertical	33	2.91	-	93.29			
PK	5.746G	59.59	68.20	-8.61	8.82	3	Vertical	33	2.91	-	50.77			

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5530MHz_TX




EUT Y_4TX
Setting 72
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.338G	57.90	68.20	-10.30	8.26	3	Horizontal	353	1.41	-	49.64
PK	5.447G	64.58	74.00	-9.42	8.42	3	Horizontal	353	1.41	-	56.16
AV	5.456G	50.28	54.00	-3.72	8.44	3	Horizontal	353	1.41	-	41.84
PK	5.468G	66.11	68.20	-2.09	8.46	3	Horizontal	353	1.41	-	57.65
PK	5.523G	107.56	Inf	-Inf	8.53	3	Horizontal	353	1.41	-	99.03
AV	5.522G	96.09	Inf	-Inf	8.53	3	Horizontal	353	1.41	-	87.56
PK	5.748G	58.83	68.20	-9.37	8.82	3	Horizontal	353	1.41	-	50.01

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5530MHz_TX




EUT Y_4TX
Setting 72
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.06864G	53.69	74.00	-20.31	14.35	3	Vertical	48	1.78	-	39.34			
AV	11.06736G	41.26	54.00	-12.74	14.35	3	Vertical	48	1.78	-	26.91			

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5530MHz_TX




EUT Y_4TX
Setting 72
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.0611G	53.54	74.00	-20.46	14.34	3	Horizontal	237	1.45	-	39.20			
AV	11.06084G	41.00	54.00	-13.00	14.34	3	Horizontal	237	1.45	-	26.66			

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5610MHz_TX




EUT Y_4TX
Setting 80
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	61.84	74.00	-12.16	8.44	3	Vertical	18	2.41	-	53.40
AV	5.448G	49.10	54.00	-4.90	8.42	3	Vertical	18	2.41	-	40.68
PK	5.468G	61.12	68.20	-7.08	8.46	3	Vertical	18	2.41	-	52.66
PK	5.623G	114.89	Inf	-Inf	8.61	3	Vertical	18	2.41	-	106.28
AV	5.598G	103.54	Inf	-Inf	8.58	3	Vertical	18	2.41	-	94.96
PK	5.726G	67.93	68.20	-0.27	8.79	3	Vertical	18	2.41	-	59.14

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5610MHz_TX




EUT Y_4TX
Setting 80
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	58.62	74.00	-15.38	8.44	3	Horizontal	5	1.31	-	50.18
AV	5.452G	47.05	54.00	-6.95	8.44	3	Horizontal	5	1.31	-	38.61
PK	5.467G	58.47	68.20	-9.73	8.46	3	Horizontal	5	1.31	-	50.01
PK	5.588G	109.89	Inf	-Inf	8.57	3	Horizontal	5	1.31	-	101.32
AV	5.583G	98.44	Inf	-Inf	8.57	3	Horizontal	5	1.31	-	89.87
PK	5.726G	63.04	68.20	-5.16	8.79	3	Horizontal	5	1.31	-	54.25

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5610MHz_TX




EUT Y_4TX
Setting 80
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.21456G	53.33	74.00	-20.67	14.53	3	Vertical	80	1.89	-	38.80			
AV	11.21668G	40.63	54.00	-13.37	14.53	3	Vertical	80	1.89	-	26.10			

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5610MHz_TX




EUT Y_4TX
Setting 80
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.22104G	53.63	74.00	-20.37	14.55	3	Horizontal	128	1.96	-	39.08			
AV	11.22616G	40.60	54.00	-13.40	14.55	3	Horizontal	128	1.96	-	26.05			

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 90
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4464G	59.21	74.00	-14.79	8.42	3	Vertical	20	2.65	-	50.79			
PK	5.4668G	58.83	68.20	-9.37	8.46	3	Vertical	20	2.65	-	50.37			
AV	5.4596G	47.14	54.00	-6.86	8.45	3	Vertical	20	2.65	-	38.69			
PK	5.6888G	118.86	Inf	-Inf	8.72	3	Vertical	20	2.65	-	110.14			
AV	5.6936G	107.40	Inf	-Inf	8.74	3	Vertical	20	2.65	-	98.66			
PK	5.8556G	68.07	68.20	-0.13	8.90	3	Vertical	20	2.65	-	59.17			

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 90
02-A-3-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	58.24	74.00	-15.76	8.44	3	Horizontal	349	1.55	-	49.80
AV	5.4392G	46.56	54.00	-7.44	8.41	3	Horizontal	349	1.55	-	38.15
PK	5.47G	59.07	68.20	-9.13	8.46	3	Horizontal	349	1.55	-	50.61
PK	5.6648G	110.82	Inf	-Inf	8.69	3	Horizontal	349	1.55	-	102.13
AV	5.6744G	99.68	Inf	-Inf	8.70	3	Horizontal	349	1.55	-	90.98
PK	5.8592G	63.45	68.20	-4.75	8.91	3	Horizontal	349	1.55	-	54.54

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 90
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.38568G	54.69	74.00	-19.31	14.75	3	Vertical	97	1.79	-	39.94			
AV	11.38872G	41.04	54.00	-12.96	14.76	3	Vertical	97	1.79	-	26.28			

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 90
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.37716G	53.84	74.00	-20.16	14.74	3	Horizontal	157	1.27	-	39.10			
AV	11.38016G	41.08	54.00	-12.92	14.74	3	Horizontal	157	1.27	-	26.34			

802.11ax HEW160_Nss1,(MCS0)_4TX

17/09/2019

5570MHz_TX




EUT Y_4TX
Setting 60
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1764G	58.23	68.20	-9.97	8.01	3	Vertical	50	2.41	-	50.22
PK	5.4516G	63.20	74.00	-10.80	8.44	3	Vertical	50	2.41	-	54.76
PK	5.4612G	62.28	68.20	-5.92	8.45	3	Vertical	50	2.41	-	53.83
AV	5.4596G	53.81	54.00	-0.19	8.45	3	Vertical	50	2.41	-	45.36
PK	5.602G	106.40	Inf	-Inf	8.58	3	Vertical	50	2.41	-	97.82
AV	5.562G	96.31	Inf	-Inf	8.56	3	Vertical	50	2.41	-	87.75
PK	5.7332G	64.41	68.20	-3.79	8.80	3	Vertical	50	2.41	-	55.61

802.11ax HEW160_Nss1,(MCS0)_4TX

17/09/2019

5570MHz_TX




EUT_Y_4TX
Setting 60
02-B-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2884G	58.26	68.20	-9.94	8.20	3	Horizontal	217	1.69	-	50.06
PK	5.426G	58.73	74.00	-15.27	8.39	3	Horizontal	217	1.69	-	50.34
PK	5.4628G	58.71	68.20	-9.49	8.45	3	Horizontal	217	1.69	-	50.26
AV	5.4596G	48.28	54.00	-5.72	8.45	3	Horizontal	217	1.69	-	39.83
PK	5.602G	102.09	Inf	-Inf	8.58	3	Horizontal	217	1.69	-	93.51
AV	5.6084G	91.91	Inf	-Inf	8.60	3	Horizontal	217	1.69	-	83.31
PK	5.7556G	61.39	68.20	-6.81	8.83	3	Horizontal	217	1.69	-	52.56

802.11ax HEW160_Nss1,(MCS0)_4TX

17/09/2019

5570MHz_TX




EUT Y_4TX
Setting 60
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1406G	53.12	74.00	-20.88	14.43	3	Vertical	274	1.26	-	38.69			
AV	11.13856G	42.51	54.00	-11.49	14.43	3	Vertical	274	1.26	-	28.08			

802.11ax HEW160_Nss1,(MCS0)_4TX

17/09/2019

5570MHz_TX



EUT Y_4TX
Setting 60
02-B-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.138G	53.19	74.00	-20.81	14.43	3	Horizontal	163	1.49	-	38.76			
AV	11.13852G	42.05	54.00	-11.95	14.43	3	Horizontal	163	1.49	-	27.62			



For beamforming function:

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.726G	68.14	68.20	-0.06	5.45	3	Horizontal	169	2.70	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5500MHz_TX




EUT Y_4TX
Setting 68
04-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4584G	62.49	74.00	-11.51	4.86	3	Vertical	22	2.54	-	57.63			
AV	5.46G	49.30	54.00	-4.70	4.86	3	Vertical	22	2.54	-	44.44			
PK	5.47G	68.10	68.20	-0.10	4.90	3	Vertical	22	2.54	-	63.20			
PK	5.5008G	119.92	Inf	-Inf	5.02	3	Vertical	22	2.54	-	114.90			
AV	5.4984G	108.02	Inf	-Inf	5.02	3	Vertical	22	2.54	-	103.00			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5500MHz_TX




EUT Y_4TX
Setting 68
04-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.444G	57.36	74.00	-16.64	4.80	3	Horizontal	43	1.43	-	52.56			
PK	5.468G	59.11	68.20	-9.09	4.89	3	Horizontal	43	1.43	-	54.22			
AV	5.4596G	45.10	54.00	-8.90	4.86	3	Horizontal	43	1.43	-	40.24			
PK	5.5064G	113.99	Inf	-Inf	5.04	3	Horizontal	43	1.43	-	108.95			
AV	5.5076G	102.08	Inf	-Inf	5.06	3	Horizontal	43	1.43	-	97.02			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5500MHz_TX




EUT Y_4TX
Setting 68
04-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.99528G	54.38	74.00	-19.62	12.19	3	Vertical	191	1.46	-	42.19			
AV	10.99572G	40.60	54.00	-13.40	12.19	3	Vertical	191	1.46	-	28.41			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5500MHz_TX




EUT Y_4TX
Setting 68
04-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	10.99928G	53.54	74.00	-20.46	12.19	3	Horizontal	299	1.17	-	41.35			
AV	11.00448G	40.45	54.00	-13.55	12.19	3	Horizontal	299	1.17	-	28.26			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5580MHz_TX



EUT Y_4TX
Setting 120
04-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.342G	56.08	68.20	-12.12	4.43	3	Vertical	32	1.44	-	51.65
PK	5.458G	61.11	74.00	-12.89	4.85	3	Vertical	32	1.44	-	56.26
AV	5.458G	49.19	54.00	-4.81	4.85	3	Vertical	32	1.44	-	44.34
PK	5.47G	64.59	68.20	-3.61	4.90	3	Vertical	32	1.44	-	59.69
PK	5.587G	127.28	Inf	-Inf	5.33	3	Vertical	32	1.44	-	121.95
AV	5.587G	116.38	Inf	-Inf	5.33	3	Vertical	32	1.44	-	111.05
PK	5.727G	60.88	68.20	-7.32	5.45	3	Vertical	32	1.44	-	55.43



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5580MHz_TX



EUT Y_4TX
Setting 120
04-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.33G	55.99	68.20	-12.21	4.39	3	Horizontal	43	1.49	-	51.60			
PK	5.455G	59.96	74.00	-14.04	4.83	3	Horizontal	43	1.49	-	55.13			
AV	5.46G	46.59	54.00	-7.41	4.86	3	Horizontal	43	1.49	-	41.73			
PK	5.469G	61.16	68.20	-7.04	4.90	3	Horizontal	43	1.49	-	56.26			
PK	5.587G	122.50	Inf	-Inf	5.33	3	Horizontal	43	1.49	-	117.17			
AV	5.589G	111.28	Inf	-Inf	5.35	3	Horizontal	43	1.49	-	105.93			
PK	5.801G	59.09	68.20	-9.11	5.55	3	Horizontal	43	1.49	-	53.54			



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5580MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.15016G	53.68	74.00	-20.32	12.02	3	Vertical	133	2.99	-	41.66			
AV	11.15548G	40.53	54.00	-13.47	12.01	3	Vertical	133	2.99	-	28.52			
PK	16.7525G	61.29	68.20	-6.91	14.46	3	Vertical	19	2.40	-	46.83			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5580MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1666G	54.19	74.00	-19.81	12.01	3	Horizontal	235	2.17	-	42.18			
AV	11.15568G	40.69	54.00	-13.31	12.01	3	Horizontal	235	2.17	-	28.68			
PK	16.736G	61.78	68.20	-6.42	14.42	3	Horizontal	289	1.50	-	47.36			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/01/2020

5700MHz_TX




EUT Y_4TX
Setting 69
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	119.32	Inf	-Inf	113.88	3	Vertical	59	2.27	-	34.12	4.95	33.63
AV	5.7088G	107.99	Inf	-Inf	102.55	3	Vertical	59	2.27	-	34.12	4.95	33.63
PK	5.7256G	67.84	68.20	-0.36	62.39	3	Vertical	59	2.27	-	34.15	4.94	33.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/01/2020

5700MHz_TX




EUT Y_4TX
Setting 69
04-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6944G	114.02	Inf	-Inf	108.61	3	Horizontal	346	1.86	-	34.09	4.95	33.63
AV	5.6948G	101.95	Inf	-Inf	96.54	3	Horizontal	346	1.86	-	34.09	4.95	33.63
PK	5.7268G	62.89	68.20	-5.31	57.44	3	Horizontal	346	1.86	-	34.15	4.94	33.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/01/2020

5700MHz_TX




EUT Y_4TX
Setting 69
04-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39952G	53.50	74.00	-20.50	41.77	3	Vertical	139	2.59	-	39.20	7.24	34.71
AV	11.39977G	40.59	54.00	-13.41	28.86	3	Vertical	139	2.59	-	39.20	7.24	34.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/01/2020

5700MHz_TX




EUT Y_4TX
Setting 69
04-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40079G	54.12	74.00	-19.88	42.39	3	Horizontal	303	1.38	-	39.20	7.24	34.71
AV	11.40075G	42.79	54.00	-11.21	31.06	3	Horizontal	303	1.38	-	39.20	7.24	34.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 120
04-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.711G	126.70	Inf	-Inf	5.43	3	Vertical	289	1.50	-	121.27
AV	5.712G	116.52	Inf	-Inf	5.43	3	Vertical	289	1.50	-	111.09
PK	5.889G	62.60	68.20	-5.60	6.09	3	Vertical	289	1.50	-	56.51



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 120
04-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.711G	122.14	Inf	-Inf	5.43	3	Horizontal	152	1.50	-	116.71			
AV	5.713G	110.31	Inf	-Inf	5.44	3	Horizontal	152	1.50	-	104.87			
PK	5.867G	60.48	68.20	-7.72	5.96	3	Horizontal	152	1.50	-	54.52			



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 120
04-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.4766G	54.52	74.00	-19.48	11.65	3	Vertical	0	1.42	-	42.87			
AV	11.3978G	40.61	54.00	-13.39	11.74	3	Vertical	0	1.42	-	28.87			
PK	17.1588G	64.76	68.20	-3.44	15.28	3	Vertical	68	1.71	-	49.48			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 120
04-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.3996G	54.41	74.00	-19.59	11.73	3	Horizontal	19	2.40	-	42.68			
AV	11.3928G	40.61	54.00	-13.39	11.74	3	Horizontal	19	2.40	-	28.87			
PK	17.1746G	60.20	68.20	-8.00	15.32	3	Horizontal	295	2.78	-	44.88			



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5745MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.647G	64.30	68.20	-3.90	5.41	3	Vertical	43	2.16	-	58.89			
PK	5.739G	126.23	Inf	-Inf	5.47	3	Vertical	43	2.16	-	120.76			
AV	5.739G	114.98	Inf	-Inf	5.47	3	Vertical	43	2.16	-	109.51			
PK	5.956G	61.15	68.20	-7.05	6.40	3	Vertical	43	2.16	-	54.75			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5745MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	66.88	68.20	-1.32	5.41	3	Horizontal	224	1.50	-	61.47
PK	5.737G	120.23	Inf	-Inf	5.46	3	Horizontal	224	1.50	-	114.77
AV	5.739G	108.40	Inf	-Inf	5.47	3	Horizontal	224	1.50	-	102.93
PK	5.936G	58.92	68.20	-9.28	6.32	3	Horizontal	224	1.50	-	52.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5745MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.49304G	54.01	74.00	-19.99	11.63	3	Vertical	360	1.81	-	42.38			
AV	11.48936G	40.15	54.00	-13.85	11.64	3	Vertical	360	1.81	-	28.51			
PK	17.248G	66.08	68.20	-2.12	15.42	3	Vertical	360	1.71	-	50.66			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5745MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.4904G	53.84	74.00	-20.16	11.63	3	Horizontal	232	2.99	-	42.21			
AV	11.48834G	40.34	54.00	-13.66	11.64	3	Horizontal	232	2.99	-	28.70			
PK	17.2482G	65.23	68.20	-2.97	15.42	3	Horizontal	9	1.78	-	49.81			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5785MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.604G	60.75	68.20	-7.45	5.39	3	Vertical	216	1.93	-	55.36			
PK	5.776G	126.27	Inf	-Inf	5.51	3	Vertical	216	1.93	-	120.76			
AV	5.776G	116.02	Inf	-Inf	5.51	3	Vertical	216	1.93	-	110.51			
PK	5.925G	59.56	68.20	-8.64	6.27	3	Vertical	216	1.93	-	53.29			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5785MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.584G	59.09	68.20	-9.11	5.33	3	Horizontal	239	1.50	-	53.76
PK	5.779G	122.20	Inf	-Inf	5.52	3	Horizontal	239	1.50	-	116.68
AV	5.777G	110.62	Inf	-Inf	5.51	3	Horizontal	239	1.50	-	105.11
PK	5.952G	59.08	68.20	-9.12	6.39	3	Horizontal	239	1.50	-	52.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5785MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.368G	53.82	74.00	-20.18	11.78	3	Vertical	29	2.28	-	42.04			
AV	11.391G	40.83	54.00	-13.17	11.74	3	Vertical	29	2.28	-	29.09			
PK	17.3407G	64.82	68.20	-3.38	15.57	3	Vertical	360	1.77	-	49.25			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5785MHz_TX



EUT Y_4TX
Setting 120
04-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.377G	53.83	74.00	-20.17	11.76	3	Horizontal	172	2.21	-	42.07			
AV	11.387G	40.80	54.00	-13.20	11.75	3	Horizontal	172	2.21	-	29.05			
PK	17.3694G	61.32	68.20	-6.88	15.61	3	Horizontal	304	1.50	-	45.71			



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5825MHz_TX



EUT Y_4TX
Setting 120
04-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.589G	61.26	68.20	-6.94	5.35	3	Vertical	359	2.80	-	55.91			
PK	5.816G	125.47	Inf	-Inf	5.65	3	Vertical	359	2.80	-	119.82			
AV	5.816G	114.81	Inf	-Inf	5.65	3	Vertical	359	2.80	-	109.16			
PK	5.923G	64.43	69.68	-5.25	6.26	3	Vertical	359	2.80	-	58.17			



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5825MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.589G	60.41	68.20	-7.79	5.35	3	Horizontal	28	2.22	-	55.06			
PK	5.821G	124.41	Inf	-Inf	5.68	3	Horizontal	28	2.22	-	118.73			
AV	5.822G	113.19	Inf	-Inf	5.68	3	Horizontal	28	2.22	-	107.51			
PK	5.926G	60.36	68.20	-7.84	6.27	3	Horizontal	28	2.22	-	54.09			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5825MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.6392G	53.62	74.00	-20.38	11.46	3	Vertical	118	2.25	-	42.16			
AV	11.6461G	39.79	54.00	-14.21	11.45	3	Vertical	118	2.25	-	28.34			
PK	17.4671G	59.85	68.20	-8.35	15.76	3	Vertical	358	1.30	-	44.09			

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2019

5825MHz_TX




EUT Y_4TX
Setting 120
04-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.6255G	53.55	74.00	-20.45	11.48	3	Horizontal	238	2.09	-	42.07			
AV	11.6648G	39.83	54.00	-14.17	11.44	3	Horizontal	238	2.09	-	28.39			
PK	17.4515G	59.73	68.20	-8.47	15.73	3	Horizontal	19	1.80	-	44.00			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5510MHz_TX




EUT Y_4TX
Setting 67
04-F-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	63.65	74.00	-10.35	4.86	3	Vertical	55	2.02	-	58.79
AV	5.4592G	48.79	54.00	-5.21	4.86	3	Vertical	55	2.02	-	43.93
PK	5.4672G	68.05	68.20	-0.15	4.89	3	Vertical	55	2.02	-	63.16
PK	5.4964G	116.43	Inf	-Inf	5.01	3	Vertical	55	2.02	-	111.42
AV	5.494G	102.74	Inf	-Inf	4.99	3	Vertical	55	2.02	-	97.75

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5510MHz_TX




EUT Y_4TX
Setting 80
04-F-Z-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4576G	59.17	74.00	-14.83	4.85	3	Horizontal	187	1.31	-	54.32			
AV	5.4584G	46.66	54.00	-7.34	4.86	3	Horizontal	187	1.31	-	41.80			
PK	5.4676G	60.47	68.20	-7.73	4.89	3	Horizontal	187	1.31	-	55.58			
PK	5.5048G	110.21	Inf	-Inf	5.04	3	Horizontal	187	1.31	-	105.17			
AV	5.502G	98.31	Inf	-Inf	5.02	3	Horizontal	187	1.31	-	93.29			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5510MHz_TX




EUT Y_4TX
Setting 80
04-F-Z-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.00552G	53.11	74.00	-20.89	12.19	3	Vertical	336	1.50	-	40.92			
AV	11.01656G	39.86	54.00	-14.14	12.17	3	Vertical	336	1.50	-	27.69			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5510MHz_TX




EUT Y_4TX
Setting 80
04-F-Z-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.00504G	53.74	74.00	-20.26	12.19	3	Horizontal	53	1.50	-	41.55			
AV	11.02968G	39.68	54.00	-14.32	12.16	3	Horizontal	53	1.50	-	27.52			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5550MHz_TX




EUT Y_4TX
Setting 88
04-F-Z-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.4592G	63.34	74.00	-10.66	4.86	3	Vertical	57	2.98	-	58.48			
AV	5.46G	48.40	54.00	-5.60	4.86	3	Vertical	57	2.98	-	43.54			
PK	5.4696G	67.75	68.20	-0.45	4.90	3	Vertical	57	2.98	-	62.85			
PK	5.5604G	119.59	Inf	-Inf	5.24	3	Vertical	57	2.98	-	114.35			
AV	5.5644G	109.04	Inf	-Inf	5.26	3	Vertical	57	2.98	-	103.78			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5550MHz_TX




EUT Y_4TX
Setting 88
04-F-Z-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4568G	65.83	74.00	-8.17	4.85	3	Horizontal	175	2.90	-	60.98
AV	5.4568G	49.21	54.00	-4.79	4.85	3	Horizontal	175	2.90	-	44.36
PK	5.47G	67.95	68.20	-0.25	4.90	3	Horizontal	175	2.90	-	63.05
PK	5.56G	114.42	Inf	-Inf	5.24	3	Horizontal	175	2.90	-	109.18
AV	5.564G	103.93	Inf	-Inf	5.26	3	Horizontal	175	2.90	-	98.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5550MHz_TX



EUT Y_4TX
Setting 88
04-F-Z-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1144G	53.30	74.00	-20.70	12.06	3	Vertical	0	1.66	-	41.24			
AV	11.11624G	39.72	54.00	-14.28	12.05	3	Vertical	0	1.66	-	27.67			



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5550MHz_TX




EUT Y_4TX
Setting 88
04-F-Z-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1004G	53.45	74.00	-20.55	12.08	3	Horizontal	144	1.50	-	41.37			
AV	11.09352G	39.48	54.00	-14.52	12.08	3	Horizontal	144	1.50	-	27.40			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5670MHz_TX



EUT Y_4TX
Setting 76
04-F-Z-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.6604G	113.95	Inf	-Inf	5.41	3	Vertical	297	1.50	-	108.54			
AV	5.662G	103.54	Inf	-Inf	5.41	3	Vertical	297	1.50	-	98.13			
PK	5.7256G	67.04	68.20	-1.16	5.45	3	Vertical	297	1.50	-	61.59			



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5670MHz_TX




EUT Y_4TX
Setting 76
04-F-Z-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6656G	111.81	Inf	-Inf	5.42	3	Horizontal	169	2.70	-	106.39
AV	5.6652G	100.95	Inf	-Inf	5.42	3	Horizontal	169	2.70	-	95.53
PK	5.726G	68.14	68.20	-0.06	5.45	3	Horizontal	169	2.70	-	62.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5670MHz_TX




EUT Y_4TX
Setting 76
04-F-Z-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.3364G	54.66	74.00	-19.34	11.80	3	Vertical	204	2.32	-	42.86			
AV	11.3568G	40.12	54.00	-13.88	11.79	3	Vertical	204	2.32	-	28.33			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5670MHz_TX




EUT Y_4TX
Setting 76
04-F-Z-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.3568G	54.35	74.00	-19.65	11.79	3	Horizontal	18	1.50	-	42.56			
AV	11.35104G	39.97	54.00	-14.03	11.79	3	Horizontal	18	1.50	-	28.18			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 120
04-F-Z-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	59.55	74.00	-14.45	4.86	3	Vertical	79	1.87	-	54.69
AV	5.458G	47.03	54.00	-6.97	4.85	3	Vertical	79	1.87	-	42.18
PK	5.4676G	59.35	68.20	-8.85	4.89	3	Vertical	79	1.87	-	54.46
PK	5.7028G	123.87	Inf	-Inf	5.43	3	Vertical	79	1.87	-	118.44
AV	5.6968G	113.26	Inf	-Inf	5.42	3	Vertical	79	1.87	-	107.84
PK	5.8564G	67.25	68.20	-0.95	5.90	3	Vertical	79	1.87	-	61.35

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 120
04-F-Z-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	58.53	74.00	-15.47	4.86	3	Horizontal	152	1.50	-	53.67
AV	5.4568G	45.52	54.00	-8.48	4.85	3	Horizontal	152	1.50	-	40.67
PK	5.4688G	57.87	68.20	-10.33	4.90	3	Horizontal	152	1.50	-	52.97
PK	5.7064G	119.14	Inf	-Inf	5.43	3	Horizontal	152	1.50	-	113.71
AV	5.7052G	108.55	Inf	-Inf	5.43	3	Horizontal	152	1.50	-	103.12
PK	5.85G	67.68	68.20	-0.52	5.86	3	Horizontal	152	1.50	-	61.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 120
04-F-Z-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.4152G	53.39	74.00	-20.61	11.71	3	Vertical	152	2.19	-	41.68			
AV	11.4044G	40.16	54.00	-13.84	11.73	3	Vertical	152	2.19	-	28.43			
PK	17.14512G	60.97	68.20	-7.23	15.27	3	Vertical	64	1.78	-	45.70			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 120
04-F-Z-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.41992G	52.98	74.00	-21.02	11.71	3	Horizontal	163	2.29	-	41.27			
AV	11.4G	40.28	54.00	-13.72	11.73	3	Horizontal	163	2.29	-	28.55			
PK	17.1496G	60.91	68.20	-7.29	15.27	3	Horizontal	237	1.35	-	45.64			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5755MHz_TX




EUT Y_4TX
Setting 102
04-F-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.649G	68.01	68.20	-0.19	5.41	3	Vertical	51	2.24	-	62.60			
PK	5.763G	123.71	Inf	-Inf	5.50	3	Vertical	51	2.24	-	118.21			
AV	5.762G	112.20	Inf	-Inf	5.49	3	Vertical	51	2.24	-	106.71			
PK	5.925G	62.32	68.20	-5.88	6.27	3	Vertical	51	2.24	-	56.05			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5755MHz_TX




EUT Y_4TX
Setting 104
04-F-Z-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	63.84	68.20	-4.36	5.41	3	Horizontal	156	2.80	-	58.43
PK	5.743G	116.28	Inf	-Inf	5.48	3	Horizontal	156	2.80	-	110.80
AV	5.748G	106.17	Inf	-Inf	5.49	3	Horizontal	156	2.80	-	100.68
PK	5.926G	57.96	68.20	-10.24	6.27	3	Horizontal	156	2.80	-	51.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5755MHz_TX




EUT Y_4TX
Setting 104
04-F-Z-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.49992G	53.51	74.00	-20.49	11.62	3	Vertical	0	1.00	-	41.89			
AV	11.5068G	40.03	54.00	-13.97	11.61	3	Vertical	0	1.00	-	28.42			
PK	17.25356G	60.73	68.20	-7.47	15.43	3	Vertical	62	1.78	-	45.30			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5755MHz_TX




EUT Y_4TX
Setting 104
04-F-Z-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.51056G	53.75	74.00	-20.25	11.60	3	Horizontal	327	1.50	-	42.15			
AV	11.49584G	39.97	54.00	-14.03	11.62	3	Horizontal	327	1.50	-	28.35			
PK	17.24876G	60.42	68.20	-7.78	15.42	3	Horizontal	62	1.50	-	45.00			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5795MHz_TX




EUT Y_4TX
Setting 109
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.649G	64.04	68.20	-4.16	5.41	3	Vertical	53	1.75	-	58.63			
PK	5.81G	121.51	Inf	-Inf	5.61	3	Vertical	53	1.75	-	115.90			
AV	5.811G	107.12	Inf	-Inf	5.62	3	Vertical	53	1.75	-	101.50			
PK	5.93G	68.07	68.20	-0.13	6.29	3	Vertical	53	1.75	-	61.78			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5795MHz_TX




EUT Y_4TX
Setting 109
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	63.67	68.20	-4.53	5.40	3	Horizontal	31	1.94	-	58.27
PK	5.798G	119.25	Inf	-Inf	5.54	3	Horizontal	31	1.94	-	113.71
AV	5.8G	105.15	Inf	-Inf	5.54	3	Horizontal	31	1.94	-	99.61
PK	5.926G	66.63	68.20	-1.57	6.27	3	Horizontal	31	1.94	-	60.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5795MHz_TX




EUT Y_4TX
Setting 109
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.5825G	54.48	74.00	-19.52	11.53	3	Vertical	194	1.77	-	42.95			
AV	11.5977G	39.75	54.00	-14.25	11.51	3	Vertical	194	1.77	-	28.24			
PK	17.3718G	60.71	68.20	-7.49	15.61	3	Vertical	275	1.46	-	45.10			

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2019

5795MHz_TX




EUT Y_4TX
Setting 109
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.5687G	53.53	74.00	-20.47	11.55	3	Horizontal	47	1.18	-	41.98			
AV	11.5771G	39.68	54.00	-14.32	11.53	3	Horizontal	47	1.18	-	28.15			
PK	17.3924G	60.63	68.20	-7.57	15.64	3	Horizontal	165	2.29	-	44.99			

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2019

5530MHz_TX




EUT Y_4TX
Setting 71
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.341G	57.21	68.20	-10.99	4.42	3	Vertical	178	1.30	-	52.79			
PK	5.46G	66.13	74.00	-7.87	4.86	3	Vertical	178	1.30	-	61.27			
AV	5.46G	51.32	54.00	-2.68	4.86	3	Vertical	178	1.30	-	46.46			
PK	5.466G	67.74	68.20	-0.46	4.89	3	Vertical	178	1.30	-	62.85			
PK	5.561G	115.22	Inf	-Inf	5.24	3	Vertical	178	1.30	-	109.98			
AV	5.559G	102.52	Inf	-Inf	5.24	3	Vertical	178	1.30	-	97.28			
PK	5.761G	59.02	68.20	-9.18	5.49	3	Vertical	178	1.30	-	53.53			

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2019

5530MHz_TX




EUT Y_4TX
Setting 71
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.282G	55.98	68.20	-12.22	4.25	3	Horizontal	183	1.39	-	51.73
PK	5.451G	62.54	74.00	-11.46	4.82	3	Horizontal	183	1.39	-	57.72
PK	5.463G	64.89	68.20	-3.31	4.87	3	Horizontal	183	1.39	-	60.02
AV	5.46G	47.50	54.00	-6.50	4.86	3	Horizontal	183	1.39	-	42.64
PK	5.505G	107.91	Inf	-Inf	5.04	3	Horizontal	183	1.39	-	102.87
AV	5.522G	94.33	Inf	-Inf	5.09	3	Horizontal	183	1.39	-	89.24
PK	5.764G	57.68	68.20	-10.52	5.50	3	Horizontal	183	1.39	-	52.18

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2019

5530MHz_TX




EUT Y_4TX
Setting 71
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.0354G	54.00	74.00	-20.00	12.14	3	Vertical	107	1.47	-	41.86			
AV	11.0355G	40.34	54.00	-13.66	12.14	3	Vertical	107	1.47	-	28.20			
PK	16.5999G	59.11	68.20	-9.09	14.09	3	Vertical	337	1.38	-	45.02			

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2019

5530MHz_TX




EUT Y_4TX
Setting 71
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.0472G	54.82	74.00	-19.18	12.14	3	Horizontal	344	1.51	-	42.68			
AV	11.0401G	40.25	54.00	-13.75	12.14	3	Horizontal	344	1.51	-	28.11			
PK	16.5902G	58.55	68.20	-9.65	14.07	3	Horizontal	168	1.60	-	44.48			

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2019

5610MHz_TX




EUT Y_4TX
Setting 80
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.453G	61.44	74.00	-12.56	4.83	3	Vertical	60	2.76	-	56.61
PK	5.463G	62.29	68.20	-5.91	4.87	3	Vertical	60	2.76	-	57.42
AV	5.459G	47.86	54.00	-6.14	4.86	3	Vertical	60	2.76	-	43.00
PK	5.585G	115.21	Inf	-Inf	5.33	3	Vertical	60	2.76	-	109.88
AV	5.601G	102.33	Inf	-Inf	5.39	3	Vertical	60	2.76	-	96.94
PK	5.736G	67.45	68.20	-0.75	5.46	3	Vertical	60	2.76	-	61.99

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2019

5610MHz_TX




EUT Y_4TX
Setting 80
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	58.89	74.00	-15.11	4.85	3	Horizontal	337	1.72	-	54.04
PK	5.462G	61.44	68.20	-6.76	4.87	3	Horizontal	337	1.72	-	56.57
AV	5.46G	46.30	54.00	-7.70	4.86	3	Horizontal	337	1.72	-	41.44
PK	5.581G	112.03	Inf	-Inf	5.32	3	Horizontal	337	1.72	-	106.71
AV	5.601G	98.74	Inf	-Inf	5.39	3	Horizontal	337	1.72	-	93.35
PK	5.736G	67.80	68.20	-0.40	5.46	3	Horizontal	337	1.72	-	62.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2019

5610MHz_TX




EUT Y_4TX
Setting 80
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.2435G	53.98	74.00	-20.02	11.91	3	Vertical	335	2.32	-	42.07			
AV	11.2253G	40.17	54.00	-13.83	11.93	3	Vertical	335	2.32	-	28.24			
PK	16.8151G	59.15	68.20	-9.05	14.60	3	Vertical	174	2.87	-	44.55			

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2019

5610MHz_TX




EUT Y_4TX
Setting 80
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.236G	54.11	74.00	-19.89	11.92	3	Horizontal	193	2.99	-	42.19			
AV	11.2425G	40.02	54.00	-13.98	11.91	3	Horizontal	193	2.99	-	28.11			
PK	16.8277G	59.35	68.20	-8.85	14.64	3	Horizontal	341	2.47	-	44.71			

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

04/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 88
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	57.86	74.00	-16.14	4.83	3	Vertical	165	2.16	-	53.03
AV	5.4596G	46.23	54.00	-7.77	4.86	3	Vertical	165	2.16	-	41.37
PK	5.4668G	59.40	68.20	-8.80	4.89	3	Vertical	165	2.16	-	54.51
PK	5.672G	118.32	Inf	-Inf	5.41	3	Vertical	165	2.16	-	112.91
AV	5.7188G	106.43	Inf	-Inf	5.44	3	Vertical	165	2.16	-	100.99
PK	5.852G	68.09	68.20	-0.11	5.87	3	Vertical	165	2.16	-	62.22

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 88
04-F-A-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	57.28	74.00	-16.72	4.85	3	Horizontal	168	1.00	-	52.43
AV	5.4572G	44.95	54.00	-9.05	4.85	3	Horizontal	168	1.00	-	40.10
PK	5.468G	57.94	68.20	-10.26	4.89	3	Horizontal	168	1.00	-	53.05
PK	5.6792G	113.57	Inf	-Inf	5.41	3	Horizontal	168	1.00	-	108.16
AV	5.6768G	100.75	Inf	-Inf	5.41	3	Horizontal	168	1.00	-	95.34
PK	5.852G	62.40	68.20	-5.80	5.87	3	Horizontal	168	1.00	-	56.53



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

04/12/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 88
04-F-A-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.3769G	54.91	74.00	-19.09	11.76	3	Vertical	37	1.09	-	43.15			
AV	11.3721G	40.75	54.00	-13.25	11.76	3	Vertical	37	1.09	-	28.99			
PK	17.0936G	60.26	68.20	-7.94	15.19	3	Vertical	143	2.90	-	45.07			



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

04/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 88
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.3868G	54.42	74.00	-19.58	11.75	3	Horizontal	186	2.07	-	42.67			
AV	11.362G	40.74	54.00	-13.26	11.78	3	Horizontal	186	2.07	-	28.96			
PK	17.0638G	59.89	68.20	-8.31	15.15	3	Horizontal	1	2.71	-	44.74			

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5775MHz_TX




EUT Y_4TX
Setting 86
04-F-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.65G	68.04	68.20	-0.16	5.40	3	Vertical	46	2.29	-	62.64			
PK	5.763G	119.98	Inf	-Inf	5.50	3	Vertical	46	2.29	-	114.48			
AV	5.764G	107.18	Inf	-Inf	5.50	3	Vertical	46	2.29	-	101.68			
PK	5.928G	68.11	68.20	-0.09	6.28	3	Vertical	46	2.29	-	61.83			

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2019

5775MHz_TX




EUT Y_4TX
Setting 94
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.639G	67.44	68.20	-0.76	5.40	3	Horizontal	34	1.49	-	62.04
PK	5.738G	114.06	Inf	-Inf	5.47	3	Horizontal	34	1.49	-	108.59
AV	5.747G	102.03	Inf	-Inf	5.48	3	Horizontal	34	1.49	-	96.55
PK	5.925G	66.82	68.20	-1.38	6.27	3	Horizontal	34	1.49	-	60.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2019

5775MHz_TX




EUT Y_4TX
Setting 94
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.5634G	53.87	74.00	-20.13	11.55	3	Vertical	360	1.15	-	42.32			
AV	11.5287G	39.83	54.00	-14.17	11.59	3	Vertical	360	1.15	-	28.24			
PK	17.3166G	61.00	68.20	-7.20	15.53	3	Vertical	339	1.47	-	45.47			

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2019

5775MHz_TX




EUT Y_4TX
Setting 94
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.5318G	53.32	74.00	-20.68	11.58	3	Horizontal	216	2.10	-	41.74			
AV	11.5263G	39.79	54.00	-14.21	11.59	3	Horizontal	216	2.10	-	28.20			
PK	17.3066G	60.79	68.20	-7.41	15.51	3	Horizontal	112	2.73	-	45.28			

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/12/2019

5570MHz_TX




EUT Y_4TX
Setting 70
04-F-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1812G	58.43	68.20	-9.77	4.14	3	Vertical	59	2.95	-	54.29
PK	5.4532G	68.81	74.00	-5.19	4.83	3	Vertical	59	2.95	-	63.98
AV	5.4516G	52.84	54.00	-1.16	4.82	3	Vertical	59	2.95	-	48.02
PK	5.466G	64.51	68.20	-3.69	4.89	3	Vertical	59	2.95	-	59.62
AV	5.5012G	101.42	Inf	-Inf	5.02	3	Vertical	59	2.95	-	96.40
PK	5.5924G	111.26	Inf	-Inf	5.35	3	Vertical	59	2.95	-	105.91
PK	5.7284G	68.03	68.20	-0.17	5.46	3	Vertical	59	2.95	-	62.57

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

03/12/2019

5570MHz_TX




EUT Y_4TX
Setting 73
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.2628G	56.97	68.20	-11.23	4.22	3	Horizontal	326	1.80	-	52.75			
PK	5.4532G	65.02	74.00	-8.98	4.83	3	Horizontal	326	1.80	-	60.19			
AV	5.4564G	50.29	54.00	-3.71	4.85	3	Horizontal	326	1.80	-	45.44			
PK	5.466G	63.14	68.20	-5.06	4.89	3	Horizontal	326	1.80	-	58.25			
AV	5.5012G	95.39	Inf	-Inf	5.02	3	Horizontal	326	1.80	-	90.37			
PK	5.618G	104.28	Inf	-Inf	5.40	3	Horizontal	326	1.80	-	98.88			
PK	5.7364G	65.88	68.20	-2.32	5.46	3	Horizontal	326	1.80	-	60.42			

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

03/12/2019

5570MHz_TX




EUT Y_4TX
Setting 73
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1364G	53.66	74.00	-20.34	12.03	3	Vertical	223	2.17	-	41.63			
AV	11.1475G	41.33	54.00	-12.67	12.02	3	Vertical	223	2.17	-	29.31			
PK	16.7246G	59.54	68.20	-8.66	14.38	3	Vertical	106	1.14	-	45.16			

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

03/12/2019

5570MHz_TX



EUT Y_4TX
Setting 73
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1511G	53.93	74.00	-20.07	12.02	3	Horizontal	127	1.19	-	41.91			
AV	11.1457G	41.69	54.00	-12.31	12.02	3	Horizontal	127	1.19	-	29.67			
PK	16.72G	59.31	68.20	-8.89	14.37	3	Horizontal	270	1.49	-	44.94			