


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5320MHz_TX




EUT Y_4TX
Setting 85
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63666G	52.26	74.00	-21.74	12.16	3	Vertical	181	1.05	-	40.10
AV	10.63234G	39.07	54.00	-14.93	12.16	3	Vertical	181	1.05	-	26.91
PK	15.96974G	60.64	74.00	-13.36	15.01	3	Vertical	250	1.17	-	45.63
AV	15.96648G	47.53	54.00	-6.47	15.01	3	Vertical	250	1.17	-	32.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5320MHz_TX




EUT Y_4TX
Setting 85
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64078G	52.89	74.00	-21.11	12.17	3	Horizontal	352	1.85	-	40.72
AV	10.63258G	39.02	54.00	-14.98	12.16	3	Horizontal	352	1.85	-	26.86
PK	15.96302G	60.87	74.00	-13.13	15.02	3	Horizontal	180	2.01	-	45.85
AV	15.96458G	47.63	54.00	-6.37	15.01	3	Horizontal	180	2.01	-	32.62

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5500MHz_TX




EUT Y_4TX
 Setting 69
 04-L-3-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	61.79	74.00	-12.21	5.21	3	Vertical	112	1.50	-	56.58
AV	5.4582G	48.47	54.00	-5.53	5.20	3	Vertical	112	1.50	-	43.27
PK	5.4687G	67.71	68.20	-0.49	5.18	3	Vertical	112	1.50	-	62.53
PK	5.4915G	122.01	Inf	-Inf	5.14	3	Vertical	112	1.50	-	116.87
AV	5.4914G	109.96	Inf	-Inf	5.14	3	Vertical	112	1.50	-	104.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5500MHz_TX




EUT Y_4TX
Setting 69
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4594G	62.59	74.00	-11.41	5.20	3	Horizontal	339	1.54	-	57.39
AV	5.4566G	47.29	54.00	-6.71	5.21	3	Horizontal	339	1.54	-	42.08
PK	5.47G	64.85	68.20	-3.35	5.18	3	Horizontal	339	1.54	-	59.67
PK	5.5084G	118.98	Inf	-Inf	5.11	3	Horizontal	339	1.54	-	113.87
AV	5.5091G	105.84	Inf	-Inf	5.11	3	Horizontal	339	1.54	-	100.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5500MHz_TX




EUT Y_4TX
Setting 69
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00848G	52.91	74.00	-21.09	12.54	3	Vertical	274	1.43	-	40.37
AV	11.00044G	39.75	54.00	-14.25	12.53	3	Vertical	274	1.43	-	27.22

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5500MHz_TX




EUT Y_4TX
Setting 69
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00276G	53.08	74.00	-20.92	12.54	3	Horizontal	268	1.62	-	40.54
AV	10.9982G	39.69	54.00	-14.31	12.53	3	Horizontal	268	1.62	-	27.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5580MHz_TX




EUT_Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4532G	63.48	74.00	-10.52	5.21	3	Vertical	118	1.54	-	58.27
AV	5.456G	51.20	54.00	-2.80	5.21	3	Vertical	118	1.54	-	45.99
PK	5.4692G	63.89	68.20	-4.31	5.18	3	Vertical	118	1.54	-	58.71
PK	5.5788G	129.75	Inf	-Inf	5.02	3	Vertical	118	1.54	-	124.73
AV	5.5816G	117.71	Inf	-Inf	5.02	3	Vertical	118	1.54	-	112.69
PK	5.7576G	63.05	68.20	-5.15	4.76	3	Vertical	118	1.54	-	58.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5580MHz_TX




EUT_Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3932G	62.11	74.00	-11.89	5.35	3	Horizontal	241	1.92	-	56.76
PK	5.4696G	62.75	68.20	-5.45	5.18	3	Horizontal	241	1.92	-	57.57
AV	5.4548G	49.29	54.00	-4.71	5.21	3	Horizontal	241	1.92	-	44.08
PK	5.5708G	123.51	Inf	-Inf	5.03	3	Horizontal	241	1.92	-	118.48
AV	5.5712G	112.93	Inf	-Inf	5.03	3	Horizontal	241	1.92	-	107.90
PK	5.7652G	61.47	68.20	-6.73	4.77	3	Horizontal	241	1.92	-	56.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5580MHz_TX




EUT Y_4TX
 Setting 107
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16942G	54.11	74.00	-19.89	12.79	3	Vertical	143	1.50	-	41.32
AV	11.16778G	40.72	54.00	-13.28	12.80	3	Vertical	143	1.50	-	27.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5580MHz_TX




EUT Y_4TX
 Setting 107
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15902G	54.60	74.00	-19.40	12.77	3	Horizontal	161	2.99	-	41.83
AV	11.16664G	40.83	54.00	-13.17	12.78	3	Horizontal	161	2.99	-	28.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5700MHz_TX




EUT Y_4TX
Setting 71
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7052G	119.95	Inf	-Inf	4.71	3	Vertical	124	1.50	-	115.24
AV	5.693G	107.23	Inf	-Inf	4.72	3	Vertical	124	1.50	-	102.51
PK	5.7253G	68.07	68.20	-0.13	4.73	3	Vertical	124	1.50	-	63.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5700MHz_TX




EUT Y_4TX
Setting 71
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6913G	113.52	Inf	-Inf	4.73	3	Horizontal	118	1.50	-	108.79
AV	5.6911G	102.57	Inf	-Inf	4.73	3	Horizontal	118	1.50	-	97.84
PK	5.7302G	60.42	68.20	-7.78	4.73	3	Horizontal	118	1.50	-	55.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5700MHz_TX




EUT Y_4TX
Setting 71
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39906G	54.96	74.00	-19.04	13.14	3	Vertical	338	2.40	-	41.82
AV	11.39038G	41.25	54.00	-12.75	13.13	3	Vertical	338	2.40	-	28.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5700MHz_TX




EUT Y_4TX
 Setting 71
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40364G	54.31	74.00	-19.69	13.15	3	Horizontal	5	2.97	-	41.16
AV	11.4049G	41.16	54.00	-12.84	13.15	3	Horizontal	5	2.97	-	28.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5720MHz_TX




EUT Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4494G	59.93	74.00	-14.07	5.24	3	Vertical	118	1.55	-	54.69
AV	5.4554G	48.00	54.00	-6.00	5.21	3	Vertical	118	1.55	-	42.79
PK	5.4626G	59.80	68.20	-8.40	5.19	3	Vertical	118	1.55	-	54.61
PK	5.7278G	127.02	Inf	-Inf	4.73	3	Vertical	118	1.55	-	122.29
AV	5.7254G	114.90	Inf	-Inf	4.73	3	Vertical	118	1.55	-	110.17
PK	5.8778G	61.02	68.20	-7.18	5.07	3	Vertical	118	1.55	-	55.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5720MHz_TX




EUT_Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4422G	58.75	74.00	-15.25	5.26	3	Horizontal	125	1.50	-	53.49
AV	5.4512G	46.48	54.00	-7.52	5.22	3	Horizontal	125	1.50	-	41.26
PK	5.462G	59.12	68.20	-9.08	5.20	3	Horizontal	125	1.50	-	53.92
PK	5.7272G	120.18	Inf	-Inf	4.73	3	Horizontal	125	1.50	-	115.45
AV	5.7284G	109.26	Inf	-Inf	4.73	3	Horizontal	125	1.50	-	104.53
PK	5.9618G	58.63	68.20	-9.57	5.19	3	Horizontal	125	1.50	-	53.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5720MHz_TX




EUT Y_4TX
Setting 107
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43638G	55.29	74.00	-18.71	13.20	3	Vertical	340	1.28	-	42.09
AV	11.44612G	41.31	54.00	-12.69	13.21	3	Vertical	340	1.28	-	28.10

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5720MHz_TX




EUT Y_4TX
 Setting 107
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44836G	54.75	74.00	-19.25	13.22	3	Horizontal	88	1.45	-	41.53
AV	11.44506G	41.34	54.00	-12.66	13.21	3	Horizontal	88	1.45	-	28.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5745MHz_TX




EUT Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	64.44	68.20	-3.76	4.84	3	Vertical	120	1.49	-	59.60
PK	5.7475G	127.30	Inf	-Inf	4.75	3	Vertical	120	1.49	-	122.55
AV	5.7485G	115.27	Inf	-Inf	4.75	3	Vertical	120	1.49	-	110.52
PK	5.973G	62.53	68.20	-5.67	5.20	3	Vertical	120	1.49	-	57.33

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5745MHz_TX




EUT Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.536G	62.31	68.20	-5.89	5.07	3	Horizontal	296	1.78	-	57.24
PK	5.7495G	120.58	Inf	-Inf	4.75	3	Horizontal	296	1.78	-	115.83
AV	5.7495G	109.98	Inf	-Inf	4.75	3	Horizontal	296	1.78	-	105.23
PK	5.951G	61.23	68.20	-6.97	5.18	3	Horizontal	296	1.78	-	56.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5745MHz_TX




EUT Y_4TX
 Setting 107
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49102G	55.46	74.00	-18.54	13.28	3	Vertical	58	2.36	-	42.18
AV	11.49142G	42.13	54.00	-11.87	13.28	3	Vertical	58	2.36	-	28.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5745MHz_TX




EUT Y_4TX
Setting 107
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49674G	55.68	74.00	-18.32	13.28	3	Horizontal	164	1.33	-	42.40
AV	11.49662G	42.10	54.00	-11.90	13.28	3	Horizontal	164	1.33	-	28.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5785MHz_TX




EUT Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.555G	63.83	68.20	-4.37	5.05	3	Vertical	117	1.56	-	58.78
PK	5.782G	127.31	Inf	-Inf	4.78	3	Vertical	117	1.56	-	122.53
AV	5.783G	116.02	Inf	-Inf	4.78	3	Vertical	117	1.56	-	111.24
PK	5.932G	62.67	68.20	-5.53	5.18	3	Vertical	117	1.56	-	57.49

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5785MHz_TX




EUT Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.536G	61.91	68.20	-6.29	5.07	3	Horizontal	292	1.44	-	56.84
PK	5.791G	121.16	Inf	-Inf	4.79	3	Horizontal	292	1.44	-	116.37
AV	5.792G	109.94	Inf	-Inf	4.79	3	Horizontal	292	1.44	-	105.15
PK	5.96G	61.71	68.20	-6.49	5.19	3	Horizontal	292	1.44	-	56.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5785MHz_TX




EUT Y_4TX
Setting 107
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5663G	54.96	74.00	-19.04	13.39	3	Vertical	328	1.83	-	41.57
AV	11.579G	41.68	54.00	-12.32	13.42	3	Vertical	328	1.83	-	28.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5785MHz_TX




EUT Y_4TX
 Setting 107
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56284G	55.00	74.00	-19.00	13.39	3	Horizontal	10	2.38	-	41.61
AV	11.57856G	41.66	54.00	-12.34	13.42	3	Horizontal	10	2.38	-	28.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5825MHz_TX




EUT Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.606G	62.50	68.20	-5.70	4.97	3	Vertical	26	1.50	-	57.53
PK	5.8275G	125.19	Inf	-Inf	4.89	3	Vertical	26	1.50	-	120.30
AV	5.823G	113.63	Inf	-Inf	4.89	3	Vertical	26	1.50	-	108.74
PK	5.927G	62.89	68.20	-5.31	5.17	3	Vertical	26	1.50	-	57.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 107
 04-L-3-13
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.586G	61.69	68.20	-6.51	5.00	3	Horizontal	8	1.30	-	56.69
PK	5.833G	121.45	Inf	-Inf	4.92	3	Horizontal	8	1.30	-	116.53
AV	5.832G	109.97	Inf	-Inf	4.92	3	Horizontal	8	1.30	-	105.05
PK	5.934G	61.09	68.20	-7.11	5.18	3	Horizontal	8	1.30	-	55.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5825MHz_TX




EUT Y_4TX
Setting 107
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64952G	55.09	74.00	-18.91	13.53	3	Vertical	29	1.56	-	41.56
AV	11.65192G	41.84	54.00	-12.16	13.53	3	Vertical	29	1.56	-	28.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 107
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64912G	55.25	74.00	-18.75	13.53	3	Horizontal	162	2.78	-	41.72
AV	11.6573G	41.92	54.00	-12.08	13.53	3	Horizontal	162	2.78	-	28.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5190MHz_TX




EUT Y_4TX
Setting 79
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	73.58	74.00	-0.42	5.11	3	Vertical	202	1.50	-	68.47
AV	5.15G	53.95	54.00	-0.05	5.11	3	Vertical	202	1.50	-	48.84
PK	5.2072G	116.31	Inf	-Inf	5.14	3	Vertical	202	1.50	-	111.17
AV	5.2052G	103.61	Inf	-Inf	5.14	3	Vertical	202	1.50	-	98.47

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5190MHz_TX




EUT Y_4TX
Setting 79
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	73.38	74.00	-0.62	5.11	3	Horizontal	297	2.94	-	68.27
AV	5.1484G	48.51	54.00	-5.49	5.11	3	Horizontal	297	2.94	-	43.40
PK	5.1722G	115.69	Inf	-Inf	5.11	3	Horizontal	297	2.94	-	110.58
AV	5.1772G	103.81	Inf	-Inf	5.11	3	Horizontal	297	2.94	-	98.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5190MHz_TX




EUT Y_4TX
Setting 79
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.38828G	53.31	68.20	-14.89	11.91	3	Vertical	323	1.79	-	41.40
PK	15.56128G	60.66	74.00	-13.34	15.33	3	Vertical	240	2.45	-	45.33
AV	15.57152G	47.27	54.00	-6.73	15.32	3	Vertical	240	2.45	-	31.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5190MHz_TX




EUT Y_4TX
Setting 79
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.37962G	53.61	68.20	-14.59	11.90	3	Horizontal	29	1.20	-	41.71
PK	15.56464G	60.71	74.00	-13.29	15.32	3	Horizontal	298	1.83	-	45.39
AV	15.56664G	47.28	54.00	-6.72	15.32	3	Horizontal	298	1.83	-	31.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5230MHz_TX




EUT Y_4TX
Setting 99
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	72.89	74.00	-1.11	5.11	3	Vertical	219	2.31	-	67.78
AV	5.1499G	53.35	54.00	-0.65	5.11	3	Vertical	219	2.31	-	48.24
PK	5.2168G	121.30	Inf	-Inf	5.18	3	Vertical	219	2.31	-	116.12
AV	5.2165G	108.49	Inf	-Inf	5.18	3	Vertical	219	2.31	-	103.31
PK	5.3512G	62.87	74.00	-11.13	5.44	3	Vertical	219	2.31	-	57.43
AV	5.3524G	47.65	54.00	-6.35	5.43	3	Vertical	219	2.31	-	42.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5230MHz_TX




EUT Y_4TX
Setting 99
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1463G	72.70	74.00	-1.30	5.11	3	Horizontal	227	2.23	-	67.59
AV	5.1496G	53.99	54.00	-0.01	5.11	3	Horizontal	227	2.23	-	48.88
PK	5.2168G	121.37	Inf	-Inf	5.18	3	Horizontal	227	2.23	-	116.19
AV	5.2255G	109.44	Inf	-Inf	5.22	3	Horizontal	227	2.23	-	104.22
PK	5.3611G	62.82	74.00	-11.18	5.42	3	Horizontal	227	2.23	-	57.40
AV	5.3542G	47.55	54.00	-6.45	5.43	3	Horizontal	227	2.23	-	42.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5230MHz_TX




EUT Y_4TX
Setting 99
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.45038G	53.09	68.20	-15.11	11.98	3	Vertical	159	1.76	-	41.11
PK	15.69086G	59.43	74.00	-14.57	15.23	3	Vertical	357	1.54	-	44.20
AV	15.68152G	46.40	54.00	-7.60	15.23	3	Vertical	357	1.54	-	31.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5230MHz_TX




EUT Y_4TX
 Setting 99
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.45302G	53.27	68.20	-14.93	11.98	3	Horizontal	76	2.19	-	41.29
PK	15.69332G	59.65	74.00	-14.35	15.22	3	Horizontal	133	2.70	-	44.43
AV	15.68028G	46.27	54.00	-7.73	15.23	3	Horizontal	133	2.70	-	31.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5270MHz_TX




EUT_Y_4TX
Setting 101
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.132G	63.07	74.00	-10.93	5.11	3	Vertical	223	1.46	-	57.96
AV	5.1488G	47.75	54.00	-6.25	5.11	3	Vertical	223	1.46	-	42.64
PK	5.2667G	120.65	Inf	-Inf	5.39	3	Vertical	223	1.46	-	115.26
AV	5.2655G	108.67	Inf	-Inf	5.39	3	Vertical	223	1.46	-	103.28
PK	5.3528G	70.23	74.00	-3.77	5.43	3	Vertical	223	1.46	-	64.80
AV	5.3504G	53.76	54.00	-0.24	5.44	3	Vertical	223	1.46	-	48.32

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5270MHz_TX




EUT_Y_4TX
Setting 101
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1416G	63.72	74.00	-10.28	5.11	3	Horizontal	158	1.50	-	58.61
AV	5.1416G	46.65	54.00	-7.35	5.11	3	Horizontal	158	1.50	-	41.54
PK	5.2649G	118.69	Inf	-Inf	5.37	3	Horizontal	158	1.50	-	113.32
AV	5.2649G	105.80	Inf	-Inf	5.37	3	Horizontal	158	1.50	-	100.43
PK	5.3552G	68.34	74.00	-5.66	5.42	3	Horizontal	158	1.50	-	62.92
AV	5.3534G	49.22	54.00	-4.78	5.43	3	Horizontal	158	1.50	-	43.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5270MHz_TX




EUT Y_4TX
Setting 101
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.54996G	52.55	68.20	-15.65	12.07	3	Vertical	53	2.78	-	40.48
PK	15.80164G	58.78	74.00	-15.22	15.14	3	Vertical	312	2.24	-	43.64
AV	15.80278G	44.98	54.00	-9.02	15.14	3	Vertical	312	2.24	-	29.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5270MHz_TX




EUT Y_4TX
 Setting 101
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.54406G	52.44	68.20	-15.76	12.06	3	Horizontal	227	1.54	-	40.38
PK	15.81456G	58.10	74.00	-15.90	15.14	3	Horizontal	38	2.29	-	42.96
AV	15.8018G	45.02	54.00	-8.98	15.14	3	Horizontal	38	2.29	-	29.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5310MHz_TX




EUT Y_4TX
 Setting 80
 04-L-3-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2992G	116.45	Inf	-Inf	5.53	3	Vertical	222	1.80	-	110.92
AV	5.3046G	103.59	Inf	-Inf	5.53	3	Vertical	222	1.80	-	98.06
PK	5.35G	73.24	74.00	-0.76	5.44	3	Vertical	222	1.80	-	67.80
AV	5.35G	51.93	54.00	-2.07	5.44	3	Vertical	222	1.80	-	46.49

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5310MHz_TX




EUT Y_4TX
Setting 80
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3066G	114.55	Inf	-Inf	5.52	3	Horizontal	111	1.55	-	109.03
AV	5.3072G	102.97	Inf	-Inf	5.52	3	Horizontal	111	1.55	-	97.45
PK	5.3542G	72.90	74.00	-1.10	5.43	3	Horizontal	111	1.55	-	67.47
AV	5.3508G	48.51	54.00	-5.49	5.44	3	Horizontal	111	1.55	-	43.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5310MHz_TX




EUT Y_4TX
 Setting 80
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61622G	52.93	74.00	-21.07	12.13	3	Vertical	343	2.78	-	40.80
AV	10.6162G	39.47	54.00	-14.53	12.14	3	Vertical	343	2.78	-	27.33
PK	15.93408G	61.02	74.00	-12.98	15.05	3	Vertical	302	1.20	-	45.97
AV	15.92334G	47.37	54.00	-6.63	15.05	3	Vertical	302	1.20	-	32.32

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5310MHz_TX




EUT Y_4TX
Setting 80
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62864G	53.93	74.00	-20.07	12.16	3	Horizontal	268	2.88	-	41.77
AV	10.6114G	39.30	54.00	-14.70	12.14	3	Horizontal	268	2.88	-	27.16
PK	15.93262G	60.44	74.00	-13.56	15.05	3	Horizontal	251	2.02	-	45.39
AV	15.93702G	47.45	54.00	-6.55	15.04	3	Horizontal	251	2.02	-	32.41

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5510MHz_TX




EUT Y_4TX
 Setting 56
 04-L-3-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	60.95	74.00	-13.05	5.20	3	Vertical	306	1.53	-	55.75
AV	5.4594G	48.37	54.00	-5.63	5.20	3	Vertical	306	1.53	-	43.17
PK	5.4688G	65.23	68.20	-2.97	5.18	3	Vertical	306	1.53	-	60.05
PK	5.5244G	115.19	Inf	-Inf	5.09	3	Vertical	306	1.53	-	110.10
AV	5.5212G	102.14	Inf	-Inf	5.09	3	Vertical	306	1.53	-	97.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5510MHz_TX




EUT Y_4TX
Setting 56
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	61.20	74.00	-12.80	5.21	3	Horizontal	306	1.53	-	55.99
AV	5.4582G	48.23	54.00	-5.77	5.20	3	Horizontal	306	1.53	-	43.03
PK	5.4686G	65.98	68.20	-2.22	5.18	3	Horizontal	306	1.53	-	60.80
PK	5.5268G	115.24	Inf	-Inf	5.08	3	Horizontal	306	1.53	-	110.16
AV	5.5024G	102.42	Inf	-Inf	5.12	3	Horizontal	306	1.53	-	97.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5510MHz_TX




EUT Y_4TX
 Setting 56
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01532G	53.57	74.00	-20.43	12.55	3	Vertical	199	1.61	-	41.02
AV	11.02968G	40.09	54.00	-13.91	12.58	3	Vertical	199	1.61	-	27.51

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5510MHz_TX




EUT Y_4TX
Setting 56
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02272G	53.18	74.00	-20.82	12.57	3	Horizontal	86	1.29	-	40.61
AV	11.02756G	39.94	54.00	-14.06	12.58	3	Horizontal	86	1.29	-	27.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5550MHz_TX




EUT Y_4TX
Setting 80
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4566G	62.24	74.00	-11.76	5.21	3	Vertical	111	1.59	-	57.03
AV	5.4578G	49.02	54.00	-4.98	5.20	3	Vertical	111	1.59	-	43.82
PK	5.4698G	68.18	68.20	-0.02	5.18	3	Vertical	111	1.59	-	63.00
PK	5.555G	120.51	Inf	-Inf	5.05	3	Vertical	111	1.59	-	115.46
AV	5.5618G	107.70	Inf	-Inf	5.04	3	Vertical	111	1.59	-	102.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5550MHz_TX




EUT_Y_4TX
Setting 80
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4502G	60.91	74.00	-13.09	5.22	3	Horizontal	342	1.59	-	55.69
AV	5.4504G	47.33	54.00	-6.67	5.22	3	Horizontal	342	1.59	-	42.11
PK	5.4692G	65.72	68.20	-2.48	5.18	3	Horizontal	342	1.59	-	60.54
PK	5.5406G	116.20	Inf	-Inf	5.07	3	Horizontal	342	1.59	-	111.13
AV	5.5398G	105.25	Inf	-Inf	5.07	3	Horizontal	342	1.59	-	100.18

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5550MHz_TX




EUT Y_4TX
Setting 80
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0904G	53.39	74.00	-20.61	12.66	3	Vertical	249	2.63	-	40.73
AV	11.09024G	40.53	54.00	-13.47	12.66	3	Vertical	249	2.63	-	27.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5550MHz_TX




EUT Y_4TX
Setting 80
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09454G	54.21	74.00	-19.79	12.68	3	Horizontal	226	2.55	-	41.53
AV	11.09296G	40.65	54.00	-13.35	12.68	3	Horizontal	226	2.55	-	27.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5670MHz_TX




EUT Y_4TX
Setting 81
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6688G	120.16	Inf	-Inf	4.79	3	Vertical	116	1.51	-	115.37
AV	5.6688G	106.97	Inf	-Inf	4.80	3	Vertical	116	1.51	-	102.17
PK	5.7268G	67.52	68.20	-0.68	4.73	3	Vertical	116	1.51	-	62.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5670MHz_TX




EUT Y_4TX
Setting 81
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6882G	113.16	Inf	-Inf	4.74	3	Horizontal	338	1.80	-	108.42
AV	5.6872G	102.06	Inf	-Inf	4.74	3	Horizontal	338	1.80	-	97.32
PK	5.7254G	64.62	68.20	-3.58	4.73	3	Horizontal	338	1.80	-	59.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5670MHz_TX




EUT Y_4TX
Setting 81
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34942G	54.59	74.00	-19.41	13.06	3	Vertical	25	1.91	-	41.53
AV	11.34994G	41.30	54.00	-12.70	13.06	3	Vertical	25	1.91	-	28.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5670MHz_TX




EUT Y_4TX
Setting 81
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34208G	54.27	74.00	-19.73	13.05	3	Horizontal	359	1.10	-	41.22
AV	11.35G	41.07	54.00	-12.93	13.06	3	Horizontal	359	1.10	-	28.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5710MHz_TX




EUT Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4508G	63.07	74.00	-10.93	5.22	3	Vertical	117	1.58	-	57.85
PK	5.4616G	62.04	68.20	-6.16	5.20	3	Vertical	117	1.58	-	56.84
AV	5.458G	50.05	54.00	-3.95	5.20	3	Vertical	117	1.58	-	44.85
PK	5.7244G	124.37	Inf	-Inf	4.72	3	Vertical	117	1.58	-	119.65
AV	5.7268G	112.26	Inf	-Inf	4.73	3	Vertical	117	1.58	-	107.53
PK	5.8504G	67.71	68.20	-0.49	4.98	3	Vertical	117	1.58	-	62.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5710MHz_TX




EUT Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4106G	61.91	74.00	-12.09	5.32	3	Horizontal	348	1.30	-	56.59
PK	5.4682G	61.89	68.20	-6.31	5.18	3	Horizontal	348	1.30	-	56.71
AV	5.4472G	49.33	54.00	-4.67	5.25	3	Horizontal	348	1.30	-	44.08
PK	5.7226G	116.99	Inf	-Inf	4.72	3	Horizontal	348	1.30	-	112.27
AV	5.725G	104.63	Inf	-Inf	4.72	3	Horizontal	348	1.30	-	99.91
PK	5.8594G	65.77	68.20	-2.43	5.02	3	Horizontal	348	1.30	-	60.75

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5710MHz_TX




EUT Y_4TX
 Setting 107
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41876G	54.18	74.00	-19.82	13.17	3	Vertical	72	1.46	-	41.01
AV	11.42816G	41.22	54.00	-12.78	13.19	3	Vertical	72	1.46	-	28.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5710MHz_TX




EUT Y_4TX
Setting 107
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42764G	54.30	74.00	-19.70	13.19	3	Horizontal	92	2.06	-	41.11
AV	11.41068G	41.16	54.00	-12.84	13.16	3	Horizontal	92	2.06	-	28.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5755MHz_TX




EUT_Y_4TX
Setting 104
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6385G	66.82	68.20	-1.38	4.87	3	Vertical	331	1.87	-	61.95
PK	5.75G	122.93	Inf	-Inf	4.76	3	Vertical	331	1.87	-	118.17
AV	5.7485G	111.04	Inf	-Inf	4.75	3	Vertical	331	1.87	-	106.29
PK	5.931G	61.47	68.20	-6.73	5.17	3	Vertical	331	1.87	-	56.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5755MHz_TX




EUT Y_4TX
Setting 104
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6495G	64.63	68.20	-3.57	4.84	3	Horizontal	126	1.50	-	59.79
PK	5.7515G	116.26	Inf	-Inf	4.75	3	Horizontal	126	1.50	-	111.51
AV	5.752G	104.81	Inf	-Inf	4.75	3	Horizontal	126	1.50	-	100.06
PK	5.9325G	60.99	68.20	-7.21	5.18	3	Horizontal	126	1.50	-	55.81

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5755MHz_TX




EUT Y_4TX
Setting 104
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50548G	55.88	74.00	-18.12	13.31	3	Vertical	30	2.72	-	42.57
AV	11.50262G	42.23	54.00	-11.77	13.31	3	Vertical	30	2.72	-	28.92

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5755MHz_TX




EUT Y_4TX
Setting 104
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50934G	55.56	74.00	-18.44	13.31	3	Horizontal	61	2.17	-	42.25
AV	11.51402G	42.11	54.00	-11.89	13.32	3	Horizontal	61	2.17	-	28.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5795MHz_TX




EUT Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.636G	66.24	68.20	-1.96	4.88	3	Vertical	121	1.49	-	61.36
PK	5.7895G	124.77	Inf	-Inf	4.79	3	Vertical	121	1.49	-	119.98
AV	5.8G	112.04	Inf	-Inf	4.80	3	Vertical	121	1.49	-	107.24
PK	5.929G	66.12	68.20	-2.08	5.17	3	Vertical	121	1.49	-	60.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5795MHz_TX




EUT Y_4TX
Setting 107
04-L-3-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5915G	62.58	68.20	-5.62	5.00	3	Horizontal	347	1.50	-	57.58
PK	5.7775G	117.35	Inf	-Inf	4.78	3	Horizontal	347	1.50	-	112.57
AV	5.78G	106.26	Inf	-Inf	4.78	3	Horizontal	347	1.50	-	101.48
PK	5.925G	62.90	68.20	-5.30	5.17	3	Horizontal	347	1.50	-	57.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5795MHz_TX




EUT Y_4TX
Setting 107
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59012G	55.38	74.00	-18.62	13.43	3	Vertical	247	2.01	-	41.95
AV	11.59994G	41.80	54.00	-12.20	13.45	3	Vertical	247	2.01	-	28.35

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/10/2019

5795MHz_TX




EUT Y_4TX
Setting 107
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59204G	55.70	74.00	-18.30	13.43	3	Horizontal	77	1.45	-	42.27
AV	11.59292G	41.81	54.00	-12.19	13.44	3	Horizontal	77	1.45	-	28.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5210MHz_TX




EUT_Y_4TX
 Setting 72
 04-L-3-10
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	73.11	74.00	-0.89	5.11	3	Vertical	203	1.38	-	68.00
AV	5.146G	53.78	54.00	-0.22	5.11	3	Vertical	203	1.38	-	48.67
PK	5.2156G	112.64	Inf	-Inf	5.18	3	Vertical	203	1.38	-	107.46
AV	5.2036G	99.65	Inf	-Inf	5.12	3	Vertical	203	1.38	-	94.53
PK	5.3524G	59.73	74.00	-14.27	5.43	3	Vertical	203	1.38	-	54.30
AV	5.3544G	46.78	54.00	-7.22	5.43	3	Vertical	203	1.38	-	41.35

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5210MHz_TX




EUT_Y_4TX
Setting 72
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.142G	65.96	74.00	-8.04	5.11	3	Horizontal	300	1.50	-	60.85
AV	5.15G	50.23	54.00	-3.77	5.11	3	Horizontal	300	1.50	-	45.12
PK	5.2244G	111.77	Inf	-Inf	5.21	3	Horizontal	300	1.50	-	106.56
AV	5.2236G	98.75	Inf	-Inf	5.21	3	Horizontal	300	1.50	-	93.54
PK	5.3556G	59.59	74.00	-14.41	5.42	3	Horizontal	300	1.50	-	54.17
AV	5.352G	46.52	54.00	-7.48	5.43	3	Horizontal	300	1.50	-	41.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5210MHz_TX




EUT Y_4TX
Setting 72
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.41824G	53.42	68.20	-14.78	11.95	3	Vertical	166	2.84	-	41.47
PK	15.63734G	59.31	74.00	-14.69	15.26	3	Vertical	325	2.11	-	44.05
AV	15.63996G	45.59	54.00	-8.41	15.27	3	Vertical	325	2.11	-	30.32

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5210MHz_TX




EUT Y_4TX
Setting 72
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.41482G	53.20	68.20	-15.00	11.93	3	Horizontal	213	2.62	-	41.27
PK	15.6357G	59.43	74.00	-14.57	15.27	3	Horizontal	21	2.46	-	44.16
AV	15.6386G	45.54	54.00	-8.46	15.26	3	Horizontal	21	2.46	-	30.28

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5290MHz_TX




EUT_Y_4TX
Setting 78
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1408G	60.23	74.00	-13.77	5.11	3	Vertical	198	1.34	-	55.12
AV	5.1416G	46.42	54.00	-7.58	5.11	3	Vertical	198	1.34	-	41.31
PK	5.2588G	113.82	Inf	-Inf	5.36	3	Vertical	198	1.34	-	108.46
AV	5.2584G	100.07	Inf	-Inf	5.36	3	Vertical	198	1.34	-	94.71
PK	5.3512G	72.64	74.00	-1.36	5.44	3	Vertical	198	1.34	-	67.20
AV	5.35G	52.69	54.00	-1.31	5.44	3	Vertical	198	1.34	-	47.25
PK	5.4712G	57.77	68.20	-10.43	5.18	3	Vertical	198	1.34	-	52.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5290MHz_TX




EUT_Y_4TX
Setting 78
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1344G	58.93	74.00	-15.07	5.11	3	Horizontal	292	1.50	-	53.82
AV	5.146G	46.01	54.00	-7.99	5.11	3	Horizontal	292	1.50	-	40.90
PK	5.2672G	113.08	Inf	-Inf	5.39	3	Horizontal	292	1.50	-	107.69
AV	5.278G	99.20	Inf	-Inf	5.43	3	Horizontal	292	1.50	-	93.77
PK	5.3556G	72.85	74.00	-1.15	5.42	3	Horizontal	292	1.50	-	67.43
AV	5.3516G	50.56	54.00	-3.44	5.44	3	Horizontal	292	1.50	-	45.12
PK	5.476G	57.92	68.20	-10.28	5.17	3	Horizontal	292	1.50	-	52.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5290MHz_TX




EUT Y_4TX
 Setting 78
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58352G	53.29	68.20	-14.91	12.12	3	Vertical	348	1.67	-	41.17
PK	15.87544G	59.72	74.00	-14.28	15.09	3	Vertical	6	1.26	-	44.63
AV	15.87932G	45.96	54.00	-8.04	15.08	3	Vertical	6	1.26	-	30.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5290MHz_TX




EUT Y_4TX
Setting 78
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58868G	53.31	68.20	-14.89	12.11	3	Horizontal	285	2.97	-	41.20
PK	15.87284G	59.19	74.00	-14.81	15.09	3	Horizontal	212	2.99	-	44.10
AV	15.87978G	45.93	54.00	-8.07	15.08	3	Horizontal	212	2.99	-	30.85

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5530MHz_TX




EUT Y_4TX
Setting 71
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.292G	58.68	68.20	-9.52	5.50	3	Vertical	47	1.50	-	53.18
PK	5.442G	66.80	74.00	-7.20	5.26	3	Vertical	47	1.50	-	61.54
AV	5.441G	49.95	54.00	-4.05	5.26	3	Vertical	47	1.50	-	44.69
PK	5.467G	67.73	68.20	-0.47	5.19	3	Vertical	47	1.50	-	62.54
PK	5.5465G	112.51	Inf	-Inf	5.06	3	Vertical	47	1.50	-	107.45
AV	5.5405G	100.12	Inf	-Inf	5.07	3	Vertical	47	1.50	-	95.05
PK	5.759G	60.60	68.20	-7.60	4.76	3	Vertical	47	1.50	-	55.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5530MHz_TX




EUT Y_4TX
Setting 71
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2855G	58.52	68.20	-9.68	5.47	3	Horizontal	348	1.60	-	53.05
PK	5.4565G	62.35	74.00	-11.65	5.21	3	Horizontal	348	1.60	-	57.14
AV	5.46G	47.04	54.00	-6.96	5.20	3	Horizontal	348	1.60	-	41.84
PK	5.4695G	63.75	68.20	-4.45	5.18	3	Horizontal	348	1.60	-	58.57
PK	5.54G	112.90	Inf	-Inf	5.07	3	Horizontal	348	1.60	-	107.83
AV	5.5405G	100.81	Inf	-Inf	5.07	3	Horizontal	348	1.60	-	95.74
PK	5.764G	58.25	68.20	-9.95	4.76	3	Horizontal	348	1.60	-	53.49

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5530MHz_TX




EUT Y_4TX
Setting 71
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06916G	54.37	74.00	-19.63	12.64	3	Vertical	249	1.70	-	41.73
AV	11.05898G	40.12	54.00	-13.88	12.63	3	Vertical	249	1.70	-	27.49

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5530MHz_TX




EUT Y_4TX
Setting 71
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06914G	54.32	74.00	-19.68	12.64	3	Horizontal	298	1.48	-	41.68
AV	11.06432G	40.16	54.00	-13.84	12.63	3	Horizontal	298	1.48	-	27.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5610MHz_TX




EUT_Y_4TX
Setting 88
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	66.62	74.00	-7.38	5.22	3	Vertical	303	1.58	-	61.40
AV	5.4572G	51.03	54.00	-2.97	5.21	3	Vertical	303	1.58	-	45.82
PK	5.4652G	68.09	68.20	-0.11	5.19	3	Vertical	303	1.58	-	62.90
PK	5.5776G	118.50	Inf	-Inf	5.02	3	Vertical	303	1.58	-	113.48
AV	5.5972G	105.62	Inf	-Inf	4.99	3	Vertical	303	1.58	-	100.63
PK	5.7264G	67.76	68.20	-0.44	4.73	3	Vertical	303	1.58	-	63.03

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5610MHz_TX




EUT_Y_4TX
Setting 88
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	62.70	74.00	-11.30	5.21	3	Horizontal	235	2.04	-	57.49
AV	5.4584G	47.05	54.00	-6.95	5.20	3	Horizontal	235	2.04	-	41.85
PK	5.462G	61.64	68.20	-6.56	5.20	3	Horizontal	235	2.04	-	56.44
PK	5.6272G	113.71	Inf	-Inf	4.91	3	Horizontal	235	2.04	-	108.80
AV	5.624G	101.87	Inf	-Inf	4.93	3	Horizontal	235	2.04	-	96.94
PK	5.7288G	60.18	68.20	-8.02	4.73	3	Horizontal	235	2.04	-	55.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5610MHz_TX




EUT Y_4TX
 Setting 88
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22954G	53.91	74.00	-20.09	12.88	3	Vertical	246	2.91	-	41.03
AV	11.21196G	40.31	54.00	-13.69	12.85	3	Vertical	246	2.91	-	27.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5610MHz_TX




EUT Y_4TX
 Setting 88
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22732G	54.32	74.00	-19.68	12.87	3	Horizontal	150	2.94	-	41.45
AV	11.22226G	40.33	54.00	-13.67	12.87	3	Horizontal	150	2.94	-	27.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5690MHz_TX




EUT Y_4TX
Setting 95
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	61.84	74.00	-12.16	5.21	3	Vertical	28	1.50	-	56.63
AV	5.4584G	48.13	54.00	-5.87	5.20	3	Vertical	28	1.50	-	42.93
PK	5.4644G	62.96	68.20	-5.24	5.19	3	Vertical	28	1.50	-	57.77
PK	5.6732G	117.66	Inf	-Inf	4.78	3	Vertical	28	1.50	-	112.88
AV	5.7044G	104.36	Inf	-Inf	4.70	3	Vertical	28	1.50	-	99.66
PK	5.8526G	67.48	68.20	-0.72	4.99	3	Vertical	28	1.50	-	62.49

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5690MHz_TX




EUT Y_4TX
Setting 95
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4578G	59.76	74.00	-14.24	5.20	3	Horizontal	257	1.50	-	54.56
AV	5.4554G	46.31	54.00	-7.69	5.21	3	Horizontal	257	1.50	-	41.10
PK	5.4656G	61.29	68.20	-6.91	5.19	3	Horizontal	257	1.50	-	56.10
PK	5.7074G	111.93	Inf	-Inf	4.71	3	Horizontal	257	1.50	-	107.22
AV	5.705G	100.12	Inf	-Inf	4.71	3	Horizontal	257	1.50	-	95.41
PK	5.8514G	64.38	68.20	-3.82	4.98	3	Horizontal	257	1.50	-	59.40

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5690MHz_TX




EUT Y_4TX
Setting 95
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37306G	55.41	74.00	-18.59	13.10	3	Vertical	298	1.90	-	42.31
AV	11.37G	41.04	54.00	-12.96	13.10	3	Vertical	298	1.90	-	27.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5690MHz_TX




EUT Y_4TX
Setting 95
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3865G	54.66	74.00	-19.34	13.11	3	Horizontal	102	1.27	-	41.55
AV	11.37016G	40.99	54.00	-13.01	13.10	3	Horizontal	102	1.27	-	27.89

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5775MHz_TX




EUT Y_4TX
Setting 80
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	68.07	68.20	-0.13	4.85	3	Vertical	115	1.36	-	63.22
PK	5.742G	117.54	Inf	-Inf	4.74	3	Vertical	115	1.36	-	112.80
AV	5.7655G	103.77	Inf	-Inf	4.77	3	Vertical	115	1.36	-	99.00
PK	5.9255G	61.33	68.20	-6.87	5.17	3	Vertical	115	1.36	-	56.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5775MHz_TX




EUT Y_4TX
Setting 80
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.652G	63.10	69.68	-6.58	4.84	3	Horizontal	124	1.50	-	58.26
PK	5.7505G	111.61	Inf	-Inf	4.75	3	Horizontal	124	1.50	-	106.86
AV	5.7505G	99.25	Inf	-Inf	4.75	3	Horizontal	124	1.50	-	94.50
PK	5.9795G	57.78	68.20	-10.42	5.20	3	Horizontal	124	1.50	-	52.58

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5775MHz_TX




EUT Y_4TX
Setting 80
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55628G	55.13	74.00	-18.87	13.38	3	Vertical	30	2.17	-	41.75
AV	11.54222G	41.27	54.00	-12.73	13.36	3	Vertical	30	2.17	-	27.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/10/2019

5775MHz_TX




EUT Y_4TX
 Setting 80
 04-L-3
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54404G	54.83	74.00	-19.17	13.37	3	Horizontal	135	1.83	-	41.46
AV	11.5419G	41.23	54.00	-12.77	13.36	3	Horizontal	135	1.83	-	27.87

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/10/2019

5250MHz_TX




EUT_Y_4TX
Setting 68
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	72.51	74.00	-1.49	5.11	3	Vertical	180	2.01	-	67.40
AV	5.13G	53.76	54.00	-0.24	5.11	3	Vertical	180	2.01	-	48.65
PK	5.2652G	111.01	Inf	-Inf	5.38	3	Vertical	180	2.01	-	105.63
AV	5.2452G	97.39	Inf	-Inf	5.31	3	Vertical	180	2.01	-	92.08
PK	5.37G	70.01	74.00	-3.99	5.40	3	Vertical	180	2.01	-	64.61
AV	5.354G	53.22	54.00	-0.78	5.43	3	Vertical	180	2.01	-	47.79
PK	5.5756G	58.24	68.20	-9.96	5.02	3	Vertical	180	2.01	-	53.22

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/10/2019

5250MHz_TX




EUT_Y_4TX
Setting 68
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	70.14	74.00	-3.86	5.11	3	Horizontal	302	2.99	-	65.03
AV	5.1404G	49.67	54.00	-4.33	5.11	3	Horizontal	302	2.99	-	44.56
PK	5.1764G	109.58	Inf	-Inf	5.11	3	Horizontal	302	2.99	-	104.47
AV	5.1772G	97.16	Inf	-Inf	5.11	3	Horizontal	302	2.99	-	92.05
PK	5.362G	69.19	74.00	-4.81	5.41	3	Horizontal	302	2.99	-	63.78
AV	5.3532G	47.03	54.00	-6.97	5.43	3	Horizontal	302	2.99	-	41.60
PK	5.5132G	57.76	68.20	-10.44	5.11	3	Horizontal	302	2.99	-	52.65

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/10/2019

5250MHz_TX




EUT Y_4TX
Setting 68
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.49916G	52.70	68.20	-15.50	12.03	3	Vertical	108	2.12	-	40.67
PK	15.753G	59.59	74.00	-14.41	15.18	3	Vertical	56	1.96	-	44.41
AV	15.74486G	45.94	54.00	-8.06	15.19	3	Vertical	56	1.96	-	30.75

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/10/2019

5250MHz_TX




EUT Y_4TX
Setting 68
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.49558G	52.22	68.20	-15.98	12.02	3	Horizontal	20	2.92	-	40.20
PK	15.75624G	59.94	74.00	-14.06	15.18	3	Horizontal	93	2.40	-	44.76
AV	15.74214G	45.97	54.00	-8.03	15.19	3	Horizontal	93	2.40	-	30.78

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/10/2019

5570MHz_TX




EUT_Y_4TX
Setting 63
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3292G	58.38	68.20	-9.82	5.47	3	Vertical	117	1.39	-	52.91
PK	5.4492G	67.73	74.00	-6.27	5.24	3	Vertical	117	1.39	-	62.49
AV	5.4532G	49.75	54.00	-4.25	5.21	3	Vertical	117	1.39	-	44.54
PK	5.4612G	68.17	68.20	-0.03	5.20	3	Vertical	117	1.39	-	62.97
PK	5.5988G	110.99	Inf	-Inf	4.99	3	Vertical	117	1.39	-	106.00
AV	5.5844G	98.18	Inf	-Inf	5.01	3	Vertical	117	1.39	-	93.17
PK	5.7748G	63.23	68.20	-4.97	4.77	3	Vertical	117	1.39	-	58.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/10/2019

5570MHz_TX




EUT Y_4TX
Setting 63
04-L-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.174G	58.33	68.20	-9.87	5.11	3	Horizontal	243	1.50	-	53.22
PK	5.4532G	61.54	74.00	-12.46	5.21	3	Horizontal	243	1.50	-	56.33
AV	5.4524G	47.38	54.00	-6.62	5.22	3	Horizontal	243	1.50	-	42.16
PK	5.4676G	61.06	68.20	-7.14	5.18	3	Horizontal	243	1.50	-	55.88
PK	5.6068G	107.56	Inf	-Inf	4.97	3	Horizontal	243	1.50	-	102.59
AV	5.6036G	94.50	Inf	-Inf	4.98	3	Horizontal	243	1.50	-	89.52
PK	5.7396G	59.14	68.20	-9.06	4.74	3	Horizontal	243	1.50	-	54.40

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/10/2019

5570MHz_TX




EUT Y_4TX
Setting 63
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13936G	53.93	74.00	-20.07	12.75	3	Vertical	57	2.94	-	41.18
AV	11.14686G	40.08	54.00	-13.92	12.75	3	Vertical	57	2.94	-	27.33

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/10/2019

5570MHz_TX



EUT Y_4TX
Setting 63
04-L-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14878G	54.50	74.00	-19.50	12.76	3	Horizontal	230	1.26	-	41.74
AV	11.13734G	40.10	54.00	-13.90	12.74	3	Horizontal	230	1.26	-	27.36