




5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

PSD

5785MHz

25/10/2022

CF  
5.785GHz  
Span  
30MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.17	10.17	8.59	7.63


5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

PSD

5825MHz


25/10/2022



CF  
5.825GHz  
Span  
30MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS







Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.48	10.48	8.49	8.55



















### 5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5210MHz

**PSD**

25/10/2022

CF	5.21GHz
Span	120MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS





5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

PSD

5610MHz

25/10/2022

CF  
5.61GHz


Span  
120MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.58	4.58	2.59	1.67

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

25/10/2022

CF  
5.65GHz


Span  
300MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS






Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.70	5.70	2.58	3.16








5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

PSD

5570MHz

25/10/2022

CF  
5.57GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.10	0.10	-2.05	-1.81



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	297.72M	39.43	46.00	-6.57	3	Vertical	0	1.00






Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	57.16M	33.01	40.00	-6.99	3	Vertical	0	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	212.36M	30.67	43.50	-12.83	3	Vertical	0	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	297.72M	39.43	46.00	-6.57	3	Vertical	0	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	515M	29.76	46.00	-16.24	3	Vertical	0	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	643.04M	34.19	46.00	-11.81	3	Vertical	0	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	934.04M	32.78	46.00	-13.22	3	Vertical	0	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	99.84M	29.13	43.50	-14.37	3	Horizontal	360	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	167.74M	29.17	43.50	-14.33	3	Horizontal	360	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	301.6M	35.15	46.00	-10.85	3	Horizontal	360	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	515M	32.71	46.00	-13.29	3	Horizontal	360	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	652.74M	32.26	46.00	-13.74	3	Horizontal	360	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	934.04M	33.33	46.00	-12.67	3	Horizontal	360	1.00



5.25-5.35GHz\_802.11ax\_HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	57.16M	33.01	40.00	-6.99	-25.22	3	Vertical	0	1.00	58.23	11.19	0.68	37.09
PK	212.36M	30.67	43.50	-12.83	-20.76	3	Vertical	0	1.00	51.43	14.14	1.42	36.32
PK	297.72M	39.43	46.00	-6.57	-16.37	3	Vertical	0	1.00	55.80	18.34	1.70	36.41
PK	515M	29.76	46.00	-16.24	-11.48	3	Vertical	0	1.00	41.24	23.14	2.40	37.02
PK	643.04M	34.19	46.00	-11.81	-8.66	3	Vertical	0	1.00	42.85	25.65	2.85	37.16
PK	934.04M	32.78	46.00	-13.22	-4.84	3	Vertical	0	1.00	37.62	29.25	3.34	37.43

5.25-5.35GHz\_802.11ax\_HEW160\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	99.84M	29.13	43.50	-14.37	-20.47	3	Horizontal	360	1.00	49.60	15.21	0.96	36.64
PK	167.74M	29.17	43.50	-14.33	-19.99	3	Horizontal	360	1.00	49.16	15.09	1.36	36.44
PK	301.6M	35.15	46.00	-10.85	-16.32	3	Horizontal	360	1.00	51.47	18.37	1.72	36.41
PK	515M	32.71	46.00	-13.29	-11.48	3	Horizontal	360	1.00	44.19	23.14	2.40	37.02
PK	652.74M	32.26	46.00	-13.74	-8.73	3	Horizontal	360	1.00	40.99	25.57	2.88	37.18
PK	934.04M	33.33	46.00	-12.67	-4.84	3	Horizontal	360	1.00	38.17	29.25	3.34	37.43



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1492G	53.31	54.00	-0.69	3	Vertical	150	1.69
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.149G	53.28	54.00	-0.72	3	Horizontal	249	1.65
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.149G	53.07	54.00	-0.93	3	Horizontal	248	1.66
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.67	54.00	-0.33	3	Vertical	152	1.50
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.83	54.00	-0.17	3	Vertical	351	2.55
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.137G	53.81	54.00	-0.19	3	Vertical	150	1.59
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.145G	53.82	54.00	-0.18	3	Vertical	150	1.71
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.353G	52.68	54.00	-1.32	3	Vertical	152	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3514G	53.49	54.00	-0.51	3	Vertical	152	1.50
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.58	54.00	-0.42	3	Vertical	152	1.67
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3516G	52.88	54.00	-1.12	3	Vertical	150	1.72
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.3504G	53.85	54.00	-0.15	3	Horizontal	264	2.38
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.351G	53.61	54.00	-0.39	3	Vertical	145	1.69
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.352G	53.82	54.00	-0.18	3	Vertical	151	1.75
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.148G	53.87	54.00	-0.13	3	Vertical	146	1.55
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.1384G	53.83	54.00	-0.17	3	Vertical	147	1.65
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7252G	67.77	68.20	-0.43	3	Vertical	178	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7256G	68.03	68.20	-0.17	3	Vertical	177	1.50
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.7252G	67.95	68.20	-0.25	3	Vertical	179	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.4572G	53.15	54.00	-0.85	3	Vertical	186	1.50
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.4588G	53.57	54.00	-0.43	3	Vertical	179	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.46G	53.56	54.00	-0.44	3	Vertical	182	1.50
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.443G	53.98	54.00	-0.02	3	Horizontal	245	2.96
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.45912G	53.89	54.00	-0.11	3	Vertical	180	1.50
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.45624G	53.82	54.00	-0.18	3	Vertical	187	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.46844G	67.98	68.20	-0.22	3	Horizontal	204	1.25
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	17.36212G	68.12	68.20	-0.08	3	Vertical	280	1.50
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	17.35854G	67.70	68.20	-0.50	3	Horizontal	195	1.21
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	17.3826G	65.70	68.20	-2.50	3	Vertical	280	1.49
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	17.39406G	67.84	68.20	-0.36	3	Horizontal	195	1.22
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	67.84	68.20	-0.36	3	Vertical	29	1.66
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.649G	68.13	68.20	-0.07	3	Horizontal	47	1.73



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	53.31	54.00	-0.69	3	Vertical	150	1.69
5180MHz	Pass	AV	5.184G	105.89	Inf	-Inf	3	Vertical	150	1.69
5180MHz	Pass	PK	5.149G	68.33	74.00	-5.67	3	Vertical	150	1.69
5180MHz	Pass	PK	5.179G	113.11	Inf	-Inf	3	Vertical	150	1.69
5180MHz	Pass	AV	5.1488G	53.00	54.00	-1.00	3	Horizontal	250	1.64
5180MHz	Pass	AV	5.1778G	105.42	Inf	-Inf	3	Horizontal	250	1.64
5180MHz	Pass	PK	5.1486G	71.02	74.00	-2.98	3	Horizontal	250	1.64
5180MHz	Pass	PK	5.1778G	115.43	Inf	-Inf	3	Horizontal	250	1.64
5180MHz	Pass	AV	15.5553G	44.20	54.00	-9.80	3	Vertical	75	1.50
5180MHz	Pass	PK	10.4018G	51.43	68.20	-16.77	3	Vertical	243	2.15
5180MHz	Pass	PK	15.5649G	55.62	74.00	-18.38	3	Vertical	75	1.50
5180MHz	Pass	AV	15.55446G	44.32	54.00	-9.68	3	Horizontal	320	1.40
5180MHz	Pass	PK	10.35241G	51.40	68.20	-16.80	3	Horizontal	360	1.46
5180MHz	Pass	PK	15.53268G	55.46	74.00	-18.54	3	Horizontal	320	1.40
5200MHz	Pass	AV	5.15G	50.47	54.00	-3.53	3	Vertical	349	2.30
5200MHz	Pass	AV	5.1948G	109.15	Inf	-Inf	3	Vertical	349	2.30
5200MHz	Pass	PK	5.1492G	65.31	74.00	-8.69	3	Vertical	349	2.30
5200MHz	Pass	PK	5.2044G	118.84	Inf	-Inf	3	Vertical	349	2.30
5200MHz	Pass	AV	5.1478G	49.62	54.00	-4.38	3	Horizontal	277	2.42
5200MHz	Pass	AV	5.2014G	109.55	Inf	-Inf	3	Horizontal	277	2.42
5200MHz	Pass	PK	5.1476G	63.52	74.00	-10.48	3	Horizontal	277	2.42
5200MHz	Pass	PK	5.2018G	117.27	Inf	-Inf	3	Horizontal	277	2.42
5200MHz	Pass	AV	15.5974G	49.73	54.00	-4.27	3	Vertical	265	2.40
5200MHz	Pass	PK	10.40114G	55.32	68.20	-12.88	3	Vertical	218	1.50
5200MHz	Pass	PK	15.5976G	60.90	74.00	-13.10	3	Vertical	265	2.40
5200MHz	Pass	AV	15.59756G	47.83	54.00	-6.17	3	Horizontal	321	1.51
5200MHz	Pass	PK	10.404G	55.03	68.20	-13.17	3	Horizontal	221	2.32
5200MHz	Pass	PK	15.59344G	59.35	74.00	-14.65	3	Horizontal	321	1.51
5240MHz	Pass	AV	5.14588G	48.54	54.00	-5.46	3	Vertical	359	2.51
5240MHz	Pass	AV	5.23532G	110.02	Inf	-Inf	3	Vertical	359	2.51
5240MHz	Pass	AV	5.35544G	47.82	54.00	-6.18	3	Vertical	359	2.51
5240MHz	Pass	PK	5.13548G	60.94	74.00	-13.06	3	Vertical	359	2.51
5240MHz	Pass	PK	5.23532G	119.67	Inf	-Inf	3	Vertical	359	2.51
5240MHz	Pass	PK	5.3648G	60.38	74.00	-13.62	3	Vertical	359	2.51
5240MHz	Pass	AV	5.136G	48.69	54.00	-5.31	3	Horizontal	272	2.55
5240MHz	Pass	AV	5.23688G	110.40	Inf	-Inf	3	Horizontal	272	2.55
5240MHz	Pass	AV	5.357G	47.28	54.00	-6.72	3	Horizontal	272	2.55
5240MHz	Pass	PK	5.14796G	61.00	74.00	-13.00	3	Horizontal	272	2.55
5240MHz	Pass	PK	5.2374G	119.48	Inf	-Inf	3	Horizontal	272	2.55
5240MHz	Pass	PK	5.35544G	60.62	74.00	-13.38	3	Horizontal	272	2.55
5240MHz	Pass	AV	15.71838G	47.29	54.00	-6.71	3	Vertical	266	2.22
5240MHz	Pass	PK	10.4791G	56.67	68.20	-11.53	3	Vertical	220	1.48
5240MHz	Pass	PK	15.71241G	59.06	74.00	-14.94	3	Vertical	266	2.22
5240MHz	Pass	AV	15.71499G	45.57	54.00	-8.43	3	Horizontal	313	1.96
5240MHz	Pass	PK	10.4788G	55.91	68.20	-12.29	3	Horizontal	221	2.26
5240MHz	Pass	PK	15.72033G	57.62	74.00	-16.38	3	Horizontal	313	1.96
5260MHz	Pass	AV	5.1442G	47.22	54.00	-6.78	3	Vertical	148	1.80
5260MHz	Pass	AV	5.2642G	108.46	Inf	-Inf	3	Vertical	148	1.80
5260MHz	Pass	AV	5.3638G	48.51	54.00	-5.49	3	Vertical	148	1.80
5260MHz	Pass	PK	5.1412G	59.91	74.00	-14.09	3	Vertical	148	1.80
5260MHz	Pass	PK	5.2642G	117.44	Inf	-Inf	3	Vertical	148	1.80
5260MHz	Pass	PK	5.359G	59.82	74.00	-14.18	3	Vertical	148	1.80
5260MHz	Pass	AV	5.122G	47.15	54.00	-6.85	3	Horizontal	253	1.95
5260MHz	Pass	AV	5.2582G	106.15	Inf	-Inf	3	Horizontal	253	1.95
5260MHz	Pass	AV	5.353G	47.40	54.00	-6.60	3	Horizontal	253	1.95
5260MHz	Pass	PK	5.1388G	59.61	74.00	-14.39	3	Horizontal	253	1.95
5260MHz	Pass	PK	5.2576G	115.63	Inf	-Inf	3	Horizontal	253	1.95
5260MHz	Pass	PK	5.353G	59.51	74.00	-14.49	3	Horizontal	253	1.95
5260MHz	Pass	AV	15.78579G	44.32	54.00	-9.68	3	Vertical	198	1.50
5260MHz	Pass	PK	10.52057G	55.32	68.20	-12.88	3	Vertical	258	1.57



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	15.7701G	56.09	74.00	-17.91	3	Vertical	198	1.50
5260MHz	Pass	AV	15.76908G	44.30	54.00	-9.70	3	Horizontal	322	2.84
5260MHz	Pass	PK	10.51283G	53.60	68.20	-14.60	3	Horizontal	186	1.50
5260MHz	Pass	PK	15.77052G	55.15	74.00	-18.85	3	Horizontal	322	2.84
5300MHz	Pass	AV	5.294G	108.45	Inf	-Inf	3	Vertical	150	1.62
5300MHz	Pass	AV	5.3932G	48.53	54.00	-5.47	3	Vertical	150	1.62
5300MHz	Pass	PK	5.2988G	117.92	Inf	-Inf	3	Vertical	150	1.62
5300MHz	Pass	PK	5.3792G	60.61	74.00	-13.39	3	Vertical	150	1.62
5300MHz	Pass	AV	5.2984G	106.52	Inf	-Inf	3	Horizontal	257	2.48
5300MHz	Pass	AV	5.3976G	47.77	54.00	-6.23	3	Horizontal	257	2.48
5300MHz	Pass	PK	5.298G	116.19	Inf	-Inf	3	Horizontal	257	2.48
5300MHz	Pass	PK	5.3988G	60.12	74.00	-13.88	3	Horizontal	257	2.48
5300MHz	Pass	AV	10.6003G	43.56	54.00	-10.44	3	Vertical	257	1.50
5300MHz	Pass	AV	15.89634G	43.92	54.00	-10.08	3	Vertical	113	1.50
5300MHz	Pass	PK	10.59997G	54.51	68.20	-13.69	3	Vertical	257	1.50
5300MHz	Pass	PK	15.90711G	54.67	74.00	-19.33	3	Vertical	113	1.50
5300MHz	Pass	AV	10.60351G	43.31	54.00	-10.69	3	Horizontal	214	1.39
5300MHz	Pass	AV	15.89145G	43.85	54.00	-10.15	3	Horizontal	286	1.50
5300MHz	Pass	PK	10.60447G	54.70	74.00	-19.30	3	Horizontal	214	1.39
5300MHz	Pass	PK	15.90357G	55.75	74.00	-18.25	3	Horizontal	286	1.50
5320MHz	Pass	AV	5.319G	107.99	Inf	-Inf	3	Vertical	152	1.50
5320MHz	Pass	AV	5.353G	52.68	54.00	-1.32	3	Vertical	152	1.50
5320MHz	Pass	PK	5.3186G	117.75	Inf	-Inf	3	Vertical	152	1.50
5320MHz	Pass	PK	5.3524G	71.91	74.00	-2.09	3	Vertical	152	1.50
5320MHz	Pass	AV	5.3138G	106.27	Inf	-Inf	3	Horizontal	261	2.38
5320MHz	Pass	AV	5.3526G	50.93	54.00	-3.07	3	Horizontal	261	2.38
5320MHz	Pass	PK	5.3184G	115.92	Inf	-Inf	3	Horizontal	261	2.38
5320MHz	Pass	PK	5.3524G	69.18	74.00	-4.82	3	Horizontal	261	2.38
5320MHz	Pass	AV	10.6412G	43.51	54.00	-10.49	3	Vertical	260	1.50
5320MHz	Pass	AV	15.96639G	43.77	54.00	-10.23	3	Vertical	138	1.50
5320MHz	Pass	PK	10.63925G	54.87	74.00	-19.13	3	Vertical	260	1.50
5320MHz	Pass	PK	15.95817G	55.17	74.00	-18.83	3	Vertical	138	1.50
5320MHz	Pass	AV	10.63862G	43.59	54.00	-10.41	3	Horizontal	229	1.49
5320MHz	Pass	AV	15.96171G	43.64	54.00	-10.36	3	Horizontal	47	2.66
5320MHz	Pass	PK	10.64465G	54.27	74.00	-19.73	3	Horizontal	229	1.49
5320MHz	Pass	PK	15.95472G	55.89	74.00	-18.11	3	Horizontal	47	2.66
5500MHz	Pass	AV	5.46G	49.14	54.00	-4.86	3	Vertical	178	1.50
5500MHz	Pass	AV	5.4954G	107.89	Inf	-Inf	3	Vertical	178	1.50
5500MHz	Pass	PK	5.4694G	66.45	68.20	-1.75	3	Vertical	178	1.50
5500MHz	Pass	PK	5.5052G	117.68	Inf	-Inf	3	Vertical	178	1.50
5500MHz	Pass	AV	5.457G	47.58	54.00	-6.42	3	Horizontal	252	1.50
5500MHz	Pass	AV	5.5024G	105.02	Inf	-Inf	3	Horizontal	252	1.50
5500MHz	Pass	PK	5.465G	63.10	68.20	-5.10	3	Horizontal	252	1.50
5500MHz	Pass	PK	5.5022G	114.49	Inf	-Inf	3	Horizontal	252	1.50
5500MHz	Pass	AV	10.99613G	44.27	54.00	-9.73	3	Vertical	0	1.50
5500MHz	Pass	PK	10.99382G	55.89	74.00	-18.11	3	Vertical	0	1.50
5500MHz	Pass	PK	16.48938G	58.28	68.20	-9.92	3	Vertical	62	1.50
5500MHz	Pass	AV	11.00942G	44.47	54.00	-9.53	3	Horizontal	229	2.23
5500MHz	Pass	PK	10.98947G	55.92	74.00	-18.08	3	Horizontal	229	2.23
5500MHz	Pass	PK	16.50378G	58.64	68.20	-9.56	3	Horizontal	112	1.84
5580MHz	Pass	AV	5.4576G	46.64	54.00	-7.36	3	Vertical	191	1.50
5580MHz	Pass	AV	5.5842G	107.42	Inf	-Inf	3	Vertical	191	1.50
5580MHz	Pass	PK	5.4612G	58.94	68.20	-9.26	3	Vertical	191	1.50
5580MHz	Pass	PK	5.5746G	116.87	Inf	-Inf	3	Vertical	191	1.50
5580MHz	Pass	PK	5.7282G	59.15	68.20	-9.05	3	Vertical	191	1.50
5580MHz	Pass	AV	5.4534G	46.16	54.00	-7.84	3	Horizontal	240	2.40
5580MHz	Pass	AV	5.5824G	105.62	Inf	-Inf	3	Horizontal	240	2.40
5580MHz	Pass	PK	5.4696G	59.53	68.20	-8.67	3	Horizontal	240	2.40
5580MHz	Pass	PK	5.5776G	115.16	Inf	-Inf	3	Horizontal	240	2.40
5580MHz	Pass	PK	5.7288G	59.03	68.20	-9.17	3	Horizontal	240	2.40
5580MHz	Pass	AV	11.1636G	44.50	54.00	-9.50	3	Vertical	265	1.50
5580MHz	Pass	PK	11.16993G	55.76	74.00	-18.24	3	Vertical	265	1.50



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	16.72953G	58.06	68.20	-10.14	3	Vertical	280	2.68
5580MHz	Pass	AV	11.17479G	44.11	54.00	-9.89	3	Horizontal	136	1.50
5580MHz	Pass	PK	11.14812G	55.22	74.00	-18.78	3	Horizontal	136	1.50
5580MHz	Pass	PK	16.74627G	57.76	68.20	-10.44	3	Horizontal	249	2.21
5700MHz	Pass	AV	5.6952G	101.96	Inf	-Inf	3	Vertical	178	1.50
5700MHz	Pass	PK	5.696G	111.17	Inf	-Inf	3	Vertical	178	1.50
5700MHz	Pass	PK	5.7252G	67.77	68.20	-0.43	3	Vertical	178	1.50
5700MHz	Pass	AV	5.6976G	100.71	Inf	-Inf	3	Horizontal	242	2.42
5700MHz	Pass	PK	5.6976G	110.82	Inf	-Inf	3	Horizontal	242	2.42
5700MHz	Pass	PK	5.7252G	64.81	68.20	-3.39	3	Horizontal	242	2.42
5700MHz	Pass	AV	11.39892G	47.24	54.00	-6.76	3	Vertical	288	1.62
5700MHz	Pass	PK	11.40378G	57.80	74.00	-16.20	3	Vertical	288	1.62
5700MHz	Pass	PK	17.08815G	58.36	68.20	-9.84	3	Vertical	271	1.62
5700MHz	Pass	AV	11.39901G	45.47	54.00	-8.53	3	Horizontal	225	1.50
5700MHz	Pass	PK	11.39865G	56.34	74.00	-17.66	3	Horizontal	225	1.50
5700MHz	Pass	PK	17.08755G	58.12	68.20	-10.08	3	Horizontal	13	2.84
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	47.24	54.00	-6.76	3	Vertical	19	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	109.15	Inf	-Inf	3	Vertical	19	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.52	68.20	-10.68	3	Vertical	19	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	116.48	Inf	-Inf	3	Vertical	19	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9108G	58.86	68.20	-9.34	3	Vertical	19	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	46.60	54.00	-7.40	3	Horizontal	102	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	107.44	Inf	-Inf	3	Horizontal	102	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.82	68.20	-11.38	3	Horizontal	102	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	114.86	Inf	-Inf	3	Horizontal	102	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9492G	58.44	68.20	-9.76	3	Horizontal	102	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4406G	50.13	54.00	-3.87	3	Vertical	241	1.54
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43583G	61.21	74.00	-12.79	3	Vertical	241	1.54
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16036G	64.52	68.20	-3.68	3	Vertical	273	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43904G	53.23	54.00	-0.77	3	Horizontal	234	1.72
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43763G	64.72	74.00	-9.28	3	Horizontal	234	1.72
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15427G	65.48	68.20	-2.72	3	Horizontal	183	1.27
5745MHz	Pass	AV	5.7402G	108.62	Inf	-Inf	3	Vertical	357	1.79
5745MHz	Pass	PK	5.6502G	59.05	68.35	-9.30	3	Vertical	357	1.79
5745MHz	Pass	PK	5.7402G	116.13	Inf	-Inf	3	Vertical	357	1.79
5745MHz	Pass	PK	5.9358G	57.66	68.20	-10.54	3	Vertical	357	1.79
5745MHz	Pass	AV	5.7438G	106.06	Inf	-Inf	3	Horizontal	43	1.80
5745MHz	Pass	PK	5.5098G	58.55	68.20	-9.65	3	Horizontal	43	1.80
5745MHz	Pass	PK	5.7438G	113.58	Inf	-Inf	3	Horizontal	43	1.80
5745MHz	Pass	PK	5.9298G	57.94	68.20	-10.26	3	Horizontal	43	1.80
5745MHz	Pass	AV	11.48891G	51.15	54.00	-2.85	3	Vertical	292	2.73
5745MHz	Pass	PK	11.48784G	62.55	74.00	-11.45	3	Vertical	292	2.73
5745MHz	Pass	PK	17.23432G	66.26	68.20	-1.94	3	Vertical	312	1.51
5745MHz	Pass	AV	11.48891G	52.98	54.00	-1.02	3	Horizontal	242	1.68
5745MHz	Pass	PK	11.48751G	64.56	74.00	-9.44	3	Horizontal	242	1.68
5745MHz	Pass	PK	17.22838G	67.43	68.20	-0.77	3	Horizontal	199	1.34
5785MHz	Pass	AV	5.7874G	108.09	Inf	-Inf	3	Vertical	19	1.69
5785MHz	Pass	PK	5.6002G	59.17	68.20	-9.03	3	Vertical	19	1.69
5785MHz	Pass	PK	5.7826G	115.02	Inf	-Inf	3	Vertical	19	1.69
5785MHz	Pass	PK	5.971G	59.05	68.20	-9.15	3	Vertical	19	1.69
5785MHz	Pass	AV	5.7838G	105.93	Inf	-Inf	3	Horizontal	46	1.72
5785MHz	Pass	PK	5.527G	58.47	68.20	-9.73	3	Horizontal	46	1.72
5785MHz	Pass	PK	5.7838G	113.16	Inf	-Inf	3	Horizontal	46	1.72
5785MHz	Pass	PK	6.0406G	58.01	68.20	-10.19	3	Horizontal	46	1.72
5785MHz	Pass	AV	11.5723G	48.36	54.00	-5.64	3	Vertical	293	1.65
5785MHz	Pass	PK	11.56742G	60.92	74.00	-13.08	3	Vertical	293	1.65
5785MHz	Pass	PK	17.34928G	66.08	68.20	-2.12	3	Vertical	282	1.50
5785MHz	Pass	AV	11.56892G	48.58	54.00	-5.42	3	Horizontal	243	1.66
5785MHz	Pass	PK	11.56402G	59.88	74.00	-14.12	3	Horizontal	243	1.66
5785MHz	Pass	PK	17.3493G	67.71	68.20	-0.49	3	Horizontal	203	1.35
5825MHz	Pass	AV	5.8214G	108.80	Inf	-Inf	3	Vertical	19	1.62
5825MHz	Pass	PK	5.5682G	59.25	68.20	-8.95	3	Vertical	19	1.62



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	5.8322G	116.33	Inf	-Inf	3	Vertical	19	1.62
5825MHz	Pass	PK	6.0602G	58.84	68.20	-9.36	3	Vertical	19	1.62
5825MHz	Pass	AV	5.8238G	105.55	Inf	-Inf	3	Horizontal	45	1.85
5825MHz	Pass	PK	5.5274G	57.98	68.20	-10.22	3	Horizontal	45	1.85
5825MHz	Pass	PK	5.819G	113.01	Inf	-Inf	3	Horizontal	45	1.85
5825MHz	Pass	PK	5.9378G	57.73	68.20	-10.47	3	Horizontal	45	1.85
5825MHz	Pass	AV	11.65162G	50.75	54.00	-3.25	3	Vertical	294	1.65
5825MHz	Pass	PK	11.64736G	61.68	74.00	-12.32	3	Vertical	294	1.65
5825MHz	Pass	PK	17.47632G	66.14	68.20	-2.06	3	Vertical	281	1.46
5825MHz	Pass	AV	11.64906G	49.67	54.00	-4.33	3	Horizontal	229	1.60
5825MHz	Pass	PK	11.64926G	60.74	74.00	-13.26	3	Horizontal	229	1.60
5825MHz	Pass	PK	17.46844G	67.98	68.20	-0.22	3	Horizontal	204	1.25
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	52.95	54.00	-1.05	3	Vertical	148	1.48
5180MHz	Pass	AV	5.1848G	103.29	Inf	-Inf	3	Vertical	148	1.48
5180MHz	Pass	PK	5.15G	66.09	74.00	-7.91	3	Vertical	148	1.48
5180MHz	Pass	PK	5.177G	116.69	Inf	-Inf	3	Vertical	148	1.48
5180MHz	Pass	AV	5.149G	53.28	54.00	-0.72	3	Horizontal	249	1.65
5180MHz	Pass	AV	5.184G	102.33	Inf	-Inf	3	Horizontal	249	1.65
5180MHz	Pass	PK	5.145G	68.15	74.00	-5.85	3	Horizontal	249	1.65
5180MHz	Pass	PK	5.1768G	115.60	Inf	-Inf	3	Horizontal	249	1.65
5180MHz	Pass	AV	15.55497G	45.24	54.00	-8.76	3	Vertical	101	1.50
5180MHz	Pass	PK	10.36405G	56.85	68.20	-11.35	3	Vertical	214	1.50
5180MHz	Pass	PK	15.55017G	56.62	74.00	-17.38	3	Vertical	101	1.50
5180MHz	Pass	AV	15.5511G	45.15	54.00	-8.85	3	Horizontal	92	1.50
5180MHz	Pass	PK	10.36864G	55.10	68.20	-13.10	3	Horizontal	345	1.50
5180MHz	Pass	PK	15.55269G	57.50	74.00	-16.50	3	Horizontal	92	1.50
5200MHz	Pass	AV	5.1496G	50.60	54.00	-3.40	3	Vertical	349	2.42
5200MHz	Pass	AV	5.2024G	107.30	Inf	-Inf	3	Vertical	349	2.42
5200MHz	Pass	PK	5.1472G	63.71	74.00	-10.29	3	Vertical	349	2.42
5200MHz	Pass	PK	5.1968G	118.45	Inf	-Inf	3	Vertical	349	2.42
5200MHz	Pass	AV	5.15G	51.05	54.00	-2.95	3	Horizontal	272	2.44
5200MHz	Pass	AV	5.1984G	108.05	Inf	-Inf	3	Horizontal	272	2.44
5200MHz	Pass	PK	5.148G	64.71	74.00	-9.29	3	Horizontal	272	2.44
5200MHz	Pass	PK	5.2008G	118.17	Inf	-Inf	3	Horizontal	272	2.44
5200MHz	Pass	AV	15.59895G	47.32	54.00	-6.68	3	Vertical	306	2.33
5200MHz	Pass	PK	10.39385G	55.35	68.20	-12.85	3	Vertical	217	1.44
5200MHz	Pass	PK	15.60126G	59.06	74.00	-14.94	3	Vertical	306	2.33
5200MHz	Pass	AV	15.59865G	46.10	54.00	-7.90	3	Horizontal	321	1.52
5200MHz	Pass	PK	10.3961G	54.82	68.20	-13.38	3	Horizontal	212	2.37
5200MHz	Pass	PK	15.59613G	58.32	74.00	-15.68	3	Horizontal	321	1.52
5240MHz	Pass	AV	5.1452G	47.17	54.00	-6.83	3	Vertical	4	2.38
5240MHz	Pass	AV	5.243G	107.90	Inf	-Inf	3	Vertical	4	2.38
5240MHz	Pass	AV	5.35G	46.79	54.00	-7.21	3	Vertical	4	2.38
5240MHz	Pass	PK	5.138G	58.94	74.00	-15.06	3	Vertical	4	2.38
5240MHz	Pass	PK	5.2382G	118.40	Inf	-Inf	3	Vertical	4	2.38
5240MHz	Pass	PK	5.3798G	57.99	74.00	-16.01	3	Vertical	4	2.38
5240MHz	Pass	AV	5.1482G	47.60	54.00	-6.40	3	Horizontal	272	2.39
5240MHz	Pass	AV	5.2358G	108.10	Inf	-Inf	3	Horizontal	272	2.39
5240MHz	Pass	AV	5.3846G	46.25	54.00	-7.75	3	Horizontal	272	2.39
5240MHz	Pass	PK	5.141G	58.89	74.00	-15.11	3	Horizontal	272	2.39
5240MHz	Pass	PK	5.2406G	118.31	Inf	-Inf	3	Horizontal	272	2.39
5240MHz	Pass	PK	5.3678G	57.68	74.00	-16.32	3	Horizontal	272	2.39
5240MHz	Pass	AV	15.71898G	46.41	54.00	-7.59	3	Vertical	272	2.35
5240MHz	Pass	PK	10.47862G	56.49	68.20	-11.71	3	Vertical	219	1.52
5240MHz	Pass	PK	15.71616G	58.41	74.00	-15.59	3	Vertical	272	2.35
5240MHz	Pass	AV	15.7215G	45.05	54.00	-8.95	3	Horizontal	191	1.30
5240MHz	Pass	PK	10.48927G	56.60	68.20	-11.60	3	Horizontal	217	2.42
5240MHz	Pass	PK	15.729G	57.34	74.00	-16.66	3	Horizontal	191	1.30
5260MHz	Pass	AV	5.1448G	46.55	54.00	-7.45	3	Vertical	150	1.55
5260MHz	Pass	AV	5.2648G	105.72	Inf	-Inf	3	Vertical	150	1.55
5260MHz	Pass	AV	5.362G	47.22	54.00	-6.78	3	Vertical	150	1.55



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	5.1394G	59.75	74.00	-14.25	3	Vertical	150	1.55
5260MHz	Pass	PK	5.257G	119.87	Inf	-Inf	3	Vertical	150	1.55
5260MHz	Pass	PK	5.3872G	59.50	74.00	-14.50	3	Vertical	150	1.55
5260MHz	Pass	AV	5.146G	46.38	54.00	-7.62	3	Horizontal	262	2.43
5260MHz	Pass	AV	5.2618G	104.10	Inf	-Inf	3	Horizontal	262	2.43
5260MHz	Pass	AV	5.3614G	46.72	54.00	-7.28	3	Horizontal	262	2.43
5260MHz	Pass	PK	5.1112G	59.99	74.00	-14.01	3	Horizontal	262	2.43
5260MHz	Pass	PK	5.2564G	117.28	Inf	-Inf	3	Horizontal	262	2.43
5260MHz	Pass	PK	5.368G	59.75	74.00	-14.25	3	Horizontal	262	2.43
5260MHz	Pass	AV	15.7941G	45.21	54.00	-8.79	3	Vertical	180	1.50
5260MHz	Pass	PK	10.52981G	55.84	68.20	-12.36	3	Vertical	258	1.50
5260MHz	Pass	PK	15.77856G	57.39	74.00	-16.61	3	Vertical	180	1.50
5260MHz	Pass	AV	15.795G	45.26	54.00	-8.74	3	Horizontal	17	1.50
5260MHz	Pass	PK	10.5194G	55.53	68.20	-12.67	3	Horizontal	237	1.00
5260MHz	Pass	PK	15.7881G	56.79	74.00	-17.21	3	Horizontal	17	1.50
5300MHz	Pass	AV	5.3044G	105.65	Inf	-Inf	3	Vertical	151	1.55
5300MHz	Pass	AV	5.3512G	47.68	54.00	-6.32	3	Vertical	151	1.55
5300MHz	Pass	PK	5.2968G	119.84	Inf	-Inf	3	Vertical	151	1.55
5300MHz	Pass	PK	5.3936G	61.32	74.00	-12.68	3	Vertical	151	1.55
5300MHz	Pass	AV	5.3016G	103.88	Inf	-Inf	3	Horizontal	261	2.49
5300MHz	Pass	AV	5.3508G	47.41	54.00	-6.59	3	Horizontal	261	2.49
5300MHz	Pass	PK	5.2968G	117.80	Inf	-Inf	3	Horizontal	261	2.49
5300MHz	Pass	PK	5.358G	59.59	74.00	-14.41	3	Horizontal	261	2.49
5300MHz	Pass	AV	15.90783G	44.81	54.00	-9.19	3	Vertical	183	1.50
5300MHz	Pass	PK	10.60555G	55.77	74.00	-18.23	3	Vertical	259	1.61
5300MHz	Pass	PK	15.8976G	56.85	74.00	-17.15	3	Vertical	183	1.50
5300MHz	Pass	AV	15.89583G	44.94	54.00	-9.06	3	Horizontal	144	1.50
5300MHz	Pass	PK	10.59907G	56.60	68.20	-11.60	3	Horizontal	226	1.42
5300MHz	Pass	PK	15.88635G	57.51	74.00	-16.49	3	Horizontal	144	1.50
5320MHz	Pass	AV	5.3218G	105.46	Inf	-Inf	3	Vertical	152	1.50
5320MHz	Pass	AV	5.3514G	53.49	54.00	-0.51	3	Vertical	152	1.50
5320MHz	Pass	PK	5.317G	119.94	Inf	-Inf	3	Vertical	152	1.50
5320MHz	Pass	PK	5.3512G	70.84	74.00	-3.16	3	Vertical	152	1.50
5320MHz	Pass	AV	5.3216G	103.25	Inf	-Inf	3	Horizontal	254	1.87
5320MHz	Pass	AV	5.3508G	52.44	54.00	-1.56	3	Horizontal	254	1.87
5320MHz	Pass	PK	5.3168G	116.79	Inf	-Inf	3	Horizontal	254	1.87
5320MHz	Pass	PK	5.3518G	69.72	74.00	-4.28	3	Horizontal	254	1.87
5320MHz	Pass	AV	10.63982G	44.21	54.00	-9.79	3	Vertical	248	1.73
5320MHz	Pass	AV	15.97176G	44.76	54.00	-9.24	3	Vertical	44	2.15
5320MHz	Pass	PK	10.631G	55.45	74.00	-18.55	3	Vertical	248	1.73
5320MHz	Pass	PK	15.9591G	56.82	74.00	-17.18	3	Vertical	44	2.15
5320MHz	Pass	AV	10.63946G	44.49	54.00	-9.51	3	Horizontal	229	1.50
5320MHz	Pass	AV	15.97194G	44.79	54.00	-9.21	3	Horizontal	92	1.50
5320MHz	Pass	PK	10.65209G	56.09	74.00	-17.91	3	Horizontal	229	1.50
5320MHz	Pass	PK	15.96072G	56.17	74.00	-17.83	3	Horizontal	92	1.50
5500MHz	Pass	AV	5.46G	49.35	54.00	-4.65	3	Vertical	186	1.64
5500MHz	Pass	AV	5.495G	105.35	Inf	-Inf	3	Vertical	186	1.64
5500MHz	Pass	PK	5.4672G	64.80	68.20	-3.40	3	Vertical	186	1.64
5500MHz	Pass	PK	5.497G	118.30	Inf	-Inf	3	Vertical	186	1.64
5500MHz	Pass	AV	5.4588G	47.91	54.00	-6.09	3	Horizontal	253	1.69
5500MHz	Pass	AV	5.4984G	102.78	Inf	-Inf	3	Horizontal	253	1.69
5500MHz	Pass	PK	5.467G	64.71	68.20	-3.49	3	Horizontal	253	1.69
5500MHz	Pass	PK	5.5008G	114.98	Inf	-Inf	3	Horizontal	253	1.69
5500MHz	Pass	AV	11.00544G	42.14	54.00	-11.86	3	Vertical	208	1.25
5500MHz	Pass	PK	11.00504G	52.10	74.00	-21.90	3	Vertical	208	1.25
5500MHz	Pass	PK	16.50322G	55.06	68.20	-13.14	3	Vertical	225	1.03
5500MHz	Pass	AV	10.99504G	42.19	54.00	-11.81	3	Horizontal	284	2.53
5500MHz	Pass	PK	11.00906G	51.52	74.00	-22.48	3	Horizontal	284	2.53
5500MHz	Pass	PK	16.50908G	53.13	68.20	-15.07	3	Horizontal	104	1.26
5580MHz	Pass	AV	5.46G	46.19	54.00	-7.81	3	Vertical	184	1.50
5580MHz	Pass	AV	5.5848G	104.56	Inf	-Inf	3	Vertical	184	1.50
5580MHz	Pass	PK	5.4666G	58.53	68.20	-9.67	3	Vertical	184	1.50





RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.5824G	117.14	Inf	-Inf	3	Vertical	184	1.50
5580MHz	Pass	PK	5.7252G	58.73	68.20	-9.47	3	Vertical	184	1.50
5580MHz	Pass	AV	5.4582G	45.48	54.00	-8.52	3	Horizontal	240	2.40
5580MHz	Pass	AV	5.5818G	102.82	Inf	-Inf	3	Horizontal	240	2.40
5580MHz	Pass	PK	5.4648G	58.67	68.20	-9.53	3	Horizontal	240	2.40
5580MHz	Pass	PK	5.577G	116.09	Inf	-Inf	3	Horizontal	240	2.40
5580MHz	Pass	PK	5.7264G	59.02	68.20	-9.18	3	Horizontal	240	2.40
5580MHz	Pass	AV	11.16908G	41.95	54.00	-12.05	3	Vertical	311	1.76
5580MHz	Pass	PK	11.16658G	52.04	74.00	-21.96	3	Vertical	311	1.76
5580MHz	Pass	PK	16.74786G	53.92	68.20	-14.28	3	Vertical	353	2.85
5580MHz	Pass	AV	11.16072G	41.92	54.00	-12.08	3	Horizontal	86	2.06
5580MHz	Pass	PK	11.16724G	51.15	74.00	-22.85	3	Horizontal	86	2.06
5580MHz	Pass	PK	16.74202G	55.97	68.20	-12.23	3	Horizontal	72	1.18
5700MHz	Pass	AV	5.6976G	100.34	Inf	-Inf	3	Vertical	177	1.50
5700MHz	Pass	PK	5.7052G	110.41	Inf	-Inf	3	Vertical	177	1.50
5700MHz	Pass	PK	5.7256G	68.03	68.20	-0.17	3	Vertical	177	1.50
5700MHz	Pass	AV	5.6988G	97.84	Inf	-Inf	3	Horizontal	242	2.38
5700MHz	Pass	PK	5.704G	108.54	Inf	-Inf	3	Horizontal	242	2.38
5700MHz	Pass	PK	5.7268G	67.09	68.20	-1.11	3	Horizontal	242	2.38
5700MHz	Pass	AV	11.40152G	42.94	54.00	-11.06	3	Vertical	220	1.50
5700MHz	Pass	PK	11.40136G	55.33	74.00	-18.67	3	Vertical	220	1.50
5700MHz	Pass	PK	17.09152G	56.23	68.20	-11.97	3	Vertical	274	1.47
5700MHz	Pass	AV	11.39912G	45.34	54.00	-8.66	3	Horizontal	235	1.66
5700MHz	Pass	PK	11.40172G	57.58	74.00	-16.42	3	Horizontal	235	1.66
5700MHz	Pass	PK	17.10136G	56.76	68.20	-11.44	3	Horizontal	187	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	46.64	54.00	-7.36	3	Vertical	18	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	107.51	Inf	-Inf	3	Vertical	18	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.67	68.20	-10.53	3	Vertical	18	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	117.34	Inf	-Inf	3	Vertical	18	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8652G	58.50	68.20	-9.70	3	Vertical	18	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	46.05	54.00	-7.95	3	Horizontal	100	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	105.60	Inf	-Inf	3	Horizontal	100	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	57.43	68.20	-10.77	3	Horizontal	100	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	116.31	Inf	-Inf	3	Horizontal	100	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8676G	59.74	68.20	-8.46	3	Horizontal	100	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44391G	42.31	54.00	-11.69	3	Vertical	178	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44262G	54.33	74.00	-19.67	3	Vertical	178	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15774G	57.75	68.20	-10.45	3	Vertical	210	1.53
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43644G	42.28	54.00	-11.72	3	Horizontal	271	1.70
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44047G	54.21	74.00	-19.79	3	Horizontal	271	1.70
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15732G	56.10	68.20	-12.10	3	Horizontal	51	1.26
5745MHz	Pass	AV	5.7402G	107.60	Inf	-Inf	3	Vertical	1	1.99
5745MHz	Pass	PK	5.6334G	59.62	68.20	-8.58	3	Vertical	1	1.99
5745MHz	Pass	PK	5.745G	116.56	Inf	-Inf	3	Vertical	1	1.99
5745MHz	Pass	PK	5.9694G	58.18	68.20	-10.02	3	Vertical	1	1.99
5745MHz	Pass	AV	5.7426G	105.48	Inf	-Inf	3	Horizontal	295	2.33
5745MHz	Pass	PK	5.5602G	57.91	68.20	-10.29	3	Horizontal	295	2.33
5745MHz	Pass	PK	5.7474G	115.00	Inf	-Inf	3	Horizontal	295	2.33
5745MHz	Pass	PK	5.925G	57.83	68.20	-10.37	3	Horizontal	295	2.33
5745MHz	Pass	AV	11.4879G	48.55	54.00	-5.45	3	Vertical	249	1.66
5745MHz	Pass	PK	11.49258G	59.96	74.00	-14.04	3	Vertical	249	1.66
5745MHz	Pass	PK	17.24244G	66.38	68.20	-1.82	3	Vertical	281	1.50
5745MHz	Pass	AV	11.48918G	51.55	54.00	-2.45	3	Horizontal	233	1.61
5745MHz	Pass	PK	11.48944G	62.69	74.00	-11.31	3	Horizontal	233	1.61
5745MHz	Pass	PK	17.24244G	67.97	68.20	-0.23	3	Horizontal	198	1.30
5785MHz	Pass	AV	5.7862G	108.03	Inf	-Inf	3	Vertical	28	1.63
5785MHz	Pass	PK	5.629G	58.51	68.20	-9.69	3	Vertical	28	1.63
5785MHz	Pass	PK	5.7862G	117.77	Inf	-Inf	3	Vertical	28	1.63
5785MHz	Pass	PK	5.9722G	58.56	68.20	-9.64	3	Vertical	28	1.63
5785MHz	Pass	AV	5.7874G	104.77	Inf	-Inf	3	Horizontal	43	1.72
5785MHz	Pass	PK	5.605G	58.41	68.20	-9.79	3	Horizontal	43	1.72
5785MHz	Pass	PK	5.7814G	115.59	Inf	-Inf	3	Horizontal	43	1.72



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.9698G	57.96	68.20	-10.24	3	Horizontal	43	1.72
5785MHz	Pass	AV	11.56868G	47.37	54.00	-6.63	3	Vertical	292	1.59
5785MHz	Pass	PK	11.5685G	59.33	74.00	-14.67	3	Vertical	292	1.59
5785MHz	Pass	PK	17.36212G	68.12	68.20	-0.08	3	Vertical	280	1.50
5785MHz	Pass	AV	11.56974G	47.36	54.00	-6.64	3	Horizontal	227	1.70
5785MHz	Pass	PK	11.5668G	59.17	74.00	-14.83	3	Horizontal	227	1.70
5785MHz	Pass	PK	17.36214G	68.01	68.20	-0.19	3	Horizontal	201	1.04
5825MHz	Pass	AV	5.8238G	108.24	Inf	-Inf	3	Vertical	19	1.62
5825MHz	Pass	PK	5.5322G	59.24	68.20	-8.96	3	Vertical	19	1.62
5825MHz	Pass	PK	5.8262G	118.72	Inf	-Inf	3	Vertical	19	1.62
5825MHz	Pass	PK	5.9462G	57.66	68.20	-10.54	3	Vertical	19	1.62
5825MHz	Pass	AV	5.8214G	104.41	Inf	-Inf	3	Horizontal	44	1.85
5825MHz	Pass	PK	5.543G	58.56	68.20	-9.64	3	Horizontal	44	1.85
5825MHz	Pass	PK	5.8298G	114.49	Inf	-Inf	3	Horizontal	44	1.85
5825MHz	Pass	PK	5.9474G	58.58	68.20	-9.62	3	Horizontal	44	1.85
5825MHz	Pass	AV	11.65332G	49.77	54.00	-4.23	3	Vertical	292	1.66
5825MHz	Pass	PK	11.65328G	61.02	74.00	-12.98	3	Vertical	292	1.66
5825MHz	Pass	PK	17.466G	67.43	68.20	-0.77	3	Vertical	280	1.46
5825MHz	Pass	AV	11.64968G	48.77	54.00	-5.23	3	Horizontal	227	1.60
5825MHz	Pass	PK	11.64962G	60.37	74.00	-13.63	3	Horizontal	227	1.60
5825MHz	Pass	PK	17.47662G	67.87	68.20	-0.33	3	Horizontal	202	1.33
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	51.63	54.00	-2.37	3	Vertical	338	2.72
5180MHz	Pass	AV	5.1846G	102.91	Inf	-Inf	3	Vertical	338	2.72
5180MHz	Pass	PK	5.1498G	64.48	74.00	-9.52	3	Vertical	338	2.72
5180MHz	Pass	PK	5.1814G	113.76	Inf	-Inf	3	Vertical	338	2.72
5180MHz	Pass	AV	5.149G	53.07	54.00	-0.93	3	Horizontal	248	1.66
5180MHz	Pass	AV	5.1766G	101.99	Inf	-Inf	3	Horizontal	248	1.66
5180MHz	Pass	PK	5.1452G	66.51	74.00	-7.49	3	Horizontal	248	1.66
5180MHz	Pass	PK	5.1826G	113.36	Inf	-Inf	3	Horizontal	248	1.66
5180MHz	Pass	AV	15.55023G	46.16	54.00	-7.84	3	Vertical	331	2.63
5180MHz	Pass	PK	10.36387G	55.34	68.20	-12.86	3	Vertical	263	1.50
5180MHz	Pass	PK	15.53772G	56.78	74.00	-17.22	3	Vertical	331	2.63
5180MHz	Pass	AV	15.54837G	46.29	54.00	-7.71	3	Horizontal	125	1.50
5180MHz	Pass	PK	10.36807G	54.64	68.20	-13.56	3	Horizontal	99	1.50
5180MHz	Pass	PK	15.55077G	56.52	74.00	-17.48	3	Horizontal	125	1.50
5200MHz	Pass	AV	5.15G	49.75	54.00	-4.25	3	Vertical	352	2.42
5200MHz	Pass	AV	5.2048G	105.56	Inf	-Inf	3	Vertical	352	2.42
5200MHz	Pass	PK	5.1492G	62.48	74.00	-11.52	3	Vertical	352	2.42
5200MHz	Pass	PK	5.2032G	116.26	Inf	-Inf	3	Vertical	352	2.42
5200MHz	Pass	AV	5.15G	50.46	54.00	-3.54	3	Horizontal	277	2.43
5200MHz	Pass	AV	5.1984G	106.12	Inf	-Inf	3	Horizontal	277	2.43
5200MHz	Pass	PK	5.15G	63.93	74.00	-10.07	3	Horizontal	277	2.43
5200MHz	Pass	PK	5.1956G	116.55	Inf	-Inf	3	Horizontal	277	2.43
5200MHz	Pass	AV	15.6033G	47.27	54.00	-6.73	3	Vertical	304	2.07
5200MHz	Pass	PK	10.39382G	55.53	68.20	-12.67	3	Vertical	220	1.51
5200MHz	Pass	PK	15.59892G	59.87	74.00	-14.13	3	Vertical	304	2.07
5200MHz	Pass	AV	15.60333G	46.55	54.00	-7.45	3	Horizontal	315	1.56
5200MHz	Pass	PK	10.40006G	54.65	68.20	-13.55	3	Horizontal	210	2.12
5200MHz	Pass	PK	15.59604G	59.06	74.00	-14.94	3	Horizontal	315	1.56
5240MHz	Pass	AV	5.1482G	47.29	54.00	-6.71	3	Vertical	345	2.34
5240MHz	Pass	AV	5.2388G	106.11	Inf	-Inf	3	Vertical	345	2.34
5240MHz	Pass	AV	5.35G	46.46	54.00	-7.54	3	Vertical	345	2.34
5240MHz	Pass	PK	5.15G	58.26	74.00	-15.74	3	Vertical	345	2.34
5240MHz	Pass	PK	5.2448G	117.05	Inf	-Inf	3	Vertical	345	2.34
5240MHz	Pass	PK	5.3576G	57.50	74.00	-16.50	3	Vertical	345	2.34
5240MHz	Pass	AV	5.1494G	47.32	54.00	-6.68	3	Horizontal	280	2.98
5240MHz	Pass	AV	5.2364G	106.53	Inf	-Inf	3	Horizontal	280	2.98
5240MHz	Pass	AV	5.35G	46.41	54.00	-7.59	3	Horizontal	280	2.98
5240MHz	Pass	PK	5.1464G	57.88	74.00	-16.12	3	Horizontal	280	2.98
5240MHz	Pass	PK	5.2352G	116.68	Inf	-Inf	3	Horizontal	280	2.98
5240MHz	Pass	PK	5.3846G	57.36	74.00	-16.64	3	Horizontal	280	2.98



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	AV	15.72342G	46.47	54.00	-7.53	3	Vertical	270	2.34
5240MHz	Pass	PK	10.48171G	55.99	68.20	-12.21	3	Vertical	219	1.59
5240MHz	Pass	PK	15.7215G	57.92	74.00	-16.08	3	Vertical	270	2.34
5240MHz	Pass	AV	15.72324G	44.91	54.00	-9.09	3	Horizontal	313	1.46
5240MHz	Pass	PK	10.48678G	55.34	68.20	-12.86	3	Horizontal	220	2.23
5240MHz	Pass	PK	15.72126G	56.89	74.00	-17.11	3	Horizontal	313	1.46
5260MHz	Pass	AV	5.1112G	47.66	54.00	-6.34	3	Vertical	152	1.79
5260MHz	Pass	AV	5.2678G	105.72	Inf	-Inf	3	Vertical	152	1.79
5260MHz	Pass	AV	5.3566G	48.38	54.00	-5.62	3	Vertical	152	1.79
5260MHz	Pass	PK	5.149G	59.10	74.00	-14.90	3	Vertical	152	1.79
5260MHz	Pass	PK	5.2642G	116.48	Inf	-Inf	3	Vertical	152	1.79
5260MHz	Pass	PK	5.353G	60.85	74.00	-13.15	3	Vertical	152	1.79
5260MHz	Pass	AV	5.131G	47.71	54.00	-6.29	3	Horizontal	260	2.42
5260MHz	Pass	AV	5.2612G	104.21	Inf	-Inf	3	Horizontal	260	2.42
5260MHz	Pass	AV	5.3614G	47.82	54.00	-6.18	3	Horizontal	260	2.42
5260MHz	Pass	PK	5.1112G	60.08	74.00	-13.92	3	Horizontal	260	2.42
5260MHz	Pass	PK	5.254G	115.65	Inf	-Inf	3	Horizontal	260	2.42
5260MHz	Pass	PK	5.3602G	60.32	74.00	-13.68	3	Horizontal	260	2.42
5260MHz	Pass	AV	15.78969G	46.15	54.00	-7.85	3	Vertical	277	3.00
5260MHz	Pass	PK	10.5161G	56.01	68.20	-12.19	3	Vertical	268	1.73
5260MHz	Pass	PK	15.78225G	56.93	74.00	-17.07	3	Vertical	277	3.00
5260MHz	Pass	AV	15.76863G	46.21	54.00	-7.79	3	Horizontal	320	2.02
5260MHz	Pass	PK	10.52519G	54.59	68.20	-13.61	3	Horizontal	250	2.52
5260MHz	Pass	PK	15.79452G	57.19	74.00	-16.81	3	Horizontal	320	2.02
5300MHz	Pass	AV	5.3052G	105.20	Inf	-Inf	3	Vertical	152	1.73
5300MHz	Pass	AV	5.3524G	48.94	54.00	-5.06	3	Vertical	152	1.73
5300MHz	Pass	PK	5.3052G	116.47	Inf	-Inf	3	Vertical	152	1.73
5300MHz	Pass	PK	5.3516G	60.49	74.00	-13.51	3	Vertical	152	1.73
5300MHz	Pass	AV	5.3016G	104.80	Inf	-Inf	3	Horizontal	261	2.49
5300MHz	Pass	AV	5.3508G	48.32	54.00	-5.68	3	Horizontal	261	2.49
5300MHz	Pass	PK	5.294G	114.96	Inf	-Inf	3	Horizontal	261	2.49
5300MHz	Pass	PK	5.3504G	59.93	74.00	-14.07	3	Horizontal	261	2.49
5300MHz	Pass	AV	10.60231G	45.23	54.00	-8.77	3	Vertical	268	1.69
5300MHz	Pass	AV	15.91167G	46.09	54.00	-7.91	3	Vertical	197	1.04
5300MHz	Pass	PK	10.59871G	56.28	68.20	-11.92	3	Vertical	268	1.69
5300MHz	Pass	PK	15.90204G	56.64	74.00	-17.36	3	Vertical	197	1.04
5300MHz	Pass	AV	10.60963G	44.02	54.00	-9.98	3	Horizontal	272	1.50
5300MHz	Pass	AV	15.90915G	45.72	54.00	-8.28	3	Horizontal	36	2.10
5300MHz	Pass	PK	10.59793G	55.10	68.20	-13.10	3	Horizontal	272	1.50
5300MHz	Pass	PK	15.89601G	56.66	74.00	-17.34	3	Horizontal	36	2.10
5320MHz	Pass	AV	5.3216G	105.34	Inf	-Inf	3	Vertical	152	1.67
5320MHz	Pass	AV	5.35G	53.58	54.00	-0.42	3	Vertical	152	1.67
5320MHz	Pass	PK	5.323G	117.07	Inf	-Inf	3	Vertical	152	1.67
5320MHz	Pass	PK	5.35G	66.61	74.00	-7.39	3	Vertical	152	1.67
5320MHz	Pass	AV	5.3214G	103.62	Inf	-Inf	3	Horizontal	260	2.36
5320MHz	Pass	AV	5.35G	52.77	54.00	-1.23	3	Horizontal	260	2.36
5320MHz	Pass	PK	5.3138G	114.90	Inf	-Inf	3	Horizontal	260	2.36
5320MHz	Pass	PK	5.3534G	66.41	74.00	-7.59	3	Horizontal	260	2.36
5320MHz	Pass	AV	10.64078G	45.32	54.00	-8.68	3	Vertical	254	1.73
5320MHz	Pass	AV	15.97434G	46.30	54.00	-7.70	3	Vertical	312	1.50
5320MHz	Pass	PK	10.63664G	55.54	74.00	-18.46	3	Vertical	254	1.73
5320MHz	Pass	PK	15.96282G	56.95	74.00	-17.05	3	Vertical	312	1.50
5320MHz	Pass	AV	10.64009G	44.20	54.00	-9.80	3	Horizontal	138	2.37
5320MHz	Pass	AV	15.97488G	45.97	54.00	-8.03	3	Horizontal	173	2.22
5320MHz	Pass	PK	10.62761G	55.36	74.00	-18.64	3	Horizontal	138	2.37
5320MHz	Pass	PK	15.95361G	56.80	74.00	-17.20	3	Horizontal	173	2.22
5500MHz	Pass	AV	5.4598G	49.92	54.00	-4.08	3	Vertical	187	1.50
5500MHz	Pass	AV	5.495G	105.00	Inf	-Inf	3	Vertical	187	1.50
5500MHz	Pass	PK	5.4586G	62.53	74.00	-11.47	3	Vertical	187	1.50
5500MHz	Pass	PK	5.4648G	64.85	68.20	-3.35	3	Vertical	187	1.50
5500MHz	Pass	PK	5.506G	116.37	Inf	-Inf	3	Vertical	187	1.50
5500MHz	Pass	AV	5.4578G	48.95	54.00	-5.05	3	Horizontal	255	1.69



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	AV	5.5016G	103.24	Inf	-Inf	3	Horizontal	255	1.69
5500MHz	Pass	PK	5.4598G	62.52	74.00	-11.48	3	Horizontal	255	1.69
5500MHz	Pass	PK	5.4682G	63.08	68.20	-5.12	3	Horizontal	255	1.69
5500MHz	Pass	PK	5.5026G	114.38	Inf	-Inf	3	Horizontal	255	1.69
5500MHz	Pass	AV	11.0042G	45.61	54.00	-8.39	3	Vertical	249	1.61
5500MHz	Pass	PK	11.00621G	55.87	74.00	-18.13	3	Vertical	249	1.61
5500MHz	Pass	PK	16.51128G	59.26	68.20	-8.94	3	Vertical	295	1.55
5500MHz	Pass	AV	11.00732G	44.64	54.00	-9.36	3	Horizontal	334	1.22
5500MHz	Pass	PK	11.00435G	55.50	74.00	-18.50	3	Horizontal	334	1.22
5500MHz	Pass	PK	16.50411G	58.42	68.20	-9.78	3	Horizontal	187	1.50
5580MHz	Pass	AV	5.4312G	47.20	54.00	-6.80	3	Vertical	186	1.40
5580MHz	Pass	AV	5.5758G	104.73	Inf	-Inf	3	Vertical	186	1.40
5580MHz	Pass	PK	5.4348G	58.98	74.00	-15.02	3	Vertical	186	1.40
5580MHz	Pass	PK	5.4666G	58.77	68.20	-9.43	3	Vertical	186	1.40
5580MHz	Pass	PK	5.5746G	116.15	Inf	-Inf	3	Vertical	186	1.40
5580MHz	Pass	PK	5.7288G	59.17	68.20	-9.03	3	Vertical	186	1.40
5580MHz	Pass	AV	5.4594G	46.68	54.00	-7.32	3	Horizontal	245	2.42
5580MHz	Pass	AV	5.5788G	103.37	Inf	-Inf	3	Horizontal	245	2.42
5580MHz	Pass	PK	5.4588G	58.21	74.00	-15.79	3	Horizontal	245	2.42
5580MHz	Pass	PK	5.4678G	58.33	68.20	-9.87	3	Horizontal	245	2.42
5580MHz	Pass	PK	5.583G	114.78	Inf	-Inf	3	Horizontal	245	2.42
5580MHz	Pass	PK	5.7264G	58.91	68.20	-9.29	3	Horizontal	245	2.42
5580MHz	Pass	AV	11.15868G	45.70	54.00	-8.30	3	Vertical	255	1.38
5580MHz	Pass	PK	11.15244G	57.47	74.00	-16.53	3	Vertical	255	1.38
5580MHz	Pass	PK	16.74681G	58.39	68.20	-9.81	3	Vertical	276	1.96
5580MHz	Pass	AV	11.15895G	44.73	54.00	-9.27	3	Horizontal	327	1.55
5580MHz	Pass	PK	11.1579G	55.99	74.00	-18.01	3	Horizontal	327	1.55
5580MHz	Pass	PK	16.72845G	58.53	68.20	-9.67	3	Horizontal	321	1.45
5700MHz	Pass	AV	5.6948G	99.98	Inf	-Inf	3	Vertical	179	1.50
5700MHz	Pass	PK	5.6952G	111.57	Inf	-Inf	3	Vertical	179	1.50
5700MHz	Pass	PK	5.7252G	67.95	68.20	-0.25	3	Vertical	179	1.50
5700MHz	Pass	AV	5.7012G	99.84	Inf	-Inf	3	Horizontal	247	2.91
5700MHz	Pass	PK	5.7056G	112.14	Inf	-Inf	3	Horizontal	247	2.91
5700MHz	Pass	PK	5.7264G	67.79	68.20	-0.41	3	Horizontal	247	2.91
5700MHz	Pass	AV	11.39886G	47.22	54.00	-6.78	3	Vertical	206	1.94
5700MHz	Pass	PK	11.40513G	58.22	74.00	-15.78	3	Vertical	206	1.94
5700MHz	Pass	PK	17.08716G	58.63	68.20	-9.57	3	Vertical	271	1.00
5700MHz	Pass	AV	11.40222G	46.03	54.00	-7.97	3	Horizontal	330	1.51
5700MHz	Pass	PK	11.40033G	57.13	74.00	-16.87	3	Horizontal	330	1.51
5700MHz	Pass	PK	17.10162G	59.25	68.20	-8.95	3	Horizontal	136	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	45.95	54.00	-8.05	3	Vertical	28	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	105.11	Inf	-Inf	3	Vertical	28	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	57.11	74.00	-16.89	3	Vertical	28	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.75	68.20	-11.45	3	Vertical	28	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	114.67	Inf	-Inf	3	Vertical	28	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8712G	58.55	68.20	-9.65	3	Vertical	28	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.426G	45.79	54.00	-8.21	3	Horizontal	104	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	103.93	Inf	-Inf	3	Horizontal	104	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4296G	57.31	74.00	-16.69	3	Horizontal	104	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.61	68.20	-11.59	3	Horizontal	104	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	114.34	Inf	-Inf	3	Horizontal	104	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	58.55	68.20	-9.65	3	Horizontal	104	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44123G	47.96	54.00	-6.04	3	Vertical	293	1.54
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44111G	59.81	74.00	-14.19	3	Vertical	293	1.54
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16804G	62.96	68.20	-5.24	3	Vertical	273	1.46
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43847G	51.12	54.00	-2.88	3	Horizontal	230	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43904G	62.64	74.00	-11.36	3	Horizontal	230	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16396G	64.72	68.20	-3.48	3	Horizontal	182	1.26
5745MHz	Pass	AV	5.4546G	47.03	54.00	-6.97	3	Vertical	3	1.99
5745MHz	Pass	AV	5.7402G	105.43	Inf	-Inf	3	Vertical	3	1.99
5745MHz	Pass	PK	5.643G	59.28	68.20	-8.92	3	Vertical	3	1.99
5745MHz	Pass	PK	5.7402G	116.15	Inf	-Inf	3	Vertical	3	1.99



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	5.967G	58.26	68.20	-9.94	3	Vertical	3	1.99
5745MHz	Pass	AV	5.4486G	45.43	54.00	-8.57	3	Horizontal	297	2.85
5745MHz	Pass	AV	5.7414G	103.95	Inf	-Inf	3	Horizontal	297	2.85
5745MHz	Pass	PK	5.643G	57.82	68.20	-10.38	3	Horizontal	297	2.85
5745MHz	Pass	PK	5.7402G	114.69	Inf	-Inf	3	Horizontal	297	2.85
5745MHz	Pass	PK	5.9274G	57.83	68.20	-10.37	3	Horizontal	297	2.85
5745MHz	Pass	AV	11.48859G	50.06	54.00	-3.94	3	Vertical	281	2.82
5745MHz	Pass	PK	11.48754G	62.78	74.00	-11.22	3	Vertical	281	2.82
5745MHz	Pass	PK	17.23878G	66.38	68.20	-1.82	3	Vertical	273	1.50
5745MHz	Pass	AV	11.48868G	50.92	54.00	-3.08	3	Horizontal	231	1.68
5745MHz	Pass	PK	11.49045G	63.56	74.00	-10.44	3	Horizontal	231	1.68
5745MHz	Pass	PK	17.23971G	67.42	68.20	-0.78	3	Horizontal	196	1.37
5785MHz	Pass	AV	5.78613G	106.02	Inf	-Inf	3	Vertical	26	1.62
5785MHz	Pass	PK	5.50904G	59.28	68.20	-8.92	3	Vertical	26	1.62
5785MHz	Pass	PK	5.78734G	116.32	Inf	-Inf	3	Vertical	26	1.62
5785MHz	Pass	PK	5.92528G	57.81	68.20	-10.39	3	Vertical	26	1.62
5785MHz	Pass	AV	5.78008G	103.24	Inf	-Inf	3	Horizontal	45	1.78
5785MHz	Pass	PK	5.49452G	58.25	68.20	-9.95	3	Horizontal	45	1.78
5785MHz	Pass	PK	5.78855G	113.86	Inf	-Inf	3	Horizontal	45	1.78
5785MHz	Pass	PK	6.00514G	57.52	68.20	-10.68	3	Horizontal	45	1.78
5785MHz	Pass	AV	11.56864G	47.37	54.00	-6.63	3	Vertical	219	1.68
5785MHz	Pass	PK	11.56762G	56.16	74.00	-17.84	3	Vertical	219	1.68
5785MHz	Pass	PK	17.35946G	67.08	68.20	-1.12	3	Vertical	279	1.50
5785MHz	Pass	AV	11.56884G	47.46	54.00	-6.54	3	Horizontal	239	1.67
5785MHz	Pass	PK	11.56486G	57.99	74.00	-16.01	3	Horizontal	239	1.67
5785MHz	Pass	PK	17.35854G	67.70	68.20	-0.50	3	Horizontal	195	1.21
5825MHz	Pass	AV	5.8226G	106.39	Inf	-Inf	3	Vertical	23	1.76
5825MHz	Pass	PK	5.6222G	60.05	68.20	-8.15	3	Vertical	23	1.76
5825MHz	Pass	PK	5.8262G	116.30	Inf	-Inf	3	Vertical	23	1.76
5825MHz	Pass	PK	5.9366G	57.70	68.20	-10.50	3	Vertical	23	1.76
5825MHz	Pass	AV	5.8274G	103.04	Inf	-Inf	3	Horizontal	46	1.86
5825MHz	Pass	PK	5.5982G	57.85	68.20	-10.35	3	Horizontal	46	1.86
5825MHz	Pass	PK	5.819G	113.05	Inf	-Inf	3	Horizontal	46	1.86
5825MHz	Pass	PK	6.0878G	57.86	68.20	-10.34	3	Horizontal	46	1.86
5825MHz	Pass	AV	11.65138G	48.78	54.00	-5.22	3	Vertical	291	1.66
5825MHz	Pass	PK	11.6515G	59.27	74.00	-14.73	3	Vertical	291	1.66
5825MHz	Pass	PK	17.47578G	65.21	68.20	-2.99	3	Vertical	278	1.50
5825MHz	Pass	AV	11.6488G	47.80	54.00	-6.20	3	Horizontal	228	1.62
5825MHz	Pass	PK	11.65884G	57.39	74.00	-16.61	3	Horizontal	228	1.62
5825MHz	Pass	PK	17.4761G	66.26	68.20	-1.94	3	Horizontal	195	1.20
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	53.67	54.00	-0.33	3	Vertical	152	1.50
5190MHz	Pass	AV	5.192G	101.38	Inf	-Inf	3	Vertical	152	1.50
5190MHz	Pass	PK	5.1468G	65.10	74.00	-8.90	3	Vertical	152	1.50
5190MHz	Pass	PK	5.1868G	113.01	Inf	-Inf	3	Vertical	152	1.50
5190MHz	Pass	AV	5.1468G	53.42	54.00	-0.58	3	Horizontal	250	1.66
5190MHz	Pass	AV	5.186G	100.42	Inf	-Inf	3	Horizontal	250	1.66
5190MHz	Pass	PK	5.1444G	65.35	74.00	-8.65	3	Horizontal	250	1.66
5190MHz	Pass	PK	5.1868G	112.11	Inf	-Inf	3	Horizontal	250	1.66
5190MHz	Pass	AV	15.56994G	46.23	54.00	-7.77	3	Vertical	315	1.93
5190MHz	Pass	PK	10.37571G	53.81	68.20	-14.39	3	Vertical	272	2.23
5190MHz	Pass	PK	15.56961G	53.93	74.00	-20.07	3	Vertical	315	1.93
5190MHz	Pass	AV	15.56599G	46.14	54.00	-7.86	3	Horizontal	216	2.36
5190MHz	Pass	PK	10.38127G	54.31	68.20	-13.89	3	Horizontal	340	1.63
5190MHz	Pass	PK	15.56842G	55.93	74.00	-18.07	3	Horizontal	216	2.36
5230MHz	Pass	AV	5.1496G	53.24	54.00	-0.76	3	Vertical	3	2.35
5230MHz	Pass	AV	5.2352G	105.06	Inf	-Inf	3	Vertical	3	2.35
5230MHz	Pass	PK	5.1496G	66.05	74.00	-7.95	3	Vertical	3	2.35
5230MHz	Pass	PK	5.2352G	115.56	Inf	-Inf	3	Vertical	3	2.35
5230MHz	Pass	AV	5.15G	53.56	54.00	-0.44	3	Horizontal	271	2.98
5230MHz	Pass	AV	5.226G	105.25	Inf	-Inf	3	Horizontal	271	2.98
5230MHz	Pass	PK	5.15G	65.20	74.00	-8.80	3	Horizontal	271	2.98



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	5.2256G	115.09	Inf	-Inf	3	Horizontal	271	2.98
5230MHz	Pass	AV	15.69355G	44.43	54.00	-9.57	3	Vertical	207	1.44
5230MHz	Pass	PK	10.45911G	53.55	68.20	-14.65	3	Vertical	80	1.81
5230MHz	Pass	PK	15.68835G	54.73	74.00	-19.27	3	Vertical	207	1.44
5230MHz	Pass	AV	15.69061G	44.47	54.00	-9.53	3	Horizontal	10	1.03
5230MHz	Pass	PK	10.46112G	54.26	68.20	-13.94	3	Horizontal	120	2.93
5230MHz	Pass	PK	15.69428G	54.74	74.00	-19.26	3	Horizontal	10	1.03
5270MHz	Pass	AV	5.2644G	103.99	Inf	-Inf	3	Vertical	150	1.66
5270MHz	Pass	AV	5.3568G	49.71	54.00	-4.29	3	Vertical	150	1.66
5270MHz	Pass	PK	5.2668G	116.18	Inf	-Inf	3	Vertical	150	1.66
5270MHz	Pass	PK	5.3564G	61.96	74.00	-12.04	3	Vertical	150	1.66
5270MHz	Pass	AV	5.2644G	102.57	Inf	-Inf	3	Horizontal	260	2.50
5270MHz	Pass	AV	5.3512G	49.62	54.00	-4.38	3	Horizontal	260	2.50
5270MHz	Pass	PK	5.2668G	115.05	Inf	-Inf	3	Horizontal	260	2.50
5270MHz	Pass	PK	5.3532G	61.59	74.00	-12.41	3	Horizontal	260	2.50
5270MHz	Pass	AV	15.80617G	44.58	54.00	-9.42	3	Vertical	155	1.53
5270MHz	Pass	PK	10.53872G	52.06	68.20	-16.14	3	Vertical	256	2.94
5270MHz	Pass	PK	15.8139G	52.88	74.00	-21.12	3	Vertical	155	1.53
5270MHz	Pass	AV	15.80849G	44.60	54.00	-9.40	3	Horizontal	85	1.91
5270MHz	Pass	PK	10.54431G	52.44	68.20	-15.76	3	Horizontal	294	1.82
5270MHz	Pass	PK	15.81458G	54.02	74.00	-19.98	3	Horizontal	85	1.91
5310MHz	Pass	AV	5.312G	101.68	Inf	-Inf	3	Vertical	150	1.72
5310MHz	Pass	AV	5.3516G	52.88	54.00	-1.12	3	Vertical	150	1.72
5310MHz	Pass	PK	5.3068G	113.98	Inf	-Inf	3	Vertical	150	1.72
5310MHz	Pass	PK	5.3564G	65.00	74.00	-9.00	3	Vertical	150	1.72
5310MHz	Pass	AV	5.304G	99.62	Inf	-Inf	3	Horizontal	259	2.48
5310MHz	Pass	AV	5.3512G	52.66	54.00	-1.34	3	Horizontal	259	2.48
5310MHz	Pass	PK	5.3068G	112.01	Inf	-Inf	3	Horizontal	259	2.48
5310MHz	Pass	PK	5.3508G	66.27	74.00	-7.73	3	Horizontal	259	2.48
5310MHz	Pass	AV	10.62193G	42.99	54.00	-11.01	3	Vertical	26	2.69
5310MHz	Pass	AV	15.93173G	44.18	54.00	-9.82	3	Vertical	219	1.71
5310MHz	Pass	PK	10.62487G	52.42	74.00	-21.58	3	Vertical	26	2.69
5310MHz	Pass	PK	15.92932G	54.38	74.00	-19.62	3	Vertical	219	1.71
5310MHz	Pass	AV	10.62444G	43.09	54.00	-10.91	3	Horizontal	264	2.29
5310MHz	Pass	AV	15.92894G	44.17	54.00	-9.83	3	Horizontal	5	1.15
5310MHz	Pass	PK	10.61639G	51.74	74.00	-22.26	3	Horizontal	264	2.29
5310MHz	Pass	PK	15.93418G	52.02	74.00	-21.98	3	Horizontal	5	1.15
5510MHz	Pass	AV	5.4572G	53.15	54.00	-0.85	3	Vertical	186	1.50
5510MHz	Pass	AV	5.5052G	103.45	Inf	-Inf	3	Vertical	186	1.50
5510MHz	Pass	PK	5.4644G	66.90	68.20	-1.30	3	Vertical	186	1.50
5510MHz	Pass	PK	5.5152G	115.22	Inf	-Inf	3	Vertical	186	1.50
5510MHz	Pass	AV	5.4592G	51.44	54.00	-2.56	3	Horizontal	237	2.80
5510MHz	Pass	AV	5.522G	101.90	Inf	-Inf	3	Horizontal	237	2.80
5510MHz	Pass	PK	5.4644G	64.93	68.20	-3.27	3	Horizontal	237	2.80
5510MHz	Pass	PK	5.5068G	113.83	Inf	-Inf	3	Horizontal	237	2.80
5510MHz	Pass	AV	11.01805G	45.01	54.00	-8.99	3	Vertical	8	1.72
5510MHz	Pass	PK	11.01888G	55.34	74.00	-18.66	3	Vertical	8	1.72
5510MHz	Pass	PK	16.53209G	55.87	68.20	-12.33	3	Vertical	97	2.71
5510MHz	Pass	AV	11.02491G	45.03	54.00	-8.97	3	Horizontal	84	1.01
5510MHz	Pass	PK	11.01515G	54.66	74.00	-19.34	3	Horizontal	84	1.01
5510MHz	Pass	PK	16.5336G	56.54	68.20	-11.66	3	Horizontal	116	1.03
5550MHz	Pass	AV	5.46G	48.78	54.00	-5.22	3	Vertical	186	1.50
5550MHz	Pass	AV	5.5448G	103.15	Inf	-Inf	3	Vertical	186	1.50
5550MHz	Pass	PK	5.4656G	61.74	68.20	-6.46	3	Vertical	186	1.50
5550MHz	Pass	PK	5.5552G	114.68	Inf	-Inf	3	Vertical	186	1.50
5550MHz	Pass	AV	5.4524G	47.74	54.00	-6.26	3	Horizontal	239	2.53
5550MHz	Pass	AV	5.5564G	101.84	Inf	-Inf	3	Horizontal	239	2.53
5550MHz	Pass	PK	5.4656G	59.74	68.20	-8.46	3	Horizontal	239	2.53
5550MHz	Pass	PK	5.5468G	113.97	Inf	-Inf	3	Horizontal	239	2.53
5550MHz	Pass	AV	11.09992G	44.63	54.00	-9.37	3	Vertical	39	1.73
5550MHz	Pass	PK	11.10281G	54.85	74.00	-19.15	3	Vertical	39	1.73
5550MHz	Pass	PK	16.6503G	56.53	68.20	-11.67	3	Vertical	122	2.03



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	AV	11.10071G	44.61	54.00	-9.39	3	Horizontal	135	2.17
5550MHz	Pass	PK	11.09667G	54.87	74.00	-19.13	3	Horizontal	135	2.17
5550MHz	Pass	PK	16.645G	55.41	68.20	-12.79	3	Horizontal	248	1.53
5670MHz	Pass	AV	5.667G	102.84	Inf	-Inf	3	Vertical	188	1.51
5670MHz	Pass	PK	5.667G	114.27	Inf	-Inf	3	Vertical	188	1.51
5670MHz	Pass	PK	5.727G	66.42	68.20	-1.78	3	Vertical	188	1.51
5670MHz	Pass	AV	5.6616G	101.82	Inf	-Inf	3	Horizontal	241	2.94
5670MHz	Pass	PK	5.667G	114.51	Inf	-Inf	3	Horizontal	241	2.94
5670MHz	Pass	PK	5.7318G	66.34	68.20	-1.86	3	Horizontal	241	2.94
5670MHz	Pass	AV	11.33555G	44.42	54.00	-9.58	3	Vertical	334	2.62
5670MHz	Pass	PK	11.34474G	54.33	74.00	-19.67	3	Vertical	334	2.62
5670MHz	Pass	PK	17.01378G	57.79	68.20	-10.41	3	Vertical	261	2.32
5670MHz	Pass	AV	11.33882G	44.62	54.00	-9.38	3	Horizontal	157	1.37
5670MHz	Pass	PK	11.34269G	54.20	74.00	-19.80	3	Horizontal	157	1.37
5670MHz	Pass	PK	17.01257G	55.19	68.20	-13.01	3	Horizontal	341	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4508G	48.25	54.00	-5.75	3	Vertical	0	2.02
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7076G	105.38	Inf	-Inf	3	Vertical	0	2.02
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	57.95	68.20	-10.25	3	Vertical	0	2.02
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	115.22	Inf	-Inf	3	Vertical	0	2.02
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	58.68	68.20	-9.52	3	Vertical	0	2.02
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4196G	47.55	54.00	-6.45	3	Horizontal	100	2.42
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7028G	103.98	Inf	-Inf	3	Horizontal	100	2.42
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	56.93	68.20	-11.27	3	Horizontal	100	2.42
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	113.29	Inf	-Inf	3	Horizontal	100	2.42
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8564G	58.85	68.20	-9.35	3	Horizontal	100	2.42
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41774G	43.30	54.00	-10.70	3	Vertical	340	1.30
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41761G	53.56	74.00	-20.44	3	Vertical	340	1.30
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1347G	56.59	68.20	-11.61	3	Vertical	185	2.05
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4233G	43.24	54.00	-10.76	3	Horizontal	228	2.62
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41706G	53.79	74.00	-20.21	3	Horizontal	228	2.62
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12801G	56.30	68.20	-11.90	3	Horizontal	98	2.60
5755MHz	Pass	AV	5.761G	105.51	Inf	-Inf	3	Vertical	23	1.80
5755MHz	Pass	PK	5.6482G	64.79	68.20	-3.41	3	Vertical	23	1.80
5755MHz	Pass	PK	5.7502G	114.00	Inf	-Inf	3	Vertical	23	1.80
5755MHz	Pass	PK	5.9866G	58.11	68.20	-10.09	3	Vertical	23	1.80
5755MHz	Pass	AV	5.749G	102.75	Inf	-Inf	3	Horizontal	45	1.80
5755MHz	Pass	PK	5.6482G	60.95	68.20	-7.25	3	Horizontal	45	1.80
5755MHz	Pass	PK	5.7514G	113.62	Inf	-Inf	3	Horizontal	45	1.80
5755MHz	Pass	PK	5.9314G	57.94	68.20	-10.26	3	Horizontal	45	1.80
5755MHz	Pass	AV	11.5119G	49.02	54.00	-4.98	3	Vertical	288	2.81
5755MHz	Pass	PK	11.50864G	58.09	74.00	-15.91	3	Vertical	288	2.81
5755MHz	Pass	PK	17.26052G	63.24	68.20	-4.96	3	Vertical	278	1.49
5755MHz	Pass	AV	11.50928G	49.93	54.00	-4.07	3	Horizontal	241	1.72
5755MHz	Pass	PK	11.51224G	59.09	74.00	-14.91	3	Horizontal	241	1.72
5755MHz	Pass	PK	17.27008G	63.23	68.20	-4.97	3	Horizontal	200	1.50
5795MHz	Pass	AV	5.801G	106.19	Inf	-Inf	3	Vertical	9	3.00
5795MHz	Pass	PK	5.5454G	59.33	68.20	-8.87	3	Vertical	9	3.00
5795MHz	Pass	PK	5.7902G	115.02	Inf	-Inf	3	Vertical	9	3.00
5795MHz	Pass	PK	5.933G	58.19	68.20	-10.01	3	Vertical	9	3.00
5795MHz	Pass	AV	5.7902G	103.27	Inf	-Inf	3	Horizontal	47	1.74
5795MHz	Pass	PK	5.5934G	59.46	68.20	-8.74	3	Horizontal	47	1.74
5795MHz	Pass	PK	5.7998G	112.14	Inf	-Inf	3	Horizontal	47	1.74
5795MHz	Pass	PK	5.9534G	57.85	68.20	-10.35	3	Horizontal	47	1.74
5795MHz	Pass	AV	11.59106G	47.32	54.00	-6.68	3	Vertical	289	1.64
5795MHz	Pass	PK	11.58878G	55.33	74.00	-18.67	3	Vertical	289	1.64
5795MHz	Pass	PK	17.3826G	65.70	68.20	-2.50	3	Vertical	280	1.49
5795MHz	Pass	AV	11.5897G	46.00	54.00	-8.00	3	Horizontal	231	1.58
5795MHz	Pass	PK	11.58634G	55.18	74.00	-18.82	3	Horizontal	231	1.58
5795MHz	Pass	PK	17.38898G	65.43	68.20	-2.77	3	Horizontal	199	1.18
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.36	54.00	-0.64	3	Vertical	340	2.68
5190MHz	Pass	AV	5.196G	101.04	Inf	-Inf	3	Vertical	340	2.68



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz	Pass	PK	5.15G	64.86	74.00	-9.14	3	Vertical	340	2.68
5190MHz	Pass	PK	5.186G	113.00	Inf	-Inf	3	Vertical	340	2.68
5190MHz	Pass	AV	5.1496G	53.81	54.00	-0.19	3	Horizontal	253	1.84
5190MHz	Pass	AV	5.1936G	99.64	Inf	-Inf	3	Horizontal	253	1.84
5190MHz	Pass	PK	5.15G	66.54	74.00	-7.46	3	Horizontal	253	1.84
5190MHz	Pass	PK	5.1872G	111.30	Inf	-Inf	3	Horizontal	253	1.84
5190MHz	Pass	AV	15.55572G	46.33	54.00	-7.67	3	Vertical	360	1.50
5190MHz	Pass	PK	10.40058G	55.42	68.20	-12.78	3	Vertical	78	1.50
5190MHz	Pass	PK	15.5838G	58.50	74.00	-15.50	3	Vertical	360	1.50
5190MHz	Pass	AV	15.54342G	46.09	54.00	-7.91	3	Horizontal	120	1.04
5190MHz	Pass	PK	10.3905G	54.96	68.20	-13.24	3	Horizontal	296	1.50
5190MHz	Pass	PK	15.54126G	56.80	74.00	-17.20	3	Horizontal	120	1.04
5230MHz	Pass	AV	5.15G	53.83	54.00	-0.17	3	Vertical	351	2.55
5230MHz	Pass	AV	5.2248G	103.93	Inf	-Inf	3	Vertical	351	2.55
5230MHz	Pass	PK	5.15G	64.58	74.00	-9.42	3	Vertical	351	2.55
5230MHz	Pass	PK	5.2244G	112.99	Inf	-Inf	3	Vertical	351	2.55
5230MHz	Pass	AV	5.15G	53.68	54.00	-0.32	3	Horizontal	278	2.97
5230MHz	Pass	AV	5.236G	103.96	Inf	-Inf	3	Horizontal	278	2.97
5230MHz	Pass	PK	5.1468G	63.57	74.00	-10.43	3	Horizontal	278	2.97
5230MHz	Pass	PK	5.2344G	113.89	Inf	-Inf	3	Horizontal	278	2.97
5230MHz	Pass	AV	15.69488G	45.39	54.00	-8.61	3	Vertical	72	2.36
5230MHz	Pass	PK	10.456G	53.04	68.20	-15.16	3	Vertical	167	2.86
5230MHz	Pass	PK	15.69323G	54.09	74.00	-19.91	3	Vertical	72	2.36
5230MHz	Pass	AV	15.69297G	45.50	54.00	-8.50	3	Horizontal	192	1.63
5230MHz	Pass	PK	10.45668G	53.57	68.20	-14.63	3	Horizontal	64	2.00
5230MHz	Pass	PK	15.69276G	54.38	74.00	-19.62	3	Horizontal	192	1.63
5270MHz	Pass	AV	5.2736G	102.58	Inf	-Inf	3	Vertical	151	1.68
5270MHz	Pass	AV	5.3516G	49.76	54.00	-4.24	3	Vertical	151	1.68
5270MHz	Pass	PK	5.2732G	114.55	Inf	-Inf	3	Vertical	151	1.68
5270MHz	Pass	PK	5.3668G	61.65	74.00	-12.35	3	Vertical	151	1.68
5270MHz	Pass	AV	5.2736G	101.24	Inf	-Inf	3	Horizontal	261	2.52
5270MHz	Pass	AV	5.3516G	49.12	54.00	-4.88	3	Horizontal	261	2.52
5270MHz	Pass	PK	5.2672G	113.20	Inf	-Inf	3	Horizontal	261	2.52
5270MHz	Pass	PK	5.3532G	60.78	74.00	-13.22	3	Horizontal	261	2.52
5270MHz	Pass	AV	15.80064G	46.20	54.00	-7.80	3	Vertical	300	1.50
5270MHz	Pass	PK	10.5406G	55.61	68.20	-12.59	3	Vertical	266	1.49
5270MHz	Pass	PK	15.83568G	57.16	74.00	-16.84	3	Vertical	300	1.50
5270MHz	Pass	AV	15.78606G	46.07	54.00	-7.93	3	Horizontal	118	1.50
5270MHz	Pass	PK	10.54288G	55.07	68.20	-13.13	3	Horizontal	208	2.79
5270MHz	Pass	PK	15.81876G	56.64	74.00	-17.36	3	Horizontal	118	1.50
5310MHz	Pass	AV	5.3072G	100.78	Inf	-Inf	3	Vertical	150	1.73
5310MHz	Pass	AV	5.35G	53.64	54.00	-0.36	3	Vertical	150	1.73
5310MHz	Pass	PK	5.3132G	112.66	Inf	-Inf	3	Vertical	150	1.73
5310MHz	Pass	PK	5.3536G	65.62	74.00	-8.38	3	Vertical	150	1.73
5310MHz	Pass	AV	5.3144G	100.59	Inf	-Inf	3	Horizontal	264	2.38
5310MHz	Pass	AV	5.3504G	53.85	54.00	-0.15	3	Horizontal	264	2.38
5310MHz	Pass	PK	5.3072G	112.23	Inf	-Inf	3	Horizontal	264	2.38
5310MHz	Pass	PK	5.3512G	65.86	74.00	-8.14	3	Horizontal	264	2.38
5310MHz	Pass	AV	10.6158G	44.29	54.00	-9.71	3	Vertical	253	1.50
5310MHz	Pass	AV	15.95952G	45.87	54.00	-8.13	3	Vertical	158	1.50
5310MHz	Pass	PK	10.61772G	55.01	74.00	-18.99	3	Vertical	253	1.50
5310MHz	Pass	PK	15.93708G	56.58	74.00	-17.42	3	Vertical	158	1.50
5310MHz	Pass	AV	10.63968G	43.95	54.00	-10.05	3	Horizontal	0	1.50
5310MHz	Pass	AV	15.91476G	45.94	54.00	-8.06	3	Horizontal	302	1.50
5310MHz	Pass	PK	10.6137G	55.23	74.00	-18.77	3	Horizontal	0	1.50
5310MHz	Pass	PK	15.92838G	56.51	74.00	-17.49	3	Horizontal	302	1.50
5510MHz	Pass	AV	5.4588G	53.57	54.00	-0.43	3	Vertical	179	1.50
5510MHz	Pass	AV	5.5052G	102.55	Inf	-Inf	3	Vertical	179	1.50
5510MHz	Pass	PK	5.4568G	66.19	74.00	-7.81	3	Vertical	179	1.50
5510MHz	Pass	PK	5.4616G	66.76	68.20	-1.44	3	Vertical	179	1.50
5510MHz	Pass	PK	5.5048G	113.87	Inf	-Inf	3	Vertical	179	1.50
5510MHz	Pass	AV	5.4576G	52.84	54.00	-1.16	3	Horizontal	254	1.70





RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	AV	5.5136G	100.49	Inf	-Inf	3	Horizontal	254	1.70
5510MHz	Pass	PK	5.4584G	64.98	74.00	-9.02	3	Horizontal	254	1.70
5510MHz	Pass	PK	5.4648G	65.32	68.20	-2.88	3	Horizontal	254	1.70
5510MHz	Pass	PK	5.5072G	112.43	Inf	-Inf	3	Horizontal	254	1.70
5510MHz	Pass	AV	11.03878G	45.13	54.00	-8.87	3	Vertical	247	1.52
5510MHz	Pass	PK	11.0473G	55.38	74.00	-18.62	3	Vertical	247	1.52
5510MHz	Pass	PK	16.55676G	58.98	68.20	-9.22	3	Vertical	289	1.50
5510MHz	Pass	AV	10.99036G	44.72	54.00	-9.28	3	Horizontal	163	1.50
5510MHz	Pass	PK	11.02762G	55.95	74.00	-18.05	3	Horizontal	163	1.50
5510MHz	Pass	PK	16.5444G	58.36	68.20	-9.84	3	Horizontal	219	1.50
5550MHz	Pass	AV	5.4592G	48.69	54.00	-5.31	3	Vertical	185	1.50
5550MHz	Pass	AV	5.5432G	102.05	Inf	-Inf	3	Vertical	185	1.50
5550MHz	Pass	PK	5.4592G	60.55	74.00	-13.45	3	Vertical	185	1.50
5550MHz	Pass	PK	5.4612G	61.88	68.20	-6.32	3	Vertical	185	1.50
5550MHz	Pass	PK	5.5472G	113.37	Inf	-Inf	3	Vertical	185	1.50
5550MHz	Pass	AV	5.4588G	47.60	54.00	-6.40	3	Horizontal	239	2.42
5550MHz	Pass	AV	5.544G	101.00	Inf	-Inf	3	Horizontal	239	2.42
5550MHz	Pass	PK	5.4544G	59.44	74.00	-14.56	3	Horizontal	239	2.42
5550MHz	Pass	PK	5.4684G	60.13	68.20	-8.07	3	Horizontal	239	2.42
5550MHz	Pass	PK	5.5476G	112.94	Inf	-Inf	3	Horizontal	239	2.42
5550MHz	Pass	AV	11.10138G	45.25	54.00	-8.75	3	Vertical	254	1.55
5550MHz	Pass	PK	11.08812G	56.12	74.00	-17.88	3	Vertical	254	1.55
5550MHz	Pass	PK	16.64208G	58.32	68.20	-9.88	3	Vertical	298	1.50
5550MHz	Pass	AV	11.07018G	44.63	54.00	-9.37	3	Horizontal	263	1.50
5550MHz	Pass	PK	11.0736G	55.69	74.00	-18.31	3	Horizontal	263	1.50
5550MHz	Pass	PK	16.6461G	58.82	68.20	-9.38	3	Horizontal	321	1.35
5670MHz	Pass	AV	5.667G	101.27	Inf	-Inf	3	Vertical	184	1.52
5670MHz	Pass	PK	5.667G	113.58	Inf	-Inf	3	Vertical	184	1.52
5670MHz	Pass	PK	5.7252G	67.06	68.20	-1.14	3	Vertical	184	1.52
5670MHz	Pass	AV	5.664G	100.74	Inf	-Inf	3	Horizontal	247	2.96
5670MHz	Pass	PK	5.6676G	112.44	Inf	-Inf	3	Horizontal	247	2.96
5670MHz	Pass	PK	5.7252G	66.01	68.20	-2.19	3	Horizontal	247	2.96
5670MHz	Pass	AV	11.33874G	48.06	54.00	-5.94	3	Vertical	207	1.93
5670MHz	Pass	PK	11.33412G	59.03	74.00	-14.97	3	Vertical	207	1.93
5670MHz	Pass	PK	17.02452G	58.40	68.20	-9.80	3	Vertical	295	2.33
5670MHz	Pass	AV	11.34342G	46.66	54.00	-7.34	3	Horizontal	332	1.50
5670MHz	Pass	PK	11.34006G	57.26	74.00	-16.74	3	Horizontal	332	1.50
5670MHz	Pass	PK	17.00436G	57.95	68.20	-10.25	3	Horizontal	327	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.434G	48.24	54.00	-5.76	3	Vertical	358	1.87
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	104.11	Inf	-Inf	3	Vertical	358	1.87
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	58.33	68.20	-9.87	3	Vertical	358	1.87
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	113.33	Inf	-Inf	3	Vertical	358	1.87
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8996G	58.78	68.20	-9.42	3	Vertical	358	1.87
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4304G	47.04	54.00	-6.96	3	Horizontal	104	2.36
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	101.97	Inf	-Inf	3	Horizontal	104	2.36
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	55.99	68.20	-12.21	3	Horizontal	104	2.36
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	111.68	Inf	-Inf	3	Horizontal	104	2.36
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	58.73	68.20	-9.47	3	Horizontal	104	2.36
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41783G	44.71	54.00	-9.29	3	Vertical	167	2.42
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4208G	53.94	74.00	-20.06	3	Vertical	167	2.42
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13129G	56.22	68.20	-11.98	3	Vertical	280	1.57
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41994G	44.63	54.00	-9.37	3	Horizontal	357	1.14
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4177G	55.30	74.00	-18.70	3	Horizontal	357	1.14
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12502G	55.76	68.20	-12.44	3	Horizontal	95	2.41
5755MHz	Pass	AV	5.761G	103.71	Inf	-Inf	3	Vertical	24	1.80
5755MHz	Pass	PK	5.6482G	62.73	68.20	-5.47	3	Vertical	24	1.80
5755MHz	Pass	PK	5.761G	113.58	Inf	-Inf	3	Vertical	24	1.80
5755MHz	Pass	PK	5.9602G	58.05	68.20	-10.15	3	Vertical	24	1.80
5755MHz	Pass	AV	5.7586G	101.19	Inf	-Inf	3	Horizontal	47	1.81
5755MHz	Pass	PK	5.6446G	59.35	68.20	-8.85	3	Horizontal	47	1.81
5755MHz	Pass	PK	5.7526G	111.97	Inf	-Inf	3	Horizontal	47	1.81
5755MHz	Pass	PK	5.9422G	57.83	68.20	-10.37	3	Horizontal	47	1.81



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	AV	11.511G	47.38	54.00	-6.62	3	Vertical	247	1.53
5755MHz	Pass	PK	11.51744G	56.30	74.00	-17.70	3	Vertical	247	1.53
5755MHz	Pass	PK	17.27428G	65.29	68.20	-2.91	3	Vertical	278	1.50
5755MHz	Pass	AV	11.50384G	49.12	54.00	-4.88	3	Horizontal	240	1.66
5755MHz	Pass	PK	11.51112G	59.50	74.00	-14.50	3	Horizontal	240	1.66
5755MHz	Pass	PK	17.26418G	65.40	68.20	-2.80	3	Horizontal	200	1.38
5795MHz	Pass	AV	5.7962G	104.44	Inf	-Inf	3	Vertical	27	1.65
5795MHz	Pass	PK	5.6366G	59.03	68.20	-9.17	3	Vertical	27	1.65
5795MHz	Pass	PK	5.7914G	113.97	Inf	-Inf	3	Vertical	27	1.65
5795MHz	Pass	PK	5.9282G	57.40	68.20	-10.80	3	Vertical	27	1.65
5795MHz	Pass	AV	5.7926G	101.59	Inf	-Inf	3	Horizontal	49	1.79
5795MHz	Pass	PK	5.6354G	57.76	68.20	-10.44	3	Horizontal	49	1.79
5795MHz	Pass	PK	5.7926G	111.36	Inf	-Inf	3	Horizontal	49	1.79
5795MHz	Pass	PK	5.9294G	57.87	68.20	-10.33	3	Horizontal	49	1.79
5795MHz	Pass	AV	11.5882G	47.45	54.00	-6.55	3	Vertical	289	1.63
5795MHz	Pass	PK	11.60044G	58.41	74.00	-15.59	3	Vertical	289	1.63
5795MHz	Pass	PK	17.38416G	66.49	68.20	-1.71	3	Vertical	278	1.39
5795MHz	Pass	AV	11.59174G	47.46	54.00	-6.54	3	Horizontal	237	1.76
5795MHz	Pass	PK	11.57134G	58.75	74.00	-15.25	3	Horizontal	237	1.76
5795MHz	Pass	PK	17.39406G	67.84	68.20	-0.36	3	Horizontal	195	1.22
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.137G	53.81	54.00	-0.19	3	Vertical	150	1.59
5210MHz	Pass	AV	5.2G	98.65	Inf	-Inf	3	Vertical	150	1.59
5210MHz	Pass	AV	5.359G	49.66	54.00	-4.34	3	Vertical	150	1.59
5210MHz	Pass	PK	5.147G	64.50	74.00	-9.50	3	Vertical	150	1.59
5210MHz	Pass	PK	5.227G	110.31	Inf	-Inf	3	Vertical	150	1.59
5210MHz	Pass	PK	5.369G	61.20	74.00	-12.80	3	Vertical	150	1.59
5210MHz	Pass	AV	5.149G	52.77	54.00	-1.23	3	Horizontal	250	1.63
5210MHz	Pass	AV	5.221G	97.09	Inf	-Inf	3	Horizontal	250	1.63
5210MHz	Pass	AV	5.35G	48.53	54.00	-5.47	3	Horizontal	250	1.63
5210MHz	Pass	PK	5.149G	63.95	74.00	-10.05	3	Horizontal	250	1.63
5210MHz	Pass	PK	5.221G	108.83	Inf	-Inf	3	Horizontal	250	1.63
5210MHz	Pass	PK	5.377G	59.81	74.00	-14.19	3	Horizontal	250	1.63
5210MHz	Pass	AV	15.63148G	46.34	54.00	-7.66	3	Vertical	52	1.99
5210MHz	Pass	PK	10.41533G	54.97	68.20	-13.23	3	Vertical	305	2.31
5210MHz	Pass	PK	15.6285G	54.19	74.00	-19.81	3	Vertical	52	1.99
5210MHz	Pass	AV	15.62837G	46.36	54.00	-7.64	3	Horizontal	120	2.93
5210MHz	Pass	PK	10.42223G	53.64	68.20	-14.56	3	Horizontal	88	1.48
5210MHz	Pass	PK	15.62735G	56.29	74.00	-17.71	3	Horizontal	120	2.93
5290MHz	Pass	AV	5.149G	48.64	54.00	-5.36	3	Vertical	145	1.69
5290MHz	Pass	AV	5.279G	99.17	Inf	-Inf	3	Vertical	145	1.69
5290MHz	Pass	AV	5.351G	53.61	54.00	-0.39	3	Vertical	145	1.69
5290MHz	Pass	PK	5.143G	60.53	74.00	-13.47	3	Vertical	145	1.69
5290MHz	Pass	PK	5.272G	110.37	Inf	-Inf	3	Vertical	145	1.69
5290MHz	Pass	PK	5.467G	59.21	68.20	-8.99	3	Vertical	145	1.69
5290MHz	Pass	AV	5.149G	48.58	54.00	-5.42	3	Horizontal	257	2.51
5290MHz	Pass	AV	5.279G	97.69	Inf	-Inf	3	Horizontal	257	2.51
5290MHz	Pass	AV	5.352G	53.10	54.00	-0.90	3	Horizontal	257	2.51
5290MHz	Pass	PK	5.148G	60.75	74.00	-13.25	3	Horizontal	257	2.51
5290MHz	Pass	PK	5.272G	108.62	Inf	-Inf	3	Horizontal	257	2.51
5290MHz	Pass	PK	5.352G	65.22	74.00	-8.78	3	Horizontal	257	2.51
5290MHz	Pass	AV	15.87413G	45.74	54.00	-8.26	3	Vertical	351	2.66
5290MHz	Pass	PK	10.5766G	54.89	68.20	-13.31	3	Vertical	70	2.46
5290MHz	Pass	PK	15.87233G	54.41	74.00	-19.59	3	Vertical	351	2.66
5290MHz	Pass	AV	15.86606G	45.74	54.00	-8.26	3	Horizontal	206	1.49
5290MHz	Pass	PK	10.57781G	54.06	68.20	-14.14	3	Horizontal	177	1.48
5290MHz	Pass	PK	15.87116G	54.84	74.00	-19.16	3	Horizontal	206	1.49
5530MHz	Pass	AV	5.46G	53.56	54.00	-0.44	3	Vertical	182	1.50
5530MHz	Pass	AV	5.538G	98.89	Inf	-Inf	3	Vertical	182	1.50
5530MHz	Pass	PK	5.467G	65.07	68.20	-3.13	3	Vertical	182	1.50
5530MHz	Pass	PK	5.533G	110.73	Inf	-Inf	3	Vertical	182	1.50
5530MHz	Pass	PK	5.773G	59.72	68.20	-8.48	3	Vertical	182	1.50



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	5.459G	51.31	54.00	-2.69	3	Horizontal	240	2.43
5530MHz	Pass	AV	5.544G	96.95	Inf	-Inf	3	Horizontal	240	2.43
5530MHz	Pass	PK	5.465G	62.91	68.20	-5.29	3	Horizontal	240	2.43
5530MHz	Pass	PK	5.541G	108.60	Inf	-Inf	3	Horizontal	240	2.43
5530MHz	Pass	PK	5.73G	59.56	68.20	-8.64	3	Horizontal	240	2.43
5530MHz	Pass	AV	11.05691G	44.68	54.00	-9.32	3	Vertical	30	1.59
5530MHz	Pass	PK	11.05511G	55.92	74.00	-18.08	3	Vertical	30	1.59
5530MHz	Pass	PK	16.58983G	56.73	68.20	-11.47	3	Vertical	356	2.06
5530MHz	Pass	AV	11.0565G	44.96	54.00	-9.04	3	Horizontal	256	1.86
5530MHz	Pass	PK	11.06182G	54.18	74.00	-19.82	3	Horizontal	256	1.86
5530MHz	Pass	PK	16.58884G	56.97	68.20	-11.23	3	Horizontal	25	1.18
5610MHz	Pass	AV	5.46G	51.69	54.00	-2.31	3	Vertical	190	1.45
5610MHz	Pass	AV	5.6G	101.57	Inf	-Inf	3	Vertical	190	1.45
5610MHz	Pass	PK	5.466G	63.64	68.20	-4.56	3	Vertical	190	1.45
5610MHz	Pass	PK	5.592G	113.26	Inf	-Inf	3	Vertical	190	1.45
5610MHz	Pass	PK	5.726G	64.00	68.20	-4.20	3	Vertical	190	1.45
5610MHz	Pass	AV	5.46G	50.31	54.00	-3.69	3	Horizontal	252	2.36
5610MHz	Pass	AV	5.599G	99.85	Inf	-Inf	3	Horizontal	252	2.36
5610MHz	Pass	PK	5.466G	62.76	68.20	-5.44	3	Horizontal	252	2.36
5610MHz	Pass	PK	5.621G	111.02	Inf	-Inf	3	Horizontal	252	2.36
5610MHz	Pass	PK	5.728G	64.78	68.20	-3.42	3	Horizontal	252	2.36
5610MHz	Pass	AV	11.22194G	44.45	54.00	-9.55	3	Vertical	277	2.15
5610MHz	Pass	PK	11.22222G	53.84	74.00	-20.16	3	Vertical	277	2.15
5610MHz	Pass	PK	16.83478G	57.12	68.20	-11.08	3	Vertical	331	1.31
5610MHz	Pass	AV	11.2206G	44.84	54.00	-9.16	3	Horizontal	222	1.33
5610MHz	Pass	PK	11.22312G	53.78	74.00	-20.22	3	Horizontal	222	1.33
5610MHz	Pass	PK	16.83315G	55.52	68.20	-12.68	3	Horizontal	61	1.93
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	47.60	54.00	-6.40	3	Vertical	187	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6744G	100.22	Inf	-Inf	3	Vertical	187	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	58.89	68.20	-9.31	3	Vertical	187	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.672G	112.08	Inf	-Inf	3	Vertical	187	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	60.84	68.20	-7.36	3	Vertical	187	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4224G	46.96	54.00	-7.04	3	Horizontal	243	2.92
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	99.00	Inf	-Inf	3	Horizontal	243	2.92
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.75	68.20	-9.45	3	Horizontal	243	2.92
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7008G	110.33	Inf	-Inf	3	Horizontal	243	2.92
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	60.84	68.20	-7.36	3	Horizontal	243	2.92
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38116G	44.25	54.00	-9.75	3	Vertical	58	1.55
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3752G	53.75	74.00	-20.25	3	Vertical	58	1.55
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06622G	55.41	68.20	-12.79	3	Vertical	215	2.59
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37655G	44.78	54.00	-9.22	3	Horizontal	113	1.11
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37971G	54.64	74.00	-19.36	3	Horizontal	113	1.11
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07044G	55.35	68.20	-12.85	3	Horizontal	126	2.09
5775MHz	Pass	AV	5.7666G	101.90	Inf	-Inf	3	Vertical	29	1.66
5775MHz	Pass	PK	5.6478G	67.84	68.20	-0.36	3	Vertical	29	1.66
5775MHz	Pass	PK	5.739G	111.86	Inf	-Inf	3	Vertical	29	1.66
5775MHz	Pass	PK	5.931G	58.47	68.20	-9.73	3	Vertical	29	1.66
5775MHz	Pass	AV	5.7642G	99.43	Inf	-Inf	3	Horizontal	44	1.69
5775MHz	Pass	PK	5.649G	64.82	68.20	-3.38	3	Horizontal	44	1.69
5775MHz	Pass	PK	5.7918G	108.57	Inf	-Inf	3	Horizontal	44	1.69
5775MHz	Pass	PK	5.9346G	58.45	68.20	-9.75	3	Horizontal	44	1.69
5775MHz	Pass	AV	11.54568G	45.96	54.00	-8.04	3	Vertical	288	1.65
5775MHz	Pass	PK	11.56332G	56.77	74.00	-17.23	3	Vertical	288	1.65
5775MHz	Pass	PK	17.34768G	62.17	68.20	-6.03	3	Vertical	278	1.48
5775MHz	Pass	AV	11.51664G	46.64	54.00	-7.36	3	Horizontal	237	1.66
5775MHz	Pass	PK	11.56536G	57.17	74.00	-16.83	3	Horizontal	237	1.66
5775MHz	Pass	PK	17.3274G	62.27	68.20	-5.93	3	Horizontal	196	1.15
802.11ax HEW80_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.145G	53.82	54.00	-0.18	3	Vertical	150	1.71
5210MHz	Pass	AV	5.222G	99.35	Inf	-Inf	3	Vertical	150	1.71
5210MHz	Pass	AV	5.352G	51.26	54.00	-2.74	3	Vertical	150	1.71
5210MHz	Pass	PK	5.125G	63.86	74.00	-10.14	3	Vertical	150	1.71



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.218G	108.70	Inf	-Inf	3	Vertical	150	1.71
5210MHz	Pass	PK	5.351G	61.90	74.00	-12.10	3	Vertical	150	1.71
5210MHz	Pass	AV	5.15G	53.70	54.00	-0.30	3	Horizontal	253	1.82
5210MHz	Pass	AV	5.219G	97.31	Inf	-Inf	3	Horizontal	253	1.82
5210MHz	Pass	AV	5.351G	50.30	54.00	-3.70	3	Horizontal	253	1.82
5210MHz	Pass	PK	5.145G	64.59	74.00	-9.41	3	Horizontal	253	1.82
5210MHz	Pass	PK	5.197G	107.50	Inf	-Inf	3	Horizontal	253	1.82
5210MHz	Pass	PK	5.353G	61.05	74.00	-12.95	3	Horizontal	253	1.82
5210MHz	Pass	AV	15.60756G	47.18	54.00	-6.82	3	Vertical	194	1.50
5210MHz	Pass	PK	10.44196G	55.14	68.20	-13.06	3	Vertical	0	1.50
5210MHz	Pass	PK	15.65832G	56.80	74.00	-17.20	3	Vertical	194	1.50
5210MHz	Pass	AV	15.66252G	47.12	54.00	-6.88	3	Horizontal	284	1.50
5210MHz	Pass	PK	10.47244G	54.60	68.20	-13.60	3	Horizontal	18	1.50
5210MHz	Pass	PK	15.6174G	57.05	74.00	-16.95	3	Horizontal	284	1.50
5290MHz	Pass	AV	5.134G	50.07	54.00	-3.93	3	Vertical	151	1.75
5290MHz	Pass	AV	5.302G	99.40	Inf	-Inf	3	Vertical	151	1.75
5290MHz	Pass	AV	5.352G	53.82	54.00	-0.18	3	Vertical	151	1.75
5290MHz	Pass	PK	5.148G	60.06	74.00	-13.94	3	Vertical	151	1.75
5290MHz	Pass	PK	5.311G	109.09	Inf	-Inf	3	Vertical	151	1.75
5290MHz	Pass	PK	5.353G	63.60	74.00	-10.40	3	Vertical	151	1.75
5290MHz	Pass	PK	5.477G	60.21	68.20	-7.99	3	Vertical	151	1.75
5290MHz	Pass	AV	5.149G	50.69	54.00	-3.31	3	Horizontal	258	1.80
5290MHz	Pass	AV	5.3G	98.41	Inf	-Inf	3	Horizontal	258	1.80
5290MHz	Pass	AV	5.357G	53.71	54.00	-0.29	3	Horizontal	258	1.80
5290MHz	Pass	PK	5.149G	60.54	74.00	-13.46	3	Horizontal	258	1.80
5290MHz	Pass	PK	5.277G	108.23	Inf	-Inf	3	Horizontal	258	1.80
5290MHz	Pass	PK	5.361G	64.21	74.00	-9.79	3	Horizontal	258	1.80
5290MHz	Pass	PK	5.515G	59.45	68.20	-8.75	3	Horizontal	258	1.80
5290MHz	Pass	AV	15.85032G	47.13	54.00	-6.87	3	Vertical	191	1.50
5290MHz	Pass	PK	10.60232G	54.95	74.00	-19.05	3	Vertical	47	1.59
5290MHz	Pass	PK	15.85272G	56.84	74.00	-17.16	3	Vertical	191	1.50
5290MHz	Pass	AV	15.81696G	46.95	54.00	-7.05	3	Horizontal	72	1.67
5290MHz	Pass	PK	10.5932G	54.65	68.20	-13.55	3	Horizontal	19	2.48
5290MHz	Pass	PK	15.87084G	56.56	74.00	-17.44	3	Horizontal	72	1.67
5530MHz	Pass	AV	5.35G	47.82	54.00	-6.18	3	Vertical	177	1.78
5530MHz	Pass	AV	5.445G	53.17	54.00	-0.83	3	Vertical	177	1.78
5530MHz	Pass	AV	5.523G	97.70	Inf	-Inf	3	Vertical	177	1.78
5530MHz	Pass	PK	5.32G	58.94	68.20	-9.26	3	Vertical	177	1.78
5530MHz	Pass	PK	5.445G	62.94	74.00	-11.06	3	Vertical	177	1.78
5530MHz	Pass	PK	5.467G	62.85	68.20	-5.35	3	Vertical	177	1.78
5530MHz	Pass	PK	5.514G	108.04	Inf	-Inf	3	Vertical	177	1.78
5530MHz	Pass	PK	5.779G	59.48	68.20	-8.72	3	Vertical	177	1.78
5530MHz	Pass	AV	5.35G	47.22	54.00	-6.78	3	Horizontal	245	2.96
5530MHz	Pass	AV	5.443G	53.98	54.00	-0.02	3	Horizontal	245	2.96
5530MHz	Pass	AV	5.542G	98.66	Inf	-Inf	3	Horizontal	245	2.96
5530MHz	Pass	PK	5.286G	58.36	68.20	-9.84	3	Horizontal	245	2.96
5530MHz	Pass	PK	5.447G	64.40	74.00	-9.60	3	Horizontal	245	2.96
5530MHz	Pass	PK	5.469G	65.22	68.20	-2.98	3	Horizontal	245	2.96
5530MHz	Pass	PK	5.527G	109.55	Inf	-Inf	3	Horizontal	245	2.96
5530MHz	Pass	PK	5.755G	59.91	68.20	-8.29	3	Horizontal	245	2.96
5530MHz	Pass	AV	11.00636G	45.56	54.00	-8.44	3	Vertical	360	2.29
5530MHz	Pass	PK	11.03684G	55.58	74.00	-18.42	3	Vertical	360	2.29
5530MHz	Pass	PK	16.57344G	58.34	68.20	-9.86	3	Vertical	33	1.50
5530MHz	Pass	AV	11.01668G	45.78	54.00	-8.22	3	Horizontal	219	2.58
5530MHz	Pass	PK	11.05868G	56.04	74.00	-17.96	3	Horizontal	219	2.58
5530MHz	Pass	PK	16.551G	58.50	68.20	-9.70	3	Horizontal	194	1.50
5610MHz	Pass	AV	5.453G	53.10	54.00	-0.90	3	Vertical	179	1.50
5610MHz	Pass	AV	5.624G	101.07	Inf	-Inf	3	Vertical	179	1.50
5610MHz	Pass	PK	5.456G	63.85	74.00	-10.15	3	Vertical	179	1.50
5610MHz	Pass	PK	5.462G	64.58	68.20	-3.62	3	Vertical	179	1.50
5610MHz	Pass	PK	5.594G	111.42	Inf	-Inf	3	Vertical	179	1.50
5610MHz	Pass	PK	5.726G	64.64	68.20	-3.56	3	Vertical	179	1.50



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.459G	51.32	54.00	-2.68	3	Horizontal	245	2.40
5610MHz	Pass	AV	5.597G	99.76	Inf	-Inf	3	Horizontal	245	2.40
5610MHz	Pass	PK	5.459G	61.81	74.00	-12.19	3	Horizontal	245	2.40
5610MHz	Pass	PK	5.465G	63.60	68.20	-4.60	3	Horizontal	245	2.40
5610MHz	Pass	PK	5.597G	110.24	Inf	-Inf	3	Horizontal	245	2.40
5610MHz	Pass	PK	5.728G	64.95	68.20	-3.25	3	Horizontal	245	2.40
5610MHz	Pass	AV	11.22132G	46.45	54.00	-7.55	3	Vertical	196	1.50
5610MHz	Pass	PK	11.21448G	56.66	74.00	-17.34	3	Vertical	196	1.50
5610MHz	Pass	PK	16.81392G	58.54	68.20	-9.66	3	Vertical	268	1.62
5610MHz	Pass	AV	11.22156G	46.17	54.00	-7.83	3	Horizontal	326	1.59
5610MHz	Pass	PK	11.2188G	56.00	74.00	-18.00	3	Horizontal	326	1.59
5610MHz	Pass	PK	16.82112G	59.17	68.20	-9.03	3	Horizontal	185	2.43
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	49.04	54.00	-4.96	3	Vertical	176	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6816G	99.43	Inf	-Inf	3	Vertical	176	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4296G	59.63	74.00	-14.37	3	Vertical	176	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	59.52	68.20	-8.68	3	Vertical	176	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6732G	109.94	Inf	-Inf	3	Vertical	176	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	61.35	68.20	-6.85	3	Vertical	176	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	48.56	54.00	-5.44	3	Horizontal	246	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	99.38	Inf	-Inf	3	Horizontal	246	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4152G	59.08	74.00	-14.92	3	Horizontal	246	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	58.31	68.20	-9.89	3	Horizontal	246	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	109.33	Inf	-Inf	3	Horizontal	246	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	60.90	68.20	-7.30	3	Horizontal	246	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39428G	49.39	54.00	-4.61	3	Vertical	202	2.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40808G	57.28	74.00	-16.72	3	Vertical	202	2.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.08248G	58.31	68.20	-9.89	3	Vertical	297	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37808G	46.77	54.00	-7.23	3	Horizontal	329	1.57
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41648G	55.95	74.00	-18.05	3	Horizontal	329	1.57
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.04432G	58.06	68.20	-10.14	3	Horizontal	237	1.50
5775MHz	Pass	AV	5.7666G	100.49	Inf	-Inf	3	Vertical	22	1.72
5775MHz	Pass	PK	5.6454G	68.09	68.20	-0.11	3	Vertical	22	1.72
5775MHz	Pass	PK	5.7666G	110.50	Inf	-Inf	3	Vertical	22	1.72
5775MHz	Pass	PK	6.0246G	57.76	68.20	-10.44	3	Vertical	22	1.72
5775MHz	Pass	AV	5.7846G	98.44	Inf	-Inf	3	Horizontal	47	1.73
5775MHz	Pass	PK	5.649G	68.13	68.20	-0.07	3	Horizontal	47	1.73
5775MHz	Pass	PK	5.7834G	108.06	Inf	-Inf	3	Horizontal	47	1.73
5775MHz	Pass	PK	5.9406G	58.07	68.20	-10.13	3	Horizontal	47	1.73
5775MHz	Pass	AV	11.51088G	46.25	54.00	-7.75	3	Vertical	242	1.50
5775MHz	Pass	PK	11.51136G	57.30	74.00	-16.70	3	Vertical	242	1.50
5775MHz	Pass	PK	17.33376G	64.26	68.20	-3.94	3	Vertical	279	1.50
5775MHz	Pass	AV	11.50752G	47.53	54.00	-6.47	3	Horizontal	236	1.59
5775MHz	Pass	PK	11.50356G	58.91	74.00	-15.09	3	Horizontal	236	1.59
5775MHz	Pass	PK	17.33136G	64.87	68.20	-3.33	3	Horizontal	196	1.20
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	53.87	54.00	-0.13	3	Vertical	146	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3052G	93.07	Inf	-Inf	3	Vertical	146	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3844G	51.20	54.00	-2.80	3	Vertical	146	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1384G	63.83	74.00	-10.17	3	Vertical	146	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2824G	102.66	Inf	-Inf	3	Vertical	146	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.526G	59.63	68.20	-8.57	3	Vertical	146	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	51.92	54.00	-2.08	3	Horizontal	256	2.34
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3244G	90.80	Inf	-Inf	3	Horizontal	256	2.34
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3844G	51.12	54.00	-2.88	3	Horizontal	256	2.34
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1432G	62.41	74.00	-11.59	3	Horizontal	256	2.34
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2692G	101.10	Inf	-Inf	3	Horizontal	256	2.34
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4684G	59.13	68.20	-9.07	3	Horizontal	256	2.34
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.75227G	46.64	54.00	-7.36	3	Vertical	148	2.65
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50211G	53.56	68.20	-14.64	3	Vertical	134	1.76
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74891G	54.42	74.00	-19.58	3	Vertical	148	2.65
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74564G	46.38	54.00	-7.62	3	Horizontal	124	2.64
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50255G	53.99	68.20	-14.21	3	Horizontal	224	1.05



RSE TX above 1GHz\_Non-Beamforming


Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75475G	54.71	74.00	-19.29	3	Horizontal	124	2.64
5570MHz	Pass	AV	5.45912G	53.89	54.00	-0.11	3	Vertical	180	1.50
5570MHz	Pass	AV	5.49728G	92.53	Inf	-Inf	3	Vertical	180	1.50
5570MHz	Pass	PK	5.46416G	62.25	68.20	-5.95	3	Vertical	180	1.50
5570MHz	Pass	PK	5.60744G	102.51	Inf	-Inf	3	Vertical	180	1.50
5570MHz	Pass	PK	5.73776G	59.44	68.20	-8.76	3	Vertical	180	1.50
5570MHz	Pass	AV	5.45192G	51.87	54.00	-2.13	3	Horizontal	248	2.37
5570MHz	Pass	AV	5.59664G	90.45	Inf	-Inf	3	Horizontal	248	2.37
5570MHz	Pass	PK	5.462G	61.14	68.20	-7.06	3	Horizontal	248	2.37
5570MHz	Pass	PK	5.55128G	100.88	Inf	-Inf	3	Horizontal	248	2.37
5570MHz	Pass	PK	5.73128G	60.99	68.20	-7.21	3	Horizontal	248	2.37
5570MHz	Pass	AV	11.14333G	45.40	54.00	-8.60	3	Vertical	162	2.66
5570MHz	Pass	PK	11.14288G	53.41	74.00	-20.59	3	Vertical	162	2.66
5570MHz	Pass	PK	16.70845G	56.00	68.20	-12.20	3	Vertical	258	2.25
5570MHz	Pass	AV	11.14301G	45.21	54.00	-8.79	3	Horizontal	301	2.78
5570MHz	Pass	PK	11.14433G	53.65	74.00	-20.35	3	Horizontal	301	2.78
5570MHz	Pass	PK	16.7066G	55.62	68.20	-12.58	3	Horizontal	48	1.44
802.11ax HEW160_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1384G	53.83	54.00	-0.17	3	Vertical	147	1.65
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3232G	91.64	Inf	-Inf	3	Vertical	147	1.65
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.406G	51.98	54.00	-2.02	3	Vertical	147	1.65
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1432G	68.65	74.00	-5.35	3	Vertical	147	1.65
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3124G	102.99	Inf	-Inf	3	Vertical	147	1.65
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3808G	71.00	74.00	-3.00	3	Vertical	147	1.65
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4864G	60.64	68.20	-7.56	3	Vertical	147	1.65
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1372G	53.17	54.00	-0.83	3	Horizontal	254	1.88
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.31G	89.57	Inf	-Inf	3	Horizontal	254	1.88
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.364G	51.40	54.00	-2.60	3	Horizontal	254	1.88
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	67.04	74.00	-6.96	3	Horizontal	254	1.88
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2788G	100.02	Inf	-Inf	3	Horizontal	254	1.88
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3844G	70.18	74.00	-3.82	3	Horizontal	254	1.88
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4636G	60.44	68.20	-7.76	3	Horizontal	254	1.88
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.79152G	47.25	54.00	-6.75	3	Vertical	170	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50408G	54.70	68.20	-13.50	3	Vertical	268	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.78672G	57.22	74.00	-16.78	3	Vertical	170	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.7092G	47.21	54.00	-6.79	3	Horizontal	255	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.57632G	54.65	68.20	-13.55	3	Horizontal	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75624G	56.64	74.00	-17.36	3	Horizontal	255	1.50
5570MHz	Pass	AV	5.45624G	53.82	54.00	-0.18	3	Vertical	187	1.50
5570MHz	Pass	AV	5.54264G	90.63	Inf	-Inf	3	Vertical	187	1.50
5570MHz	Pass	PK	5.44112G	66.96	74.00	-7.04	3	Vertical	187	1.50
5570MHz	Pass	PK	5.46632G	66.43	68.20	-1.77	3	Vertical	187	1.50
5570MHz	Pass	PK	5.50952G	101.91	Inf	-Inf	3	Vertical	187	1.50
5570MHz	Pass	PK	5.72984G	60.25	68.20	-7.95	3	Vertical	187	1.50
5570MHz	Pass	AV	5.45912G	52.40	54.00	-1.60	3	Horizontal	246	2.38
5570MHz	Pass	AV	5.58368G	90.53	Inf	-Inf	3	Horizontal	246	2.38
5570MHz	Pass	PK	5.45912G	66.81	74.00	-7.19	3	Horizontal	246	2.38
5570MHz	Pass	PK	5.4692G	67.95	68.20	-0.25	3	Horizontal	246	2.38
5570MHz	Pass	PK	5.5988G	100.41	Inf	-Inf	3	Horizontal	246	2.38
5570MHz	Pass	PK	5.72552G	63.24	68.20	-4.96	3	Horizontal	246	2.38
5570MHz	Pass	AV	11.04592G	45.64	54.00	-8.36	3	Vertical	304	2.89
5570MHz	Pass	PK	11.0356G	55.61	74.00	-18.39	3	Vertical	304	2.89
5570MHz	Pass	PK	16.6368G	58.21	68.20	-9.99	3	Vertical	360	2.76
5570MHz	Pass	AV	11.0368G	45.55	54.00	-8.45	3	Horizontal	96	1.50
5570MHz	Pass	PK	11.0344G	54.89	74.00	-19.11	3	Horizontal	96	1.50
5570MHz	Pass	PK	16.64016G	58.18	68.20	-10.02	3	Horizontal	188	1.77



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.31	54.00	-0.69	4.34	3	Vertical	150	1.69	48.97	33.10	5.86	34.62
AV	5.184G	105.89	Inf	-Inf	4.43	3	Vertical	150	1.69	101.46	33.17	5.87	34.61
PK	5.149G	68.33	74.00	-5.67	4.34	3	Vertical	150	1.69	63.99	33.10	5.86	34.62
PK	5.179G	113.11	Inf	-Inf	4.42	3	Vertical	150	1.69	108.69	33.16	5.87	34.61

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.00	54.00	-1.00	4.34	3	Horizontal	250	1.64	48.66	33.10	5.86	34.62
AV	5.1778G	105.42	Inf	-Inf	4.42	3	Horizontal	250	1.64	101.00	33.16	5.87	34.61
PK	5.1486G	71.02	74.00	-2.98	4.34	3	Horizontal	250	1.64	66.68	33.10	5.86	34.62
PK	5.1778G	115.43	Inf	-Inf	4.42	3	Horizontal	250	1.64	111.01	33.16	5.87	34.61

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5553G	44.20	54.00	-9.80	13.15	3	Vertical	75	1.50	31.05	38.27	9.80	34.92
PK	10.4018G	51.43	68.20	-16.77	11.72	3	Vertical	243	2.15	39.71	38.50	8.04	34.82
PK	15.5649G	55.62	74.00	-18.38	13.08	3	Vertical	75	1.50	42.54	38.21	9.80	34.93

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55446G	44.32	54.00	-9.68	13.15	3	Horizontal	320	1.40	31.17	38.27	9.80	34.92
PK	10.35241G	51.40	68.20	-16.80	11.75	3	Horizontal	360	1.46	39.65	38.60	8.02	34.87
PK	15.53268G	55.46	74.00	-18.54	13.29	3	Horizontal	320	1.40	42.17	38.40	9.79	34.90



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.47	54.00	-3.53	4.34	3	Vertical	349	2.30	46.13	33.10	5.86	34.62
AV	5.1948G	109.15	Inf	-Inf	4.46	3	Vertical	349	2.30	104.69	33.19	5.88	34.61
PK	5.1492G	65.31	74.00	-8.69	4.34	3	Vertical	349	2.30	60.97	33.10	5.86	34.62
PK	5.2044G	118.84	Inf	-Inf	4.46	3	Vertical	349	2.30	114.38	33.19	5.88	34.61


5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	49.62	54.00	-4.38	4.34	3	Horizontal	277	2.42	45.28	33.10	5.86	34.62
AV	5.2014G	109.55	Inf	-Inf	4.47	3	Horizontal	277	2.42	105.08	33.20	5.88	34.61
PK	5.1476G	63.52	74.00	-10.48	4.34	3	Horizontal	277	2.42	59.18	33.10	5.86	34.62
PK	5.2018G	117.27	Inf	-Inf	4.47	3	Horizontal	277	2.42	112.80	33.20	5.88	34.61

**5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5974G	49.73	54.00	-4.27	12.88	3	Vertical	265	2.40	36.85	38.02	9.81	34.95
PK	10.40114G	55.32	68.20	-12.88	11.72	3	Vertical	218	1.50	43.60	38.50	8.04	34.82
PK	15.5976G	60.90	74.00	-13.10	12.87	3	Vertical	265	2.40	48.03	38.01	9.81	34.95

**5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5200MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59756G	47.83	54.00	-6.17	12.87	3	Horizontal	321	1.51	34.96	38.01	9.81	34.95
PK	10.404G	55.03	68.20	-13.17	11.72	3	Horizontal	221	2.32	43.31	38.50	8.04	34.82
PK	15.59344G	59.35	74.00	-14.65	12.90	3	Horizontal	321	1.51	46.45	38.04	9.81	34.95



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14588G	48.54	54.00	-5.46	4.33	3	Vertical	359	2.51	44.21	33.09	5.86	34.62
AV	5.23532G	110.02	Inf	-Inf	4.43	3	Vertical	359	2.51	105.59	33.13	5.90	34.60
AV	5.35544G	47.82	54.00	-6.18	4.12	3	Vertical	359	2.51	43.70	32.73	5.97	34.58
PK	5.13548G	60.94	74.00	-13.06	4.30	3	Vertical	359	2.51	56.64	33.07	5.85	34.62
PK	5.23532G	119.67	Inf	-Inf	4.43	3	Vertical	359	2.51	115.24	33.13	5.90	34.60
PK	5.3648G	60.38	74.00	-13.62	4.18	3	Vertical	359	2.51	56.20	32.79	5.97	34.58

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	48.69	54.00	-5.31	4.30	3	Horizontal	272	2.55	44.39	33.07	5.85	34.62
AV	5.23688G	110.40	Inf	-Inf	4.43	3	Horizontal	272	2.55	105.97	33.13	5.90	34.60
AV	5.357G	47.28	54.00	-6.72	4.13	3	Horizontal	272	2.55	43.15	32.74	5.97	34.58
PK	5.14796G	61.00	74.00	-13.00	4.34	3	Horizontal	272	2.55	56.66	33.10	5.86	34.62
PK	5.2374G	119.48	Inf	-Inf	4.43	3	Horizontal	272	2.55	115.05	33.13	5.90	34.60
PK	5.35544G	60.62	74.00	-13.38	4.12	3	Horizontal	272	2.55	56.50	32.73	5.97	34.58



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71838G	47.29	54.00	-6.71	12.89	3	Vertical	266	2.22	34.40	38.08	9.85	35.04
PK	10.4791G	56.67	68.20	-11.53	11.91	3	Vertical	220	1.48	44.76	38.58	8.07	34.74
PK	15.71241G	59.06	74.00	-14.94	12.90	3	Vertical	266	2.22	46.16	38.09	9.85	35.04

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71499G	45.57	54.00	-8.43	12.90	3	Horizontal	313	1.96	32.67	38.09	9.85	35.04
PK	10.4788G	55.91	68.20	-12.29	11.91	3	Horizontal	221	2.26	44.00	38.58	8.07	34.74
PK	15.72033G	57.62	74.00	-16.38	12.89	3	Horizontal	313	1.96	44.73	38.08	9.85	35.04



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1442G	47.22	54.00	-6.78	4.32	3	Vertical	148	1.80	42.90	33.09	5.85	34.62
AV	5.2642G	108.46	Inf	-Inf	4.36	3	Vertical	148	1.80	104.10	33.04	5.92	34.60
AV	5.3638G	48.51	54.00	-5.49	4.17	3	Vertical	148	1.80	44.34	32.78	5.97	34.58
PK	5.1412G	59.91	74.00	-14.09	4.31	3	Vertical	148	1.80	55.60	33.08	5.85	34.62
PK	5.2642G	117.44	Inf	-Inf	4.36	3	Vertical	148	1.80	113.08	33.04	5.92	34.60
PK	5.359G	59.82	74.00	-14.18	4.14	3	Vertical	148	1.80	55.68	32.75	5.97	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.122G	47.15	54.00	-6.85	4.26	3	Horizontal	253	1.95	42.89	33.04	5.84	34.62
AV	5.2582G	106.15	Inf	-Inf	4.38	3	Horizontal	253	1.95	101.77	33.07	5.91	34.60
AV	5.353G	47.40	54.00	-6.60	4.10	3	Horizontal	253	1.95	43.30	32.72	5.96	34.58
PK	5.1388G	59.61	74.00	-14.39	4.31	3	Horizontal	253	1.95	55.30	33.08	5.85	34.62
PK	5.2576G	115.63	Inf	-Inf	4.38	3	Horizontal	253	1.95	111.25	33.07	5.91	34.60
PK	5.353G	59.51	74.00	-14.49	4.10	3	Horizontal	253	1.95	55.41	32.72	5.96	34.58



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78579G	44.32	54.00	-9.68	12.79	3	Vertical	198	1.50	31.53	38.01	9.87	35.09
PK	10.52057G	55.32	68.20	-12.88	12.04	3	Vertical	258	1.57	43.28	38.66	8.09	34.71
PK	15.7701G	56.09	74.00	-17.91	12.82	3	Vertical	198	1.50	43.27	38.03	9.87	35.08

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76908G	44.30	54.00	-9.70	12.82	3	Horizontal	322	2.84	31.48	38.03	9.87	35.08
PK	10.51283G	53.60	68.20	-14.60	12.01	3	Horizontal	186	1.50	41.59	38.64	8.09	34.72
PK	15.77052G	55.15	74.00	-18.85	12.82	3	Horizontal	322	2.84	42.33	38.03	9.87	35.08

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.294G	108.45	Inf	-Inf	4.26	3	Vertical	150	1.62	104.19	32.92	5.93	34.59
AV	5.3932G	48.53	54.00	-5.47	4.37	3	Vertical	150	1.62	44.16	32.96	5.99	34.58
PK	5.2988G	117.92	Inf	-Inf	4.24	3	Vertical	150	1.62	113.68	32.90	5.93	34.59
PK	5.3792G	60.61	74.00	-13.39	4.28	3	Vertical	150	1.62	56.33	32.88	5.98	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	106.52	Inf	-Inf	4.25	3	Horizontal	257	2.48	102.27	32.91	5.93	34.59
AV	5.3976G	47.77	54.00	-6.23	4.40	3	Horizontal	257	2.48	43.37	32.99	5.99	34.58
PK	5.298G	116.19	Inf	-Inf	4.25	3	Horizontal	257	2.48	111.94	32.91	5.93	34.59
PK	5.3988G	60.12	74.00	-13.88	4.40	3	Horizontal	257	2.48	55.72	32.99	5.99	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6003G	43.56	54.00	-10.44	12.33	3	Vertical	257	1.50	31.23	38.90	8.12	34.69
AV	15.89634G	43.92	54.00	-10.08	12.35	3	Vertical	113	1.50	31.57	37.61	9.91	35.17
PK	10.59997G	54.51	68.20	-13.69	12.33	3	Vertical	257	1.50	42.18	38.90	8.12	34.69
PK	15.90711G	54.67	74.00	-19.33	12.33	3	Vertical	113	1.50	42.34	37.60	9.91	35.18

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60351G	43.31	54.00	-10.69	12.34	3	Horizontal	214	1.39	30.97	38.91	8.12	34.69
AV	15.89145G	43.85	54.00	-10.15	12.37	3	Horizontal	286	1.50	31.48	37.63	9.91	35.17
PK	10.60447G	54.70	74.00	-19.30	12.34	3	Horizontal	214	1.39	42.36	38.91	8.12	34.69
PK	15.90357G	55.75	74.00	-18.25	12.33	3	Horizontal	286	1.50	43.42	37.60	9.91	35.18



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.319G	107.99	Inf	-Inf	4.18	3	Vertical	152	1.50	103.81	32.82	5.95	34.59
AV	5.353G	52.68	54.00	-1.32	4.10	3	Vertical	152	1.50	48.58	32.72	5.96	34.58
PK	5.3186G	117.75	Inf	-Inf	4.19	3	Vertical	152	1.50	113.56	32.83	5.95	34.59
PK	5.3524G	71.91	74.00	-2.09	4.09	3	Vertical	152	1.50	67.82	32.71	5.96	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3138G	106.27	Inf	-Inf	4.19	3	Horizontal	261	2.38	102.08	32.84	5.94	34.59
AV	5.3526G	50.93	54.00	-3.07	4.10	3	Horizontal	261	2.38	46.83	32.72	5.96	34.58
PK	5.3184G	115.92	Inf	-Inf	4.19	3	Horizontal	261	2.38	111.73	32.83	5.95	34.59
PK	5.3524G	69.18	74.00	-4.82	4.09	3	Horizontal	261	2.38	65.09	32.71	5.96	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6412G	43.51	54.00	-10.49	12.44	3	Vertical	260	1.50	31.07	38.98	8.14	34.68
AV	15.96639G	43.77	54.00	-10.23	12.30	3	Vertical	138	1.50	31.47	37.60	9.93	35.23
PK	10.63925G	54.87	74.00	-19.13	12.44	3	Vertical	260	1.50	42.43	38.98	8.14	34.68
PK	15.95817G	55.17	74.00	-18.83	12.31	3	Vertical	138	1.50	42.86	37.60	9.93	35.22

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63862G	43.59	54.00	-10.41	12.44	3	Horizontal	229	1.49	31.15	38.98	8.14	34.68
AV	15.96171G	43.64	54.00	-10.36	12.31	3	Horizontal	47	2.66	31.33	37.60	9.93	35.22
PK	10.64465G	54.27	74.00	-19.73	12.45	3	Horizontal	229	1.49	41.82	38.99	8.14	34.68
PK	15.95472G	55.89	74.00	-18.11	12.31	3	Horizontal	47	2.66	43.58	37.60	9.93	35.22

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.14	54.00	-4.86	4.26	3	Vertical	178	1.50	44.88	32.82	6.01	34.57
AV	5.4954G	107.89	Inf	-Inf	4.35	3	Vertical	178	1.50	103.54	32.89	6.02	34.56
PK	5.4694G	66.45	68.20	-1.75	4.29	3	Vertical	178	1.50	62.16	32.84	6.01	34.56
PK	5.5052G	117.68	Inf	-Inf	4.38	3	Vertical	178	1.50	113.30	32.91	6.03	34.56


5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	47.58	54.00	-6.42	4.25	3	Horizontal	252	1.50	43.33	32.81	6.01	34.57
AV	5.5024G	105.02	Inf	-Inf	4.37	3	Horizontal	252	1.50	100.65	32.90	6.03	34.56
PK	5.465G	63.10	68.20	-5.10	4.27	3	Horizontal	252	1.50	58.83	32.83	6.01	34.57
PK	5.5022G	114.49	Inf	-Inf	4.37	3	Horizontal	252	1.50	110.12	32.90	6.03	34.56

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5500MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99613G	44.27	54.00	-9.73	12.42	3	Vertical	0	1.50	31.85	38.71	8.29	34.58
PK	10.99382G	55.89	74.00	-18.11	12.42	3	Vertical	0	1.50	43.47	38.71	8.29	34.58
PK	16.48938G	58.28	68.20	-9.92	13.92	3	Vertical	62	1.50	44.36	38.63	10.06	34.77

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5500MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00942G	44.47	54.00	-9.53	12.40	3	Horizontal	229	2.23	32.07	38.69	8.29	34.58
PK	10.98947G	55.92	74.00	-18.08	12.43	3	Horizontal	229	2.23	43.49	38.72	8.29	34.58
PK	16.50378G	58.64	68.20	-9.56	13.98	3	Horizontal	112	1.84	44.66	38.68	10.06	34.76



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	46.64	54.00	-7.36	4.26	3	Vertical	191	1.50	42.38	32.82	6.01	34.57
AV	5.5842G	107.42	Inf	-Inf	4.50	3	Vertical	191	1.50	102.92	33.00	6.05	34.55
PK	5.4612G	58.94	68.20	-9.26	4.26	3	Vertical	191	1.50	54.68	32.82	6.01	34.57
PK	5.5746G	116.87	Inf	-Inf	4.50	3	Vertical	191	1.50	112.37	33.00	6.05	34.55
PK	5.7282G	59.15	68.20	-9.05	5.12	3	Vertical	191	1.50	54.03	33.51	6.15	34.54

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	46.16	54.00	-7.84	4.25	3	Horizontal	240	2.40	41.91	32.81	6.01	34.57
AV	5.5824G	105.62	Inf	-Inf	4.50	3	Horizontal	240	2.40	101.12	33.00	6.05	34.55
PK	5.4696G	59.53	68.20	-8.67	4.29	3	Horizontal	240	2.40	55.24	32.84	6.01	34.56
PK	5.5776G	115.16	Inf	-Inf	4.50	3	Horizontal	240	2.40	110.66	33.00	6.05	34.55
PK	5.7288G	59.03	68.20	-9.17	5.13	3	Horizontal	240	2.40	53.90	33.52	6.15	34.54




**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5580MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1636G	44.50	54.00	-9.50	12.44	3	Vertical	265	1.50	32.06	38.66	8.36	34.58
PK	11.16993G	55.76	74.00	-18.24	12.45	3	Vertical	265	1.50	43.31	38.67	8.36	34.58
PK	16.72953G	58.06	68.20	-10.14	13.80	3	Vertical	280	2.68	44.26	38.16	10.11	34.47

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5580MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17479G	44.11	54.00	-9.89	12.45	3	Horizontal	136	1.50	31.66	38.67	8.36	34.58
PK	11.14812G	55.22	74.00	-18.78	12.42	3	Horizontal	136	1.50	42.80	38.65	8.35	34.58
PK	16.74627G	57.76	68.20	-10.44	13.87	3	Horizontal	249	2.21	43.89	38.19	10.12	34.44



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6952G	101.96	Inf	-Inf	4.95	3	Vertical	178	1.50	97.01	33.36	6.13	34.54
PK	5.696G	111.17	Inf	-Inf	4.96	3	Vertical	178	1.50	106.21	33.37	6.13	34.54
PK	5.7252G	67.77	68.20	-0.43	5.11	3	Vertical	178	1.50	62.66	33.50	6.15	34.54


5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	100.71	Inf	-Inf	4.97	3	Horizontal	242	2.42	95.74	33.38	6.13	34.54
PK	5.6976G	110.82	Inf	-Inf	4.97	3	Horizontal	242	2.42	105.85	33.38	6.13	34.54
PK	5.7252G	64.81	68.20	-3.39	5.11	3	Horizontal	242	2.42	59.70	33.50	6.15	34.54

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39892G	47.24	54.00	-6.76	12.79	3	Vertical	288	1.62	34.45	38.90	8.46	34.57
PK	11.40378G	57.80	74.00	-16.20	12.78	3	Vertical	288	1.62	45.02	38.89	8.46	34.57
PK	17.08815G	58.36	68.20	-9.84	14.03	3	Vertical	271	1.62	44.33	38.00	10.20	34.17

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39901G	45.47	54.00	-8.53	12.79	3	Horizontal	225	1.50	32.68	38.90	8.46	34.57
PK	11.39865G	56.34	74.00	-17.66	12.79	3	Horizontal	225	1.50	43.55	38.90	8.46	34.57
PK	17.08755G	58.12	68.20	-10.08	14.03	3	Horizontal	13	2.84	44.09	38.00	10.20	34.17





5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4308G	47.24	54.00	-6.76	4.31	3	Vertical	19	1.73	42.93	32.88	6.00	34.57
AV	5.7224G	109.15	Inf	-Inf	5.10	3	Vertical	19	1.73	104.05	33.49	6.15	34.54
PK	5.4656G	57.52	68.20	-10.68	4.27	3	Vertical	19	1.73	53.25	32.83	6.01	34.57
PK	5.7272G	116.48	Inf	-Inf	5.12	3	Vertical	19	1.73	111.36	33.51	6.15	34.54
PK	5.9108G	58.86	68.20	-9.34	6.03	3	Vertical	19	1.73	52.83	34.30	6.26	34.53

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	46.60	54.00	-7.40	4.35	3	Horizontal	102	2.41	42.25	32.92	6.00	34.57
AV	5.714G	107.44	Inf	-Inf	5.06	3	Horizontal	102	2.41	102.38	33.46	6.14	34.54
PK	5.4608G	56.82	68.20	-11.38	4.26	3	Horizontal	102	2.41	52.56	32.82	6.01	34.57
PK	5.7248G	114.86	Inf	-Inf	5.11	3	Horizontal	102	2.41	109.75	33.50	6.15	34.54
PK	5.9492G	58.44	68.20	-9.76	6.05	3	Horizontal	102	2.41	52.39	34.30	6.27	34.52

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4406G	50.13	54.00	-3.87	12.73	3	Vertical	241	1.54	37.40	38.82	8.48	34.57
PK	11.43583G	61.21	74.00	-12.79	12.73	3	Vertical	241	1.54	48.48	38.83	8.47	34.57
PK	17.16036G	64.52	68.20	-3.68	14.17	3	Vertical	273	1.50	50.35	38.18	10.21	34.22

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43904G	53.23	54.00	-0.77	12.72	3	Horizontal	234	1.72	40.51	38.82	8.47	34.57
PK	11.43763G	64.72	74.00	-9.28	12.72	3	Horizontal	234	1.72	52.00	38.82	8.47	34.57
PK	17.15427G	65.48	68.20	-2.72	14.16	3	Horizontal	183	1.27	51.32	38.16	10.21	34.21

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	108.62	Inf	-Inf	5.18	3	Vertical	357	1.79	103.44	33.56	6.16	34.54
PK	5.6502G	59.05	68.35	-9.30	4.55	3	Vertical	357	1.79	54.50	33.00	6.10	34.55
PK	5.7402G	116.13	Inf	-Inf	5.18	3	Vertical	357	1.79	110.95	33.56	6.16	34.54
PK	5.9358G	57.66	68.20	-10.54	6.04	3	Vertical	357	1.79	51.62	34.30	6.27	34.53


5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	106.06	Inf	-Inf	5.20	3	Horizontal	43	1.80	100.86	33.58	6.16	34.54
PK	5.5098G	58.55	68.20	-9.65	4.39	3	Horizontal	43	1.80	54.16	32.92	6.03	34.56
PK	5.7438G	113.58	Inf	-Inf	5.20	3	Horizontal	43	1.80	108.38	33.58	6.16	34.54
PK	5.9298G	57.94	68.20	-10.26	6.03	3	Horizontal	43	1.80	51.91	34.30	6.26	34.53

**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5745MHz\_TX**




Lim.PK   
 PK   
 Lim.AV   
 AV

21/10/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48891G	51.15	54.00	-2.85	12.65	3	Vertical	292	2.73	38.50	38.72	8.50	34.57
PK	11.48784G	62.55	74.00	-11.45	12.64	3	Vertical	292	2.73	49.91	38.72	8.49	34.57
PK	17.23432G	66.26	68.20	-1.94	14.24	3	Vertical	312	1.51	52.02	38.27	10.23	34.26

**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5745MHz\_TX**




Lim.PK   
 PK   
 Lim.AV   
 AV

21/10/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48891G	52.98	54.00	-1.02	12.65	3	Horizontal	242	1.68	40.33	38.72	8.50	34.57
PK	11.48751G	64.56	74.00	-9.44	12.64	3	Horizontal	242	1.68	51.92	38.72	8.49	34.57
PK	17.22838G	67.43	68.20	-0.77	14.24	3	Horizontal	199	1.34	53.19	38.27	10.23	34.26

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	108.09	Inf	-Inf	5.47	3	Vertical	19	1.69	102.62	33.82	6.19	34.54
PK	5.6002G	59.17	68.20	-9.03	4.51	3	Vertical	19	1.69	54.66	33.00	6.06	34.55
PK	5.7826G	115.02	Inf	-Inf	5.45	3	Vertical	19	1.69	109.57	33.80	6.19	34.54
PK	5.971G	59.05	68.20	-9.15	6.03	3	Vertical	19	1.69	53.02	34.26	6.29	34.52


5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	105.93	Inf	-Inf	5.45	3	Horizontal	46	1.72	100.48	33.80	6.19	34.54
PK	5.527G	58.47	68.20	-9.73	4.42	3	Horizontal	46	1.72	54.05	32.95	6.03	34.56
PK	5.7838G	113.16	Inf	-Inf	5.45	3	Horizontal	46	1.72	107.71	33.80	6.19	34.54
PK	6.0406G	58.01	68.20	-10.19	5.83	3	Horizontal	46	1.72	52.18	34.04	6.31	34.52

**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5723G	48.36	54.00	-5.64	12.50	3	Vertical	293	1.65	35.86	38.56	8.53	34.59
PK	11.56742G	60.92	74.00	-13.08	12.51	3	Vertical	293	1.65	48.41	38.57	8.53	34.59
PK	17.34928G	66.08	68.20	-2.12	14.23	3	Vertical	282	1.50	51.85	38.30	10.26	34.33

**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5785MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56892G	48.58	54.00	-5.42	12.50	3	Horizontal	243	1.66	36.08	38.56	8.53	34.59
PK	11.56402G	59.88	74.00	-14.12	12.51	3	Horizontal	243	1.66	47.37	38.57	8.53	34.59
PK	17.3493G	67.71	68.20	-0.49	14.23	3	Horizontal	203	1.35	53.48	38.30	10.26	34.33



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	108.80	Inf	-Inf	5.67	3	Vertical	19	1.62	103.13	33.99	6.21	34.53
PK	5.5682G	59.25	68.20	-8.95	4.50	3	Vertical	19	1.62	54.75	33.00	6.05	34.55
PK	5.8322G	116.33	Inf	-Inf	5.72	3	Vertical	19	1.62	110.61	34.03	6.22	34.53
PK	6.0602G	58.84	68.20	-9.36	5.78	3	Vertical	19	1.62	53.06	33.98	6.31	34.51


5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	105.55	Inf	-Inf	5.68	3	Horizontal	45	1.85	99.87	34.00	6.21	34.53
PK	5.5274G	57.98	68.20	-10.22	4.42	3	Horizontal	45	1.85	53.56	32.95	6.03	34.56
PK	5.819G	113.01	Inf	-Inf	5.66	3	Horizontal	45	1.85	107.35	33.98	6.21	34.53
PK	5.9378G	57.73	68.20	-10.47	6.05	3	Horizontal	45	1.85	51.68	34.30	6.27	34.52

**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65162G	50.75	54.00	-3.25	12.39	3	Vertical	294	1.65	38.36	38.45	8.56	34.62
PK	11.64736G	61.68	74.00	-12.32	12.39	3	Vertical	294	1.65	49.29	38.45	8.56	34.62
PK	17.47632G	66.14	68.20	-2.06	14.05	3	Vertical	281	1.46	52.09	38.17	10.29	34.41

**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**  
**5825MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64906G	49.67	54.00	-4.33	12.39	3	Horizontal	229	1.60	37.28	38.45	8.56	34.62
PK	11.64926G	60.74	74.00	-13.26	12.39	3	Horizontal	229	1.60	48.35	38.45	8.56	34.62
PK	17.46844G	67.98	68.20	-0.22	14.08	3	Horizontal	204	1.25	53.90	38.19	10.29	34.40



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.95	54.00	-1.05	4.34	3	Vertical	148	1.48	48.61	33.10	5.86	34.62
AV	5.1848G	103.29	Inf	-Inf	4.43	3	Vertical	148	1.48	98.86	33.17	5.87	34.61
PK	5.15G	66.09	74.00	-7.91	4.34	3	Vertical	148	1.48	61.75	33.10	5.86	34.62
PK	5.177G	116.69	Inf	-Inf	4.41	3	Vertical	148	1.48	112.28	33.15	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.28	54.00	-0.72	4.34	3	Horizontal	249	1.65	48.94	33.10	5.86	34.62
AV	5.184G	102.33	Inf	-Inf	4.43	3	Horizontal	249	1.65	97.90	33.17	5.87	34.61
PK	5.145G	68.15	74.00	-5.85	4.33	3	Horizontal	249	1.65	63.82	33.09	5.86	34.62
PK	5.1768G	115.60	Inf	-Inf	4.41	3	Horizontal	249	1.65	111.19	33.15	5.87	34.61




5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55497G	45.24	54.00	-8.76	13.15	3	Vertical	101	1.50	32.09	38.27	9.80	34.92
PK	10.36405G	56.85	68.20	-11.35	11.73	3	Vertical	214	1.50	45.12	38.57	8.02	34.86
PK	15.55017G	56.62	74.00	-17.38	13.18	3	Vertical	101	1.50	43.44	38.30	9.80	34.92


5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5511G	45.15	54.00	-8.85	13.17	3	Horizontal	92	1.50	31.98	38.29	9.80	34.92
PK	10.36864G	55.10	68.20	-13.10	11.73	3	Horizontal	345	1.50	43.37	38.56	8.02	34.85
PK	15.55269G	57.50	74.00	-16.50	13.16	3	Horizontal	92	1.50	44.34	38.28	9.80	34.92

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.60	54.00	-3.40	4.34	3	Vertical	349	2.42	46.26	33.10	5.86	34.62
AV	5.2024G	107.30	Inf	-Inf	4.47	3	Vertical	349	2.42	102.83	33.20	5.88	34.61
PK	5.1472G	63.71	74.00	-10.29	4.33	3	Vertical	349	2.42	59.38	33.09	5.86	34.62
PK	5.1968G	118.45	Inf	-Inf	4.46	3	Vertical	349	2.42	113.99	33.19	5.88	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.05	54.00	-2.95	4.34	3	Horizontal	272	2.44	46.71	33.10	5.86	34.62
AV	5.1984G	108.05	Inf	-Inf	4.47	3	Horizontal	272	2.44	103.58	33.20	5.88	34.61
PK	5.148G	64.71	74.00	-9.29	4.34	3	Horizontal	272	2.44	60.37	33.10	5.86	34.62
PK	5.2008G	118.17	Inf	-Inf	4.47	3	Horizontal	272	2.44	113.70	33.20	5.88	34.61




5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59895G	47.32	54.00	-6.68	12.87	3	Vertical	306	2.33	34.45	38.01	9.81	34.95
PK	10.39385G	55.35	68.20	-12.85	11.72	3	Vertical	217	1.44	43.63	38.51	8.04	34.83
PK	15.60126G	59.06	74.00	-14.94	12.86	3	Vertical	306	2.33	46.20	38.00	9.81	34.95

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59865G	46.10	54.00	-7.90	12.87	3	Horizontal	321	1.52	33.23	38.01	9.81	34.95
PK	10.3961G	54.82	68.20	-13.38	11.72	3	Horizontal	212	2.37	43.10	38.51	8.04	34.83
PK	15.59613G	58.32	74.00	-15.68	12.88	3	Horizontal	321	1.52	45.44	38.02	9.81	34.95

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	47.17	54.00	-6.83	4.33	3	Vertical	4	2.38	42.84	33.09	5.86	34.62
AV	5.243G	107.90	Inf	-Inf	4.41	3	Vertical	4	2.38	103.49	33.11	5.90	34.60
AV	5.35G	46.79	54.00	-7.21	4.08	3	Vertical	4	2.38	42.71	32.70	5.96	34.58
PK	5.138G	58.94	74.00	-15.06	4.31	3	Vertical	4	2.38	54.63	33.08	5.85	34.62
PK	5.2382G	118.40	Inf	-Inf	4.42	3	Vertical	4	2.38	113.98	33.12	5.90	34.60
PK	5.3798G	57.99	74.00	-16.01	4.28	3	Vertical	4	2.38	53.71	32.88	5.98	34.58


5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	47.60	54.00	-6.40	4.34	3	Horizontal	272	2.39	43.26	33.10	5.86	34.62
AV	5.2358G	108.10	Inf	-Inf	4.43	3	Horizontal	272	2.39	103.67	33.13	5.90	34.60
AV	5.3846G	46.25	54.00	-7.75	4.31	3	Horizontal	272	2.39	41.94	32.91	5.98	34.58
PK	5.141G	58.89	74.00	-15.11	4.31	3	Horizontal	272	2.39	54.58	33.08	5.85	34.62
PK	5.2406G	118.31	Inf	-Inf	4.42	3	Horizontal	272	2.39	113.89	33.12	5.90	34.60
PK	5.3678G	57.68	74.00	-16.32	4.20	3	Horizontal	272	2.39	53.48	32.81	5.97	34.58




5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71898G	46.41	54.00	-7.59	12.89	3	Vertical	272	2.35	33.52	38.08	9.85	35.04
PK	10.47862G	56.49	68.20	-11.71	11.91	3	Vertical	219	1.52	44.58	38.58	8.07	34.74
PK	15.71616G	58.41	74.00	-15.59	12.89	3	Vertical	272	2.35	45.52	38.08	9.85	35.04


5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7215G	45.05	54.00	-8.95	12.89	3	Horizontal	191	1.30	32.16	38.08	9.85	35.04
PK	10.48927G	56.60	68.20	-11.60	11.94	3	Horizontal	217	2.42	44.66	38.59	8.08	34.73
PK	15.729G	57.34	74.00	-16.66	12.87	3	Horizontal	191	1.30	44.47	38.07	9.85	35.05




5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	46.55	54.00	-7.45	4.33	3	Vertical	150	1.55	42.22	33.09	5.86	34.62
AV	5.2648G	105.72	Inf	-Inf	4.36	3	Vertical	150	1.55	101.36	33.04	5.92	34.60
AV	5.362G	47.22	54.00	-6.78	4.16	3	Vertical	150	1.55	43.06	32.77	5.97	34.58
PK	5.1394G	59.75	74.00	-14.25	4.31	3	Vertical	150	1.55	55.44	33.08	5.85	34.62
PK	5.257G	119.87	Inf	-Inf	4.38	3	Vertical	150	1.55	115.49	33.07	5.91	34.60
PK	5.3872G	59.50	74.00	-14.50	4.32	3	Vertical	150	1.55	55.18	32.92	5.98	34.58


5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	46.38	54.00	-7.62	4.33	3	Horizontal	262	2.43	42.05	33.09	5.86	34.62
AV	5.2618G	104.10	Inf	-Inf	4.36	3	Horizontal	262	2.43	99.74	33.05	5.91	34.60
AV	5.3614G	46.72	54.00	-7.28	4.16	3	Horizontal	262	2.43	42.56	32.77	5.97	34.58
PK	5.1112G	59.99	74.00	-14.01	4.24	3	Horizontal	262	2.43	55.75	33.02	5.84	34.62
PK	5.2564G	117.28	Inf	-Inf	4.38	3	Horizontal	262	2.43	112.90	33.07	5.91	34.60
PK	5.368G	59.75	74.00	-14.25	4.20	3	Horizontal	262	2.43	55.55	32.81	5.97	34.58




5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5260MHz\_TX



20/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7941G	45.21	54.00	-8.79	12.79	3	Vertical	180	1.50	32.42	38.01	9.88	35.10
PK	10.52981G	55.84	68.20	-12.36	12.07	3	Vertical	258	1.50	43.77	38.69	8.09	34.71
PK	15.77856G	57.39	74.00	-16.61	12.80	3	Vertical	180	1.50	44.59	38.02	9.87	35.09

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5260MHz\_TX



20/09/2022


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.795G	45.26	54.00	-8.74	12.79	3	Horizontal	17	1.50	32.47	38.01	9.88	35.10
PK	10.5194G	55.53	68.20	-12.67	12.04	3	Horizontal	237	1.00	43.49	38.66	8.09	34.71
PK	15.7881G	56.79	74.00	-17.21	12.79	3	Horizontal	17	1.50	44.00	38.01	9.87	35.09





5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3044G	105.65	Inf	-Inf	4.23	3	Vertical	151	1.55	101.42	32.88	5.94	34.59
AV	5.3512G	47.68	54.00	-6.32	4.09	3	Vertical	151	1.55	43.59	32.71	5.96	34.58
PK	5.2968G	119.84	Inf	-Inf	4.25	3	Vertical	151	1.55	115.59	32.91	5.93	34.59
PK	5.3936G	61.32	74.00	-12.68	4.37	3	Vertical	151	1.55	56.95	32.96	5.99	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	103.88	Inf	-Inf	4.24	3	Horizontal	261	2.49	99.64	32.89	5.94	34.59
AV	5.3508G	47.41	54.00	-6.59	4.08	3	Horizontal	261	2.49	43.33	32.70	5.96	34.58
PK	5.2968G	117.80	Inf	-Inf	4.25	3	Horizontal	261	2.49	113.55	32.91	5.93	34.59
PK	5.358G	59.59	74.00	-14.41	4.14	3	Horizontal	261	2.49	55.45	32.75	5.97	34.58




5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90783G	44.81	54.00	-9.19	12.33	3	Vertical	183	1.50	32.48	37.60	9.91	35.18
PK	10.60555G	55.77	74.00	-18.23	12.34	3	Vertical	259	1.61	43.43	38.91	8.12	34.69
PK	15.89766G	56.85	74.00	-17.15	12.35	3	Vertical	183	1.50	44.50	37.61	9.91	35.17

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89583G	44.94	54.00	-9.06	12.36	3	Horizontal	144	1.50	32.58	37.62	9.91	35.17
PK	10.59907G	56.60	68.20	-11.60	12.33	3	Horizontal	226	1.42	44.27	38.90	8.12	34.69
PK	15.88635G	57.51	74.00	-16.49	12.38	3	Horizontal	144	1.50	45.13	37.65	9.90	35.17



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	105.46	Inf	-Inf	4.17	3	Vertical	152	1.50	101.29	32.81	5.95	34.59
AV	5.3514G	53.49	54.00	-0.51	4.09	3	Vertical	152	1.50	49.40	32.71	5.96	34.58
PK	5.317G	119.94	Inf	-Inf	4.18	3	Vertical	152	1.50	115.76	32.83	5.94	34.59
PK	5.3512G	70.84	74.00	-3.16	4.09	3	Vertical	152	1.50	66.75	32.71	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3216G	103.25	Inf	-Inf	4.17	3	Horizontal	254	1.87	99.08	32.81	5.95	34.59
AV	5.3508G	52.44	54.00	-1.56	4.08	3	Horizontal	254	1.87	48.36	32.70	5.96	34.58
PK	5.3168G	116.79	Inf	-Inf	4.18	3	Horizontal	254	1.87	112.61	32.83	5.94	34.59
PK	5.3518G	69.72	74.00	-4.28	4.09	3	Horizontal	254	1.87	65.63	32.71	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63982G	44.21	54.00	-9.79	12.44	3	Vertical	248	1.73	31.77	38.98	8.14	34.68
AV	15.97176G	44.76	54.00	-9.24	12.30	3	Vertical	44	2.15	32.46	37.60	9.93	35.23
PK	10.631G	55.45	74.00	-18.55	12.42	3	Vertical	248	1.73	43.03	38.96	8.14	34.68
PK	15.9591G	56.82	74.00	-17.18	12.31	3	Vertical	44	2.15	44.51	37.60	9.93	35.22

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63946G	44.49	54.00	-9.51	12.44	3	Horizontal	229	1.50	32.05	38.98	8.14	34.68
AV	15.97194G	44.79	54.00	-9.21	12.30	3	Horizontal	92	1.50	32.49	37.60	9.93	35.23
PK	10.65209G	56.09	74.00	-17.91	12.46	3	Horizontal	229	1.50	43.63	39.00	8.14	34.68
PK	15.96072G	56.17	74.00	-17.83	12.31	3	Horizontal	92	1.50	43.86	37.60	9.93	35.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.35	54.00	-4.65	4.26	3	Vertical	186	1.64	45.09	32.82	6.01	34.57
AV	5.495G	105.35	Inf	-Inf	4.35	3	Vertical	186	1.64	101.00	32.89	6.02	34.56
PK	5.4672G	64.80	68.20	-3.40	4.27	3	Vertical	186	1.64	60.53	32.83	6.01	34.57
PK	5.497G	118.30	Inf	-Inf	4.35	3	Vertical	186	1.64	113.95	32.89	6.02	34.56


5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.91	54.00	-6.09	4.26	3	Horizontal	253	1.69	43.65	32.82	6.01	34.57
AV	5.4984G	102.78	Inf	-Inf	4.36	3	Horizontal	253	1.69	98.42	32.90	6.02	34.56
PK	5.467G	64.71	68.20	-3.49	4.27	3	Horizontal	253	1.69	60.44	32.83	6.01	34.57
PK	5.5008G	114.98	Inf	-Inf	4.37	3	Horizontal	253	1.69	110.61	32.90	6.03	34.56

**5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5500MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00544G	42.14	54.00	-11.86	12.40	3	Vertical	208	1.25	29.74	38.69	8.29	34.58
PK	11.00504G	52.10	74.00	-21.90	12.40	3	Vertical	208	1.25	39.70	38.69	8.29	34.58
PK	16.50322G	55.06	68.20	-13.14	13.99	3	Vertical	225	1.03	41.07	38.69	10.06	34.76


**5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5500MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99504G	42.19	54.00	-11.81	12.42	3	Horizontal	284	2.53	29.77	38.71	8.29	34.58
PK	11.00906G	51.52	74.00	-22.48	12.40	3	Horizontal	284	2.53	39.12	38.69	8.29	34.58
PK	16.50908G	53.13	68.20	-15.07	13.97	3	Horizontal	104	1.26	39.16	38.66	10.06	34.75

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.19	54.00	-7.81	4.26	3	Vertical	184	1.50	41.93	32.82	6.01	34.57
AV	5.5848G	104.56	Inf	-Inf	4.50	3	Vertical	184	1.50	100.06	33.00	6.05	34.55
PK	5.4666G	58.53	68.20	-9.67	4.27	3	Vertical	184	1.50	54.26	32.83	6.01	34.57
PK	5.5824G	117.14	Inf	-Inf	4.50	3	Vertical	184	1.50	112.64	33.00	6.05	34.55
PK	5.7252G	58.73	68.20	-9.47	5.11	3	Vertical	184	1.50	53.62	33.50	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	45.48	54.00	-8.52	4.26	3	Horizontal	240	2.40	41.22	32.82	6.01	34.57
AV	5.5818G	102.82	Inf	-Inf	4.50	3	Horizontal	240	2.40	98.32	33.00	6.05	34.55
PK	5.4648G	58.67	68.20	-9.53	4.27	3	Horizontal	240	2.40	54.40	32.83	6.01	34.57
PK	5.577G	116.09	Inf	-Inf	4.50	3	Horizontal	240	2.40	111.59	33.00	6.05	34.55
PK	5.7264G	59.02	68.20	-9.18	5.12	3	Horizontal	240	2.40	53.90	33.51	6.15	34.54




5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16908G	41.95	54.00	-12.05	12.45	3	Vertical	311	1.76	29.50	38.67	8.36	34.58
PK	11.16658G	52.04	74.00	-21.96	12.45	3	Vertical	311	1.76	39.59	38.67	8.36	34.58
PK	16.74786G	53.92	68.20	-14.28	13.88	3	Vertical	353	2.85	40.04	38.20	10.12	34.44

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16072G	41.92	54.00	-12.08	12.44	3	Horizontal	86	2.06	29.48	38.66	8.36	34.58
PK	11.16724G	51.15	74.00	-22.85	12.45	3	Horizontal	86	2.06	38.70	38.67	8.36	34.58
PK	16.74202G	55.97	68.20	-12.23	13.84	3	Horizontal	72	1.18	42.13	38.18	10.11	34.45






5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	100.34	Inf	-Inf	4.97	3	Vertical	177	1.50	95.37	33.38	6.13	34.54
PK	5.7052G	110.41	Inf	-Inf	5.01	3	Vertical	177	1.50	105.40	33.42	6.13	34.54
PK	5.7256G	68.03	68.20	-0.17	5.11	3	Vertical	177	1.50	62.92	33.50	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	97.84	Inf	-Inf	4.98	3	Horizontal	242	2.38	92.86	33.39	6.13	34.54
PK	5.704G	108.54	Inf	-Inf	5.01	3	Horizontal	242	2.38	103.53	33.42	6.13	34.54
PK	5.7268G	67.09	68.20	-1.11	5.12	3	Horizontal	242	2.38	61.97	33.51	6.15	34.54

**5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40152G	42.94	54.00	-11.06	12.79	3	Vertical	220	1.50	30.15	38.90	8.46	34.57
PK	11.40136G	55.33	74.00	-18.67	12.79	3	Vertical	220	1.50	42.54	38.90	8.46	34.57
PK	17.09152G	56.23	68.20	-11.97	14.03	3	Vertical	274	1.47	42.20	38.00	10.20	34.17


**5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39912G	45.34	54.00	-8.66	12.79	3	Horizontal	235	1.66	32.55	38.90	8.46	34.57
PK	11.40172G	57.58	74.00	-16.42	12.79	3	Horizontal	235	1.66	44.79	38.90	8.46	34.57
PK	17.10136G	56.76	68.20	-11.44	14.02	3	Horizontal	187	1.50	42.74	38.00	10.20	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	46.64	54.00	-7.36	4.25	3	Vertical	18	1.73	42.39	32.81	6.01	34.57
AV	5.7188G	107.51	Inf	-Inf	5.08	3	Vertical	18	1.73	102.43	33.48	6.14	34.54
PK	5.4632G	57.67	68.20	-10.53	4.27	3	Vertical	18	1.73	53.40	32.83	6.01	34.57
PK	5.7188G	117.34	Inf	-Inf	5.08	3	Vertical	18	1.73	112.26	33.48	6.14	34.54
PK	5.8652G	58.50	68.20	-9.70	5.86	3	Vertical	18	1.73	52.64	34.16	6.23	34.53

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	46.05	54.00	-7.95	4.35	3	Horizontal	100	2.36	41.70	32.92	6.00	34.57
AV	5.7152G	105.60	Inf	-Inf	5.06	3	Horizontal	100	2.36	100.54	33.46	6.14	34.54
PK	5.4668G	57.43	68.20	-10.77	4.27	3	Horizontal	100	2.36	53.16	32.83	6.01	34.57
PK	5.7176G	116.31	Inf	-Inf	5.07	3	Horizontal	100	2.36	111.24	33.47	6.14	34.54
PK	5.8676G	59.74	68.20	-8.46	5.87	3	Horizontal	100	2.36	53.87	34.17	6.23	34.53




**5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44391G	42.31	54.00	-11.69	12.72	3	Vertical	178	1.98	29.59	38.81	8.48	34.57
PK	11.44262G	54.33	74.00	-19.67	12.72	3	Vertical	178	1.98	41.61	38.81	8.48	34.57
PK	17.15774G	57.75	68.20	-10.45	14.17	3	Vertical	210	1.53	43.58	38.17	10.21	34.21

**5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43644G	42.28	54.00	-11.72	12.73	3	Horizontal	271	1.70	29.55	38.83	8.47	34.57
PK	11.44047G	54.21	74.00	-19.79	12.72	3	Horizontal	271	1.70	41.49	38.82	8.47	34.57
PK	17.15732G	56.10	68.20	-12.10	14.17	3	Horizontal	51	1.26	41.93	38.17	10.21	34.21



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	107.60	Inf	-Inf	5.18	3	Vertical	1	1.99	102.42	33.56	6.16	34.54
PK	5.6334G	59.62	68.20	-8.58	4.53	3	Vertical	1	1.99	55.09	33.00	6.08	34.55
PK	5.745G	116.56	Inf	-Inf	5.20	3	Vertical	1	1.99	111.36	33.58	6.16	34.54
PK	5.9694G	58.18	68.20	-10.02	6.02	3	Vertical	1	1.99	52.16	34.26	6.28	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	105.48	Inf	-Inf	5.19	3	Horizontal	295	2.33	100.29	33.57	6.16	34.54
PK	5.5602G	57.91	68.20	-10.29	4.49	3	Horizontal	295	2.33	53.42	33.00	6.05	34.56
PK	5.7474G	115.00	Inf	-Inf	5.21	3	Horizontal	295	2.33	109.79	33.59	6.16	34.54
PK	5.925G	57.83	68.20	-10.37	6.03	3	Horizontal	295	2.33	51.80	34.30	6.26	34.53




5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4879G	48.55	54.00	-5.45	12.64	3	Vertical	249	1.66	35.91	38.72	8.49	34.57
PK	11.49258G	59.96	74.00	-14.04	12.64	3	Vertical	249	1.66	47.32	38.71	8.50	34.57
PK	17.24244G	66.38	68.20	-1.82	14.22	3	Vertical	281	1.50	52.16	38.26	10.23	34.27

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48918G	51.55	54.00	-2.45	12.65	3	Horizontal	233	1.61	38.90	38.72	8.50	34.57
PK	11.48944G	62.69	74.00	-11.31	12.65	3	Horizontal	233	1.61	50.04	38.72	8.50	34.57
PK	17.24244G	67.97	68.20	-0.23	14.22	3	Horizontal	198	1.30	53.75	38.26	10.23	34.27



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	108.03	Inf	-Inf	5.47	3	Vertical	28	1.63	102.56	33.82	6.19	34.54
PK	5.629G	58.51	68.20	-9.69	4.53	3	Vertical	28	1.63	53.98	33.00	6.08	34.55
PK	5.7862G	117.77	Inf	-Inf	5.47	3	Vertical	28	1.63	112.30	33.82	6.19	34.54
PK	5.9722G	58.56	68.20	-9.64	6.03	3	Vertical	28	1.63	52.53	34.26	6.29	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	104.77	Inf	-Inf	5.47	3	Horizontal	43	1.72	99.30	33.82	6.19	34.54
PK	5.605G	58.41	68.20	-9.79	4.51	3	Horizontal	43	1.72	53.90	33.00	6.06	34.55
PK	5.7814G	115.59	Inf	-Inf	5.44	3	Horizontal	43	1.72	110.15	33.79	6.19	34.54
PK	5.9698G	57.96	68.20	-10.24	6.02	3	Horizontal	43	1.72	51.94	34.26	6.28	34.52




5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56868G	47.37	54.00	-6.63	12.50	3	Vertical	292	1.59	34.87	38.56	8.53	34.59
PK	11.5685G	59.33	74.00	-14.67	12.50	3	Vertical	292	1.59	46.83	38.56	8.53	34.59
PK	17.36212G	68.12	68.20	-0.08	14.24	3	Vertical	280	1.50	53.88	38.32	10.26	34.34

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56974G	47.36	54.00	-6.64	12.50	3	Horizontal	227	1.70	34.86	38.56	8.53	34.59
PK	11.5668G	59.17	74.00	-14.83	12.51	3	Horizontal	227	1.70	46.66	38.57	8.53	34.59
PK	17.36214G	68.01	68.20	-0.19	14.24	3	Horizontal	201	1.04	53.77	38.32	10.26	34.34





5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	108.24	Inf	-Inf	5.68	3	Vertical	19	1.62	102.56	34.00	6.21	34.53
PK	5.5322G	59.24	68.20	-8.96	4.44	3	Vertical	19	1.62	54.80	32.96	6.04	34.56
PK	5.8262G	118.72	Inf	-Inf	5.68	3	Vertical	19	1.62	113.04	34.00	6.21	34.53
PK	5.9462G	57.66	68.20	-10.54	6.05	3	Vertical	19	1.62	51.61	34.30	6.27	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	104.41	Inf	-Inf	5.67	3	Horizontal	44	1.85	98.74	33.99	6.21	34.53
PK	5.543G	58.56	68.20	-9.64	4.47	3	Horizontal	44	1.85	54.09	32.99	6.04	34.56
PK	5.8298G	114.49	Inf	-Inf	5.70	3	Horizontal	44	1.85	108.79	34.02	6.21	34.53
PK	5.9474G	58.58	68.20	-9.62	6.05	3	Horizontal	44	1.85	52.53	34.30	6.27	34.52




5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5825MHz\_TX



21/10/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65332G	49.77	54.00	-4.23	12.39	3	Vertical	292	1.66	37.38	38.45	8.56	34.62
PK	11.65328G	61.02	74.00	-12.98	12.39	3	Vertical	292	1.66	48.63	38.45	8.56	34.62
PK	17.466G	67.43	68.20	-0.77	14.08	3	Vertical	280	1.46	53.35	38.20	10.28	34.40

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5825MHz\_TX




21/10/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64968G	48.77	54.00	-5.23	12.39	3	Horizontal	227	1.60	36.38	38.45	8.56	34.62
PK	11.64962G	60.37	74.00	-13.63	12.39	3	Horizontal	227	1.60	47.98	38.45	8.56	34.62
PK	17.47662G	67.87	68.20	-0.33	14.05	3	Horizontal	202	1.33	53.82	38.17	10.29	34.41

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.63	54.00	-2.37	4.34	3	Vertical	338	2.72	47.29	33.10	5.86	34.62
AV	5.1846G	102.91	Inf	-Inf	4.43	3	Vertical	338	2.72	98.48	33.17	5.87	34.61
PK	5.1498G	64.48	74.00	-9.52	4.34	3	Vertical	338	2.72	60.14	33.10	5.86	34.62
PK	5.1814G	113.76	Inf	-Inf	4.42	3	Vertical	338	2.72	109.34	33.16	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.07	54.00	-0.93	4.34	3	Horizontal	248	1.66	48.73	33.10	5.86	34.62
AV	5.1766G	101.99	Inf	-Inf	4.41	3	Horizontal	248	1.66	97.58	33.15	5.87	34.61
PK	5.1452G	66.51	74.00	-7.49	4.33	3	Horizontal	248	1.66	62.18	33.09	5.86	34.62
PK	5.1826G	113.36	Inf	-Inf	4.43	3	Horizontal	248	1.66	108.93	33.17	5.87	34.61




5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55023G	46.16	54.00	-7.84	13.18	3	Vertical	331	2.63	32.98	38.30	9.80	34.92
PK	10.36387G	55.34	68.20	-12.86	11.73	3	Vertical	263	1.50	43.61	38.57	8.02	34.86
PK	15.53772G	56.78	74.00	-17.22	13.25	3	Vertical	331	2.63	43.53	38.37	9.79	34.91


5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54837G	46.29	54.00	-7.71	13.19	3	Horizontal	125	1.50	33.10	38.31	9.80	34.92
PK	10.36807G	54.64	68.20	-13.56	11.73	3	Horizontal	99	1.50	42.91	38.56	8.02	34.85
PK	15.55077G	56.52	74.00	-17.48	13.18	3	Horizontal	125	1.50	43.34	38.30	9.80	34.92

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.75	54.00	-4.25	4.34	3	Vertical	352	2.42	45.41	33.10	5.86	34.62
AV	5.2048G	105.56	Inf	-Inf	4.46	3	Vertical	352	2.42	101.10	33.19	5.88	34.61
PK	5.1492G	62.48	74.00	-11.52	4.34	3	Vertical	352	2.42	58.14	33.10	5.86	34.62
PK	5.2032G	116.26	Inf	-Inf	4.46	3	Vertical	352	2.42	111.80	33.19	5.88	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.46	54.00	-3.54	4.34	3	Horizontal	277	2.43	46.12	33.10	5.86	34.62
AV	5.1984G	106.12	Inf	-Inf	4.47	3	Horizontal	277	2.43	101.65	33.20	5.88	34.61
PK	5.15G	63.93	74.00	-10.07	4.34	3	Horizontal	277	2.43	59.59	33.10	5.86	34.62
PK	5.1956G	116.55	Inf	-Inf	4.46	3	Horizontal	277	2.43	112.09	33.19	5.88	34.61




5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60333G	47.27	54.00	-6.73	12.86	3	Vertical	304	2.07	34.41	38.00	9.82	34.96
PK	10.39382G	55.53	68.20	-12.67	11.72	3	Vertical	220	1.51	43.81	38.51	8.04	34.83
PK	15.59892G	59.87	74.00	-14.13	12.87	3	Vertical	304	2.07	47.00	38.01	9.81	34.95


5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60333G	46.55	54.00	-7.45	12.86	3	Horizontal	315	1.56	33.69	38.00	9.82	34.96
PK	10.40006G	54.65	68.20	-13.55	11.72	3	Horizontal	210	2.12	42.93	38.50	8.04	34.82
PK	15.59604G	59.06	74.00	-14.94	12.88	3	Horizontal	315	1.56	46.18	38.02	9.81	34.95




5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	47.29	54.00	-6.71	4.34	3	Vertical	345	2.34	42.95	33.10	5.86	34.62
AV	5.2388G	106.11	Inf	-Inf	4.42	3	Vertical	345	2.34	101.69	33.12	5.90	34.60
AV	5.35G	46.46	54.00	-7.54	4.08	3	Vertical	345	2.34	42.38	32.70	5.96	34.58
PK	5.15G	58.26	74.00	-15.74	4.34	3	Vertical	345	2.34	53.92	33.10	5.86	34.62
PK	5.2448G	117.05	Inf	-Inf	4.41	3	Vertical	345	2.34	112.64	33.11	5.90	34.60
PK	5.3576G	57.50	74.00	-16.50	4.14	3	Vertical	345	2.34	53.36	32.75	5.97	34.58


5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	47.32	54.00	-6.68	4.34	3	Horizontal	280	2.98	42.98	33.10	5.86	34.62
AV	5.2364G	106.53	Inf	-Inf	4.43	3	Horizontal	280	2.98	102.10	33.13	5.90	34.60
AV	5.35G	46.41	54.00	-7.59	4.08	3	Horizontal	280	2.98	42.33	32.70	5.96	34.58
PK	5.1464G	57.88	74.00	-16.12	4.33	3	Horizontal	280	2.98	53.55	33.09	5.86	34.62
PK	5.2352G	116.68	Inf	-Inf	4.43	3	Horizontal	280	2.98	112.25	33.13	5.90	34.60
PK	5.3846G	57.36	74.00	-16.64	4.31	3	Horizontal	280	2.98	53.05	32.91	5.98	34.58




5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72342G	46.47	54.00	-7.53	12.88	3	Vertical	270	2.34	33.59	38.08	9.85	35.05
PK	10.48171G	55.99	68.20	-12.21	11.91	3	Vertical	219	1.59	44.08	38.58	8.07	34.74
PK	15.7215G	57.92	74.00	-16.08	12.89	3	Vertical	270	2.34	45.03	38.08	9.85	35.04


5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72324G	44.91	54.00	-9.09	12.88	3	Horizontal	313	1.46	32.03	38.08	9.85	35.05
PK	10.48678G	55.34	68.20	-12.86	11.93	3	Horizontal	220	2.23	43.41	38.59	8.07	34.73
PK	15.72126G	56.89	74.00	-17.11	12.89	3	Horizontal	313	1.46	44.00	38.08	9.85	35.04




5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1112G	47.66	54.00	-6.34	4.24	3	Vertical	152	1.79	43.42	33.02	5.84	34.62
AV	5.2678G	105.72	Inf	-Inf	4.35	3	Vertical	152	1.79	101.37	33.03	5.92	34.60
AV	5.3566G	48.38	54.00	-5.62	4.13	3	Vertical	152	1.79	44.25	32.74	5.97	34.58
PK	5.149G	59.10	74.00	-14.90	4.34	3	Vertical	152	1.79	54.76	33.10	5.86	34.62
PK	5.2642G	116.48	Inf	-Inf	4.36	3	Vertical	152	1.79	112.12	33.04	5.92	34.60
PK	5.353G	60.85	74.00	-13.15	4.10	3	Vertical	152	1.79	56.75	32.72	5.96	34.58


5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.131G	47.71	54.00	-6.29	4.29	3	Horizontal	260	2.42	43.42	33.06	5.85	34.62
AV	5.2612G	104.21	Inf	-Inf	4.37	3	Horizontal	260	2.42	99.84	33.06	5.91	34.60
AV	5.3614G	47.82	54.00	-6.18	4.16	3	Horizontal	260	2.42	43.66	32.77	5.97	34.58
PK	5.1112G	60.08	74.00	-13.92	4.24	3	Horizontal	260	2.42	55.84	33.02	5.84	34.62
PK	5.254G	115.65	Inf	-Inf	4.39	3	Horizontal	260	2.42	111.26	33.08	5.91	34.60
PK	5.3602G	60.32	74.00	-13.68	4.15	3	Horizontal	260	2.42	56.17	32.76	5.97	34.58




5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5260MHz\_TX



24/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78969G	46.15	54.00	-7.85	12.79	3	Vertical	277	3.00	33.36	38.01	9.87	35.09
PK	10.5161G	56.01	68.20	-12.19	12.02	3	Vertical	268	1.73	43.99	38.65	8.09	34.72
PK	15.78225G	56.93	74.00	-17.07	12.80	3	Vertical	277	3.00	44.13	38.02	9.87	35.09

5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5260MHz\_TX




24/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76863G	46.21	54.00	-7.79	12.82	3	Horizontal	320	2.02	33.39	38.03	9.87	35.08
PK	10.52519G	54.59	68.20	-13.61	12.06	3	Horizontal	250	2.52	42.53	38.68	8.09	34.71
PK	15.79452G	57.19	74.00	-16.81	12.79	3	Horizontal	320	2.02	44.40	38.01	9.88	35.10



5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3052G	105.20	Inf	-Inf	4.23	3	Vertical	152	1.73	100.97	32.88	5.94	34.59
AV	5.3524G	48.94	54.00	-5.06	4.09	3	Vertical	152	1.73	44.85	32.71	5.96	34.58
PK	5.3052G	116.47	Inf	-Inf	4.23	3	Vertical	152	1.73	112.24	32.88	5.94	34.59
PK	5.3516G	60.49	74.00	-13.51	4.09	3	Vertical	152	1.73	56.40	32.71	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	104.80	Inf	-Inf	4.24	3	Horizontal	261	2.49	100.56	32.89	5.94	34.59
AV	5.3508G	48.32	54.00	-5.68	4.08	3	Horizontal	261	2.49	44.24	32.70	5.96	34.58
PK	5.294G	114.96	Inf	-Inf	4.26	3	Horizontal	261	2.49	110.70	32.92	5.93	34.59
PK	5.3504G	59.93	74.00	-14.07	4.08	3	Horizontal	261	2.49	55.85	32.70	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60231G	45.23	54.00	-8.77	12.33	3	Vertical	268	1.69	32.90	38.90	8.12	34.69
AV	15.91167G	46.09	54.00	-7.91	12.33	3	Vertical	197	1.04	33.76	37.60	9.91	35.18
PK	10.59871G	56.28	68.20	-11.92	12.33	3	Vertical	268	1.69	43.95	38.90	8.12	34.69
PK	15.90204G	56.64	74.00	-17.36	12.33	3	Vertical	197	1.04	44.31	37.60	9.91	35.18

5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60963G	44.02	54.00	-9.98	12.36	3	Horizontal	272	1.50	31.66	38.92	8.13	34.69
AV	15.90915G	45.72	54.00	-8.28	12.33	3	Horizontal	36	2.10	33.39	37.60	9.91	35.18
PK	10.59793G	55.10	68.20	-13.10	12.32	3	Horizontal	272	1.50	42.78	38.89	8.12	34.69
PK	15.89601G	56.66	74.00	-17.34	12.36	3	Horizontal	36	2.10	44.30	37.62	9.91	35.17



5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3216G	105.34	Inf	-Inf	4.17	3	Vertical	152	1.67	101.17	32.81	5.95	34.59
AV	5.35G	53.58	54.00	-0.42	4.08	3	Vertical	152	1.67	49.50	32.70	5.96	34.58
PK	5.323G	117.07	Inf	-Inf	4.17	3	Vertical	152	1.67	112.90	32.81	5.95	34.59
PK	5.35G	66.61	74.00	-7.39	4.08	3	Vertical	152	1.67	62.53	32.70	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3214G	103.62	Inf	-Inf	4.17	3	Horizontal	260	2.36	99.45	32.81	5.95	34.59
AV	5.35G	52.77	54.00	-1.23	4.08	3	Horizontal	260	2.36	48.69	32.70	5.96	34.58
PK	5.3138G	114.90	Inf	-Inf	4.19	3	Horizontal	260	2.36	110.71	32.84	5.94	34.59
PK	5.3534G	66.41	74.00	-7.59	4.10	3	Horizontal	260	2.36	62.31	32.72	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64078G	45.32	54.00	-8.68	12.44	3	Vertical	254	1.73	32.88	38.98	8.14	34.68
AV	15.97434G	46.30	54.00	-7.70	12.30	3	Vertical	312	1.50	34.00	37.60	9.93	35.23
PK	10.63664G	55.54	74.00	-18.46	12.43	3	Vertical	254	1.73	43.11	38.97	8.14	34.68
PK	15.96282G	56.95	74.00	-17.05	12.31	3	Vertical	312	1.50	44.64	37.60	9.93	35.22

5.25-5.35GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64009G	44.20	54.00	-9.80	12.44	3	Horizontal	138	2.37	31.76	38.98	8.14	34.68
AV	15.97488G	45.97	54.00	-8.03	12.30	3	Horizontal	173	2.22	33.67	37.60	9.93	35.23
PK	10.62761G	55.36	74.00	-18.64	12.41	3	Horizontal	138	2.37	42.95	38.96	8.13	34.68
PK	15.95361G	56.80	74.00	-17.20	12.31	3	Horizontal	173	2.22	44.49	37.60	9.93	35.22



5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	49.92	54.00	-4.08	4.26	3	Vertical	187	1.50	45.66	32.82	6.01	34.57
AV	5.495G	105.00	Inf	-Inf	4.35	3	Vertical	187	1.50	100.65	32.89	6.02	34.56
PK	5.4586G	62.53	74.00	-11.47	4.26	3	Vertical	187	1.50	58.27	32.82	6.01	34.57
PK	5.4648G	64.85	68.20	-3.35	4.27	3	Vertical	187	1.50	60.58	32.83	6.01	34.57
PK	5.506G	116.37	Inf	-Inf	4.38	3	Vertical	187	1.50	111.99	32.91	6.03	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	48.95	54.00	-5.05	4.26	3	Horizontal	255	1.69	44.69	32.82	6.01	34.57
AV	5.5016G	103.24	Inf	-Inf	4.37	3	Horizontal	255	1.69	98.87	32.90	6.03	34.56
PK	5.4598G	62.52	74.00	-11.48	4.26	3	Horizontal	255	1.69	58.26	32.82	6.01	34.57
PK	5.4682G	63.08	68.20	-5.12	4.28	3	Horizontal	255	1.69	58.80	32.84	6.01	34.57
PK	5.5026G	114.38	Inf	-Inf	4.38	3	Horizontal	255	1.69	110.00	32.91	6.03	34.56




5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0042G	45.61	54.00	-8.39	12.41	3	Vertical	249	1.61	33.20	38.70	8.29	34.58
PK	11.00621G	55.87	74.00	-18.13	12.40	3	Vertical	249	1.61	43.47	38.69	8.29	34.58
PK	16.51128G	59.26	68.20	-8.94	13.96	3	Vertical	295	1.55	45.30	38.65	10.06	34.75

5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00732G	44.64	54.00	-9.36	12.40	3	Horizontal	334	1.22	32.24	38.69	8.29	34.58
PK	11.00435G	55.50	74.00	-18.50	12.41	3	Horizontal	334	1.22	43.09	38.70	8.29	34.58
PK	16.50411G	58.42	68.20	-9.78	13.99	3	Horizontal	187	1.50	44.43	38.68	10.06	34.75





5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4312G	47.20	54.00	-6.80	4.31	3	Vertical	186	1.40	42.89	32.88	6.00	34.57
AV	5.5758G	104.73	Inf	-Inf	4.50	3	Vertical	186	1.40	100.23	33.00	6.05	34.55
PK	5.4348G	58.98	74.00	-15.02	4.29	3	Vertical	186	1.40	54.69	32.86	6.00	34.57
PK	5.4666G	58.77	68.20	-9.43	4.27	3	Vertical	186	1.40	54.50	32.83	6.01	34.57
PK	5.5746G	116.15	Inf	-Inf	4.50	3	Vertical	186	1.40	111.65	33.00	6.05	34.55
PK	5.7288G	59.17	68.20	-9.03	5.13	3	Vertical	186	1.40	54.04	33.52	6.15	34.54


5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.68	54.00	-7.32	4.26	3	Horizontal	245	2.42	42.42	32.82	6.01	34.57
AV	5.5788G	103.37	Inf	-Inf	4.50	3	Horizontal	245	2.42	98.87	33.00	6.05	34.55
PK	5.4588G	58.21	74.00	-15.79	4.26	3	Horizontal	245	2.42	53.95	32.82	6.01	34.57
PK	5.4678G	58.33	68.20	-9.87	4.28	3	Horizontal	245	2.42	54.05	32.84	6.01	34.57
PK	5.583G	114.78	Inf	-Inf	4.50	3	Horizontal	245	2.42	110.28	33.00	6.05	34.55
PK	5.7264G	58.91	68.20	-9.29	5.12	3	Horizontal	245	2.42	53.79	33.51	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15868G	45.70	54.00	-8.30	12.44	3	Vertical	255	1.38	33.26	38.66	8.36	34.58
PK	11.15244G	57.47	74.00	-16.53	12.42	3	Vertical	255	1.38	45.05	38.65	8.35	34.58
PK	16.74681G	58.39	68.20	-9.81	13.87	3	Vertical	276	1.96	44.52	38.19	10.12	34.44


5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15895G	44.73	54.00	-9.27	12.44	3	Horizontal	327	1.55	32.29	38.66	8.36	34.58
PK	11.1579G	55.99	74.00	-18.01	12.44	3	Horizontal	327	1.55	43.55	38.66	8.36	34.58
PK	16.72845G	58.53	68.20	-9.67	13.80	3	Horizontal	321	1.45	44.73	38.16	10.11	34.47




5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	99.98	Inf	-Inf	4.95	3	Vertical	179	1.50	95.03	33.36	6.13	34.54
PK	5.6952G	111.57	Inf	-Inf	4.95	3	Vertical	179	1.50	106.62	33.36	6.13	34.54
PK	5.7252G	67.95	68.20	-0.25	5.11	3	Vertical	179	1.50	62.84	33.50	6.15	34.54


5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	99.84	Inf	-Inf	4.99	3	Horizontal	247	2.91	94.85	33.40	6.13	34.54
PK	5.7056G	112.14	Inf	-Inf	5.01	3	Horizontal	247	2.91	107.13	33.42	6.13	34.54
PK	5.7264G	67.79	68.20	-0.41	5.12	3	Horizontal	247	2.91	62.67	33.51	6.15	34.54




**5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39886G	47.22	54.00	-6.78	12.79	3	Vertical	206	1.94	34.43	38.90	8.46	34.57
PK	11.40513G	58.22	74.00	-15.78	12.78	3	Vertical	206	1.94	45.44	38.89	8.46	34.57
PK	17.08716G	58.63	68.20	-9.57	14.03	3	Vertical	271	1.00	44.60	38.00	10.20	34.17

**5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40222G	46.03	54.00	-7.97	12.79	3	Horizontal	330	1.51	33.24	38.90	8.46	34.57
PK	11.40033G	57.13	74.00	-16.87	12.79	3	Horizontal	330	1.51	44.34	38.90	8.46	34.57
PK	17.10162G	59.25	68.20	-8.95	14.02	3	Horizontal	136	2.79	45.23	38.00	10.20	34.18



5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	45.95	54.00	-8.05	4.24	3	Vertical	28	1.50	41.71	32.80	6.01	34.57
AV	5.7212G	105.11	Inf	-Inf	5.08	3	Vertical	28	1.50	100.03	33.48	6.14	34.54
PK	5.4536G	57.11	74.00	-16.89	4.25	3	Vertical	28	1.50	52.86	32.81	6.01	34.57
PK	5.4608G	56.75	68.20	-11.45	4.26	3	Vertical	28	1.50	52.49	32.82	6.01	34.57
PK	5.7224G	114.67	Inf	-Inf	5.10	3	Vertical	28	1.50	109.57	33.49	6.15	34.54
PK	5.8712G	58.55	68.20	-9.65	5.89	3	Vertical	28	1.50	52.66	34.18	6.24	34.53


5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.426G	45.79	54.00	-8.21	4.33	3	Horizontal	104	2.41	41.46	32.90	6.00	34.57
AV	5.7152G	103.93	Inf	-Inf	5.06	3	Horizontal	104	2.41	98.87	33.46	6.14	34.54
PK	5.4296G	57.31	74.00	-16.69	4.31	3	Horizontal	104	2.41	53.00	32.88	6.00	34.57
PK	5.4668G	56.61	68.20	-11.59	4.27	3	Horizontal	104	2.41	52.34	32.83	6.01	34.57
PK	5.7236G	114.34	Inf	-Inf	5.10	3	Horizontal	104	2.41	109.24	33.49	6.15	34.54
PK	5.8556G	58.55	68.20	-9.65	5.82	3	Horizontal	104	2.41	52.73	34.12	6.23	34.53

**5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44123G	47.96	54.00	-6.04	12.73	3	Vertical	293	1.54	35.23	38.82	8.48	34.57
PK	11.44111G	59.81	74.00	-14.19	12.73	3	Vertical	293	1.54	47.08	38.82	8.48	34.57
PK	17.16804G	62.96	68.20	-5.24	14.19	3	Vertical	273	1.46	48.77	38.20	10.21	34.22

**5.47-5.725GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43847G	51.12	54.00	-2.88	12.72	3	Horizontal	230	1.65	38.40	38.82	8.47	34.57
PK	11.43904G	62.64	74.00	-11.36	12.72	3	Horizontal	230	1.65	49.92	38.82	8.47	34.57
PK	17.16396G	64.72	68.20	-3.48	14.18	3	Horizontal	182	1.26	50.54	38.19	10.21	34.22



5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	47.03	54.00	-6.97	4.25	3	Vertical	3	1.99	42.78	32.81	6.01	34.57
AV	5.7402G	105.43	Inf	-Inf	5.18	3	Vertical	3	1.99	100.25	33.56	6.16	34.54
PK	5.643G	59.28	68.20	-8.92	4.54	3	Vertical	3	1.99	54.74	33.00	6.09	34.55
PK	5.7402G	116.15	Inf	-Inf	5.18	3	Vertical	3	1.99	110.97	33.56	6.16	34.54
PK	5.967G	58.26	68.20	-9.94	6.03	3	Vertical	3	1.99	52.23	34.27	6.28	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	45.43	54.00	-8.57	4.25	3	Horizontal	297	2.85	41.18	32.81	6.01	34.57
AV	5.7414G	103.95	Inf	-Inf	5.19	3	Horizontal	297	2.85	98.76	33.57	6.16	34.54
PK	5.643G	57.82	68.20	-10.38	4.54	3	Horizontal	297	2.85	53.28	33.00	6.09	34.55
PK	5.7402G	114.69	Inf	-Inf	5.18	3	Horizontal	297	2.85	109.51	33.56	6.16	34.54
PK	5.9274G	57.83	68.20	-10.37	6.03	3	Horizontal	297	2.85	51.80	34.30	6.26	34.53




5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48859G	50.06	54.00	-3.94	12.65	3	Vertical	281	2.82	37.41	38.72	8.50	34.57
PK	11.48754G	62.78	74.00	-11.22	12.64	3	Vertical	281	2.82	50.14	38.72	8.49	34.57
PK	17.23878G	66.38	68.20	-1.82	14.23	3	Vertical	273	1.50	52.15	38.26	10.23	34.26

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48868G	50.92	54.00	-3.08	12.65	3	Horizontal	231	1.68	38.27	38.72	8.50	34.57
PK	11.49045G	63.56	74.00	-10.44	12.65	3	Horizontal	231	1.68	50.91	38.72	8.50	34.57
PK	17.23971G	67.42	68.20	-0.78	14.23	3	Horizontal	196	1.37	53.19	38.26	10.23	34.26





5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78613G	106.02	Inf	-Inf	5.47	3	Vertical	26	1.62	100.55	33.82	6.19	34.54
PK	5.50904G	59.28	68.20	-8.92	4.39	3	Vertical	26	1.62	54.89	32.92	6.03	34.56
PK	5.78734G	116.32	Inf	-Inf	5.47	3	Vertical	26	1.62	110.85	33.82	6.19	34.54
PK	5.92528G	57.81	68.20	-10.39	6.03	3	Vertical	26	1.62	51.78	34.30	6.26	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78008G	103.24	Inf	-Inf	5.43	3	Horizontal	45	1.78	97.81	33.78	6.19	34.54
PK	5.49452G	58.25	68.20	-9.95	4.35	3	Horizontal	45	1.78	53.90	32.89	6.02	34.56
PK	5.78855G	113.86	Inf	-Inf	5.48	3	Horizontal	45	1.78	108.38	33.83	6.19	34.54
PK	6.00514G	57.52	68.20	-10.68	5.96	3	Horizontal	45	1.78	51.56	34.18	6.30	34.52




5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56864G	47.37	54.00	-6.63	12.50	3	Vertical	219	1.68	34.87	38.56	8.53	34.59
PK	11.56762G	56.16	74.00	-17.84	12.50	3	Vertical	219	1.68	43.66	38.56	8.53	34.59
PK	17.35946G	67.08	68.20	-1.12	14.24	3	Vertical	279	1.50	52.84	38.32	10.26	34.34


5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56884G	47.46	54.00	-6.54	12.50	3	Horizontal	239	1.67	34.96	38.56	8.53	34.59
PK	11.56486G	57.99	74.00	-16.01	12.51	3	Horizontal	239	1.67	45.48	38.57	8.53	34.59
PK	17.35854G	67.70	68.20	-0.50	14.24	3	Horizontal	195	1.21	53.46	38.32	10.26	34.34

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	106.39	Inf	-Inf	5.67	3	Vertical	23	1.76	100.72	33.99	6.21	34.53
PK	5.6222G	60.05	68.20	-8.15	4.53	3	Vertical	23	1.76	55.52	33.00	6.08	34.55
PK	5.8262G	116.30	Inf	-Inf	5.68	3	Vertical	23	1.76	110.62	34.00	6.21	34.53
PK	5.9366G	57.70	68.20	-10.50	6.04	3	Vertical	23	1.76	51.66	34.30	6.27	34.53

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	103.04	Inf	-Inf	5.69	3	Horizontal	46	1.86	97.35	34.01	6.21	34.53
PK	5.5982G	57.85	68.20	-10.35	4.51	3	Horizontal	46	1.86	53.34	33.00	6.06	34.55
PK	5.819G	113.05	Inf	-Inf	5.66	3	Horizontal	46	1.86	107.39	33.98	6.21	34.53
PK	6.0878G	57.86	68.20	-10.34	5.73	3	Horizontal	46	1.86	52.13	33.92	6.32	34.51




5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65138G	48.78	54.00	-5.22	12.39	3	Vertical	291	1.66	36.39	38.45	8.56	34.62
PK	11.6515G	59.27	74.00	-14.73	12.39	3	Vertical	291	1.66	46.88	38.45	8.56	34.62
PK	17.47578G	65.21	68.20	-2.99	14.05	3	Vertical	278	1.50	51.16	38.17	10.29	34.41

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6488G	47.80	54.00	-6.20	12.39	3	Horizontal	228	1.62	35.41	38.45	8.56	34.62
PK	11.65884G	57.39	74.00	-16.61	12.39	3	Horizontal	228	1.62	45.00	38.44	8.57	34.62
PK	17.4761G	66.26	68.20	-1.94	14.05	3	Horizontal	195	1.20	52.21	38.17	10.29	34.41



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.67	54.00	-0.33	4.34	3	Vertical	152	1.50	49.33	33.10	5.86	34.62
AV	5.192G	101.38	Inf	-Inf	4.45	3	Vertical	152	1.50	96.93	33.18	5.88	34.61
PK	5.1468G	65.10	74.00	-8.90	4.33	3	Vertical	152	1.50	60.77	33.09	5.86	34.62
PK	5.1868G	113.01	Inf	-Inf	4.43	3	Vertical	152	1.50	108.58	33.17	5.87	34.61

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	53.42	54.00	-0.58	4.33	3	Horizontal	250	1.66	49.09	33.09	5.86	34.62
AV	5.186G	100.42	Inf	-Inf	4.43	3	Horizontal	250	1.66	95.99	33.17	5.87	34.61
PK	5.1444G	65.35	74.00	-8.65	4.32	3	Horizontal	250	1.66	61.03	33.09	5.85	34.62
PK	5.1868G	112.11	Inf	-Inf	4.43	3	Horizontal	250	1.66	107.68	33.17	5.87	34.61




5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56994G	46.23	54.00	-7.77	13.05	3	Vertical	315	1.93	33.18	38.18	9.80	34.93
PK	10.37571G	53.81	68.20	-14.39	11.73	3	Vertical	272	2.23	42.08	38.55	8.03	34.85
PK	15.56961G	53.93	74.00	-20.07	13.05	3	Vertical	315	1.93	40.88	38.18	9.80	34.93


5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56599G	46.14	54.00	-7.86	13.07	3	Horizontal	216	2.36	33.07	38.20	9.80	34.93
PK	10.38127G	54.31	68.20	-13.89	11.73	3	Horizontal	340	1.63	42.58	38.54	8.03	34.84
PK	15.56842G	55.93	74.00	-18.07	13.06	3	Horizontal	216	2.36	42.87	38.19	9.80	34.93

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.24	54.00	-0.76	4.34	3	Vertical	3	2.35	48.90	33.10	5.86	34.62
AV	5.2352G	105.06	Inf	-Inf	4.43	3	Vertical	3	2.35	100.63	33.13	5.90	34.60
PK	5.1496G	66.05	74.00	-7.95	4.34	3	Vertical	3	2.35	61.71	33.10	5.86	34.62
PK	5.2352G	115.56	Inf	-Inf	4.43	3	Vertical	3	2.35	111.13	33.13	5.90	34.60

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.56	54.00	-0.44	4.34	3	Horizontal	271	2.98	49.22	33.10	5.86	34.62
AV	5.226G	105.25	Inf	-Inf	4.44	3	Horizontal	271	2.98	100.81	33.15	5.89	34.60
PK	5.15G	65.20	74.00	-8.80	4.34	3	Horizontal	271	2.98	60.86	33.10	5.86	34.62
PK	5.2256G	115.09	Inf	-Inf	4.44	3	Horizontal	271	2.98	110.65	33.15	5.89	34.60




5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69355G	44.43	54.00	-9.57	12.91	3	Vertical	207	1.44	31.52	38.09	9.84	35.02
PK	10.45911G	53.55	68.20	-14.65	11.86	3	Vertical	80	1.81	41.69	38.56	8.06	34.76
PK	15.68835G	54.73	74.00	-19.27	12.91	3	Vertical	207	1.44	41.82	38.09	9.84	35.02

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69061G	44.47	54.00	-9.53	12.91	3	Horizontal	10	1.03	31.56	38.09	9.84	35.02
PK	10.46112G	54.26	68.20	-13.94	11.86	3	Horizontal	120	2.93	42.40	38.56	8.06	34.76
PK	15.69428G	54.74	74.00	-19.26	12.91	3	Horizontal	10	1.03	41.83	38.09	9.84	35.02





5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2644G	103.99	Inf	-Inf	4.36	3	Vertical	150	1.66	99.63	33.04	5.92	34.60
AV	5.3568G	49.71	54.00	-4.29	4.13	3	Vertical	150	1.66	45.58	32.74	5.97	34.58
PK	5.2668G	116.18	Inf	-Inf	4.35	3	Vertical	150	1.66	111.83	33.03	5.92	34.60
PK	5.3564G	61.96	74.00	-12.04	4.13	3	Vertical	150	1.66	57.83	32.74	5.97	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2644G	102.57	Inf	-Inf	4.36	3	Horizontal	260	2.50	98.21	33.04	5.92	34.60
AV	5.3512G	49.62	54.00	-4.38	4.09	3	Horizontal	260	2.50	45.53	32.71	5.96	34.58
PK	5.2668G	115.05	Inf	-Inf	4.35	3	Horizontal	260	2.50	110.70	33.03	5.92	34.60
PK	5.3532G	61.59	74.00	-12.41	4.10	3	Horizontal	260	2.50	57.49	32.72	5.96	34.58




5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80617G	44.58	54.00	-9.42	12.75	3	Vertical	155	1.53	31.83	37.98	9.88	35.11
PK	10.53872G	52.06	68.20	-16.14	12.11	3	Vertical	256	2.94	39.95	38.72	8.10	34.71
PK	15.8139G	52.88	74.00	-21.12	12.71	3	Vertical	155	1.53	40.17	37.94	9.88	35.11

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80849G	44.60	54.00	-9.40	12.74	3	Horizontal	85	1.91	31.86	37.97	9.88	35.11
PK	10.54431G	52.44	68.20	-15.76	12.12	3	Horizontal	294	1.82	40.32	38.73	8.10	34.71
PK	15.81458G	54.02	74.00	-19.98	12.71	3	Horizontal	85	1.91	41.31	37.94	9.88	35.11



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.312G	101.68	Inf	-Inf	4.20	3	Vertical	150	1.72	97.48	32.85	5.94	34.59
AV	5.3516G	52.88	54.00	-1.12	4.09	3	Vertical	150	1.72	48.79	32.71	5.96	34.58
PK	5.3068G	113.98	Inf	-Inf	4.22	3	Vertical	150	1.72	109.76	32.87	5.94	34.59
PK	5.3564G	65.00	74.00	-9.00	4.13	3	Vertical	150	1.72	60.87	32.74	5.97	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	99.62	Inf	-Inf	4.23	3	Horizontal	259	2.48	95.39	32.88	5.94	34.59
AV	5.3512G	52.66	54.00	-1.34	4.09	3	Horizontal	259	2.48	48.57	32.71	5.96	34.58
PK	5.3068G	112.01	Inf	-Inf	4.22	3	Horizontal	259	2.48	107.79	32.87	5.94	34.59
PK	5.3508G	66.27	74.00	-7.73	4.08	3	Horizontal	259	2.48	62.19	32.70	5.96	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62193G	42.99	54.00	-11.01	12.38	3	Vertical	26	2.69	30.61	38.94	8.13	34.69
AV	15.93173G	44.18	54.00	-9.82	12.32	3	Vertical	219	1.71	31.86	37.60	9.92	35.20
PK	10.62487G	52.42	74.00	-21.58	12.39	3	Vertical	26	2.69	40.03	38.95	8.13	34.69
PK	15.92932G	54.38	74.00	-19.62	12.32	3	Vertical	219	1.71	42.06	37.60	9.92	35.20

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62444G	43.09	54.00	-10.91	12.39	3	Horizontal	264	2.29	30.70	38.95	8.13	34.69
AV	15.92894G	44.17	54.00	-9.83	12.32	3	Horizontal	5	1.15	31.85	37.60	9.92	35.20
PK	10.61639G	51.74	74.00	-22.26	12.37	3	Horizontal	264	2.29	39.37	38.93	8.13	34.69
PK	15.93418G	52.02	74.00	-21.98	12.32	3	Horizontal	5	1.15	39.70	37.60	9.92	35.20

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	53.15	54.00	-0.85	4.25	3	Vertical	186	1.50	48.90	32.81	6.01	34.57
AV	5.5052G	103.45	Inf	-Inf	4.38	3	Vertical	186	1.50	99.07	32.91	6.03	34.56
PK	5.4644G	66.90	68.20	-1.30	4.27	3	Vertical	186	1.50	62.63	32.83	6.01	34.57
PK	5.5152G	115.22	Inf	-Inf	4.40	3	Vertical	186	1.50	110.82	32.93	6.03	34.56

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	51.44	54.00	-2.56	4.26	3	Horizontal	237	2.80	47.18	32.82	6.01	34.57
AV	5.522G	101.90	Inf	-Inf	4.41	3	Horizontal	237	2.80	97.49	32.94	6.03	34.56
PK	5.4644G	64.93	68.20	-3.27	4.27	3	Horizontal	237	2.80	60.66	32.83	6.01	34.57
PK	5.5068G	113.83	Inf	-Inf	4.38	3	Horizontal	237	2.80	109.45	32.91	6.03	34.56




5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01805G	45.01	54.00	-8.99	12.40	3	Vertical	8	1.72	32.61	38.68	8.30	34.58
PK	11.01888G	55.34	74.00	-18.66	12.40	3	Vertical	8	1.72	42.94	38.68	8.30	34.58
PK	16.53209G	55.87	68.20	-12.33	13.92	3	Vertical	97	2.71	41.95	38.57	10.07	34.72


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02491G	45.03	54.00	-8.97	12.40	3	Horizontal	84	1.01	32.63	38.68	8.30	34.58
PK	11.01515G	54.66	74.00	-19.34	12.40	3	Horizontal	84	1.01	42.26	38.68	8.30	34.58
PK	16.5336G	56.54	68.20	-11.66	13.92	3	Horizontal	116	1.03	42.62	38.57	10.07	34.72

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.78	54.00	-5.22	4.26	3	Vertical	186	1.50	44.52	32.82	6.01	34.57
AV	5.5448G	103.15	Inf	-Inf	4.47	3	Vertical	186	1.50	98.68	32.99	6.04	34.56
PK	5.4656G	61.74	68.20	-6.46	4.27	3	Vertical	186	1.50	57.47	32.83	6.01	34.57
PK	5.552G	114.68	Inf	-Inf	4.48	3	Vertical	186	1.50	110.20	33.00	6.04	34.56


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	47.74	54.00	-6.26	4.24	3	Horizontal	239	2.53	43.50	32.80	6.01	34.57
AV	5.5564G	101.84	Inf	-Inf	4.48	3	Horizontal	239	2.53	97.36	33.00	6.04	34.56
PK	5.4656G	59.74	68.20	-8.46	4.27	3	Horizontal	239	2.53	55.47	32.83	6.01	34.57
PK	5.5468G	113.97	Inf	-Inf	4.47	3	Horizontal	239	2.53	109.50	32.99	6.04	34.56

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5550MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09992G	44.63	54.00	-9.37	12.35	3	Vertical	39	1.73	32.28	38.60	8.33	34.58
PK	11.10281G	54.85	74.00	-19.15	12.35	3	Vertical	39	1.73	42.50	38.60	8.33	34.58
PK	16.6503G	56.53	68.20	-11.67	13.72	3	Vertical	122	2.03	42.81	38.20	10.09	34.57

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5550MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10071G	44.61	54.00	-9.39	12.35	3	Horizontal	135	2.17	32.26	38.60	8.33	34.58
PK	11.09667G	54.87	74.00	-19.13	12.35	3	Horizontal	135	2.17	42.52	38.60	8.33	34.58
PK	16.645G	55.41	68.20	-12.79	13.73	3	Horizontal	248	1.53	41.68	38.21	10.09	34.57






5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.667G	102.84	Inf	-Inf	4.70	3	Vertical	188	1.51	98.14	33.14	6.11	34.55
PK	5.667G	114.27	Inf	-Inf	4.70	3	Vertical	188	1.51	109.57	33.14	6.11	34.55
PK	5.727G	66.42	68.20	-1.78	5.12	3	Vertical	188	1.51	61.30	33.51	6.15	34.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6616G	101.82	Inf	-Inf	4.64	3	Horizontal	241	2.94	97.18	33.09	6.10	34.55
PK	5.667G	114.51	Inf	-Inf	4.70	3	Horizontal	241	2.94	109.81	33.14	6.11	34.55
PK	5.7318G	66.34	68.20	-1.86	5.14	3	Horizontal	241	2.94	61.20	33.53	6.15	34.54

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33555G	44.42	54.00	-9.58	12.76	3	Vertical	334	2.62	31.66	38.90	8.43	34.57
PK	11.34474G	54.33	74.00	-19.67	12.76	3	Vertical	334	2.62	41.57	38.90	8.43	34.57
PK	17.01378G	57.79	68.20	-10.41	14.05	3	Vertical	261	2.32	43.74	38.00	10.18	34.13

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33882G	44.62	54.00	-9.38	12.76	3	Horizontal	157	1.37	31.86	38.90	8.43	34.57
PK	11.34269G	54.20	74.00	-19.80	12.76	3	Horizontal	157	1.37	41.44	38.90	8.43	34.57
PK	17.01257G	55.19	68.20	-13.01	14.05	3	Horizontal	341	2.22	41.14	38.00	10.18	34.13



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	48.25	54.00	-5.75	4.24	3	Vertical	0	2.02	44.01	32.80	6.01	34.57
AV	5.7076G	105.38	Inf	-Inf	5.03	3	Vertical	0	2.02	100.35	33.43	6.14	34.54
PK	5.4676G	57.95	68.20	-10.25	4.28	3	Vertical	0	2.02	53.67	32.84	6.01	34.57
PK	5.7148G	115.22	Inf	-Inf	5.06	3	Vertical	0	2.02	110.16	33.46	6.14	34.54
PK	5.8528G	58.68	68.20	-9.52	5.81	3	Vertical	0	2.02	52.87	34.11	6.23	34.53

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4196G	47.55	54.00	-6.45	4.35	3	Horizontal	100	2.42	43.20	32.92	6.00	34.57
AV	5.7028G	103.98	Inf	-Inf	5.00	3	Horizontal	100	2.42	98.98	33.41	6.13	34.54
PK	5.4652G	56.93	68.20	-11.27	4.27	3	Horizontal	100	2.42	52.66	32.83	6.01	34.57
PK	5.698G	113.29	Inf	-Inf	4.97	3	Horizontal	100	2.42	108.32	33.38	6.13	34.54
PK	5.8564G	58.85	68.20	-9.35	5.83	3	Horizontal	100	2.42	53.02	34.13	6.23	34.53




**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41774G	43.30	54.00	-10.70	12.76	3	Vertical	340	1.30	30.54	38.86	8.47	34.57
PK	11.41761G	53.56	74.00	-20.44	12.76	3	Vertical	340	1.30	40.80	38.86	8.47	34.57
PK	17.1347G	56.59	68.20	-11.61	14.11	3	Vertical	185	2.05	42.48	38.10	10.21	34.20

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4233G	43.24	54.00	-10.76	12.75	3	Horizontal	228	2.62	30.49	38.85	8.47	34.57
PK	11.41706G	53.79	74.00	-20.21	12.77	3	Horizontal	228	2.62	41.02	38.87	8.47	34.57
PK	17.12801G	56.30	68.20	-11.90	14.09	3	Horizontal	98	2.60	42.21	38.08	10.21	34.20



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	105.51	Inf	-Inf	5.30	3	Vertical	23	1.80	100.21	33.67	6.17	34.54
PK	5.6482G	64.79	68.20	-3.41	4.54	3	Vertical	23	1.80	60.25	33.00	6.09	34.55
PK	5.7502G	114.00	Inf	-Inf	5.23	3	Vertical	23	1.80	108.77	33.60	6.17	34.54
PK	5.9866G	58.11	68.20	-10.09	6.00	3	Vertical	23	1.80	52.11	34.23	6.29	34.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	102.75	Inf	-Inf	5.22	3	Horizontal	45	1.80	97.53	33.60	6.16	34.54
PK	5.6482G	60.95	68.20	-7.25	4.54	3	Horizontal	45	1.80	56.41	33.00	6.09	34.55
PK	5.7514G	113.62	Inf	-Inf	5.24	3	Horizontal	45	1.80	108.38	33.61	6.17	34.54
PK	5.9314G	57.94	68.20	-10.26	6.04	3	Horizontal	45	1.80	51.90	34.30	6.27	34.53




5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5119G	49.02	54.00	-4.98	12.61	3	Vertical	288	2.81	36.41	38.68	8.50	34.57
PK	11.50864G	58.09	74.00	-15.91	12.61	3	Vertical	288	2.81	45.48	38.68	8.50	34.57
PK	17.26052G	63.24	68.20	-4.96	14.20	3	Vertical	278	1.49	49.04	38.24	10.24	34.28

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50928G	49.93	54.00	-4.07	12.61	3	Horizontal	241	1.72	37.32	38.68	8.50	34.57
PK	11.51224G	59.09	74.00	-14.91	12.62	3	Horizontal	241	1.72	46.47	38.68	8.51	34.57
PK	17.27008G	63.23	68.20	-4.97	14.19	3	Horizontal	200	1.50	49.04	38.23	10.24	34.28



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	106.19	Inf	-Inf	5.56	3	Vertical	9	3.00	100.63	33.90	6.20	34.54
PK	5.5454G	59.33	68.20	-8.87	4.47	3	Vertical	9	3.00	54.86	32.99	6.04	34.56
PK	5.7902G	115.02	Inf	-Inf	5.49	3	Vertical	9	3.00	109.53	33.84	6.19	34.54
PK	5.933G	58.19	68.20	-10.01	6.04	3	Vertical	9	3.00	52.15	34.30	6.27	34.53


5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	103.27	Inf	-Inf	5.49	3	Horizontal	47	1.74	97.78	33.84	6.19	34.54
PK	5.5934G	59.46	68.20	-8.74	4.51	3	Horizontal	47	1.74	54.95	33.00	6.06	34.55
PK	5.7998G	112.14	Inf	-Inf	5.56	3	Horizontal	47	1.74	106.58	33.90	6.20	34.54
PK	5.9534G	57.85	68.20	-10.35	6.05	3	Horizontal	47	1.74	51.80	34.29	6.28	34.52

**5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59106G	47.32	54.00	-6.68	12.46	3	Vertical	289	1.64	34.86	38.52	8.54	34.60
PK	11.58878G	55.33	74.00	-18.67	12.46	3	Vertical	289	1.64	42.87	38.52	8.54	34.60
PK	17.3826G	65.70	68.20	-2.50	14.28	3	Vertical	280	1.49	51.42	38.37	10.26	34.35

**5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5795MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5897G	46.00	54.00	-8.00	12.46	3	Horizontal	231	1.58	33.54	38.52	8.54	34.60
PK	11.58634G	55.18	74.00	-18.82	12.47	3	Horizontal	231	1.58	42.71	38.53	8.54	34.60
PK	17.38898G	65.43	68.20	-2.77	14.30	3	Horizontal	199	1.18	51.13	38.38	10.27	34.35





5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.36	54.00	-0.64	4.34	3	Vertical	340	2.68	49.02	33.10	5.86	34.62
AV	5.196G	101.04	Inf	-Inf	4.46	3	Vertical	340	2.68	96.58	33.19	5.88	34.61
PK	5.15G	64.86	74.00	-9.14	4.34	3	Vertical	340	2.68	60.52	33.10	5.86	34.62
PK	5.186G	113.00	Inf	-Inf	4.43	3	Vertical	340	2.68	108.57	33.17	5.87	34.61

5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.81	54.00	-0.19	4.34	3	Horizontal	253	1.84	49.47	33.10	5.86	34.62
AV	5.1936G	99.64	Inf	-Inf	4.46	3	Horizontal	253	1.84	95.18	33.19	5.88	34.61
PK	5.15G	66.54	74.00	-7.46	4.34	3	Horizontal	253	1.84	62.20	33.10	5.86	34.62
PK	5.1872G	111.30	Inf	-Inf	4.43	3	Horizontal	253	1.84	106.87	33.17	5.87	34.61




5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55572G	46.33	54.00	-7.67	13.15	3	Vertical	360	1.50	33.18	38.27	9.80	34.92
PK	10.40058G	55.42	68.20	-12.78	11.72	3	Vertical	78	1.50	43.70	38.50	8.04	34.82
PK	15.5838G	58.50	74.00	-15.50	12.97	3	Vertical	360	1.50	45.53	38.10	9.81	34.94


5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54342G	46.09	54.00	-7.91	13.23	3	Horizontal	120	1.04	32.86	38.34	9.80	34.91
PK	10.3905G	54.96	68.20	-13.24	11.72	3	Horizontal	296	1.50	43.24	38.52	8.03	34.83
PK	15.54126G	56.80	74.00	-17.20	13.24	3	Horizontal	120	1.04	43.56	38.35	9.80	34.91

5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.83	54.00	-0.17	4.34	3	Vertical	351	2.55	49.49	33.10	5.86	34.62
AV	5.2248G	103.93	Inf	-Inf	4.44	3	Vertical	351	2.55	99.49	33.15	5.89	34.60
PK	5.15G	64.58	74.00	-9.42	4.34	3	Vertical	351	2.55	60.24	33.10	5.86	34.62
PK	5.2244G	112.99	Inf	-Inf	4.44	3	Vertical	351	2.55	108.55	33.15	5.89	34.60

5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.68	54.00	-0.32	4.34	3	Horizontal	278	2.97	49.34	33.10	5.86	34.62
AV	5.236G	103.96	Inf	-Inf	4.43	3	Horizontal	278	2.97	99.53	33.13	5.90	34.60
PK	5.1468G	63.57	74.00	-10.43	4.33	3	Horizontal	278	2.97	59.24	33.09	5.86	34.62
PK	5.2344G	113.89	Inf	-Inf	4.43	3	Horizontal	278	2.97	109.46	33.13	5.90	34.60




5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5230MHz\_TX



21/10/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69488G	45.39	54.00	-8.61	12.91	3	Vertical	72	2.36	32.48	38.09	9.84	35.02
PK	10.456G	53.04	68.20	-15.16	11.86	3	Vertical	167	2.86	41.18	38.56	8.06	34.76
PK	15.69323G	54.09	74.00	-19.91	12.91	3	Vertical	72	2.36	41.18	38.09	9.84	35.02

5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5230MHz\_TX




21/10/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69297G	45.50	54.00	-8.50	12.91	3	Horizontal	192	1.63	32.59	38.09	9.84	35.02
PK	10.45668G	53.57	68.20	-14.63	11.86	3	Horizontal	64	2.00	41.71	38.56	8.06	34.76
PK	15.69276G	54.38	74.00	-19.62	12.91	3	Horizontal	192	1.63	41.47	38.09	9.84	35.02

5.25-5.35GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2736G	102.58	Inf	-Inf	4.33	3	Vertical	151	1.68	98.25	33.01	5.92	34.60
AV	5.3516G	49.76	54.00	-4.24	4.09	3	Vertical	151	1.68	45.67	32.71	5.96	34.58
PK	5.2732G	114.55	Inf	-Inf	4.33	3	Vertical	151	1.68	110.22	33.01	5.92	34.60
PK	5.3668G	61.65	74.00	-12.35	4.19	3	Vertical	151	1.68	57.46	32.80	5.97	34.58


5.25-5.35GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2736G	101.24	Inf	-Inf	4.33	3	Horizontal	261	2.52	96.91	33.01	5.92	34.60
AV	5.3516G	49.12	54.00	-4.88	4.09	3	Horizontal	261	2.52	45.03	32.71	5.96	34.58
PK	5.2672G	113.20	Inf	-Inf	4.35	3	Horizontal	261	2.52	108.85	33.03	5.92	34.60
PK	5.3532G	60.78	74.00	-13.22	4.10	3	Horizontal	261	2.52	56.68	32.72	5.96	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80064G	46.20	54.00	-7.80	12.78	3	Vertical	300	1.50	33.42	38.00	9.88	35.10
PK	10.5406G	55.61	68.20	-12.59	12.11	3	Vertical	266	1.49	43.50	38.72	8.10	34.71
PK	15.83568G	57.16	74.00	-16.84	12.62	3	Vertical	300	1.50	44.54	37.86	9.89	35.13


5.25-5.35GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78606G	46.07	54.00	-7.93	12.79	3	Horizontal	118	1.50	33.28	38.01	9.87	35.09
PK	10.54288G	55.07	68.20	-13.13	12.12	3	Horizontal	208	2.79	42.95	38.73	8.10	34.71
PK	15.81876G	56.64	74.00	-17.36	12.68	3	Horizontal	118	1.50	43.96	37.92	9.88	35.12

5.25-5.35GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3072G	100.78	Inf	-Inf	4.22	3	Vertical	150	1.73	96.56	32.87	5.94	34.59
AV	5.35G	53.64	54.00	-0.36	4.08	3	Vertical	150	1.73	49.56	32.70	5.96	34.58
PK	5.3132G	112.66	Inf	-Inf	4.20	3	Vertical	150	1.73	108.46	32.85	5.94	34.59
PK	5.3536G	65.62	74.00	-8.38	4.10	3	Vertical	150	1.73	61.52	32.72	5.96	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3144G	100.59	Inf	-Inf	4.19	3	Horizontal	264	2.38	96.40	32.84	5.94	34.59
AV	5.3504G	53.85	54.00	-0.15	4.08	3	Horizontal	264	2.38	49.77	32.70	5.96	34.58
PK	5.3072G	112.23	Inf	-Inf	4.22	3	Horizontal	264	2.38	108.01	32.87	5.94	34.59
PK	5.3512G	65.86	74.00	-8.14	4.09	3	Horizontal	264	2.38	61.77	32.71	5.96	34.58



5.25-5.35GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6158G	44.29	54.00	-9.71	12.37	3	Vertical	253	1.50	31.92	38.93	8.13	34.69
AV	15.95952G	45.87	54.00	-8.13	12.31	3	Vertical	158	1.50	33.56	37.60	9.93	35.22
PK	10.61772G	55.01	74.00	-18.99	12.38	3	Vertical	253	1.50	42.63	38.94	8.13	34.69
PK	15.93708G	56.58	74.00	-17.42	12.32	3	Vertical	158	1.50	44.26	37.60	9.92	35.20

5.25-5.35GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63968G	43.95	54.00	-10.05	12.44	3	Horizontal	0	1.50	31.51	38.98	8.14	34.68
AV	15.91476G	45.94	54.00	-8.06	12.32	3	Horizontal	302	1.50	33.62	37.60	9.91	35.19
PK	10.6137G	55.23	74.00	-18.77	12.37	3	Horizontal	0	1.50	42.86	38.93	8.13	34.69
PK	15.92838G	56.51	74.00	-17.49	12.32	3	Horizontal	302	1.50	44.19	37.60	9.92	35.20



5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	53.57	54.00	-0.43	4.26	3	Vertical	179	1.50	49.31	32.82	6.01	34.57
AV	5.5052G	102.55	Inf	-Inf	4.38	3	Vertical	179	1.50	98.17	32.91	6.03	34.56
PK	5.4568G	66.19	74.00	-7.81	4.25	3	Vertical	179	1.50	61.94	32.81	6.01	34.57
PK	5.4616G	66.76	68.20	-1.44	4.26	3	Vertical	179	1.50	62.50	32.82	6.01	34.57
PK	5.5048G	113.87	Inf	-Inf	4.38	3	Vertical	179	1.50	109.49	32.91	6.03	34.56

5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	52.84	54.00	-1.16	4.26	3	Horizontal	254	1.70	48.58	32.82	6.01	34.57
AV	5.5136G	100.49	Inf	-Inf	4.40	3	Horizontal	254	1.70	96.09	32.93	6.03	34.56
PK	5.4584G	64.98	74.00	-9.02	4.26	3	Horizontal	254	1.70	60.72	32.82	6.01	34.57
PK	5.4648G	65.32	68.20	-2.88	4.27	3	Horizontal	254	1.70	61.05	32.83	6.01	34.57
PK	5.5072G	112.43	Inf	-Inf	4.38	3	Horizontal	254	1.70	108.05	32.91	6.03	34.56




5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03878G	45.13	54.00	-8.87	12.39	3	Vertical	247	1.52	32.74	38.66	8.31	34.58
PK	11.0473G	55.38	74.00	-18.62	12.38	3	Vertical	247	1.52	43.00	38.65	8.31	34.58
PK	16.55676G	58.98	68.20	-9.22	13.85	3	Vertical	289	1.50	45.13	38.47	10.07	34.69

5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99036G	44.72	54.00	-9.28	12.43	3	Horizontal	163	1.50	32.29	38.72	8.29	34.58
PK	11.02762G	55.95	74.00	-18.05	12.39	3	Horizontal	163	1.50	43.56	38.67	8.30	34.58
PK	16.5444G	58.36	68.20	-9.84	13.89	3	Horizontal	219	1.50	44.47	38.52	10.07	34.70



5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.69	54.00	-5.31	4.26	3	Vertical	185	1.50	44.43	32.82	6.01	34.57
AV	5.5432G	102.05	Inf	-Inf	4.47	3	Vertical	185	1.50	97.58	32.99	6.04	34.56
PK	5.4592G	60.55	74.00	-13.45	4.26	3	Vertical	185	1.50	56.29	32.82	6.01	34.57
PK	5.4612G	61.88	68.20	-6.32	4.26	3	Vertical	185	1.50	57.62	32.82	6.01	34.57
PK	5.5472G	113.37	Inf	-Inf	4.47	3	Vertical	185	1.50	108.90	32.99	6.04	34.56

5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.60	54.00	-6.40	4.26	3	Horizontal	239	2.42	43.34	32.82	6.01	34.57
AV	5.544G	101.00	Inf	-Inf	4.47	3	Horizontal	239	2.42	96.53	32.99	6.04	34.56
PK	5.4544G	59.44	74.00	-14.56	4.25	3	Horizontal	239	2.42	55.19	32.81	6.01	34.57
PK	5.4684G	60.13	68.20	-8.07	4.28	3	Horizontal	239	2.42	55.85	32.84	6.01	34.57
PK	5.5476G	112.94	Inf	-Inf	4.48	3	Horizontal	239	2.42	108.46	33.00	6.04	34.56




5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10138G	45.25	54.00	-8.75	12.35	3	Vertical	254	1.55	32.90	38.60	8.33	34.58
PK	11.08812G	56.12	74.00	-17.88	12.36	3	Vertical	254	1.55	43.76	38.61	8.33	34.58
PK	16.64208G	58.32	68.20	-9.88	13.73	3	Vertical	298	1.50	44.59	38.22	10.09	34.58


5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07018G	44.63	54.00	-9.37	12.37	3	Horizontal	263	1.50	32.26	38.63	8.32	34.58
PK	11.0736G	55.69	74.00	-18.31	12.37	3	Horizontal	263	1.50	43.32	38.63	8.32	34.58
PK	16.6461G	58.82	68.20	-9.38	13.73	3	Horizontal	321	1.35	45.09	38.21	10.09	34.57




**5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.667G	101.27	Inf	-Inf	4.70	3	Vertical	184	1.52	96.57	33.14	6.11	34.55
PK	5.667G	113.58	Inf	-Inf	4.70	3	Vertical	184	1.52	108.88	33.14	6.11	34.55
PK	5.7252G	67.06	68.20	-1.14	5.11	3	Vertical	184	1.52	61.95	33.50	6.15	34.54

**5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.664G	100.74	Inf	-Inf	4.66	3	Horizontal	247	2.96	96.08	33.11	6.10	34.55
PK	5.6676G	112.44	Inf	-Inf	4.70	3	Horizontal	247	2.96	107.74	33.14	6.11	34.55
PK	5.7252G	66.01	68.20	-2.19	5.11	3	Horizontal	247	2.96	60.90	33.50	6.15	34.54

**5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33874G	48.06	54.00	-5.94	12.76	3	Vertical	207	1.93	35.30	38.90	8.43	34.57
PK	11.33412G	59.03	74.00	-14.97	12.76	3	Vertical	207	1.93	46.27	38.90	8.43	34.57
PK	17.02452G	58.40	68.20	-9.80	14.05	3	Vertical	295	2.33	44.35	38.00	10.18	34.13

**5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34342G	46.66	54.00	-7.34	12.76	3	Horizontal	332	1.50	33.90	38.90	8.43	34.57
PK	11.34006G	57.26	74.00	-16.74	12.76	3	Horizontal	332	1.50	44.50	38.90	8.43	34.57
PK	17.00436G	57.95	68.20	-10.25	14.06	3	Horizontal	327	1.50	43.89	38.00	10.18	34.12



5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.434G	48.24	54.00	-5.76	4.29	3	Vertical	358	1.87	43.95	32.86	6.00	34.57
AV	5.7052G	104.11	Inf	-Inf	5.01	3	Vertical	358	1.87	99.10	33.42	6.13	34.54
PK	5.464G	58.33	68.20	-9.87	4.27	3	Vertical	358	1.87	54.06	32.83	6.01	34.57
PK	5.7076G	113.33	Inf	-Inf	5.03	3	Vertical	358	1.87	108.30	33.43	6.14	34.54
PK	5.8996G	58.78	68.20	-9.42	6.02	3	Vertical	358	1.87	52.76	34.30	6.25	34.53

5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4304G	47.04	54.00	-6.96	4.31	3	Horizontal	104	2.36	42.73	32.88	6.00	34.57
AV	5.7148G	101.97	Inf	-Inf	5.06	3	Horizontal	104	2.36	96.91	33.46	6.14	34.54
PK	5.4616G	55.99	68.20	-12.21	4.26	3	Horizontal	104	2.36	51.73	32.82	6.01	34.57
PK	5.7076G	111.68	Inf	-Inf	5.03	3	Horizontal	104	2.36	106.65	33.43	6.14	34.54
PK	5.8516G	58.73	68.20	-9.47	5.81	3	Horizontal	104	2.36	52.92	34.11	6.23	34.53




**5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41783G	44.71	54.00	-9.29	12.76	3	Vertical	167	2.42	31.95	38.86	8.47	34.57
PK	11.4208G	53.94	74.00	-20.06	12.76	3	Vertical	167	2.42	41.18	38.86	8.47	34.57
PK	17.13129G	56.22	68.20	-11.98	14.10	3	Vertical	280	1.57	42.12	38.09	10.21	34.20

**5.47-5.725GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41994G	44.63	54.00	-9.37	12.76	3	Horizontal	357	1.14	31.87	38.86	8.47	34.57
PK	11.4177G	55.30	74.00	-18.70	12.76	3	Horizontal	357	1.14	42.54	38.86	8.47	34.57
PK	17.12502G	55.76	68.20	-12.44	14.08	3	Horizontal	95	2.41	41.68	38.08	10.20	34.20





5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	103.71	Inf	-Inf	5.30	3	Vertical	24	1.80	98.41	33.67	6.17	34.54
PK	5.6482G	62.73	68.20	-5.47	4.54	3	Vertical	24	1.80	58.19	33.00	6.09	34.55
PK	5.761G	113.58	Inf	-Inf	5.30	3	Vertical	24	1.80	108.28	33.67	6.17	34.54
PK	5.9602G	58.05	68.20	-10.15	6.04	3	Vertical	24	1.80	52.01	34.28	6.28	34.52

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	101.19	Inf	-Inf	5.28	3	Horizontal	47	1.81	95.91	33.65	6.17	34.54
PK	5.6446G	59.35	68.20	-8.85	4.54	3	Horizontal	47	1.81	54.81	33.00	6.09	34.55
PK	5.7526G	111.97	Inf	-Inf	5.25	3	Horizontal	47	1.81	106.72	33.62	6.17	34.54
PK	5.9422G	57.83	68.20	-10.37	6.05	3	Horizontal	47	1.81	51.78	34.30	6.27	34.52




**5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5111G	47.38	54.00	-6.62	12.61	3	Vertical	247	1.53	34.77	38.68	8.50	34.57
PK	11.51744G	56.30	74.00	-17.70	12.60	3	Vertical	247	1.53	43.70	38.67	8.51	34.58
PK	17.27428G	65.29	68.20	-2.91	14.19	3	Vertical	278	1.50	51.10	38.23	10.24	34.28

**5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5755MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50384G	49.12	54.00	-4.88	12.62	3	Horizontal	240	1.66	36.50	38.69	8.50	34.57
PK	11.51112G	59.50	74.00	-14.50	12.61	3	Horizontal	240	1.66	46.89	38.68	8.50	34.57
PK	17.26418G	65.40	68.20	-2.80	14.20	3	Horizontal	200	1.38	51.20	38.24	10.24	34.28



5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	104.44	Inf	-Inf	5.54	3	Vertical	27	1.65	98.90	33.88	6.20	34.54
PK	5.6366G	59.03	68.20	-9.17	4.54	3	Vertical	27	1.65	54.49	33.00	6.09	34.55
PK	5.7914G	113.97	Inf	-Inf	5.50	3	Vertical	27	1.65	108.47	33.85	6.19	34.54
PK	5.9282G	57.40	68.20	-10.80	6.03	3	Vertical	27	1.65	51.37	34.30	6.26	34.53


5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	101.59	Inf	-Inf	5.51	3	Horizontal	49	1.79	96.08	33.86	6.19	34.54
PK	5.6354G	57.76	68.20	-10.44	4.53	3	Horizontal	49	1.79	53.23	33.00	6.08	34.55
PK	5.7926G	111.36	Inf	-Inf	5.51	3	Horizontal	49	1.79	105.85	33.86	6.19	34.54
PK	5.9294G	57.87	68.20	-10.33	6.03	3	Horizontal	49	1.79	51.84	34.30	6.26	34.53

**5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5795MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5882G	47.45	54.00	-6.55	12.46	3	Vertical	289	1.63	34.99	38.52	8.54	34.60
PK	11.60044G	58.41	74.00	-15.59	12.44	3	Vertical	289	1.63	45.97	38.50	8.54	34.60
PK	17.38416G	66.49	68.20	-1.71	14.29	3	Vertical	278	1.39	52.20	38.37	10.27	34.35

**5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5795MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59174G	47.46	54.00	-6.54	12.46	3	Horizontal	237	1.76	35.00	38.52	8.54	34.60
PK	11.57134G	58.75	74.00	-15.25	12.50	3	Horizontal	237	1.76	46.25	38.56	8.53	34.59
PK	17.39406G	67.84	68.20	-0.36	14.30	3	Horizontal	195	1.22	53.54	38.39	10.27	34.36

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	53.81	54.00	-0.19	4.30	3	Vertical	150	1.59	49.51	33.07	5.85	34.62
AV	5.2G	98.65	Inf	-Inf	4.47	3	Vertical	150	1.59	94.18	33.20	5.88	34.61
AV	5.359G	49.66	54.00	-4.34	4.14	3	Vertical	150	1.59	45.52	32.75	5.97	34.58
PK	5.147G	64.50	74.00	-9.50	4.33	3	Vertical	150	1.59	60.17	33.09	5.86	34.62
PK	5.227G	110.31	Inf	-Inf	4.44	3	Vertical	150	1.59	105.87	33.15	5.89	34.60
PK	5.369G	61.20	74.00	-12.80	4.20	3	Vertical	150	1.59	57.00	32.81	5.97	34.58

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.77	54.00	-1.23	4.34	3	Horizontal	250	1.63	48.43	33.10	5.86	34.62
AV	5.221G	97.09	Inf	-Inf	4.45	3	Horizontal	250	1.63	92.64	33.16	5.89	34.60
AV	5.35G	48.53	54.00	-5.47	4.08	3	Horizontal	250	1.63	44.45	32.70	5.96	34.58
PK	5.149G	63.95	74.00	-10.05	4.34	3	Horizontal	250	1.63	59.61	33.10	5.86	34.62
PK	5.221G	108.83	Inf	-Inf	4.45	3	Horizontal	250	1.63	104.38	33.16	5.89	34.60
PK	5.377G	59.81	74.00	-14.19	4.26	3	Horizontal	250	1.63	55.55	32.86	5.98	34.58

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63148G	46.34	54.00	-7.66	12.87	3	Vertical	52	1.99	33.47	38.03	9.82	34.98
PK	10.41533G	54.97	68.20	-13.23	11.75	3	Vertical	305	2.31	43.22	38.52	8.04	34.81
PK	15.6285G	54.19	74.00	-19.81	12.87	3	Vertical	52	1.99	41.32	38.03	9.82	34.98

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62837G	46.36	54.00	-7.64	12.88	3	Horizontal	120	2.93	33.48	38.03	9.82	34.97
PK	10.42223G	53.64	68.20	-14.56	11.77	3	Horizontal	88	1.48	41.87	38.52	8.05	34.80
PK	15.62735G	56.29	74.00	-17.71	12.88	3	Horizontal	120	2.93	43.41	38.03	9.82	34.97

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.64	54.00	-5.36	4.34	3	Vertical	145	1.69	44.30	33.10	5.86	34.62
AV	5.279G	99.17	Inf	-Inf	4.30	3	Vertical	145	1.69	94.87	32.98	5.92	34.60
AV	5.351G	53.61	54.00	-0.39	4.09	3	Vertical	145	1.69	49.52	32.71	5.96	34.58
PK	5.143G	60.53	74.00	-13.47	4.32	3	Vertical	145	1.69	56.21	33.09	5.85	34.62
PK	5.272G	110.37	Inf	-Inf	4.33	3	Vertical	145	1.69	106.04	33.01	5.92	34.60
PK	5.467G	59.21	68.20	-8.99	4.27	3	Vertical	145	1.69	54.94	32.83	6.01	34.57


5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.58	54.00	-5.42	4.34	3	Horizontal	257	2.51	44.24	33.10	5.86	34.62
AV	5.279G	97.69	Inf	-Inf	4.30	3	Horizontal	257	2.51	93.39	32.98	5.92	34.60
AV	5.352G	53.10	54.00	-0.90	4.09	3	Horizontal	257	2.51	49.01	32.71	5.96	34.58
PK	5.148G	60.75	74.00	-13.25	4.34	3	Horizontal	257	2.51	56.41	33.10	5.86	34.62
PK	5.272G	108.62	Inf	-Inf	4.33	3	Horizontal	257	2.51	104.29	33.01	5.92	34.60
PK	5.352G	65.22	74.00	-8.78	4.09	3	Horizontal	257	2.51	61.13	32.71	5.96	34.58




5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87413G	45.74	54.00	-8.26	12.44	3	Vertical	351	2.66	33.30	37.70	9.90	35.16
PK	10.5766G	54.89	68.20	-13.31	12.24	3	Vertical	70	2.46	42.65	38.83	8.11	34.70
PK	15.87233G	54.41	74.00	-19.59	12.45	3	Vertical	351	2.66	41.96	37.71	9.90	35.16

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86606G	45.74	54.00	-8.26	12.49	3	Horizontal	206	1.49	33.25	37.74	9.90	35.15
PK	10.57781G	54.06	68.20	-14.14	12.24	3	Horizontal	177	1.48	41.82	38.83	8.11	34.70
PK	15.87116G	54.84	74.00	-19.16	12.47	3	Horizontal	206	1.49	42.37	37.72	9.90	35.15





5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.56	54.00	-0.44	4.26	3	Vertical	182	1.50	49.30	32.82	6.01	34.57
AV	5.538G	98.89	Inf	-Inf	4.46	3	Vertical	182	1.50	94.43	32.98	6.04	34.56
PK	5.467G	65.07	68.20	-3.13	4.27	3	Vertical	182	1.50	60.80	32.83	6.01	34.57
PK	5.533G	110.73	Inf	-Inf	4.45	3	Vertical	182	1.50	106.28	32.97	6.04	34.56
PK	5.773G	59.72	68.20	-8.48	5.38	3	Vertical	182	1.50	54.34	33.74	6.18	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	51.31	54.00	-2.69	4.26	3	Horizontal	240	2.43	47.05	32.82	6.01	34.57
AV	5.544G	96.95	Inf	-Inf	4.47	3	Horizontal	240	2.43	92.48	32.99	6.04	34.56
PK	5.465G	62.91	68.20	-5.29	4.27	3	Horizontal	240	2.43	58.64	32.83	6.01	34.57
PK	5.541G	108.60	Inf	-Inf	4.46	3	Horizontal	240	2.43	104.14	32.98	6.04	34.56
PK	5.73G	59.56	68.20	-8.64	5.13	3	Horizontal	240	2.43	54.43	33.52	6.15	34.54




5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05691G	44.68	54.00	-9.32	12.37	3	Vertical	30	1.59	32.31	38.64	8.31	34.58
PK	11.05511G	55.92	74.00	-18.08	12.37	3	Vertical	30	1.59	43.55	38.64	8.31	34.58
PK	16.58983G	56.73	68.20	-11.47	13.77	3	Vertical	356	2.06	42.96	38.34	10.08	34.65


5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0565G	44.96	54.00	-9.04	12.37	3	Horizontal	256	1.86	32.59	38.64	8.31	34.58
PK	11.06182G	54.18	74.00	-19.82	12.38	3	Horizontal	256	1.86	41.80	38.64	8.32	34.58
PK	16.58884G	56.97	68.20	-11.23	13.77	3	Horizontal	25	1.18	43.20	38.34	10.08	34.65

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.69	54.00	-2.31	4.26	3	Vertical	190	1.45	47.43	32.82	6.01	34.57
AV	5.6G	101.57	Inf	-Inf	4.51	3	Vertical	190	1.45	97.06	33.00	6.06	34.55
PK	5.466G	63.64	68.20	-4.56	4.27	3	Vertical	190	1.45	59.37	32.83	6.01	34.57
PK	5.592G	113.26	Inf	-Inf	4.51	3	Vertical	190	1.45	108.75	33.00	6.06	34.55
PK	5.726G	64.00	68.20	-4.20	5.11	3	Vertical	190	1.45	58.89	33.50	6.15	34.54


5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.31	54.00	-3.69	4.26	3	Horizontal	252	2.36	46.05	32.82	6.01	34.57
AV	5.599G	99.85	Inf	-Inf	4.51	3	Horizontal	252	2.36	95.34	33.00	6.06	34.55
PK	5.466G	62.76	68.20	-5.44	4.27	3	Horizontal	252	2.36	58.49	32.83	6.01	34.57
PK	5.621G	111.02	Inf	-Inf	4.52	3	Horizontal	252	2.36	106.50	33.00	6.07	34.55
PK	5.728G	64.78	68.20	-3.42	5.12	3	Horizontal	252	2.36	59.66	33.51	6.15	34.54

**5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5610MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22194G	44.45	54.00	-9.55	12.54	3	Vertical	277	2.15	31.91	38.74	8.38	34.58
PK	11.22222G	53.84	74.00	-20.16	12.54	3	Vertical	277	2.15	41.30	38.74	8.38	34.58
PK	16.83478G	57.12	68.20	-11.08	14.04	3	Vertical	331	1.31	43.08	38.23	10.14	34.33


**5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5610MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2206G	44.84	54.00	-9.16	12.54	3	Horizontal	222	1.33	32.30	38.74	8.38	34.58
PK	11.22312G	53.78	74.00	-20.22	12.55	3	Horizontal	222	1.33	41.23	38.75	8.38	34.58
PK	16.83315G	55.52	68.20	-12.68	14.04	3	Horizontal	61	1.93	41.48	38.23	10.14	34.33

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	47.60	54.00	-6.40	4.25	3	Vertical	187	1.45	43.35	32.81	6.01	34.57
AV	5.6744G	100.22	Inf	-Inf	4.76	3	Vertical	187	1.45	95.46	33.20	6.11	34.55
PK	5.4608G	58.89	68.20	-9.31	4.26	3	Vertical	187	1.45	54.63	32.82	6.01	34.57
PK	5.672G	112.08	Inf	-Inf	4.74	3	Vertical	187	1.45	107.34	33.18	6.11	34.55
PK	5.8544G	60.84	68.20	-7.36	5.82	3	Vertical	187	1.45	55.02	34.12	6.23	34.53

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4224G	46.96	54.00	-7.04	4.34	3	Horizontal	243	2.92	42.62	32.91	6.00	34.57
AV	5.6792G	99.00	Inf	-Inf	4.80	3	Horizontal	243	2.92	94.20	33.23	6.12	34.55
PK	5.4692G	58.75	68.20	-9.45	4.29	3	Horizontal	243	2.92	54.46	32.84	6.01	34.56
PK	5.7008G	110.33	Inf	-Inf	4.99	3	Horizontal	243	2.92	105.34	33.40	6.13	34.54
PK	5.8508G	60.84	68.20	-7.36	5.80	3	Horizontal	243	2.92	55.04	34.10	6.23	34.53



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38116G	44.25	54.00	-9.75	12.78	3	Vertical	58	1.55	31.47	38.90	8.45	34.57
PK	11.3752G	53.75	74.00	-20.25	12.78	3	Vertical	58	1.55	40.97	38.90	8.45	34.57
PK	17.06622G	55.41	68.20	-12.79	14.03	3	Vertical	215	2.59	41.38	38.00	10.19	34.16

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37655G	44.78	54.00	-9.22	12.78	3	Horizontal	113	1.11	32.00	38.90	8.45	34.57
PK	11.37971G	54.64	74.00	-19.36	12.78	3	Horizontal	113	1.11	41.86	38.90	8.45	34.57
PK	17.07044G	55.35	68.20	-12.85	14.03	3	Horizontal	126	2.09	41.32	38.00	10.19	34.16



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	101.90	Inf	-Inf	5.34	3	Vertical	29	1.66	96.56	33.70	6.18	34.54
PK	5.6478G	67.84	68.20	-0.36	4.54	3	Vertical	29	1.66	63.30	33.00	6.09	34.55
PK	5.739G	111.86	Inf	-Inf	5.18	3	Vertical	29	1.66	106.68	33.56	6.16	34.54
PK	5.931G	58.47	68.20	-9.73	6.04	3	Vertical	29	1.66	52.43	34.30	6.27	34.53

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	99.43	Inf	-Inf	5.32	3	Horizontal	44	1.69	94.11	33.69	6.17	34.54
PK	5.649G	64.82	68.20	-3.38	4.54	3	Horizontal	44	1.69	60.28	33.00	6.09	34.55
PK	5.7918G	108.57	Inf	-Inf	5.50	3	Horizontal	44	1.69	103.07	33.85	6.19	34.54
PK	5.9346G	58.45	68.20	-9.75	6.04	3	Horizontal	44	1.69	52.41	34.30	6.27	34.53




5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5775MHz\_TX



21/10/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54568G	45.96	54.00	-8.04	12.55	3	Vertical	288	1.65	33.41	38.61	8.52	34.58
PK	11.56332G	56.77	74.00	-17.23	12.51	3	Vertical	288	1.65	44.26	38.57	8.53	34.59
PK	17.34768G	62.17	68.20	-6.03	14.23	3	Vertical	278	1.48	47.94	38.30	10.26	34.33

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5775MHz\_TX




21/10/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51664G	46.64	54.00	-7.36	12.60	3	Horizontal	237	1.66	34.04	38.67	8.51	34.58
PK	11.56536G	57.17	74.00	-16.83	12.51	3	Horizontal	237	1.66	44.66	38.57	8.53	34.59
PK	17.3274G	62.27	68.20	-5.93	14.18	3	Horizontal	196	1.15	48.09	38.25	10.25	34.32




5.15-5.25GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	53.82	54.00	-0.18	4.33	3	Vertical	150	1.71	49.49	33.09	5.86	34.62
AV	5.222G	99.35	Inf	-Inf	4.45	3	Vertical	150	1.71	94.90	33.16	5.89	34.60
AV	5.352G	51.26	54.00	-2.74	4.09	3	Vertical	150	1.71	47.17	32.71	5.96	34.58
PK	5.125G	63.86	74.00	-10.14	4.28	3	Vertical	150	1.71	59.58	33.05	5.85	34.62
PK	5.218G	108.70	Inf	-Inf	4.44	3	Vertical	150	1.71	104.26	33.16	5.89	34.61
PK	5.351G	61.90	74.00	-12.10	4.09	3	Vertical	150	1.71	57.81	32.71	5.96	34.58


5.15-5.25GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.70	54.00	-0.30	4.34	3	Horizontal	253	1.82	49.36	33.10	5.86	34.62
AV	5.219G	97.31	Inf	-Inf	4.45	3	Horizontal	253	1.82	92.86	33.16	5.89	34.60
AV	5.351G	50.30	54.00	-3.70	4.09	3	Horizontal	253	1.82	46.21	32.71	5.96	34.58
PK	5.145G	64.59	74.00	-9.41	4.33	3	Horizontal	253	1.82	60.26	33.09	5.86	34.62
PK	5.197G	107.50	Inf	-Inf	4.46	3	Horizontal	253	1.82	103.04	33.19	5.88	34.61
PK	5.353G	61.05	74.00	-12.95	4.10	3	Horizontal	253	1.82	56.95	32.72	5.96	34.58




5.15-5.25GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60756G	47.18	54.00	-6.82	12.87	3	Vertical	194	1.50	34.31	38.01	9.82	34.96
PK	10.44196G	55.14	68.20	-13.06	11.82	3	Vertical	0	1.50	43.32	38.54	8.06	34.78
PK	15.65832G	56.80	74.00	-17.20	12.89	3	Vertical	194	1.50	43.91	38.06	9.83	35.00


5.15-5.25GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.66252G	47.12	54.00	-6.88	12.89	3	Horizontal	284	1.50	34.23	38.06	9.83	35.00
PK	10.47244G	54.60	68.20	-13.60	11.89	3	Horizontal	18	1.50	42.71	38.57	8.07	34.75
PK	15.6174G	57.05	74.00	-16.95	12.87	3	Horizontal	284	1.50	44.18	38.02	9.82	34.97

5.25-5.35GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.134G	50.07	54.00	-3.93	4.30	3	Vertical	151	1.75	45.77	33.07	5.85	34.62
AV	5.302G	99.40	Inf	-Inf	4.24	3	Vertical	151	1.75	95.16	32.89	5.94	34.59
AV	5.352G	53.82	54.00	-0.18	4.09	3	Vertical	151	1.75	49.73	32.71	5.96	34.58
PK	5.148G	60.06	74.00	-13.94	4.34	3	Vertical	151	1.75	55.72	33.10	5.86	34.62
PK	5.311G	109.09	Inf	-Inf	4.21	3	Vertical	151	1.75	104.88	32.86	5.94	34.59
PK	5.353G	63.60	74.00	-10.40	4.10	3	Vertical	151	1.75	59.50	32.72	5.96	34.58
PK	5.477G	60.21	68.20	-7.99	4.31	3	Vertical	151	1.75	55.90	32.85	6.02	34.56

5.25-5.35GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	50.69	54.00	-3.31	4.34	3	Horizontal	258	1.80	46.35	33.10	5.86	34.62
AV	5.3G	98.41	Inf	-Inf	4.25	3	Horizontal	258	1.80	94.16	32.90	5.94	34.59
AV	5.357G	53.71	54.00	-0.29	4.13	3	Horizontal	258	1.80	49.58	32.74	5.97	34.58
PK	5.149G	60.54	74.00	-13.46	4.34	3	Horizontal	258	1.80	56.20	33.10	5.86	34.62
PK	5.277G	108.23	Inf	-Inf	4.31	3	Horizontal	258	1.80	103.92	32.99	5.92	34.60
PK	5.361G	64.21	74.00	-9.79	4.16	3	Horizontal	258	1.80	60.05	32.77	5.97	34.58
PK	5.515G	59.45	68.20	-8.75	4.40	3	Horizontal	258	1.80	55.05	32.93	6.03	34.56




5.25-5.35GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85032G	47.13	54.00	-6.87	12.55	3	Vertical	191	1.50	34.58	37.80	9.89	35.14
PK	10.60232G	54.95	74.00	-19.05	12.33	3	Vertical	47	1.59	42.62	38.90	8.12	34.69
PK	15.85272G	56.84	74.00	-17.16	12.54	3	Vertical	191	1.50	44.30	37.79	9.89	35.14


5.25-5.35GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81696G	46.95	54.00	-7.05	12.70	3	Horizontal	72	1.67	34.25	37.93	9.88	35.11
PK	10.5932G	54.65	68.20	-13.55	12.31	3	Horizontal	19	2.48	42.34	38.88	8.12	34.69
PK	15.87084G	56.56	74.00	-17.44	12.47	3	Horizontal	72	1.67	44.09	37.72	9.90	35.15




5.47-5.725GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.82	54.00	-6.18	4.08	3	Vertical	177	1.78	43.74	32.70	5.96	34.58
AV	5.445G	53.17	54.00	-0.83	4.26	3	Vertical	177	1.78	48.91	32.82	6.01	34.57
AV	5.523G	97.70	Inf	-Inf	4.42	3	Vertical	177	1.78	93.28	32.95	6.03	34.56
PK	5.32G	58.94	68.20	-9.26	4.18	3	Vertical	177	1.78	54.76	32.82	5.95	34.59
PK	5.445G	62.94	74.00	-11.06	4.26	3	Vertical	177	1.78	58.68	32.82	6.01	34.57
PK	5.467G	62.85	68.20	-5.35	4.27	3	Vertical	177	1.78	58.58	32.83	6.01	34.57
PK	5.514G	108.04	Inf	-Inf	4.40	3	Vertical	177	1.78	103.64	32.93	6.03	34.56
PK	5.779G	59.48	68.20	-8.72	5.42	3	Vertical	177	1.78	54.06	33.77	6.19	34.54


5.47-5.725GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.22	54.00	-6.78	4.08	3	Horizontal	245	2.96	43.14	32.70	5.96	34.58
AV	5.443G	53.98	54.00	-0.02	4.27	3	Horizontal	245	2.96	49.71	32.83	6.01	34.57
AV	5.542G	98.66	Inf	-Inf	4.46	3	Horizontal	245	2.96	94.20	32.98	6.04	34.56
PK	5.286G	58.36	68.20	-9.84	4.30	3	Horizontal	245	2.96	54.06	32.96	5.93	34.59
PK	5.447G	64.40	74.00	-9.60	4.25	3	Horizontal	245	2.96	60.15	32.81	6.01	34.57
PK	5.469G	65.22	68.20	-2.98	4.29	3	Horizontal	245	2.96	60.93	32.84	6.01	34.56
PK	5.527G	109.55	Inf	-Inf	4.42	3	Horizontal	245	2.96	105.13	32.95	6.03	34.56
PK	5.755G	59.91	68.20	-8.29	5.26	3	Horizontal	245	2.96	54.65	33.63	6.17	34.54




5.47-5.725GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00636G	45.56	54.00	-8.44	12.40	3	Vertical	360	2.29	33.16	38.69	8.29	34.58
PK	11.03684G	55.58	74.00	-18.42	12.39	3	Vertical	360	2.29	43.19	38.66	8.31	34.58
PK	16.57344G	58.34	68.20	-9.86	13.81	3	Vertical	33	1.50	44.53	38.41	10.07	34.67


5.47-5.725GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01668G	45.78	54.00	-8.22	12.40	3	Horizontal	219	2.58	33.38	38.68	8.30	34.58
PK	11.05868G	56.04	74.00	-17.96	12.37	3	Horizontal	219	2.58	43.67	38.64	8.31	34.58
PK	16.551G	58.50	68.20	-9.70	13.88	3	Horizontal	194	1.50	44.62	38.50	10.07	34.69

5.47-5.725GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	53.10	54.00	-0.90	4.25	3	Vertical	179	1.50	48.85	32.81	6.01	34.57
AV	5.624G	101.07	Inf	-Inf	4.53	3	Vertical	179	1.50	96.54	33.00	6.08	34.55
PK	5.456G	63.85	74.00	-10.15	4.25	3	Vertical	179	1.50	59.60	32.81	6.01	34.57
PK	5.462G	64.58	68.20	-3.62	4.26	3	Vertical	179	1.50	60.32	32.82	6.01	34.57
PK	5.594G	111.42	Inf	-Inf	4.51	3	Vertical	179	1.50	106.91	33.00	6.06	34.55
PK	5.726G	64.64	68.20	-3.56	5.11	3	Vertical	179	1.50	59.53	33.50	6.15	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	51.32	54.00	-2.68	4.26	3	Horizontal	245	2.40	47.06	32.82	6.01	34.57
AV	5.597G	99.76	Inf	-Inf	4.51	3	Horizontal	245	2.40	95.25	33.00	6.06	34.55
PK	5.459G	61.81	74.00	-12.19	4.26	3	Horizontal	245	2.40	57.55	32.82	6.01	34.57
PK	5.465G	63.60	68.20	-4.60	4.27	3	Horizontal	245	2.40	59.33	32.83	6.01	34.57
PK	5.597G	110.24	Inf	-Inf	4.51	3	Horizontal	245	2.40	105.73	33.00	6.06	34.55
PK	5.728G	64.95	68.20	-3.25	5.12	3	Horizontal	245	2.40	59.83	33.51	6.15	34.54