





5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX
5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22132G	46.45	54.00	-7.55	12.54	3	Vertical	196	1.50	33.91	38.74	8.38	34.58
PK	11.21448G	56.66	74.00	-17.34	12.53	3	Vertical	196	1.50	44.13	38.73	8.38	34.58
PK	16.81392G	58.54	68.20	-9.66	14.04	3	Vertical	268	1.62	44.50	38.27	10.13	34.36

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX
5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22156G	46.17	54.00	-7.83	12.54	3	Horizontal	326	1.59	33.63	38.74	8.38	34.58
PK	11.2188G	56.00	74.00	-18.00	12.54	3	Horizontal	326	1.59	43.46	38.74	8.38	34.58
PK	16.82112G	59.17	68.20	-9.03	14.04	3	Horizontal	185	2.43	45.13	38.26	10.13	34.35



5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.04	54.00	-4.96	4.26	3	Vertical	176	1.64	44.78	32.82	6.01	34.57
AV	5.6816G	99.43	Inf	-Inf	4.82	3	Vertical	176	1.64	94.61	33.25	6.12	34.55
PK	5.4296G	59.63	74.00	-14.37	4.31	3	Vertical	176	1.64	55.32	32.88	6.00	34.57
PK	5.4656G	59.52	68.20	-8.68	4.27	3	Vertical	176	1.64	55.25	32.83	6.01	34.57
PK	5.6732G	109.94	Inf	-Inf	4.75	3	Vertical	176	1.64	105.19	33.19	6.11	34.55
PK	5.858G	61.35	68.20	-6.85	5.83	3	Vertical	176	1.64	55.52	34.13	6.23	34.53

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4296G	48.56	54.00	-5.44	4.31	3	Horizontal	246	2.95	44.25	32.88	6.00	34.57
AV	5.7032G	99.38	Inf	-Inf	5.00	3	Horizontal	246	2.95	94.38	33.41	6.13	34.54
PK	5.4152G	59.08	74.00	-14.92	4.37	3	Horizontal	246	2.95	54.71	32.94	6.00	34.57
PK	5.4644G	58.31	68.20	-9.89	4.27	3	Horizontal	246	2.95	54.04	32.83	6.01	34.57
PK	5.6768G	109.33	Inf	-Inf	4.77	3	Horizontal	246	2.95	104.56	33.21	6.11	34.55
PK	5.8616G	60.90	68.20	-7.30	5.85	3	Horizontal	246	2.95	55.05	34.15	6.23	34.53

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39428G	49.39	54.00	-4.61	12.79	3	Vertical	202	2.00	36.60	38.90	8.46	34.57
PK	11.40808G	57.28	74.00	-16.72	12.77	3	Vertical	202	2.00	44.51	38.88	8.46	34.57
PK	17.08248G	58.31	68.20	-9.89	14.02	3	Vertical	297	1.50	44.29	38.00	10.19	34.17

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37808G	46.77	54.00	-7.23	12.78	3	Horizontal	329	1.57	33.99	38.90	8.45	34.57
PK	11.41648G	55.95	74.00	-18.05	12.76	3	Horizontal	329	1.57	43.19	38.87	8.46	34.57
PK	17.04432G	58.06	68.20	-10.14	14.04	3	Horizontal	237	1.50	44.02	38.00	10.19	34.15



5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	100.49	Inf	-Inf	5.34	3	Vertical	22	1.72	95.15	33.70	6.18	34.54
PK	5.6454G	68.09	68.20	-0.11	4.54	3	Vertical	22	1.72	63.55	33.00	6.09	34.55
PK	5.7666G	110.50	Inf	-Inf	5.34	3	Vertical	22	1.72	105.16	33.70	6.18	34.54
PK	6.0246G	57.76	68.20	-10.44	5.88	3	Vertical	22	1.72	51.88	34.10	6.30	34.52

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7846G	98.44	Inf	-Inf	5.46	3	Horizontal	47	1.73	92.98	33.81	6.19	34.54
PK	5.649G	68.13	68.20	-0.07	4.54	3	Horizontal	47	1.73	63.59	33.00	6.09	34.55
PK	5.7834G	108.06	Inf	-Inf	5.45	3	Horizontal	47	1.73	102.61	33.80	6.19	34.54
PK	5.9406G	58.07	68.20	-10.13	6.05	3	Horizontal	47	1.73	52.02	34.30	6.27	34.52




5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51088G	46.25	54.00	-7.75	12.61	3	Vertical	242	1.50	33.64	38.68	8.50	34.57
PK	11.51136G	57.30	74.00	-16.70	12.61	3	Vertical	242	1.50	44.69	38.68	8.50	34.57
PK	17.33376G	64.26	68.20	-3.94	14.20	3	Vertical	279	1.50	50.06	38.27	10.25	34.32

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX
5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50752G	47.53	54.00	-6.47	12.61	3	Horizontal	236	1.59	34.92	38.68	8.50	34.57
PK	11.50356G	58.91	74.00	-15.09	12.62	3	Horizontal	236	1.59	46.29	38.69	8.50	34.57
PK	17.33136G	64.87	68.20	-3.33	14.19	3	Horizontal	196	1.20	50.68	38.26	10.25	34.32



5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.87	54.00	-0.13	4.34	3	Vertical	146	1.55	49.53	33.10	5.86	34.62
AV	5.3052G	93.07	Inf	-Inf	4.23	3	Vertical	146	1.55	88.84	32.88	5.94	34.59
AV	5.3844G	51.20	54.00	-2.80	4.31	3	Vertical	146	1.55	46.89	32.91	5.98	34.58
PK	5.1384G	63.83	74.00	-10.17	4.31	3	Vertical	146	1.55	59.52	33.08	5.85	34.62
PK	5.2824G	102.66	Inf	-Inf	4.31	3	Vertical	146	1.55	98.35	32.97	5.93	34.59
PK	5.526G	59.63	68.20	-8.57	4.42	3	Vertical	146	1.55	55.21	32.95	6.03	34.56


5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	51.92	54.00	-2.08	4.34	3	Horizontal	256	2.34	47.58	33.10	5.86	34.62
AV	5.3244G	90.80	Inf	-Inf	4.16	3	Horizontal	256	2.34	86.64	32.80	5.95	34.59
AV	5.3844G	51.12	54.00	-2.88	4.31	3	Horizontal	256	2.34	46.81	32.91	5.98	34.58
PK	5.1432G	62.41	74.00	-11.59	4.32	3	Horizontal	256	2.34	58.09	33.09	5.85	34.62
PK	5.2692G	101.10	Inf	-Inf	4.34	3	Horizontal	256	2.34	96.76	33.02	5.92	34.60
PK	5.4684G	59.13	68.20	-9.07	4.28	3	Horizontal	256	2.34	54.85	32.84	6.01	34.57

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75227G	46.64	54.00	-7.36	12.84	3	Vertical	148	2.65	33.80	38.05	9.86	35.07
PK	10.50211G	53.56	68.20	-14.64	11.97	3	Vertical	134	1.76	41.59	38.61	8.08	34.72
PK	15.74891G	54.42	74.00	-19.58	12.85	3	Vertical	148	2.65	41.57	38.05	9.86	35.06

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74564G	46.38	54.00	-7.62	12.85	3	Horizontal	124	2.64	33.53	38.05	9.86	35.06
PK	10.50255G	53.99	68.20	-14.21	11.97	3	Horizontal	224	1.05	42.02	38.61	8.08	34.72
PK	15.75475G	54.71	74.00	-19.29	12.84	3	Horizontal	124	2.64	41.87	38.05	9.86	35.07



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45912G	53.89	54.00	-0.11	4.26	3	Vertical	180	1.50	49.63	32.82	6.01	34.57
AV	5.49728G	92.53	Inf	-Inf	4.35	3	Vertical	180	1.50	88.18	32.89	6.02	34.56
PK	5.46416G	62.25	68.20	-5.95	4.27	3	Vertical	180	1.50	57.98	32.83	6.01	34.57
PK	5.60744G	102.51	Inf	-Inf	4.52	3	Vertical	180	1.50	97.99	33.00	6.07	34.55
PK	5.73776G	59.44	68.20	-8.76	5.17	3	Vertical	180	1.50	54.27	33.55	6.16	34.54


5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45192G	51.87	54.00	-2.13	4.24	3	Horizontal	248	2.37	47.63	32.80	6.01	34.57
AV	5.59664G	90.45	Inf	-Inf	4.51	3	Horizontal	248	2.37	85.94	33.00	6.06	34.55
PK	5.462G	61.14	68.20	-7.06	4.26	3	Horizontal	248	2.37	56.88	32.82	6.01	34.57
PK	5.55128G	100.88	Inf	-Inf	4.48	3	Horizontal	248	2.37	96.40	33.00	6.04	34.56
PK	5.73128G	60.99	68.20	-7.21	5.14	3	Horizontal	248	2.37	55.85	33.53	6.15	34.54

**5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14333G	45.40	54.00	-8.60	12.41	3	Vertical	162	2.66	32.99	38.64	8.35	34.58
PK	11.14288G	53.41	74.00	-20.59	12.41	3	Vertical	162	2.66	41.00	38.64	8.35	34.58
PK	16.70845G	56.00	68.20	-12.20	13.74	3	Vertical	258	2.25	42.26	38.12	10.11	34.49

**5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14301G	45.21	54.00	-8.79	12.41	3	Horizontal	301	2.78	32.80	38.64	8.35	34.58
PK	11.14433G	53.65	74.00	-20.35	12.41	3	Horizontal	301	2.78	41.24	38.64	8.35	34.58
PK	16.7066G	55.62	68.20	-12.58	13.72	3	Horizontal	48	1.44	41.90	38.11	10.11	34.50



5.25-5.35GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	53.83	54.00	-0.17	4.31	3	Vertical	147	1.65	49.52	33.08	5.85	34.62
AV	5.3232G	91.64	Inf	-Inf	4.17	3	Vertical	147	1.65	87.47	32.81	5.95	34.59
AV	5.406G	51.98	54.00	-2.02	4.39	3	Vertical	147	1.65	47.59	32.98	5.99	34.58
PK	5.1432G	68.65	74.00	-5.35	4.32	3	Vertical	147	1.65	64.33	33.09	5.85	34.62
PK	5.3124G	102.99	Inf	-Inf	4.20	3	Vertical	147	1.65	98.79	32.85	5.94	34.59
PK	5.3808G	71.00	74.00	-3.00	4.28	3	Vertical	147	1.65	66.72	32.88	5.98	34.58
PK	5.4864G	60.64	68.20	-7.56	4.33	3	Vertical	147	1.65	56.31	32.87	6.02	34.56

5.25-5.35GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1372G	53.17	54.00	-0.83	4.30	3	Horizontal	254	1.88	48.87	33.07	5.85	34.62
AV	5.31G	89.57	Inf	-Inf	4.21	3	Horizontal	254	1.88	85.36	32.86	5.94	34.59
AV	5.364G	51.40	54.00	-2.60	4.17	3	Horizontal	254	1.88	47.23	32.78	5.97	34.58
PK	5.1492G	67.04	74.00	-6.96	4.34	3	Horizontal	254	1.88	62.70	33.10	5.86	34.62
PK	5.2788G	100.02	Inf	-Inf	4.30	3	Horizontal	254	1.88	95.72	32.98	5.92	34.60
PK	5.3844G	70.18	74.00	-3.82	4.31	3	Horizontal	254	1.88	65.87	32.91	5.98	34.58
PK	5.4636G	60.44	68.20	-7.76	4.27	3	Horizontal	254	1.88	56.17	32.83	6.01	34.57



5.25-5.35GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79152G	47.25	54.00	-6.75	12.78	3	Vertical	170	1.00	34.47	38.01	9.87	35.10
PK	10.50408G	54.70	68.20	-13.50	11.97	3	Vertical	268	1.50	42.73	38.61	8.08	34.72
PK	15.78672G	57.22	74.00	-16.78	12.79	3	Vertical	170	1.00	44.43	38.01	9.87	35.09

5.25-5.35GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7092G	47.21	54.00	-6.79	12.91	3	Horizontal	255	1.50	34.30	38.09	9.85	35.03
PK	10.57632G	54.65	68.20	-13.55	12.24	3	Horizontal	50	1.50	42.41	38.83	8.11	34.70
PK	15.75624G	56.64	74.00	-17.36	12.83	3	Horizontal	255	1.50	43.81	38.04	9.86	35.07

5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45624G	53.82	54.00	-0.18	4.25	3	Vertical	187	1.50	49.57	32.81	6.01	34.57
AV	5.54264G	90.63	Inf	-Inf	4.47	3	Vertical	187	1.50	86.16	32.99	6.04	34.56
PK	5.44112G	66.96	74.00	-7.04	4.27	3	Vertical	187	1.50	62.69	32.84	6.00	34.57
PK	5.46632G	66.43	68.20	-1.77	4.27	3	Vertical	187	1.50	62.16	32.83	6.01	34.57
PK	5.50952G	101.91	Inf	-Inf	4.39	3	Vertical	187	1.50	97.52	32.92	6.03	34.56
PK	5.72984G	60.25	68.20	-7.95	5.13	3	Vertical	187	1.50	55.12	33.52	6.15	34.54

5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45912G	52.40	54.00	-1.60	4.26	3	Horizontal	246	2.38	48.14	32.82	6.01	34.57
AV	5.58368G	90.53	Inf	-Inf	4.50	3	Horizontal	246	2.38	86.03	33.00	6.05	34.55
PK	5.45912G	66.81	74.00	-7.19	4.26	3	Horizontal	246	2.38	62.55	32.82	6.01	34.57
PK	5.4692G	67.95	68.20	-0.25	4.29	3	Horizontal	246	2.38	63.66	32.84	6.01	34.56
PK	5.5988G	100.41	Inf	-Inf	4.51	3	Horizontal	246	2.38	95.90	33.00	6.06	34.55
PK	5.72552G	63.24	68.20	-4.96	5.11	3	Horizontal	246	2.38	58.13	33.50	6.15	34.54




5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04592G	45.64	54.00	-8.36	12.38	3	Vertical	304	2.89	33.26	38.65	8.31	34.58
PK	11.0356G	55.61	74.00	-18.39	12.38	3	Vertical	304	2.89	43.23	38.66	8.30	34.58
PK	16.6368G	58.21	68.20	-9.99	13.74	3	Vertical	360	2.76	44.47	38.23	10.09	34.58

5.47-5.725GHz_802.11ax HEW160_Nss2,(MCS0)_2TX
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0368G	45.55	54.00	-8.45	12.39	3	Horizontal	96	1.50	33.16	38.66	8.31	34.58
PK	11.0344G	54.89	74.00	-19.11	12.39	3	Horizontal	96	1.50	42.50	38.67	8.30	34.58
PK	16.64016G	58.18	68.20	-10.02	13.73	3	Horizontal	188	1.77	44.45	38.22	10.09	34.58



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1498G	52.64	54.00	-1.36	3	Horizontal	276	2.58
5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.41	54.00	-0.59	3	Horizontal	278	2.62
5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.136G	53.85	54.00	-0.15	3	Horizontal	283	1.17
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.353G	51.97	54.00	-2.03	3	Vertical	170	1.50
5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.79	54.00	-0.21	3	Horizontal	272	2.91
5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.361G	52.93	54.00	-1.07	3	Horizontal	274	1.77
5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1456G	53.74	54.00	-0.26	3	Horizontal	278	2.96
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.4654G	66.87	68.20	-1.33	3	Vertical	0	2.45
5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.68	68.20	-0.52	3	Vertical	0	2.18
5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.457G	53.23	54.00	-0.77	3	Horizontal	273	2.48
5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.456G	53.33	54.00	-0.67	3	Vertical	15	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6466G	59.44	68.20	-8.76	3	Vertical	0	2.10
5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6326G	60.83	68.20	-7.37	3	Vertical	0	2.31
5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6406G	67.92	68.20	-0.28	3	Vertical	14	1.97



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.141G	49.69	54.00	-4.31	3	Vertical	172	1.50
5180MHz	Pass	AV	5.188G	104.82	Inf	-Inf	3	Vertical	172	1.50
5180MHz	Pass	PK	5.1496G	60.74	74.00	-13.26	3	Vertical	172	1.50
5180MHz	Pass	PK	5.1868G	113.60	Inf	-Inf	3	Vertical	172	1.50
5180MHz	Pass	AV	5.1498G	52.64	54.00	-1.36	3	Horizontal	276	2.58
5180MHz	Pass	AV	5.1784G	105.66	Inf	-Inf	3	Horizontal	276	2.58
5180MHz	Pass	PK	5.1496G	65.44	74.00	-8.56	3	Horizontal	276	2.58
5180MHz	Pass	PK	5.1814G	116.35	Inf	-Inf	3	Horizontal	276	2.58
5180MHz	Pass	AV	15.54079G	44.17	54.00	-9.83	3	Vertical	328	2.17
5180MHz	Pass	PK	10.3617G	53.64	68.20	-14.56	3	Vertical	174	2.18
5180MHz	Pass	PK	15.54058G	55.11	74.00	-18.89	3	Vertical	328	2.17
5180MHz	Pass	AV	15.54137G	44.08	54.00	-9.92	3	Horizontal	215	1.60
5180MHz	Pass	PK	10.361G	53.52	68.20	-14.68	3	Horizontal	52	1.30
5180MHz	Pass	PK	15.53895G	56.20	74.00	-17.80	3	Horizontal	215	1.60
5200MHz	Pass	AV	5.15G	49.73	54.00	-4.27	3	Vertical	155	1.75
5200MHz	Pass	AV	5.2024G	108.47	Inf	-Inf	3	Vertical	155	1.75
5200MHz	Pass	PK	5.146G	65.74	74.00	-8.26	3	Vertical	155	1.75
5200MHz	Pass	PK	5.2024G	118.85	Inf	-Inf	3	Vertical	155	1.75
5200MHz	Pass	AV	5.15G	51.75	54.00	-2.25	3	Horizontal	255	1.59
5200MHz	Pass	AV	5.1988G	106.50	Inf	-Inf	3	Horizontal	255	1.59
5200MHz	Pass	PK	5.1464G	66.96	74.00	-7.04	3	Horizontal	255	1.59
5200MHz	Pass	PK	5.1956G	113.90	Inf	-Inf	3	Horizontal	255	1.59
5200MHz	Pass	AV	10.40192G	42.48	54.00	-11.52	3	Vertical	270	1.46
5200MHz	Pass	AV	15.60418G	44.15	54.00	-9.85	3	Vertical	301	1.05
5200MHz	Pass	PK	10.3968G	51.80	74.00	-22.20	3	Vertical	270	1.46
5200MHz	Pass	PK	15.59916G	53.02	74.00	-20.98	3	Vertical	301	1.05
5200MHz	Pass	AV	15.60208G	44.00	54.00	-10.00	3	Horizontal	242	1.01
5200MHz	Pass	PK	10.40368G	51.99	68.20	-16.21	3	Horizontal	354	1.74
5200MHz	Pass	PK	15.60008G	52.91	74.00	-21.09	3	Horizontal	242	1.01
5240MHz	Pass	AV	5.1326G	47.64	54.00	-6.36	3	Vertical	172	1.64
5240MHz	Pass	AV	5.2418G	107.22	Inf	-Inf	3	Vertical	172	1.64
5240MHz	Pass	AV	5.3798G	46.55	54.00	-7.45	3	Vertical	172	1.64
5240MHz	Pass	PK	5.1476G	58.20	74.00	-15.80	3	Vertical	172	1.64
5240MHz	Pass	PK	5.246G	119.04	Inf	-Inf	3	Vertical	172	1.64
5240MHz	Pass	PK	5.351G	57.01	74.00	-16.99	3	Vertical	172	1.64
5240MHz	Pass	AV	5.1488G	47.86	54.00	-6.14	3	Horizontal	290	3.00
5240MHz	Pass	AV	5.2346G	109.06	Inf	-Inf	3	Horizontal	290	3.00
5240MHz	Pass	AV	5.35G	46.82	54.00	-7.18	3	Horizontal	290	3.00
5240MHz	Pass	PK	5.1344G	58.92	74.00	-15.08	3	Horizontal	290	3.00
5240MHz	Pass	PK	5.2316G	119.47	Inf	-Inf	3	Horizontal	290	3.00
5240MHz	Pass	PK	5.3594G	57.20	74.00	-16.80	3	Horizontal	290	3.00
5240MHz	Pass	AV	15.71962G	44.19	54.00	-9.81	3	Vertical	68	2.71
5240MHz	Pass	PK	10.47781G	53.87	68.20	-14.33	3	Vertical	83	1.32
5240MHz	Pass	PK	15.71783G	55.43	74.00	-18.57	3	Vertical	68	2.71
5240MHz	Pass	AV	15.71852G	44.26	54.00	-9.74	3	Horizontal	302	2.91
5240MHz	Pass	PK	10.4784G	53.36	68.20	-14.84	3	Horizontal	80	2.90
5240MHz	Pass	PK	15.72038G	55.38	74.00	-18.62	3	Horizontal	302	2.91
5260MHz	Pass	AV	5.15G	47.36	54.00	-6.64	3	Vertical	360	2.51
5260MHz	Pass	AV	5.2534G	106.34	Inf	-Inf	3	Vertical	360	2.51
5260MHz	Pass	AV	5.3524G	47.34	54.00	-6.66	3	Vertical	360	2.51
5260MHz	Pass	PK	5.131G	58.07	74.00	-15.93	3	Vertical	360	2.51
5260MHz	Pass	PK	5.2528G	117.43	Inf	-Inf	3	Vertical	360	2.51
5260MHz	Pass	PK	5.3524G	57.40	74.00	-16.60	3	Vertical	360	2.51
5260MHz	Pass	AV	5.15G	47.49	54.00	-6.51	3	Horizontal	283	2.49
5260MHz	Pass	AV	5.2534G	107.65	Inf	-Inf	3	Horizontal	283	2.49
5260MHz	Pass	AV	5.3572G	47.43	54.00	-6.57	3	Horizontal	283	2.49
5260MHz	Pass	PK	5.1268G	58.16	74.00	-15.84	3	Horizontal	283	2.49
5260MHz	Pass	PK	5.257G	117.47	Inf	-Inf	3	Horizontal	283	2.49
5260MHz	Pass	PK	5.356G	57.96	74.00	-16.04	3	Horizontal	283	2.49
5260MHz	Pass	AV	15.78074G	44.10	54.00	-9.90	3	Vertical	167	1.70



RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	10.5215G	53.76	68.20	-14.44	3	Vertical	319	2.45
5260MHz	Pass	PK	15.78194G	55.77	74.00	-18.23	3	Vertical	167	1.70
5260MHz	Pass	AV	15.78244G	44.31	54.00	-9.69	3	Horizontal	225	1.75
5260MHz	Pass	PK	10.52076G	53.93	68.20	-14.27	3	Horizontal	151	1.27
5260MHz	Pass	PK	15.7825G	55.17	74.00	-18.83	3	Horizontal	225	1.75
5300MHz	Pass	AV	5.2912G	105.29	Inf	-Inf	3	Vertical	173	1.61
5300MHz	Pass	AV	5.3928G	47.43	54.00	-6.57	3	Vertical	173	1.61
5300MHz	Pass	PK	5.2936G	115.65	Inf	-Inf	3	Vertical	173	1.61
5300MHz	Pass	PK	5.3596G	58.63	74.00	-15.37	3	Vertical	173	1.61
5300MHz	Pass	AV	5.2972G	106.79	Inf	-Inf	3	Horizontal	276	2.78
5300MHz	Pass	AV	5.398G	47.75	54.00	-6.25	3	Horizontal	276	2.78
5300MHz	Pass	PK	5.2988G	116.01	Inf	-Inf	3	Horizontal	276	2.78
5300MHz	Pass	PK	5.3648G	58.10	74.00	-15.90	3	Horizontal	276	2.78
5300MHz	Pass	AV	15.90215G	43.87	54.00	-10.13	3	Vertical	316	1.43
5300MHz	Pass	PK	10.59843G	53.43	68.20	-14.77	3	Vertical	269	2.58
5300MHz	Pass	PK	15.89875G	54.85	74.00	-19.15	3	Vertical	316	1.43
5300MHz	Pass	AV	15.90161G	43.96	54.00	-10.04	3	Horizontal	205	1.08
5300MHz	Pass	PK	10.59856G	54.99	68.20	-13.21	3	Horizontal	49	2.31
5300MHz	Pass	PK	15.90114G	54.76	74.00	-19.24	3	Horizontal	205	1.08
5320MHz	Pass	AV	5.3276G	107.60	Inf	-Inf	3	Vertical	170	1.50
5320MHz	Pass	AV	5.353G	51.97	54.00	-2.03	3	Vertical	170	1.50
5320MHz	Pass	PK	5.3284G	117.01	Inf	-Inf	3	Vertical	170	1.50
5320MHz	Pass	PK	5.358G	65.25	74.00	-8.75	3	Vertical	170	1.50
5320MHz	Pass	AV	5.329G	108.69	Inf	-Inf	3	Horizontal	308	1.56
5320MHz	Pass	AV	5.3572G	51.48	54.00	-2.52	3	Horizontal	308	1.56
5320MHz	Pass	PK	5.3286G	116.95	Inf	-Inf	3	Horizontal	308	1.56
5320MHz	Pass	PK	5.3582G	66.07	74.00	-7.93	3	Horizontal	308	1.56
5320MHz	Pass	AV	10.64024G	43.23	54.00	-10.77	3	Vertical	227	1.45
5320MHz	Pass	AV	15.96696G	43.70	54.00	-10.30	3	Vertical	37	1.50
5320MHz	Pass	PK	10.6424G	54.19	74.00	-19.81	3	Vertical	227	1.45
5320MHz	Pass	PK	15.963G	54.81	74.00	-19.19	3	Vertical	37	1.50
5320MHz	Pass	AV	10.6454G	42.48	54.00	-11.52	3	Horizontal	216	1.09
5320MHz	Pass	AV	15.96318G	43.75	54.00	-10.25	3	Horizontal	360.1	1.58
5320MHz	Pass	PK	10.64354G	54.29	74.00	-19.71	3	Horizontal	216	1.09
5320MHz	Pass	PK	15.954G	55.14	74.00	-18.86	3	Horizontal	360.1	1.58
5500MHz	Pass	AV	5.46G	50.99	54.00	-3.01	3	Vertical	0	2.45
5500MHz	Pass	AV	5.5052G	108.14	Inf	-Inf	3	Vertical	0	2.45
5500MHz	Pass	PK	5.4654G	66.87	68.20	-1.33	3	Vertical	0	2.45
5500MHz	Pass	PK	5.5014G	118.29	Inf	-Inf	3	Vertical	0	2.45
5500MHz	Pass	AV	5.46G	48.10	54.00	-5.90	3	Horizontal	75	2.94
5500MHz	Pass	AV	5.503G	106.55	Inf	-Inf	3	Horizontal	75	2.94
5500MHz	Pass	PK	5.47G	64.95	68.20	-3.25	3	Horizontal	75	2.94
5500MHz	Pass	PK	5.5018G	116.70	Inf	-Inf	3	Horizontal	75	2.94
5500MHz	Pass	AV	11.0019G	42.91	54.00	-11.09	3	Vertical	156	1.46
5500MHz	Pass	PK	11.0005G	53.83	74.00	-20.17	3	Vertical	156	1.46
5500MHz	Pass	PK	16.49935G	56.73	68.20	-11.47	3	Vertical	333	2.32
5500MHz	Pass	AV	10.99805G	42.98	54.00	-11.02	3	Horizontal	150	1.28
5500MHz	Pass	PK	10.99764G	53.90	74.00	-20.10	3	Horizontal	150	1.28
5500MHz	Pass	PK	16.49997G	56.60	68.20	-11.60	3	Horizontal	348	2.43
5580MHz	Pass	AV	5.4588G	46.66	54.00	-7.34	3	Vertical	0	2.22
5580MHz	Pass	AV	5.5836G	108.05	Inf	-Inf	3	Vertical	0	2.22
5580MHz	Pass	PK	5.4624G	57.43	68.20	-10.77	3	Vertical	0	2.22
5580MHz	Pass	PK	5.5866G	118.48	Inf	-Inf	3	Vertical	0	2.22
5580MHz	Pass	PK	5.7282G	58.08	68.20	-10.12	3	Vertical	0	2.22
5580MHz	Pass	AV	5.4588G	46.18	54.00	-7.82	3	Horizontal	102	1.97
5580MHz	Pass	AV	5.5848G	105.85	Inf	-Inf	3	Horizontal	102	1.97
5580MHz	Pass	PK	5.466G	57.15	68.20	-11.05	3	Horizontal	102	1.97
5580MHz	Pass	PK	5.5836G	115.01	Inf	-Inf	3	Horizontal	102	1.97
5580MHz	Pass	PK	5.727G	57.25	68.20	-10.95	3	Horizontal	102	1.97
5580MHz	Pass	AV	11.16138G	42.48	54.00	-11.52	3	Vertical	289	1.98
5580MHz	Pass	PK	11.15787G	53.82	74.00	-20.18	3	Vertical	289	1.98
5580MHz	Pass	PK	16.73987G	56.81	68.20	-11.39	3	Vertical	208	1.26



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	11.16027G	42.60	54.00	-11.40	3	Horizontal	348	1.64
5580MHz	Pass	PK	11.15812G	54.03	74.00	-19.97	3	Horizontal	348	1.64
5580MHz	Pass	PK	16.73971G	56.21	68.20	-11.99	3	Horizontal	152	1.33
5700MHz	Pass	AV	5.6972G	103.10	Inf	-Inf	3	Vertical	6	2.11
5700MHz	Pass	PK	5.6996G	113.49	Inf	-Inf	3	Vertical	6	2.11
5700MHz	Pass	PK	5.7256G	66.72	68.20	-1.48	3	Vertical	6	2.11
5700MHz	Pass	AV	5.692G	100.24	Inf	-Inf	3	Horizontal	44	1.62
5700MHz	Pass	PK	5.6936G	112.17	Inf	-Inf	3	Horizontal	44	1.62
5700MHz	Pass	PK	5.7252G	60.91	68.20	-7.29	3	Horizontal	44	1.62
5700MHz	Pass	AV	11.40202G	42.67	54.00	-11.33	3	Vertical	182	2.03
5700MHz	Pass	PK	11.39921G	53.76	74.00	-20.24	3	Vertical	182	2.03
5700MHz	Pass	PK	17.1001G	57.79	68.20	-10.41	3	Vertical	231	2.03
5700MHz	Pass	AV	11.40173G	42.78	54.00	-11.22	3	Horizontal	174	2.43
5700MHz	Pass	PK	11.40192G	53.61	74.00	-20.39	3	Horizontal	174	2.43
5700MHz	Pass	PK	17.10119G	56.21	68.20	-11.99	3	Horizontal	122	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	46.31	54.00	-7.69	3	Vertical	0	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	111.56	Inf	-Inf	3	Vertical	0	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.42	68.20	-11.78	3	Vertical	0	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	119.77	Inf	-Inf	3	Vertical	0	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8796G	59.61	68.20	-8.59	3	Vertical	0	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	46.17	54.00	-7.83	3	Horizontal	50	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	103.80	Inf	-Inf	3	Horizontal	50	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.06	68.20	-11.14	3	Horizontal	50	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	113.74	Inf	-Inf	3	Horizontal	50	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9012G	59.22	68.20	-8.98	3	Horizontal	50	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44109G	42.65	54.00	-11.35	3	Vertical	97	1.12
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43901G	54.77	74.00	-19.23	3	Vertical	97	1.12
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15816G	56.45	68.20	-11.75	3	Vertical	325	1.74
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44225G	42.77	54.00	-11.23	3	Horizontal	309	2.06
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43812G	54.00	74.00	-20.00	3	Horizontal	309	2.06
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15769G	56.84	68.20	-11.36	3	Horizontal	323	2.96
5745MHz	Pass	AV	5.7474G	108.50	Inf	-Inf	3	Vertical	0	2.10
5745MHz	Pass	PK	5.6466G	59.44	68.20	-8.76	3	Vertical	0	2.10
5745MHz	Pass	PK	5.7414G	117.91	Inf	-Inf	3	Vertical	0	2.10
5745MHz	Pass	PK	5.9286G	58.71	68.20	-9.49	3	Vertical	0	2.10
5745MHz	Pass	AV	5.745G	107.12	Inf	-Inf	3	Horizontal	46	1.81
5745MHz	Pass	PK	5.6478G	59.38	68.20	-8.82	3	Horizontal	46	1.81
5745MHz	Pass	PK	5.7474G	116.12	Inf	-Inf	3	Horizontal	46	1.81
5745MHz	Pass	PK	5.9754G	58.10	68.20	-10.10	3	Horizontal	46	1.81
5745MHz	Pass	AV	11.49065G	42.79	54.00	-11.21	3	Vertical	338	2.66
5745MHz	Pass	PK	11.49054G	53.39	74.00	-20.61	3	Vertical	338	2.66
5745MHz	Pass	PK	17.23655G	57.03	68.20	-11.17	3	Vertical	68	2.95
5745MHz	Pass	AV	11.49225G	42.91	54.00	-11.09	3	Horizontal	272	1.29
5745MHz	Pass	PK	11.48894G	53.92	74.00	-20.08	3	Horizontal	272	1.29
5745MHz	Pass	PK	17.23432G	56.09	68.20	-12.11	3	Horizontal	104	1.82
5785MHz	Pass	AV	5.79097G	109.04	Inf	-Inf	3	Vertical	3	1.68
5785MHz	Pass	PK	5.56107G	58.30	68.20	-9.90	3	Vertical	3	1.68
5785MHz	Pass	PK	5.78855G	118.91	Inf	-Inf	3	Vertical	3	1.68
5785MHz	Pass	PK	5.94222G	58.68	68.20	-9.52	3	Vertical	3	1.68
5785MHz	Pass	AV	5.78976G	106.63	Inf	-Inf	3	Horizontal	42	2.44
5785MHz	Pass	PK	5.61189G	58.52	68.20	-9.68	3	Horizontal	42	2.44
5785MHz	Pass	PK	5.78976G	116.18	Inf	-Inf	3	Horizontal	42	2.44
5785MHz	Pass	PK	5.94343G	59.33	68.20	-8.87	3	Horizontal	42	2.44
5785MHz	Pass	AV	11.56945G	42.59	54.00	-11.41	3	Vertical	150	1.23
5785MHz	Pass	PK	11.57157G	54.00	74.00	-20.00	3	Vertical	150	1.23
5785MHz	Pass	PK	17.35384G	56.45	68.20	-11.75	3	Vertical	65	1.12
5785MHz	Pass	AV	11.56997G	42.46	54.00	-11.54	3	Horizontal	238	1.96
5785MHz	Pass	PK	11.56797G	53.21	74.00	-20.79	3	Horizontal	238	1.96
5785MHz	Pass	PK	17.35571G	57.73	68.20	-10.47	3	Horizontal	43	2.96
5825MHz	Pass	AV	5.8262G	110.23	Inf	-Inf	3	Vertical	8	1.77
5825MHz	Pass	PK	5.5826G	58.72	68.20	-9.48	3	Vertical	8	1.77
5825MHz	Pass	PK	5.8238G	119.01	Inf	-Inf	3	Vertical	8	1.77



RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	5.981G	58.50	68.20	-9.70	3	Vertical	8	1.77
5825MHz	Pass	AV	5.8298G	106.46	Inf	-Inf	3	Horizontal	42	1.87
5825MHz	Pass	PK	5.6438G	58.32	68.20	-9.88	3	Horizontal	42	1.87
5825MHz	Pass	PK	5.8274G	117.00	Inf	-Inf	3	Horizontal	42	1.87
5825MHz	Pass	PK	5.933G	58.03	68.20	-10.17	3	Horizontal	42	1.87
5825MHz	Pass	AV	11.65117G	43.18	54.00	-10.82	3	Vertical	270	1.04
5825MHz	Pass	PK	11.64862G	55.25	74.00	-18.75	3	Vertical	270	1.04
5825MHz	Pass	PK	17.47336G	56.32	68.20	-11.88	3	Vertical	154	2.64
5825MHz	Pass	AV	11.65119G	42.67	54.00	-11.33	3	Horizontal	194	1.33
5825MHz	Pass	PK	11.64909G	53.92	74.00	-20.08	3	Horizontal	194	1.33
5825MHz	Pass	PK	17.47426G	56.36	68.20	-11.84	3	Horizontal	28	1.76
5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.33	54.00	-2.67	3	Vertical	168	1.50
5190MHz	Pass	AV	5.1972G	101.21	Inf	-Inf	3	Vertical	168	1.50
5190MHz	Pass	PK	5.1496G	62.95	74.00	-11.05	3	Vertical	168	1.50
5190MHz	Pass	PK	5.1948G	112.37	Inf	-Inf	3	Vertical	168	1.50
5190MHz	Pass	AV	5.15G	53.41	54.00	-0.59	3	Horizontal	278	2.62
5190MHz	Pass	AV	5.1776G	103.36	Inf	-Inf	3	Horizontal	278	2.62
5190MHz	Pass	PK	5.1468G	64.58	74.00	-9.42	3	Horizontal	278	2.62
5190MHz	Pass	PK	5.2G	113.62	Inf	-Inf	3	Horizontal	278	2.62
5190MHz	Pass	AV	15.56598G	43.61	54.00	-10.39	3	Vertical	348	2.50
5190MHz	Pass	PK	10.38296G	54.00	68.20	-14.20	3	Vertical	249	2.64
5190MHz	Pass	PK	15.57052G	54.63	74.00	-19.37	3	Vertical	348	2.50
5190MHz	Pass	AV	15.57104G	43.61	54.00	-10.39	3	Horizontal	35	1.40
5190MHz	Pass	PK	10.37758G	54.42	68.20	-13.78	3	Horizontal	55	1.28
5190MHz	Pass	PK	15.56844G	55.40	74.00	-18.60	3	Horizontal	35	1.40
5230MHz	Pass	AV	5.15G	50.54	54.00	-3.46	3	Vertical	334	2.65
5230MHz	Pass	AV	5.2144G	105.84	Inf	-Inf	3	Vertical	334	2.65
5230MHz	Pass	PK	5.1476G	62.51	74.00	-11.49	3	Vertical	334	2.65
5230MHz	Pass	PK	5.2204G	116.23	Inf	-Inf	3	Vertical	334	2.65
5230MHz	Pass	AV	5.15G	50.29	54.00	-3.71	3	Horizontal	288	3.00
5230MHz	Pass	AV	5.2204G	106.53	Inf	-Inf	3	Horizontal	288	3.00
5230MHz	Pass	PK	5.1464G	61.99	74.00	-12.01	3	Horizontal	288	3.00
5230MHz	Pass	PK	5.2156G	117.78	Inf	-Inf	3	Horizontal	288	3.00
5230MHz	Pass	AV	15.6889G	43.84	54.00	-10.16	3	Vertical	88	1.16
5230MHz	Pass	PK	10.45924G	54.37	68.20	-13.83	3	Vertical	12	1.47
5230MHz	Pass	PK	15.69496G	54.61	74.00	-19.39	3	Vertical	88	1.16
5230MHz	Pass	AV	15.69494G	43.74	54.00	-10.26	3	Horizontal	157	2.70
5230MHz	Pass	PK	10.46446G	54.04	68.20	-14.16	3	Horizontal	118	1.43
5230MHz	Pass	PK	15.69332G	54.88	74.00	-19.12	3	Horizontal	157	2.70
5270MHz	Pass	AV	5.2548G	104.88	Inf	-Inf	3	Vertical	348	2.42
5270MHz	Pass	AV	5.35G	49.08	54.00	-4.92	3	Vertical	348	2.42
5270MHz	Pass	PK	5.2656G	115.76	Inf	-Inf	3	Vertical	348	2.42
5270MHz	Pass	PK	5.3536G	60.76	74.00	-13.24	3	Vertical	348	2.42
5270MHz	Pass	AV	5.2876G	105.11	Inf	-Inf	3	Horizontal	281	2.98
5270MHz	Pass	AV	5.3508G	49.18	54.00	-4.82	3	Horizontal	281	2.98
5270MHz	Pass	PK	5.2848G	114.72	Inf	-Inf	3	Horizontal	281	2.98
5270MHz	Pass	PK	5.352G	59.83	74.00	-14.17	3	Horizontal	281	2.98
5270MHz	Pass	AV	15.81298G	43.85	54.00	-10.15	3	Vertical	96	2.05
5270MHz	Pass	PK	10.53868G	54.34	68.20	-13.86	3	Vertical	248	2.71
5270MHz	Pass	PK	15.81052G	54.76	74.00	-19.24	3	Vertical	96	2.05
5270MHz	Pass	AV	15.80644G	43.71	54.00	-10.29	3	Horizontal	202	1.85
5270MHz	Pass	PK	10.53732G	53.89	68.20	-14.31	3	Horizontal	119	1.64
5270MHz	Pass	PK	15.81182G	55.24	74.00	-18.76	3	Horizontal	202	1.85
5310MHz	Pass	AV	5.3276G	102.32	Inf	-Inf	3	Vertical	171	1.50
5310MHz	Pass	AV	5.3528G	52.88	54.00	-1.12	3	Vertical	171	1.50
5310MHz	Pass	PK	5.3284G	112.59	Inf	-Inf	3	Vertical	171	1.50
5310MHz	Pass	PK	5.3516G	66.31	74.00	-7.69	3	Vertical	171	1.50
5310MHz	Pass	AV	5.2988G	102.75	Inf	-Inf	3	Horizontal	272	2.91
5310MHz	Pass	AV	5.35G	53.79	54.00	-0.21	3	Horizontal	272	2.91
5310MHz	Pass	PK	5.3136G	113.42	Inf	-Inf	3	Horizontal	272	2.91
5310MHz	Pass	PK	5.3512G	65.10	74.00	-8.90	3	Horizontal	272	2.91



RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.624G	42.06	54.00	-11.94	3	Vertical	193	1.67
5310MHz	Pass	AV	15.92608G	43.05	54.00	-10.95	3	Vertical	338	2.61
5310MHz	Pass	PK	10.62308G	54.26	74.00	-19.74	3	Vertical	193	1.67
5310MHz	Pass	PK	15.9275G	54.02	74.00	-19.98	3	Vertical	338	2.61
5310MHz	Pass	AV	10.6244G	42.09	54.00	-11.91	3	Horizontal	216	2.29
5310MHz	Pass	AV	15.93082G	42.99	54.00	-11.01	3	Horizontal	94	2.34
5310MHz	Pass	PK	10.6218G	53.81	74.00	-20.19	3	Horizontal	216	2.29
5310MHz	Pass	PK	15.92928G	54.46	74.00	-19.54	3	Horizontal	94	2.34
5510MHz	Pass	AV	5.4588G	51.70	54.00	-2.30	3	Vertical	6	2.28
5510MHz	Pass	AV	5.524G	106.15	Inf	-Inf	3	Vertical	6	2.28
5510MHz	Pass	PK	5.4612G	67.60	68.20	-0.60	3	Vertical	6	2.28
5510MHz	Pass	PK	5.5248G	118.07	Inf	-Inf	3	Vertical	6	2.28
5510MHz	Pass	AV	5.4588G	52.47	54.00	-1.53	3	Horizontal	268	2.31
5510MHz	Pass	AV	5.506G	104.60	Inf	-Inf	3	Horizontal	268	2.31
5510MHz	Pass	PK	5.4672G	65.89	68.20	-2.31	3	Horizontal	268	2.31
5510MHz	Pass	PK	5.5064G	114.64	Inf	-Inf	3	Horizontal	268	2.31
5510MHz	Pass	AV	11.01644G	42.53	54.00	-11.47	3	Vertical	185	1.26
5510MHz	Pass	PK	11.02326G	54.90	74.00	-19.10	3	Vertical	185	1.26
5510MHz	Pass	PK	16.52674G	56.11	68.20	-12.09	3	Vertical	76	2.41
5510MHz	Pass	AV	11.01614G	42.52	54.00	-11.48	3	Horizontal	77	2.57
5510MHz	Pass	PK	11.02262G	54.95	74.00	-19.05	3	Horizontal	77	2.57
5510MHz	Pass	PK	16.53464G	55.76	68.20	-12.44	3	Horizontal	249	1.67
5550MHz	Pass	AV	5.4584G	48.11	54.00	-5.89	3	Vertical	9	2.18
5550MHz	Pass	AV	5.538G	107.35	Inf	-Inf	3	Vertical	9	2.18
5550MHz	Pass	PK	5.4668G	60.19	68.20	-8.01	3	Vertical	9	2.18
5550MHz	Pass	PK	5.538G	118.57	Inf	-Inf	3	Vertical	9	2.18
5550MHz	Pass	AV	5.4568G	47.21	54.00	-6.79	3	Horizontal	93	2.33
5550MHz	Pass	AV	5.5444G	104.77	Inf	-Inf	3	Horizontal	93	2.33
5550MHz	Pass	PK	5.464G	59.17	68.20	-9.03	3	Horizontal	93	2.33
5550MHz	Pass	PK	5.538G	115.16	Inf	-Inf	3	Horizontal	93	2.33
5550MHz	Pass	AV	11.09818G	42.54	54.00	-11.46	3	Vertical	286	1.09
5550MHz	Pass	PK	11.10466G	54.95	74.00	-19.05	3	Vertical	286	1.09
5550MHz	Pass	PK	16.64784G	56.04	68.20	-12.16	3	Vertical	37	2.61
5550MHz	Pass	AV	11.1014G	42.47	54.00	-11.53	3	Horizontal	283	2.87
5550MHz	Pass	PK	11.09982G	54.61	74.00	-19.39	3	Horizontal	283	2.87
5550MHz	Pass	PK	16.65444G	55.88	68.20	-12.32	3	Horizontal	313	1.92
5670MHz	Pass	AV	5.6598G	105.64	Inf	-Inf	3	Vertical	0	2.18
5670MHz	Pass	PK	5.6562G	116.74	Inf	-Inf	3	Vertical	0	2.18
5670MHz	Pass	PK	5.7252G	67.68	68.20	-0.52	3	Vertical	0	2.18
5670MHz	Pass	AV	5.664G	103.22	Inf	-Inf	3	Horizontal	46	1.64
5670MHz	Pass	PK	5.6664G	113.12	Inf	-Inf	3	Horizontal	46	1.64
5670MHz	Pass	PK	5.7282G	65.01	68.20	-3.19	3	Horizontal	46	1.64
5670MHz	Pass	AV	11.33636G	42.20	54.00	-11.80	3	Vertical	305	2.18
5670MHz	Pass	PK	11.33672G	53.96	74.00	-20.04	3	Vertical	305	2.18
5670MHz	Pass	PK	17.01118G	55.64	68.20	-12.56	3	Vertical	293	1.68
5670MHz	Pass	AV	11.34498G	42.17	54.00	-11.83	3	Horizontal	306	1.86
5670MHz	Pass	PK	11.3421G	53.87	74.00	-20.13	3	Horizontal	306	1.86
5670MHz	Pass	PK	17.0096G	55.32	68.20	-12.88	3	Horizontal	333	1.73
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.422G	46.24	54.00	-7.76	3	Vertical	0	2.10
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	106.50	Inf	-Inf	3	Vertical	0	2.10
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	57.38	68.20	-10.82	3	Vertical	0	2.10
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6932G	116.74	Inf	-Inf	3	Vertical	0	2.10
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8888G	59.55	68.20	-8.65	3	Vertical	0	2.10
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4112G	45.83	54.00	-8.17	3	Horizontal	105	2.89
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7196G	102.77	Inf	-Inf	3	Horizontal	105	2.89
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	56.37	68.20	-11.83	3	Horizontal	105	2.89
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7208G	113.14	Inf	-Inf	3	Horizontal	105	2.89
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8744G	59.19	68.20	-9.01	3	Horizontal	105	2.89
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42424G	42.45	54.00	-11.55	3	Vertical	232	2.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4238G	54.20	74.00	-19.80	3	Vertical	232	2.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13224G	56.47	68.20	-11.73	3	Vertical	156	1.30
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41852G	42.38	54.00	-11.62	3	Horizontal	130	2.04



RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41708G	54.15	74.00	-19.85	3	Horizontal	130	2.04
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12832G	56.56	68.20	-11.64	3	Horizontal	354	1.37
5755MHz	Pass	AV	5.7394G	106.85	Inf	-Inf	3	Vertical	0	2.31
5755MHz	Pass	PK	5.6326G	60.83	68.20	-7.37	3	Vertical	0	2.31
5755MHz	Pass	PK	5.749G	117.02	Inf	-Inf	3	Vertical	0	2.31
5755MHz	Pass	PK	5.9422G	58.46	68.20	-9.74	3	Vertical	0	2.31
5755MHz	Pass	AV	5.7442G	104.35	Inf	-Inf	3	Horizontal	58	2.39
5755MHz	Pass	PK	5.647G	59.00	68.20	-9.20	3	Horizontal	58	2.39
5755MHz	Pass	PK	5.755G	114.03	Inf	-Inf	3	Horizontal	58	2.39
5755MHz	Pass	PK	5.9674G	59.01	68.20	-9.19	3	Horizontal	58	2.39
5755MHz	Pass	AV	11.50646G	42.30	54.00	-11.70	3	Vertical	356	1.94
5755MHz	Pass	PK	11.51202G	54.84	74.00	-19.16	3	Vertical	356	1.94
5755MHz	Pass	PK	17.26244G	56.26	68.20	-11.94	3	Vertical	285	2.23
5755MHz	Pass	AV	11.5055G	42.32	54.00	-11.68	3	Horizontal	348	2.77
5755MHz	Pass	PK	11.5082G	54.10	74.00	-19.90	3	Horizontal	348	2.77
5755MHz	Pass	PK	17.26524G	56.12	68.20	-12.08	3	Horizontal	64	2.23
5795MHz	Pass	AV	5.7806G	106.41	Inf	-Inf	3	Vertical	0	2.03
5795MHz	Pass	PK	5.5862G	60.18	68.20	-8.02	3	Vertical	0	2.03
5795MHz	Pass	PK	5.7962G	116.77	Inf	-Inf	3	Vertical	0	2.03
5795MHz	Pass	PK	5.9642G	58.51	68.20	-9.69	3	Vertical	0	2.03
5795MHz	Pass	AV	5.7902G	103.39	Inf	-Inf	3	Horizontal	47	1.86
5795MHz	Pass	PK	5.639G	58.29	68.20	-9.91	3	Horizontal	47	1.86
5795MHz	Pass	PK	5.7914G	114.42	Inf	-Inf	3	Horizontal	47	1.86
5795MHz	Pass	PK	5.9462G	58.37	68.20	-9.83	3	Horizontal	47	1.86
5795MHz	Pass	AV	11.58704G	42.13	54.00	-11.87	3	Vertical	8	1.18
5795MHz	Pass	PK	11.5929G	53.88	74.00	-20.12	3	Vertical	8	1.18
5795MHz	Pass	PK	17.38794G	56.45	68.20	-11.75	3	Vertical	142	1.70
5795MHz	Pass	AV	11.59146G	42.06	54.00	-11.94	3	Horizontal	192	2.67
5795MHz	Pass	PK	11.5866G	53.88	74.00	-20.12	3	Horizontal	192	2.67
5795MHz	Pass	PK	17.3851G	56.50	68.20	-11.70	3	Horizontal	22	2.56
5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.141G	53.50	54.00	-0.50	3	Vertical	33	1.50
5210MHz	Pass	AV	5.172G	93.57	Inf	-Inf	3	Vertical	33	1.50
5210MHz	Pass	AV	5.353G	48.69	54.00	-5.31	3	Vertical	33	1.50
5210MHz	Pass	PK	5.141G	65.25	74.00	-8.75	3	Vertical	33	1.50
5210MHz	Pass	PK	5.224G	101.61	Inf	-Inf	3	Vertical	33	1.50
5210MHz	Pass	PK	5.351G	57.44	74.00	-16.56	3	Vertical	33	1.50
5210MHz	Pass	AV	5.136G	53.85	54.00	-0.15	3	Horizontal	283	1.17
5210MHz	Pass	AV	5.222G	96.17	Inf	-Inf	3	Horizontal	283	1.17
5210MHz	Pass	AV	5.387G	48.50	54.00	-5.50	3	Horizontal	283	1.17
5210MHz	Pass	PK	5.141G	68.41	74.00	-5.59	3	Horizontal	283	1.17
5210MHz	Pass	PK	5.206G	103.38	Inf	-Inf	3	Horizontal	283	1.17
5210MHz	Pass	PK	5.432G	57.63	74.00	-16.37	3	Horizontal	283	1.17
5210MHz	Pass	AV	15.62712G	45.19	54.00	-8.81	3	Vertical	137	1.51
5210MHz	Pass	PK	10.41784G	54.07	68.20	-14.13	3	Vertical	191	2.38
5210MHz	Pass	PK	15.63304G	55.06	74.00	-18.94	3	Vertical	137	1.51
5210MHz	Pass	AV	15.62606G	45.75	54.00	-8.25	3	Horizontal	87	2.57
5210MHz	Pass	PK	10.4169G	54.24	68.20	-13.96	3	Horizontal	52	1.92
5210MHz	Pass	PK	15.63202G	54.88	74.00	-19.12	3	Horizontal	87	2.57
5290MHz	Pass	AV	5.138G	49.24	54.00	-4.76	3	Vertical	174	1.44
5290MHz	Pass	AV	5.261G	101.82	Inf	-Inf	3	Vertical	174	1.44
5290MHz	Pass	AV	5.366G	52.51	54.00	-1.49	3	Vertical	174	1.44
5290MHz	Pass	PK	5.088G	58.40	74.00	-15.60	3	Vertical	174	1.44
5290MHz	Pass	PK	5.262G	108.43	Inf	-Inf	3	Vertical	174	1.44
5290MHz	Pass	PK	5.366G	65.19	74.00	-8.81	3	Vertical	174	1.44
5290MHz	Pass	AV	5.131G	49.64	54.00	-4.36	3	Horizontal	274	1.77
5290MHz	Pass	AV	5.276G	97.29	Inf	-Inf	3	Horizontal	274	1.77
5290MHz	Pass	AV	5.361G	52.93	54.00	-1.07	3	Horizontal	274	1.77
5290MHz	Pass	PK	5.145G	59.24	74.00	-14.76	3	Horizontal	274	1.77
5290MHz	Pass	PK	5.306G	104.30	Inf	-Inf	3	Horizontal	274	1.77
5290MHz	Pass	PK	5.351G	69.36	74.00	-4.64	3	Horizontal	274	1.77
5290MHz	Pass	AV	15.8671G	44.43	54.00	-9.57	3	Vertical	154	2.39



RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	10.58042G	55.23	68.20	-12.97	3	Vertical	20	1.25
5290MHz	Pass	PK	15.86692G	54.73	74.00	-19.27	3	Vertical	154	2.39
5290MHz	Pass	AV	15.8726G	45.38	54.00	-8.62	3	Horizontal	133	1.45
5290MHz	Pass	PK	10.58108G	54.44	68.20	-13.76	3	Horizontal	348	2.94
5290MHz	Pass	PK	15.87436G	54.55	74.00	-19.45	3	Horizontal	133	1.45
5530MHz	Pass	AV	5.446G	52.37	54.00	-1.63	3	Vertical	3	2.20
5530MHz	Pass	AV	5.545G	99.03	Inf	-Inf	3	Vertical	3	2.20
5530MHz	Pass	PK	5.462G	64.14	68.20	-4.06	3	Vertical	3	2.20
5530MHz	Pass	PK	5.534G	107.16	Inf	-Inf	3	Vertical	3	2.20
5530MHz	Pass	PK	5.732G	58.64	68.20	-9.56	3	Vertical	3	2.20
5530MHz	Pass	AV	5.457G	53.23	54.00	-0.77	3	Horizontal	273	2.48
5530MHz	Pass	AV	5.532G	97.53	Inf	-Inf	3	Horizontal	273	2.48
5530MHz	Pass	PK	5.467G	63.64	68.20	-4.56	3	Horizontal	273	2.48
5530MHz	Pass	PK	5.546G	105.61	Inf	-Inf	3	Horizontal	273	2.48
5530MHz	Pass	PK	5.762G	57.49	68.20	-10.71	3	Horizontal	273	2.48
5530MHz	Pass	AV	11.05954G	44.69	54.00	-9.31	3	Vertical	286	2.43
5530MHz	Pass	PK	11.05848G	54.91	74.00	-19.09	3	Vertical	286	2.43
5530MHz	Pass	PK	16.59444G	55.77	68.20	-12.43	3	Vertical	118	2.12
5530MHz	Pass	AV	11.06066G	44.90	54.00	-9.10	3	Horizontal	109	1.21
5530MHz	Pass	PK	11.06316G	55.81	74.00	-18.19	3	Horizontal	109	1.21
5530MHz	Pass	PK	16.59202G	55.91	68.20	-12.29	3	Horizontal	281	2.66
5610MHz	Pass	AV	5.46G	51.45	54.00	-2.55	3	Vertical	3	2.09
5610MHz	Pass	AV	5.625G	102.47	Inf	-Inf	3	Vertical	3	2.09
5610MHz	Pass	PK	5.465G	63.27	68.20	-4.93	3	Vertical	3	2.09
5610MHz	Pass	PK	5.596G	109.69	Inf	-Inf	3	Vertical	3	2.09
5610MHz	Pass	PK	5.726G	67.30	68.20	-0.90	3	Vertical	3	2.09
5610MHz	Pass	AV	5.46G	52.48	54.00	-1.52	3	Horizontal	273	2.74
5610MHz	Pass	AV	5.572G	103.93	Inf	-Inf	3	Horizontal	273	2.74
5610MHz	Pass	PK	5.465G	62.96	68.20	-5.24	3	Horizontal	273	2.74
5610MHz	Pass	PK	5.572G	109.74	Inf	-Inf	3	Horizontal	273	2.74
5610MHz	Pass	PK	5.727G	61.76	68.20	-6.44	3	Horizontal	273	2.74
5610MHz	Pass	AV	11.21896G	44.53	54.00	-9.47	3	Vertical	272	2.98
5610MHz	Pass	PK	11.21962G	55.03	74.00	-18.97	3	Vertical	272	2.98
5610MHz	Pass	PK	16.83322G	55.86	68.20	-12.34	3	Vertical	161	2.87
5610MHz	Pass	AV	11.21538G	44.36	54.00	-9.64	3	Horizontal	230	2.93
5610MHz	Pass	PK	11.22052G	54.10	74.00	-19.90	3	Horizontal	230	2.93
5610MHz	Pass	PK	16.83412G	56.60	68.20	-11.60	3	Horizontal	235	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	49.15	54.00	-4.85	3	Vertical	155.9	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6852G	104.19	Inf	-Inf	3	Vertical	155.9	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.14	68.20	-10.06	3	Vertical	155.9	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6672G	114.71	Inf	-Inf	3	Vertical	155.9	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	61.14	68.20	-7.06	3	Vertical	155.9	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	48.46	54.00	-5.54	3	Horizontal	241	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6528G	102.91	Inf	-Inf	3	Horizontal	241	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.83	68.20	-11.37	3	Horizontal	241	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6612G	107.75	Inf	-Inf	3	Horizontal	241	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	59.12	68.20	-9.08	3	Horizontal	241	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38444G	44.13	54.00	-9.87	3	Vertical	334	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38482G	53.88	74.00	-20.12	3	Vertical	334	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06634G	56.68	68.20	-11.52	3	Vertical	359	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3846G	44.31	54.00	-9.69	3	Horizontal	208	2.21
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38486G	53.60	74.00	-20.40	3	Horizontal	208	2.21
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0664G	56.35	68.20	-11.85	3	Horizontal	310	2.90
5775MHz	Pass	AV	5.7858G	103.12	Inf	-Inf	3	Vertical	14	1.97
5775MHz	Pass	PK	5.6406G	67.92	68.20	-0.28	3	Vertical	14	1.97
5775MHz	Pass	PK	5.7858G	110.13	Inf	-Inf	3	Vertical	14	1.97
5775MHz	Pass	PK	5.925G	58.21	68.20	-9.99	3	Vertical	14	1.97
5775MHz	Pass	AV	5.7738G	98.17	Inf	-Inf	3	Horizontal	90	1.40
5775MHz	Pass	PK	5.6286G	62.77	68.20	-5.43	3	Horizontal	90	1.40
5775MHz	Pass	PK	5.7918G	106.01	Inf	-Inf	3	Horizontal	90	1.40
5775MHz	Pass	PK	5.9682G	58.08	68.20	-10.12	3	Horizontal	90	1.40
5775MHz	Pass	AV	11.55224G	44.42	54.00	-9.58	3	Vertical	165	1.22




RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	PK	11.5544G	54.26	74.00	-19.74	3	Vertical	165	1.22
5775MHz	Pass	PK	17.32622G	55.79	68.20	-12.41	3	Vertical	122	1.92
5775MHz	Pass	AV	11.55382G	44.71	54.00	-9.29	3	Horizontal	165	1.40
5775MHz	Pass	PK	11.5462G	54.21	74.00	-19.79	3	Horizontal	165	1.40
5775MHz	Pass	PK	17.32208G	56.04	68.20	-12.16	3	Horizontal	61	1.04
5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1216G	49.91	54.00	-4.09	3	Vertical	184	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1756G	94.93	Inf	-Inf	3	Vertical	184	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3856G	48.37	54.00	-5.63	3	Vertical	184	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	61.83	74.00	-12.17	3	Vertical	184	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1816G	105.38	Inf	-Inf	3	Vertical	184	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3796G	67.77	74.00	-6.23	3	Vertical	184	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1456G	53.74	54.00	-0.26	3	Horizontal	278	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1876G	98.10	Inf	-Inf	3	Horizontal	278	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3544G	50.60	54.00	-3.40	3	Horizontal	278	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1276G	67.52	74.00	-6.48	3	Horizontal	278	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.214G	104.10	Inf	-Inf	3	Horizontal	278	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	64.88	74.00	-9.12	3	Horizontal	278	2.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.75494G	43.72	54.00	-10.28	3	Vertical	152	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50114G	54.23	68.20	-13.97	3	Vertical	189	1.60
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7491G	55.17	74.00	-18.83	3	Vertical	152	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.75284G	43.75	54.00	-10.25	3	Horizontal	25	2.41
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4953G	54.45	68.20	-13.75	3	Horizontal	261	2.42
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75384G	54.65	74.00	-19.35	3	Horizontal	25	2.41
5570MHz	Pass	AV	5.456G	53.33	54.00	-0.67	3	Vertical	15	1.50
5570MHz	Pass	AV	5.5064G	98.13	Inf	-Inf	3	Vertical	15	1.50
5570MHz	Pass	PK	5.4608G	65.43	68.20	-2.77	3	Vertical	15	1.50
5570MHz	Pass	PK	5.5676G	105.37	Inf	-Inf	3	Vertical	15	1.50
5570MHz	Pass	PK	5.7536G	61.74	68.20	-6.46	3	Vertical	15	1.50
5570MHz	Pass	AV	5.4584G	52.81	54.00	-1.19	3	Horizontal	57	1.50
5570MHz	Pass	AV	5.4992G	96.87	Inf	-Inf	3	Horizontal	57	1.50
5570MHz	Pass	PK	5.468G	61.58	68.20	-6.62	3	Horizontal	57	1.50
5570MHz	Pass	PK	5.534G	102.61	Inf	-Inf	3	Horizontal	57	1.50
5570MHz	Pass	PK	5.7428G	60.18	68.20	-8.02	3	Horizontal	57	1.50
5570MHz	Pass	AV	11.14248G	42.36	54.00	-11.64	3	Vertical	298	2.19
5570MHz	Pass	PK	11.13574G	53.96	74.00	-20.04	3	Vertical	298	2.19
5570MHz	Pass	PK	16.71376G	56.10	68.20	-12.10	3	Vertical	257	2.32
5570MHz	Pass	AV	11.13646G	42.30	54.00	-11.70	3	Horizontal	300	2.45
5570MHz	Pass	PK	11.1433G	54.46	74.00	-19.54	3	Horizontal	300	2.45
5570MHz	Pass	PK	16.71446G	55.61	68.20	-12.59	3	Horizontal	49	1.24

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	49.69	54.00	-4.31	4.31	3	Vertical	172	1.50	45.38	33.08	5.85	34.62
AV	5.188G	104.82	Inf	-Inf	4.44	3	Vertical	172	1.50	100.38	33.18	5.87	34.61
PK	5.1496G	60.74	74.00	-13.26	4.34	3	Vertical	172	1.50	56.40	33.10	5.86	34.62
PK	5.1868G	113.60	Inf	-Inf	4.43	3	Vertical	172	1.50	109.17	33.17	5.87	34.61

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	52.64	54.00	-1.36	4.34	3	Horizontal	276	2.58	48.30	33.10	5.86	34.62
AV	5.1784G	105.66	Inf	-Inf	4.42	3	Horizontal	276	2.58	101.24	33.16	5.87	34.61
PK	5.1496G	65.44	74.00	-8.56	4.34	3	Horizontal	276	2.58	61.10	33.10	5.86	34.62
PK	5.1814G	116.35	Inf	-Inf	4.42	3	Horizontal	276	2.58	111.93	33.16	5.87	34.61




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5180MHz_TX



27/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54079G	44.17	54.00	-9.83	13.25	3	Vertical	328	2.17	30.92	38.36	9.80	34.91
PK	10.3617G	53.64	68.20	-14.56	11.74	3	Vertical	174	2.18	41.90	38.58	8.02	34.86
PK	15.54058G	55.11	74.00	-18.89	13.25	3	Vertical	328	2.17	41.86	38.36	9.80	34.91

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5180MHz_TX




27/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54137G	44.08	54.00	-9.92	13.24	3	Horizontal	215	1.60	30.84	38.35	9.80	34.91
PK	10.361G	53.52	68.20	-14.68	11.74	3	Horizontal	52	1.30	41.78	38.58	8.02	34.86
PK	15.53895G	56.20	74.00	-17.80	13.25	3	Horizontal	215	1.60	42.95	38.37	9.79	34.91

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.73	54.00	-4.27	4.34	3	Vertical	155	1.75	45.39	33.10	5.86	34.62
AV	5.2024G	108.47	Inf	-Inf	4.47	3	Vertical	155	1.75	104.00	33.20	5.88	34.61
PK	5.146G	65.74	74.00	-8.26	4.33	3	Vertical	155	1.75	61.41	33.09	5.86	34.62
PK	5.2024G	118.85	Inf	-Inf	4.47	3	Vertical	155	1.75	114.38	33.20	5.88	34.61

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.75	54.00	-2.25	4.34	3	Horizontal	255	1.59	47.41	33.10	5.86	34.62
AV	5.1988G	106.50	Inf	-Inf	4.47	3	Horizontal	255	1.59	102.03	33.20	5.88	34.61
PK	5.1464G	66.96	74.00	-7.04	4.33	3	Horizontal	255	1.59	62.63	33.09	5.86	34.62
PK	5.1956G	113.90	Inf	-Inf	4.46	3	Horizontal	255	1.59	109.44	33.19	5.88	34.61




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56672G	44.21	54.00	-9.79	13.07	3	Vertical	35	1.41	31.14	38.20	9.80	34.93
PK	10.4368G	50.36	68.20	-17.84	11.81	3	Vertical	308	2.66	38.55	38.54	8.05	34.78
PK	15.63392G	53.43	74.00	-20.57	12.87	3	Vertical	35	1.41	40.56	38.03	9.82	34.98


5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63632G	44.24	54.00	-9.76	12.89	3	Horizontal	331	2.05	31.35	38.04	9.83	34.98
PK	10.36384G	51.17	68.20	-17.03	11.73	3	Horizontal	209	1.99	39.44	38.57	8.02	34.86
PK	15.5624G	51.57	74.00	-22.43	13.10	3	Horizontal	331	2.05	38.47	38.23	9.80	34.93




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1344G	47.47	54.00	-6.53	4.30	3	Vertical	141	1.50	43.17	33.07	5.85	34.62
AV	5.2316G	107.34	Inf	-Inf	4.44	3	Vertical	141	1.50	102.90	33.14	5.90	34.60
AV	5.35G	47.11	54.00	-6.89	4.08	3	Vertical	141	1.50	43.03	32.70	5.96	34.58
PK	5.1134G	59.45	74.00	-14.55	4.25	3	Vertical	141	1.50	55.20	33.03	5.84	34.62
PK	5.2346G	117.75	Inf	-Inf	4.43	3	Vertical	141	1.50	113.32	33.13	5.90	34.60
PK	5.3654G	58.19	74.00	-15.81	4.18	3	Vertical	141	1.50	54.01	32.79	5.97	34.58

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	47.47	54.00	-6.53	4.34	3	Horizontal	252	2.42	43.13	33.10	5.86	34.62
AV	5.2418G	107.86	Inf	-Inf	4.42	3	Horizontal	252	2.42	103.44	33.12	5.90	34.60
AV	5.35G	46.58	54.00	-7.42	4.08	3	Horizontal	252	2.42	42.50	32.70	5.96	34.58
PK	5.1308G	59.37	74.00	-14.63	4.29	3	Horizontal	252	2.42	55.08	33.06	5.85	34.62
PK	5.243G	118.59	Inf	-Inf	4.41	3	Horizontal	252	2.42	114.18	33.11	5.90	34.60
PK	5.3528G	57.49	74.00	-16.51	4.10	3	Horizontal	252	2.42	53.39	32.72	5.96	34.58

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70624G	44.13	54.00	-9.87	12.91	3	Vertical	20	1.45	31.22	38.09	9.85	35.03
PK	10.50576G	53.60	68.20	-14.60	11.98	3	Vertical	351	2.24	41.62	38.62	8.08	34.72
PK	15.70976G	55.89	74.00	-18.11	12.90	3	Vertical	20	1.45	42.99	38.09	9.85	35.04


5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69888G	44.23	54.00	-9.77	12.92	3	Horizontal	241	1.14	31.31	38.10	9.85	35.03
PK	10.48832G	52.75	68.20	-15.45	11.94	3	Horizontal	351	2.59	40.81	38.59	8.08	34.73
PK	15.72336G	54.55	74.00	-19.45	12.88	3	Horizontal	241	1.14	41.67	38.08	9.85	35.05

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.36	54.00	-6.64	4.34	3	Vertical	360	2.51	43.02	33.10	5.86	34.62
AV	5.2534G	106.34	Inf	-Inf	4.40	3	Vertical	360	2.51	101.94	33.09	5.91	34.60
AV	5.3524G	47.34	54.00	-6.66	4.09	3	Vertical	360	2.51	43.25	32.71	5.96	34.58
PK	5.131G	58.07	74.00	-15.93	4.29	3	Vertical	360	2.51	53.78	33.06	5.85	34.62
PK	5.2528G	117.43	Inf	-Inf	4.40	3	Vertical	360	2.51	113.03	33.09	5.91	34.60
PK	5.3524G	57.40	74.00	-16.60	4.09	3	Vertical	360	2.51	53.31	32.71	5.96	34.58


5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.49	54.00	-6.51	4.34	3	Horizontal	283	2.49	43.15	33.10	5.86	34.62
AV	5.2534G	107.65	Inf	-Inf	4.40	3	Horizontal	283	2.49	103.25	33.09	5.91	34.60
AV	5.3572G	47.43	54.00	-6.57	4.13	3	Horizontal	283	2.49	43.30	32.74	5.97	34.58
PK	5.1268G	58.16	74.00	-15.84	4.28	3	Horizontal	283	2.49	53.88	33.05	5.85	34.62
PK	5.257G	117.47	Inf	-Inf	4.38	3	Horizontal	283	2.49	113.09	33.07	5.91	34.60
PK	5.356G	57.96	74.00	-16.04	4.13	3	Horizontal	283	2.49	53.83	32.74	5.97	34.58


5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5260MHz_TX



27/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78074G	44.10	54.00	-9.90	12.80	3	Vertical	167	1.70	31.30	38.02	9.87	35.09
PK	10.5215G	53.76	68.20	-14.44	12.04	3	Vertical	319	2.45	41.72	38.66	8.09	34.71
PK	15.78194G	55.77	74.00	-18.23	12.80	3	Vertical	167	1.70	42.97	38.02	9.87	35.09

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5260MHz_TX




27/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78244G	44.31	54.00	-9.69	12.80	3	Horizontal	225	1.75	31.51	38.02	9.87	35.09
PK	10.52076G	53.93	68.20	-14.27	12.04	3	Horizontal	151	1.27	41.89	38.66	8.09	34.71
PK	15.7825G	55.17	74.00	-18.83	12.80	3	Horizontal	225	1.75	42.37	38.02	9.87	35.09

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2912G	105.29	Inf	-Inf	4.28	3	Vertical	173	1.61	101.01	32.94	5.93	34.59
AV	5.3928G	47.43	54.00	-6.57	4.37	3	Vertical	173	1.61	43.06	32.96	5.99	34.58
PK	5.2936G	115.65	Inf	-Inf	4.27	3	Vertical	173	1.61	111.38	32.93	5.93	34.59
PK	5.3596G	58.63	74.00	-15.37	4.15	3	Vertical	173	1.61	54.48	32.76	5.97	34.58

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	106.79	Inf	-Inf	4.25	3	Horizontal	276	2.78	102.54	32.91	5.93	34.59
AV	5.398G	47.75	54.00	-6.25	4.40	3	Horizontal	276	2.78	43.35	32.99	5.99	34.58
PK	5.2988G	116.01	Inf	-Inf	4.24	3	Horizontal	276	2.78	111.77	32.90	5.93	34.59
PK	5.3648G	58.10	74.00	-15.90	4.18	3	Horizontal	276	2.78	53.92	32.79	5.97	34.58




5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5300MHz_TX



27/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90215G	43.87	54.00	-10.13	12.33	3	Vertical	316	1.43	31.54	37.60	9.91	35.18
PK	10.59843G	53.43	68.20	-14.77	12.33	3	Vertical	269	2.58	41.10	38.90	8.12	34.69
PK	15.89875G	54.85	74.00	-19.15	12.33	3	Vertical	316	1.43	42.52	37.60	9.91	35.18

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5300MHz_TX




27/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90161G	43.96	54.00	-10.04	12.33	3	Horizontal	205	1.08	31.63	37.60	9.91	35.18
PK	10.59856G	54.99	68.20	-13.21	12.33	3	Horizontal	49	2.31	42.66	38.90	8.12	34.69
PK	15.90114G	54.76	74.00	-19.24	12.33	3	Horizontal	205	1.08	42.43	37.60	9.91	35.18

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3276G	107.60	Inf	-Inf	4.15	3	Vertical	170	1.50	103.45	32.79	5.95	34.59
AV	5.353G	51.97	54.00	-2.03	4.10	3	Vertical	170	1.50	47.87	32.72	5.96	34.58
PK	5.3284G	117.01	Inf	-Inf	4.15	3	Vertical	170	1.50	112.86	32.79	5.95	34.59
PK	5.358G	65.25	74.00	-8.75	4.14	3	Vertical	170	1.50	61.11	32.75	5.97	34.58

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.329G	108.69	Inf	-Inf	4.14	3	Horizontal	308	1.56	104.55	32.78	5.95	34.59
AV	5.3572G	51.48	54.00	-2.52	4.13	3	Horizontal	308	1.56	47.35	32.74	5.97	34.58
PK	5.3286G	116.95	Inf	-Inf	4.15	3	Horizontal	308	1.56	112.80	32.79	5.95	34.59
PK	5.3582G	66.07	74.00	-7.93	4.14	3	Horizontal	308	1.56	61.93	32.75	5.97	34.58

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64024G	43.23	54.00	-10.77	12.44	3	Vertical	227	1.45	30.79	38.98	8.14	34.68
AV	15.96696G	43.70	54.00	-10.30	12.30	3	Vertical	37	1.50	31.40	37.60	9.93	35.23
PK	10.6424G	54.19	74.00	-19.81	12.44	3	Vertical	227	1.45	41.75	38.98	8.14	34.68
PK	15.963G	54.81	74.00	-19.19	12.31	3	Vertical	37	1.50	42.50	37.60	9.93	35.22

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6454G	42.48	54.00	-11.52	12.45	3	Horizontal	216	1.09	30.03	38.99	8.14	34.68
AV	15.96318G	43.75	54.00	-10.25	12.31	3	Horizontal	360.1	1.58	31.44	37.60	9.93	35.22
PK	10.64354G	54.29	74.00	-19.71	12.45	3	Horizontal	216	1.09	41.84	38.99	8.14	34.68
PK	15.954G	55.14	74.00	-18.86	12.31	3	Horizontal	360.1	1.58	42.83	37.60	9.93	35.22

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.99	54.00	-3.01	4.26	3	Vertical	0	2.45	46.73	32.82	6.01	34.57
AV	5.5052G	108.14	Inf	-Inf	4.38	3	Vertical	0	2.45	103.76	32.91	6.03	34.56
PK	5.4654G	66.87	68.20	-1.33	4.27	3	Vertical	0	2.45	62.60	32.83	6.01	34.57
PK	5.5014G	118.29	Inf	-Inf	4.37	3	Vertical	0	2.45	113.92	32.90	6.03	34.56


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.10	54.00	-5.90	4.26	3	Horizontal	75	2.94	43.84	32.82	6.01	34.57
AV	5.503G	106.55	Inf	-Inf	4.38	3	Horizontal	75	2.94	102.17	32.91	6.03	34.56
PK	5.47G	64.95	68.20	-3.25	4.29	3	Horizontal	75	2.94	60.66	32.84	6.01	34.56
PK	5.5018G	116.70	Inf	-Inf	4.37	3	Horizontal	75	2.94	112.33	32.90	6.03	34.56

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0019G	42.91	54.00	-11.09	12.41	3	Vertical	156	1.46	30.50	38.70	8.29	34.58
PK	11.0005G	53.83	74.00	-20.17	12.41	3	Vertical	156	1.46	41.42	38.70	8.29	34.58
PK	16.49935G	56.73	68.20	-11.47	14.00	3	Vertical	333	2.32	42.73	38.70	10.06	34.76


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99805G	42.98	54.00	-11.02	12.41	3	Horizontal	150	1.28	30.57	38.70	8.29	34.58
PK	10.99764G	53.90	74.00	-20.10	12.41	3	Horizontal	150	1.28	41.49	38.70	8.29	34.58
PK	16.49997G	56.60	68.20	-11.60	14.00	3	Horizontal	348	2.43	42.60	38.70	10.06	34.76

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	46.57	54.00	-7.43	4.25	3	Vertical	175	1.50	42.32	32.81	6.01	34.57
AV	5.5746G	107.82	Inf	-Inf	4.50	3	Vertical	175	1.50	103.32	33.00	6.05	34.55
PK	5.4606G	57.05	68.20	-11.15	4.26	3	Vertical	175	1.50	52.79	32.82	6.01	34.57
PK	5.5758G	118.68	Inf	-Inf	4.50	3	Vertical	175	1.50	114.18	33.00	6.05	34.55
PK	5.7282G	57.34	68.20	-10.86	5.12	3	Vertical	175	1.50	52.22	33.51	6.15	34.54


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	46.01	54.00	-7.99	4.25	3	Horizontal	38	3.00	41.76	32.81	6.01	34.57
AV	5.5722G	103.62	Inf	-Inf	4.50	3	Horizontal	38	3.00	99.12	33.00	6.05	34.55
PK	5.4684G	55.85	68.20	-12.35	4.28	3	Horizontal	38	3.00	51.57	32.84	6.01	34.57
PK	5.5722G	113.51	Inf	-Inf	4.50	3	Horizontal	38	3.00	109.01	33.00	6.05	34.55
PK	5.7264G	57.29	68.20	-10.91	5.12	3	Horizontal	38	3.00	52.17	33.51	6.15	34.54

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14288G	42.63	54.00	-11.37	12.41	3	Vertical	121	3.00	30.22	38.64	8.35	34.58
PK	11.18384G	53.42	74.00	-20.58	12.47	3	Vertical	121	3.00	40.95	38.68	8.37	34.58
PK	16.74288G	56.04	68.20	-12.16	13.85	3	Vertical	216	1.39	42.19	38.19	10.11	34.45

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1992G	42.58	54.00	-11.42	12.49	3	Horizontal	217	1.23	30.09	38.70	8.37	34.58
PK	11.13328G	53.17	74.00	-20.83	12.40	3	Horizontal	217	1.23	40.77	38.63	8.35	34.58
PK	16.7768G	55.79	68.20	-12.41	13.96	3	Horizontal	65	2.33	41.83	38.25	10.12	34.41

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6972G	103.10	Inf	-Inf	4.97	3	Vertical	6	2.11	98.13	33.38	6.13	34.54
PK	5.6996G	113.49	Inf	-Inf	4.99	3	Vertical	6	2.11	108.50	33.40	6.13	34.54
PK	5.7256G	66.72	68.20	-1.48	5.11	3	Vertical	6	2.11	61.61	33.50	6.15	34.54

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.692G	100.24	Inf	-Inf	4.92	3	Horizontal	44	1.62	95.32	33.34	6.12	34.54
PK	5.6936G	112.17	Inf	-Inf	4.94	3	Horizontal	44	1.62	107.23	33.35	6.13	34.54
PK	5.7252G	60.91	68.20	-7.29	5.11	3	Horizontal	44	1.62	55.80	33.50	6.15	34.54

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40202G	42.67	54.00	-11.33	12.79	3	Vertical	182	2.03	29.88	38.90	8.46	34.57
PK	11.39921G	53.76	74.00	-20.24	12.79	3	Vertical	182	2.03	40.97	38.90	8.46	34.57
PK	17.1001G	57.79	68.20	-10.41	14.02	3	Vertical	231	2.03	43.77	38.00	10.20	34.18


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40173G	42.78	54.00	-11.22	12.79	3	Horizontal	174	2.43	29.99	38.90	8.46	34.57
PK	11.40192G	53.61	74.00	-20.39	12.79	3	Horizontal	174	2.43	40.82	38.90	8.46	34.57
PK	17.10119G	56.21	68.20	-11.99	14.02	3	Horizontal	122	2.68	42.19	38.00	10.20	34.18

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4404G	46.03	54.00	-7.97	4.27	3	Vertical	193	1.47	41.76	32.84	6.00	34.57
AV	5.714G	108.45	Inf	-Inf	5.06	3	Vertical	193	1.47	103.39	33.46	6.14	34.54
PK	5.4692G	56.65	68.20	-11.55	4.29	3	Vertical	193	1.47	52.36	32.84	6.01	34.56
PK	5.714G	118.06	Inf	-Inf	5.06	3	Vertical	193	1.47	113.00	33.46	6.14	34.54
PK	5.8652G	58.23	68.20	-9.97	5.86	3	Vertical	193	1.47	52.37	34.16	6.23	34.53


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	45.95	54.00	-8.05	4.25	3	Horizontal	238	1.50	41.70	32.81	6.01	34.57
AV	5.7152G	103.91	Inf	-Inf	5.06	3	Horizontal	238	1.50	98.85	33.46	6.14	34.54
PK	5.462G	56.89	68.20	-11.31	4.26	3	Horizontal	238	1.50	52.63	32.82	6.01	34.57
PK	5.714G	113.99	Inf	-Inf	5.06	3	Horizontal	238	1.50	108.93	33.46	6.14	34.54
PK	5.894G	58.40	68.20	-9.80	6.00	3	Horizontal	238	1.50	52.40	34.28	6.25	34.53

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.46144G	42.58	54.00	-11.42	12.69	3	Vertical	153	1.68	29.89	38.78	8.48	34.57
PK	11.42528G	53.86	74.00	-20.14	12.75	3	Vertical	153	1.68	41.11	38.85	8.47	34.57
PK	17.18336G	56.33	68.20	-11.87	14.24	3	Vertical	1	1.75	42.09	38.25	10.22	34.23


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42096G	42.63	54.00	-11.37	12.76	3	Horizontal	51	2.27	29.87	38.86	8.47	34.57
PK	11.42064G	53.07	74.00	-20.93	12.76	3	Horizontal	51	2.27	40.31	38.86	8.47	34.57
PK	17.16448G	56.26	68.20	-11.94	14.18	3	Horizontal	324	2.10	42.08	38.19	10.21	34.22

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	109.23	Inf	-Inf	5.17	3	Vertical	183	1.43	104.06	33.55	6.16	34.54
PK	5.6406G	58.85	68.20	-9.35	4.54	3	Vertical	183	1.43	54.31	33.00	6.09	34.55
PK	5.7378G	118.04	Inf	-Inf	5.17	3	Vertical	183	1.43	112.87	33.55	6.16	34.54
PK	5.961G	58.57	68.20	-9.63	6.04	3	Vertical	183	1.43	52.53	34.28	6.28	34.52


5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	105.39	Inf	-Inf	5.21	3	Horizontal	232	2.35	100.18	33.59	6.16	34.54
PK	5.5746G	58.06	68.20	-10.14	4.50	3	Horizontal	232	2.35	53.56	33.00	6.05	34.55
PK	5.7438G	113.68	Inf	-Inf	5.20	3	Horizontal	232	2.35	108.48	33.58	6.16	34.54
PK	6.003G	57.99	68.20	-10.21	5.97	3	Horizontal	232	2.35	52.02	34.19	6.30	34.52

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4874G	42.77	54.00	-11.23	12.65	3	Vertical	109	1.17	30.12	38.73	8.49	34.57
PK	11.48704G	54.36	74.00	-19.64	12.65	3	Vertical	109	1.17	41.71	38.73	8.49	34.57
PK	17.23964G	56.53	68.20	-11.67	14.23	3	Vertical	155	2.37	42.30	38.26	10.23	34.26

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48982G	42.74	54.00	-11.26	12.65	3	Horizontal	216	2.62	30.09	38.72	8.50	34.57
PK	11.49242G	54.03	74.00	-19.97	12.65	3	Horizontal	216	2.62	41.38	38.72	8.50	34.57
PK	17.23644G	56.02	68.20	-12.18	14.23	3	Horizontal	296	2.22	41.79	38.26	10.23	34.26



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	108.46	Inf	-Inf	5.43	3	Vertical	360	1.73	103.03	33.78	6.19	34.54
PK	5.5906G	59.47	68.20	-8.73	4.51	3	Vertical	360	1.73	54.96	33.00	6.06	34.55
PK	5.7814G	117.88	Inf	-Inf	5.44	3	Vertical	360	1.73	112.44	33.79	6.19	34.54
PK	5.941G	58.21	68.20	-9.99	6.05	3	Vertical	360	1.73	52.16	34.30	6.27	34.52

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	105.52	Inf	-Inf	5.49	3	Horizontal	293	2.32	100.03	33.84	6.19	34.54
PK	5.551G	57.62	68.20	-10.58	4.48	3	Horizontal	293	2.32	53.14	33.00	6.04	34.56
PK	5.7898G	116.48	Inf	-Inf	5.49	3	Horizontal	293	2.32	110.99	33.84	6.19	34.54
PK	5.9302G	58.65	68.20	-9.55	6.04	3	Horizontal	293	2.32	52.61	34.30	6.27	34.53




5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57314G	42.46	54.00	-11.54	12.49	3	Vertical	208	1.21	29.97	38.55	8.53	34.59
PK	11.56874G	54.24	74.00	-19.76	12.50	3	Vertical	208	1.21	41.74	38.56	8.53	34.59
PK	17.35162G	56.33	68.20	-11.87	14.23	3	Vertical	48	1.62	42.10	38.30	10.26	34.33

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56542G	42.35	54.00	-11.65	12.51	3	Horizontal	155	1.19	29.84	38.57	8.53	34.59
PK	11.56546G	53.75	74.00	-20.25	12.51	3	Horizontal	155	1.19	41.24	38.57	8.53	34.59
PK	17.351G	57.16	68.20	-11.04	14.23	3	Horizontal	98	1.00	42.93	38.30	10.26	34.33



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	107.21	Inf	-Inf	5.66	3	Vertical	163	1.50	101.55	33.98	6.21	34.53
PK	5.5778G	58.20	68.20	-10.00	4.50	3	Vertical	163	1.50	53.70	33.00	6.05	34.55
PK	5.8214G	117.74	Inf	-Inf	5.67	3	Vertical	163	1.50	112.07	33.99	6.21	34.53
PK	5.9294G	58.45	68.20	-9.75	6.03	3	Vertical	163	1.50	52.42	34.30	6.26	34.53

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	106.16	Inf	-Inf	5.67	3	Horizontal	294	2.31	100.49	33.99	6.21	34.53
PK	5.5262G	57.87	68.20	-10.33	4.42	3	Horizontal	294	2.31	53.45	32.95	6.03	34.56
PK	5.8238G	116.79	Inf	-Inf	5.68	3	Horizontal	294	2.31	111.11	34.00	6.21	34.53
PK	5.9342G	58.06	68.20	-10.14	6.04	3	Horizontal	294	2.31	52.02	34.30	6.27	34.53




5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65216G	42.77	54.00	-11.23	12.39	3	Vertical	273	1.63	30.38	38.45	8.56	34.62
PK	11.6522G	54.36	74.00	-19.64	12.39	3	Vertical	273	1.63	41.97	38.45	8.56	34.62
PK	17.47032G	55.90	68.20	-12.30	14.08	3	Vertical	274	2.05	41.82	38.19	10.29	34.40


5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6523G	42.58	54.00	-11.42	12.39	3	Horizontal	341	2.21	30.19	38.45	8.56	34.62
PK	11.65488G	54.19	74.00	-19.81	12.40	3	Horizontal	341	2.21	41.79	38.45	8.57	34.62
PK	17.47148G	56.22	68.20	-11.98	14.08	3	Horizontal	105	2.98	42.14	38.19	10.29	34.40

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.33	54.00	-2.67	4.34	3	Vertical	168	1.50	46.99	33.10	5.86	34.62
AV	5.1972G	101.21	Inf	-Inf	4.46	3	Vertical	168	1.50	96.75	33.19	5.88	34.61
PK	5.1496G	62.95	74.00	-11.05	4.34	3	Vertical	168	1.50	58.61	33.10	5.86	34.62
PK	5.1948G	112.37	Inf	-Inf	4.46	3	Vertical	168	1.50	107.91	33.19	5.88	34.61


5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.41	54.00	-0.59	4.34	3	Horizontal	278	2.62	49.07	33.10	5.86	34.62
AV	5.1776G	103.36	Inf	-Inf	4.42	3	Horizontal	278	2.62	98.94	33.16	5.87	34.61
PK	5.1468G	64.58	74.00	-9.42	4.33	3	Horizontal	278	2.62	60.25	33.09	5.86	34.62
PK	5.2G	113.62	Inf	-Inf	4.47	3	Horizontal	278	2.62	109.15	33.20	5.88	34.61

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56598G	43.61	54.00	-10.39	13.07	3	Vertical	348	2.50	30.54	38.20	9.80	34.93
PK	10.38296G	54.00	68.20	-14.20	11.72	3	Vertical	249	2.64	42.28	38.53	8.03	34.84
PK	15.57052G	54.63	74.00	-19.37	13.05	3	Vertical	348	2.50	41.58	38.18	9.80	34.93


5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57104G	43.61	54.00	-10.39	13.04	3	Horizontal	35	1.40	30.57	38.17	9.80	34.93
PK	10.37758G	54.42	68.20	-13.78	11.73	3	Horizontal	55	1.28	42.69	38.54	8.03	34.84
PK	15.56844G	55.40	74.00	-18.60	13.06	3	Horizontal	35	1.40	42.34	38.19	9.80	34.93

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.79	54.00	-0.21	4.34	3	Vertical	143	1.60	49.45	33.10	5.86	34.62
AV	5.2148G	105.90	Inf	-Inf	4.45	3	Vertical	143	1.60	101.45	33.17	5.89	34.61
PK	5.1448G	66.87	74.00	-7.13	4.33	3	Vertical	143	1.60	62.54	33.09	5.86	34.62
PK	5.228G	116.42	Inf	-Inf	4.44	3	Vertical	143	1.60	111.98	33.14	5.90	34.60


5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.17	54.00	-1.83	4.34	3	Horizontal	298	3.00	47.83	33.10	5.86	34.62
AV	5.248G	104.44	Inf	-Inf	4.41	3	Horizontal	298	3.00	100.03	33.10	5.91	34.60
PK	5.1472G	65.51	74.00	-8.49	4.33	3	Horizontal	298	3.00	61.18	33.09	5.86	34.62
PK	5.2476G	114.18	Inf	-Inf	4.41	3	Horizontal	298	3.00	109.77	33.10	5.91	34.60

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6857G	43.73	54.00	-10.27	12.91	3	Vertical	156	1.83	30.82	38.09	9.84	35.02
PK	10.46156G	54.26	68.20	-13.94	11.86	3	Vertical	58	1.61	42.40	38.56	8.06	34.76
PK	15.68682G	54.98	74.00	-19.02	12.91	3	Vertical	156	1.83	42.07	38.09	9.84	35.02

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68892G	43.71	54.00	-10.29	12.91	3	Horizontal	190	2.31	30.80	38.09	9.84	35.02
PK	10.4556G	54.30	68.20	-13.90	11.85	3	Horizontal	20	2.57	42.45	38.56	8.06	34.77
PK	15.6877G	54.86	74.00	-19.14	12.91	3	Horizontal	190	2.31	41.95	38.09	9.84	35.02



5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2584G	105.71	Inf	-Inf	4.38	3	Vertical	156	1.59	101.33	33.07	5.91	34.60
AV	5.3504G	51.41	54.00	-2.59	4.08	3	Vertical	156	1.59	47.33	32.70	5.96	34.58
PK	5.2808G	116.56	Inf	-Inf	4.30	3	Vertical	156	1.59	112.26	32.98	5.92	34.60
PK	5.3536G	64.53	74.00	-9.47	4.10	3	Vertical	156	1.59	60.43	32.72	5.96	34.58

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.276G	103.26	Inf	-Inf	4.32	3	Horizontal	262	3.00	98.94	33.00	5.92	34.60
AV	5.3512G	48.74	54.00	-5.26	4.09	3	Horizontal	262	3.00	44.65	32.71	5.96	34.58
PK	5.2748G	113.92	Inf	-Inf	4.32	3	Horizontal	262	3.00	109.60	33.00	5.92	34.60
PK	5.3556G	60.58	74.00	-13.42	4.12	3	Horizontal	262	3.00	56.46	32.73	5.97	34.58




5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5270MHz_TX



24/10/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80842G	43.67	54.00	-10.33	12.74	3	Vertical	57	3.00	30.93	37.97	9.88	35.11
PK	10.53944G	53.77	68.20	-14.43	12.11	3	Vertical	36	1.20	41.66	38.72	8.10	34.71
PK	15.81146G	55.12	74.00	-18.88	12.72	3	Vertical	57	3.00	42.40	37.95	9.88	35.11

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5270MHz_TX




24/10/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80998G	43.67	54.00	-10.33	12.73	3	Horizontal	83	2.87	30.94	37.96	9.88	35.11
PK	10.53986G	53.39	68.20	-14.81	12.11	3	Horizontal	321	2.73	41.28	38.72	8.10	34.71
PK	15.81498G	55.02	74.00	-18.98	12.71	3	Horizontal	83	2.87	42.31	37.94	9.88	35.11

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3276G	102.32	Inf	-Inf	4.15	3	Vertical	171	1.50	98.17	32.79	5.95	34.59
AV	5.3528G	52.88	54.00	-1.12	4.10	3	Vertical	171	1.50	48.78	32.72	5.96	34.58
PK	5.3284G	112.59	Inf	-Inf	4.15	3	Vertical	171	1.50	108.44	32.79	5.95	34.59
PK	5.3516G	66.31	74.00	-7.69	4.09	3	Vertical	171	1.50	62.22	32.71	5.96	34.58

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2988G	102.75	Inf	-Inf	4.24	3	Horizontal	272	2.91	98.51	32.90	5.93	34.59
AV	5.35G	53.79	54.00	-0.21	4.08	3	Horizontal	272	2.91	49.71	32.70	5.96	34.58
PK	5.3136G	113.42	Inf	-Inf	4.20	3	Horizontal	272	2.91	109.22	32.85	5.94	34.59
PK	5.3512G	65.10	74.00	-8.90	4.09	3	Horizontal	272	2.91	61.01	32.71	5.96	34.58

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.624G	42.06	54.00	-11.94	12.39	3	Vertical	193	1.67	29.67	38.95	8.13	34.69
AV	15.92608G	43.05	54.00	-10.95	12.32	3	Vertical	338	2.61	30.73	37.60	9.92	35.20
PK	10.62308G	54.26	74.00	-19.74	12.39	3	Vertical	193	1.67	41.87	38.95	8.13	34.69
PK	15.9275G	54.02	74.00	-19.98	12.32	3	Vertical	338	2.61	41.70	37.60	9.92	35.20

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6244G	42.09	54.00	-11.91	12.39	3	Horizontal	216	2.29	29.70	38.95	8.13	34.69
AV	15.93082G	42.99	54.00	-11.01	12.32	3	Horizontal	94	2.34	30.67	37.60	9.92	35.20
PK	10.6218G	53.81	74.00	-20.19	12.38	3	Horizontal	216	2.29	41.43	38.94	8.13	34.69
PK	15.92928G	54.46	74.00	-19.54	12.32	3	Horizontal	94	2.34	42.14	37.60	9.92	35.20

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	51.70	54.00	-2.30	4.26	3	Vertical	6	2.28	47.44	32.82	6.01	34.57
AV	5.524G	106.15	Inf	-Inf	4.42	3	Vertical	6	2.28	101.73	32.95	6.03	34.56
PK	5.4612G	67.60	68.20	-0.60	4.26	3	Vertical	6	2.28	63.34	32.82	6.01	34.57
PK	5.5248G	118.07	Inf	-Inf	4.42	3	Vertical	6	2.28	113.65	32.95	6.03	34.56


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	52.47	54.00	-1.53	4.26	3	Horizontal	268	2.31	48.21	32.82	6.01	34.57
AV	5.506G	104.60	Inf	-Inf	4.38	3	Horizontal	268	2.31	100.22	32.91	6.03	34.56
PK	5.4672G	65.89	68.20	-2.31	4.27	3	Horizontal	268	2.31	61.62	32.83	6.01	34.57
PK	5.5064G	114.64	Inf	-Inf	4.38	3	Horizontal	268	2.31	110.26	32.91	6.03	34.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01644G	42.53	54.00	-11.47	12.40	3	Vertical	185	1.26	30.13	38.68	8.30	34.58
PK	11.02326G	54.90	74.00	-19.10	12.40	3	Vertical	185	1.26	42.50	38.68	8.30	34.58
PK	16.52674G	56.11	68.20	-12.09	13.92	3	Vertical	76	2.41	42.19	38.59	10.06	34.73


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01614G	42.52	54.00	-11.48	12.40	3	Horizontal	77	2.57	30.12	38.68	8.30	34.58
PK	11.02262G	54.95	74.00	-19.05	12.40	3	Horizontal	77	2.57	42.55	38.68	8.30	34.58
PK	16.53464G	55.76	68.20	-12.44	13.91	3	Horizontal	249	1.67	41.85	38.56	10.07	34.72

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	48.11	54.00	-5.89	4.26	3	Vertical	9	2.18	43.85	32.82	6.01	34.57
AV	5.538G	107.35	Inf	-Inf	4.46	3	Vertical	9	2.18	102.89	32.98	6.04	34.56
PK	5.4668G	60.19	68.20	-8.01	4.27	3	Vertical	9	2.18	55.92	32.83	6.01	34.57
PK	5.538G	118.57	Inf	-Inf	4.46	3	Vertical	9	2.18	114.11	32.98	6.04	34.56


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	47.21	54.00	-6.79	4.25	3	Horizontal	93	2.33	42.96	32.81	6.01	34.57
AV	5.5444G	104.77	Inf	-Inf	4.47	3	Horizontal	93	2.33	100.30	32.99	6.04	34.56
PK	5.464G	59.17	68.20	-9.03	4.27	3	Horizontal	93	2.33	54.90	32.83	6.01	34.57
PK	5.538G	115.16	Inf	-Inf	4.46	3	Horizontal	93	2.33	110.70	32.98	6.04	34.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09818G	42.54	54.00	-11.46	12.35	3	Vertical	286	1.09	30.19	38.60	8.33	34.58
PK	11.10466G	54.95	74.00	-19.05	12.35	3	Vertical	286	1.09	42.60	38.60	8.33	34.58
PK	16.64784G	56.04	68.20	-12.16	13.72	3	Vertical	37	2.61	42.32	38.20	10.09	34.57

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1014G	42.47	54.00	-11.53	12.35	3	Horizontal	283	2.87	30.12	38.60	8.33	34.58
PK	11.09982G	54.61	74.00	-19.39	12.35	3	Horizontal	283	2.87	42.26	38.60	8.33	34.58
PK	16.65444G	55.88	68.20	-12.32	13.72	3	Horizontal	313	1.92	42.16	38.19	10.09	34.56

**5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6598G	105.64	Inf	-Inf	4.63	3	Vertical	0	2.18	101.01	33.08	6.10	34.55
PK	5.6562G	116.74	Inf	-Inf	4.60	3	Vertical	0	2.18	112.14	33.05	6.10	34.55
PK	5.7252G	67.68	68.20	-0.52	5.11	3	Vertical	0	2.18	62.57	33.50	6.15	34.54

**5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.664G	103.22	Inf	-Inf	4.66	3	Horizontal	46	1.64	98.56	33.11	6.10	34.55
PK	5.6664G	113.12	Inf	-Inf	4.69	3	Horizontal	46	1.64	108.43	33.13	6.11	34.55
PK	5.7282G	65.01	68.20	-3.19	5.12	3	Horizontal	46	1.64	59.89	33.51	6.15	34.54

**5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5670MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33636G	42.20	54.00	-11.80	12.76	3	Vertical	305	2.18	29.44	38.90	8.43	34.57
PK	11.33672G	53.96	74.00	-20.04	12.76	3	Vertical	305	2.18	41.20	38.90	8.43	34.57
PK	17.01118G	55.64	68.20	-12.56	14.05	3	Vertical	293	1.68	41.59	38.00	10.18	34.13

**5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34498G	42.17	54.00	-11.83	12.76	3	Horizontal	306	1.86	29.41	38.90	8.43	34.57
PK	11.3421G	53.87	74.00	-20.13	12.76	3	Horizontal	306	1.86	41.11	38.90	8.43	34.57
PK	17.0096G	55.32	68.20	-12.88	14.05	3	Horizontal	333	1.73	41.27	38.00	10.18	34.13



5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.44G	45.55	54.00	-8.45	4.27	3	Vertical	207	1.48	41.28	32.84	6.00	34.57
AV	5.7172G	107.50	Inf	-Inf	5.07	3	Vertical	207	1.48	102.43	33.47	6.14	34.54
PK	5.4688G	56.66	68.20	-11.54	4.29	3	Vertical	207	1.48	52.37	32.84	6.01	34.56
PK	5.716G	118.04	Inf	-Inf	5.06	3	Vertical	207	1.48	112.98	33.46	6.14	34.54
PK	5.9596G	59.07	68.20	-9.13	6.04	3	Vertical	207	1.48	53.03	34.28	6.28	34.52

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	45.63	54.00	-8.37	4.25	3	Horizontal	284	2.88	41.38	32.81	6.01	34.57
AV	5.6968G	102.56	Inf	-Inf	4.96	3	Horizontal	284	2.88	97.60	33.37	6.13	34.54
PK	5.4616G	56.45	68.20	-11.75	4.26	3	Horizontal	284	2.88	52.19	32.82	6.01	34.57
PK	5.704G	113.32	Inf	-Inf	5.01	3	Horizontal	284	2.88	108.31	33.42	6.13	34.54
PK	5.92G	58.79	68.20	-9.41	6.03	3	Horizontal	284	2.88	52.76	34.30	6.26	34.53




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41946G	42.33	54.00	-11.67	12.76	3	Vertical	200	2.77	29.57	38.86	8.47	34.57
PK	11.41504G	54.15	74.00	-19.85	12.76	3	Vertical	200	2.77	41.39	38.87	8.46	34.57
PK	17.1262G	57.09	68.20	-11.11	14.08	3	Vertical	225	1.65	43.01	38.08	10.20	34.20


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41794G	42.35	54.00	-11.65	12.76	3	Horizontal	31	2.22	29.59	38.86	8.47	34.57
PK	11.41874G	54.61	74.00	-19.39	12.76	3	Horizontal	31	2.22	41.85	38.86	8.47	34.57
PK	17.12892G	56.66	68.20	-11.54	14.10	3	Horizontal	328	1.14	42.56	38.09	10.21	34.20

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.737G	105.52	Inf	-Inf	5.17	3	Vertical	182	1.50	100.35	33.55	6.16	34.54
PK	5.647G	65.75	68.20	-2.45	4.54	3	Vertical	182	1.50	61.21	33.00	6.09	34.55
PK	5.7514G	114.54	Inf	-Inf	5.24	3	Vertical	182	1.50	109.30	33.61	6.17	34.54
PK	6.0022G	58.09	68.20	-10.11	5.97	3	Vertical	182	1.50	52.12	34.19	6.30	34.52


5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	103.80	Inf	-Inf	5.21	3	Horizontal	232	2.46	98.59	33.59	6.16	34.54
PK	5.647G	63.07	68.20	-5.13	4.54	3	Horizontal	232	2.46	58.53	33.00	6.09	34.55
PK	5.7622G	113.64	Inf	-Inf	5.30	3	Horizontal	232	2.46	108.34	33.67	6.17	34.54
PK	5.9398G	58.64	68.20	-9.56	6.05	3	Horizontal	232	2.46	52.59	34.30	6.27	34.52

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50538G	42.21	54.00	-11.79	12.62	3	Vertical	64	1.36	29.59	38.69	8.50	34.57
PK	11.50846G	54.07	74.00	-19.93	12.61	3	Vertical	64	1.36	41.46	38.68	8.50	34.57
PK	17.26508G	56.97	68.20	-11.23	14.19	3	Vertical	130	2.41	42.78	38.23	10.24	34.28


5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50792G	42.32	54.00	-11.68	12.61	3	Horizontal	252	1.55	29.71	38.68	8.50	34.57
PK	11.51306G	54.14	74.00	-19.86	12.61	3	Horizontal	252	1.55	41.53	38.67	8.51	34.57
PK	17.26748G	56.26	68.20	-11.94	14.19	3	Horizontal	305	2.68	42.07	38.23	10.24	34.28

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8058G	105.07	Inf	-Inf	5.58	3	Vertical	20	1.50	99.49	33.92	6.20	34.54
PK	5.5694G	58.39	68.20	-9.81	4.50	3	Vertical	20	1.50	53.89	33.00	6.05	34.55
PK	5.8058G	116.50	Inf	-Inf	5.58	3	Vertical	20	1.50	110.92	33.92	6.20	34.54
PK	5.9282G	58.12	68.20	-10.08	6.03	3	Vertical	20	1.50	52.09	34.30	6.26	34.53

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8022G	103.74	Inf	-Inf	5.57	3	Horizontal	293	2.34	98.17	33.91	6.20	34.54
PK	5.5922G	58.65	68.20	-9.55	4.51	3	Horizontal	293	2.34	54.14	33.00	6.06	34.55
PK	5.7986G	114.85	Inf	-Inf	5.55	3	Horizontal	293	2.34	109.30	33.89	6.20	34.54
PK	5.9486G	58.70	68.20	-9.50	6.05	3	Horizontal	293	2.34	52.65	34.30	6.27	34.52




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.585G	42.06	54.00	-11.94	12.47	3	Vertical	249	2.31	29.59	38.53	8.54	34.60
PK	11.59202G	54.21	74.00	-19.79	12.46	3	Vertical	249	2.31	41.75	38.52	8.54	34.60
PK	17.3866G	56.02	68.20	-12.18	14.29	3	Vertical	239	2.31	41.73	38.37	10.27	34.35

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58796G	41.97	54.00	-12.03	12.46	3	Horizontal	182	2.04	29.51	38.52	8.54	34.60
PK	11.59056G	53.74	74.00	-20.26	12.46	3	Horizontal	182	2.04	41.28	38.52	8.54	34.60
PK	17.38764G	56.73	68.20	-11.47	14.30	3	Horizontal	102	2.42	42.43	38.38	10.27	34.35

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	53.50	54.00	-0.50	4.31	3	Vertical	33	1.50	49.19	33.08	5.85	34.62
AV	5.172G	93.57	Inf	-Inf	4.40	3	Vertical	33	1.50	89.17	33.14	5.87	34.61
AV	5.353G	48.69	54.00	-5.31	4.10	3	Vertical	33	1.50	44.59	32.72	5.96	34.58
PK	5.141G	65.25	74.00	-8.75	4.31	3	Vertical	33	1.50	60.94	33.08	5.85	34.62
PK	5.224G	101.61	Inf	-Inf	4.44	3	Vertical	33	1.50	97.17	33.15	5.89	34.60
PK	5.351G	57.44	74.00	-16.56	4.09	3	Vertical	33	1.50	53.35	32.71	5.96	34.58

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	53.85	54.00	-0.15	4.30	3	Horizontal	283	1.17	49.55	33.07	5.85	34.62
AV	5.222G	96.17	Inf	-Inf	4.45	3	Horizontal	283	1.17	91.72	33.16	5.89	34.60
AV	5.387G	48.50	54.00	-5.50	4.32	3	Horizontal	283	1.17	44.18	32.92	5.98	34.58
PK	5.141G	68.41	74.00	-5.59	4.31	3	Horizontal	283	1.17	64.10	33.08	5.85	34.62
PK	5.206G	103.38	Inf	-Inf	4.46	3	Horizontal	283	1.17	98.92	33.19	5.88	34.61
PK	5.432G	57.63	74.00	-16.37	4.30	3	Horizontal	283	1.17	53.33	32.87	6.00	34.57

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62712G	45.19	54.00	-8.81	12.88	3	Vertical	137	1.51	32.31	38.03	9.82	34.97
PK	10.41784G	54.07	68.20	-14.13	11.77	3	Vertical	191	2.38	42.30	38.52	8.05	34.80
PK	15.63304G	55.06	74.00	-18.94	12.87	3	Vertical	137	1.51	42.19	38.03	9.82	34.98

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62606G	45.75	54.00	-8.25	12.88	3	Horizontal	87	2.57	32.87	38.03	9.82	34.97
PK	10.4169G	54.24	68.20	-13.96	11.77	3	Horizontal	52	1.92	42.47	38.52	8.05	34.80
PK	15.63202G	54.88	74.00	-19.12	12.87	3	Horizontal	87	2.57	42.01	38.03	9.82	34.98

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.138G	49.24	54.00	-4.76	4.31	3	Vertical	174	1.44	44.93	33.08	5.85	34.62
AV	5.261G	101.82	Inf	-Inf	4.37	3	Vertical	174	1.44	97.45	33.06	5.91	34.60
AV	5.366G	52.51	54.00	-1.49	4.19	3	Vertical	174	1.44	48.32	32.80	5.97	34.58
PK	5.088G	58.40	74.00	-15.60	4.22	3	Vertical	174	1.44	54.18	33.02	5.83	34.63
PK	5.262G	108.43	Inf	-Inf	4.36	3	Vertical	174	1.44	104.07	33.05	5.91	34.60
PK	5.366G	65.19	74.00	-8.81	4.19	3	Vertical	174	1.44	61.00	32.80	5.97	34.58

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.131G	49.64	54.00	-4.36	4.29	3	Horizontal	274	1.77	45.35	33.06	5.85	34.62
AV	5.276G	97.29	Inf	-Inf	4.32	3	Horizontal	274	1.77	92.97	33.00	5.92	34.60
AV	5.361G	52.93	54.00	-1.07	4.16	3	Horizontal	274	1.77	48.77	32.77	5.97	34.58
PK	5.145G	59.24	74.00	-14.76	4.33	3	Horizontal	274	1.77	54.91	33.09	5.86	34.62
PK	5.306G	104.30	Inf	-Inf	4.23	3	Horizontal	274	1.77	100.07	32.88	5.94	34.59
PK	5.351G	69.36	74.00	-4.64	4.09	3	Horizontal	274	1.77	65.27	32.71	5.96	34.58

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8671G	44.43	54.00	-9.57	12.48	3	Vertical	154	2.39	31.95	37.73	9.90	35.15
PK	10.58042G	55.23	68.20	-12.97	12.25	3	Vertical	20	1.25	42.98	38.84	8.11	34.70
PK	15.86692G	54.73	74.00	-19.27	12.48	3	Vertical	154	2.39	42.25	37.73	9.90	35.15


5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8726G	45.38	54.00	-8.62	12.45	3	Horizontal	133	1.45	32.93	37.71	9.90	35.16
PK	10.58108G	54.44	68.20	-13.76	12.25	3	Horizontal	348	2.94	42.19	38.84	8.11	34.70
PK	15.87436G	54.55	74.00	-19.45	12.44	3	Horizontal	133	1.45	42.11	37.70	9.90	35.16

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.446G	52.37	54.00	-1.63	4.26	3	Vertical	3	2.20	48.11	32.82	6.01	34.57
AV	5.545G	99.03	Inf	-Inf	4.47	3	Vertical	3	2.20	94.56	32.99	6.04	34.56
PK	5.462G	64.14	68.20	-4.06	4.26	3	Vertical	3	2.20	59.88	32.82	6.01	34.57
PK	5.534G	107.16	Inf	-Inf	4.45	3	Vertical	3	2.20	102.71	32.97	6.04	34.56
PK	5.732G	58.64	68.20	-9.56	5.14	3	Vertical	3	2.20	53.50	33.53	6.15	34.54


5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	53.23	54.00	-0.77	4.25	3	Horizontal	273	2.48	48.98	32.81	6.01	34.57
AV	5.532G	97.53	Inf	-Inf	4.44	3	Horizontal	273	2.48	93.09	32.96	6.04	34.56
PK	5.467G	63.64	68.20	-4.56	4.27	3	Horizontal	273	2.48	59.37	32.83	6.01	34.57
PK	5.546G	105.61	Inf	-Inf	4.47	3	Horizontal	273	2.48	101.14	32.99	6.04	34.56
PK	5.762G	57.49	68.20	-10.71	5.30	3	Horizontal	273	2.48	52.19	33.67	6.17	34.54

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05954G	44.69	54.00	-9.31	12.38	3	Vertical	286	2.43	32.31	38.64	8.32	34.58
PK	11.05848G	54.91	74.00	-19.09	12.37	3	Vertical	286	2.43	42.54	38.64	8.31	34.58
PK	16.59444G	55.77	68.20	-12.43	13.76	3	Vertical	118	2.12	42.01	38.32	10.08	34.64


5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06066G	44.90	54.00	-9.10	12.38	3	Horizontal	109	1.21	32.52	38.64	8.32	34.58
PK	11.06316G	55.81	74.00	-18.19	12.38	3	Horizontal	109	1.21	43.43	38.64	8.32	34.58
PK	16.59202G	55.91	68.20	-12.29	13.77	3	Horizontal	281	2.66	42.14	38.33	10.08	34.64

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.45	54.00	-2.55	4.26	3	Vertical	3	2.09	47.19	32.82	6.01	34.57
AV	5.625G	102.47	Inf	-Inf	4.53	3	Vertical	3	2.09	97.94	33.00	6.08	34.55
PK	5.465G	63.27	68.20	-4.93	4.27	3	Vertical	3	2.09	59.00	32.83	6.01	34.57
PK	5.596G	109.69	Inf	-Inf	4.51	3	Vertical	3	2.09	105.18	33.00	6.06	34.55
PK	5.726G	67.30	68.20	-0.90	5.11	3	Vertical	3	2.09	62.19	33.50	6.15	34.54


5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.48	54.00	-1.52	4.26	3	Horizontal	273	2.74	48.22	32.82	6.01	34.57
AV	5.572G	103.93	Inf	-Inf	4.50	3	Horizontal	273	2.74	99.43	33.00	6.05	34.55
PK	5.465G	62.96	68.20	-5.24	4.27	3	Horizontal	273	2.74	58.69	32.83	6.01	34.57
PK	5.572G	109.74	Inf	-Inf	4.50	3	Horizontal	273	2.74	105.24	33.00	6.05	34.55
PK	5.727G	61.76	68.20	-6.44	5.12	3	Horizontal	273	2.74	56.64	33.51	6.15	34.54

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21896G	44.53	54.00	-9.47	12.54	3	Vertical	272	2.98	31.99	38.74	8.38	34.58
PK	11.21962G	55.03	74.00	-18.97	12.54	3	Vertical	272	2.98	42.49	38.74	8.38	34.58
PK	16.83322G	55.86	68.20	-12.34	14.04	3	Vertical	161	2.87	41.82	38.23	10.14	34.33


5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21538G	44.36	54.00	-9.64	12.53	3	Horizontal	230	2.93	31.83	38.73	8.38	34.58
PK	11.22052G	54.10	74.00	-19.90	12.54	3	Horizontal	230	2.93	41.56	38.74	8.38	34.58
PK	16.83412G	56.60	68.20	-11.60	14.04	3	Horizontal	235	1.89	42.56	38.23	10.14	34.33

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	49.15	54.00	-4.85	4.24	3	Vertical	155.9	1.50	44.91	32.80	6.01	34.57
AV	5.6852G	104.19	Inf	-Inf	4.85	3	Vertical	155.9	1.50	99.34	33.28	6.12	34.55
PK	5.468G	58.14	68.20	-10.06	4.28	3	Vertical	155.9	1.50	53.86	32.84	6.01	34.57
PK	5.6672G	114.71	Inf	-Inf	4.70	3	Vertical	155.9	1.50	110.01	33.14	6.11	34.55
PK	5.8544G	61.14	68.20	-7.06	5.82	3	Vertical	155.9	1.50	55.32	34.12	6.23	34.53

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	48.46	54.00	-5.54	4.35	3	Horizontal	241	1.40	44.11	32.92	6.00	34.57
AV	5.6528G	102.91	Inf	-Inf	4.57	3	Horizontal	241	1.40	98.34	33.02	6.10	34.55
PK	5.4692G	56.83	68.20	-11.37	4.29	3	Horizontal	241	1.40	52.54	32.84	6.01	34.56
PK	5.6612G	107.75	Inf	-Inf	4.64	3	Horizontal	241	1.40	103.11	33.09	6.10	34.55
PK	5.8616G	59.12	68.20	-9.08	5.85	3	Horizontal	241	1.40	53.27	34.15	6.23	34.53

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38444G	44.13	54.00	-9.87	12.78	3	Vertical	334	1.25	31.35	38.90	8.45	34.57
PK	11.38482G	53.88	74.00	-20.12	12.78	3	Vertical	334	1.25	41.10	38.90	8.45	34.57
PK	17.06634G	56.68	68.20	-11.52	14.03	3	Vertical	359	1.34	42.65	38.00	10.19	34.16

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3846G	44.31	54.00	-9.69	12.78	3	Horizontal	208	2.21	31.53	38.90	8.45	34.57
PK	11.38486G	53.60	74.00	-20.40	12.78	3	Horizontal	208	2.21	40.82	38.90	8.45	34.57
PK	17.06664G	56.35	68.20	-11.85	14.03	3	Horizontal	310	2.90	42.32	38.00	10.19	34.16

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7858G	103.12	Inf	-Inf	5.46	3	Vertical	14	1.97	97.66	33.81	6.19	34.54
PK	5.6406G	67.92	68.20	-0.28	4.54	3	Vertical	14	1.97	63.38	33.00	6.09	34.55
PK	5.7858G	110.13	Inf	-Inf	5.46	3	Vertical	14	1.97	104.67	33.81	6.19	34.54
PK	5.925G	58.21	68.20	-9.99	6.03	3	Vertical	14	1.97	52.18	34.30	6.26	34.53


5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7738G	98.17	Inf	-Inf	5.38	3	Horizontal	90	1.40	92.79	33.74	6.18	34.54
PK	5.6286G	62.77	68.20	-5.43	4.53	3	Horizontal	90	1.40	58.24	33.00	6.08	34.55
PK	5.7918G	106.01	Inf	-Inf	5.50	3	Horizontal	90	1.40	100.51	33.85	6.19	34.54
PK	5.9682G	58.08	68.20	-10.12	6.02	3	Horizontal	90	1.40	52.06	34.26	6.28	34.52

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55224G	44.42	54.00	-9.58	12.53	3	Vertical	165	1.22	31.89	38.60	8.52	34.59
PK	11.5544G	54.26	74.00	-19.74	12.52	3	Vertical	165	1.22	41.74	38.59	8.52	34.59
PK	17.32622G	55.79	68.20	-12.41	14.18	3	Vertical	122	1.92	41.61	38.25	10.25	34.32

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55382G	44.71	54.00	-9.29	12.52	3	Horizontal	165	1.40	32.19	38.59	8.52	34.59
PK	11.5462G	54.21	74.00	-19.79	12.55	3	Horizontal	165	1.40	41.66	38.61	8.52	34.58
PK	17.32208G	56.04	68.20	-12.16	14.18	3	Horizontal	61	1.04	41.86	38.24	10.25	34.31



5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1216G	49.91	54.00	-4.09	4.26	3	Vertical	184	1.57	45.65	33.04	5.84	34.62
AV	5.1756G	94.93	Inf	-Inf	4.41	3	Vertical	184	1.57	90.52	33.15	5.87	34.61
AV	5.3856G	48.37	54.00	-5.63	4.31	3	Vertical	184	1.57	44.06	32.91	5.98	34.58
PK	5.148G	61.83	74.00	-12.17	4.34	3	Vertical	184	1.57	57.49	33.10	5.86	34.62
PK	5.1816G	105.38	Inf	-Inf	4.42	3	Vertical	184	1.57	100.96	33.16	5.87	34.61
PK	5.3796G	67.77	74.00	-6.23	4.28	3	Vertical	184	1.57	63.49	32.88	5.98	34.58

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	53.74	54.00	-0.26	4.33	3	Horizontal	278	2.96	49.41	33.09	5.86	34.62
AV	5.1876G	98.10	Inf	-Inf	4.44	3	Horizontal	278	2.96	93.66	33.18	5.87	34.61
AV	5.3544G	50.60	54.00	-3.40	4.11	3	Horizontal	278	2.96	46.49	32.73	5.96	34.58
PK	5.1276G	67.52	74.00	-6.48	4.29	3	Horizontal	278	2.96	63.23	33.06	5.85	34.62
PK	5.214G	104.10	Inf	-Inf	4.45	3	Horizontal	278	2.96	99.65	33.17	5.89	34.61
PK	5.3568G	64.88	74.00	-9.12	4.13	3	Horizontal	278	2.96	60.75	32.74	5.97	34.58




5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75494G	43.72	54.00	-10.28	12.84	3	Vertical	152	2.40	30.88	38.05	9.86	35.07
PK	10.50114G	54.23	68.20	-13.97	11.96	3	Vertical	189	1.60	42.27	38.60	8.08	34.72
PK	15.7491G	55.17	74.00	-18.83	12.85	3	Vertical	152	2.40	42.32	38.05	9.86	35.06

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75284G	43.75	54.00	-10.25	12.84	3	Horizontal	25	2.41	30.91	38.05	9.86	35.07
PK	10.4953G	54.45	68.20	-13.75	11.96	3	Horizontal	261	2.42	42.49	38.60	8.08	34.72
PK	15.75384G	54.65	74.00	-19.35	12.84	3	Horizontal	25	2.41	41.81	38.05	9.86	35.07



5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	53.33	54.00	-0.67	4.25	3	Vertical	15	1.50	49.08	32.81	6.01	34.57
AV	5.5064G	98.13	Inf	-Inf	4.38	3	Vertical	15	1.50	93.75	32.91	6.03	34.56
PK	5.4608G	65.43	68.20	-2.77	4.26	3	Vertical	15	1.50	61.17	32.82	6.01	34.57
PK	5.5676G	105.37	Inf	-Inf	4.50	3	Vertical	15	1.50	100.87	33.00	6.05	34.55
PK	5.7536G	61.74	68.20	-6.46	5.25	3	Vertical	15	1.50	56.49	33.62	6.17	34.54


5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	52.81	54.00	-1.19	4.26	3	Horizontal	57	1.50	48.55	32.82	6.01	34.57
AV	5.4992G	96.87	Inf	-Inf	4.36	3	Horizontal	57	1.50	92.51	32.90	6.02	34.56
PK	5.468G	61.58	68.20	-6.62	4.28	3	Horizontal	57	1.50	57.30	32.84	6.01	34.57
PK	5.534G	102.61	Inf	-Inf	4.45	3	Horizontal	57	1.50	98.16	32.97	6.04	34.56
PK	5.7428G	60.18	68.20	-8.02	5.19	3	Horizontal	57	1.50	54.99	33.57	6.16	34.54

**5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14248G	42.36	54.00	-11.64	12.41	3	Vertical	298	2.19	29.95	38.64	8.35	34.58
PK	11.13574G	53.96	74.00	-20.04	12.41	3	Vertical	298	2.19	41.55	38.64	8.35	34.58
PK	16.71376G	56.10	68.20	-12.10	13.75	3	Vertical	257	2.32	42.35	38.13	10.11	34.49

**5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13646G	42.30	54.00	-11.70	12.41	3	Horizontal	300	2.45	29.89	38.64	8.35	34.58
PK	11.1433G	54.46	74.00	-19.54	12.41	3	Horizontal	300	2.45	42.05	38.64	8.35	34.58
PK	16.71446G	55.61	68.20	-12.59	13.75	3	Horizontal	49	1.24	41.86	38.13	10.11	34.49



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	2.13704G	42.95	68.20	-25.25	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.55907G	25.96	54.00	-28.04	3	Vertical	128	2.09	-
Mode 1	Pass	AV	2.27312G	27.71	54.00	-26.29	3	Vertical	219	1.98	-
Mode 1	Pass	PK	1.55639G	38.85	74.00	-35.15	3	Vertical	128	2.09	-
Mode 1	Pass	PK	2.04049G	41.14	68.20	-27.06	3	Vertical	182	2.37	-
Mode 1	Pass	PK	2.27086G	40.19	74.00	-33.81	3	Vertical	219	1.98	-
Mode 1	Pass	AV	1.60016G	25.68	54.00	-28.32	3	Horizontal	229	1.65	-
Mode 1	Pass	AV	2.276G	28.73	54.00	-25.27	3	Horizontal	274	1.82	-
Mode 1	Pass	PK	1.60032G	39.81	74.00	-34.19	3	Horizontal	229	1.65	-
Mode 1	Pass	PK	2.13704G	42.95	68.20	-25.25	3	Horizontal	183	2.21	-
Mode 1	Pass	PK	2.27484G	41.63	74.00	-32.37	3	Horizontal	274	1.82	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.55907G	25.96	54.00	-28.04	-6.30	3	Vertical	128	2.09	32.26	25.20	3.31	34.81
AV	2.27312G	27.71	54.00	-26.29	-3.52	3	Vertical	219	1.98	31.23	27.11	4.05	34.68
PK	1.55639G	38.85	74.00	-35.15	-6.30	3	Vertical	128	2.09	45.15	25.20	3.31	34.81
PK	2.04049G	41.14	68.20	-27.06	-3.68	3	Vertical	182	2.37	44.82	27.09	3.84	34.61
PK	2.27086G	40.19	74.00	-33.81	-3.51	3	Vertical	219	1.98	43.70	27.12	4.05	34.68

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.60016G	25.68	54.00	-28.32	-6.23	3	Horizontal	229	1.65	31.91	25.20	3.36	34.79
AV	2.276G	28.73	54.00	-25.27	-3.53	3	Horizontal	274	1.82	32.26	27.10	4.05	34.68
PK	1.60032G	39.81	74.00	-34.19	-6.23	3	Horizontal	229	1.65	46.04	25.20	3.36	34.79
PK	2.13704G	42.95	68.20	-25.25	-3.19	3	Horizontal	183	2.21	46.14	27.53	3.92	34.64
PK	2.27484G	41.63	74.00	-32.37	-3.53	3	Horizontal	274	1.82	45.16	27.10	4.05	34.68