



Summary



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	16.67	0.04645
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	21.72	0.14859
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	23.93	0.24717
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	24.67	0.29309
6.425-6.525GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	19.48	0.08872
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	22.18	0.16520
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	25.95	0.39355
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	25.90	0.38905
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	21.22	0.13243
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	22.50	0.17783
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	25.85	0.38459
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	25.33	0.34119
6.875-7.125GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	19.19	0.08299
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	22.03	0.15959
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	25.43	0.34914
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.82	0.00303







Result



Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	16.67	30.00
6175MHz	Pass	15.06	30.00
6415MHz	Pass	16.15	30.00
6435MHz	Pass	18.40	30.00
6475MHz	Pass	18.50	30.00
6515MHz	Pass	19.48	30.00
6535MHz	Pass	17.30	30.00
6695MHz	Pass	19.10	30.00
6855MHz	Pass	20.08	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	21.22	30.00
6895MHz	Pass	18.87	30.00
6995MHz	Pass	19.19	30.00
7095MHz	Pass	17.55	30.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	21.72	30.00
6165MHz	Pass	20.56	30.00
6405MHz	Pass	20.74	30.00
6445MHz	Pass	21.16	30.00
6485MHz	Pass	19.09	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	22.18	30.00
6565MHz	Pass	18.71	30.00
6685MHz	Pass	22.50	30.00
6845MHz	Pass	19.88	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	16.57	30.00
6925MHz	Pass	18.36	30.00
7005MHz	Pass	21.50	30.00
7085MHz	Pass	22.03	30.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	23.83	30.00
6145MHz	Pass	21.70	30.00
6385MHz	Pass	23.93	30.00
6465MHz	Pass	25.95	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	22.29	30.00
6625MHz	Pass	25.85	30.00
6705MHz	Pass	22.78	30.00
6785MHz	Pass	25.82	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	25.23	30.00
6945MHz	Pass	21.78	30.00
7025MHz	Pass	25.43	30.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	24.21	30.00
6185MHz	Pass	24.53	30.00
6345MHz	Pass	24.67	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	25.90	30.00
6665MHz	Pass	25.33	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	24.83	30.00
6985MHz	Pass	4.82	30.00



DG = Directional Gain; Port X = Port X output power









































































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.81
802.11ax HEW20_Nss4,(MCS0)_4TX	4.74
802.11ax HEW40_Nss1,(MCS0)_4TX	4.97
802.11ax HEW40_Nss4,(MCS0)_4TX	4.91
802.11ax HEW80_Nss1,(MCS0)_4TX	4.90
802.11ax HEW80_Nss4,(MCS0)_4TX	4.99
802.11ax HEW160_Nss1,(MCS0)_4TX	4.76
802.11ax HEW160_Nss4,(MCS0)_4TX	4.82
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.57
802.11ax HEW20_Nss4,(MCS0)_4TX	4.78
802.11ax HEW40_Nss1,(MCS0)_4TX	4.95
802.11ax HEW40_Nss4,(MCS0)_4TX	4.90
802.11ax HEW80_Nss1,(MCS0)_4TX	4.90
802.11ax HEW80_Nss4,(MCS0)_4TX	4.99
802.11ax HEW160_Nss1,(MCS0)_4TX	4.63
802.11ax HEW160_Nss4,(MCS0)_4TX	4.55
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.89
802.11ax HEW20_Nss4,(MCS0)_4TX	4.99
802.11ax HEW40_Nss1,(MCS0)_4TX	4.73
802.11ax HEW40_Nss4,(MCS0)_4TX	4.92
802.11ax HEW80_Nss1,(MCS0)_4TX	4.79
802.11ax HEW80_Nss4,(MCS0)_4TX	4.77
802.11ax HEW160_Nss1,(MCS0)_4TX	4.69
802.11ax HEW160_Nss4,(MCS0)_4TX	4.91
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.89
802.11ax HEW20_Nss4,(MCS0)_4TX	4.72
802.11ax HEW40_Nss1,(MCS0)_4TX	4.96
802.11ax HEW40_Nss4,(MCS0)_4TX	4.90
802.11ax HEW80_Nss1,(MCS0)_4TX	4.82
802.11ax HEW80_Nss4,(MCS0)_4TX	4.83
802.11ax HEW160_Nss1,(MCS0)_4TX	4.56
802.11ax HEW160_Nss4,(MCS0)_4TX	3.85

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
6175MHz	Pass	4.81	5.00
6415MHz	Pass	4.57	5.00
6435MHz	Pass	4.57	5.00
6475MHz	Pass	4.47	5.00
6515MHz	Pass	4.25	5.00
6535MHz	Pass	4.56	5.00
6695MHz	Pass	4.79	5.00
6855MHz	Pass	4.89	5.00
6875MHz	Pass	4.69	5.00
6895MHz	Pass	4.74	5.00
6995MHz	Pass	4.80	5.00
7095MHz	Pass	4.89	5.00
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.51	5.00
6175MHz	Pass	4.74	5.00
6415MHz	Pass	4.38	5.00
6435MHz	Pass	4.73	5.00
6475MHz	Pass	4.72	5.00
6515MHz	Pass	4.78	5.00
6535MHz	Pass	4.99	5.00
6695MHz	Pass	4.77	5.00
6855MHz	Pass	4.75	5.00
6875MHz	Pass	4.69	5.00
6895MHz	Pass	4.72	5.00
6995MHz	Pass	4.64	5.00
7095MHz	Pass	4.69	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.58	5.00
6165MHz	Pass	4.97	5.00
6405MHz	Pass	4.66	5.00
6445MHz	Pass	4.95	5.00
6485MHz	Pass	4.85	5.00
6525MHz	Pass	4.83	5.00
6565MHz	Pass	4.66	5.00
6685MHz	Pass	4.68	5.00
6845MHz	Pass	4.73	5.00
6885MHz	Pass	4.68	5.00
6925MHz	Pass	4.86	5.00
7005MHz	Pass	4.96	5.00
7085MHz	Pass	4.89	5.00
802.11ax HEW40_Nss4,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.91	5.00
6165MHz	Pass	4.65	5.00
6405MHz	Pass	4.82	5.00
6445MHz	Pass	4.90	5.00
6485MHz	Pass	4.85	5.00
6525MHz	Pass	4.65	5.00
6565MHz	Pass	4.70	5.00
6685MHz	Pass	4.92	5.00
6845MHz	Pass	4.89	5.00
6885MHz	Pass	4.52	5.00
6925MHz	Pass	4.86	5.00
7005MHz	Pass	4.90	5.00
7085MHz	Pass	4.84	5.00







Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.90	5.00
6145MHz	Pass	4.63	5.00
6385MHz	Pass	4.67	5.00
6465MHz	Pass	4.90	5.00
6545MHz	Pass	4.81	5.00
6625MHz	Pass	4.79	5.00
6705MHz	Pass	4.77	5.00
6785MHz	Pass	4.71	5.00
6865MHz	Pass	4.72	5.00
6945MHz	Pass	4.82	5.00
7025MHz	Pass	4.52	5.00
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.62	5.00
6145MHz	Pass	4.73	5.00
6385MHz	Pass	4.99	5.00
6465MHz	Pass	4.84	5.00
6545MHz	Pass	4.99	5.00
6625MHz	Pass	4.77	5.00
6705MHz	Pass	4.36	5.00
6785MHz	Pass	4.72	5.00
6865MHz	Pass	4.74	5.00
6945MHz	Pass	4.75	5.00
7025MHz	Pass	4.83	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.75	5.00
6185MHz	Pass	4.72	5.00
6345MHz	Pass	4.76	5.00
6505MHz	Pass	4.63	5.00
6665MHz	Pass	4.57	5.00
6825MHz	Pass	4.69	5.00
6985MHz	Pass	4.56	5.00
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-
6025MHz	Pass	3.89	5.00
6185MHz	Pass	4.66	5.00
6345MHz	Pass	4.82	5.00
6505MHz	Pass	4.55	5.00
6665MHz	Pass	4.91	5.00
6825MHz	Pass	4.68	5.00
6985MHz	Pass	3.85	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;









































































































































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-1.41	4.61
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-1.09	4.93
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-1.11	4.91
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-1.18	4.84
6.425-6.525GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-1.03	4.99
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-1.14	4.88
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-1.27	4.75
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-1.14	4.88
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-1.10	4.92
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-1.04	4.98
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-1.18	4.84
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-1.13	4.89
6.875-7.125GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-1.45	4.57
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-1.25	4.77
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-1.12	4.90
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-3.85	2.17



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.34	5.00
6175MHz	Pass	4.41	5.00
6415MHz	Pass	4.61	5.00
6435MHz	Pass	4.54	5.00
6475MHz	Pass	4.94	5.00
6515MHz	Pass	4.99	5.00
6535MHz	Pass	4.42	5.00
6695MHz	Pass	4.24	5.00
6855MHz	Pass	4.92	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.66	5.00
6895MHz	Pass	4.08	5.00
6995MHz	Pass	4.57	5.00
7095MHz	Pass	4.55	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.65	5.00
6165MHz	Pass	4.83	5.00
6405MHz	Pass	4.93	5.00
6445MHz	Pass	4.88	5.00
6485MHz	Pass	4.72	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.83	5.00
6565MHz	Pass	4.77	5.00
6685MHz	Pass	4.72	5.00
6845MHz	Pass	4.54	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.98	5.00
6925MHz	Pass	4.74	5.00
7005MHz	Pass	4.77	5.00
7085MHz	Pass	4.63	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.87	5.00
6145MHz	Pass	4.60	5.00
6385MHz	Pass	4.91	5.00
6465MHz	Pass	4.75	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.65	5.00
6625MHz	Pass	4.47	5.00
6705MHz	Pass	4.50	5.00
6785MHz	Pass	4.84	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.46	5.00
6945MHz	Pass	4.85	5.00
7025MHz	Pass	4.90	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.57	5.00
6185MHz	Pass	4.43	5.00
6345MHz	Pass	4.84	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.88	5.00
6665MHz	Pass	4.89	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.81	5.00
6985MHz	Pass	2.17	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;









































































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	5.9564G	-6.39	5.9719G	-37.45	-30.05	-7.40	1
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	5.9538G	-3.95	5.9712G	-34.98	-27.10	-7.88	2
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	5.97119G	-5.33	5.9944G	-35.19	-28.31	-6.88	4
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	5.97759G	-0.54	5.9974G	-30.81	-24.28	-6.53	4
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	5.99699G	0.36	6.0274G	-25.89	-19.66	-6.23	4
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	6.01617G	1.35	6.0278G	-25.46	-18.71	-6.75	3
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.04898G	5.72	6.281G	-38.21	-34.28	-3.93	4
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	6.31943G	5.03	6.0994G	-39.03	-34.31	-4.72	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.4326G	-9.98	6.4201G	-39.57	-31.54	-8.03	2
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	6.4338G	-5.81	6.4193G	-36.64	-28.68	-7.96	2
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.43741G	-6.08	6.4136G	-37.19	-29.89	-7.30	3
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	6.4412G	-3.17	6.4126G	-34.13	-27.57	-6.56	2
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.45141G	-3.80	6.4222G	-30.84	-23.82	-7.02	4
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	6.53101G	0.07	6.451G	-37.98	-30.60	-7.38	4
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.48182G	2.69	6.2522G	-43.87	-37.31	-6.56	4
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	6.47943G	4.18	6.2578G	-41.40	-35.49	-5.91	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.69G	-10.06	6.6783G	-41.26	-33.70	-7.56	3
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	6.8739G	-4.51	6.8589G	-35.59	-27.34	-8.25	1
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.87881G	-3.15	6.8538G	-34.19	-26.74	-7.45	2
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	6.67361G	-3.34	6.6474G	-36.43	-29.62	-6.81	2
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.67423G	-3.99	6.6382G	-35.19	-28.42	-6.77	1
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	6.81137G	0.37	6.693G	-37.14	-30.37	-6.77	2
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.84818G	4.67	6.5754G	-38.72	-35.33	-3.39	2
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	6.63783G	5.63	6.2978G	-40.27	-34.37	-5.90	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.894G	-6.83	6.8805G	-36.65	-28.90	-7.75	2
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	7.09G	-4.57	7.0789G	-35.44	-27.57	-7.87	4
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	7.09G	-4.42	7.0536G	-34.21	-27.89	-6.32	4
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	7.0814G	-0.66	7.053G	-30.66	-24.19	-6.47	1
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	7.01261G	-3.57	6.9678G	-33.73	-26.34	-7.39	1
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	7.01181G	-11.14	6.8518G	-54.39	-51.14	-3.25	1
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.95863G	4.54	7.2498G	-40.90	-35.46	-5.44	2
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	6.95623G	5.14	6.6114G	-42.05	-34.86	-7.19	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9564G	-6.39	5.9719G	-37.45	-30.05	-7.40	1
5955MHz	Pass	5.9526G	-6.15	5.9696G	-35.51	-27.47	-8.04	2
5955MHz	Pass	5.9576G	-6.34	5.9726G	-38.66	-30.50	-8.16	3
5955MHz	Pass	5.9563G	-6.03	5.9687G	-34.75	-26.11	-8.64	4
6175MHz	Pass	6.1713G	-9.34	6.189G	-38.64	-29.64	-9.00	1
6175MHz	Pass	6.1726G	-9.16	6.1907G	-40.19	-30.02	-10.17	2
6175MHz	Pass	6.1726G	-8.74	6.1609G	-38.58	-29.86	-8.72	3
6175MHz	Pass	6.1718G	-9.19	6.1614G	-38.86	-30.30	-8.56	4
6415MHz	Pass	6.4113G	-8.80	6.4292G	-38.24	-29.43	-8.81	1
6415MHz	Pass	6.4101G	-8.14	6.3998G	-38.31	-29.34	-8.97	2
6415MHz	Pass	6.4162G	-8.47	6.4309G	-39.68	-31.46	-8.22	3
6415MHz	Pass	6.4126G	-8.49	6.4G	-38.49	-30.53	-7.96	4
6435MHz	Pass	6.4338G	-11.08	6.3942G	-59.91	-51.08	-8.83	1
6435MHz	Pass	6.4326G	-9.98	6.4201G	-39.57	-31.54	-8.03	2
6435MHz	Pass	6.4388G	-10.15	6.4203G	-40.03	-31.53	-8.50	3
6435MHz	Pass	6.4363G	-10.79	6.4504G	-41.12	-32.19	-8.93	4
6475MHz	Pass	6.4738G	-10.98	6.4595G	-41.65	-33.06	-8.59	1
6475MHz	Pass	6.4759G	-10.15	6.4604G	-39.78	-31.21	-8.57	2
6475MHz	Pass	6.4731G	-10.65	6.4878G	-39.39	-30.99	-8.40	3
6475MHz	Pass	6.4714G	-10.50	6.4598G	-40.92	-32.82	-8.10	4
6515MHz	Pass	6.5138G	-9.52	6.5011G	-38.83	-30.12	-8.71	1
6515MHz	Pass	6.5156G	-8.91	6.5306G	-39.29	-30.91	-8.38	2
6515MHz	Pass	6.5175G	-8.75	6.4979G	-40.95	-31.82	-9.13	3
6515MHz	Pass	6.5113G	-9.08	6.4997G	-39.59	-30.09	-9.50	4
6535MHz	Pass	6.5313G	-9.46	6.5199G	-39.71	-31.57	-8.14	1
6535MHz	Pass	6.5313G	-8.98	6.5209G	-38.40	-29.88	-8.52	2
6535MHz	Pass	6.5301G	-9.10	6.5502G	-39.76	-31.51	-8.25	3
6535MHz	Pass	6.5364G	-9.34	6.5517G	-40.89	-32.03	-8.86	4
6695MHz	Pass	6.6988G	-10.96	6.7099G	-40.71	-31.78	-8.93	1
6695MHz	Pass	6.6937G	-9.97	6.6812G	-39.26	-30.69	-8.57	2
6695MHz	Pass	6.69G	-10.06	6.6783G	-41.26	-33.70	-7.56	3
6695MHz	Pass	6.69G	-9.86	6.6799G	-39.71	-32.00	-7.71	4
6855MHz	Pass	6.8538G	-7.56	6.8695G	-37.49	-27.59	-9.90	1
6855MHz	Pass	6.8538G	-6.92	6.8696G	-37.40	-27.78	-9.62	2
6855MHz	Pass	6.8555G	-7.77	6.8393G	-38.51	-30.46	-8.05	3
6855MHz	Pass	6.8564G	-7.56	6.84G	-38.24	-29.71	-8.53	4
6875MHz	Pass	6.874G	-7.41	6.8587G	-39.15	-30.69	-8.46	1
6875MHz	Pass	6.8738G	-6.99	6.86G	-37.43	-28.55	-8.88	2
6875MHz	Pass	6.8763G	-7.54	6.8597G	-38.11	-29.79	-8.32	3
6875MHz	Pass	6.8772G	-7.15	6.8591G	-38.70	-29.92	-8.78	4
6895MHz	Pass	6.8926G	-7.17	6.8809G	-37.25	-28.02	-9.23	1
6895MHz	Pass	6.894G	-6.83	6.8805G	-36.65	-28.90	-7.75	2
6895MHz	Pass	6.8926G	-7.36	6.8799G	-38.32	-29.71	-8.61	3
6895MHz	Pass	6.8938G	-6.96	6.8782G	-38.81	-28.01	-10.80	4
6995MHz	Pass	6.9938G	-8.01	6.9777G	-39.46	-30.99	-8.47	1
6995MHz	Pass	6.9914G	-7.12	7.0112G	-38.17	-29.83	-8.34	2
6995MHz	Pass	6.9913G	-7.55	7.0104G	-38.33	-30.16	-8.17	3
6995MHz	Pass	7G	-7.06	7.0113G	-38.38	-28.86	-9.52	4
7095MHz	Pass	7.0926G	-7.27	7.0782G	-38.32	-29.27	-9.05	1
7095MHz	Pass	7.08881G	-6.71	7.0786G	-37.85	-30.02	-7.83	2
7095MHz	Pass	7.0925G	-6.98	7.0777G	-39.15	-30.97	-8.18	3
7095MHz	Pass	7.0926G	-6.47	7.08G	-36.86	-26.60	-10.26	4
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96129G	-4.31	5.9721G	-35.92	-27.98	-7.94	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5955MHz	Pass	5.9538G	-3.95	5.9712G	-34.98	-27.10	-7.88	2
5955MHz	Pass	5.9575G	-4.16	5.9705G	-35.15	-26.59	-8.56	3
5955MHz	Pass	5.9564G	-3.88	5.9696G	-33.74	-24.99	-8.75	4
6175MHz	Pass	6.1776G	-3.74	6.1896G	-33.99	-24.58	-9.41	1
6175MHz	Pass	6.1775G	-3.52	6.1898G	-34.06	-24.98	-9.08	2
6175MHz	Pass	6.1738G	-3.72	6.1594G	-34.82	-26.20	-8.62	3
6175MHz	Pass	6.1713G	-3.36	6.1895G	-34.21	-25.19	-9.02	4
6415MHz	Pass	6.4111G	-6.44	6.4286G	-35.84	-26.54	-9.30	1
6415MHz	Pass	6.4112G	-5.81	6.4298G	-36.31	-27.52	-8.79	2
6415MHz	Pass	6.4113G	-6.04	6.4298G	-36.73	-28.16	-8.57	3
6415MHz	Pass	6.4101G	-5.89	6.3987G	-37.31	-28.78	-8.53	4
6435MHz	Pass	6.4325G	-6.47	6.4188G	-37.55	-28.59	-8.96	1
6435MHz	Pass	6.4338G	-5.81	6.4193G	-36.64	-28.68	-7.96	2
6435MHz	Pass	6.4363G	-5.84	6.4183G	-37.90	-29.79	-8.11	3
6435MHz	Pass	6.4313G	-5.74	6.4217G	-35.44	-26.01	-9.43	4
6475MHz	Pass	6.4713G	-5.96	6.4591G	-37.21	-27.62	-9.59	1
6475MHz	Pass	6.4713G	-5.09	6.4585G	-37.12	-28.61	-8.51	2
6475MHz	Pass	6.4763G	-5.58	6.49G	-36.48	-27.37	-9.11	3
6475MHz	Pass	6.4701G	-5.62	6.4603G	-36.14	-26.89	-9.25	4
6515MHz	Pass	6.52G	-9.36	6.5297G	-39.57	-31.07	-8.50	1
6515MHz	Pass	6.5113G	-8.68	6.5299G	-39.44	-30.00	-9.44	2
6515MHz	Pass	6.5164G	-8.73	6.5288G	-39.14	-29.78	-9.36	3
6515MHz	Pass	6.5126G	-8.76	6.5002G	-39.51	-30.09	-9.42	4
6535MHz	Pass	6.5312G	-5.22	6.5221G	-34.94	-25.56	-9.38	1
6535MHz	Pass	6.5363G	-4.71	6.5198G	-35.73	-26.27	-9.46	2
6535MHz	Pass	6.5313G	-4.91	6.5499G	-35.99	-27.31	-8.68	3
6535MHz	Pass	6.5364G	-4.83	6.5208G	-35.32	-25.01	-10.31	4
6695MHz	Pass	6.6999G	-6.06	6.6794G	-36.75	-26.96	-9.79	1
6695MHz	Pass	6.6912G	-5.17	6.6786G	-36.52	-27.14	-9.38	2
6695MHz	Pass	6.6975G	-5.25	6.6773G	-38.17	-29.38	-8.79	3
6695MHz	Pass	6.6913G	-5.11	6.6808G	-34.84	-25.90	-8.94	4
6855MHz	Pass	6.8513G	-4.05	6.8712G	-36.09	-27.50	-8.59	1
6855MHz	Pass	6.8539G	-3.66	6.8713G	-34.93	-26.15	-8.78	2
6855MHz	Pass	6.8575G	-3.96	6.8389G	-36.31	-24.31	-12.00	3
6855MHz	Pass	6.8575G	-3.50	6.8379G	-36.42	-26.18	-10.24	4
6875MHz	Pass	6.8739G	-4.51	6.8589G	-35.59	-27.34	-8.25	1
6875MHz	Pass	6.8736G	-4.03	6.86G	-34.02	-24.65	-9.37	2
6875MHz	Pass	6.87G	-4.57	6.8595G	-35.32	-26.76	-8.56	3
6875MHz	Pass	6.8738G	-3.99	6.8603G	-34.37	-25.79	-8.58	4
6895MHz	Pass	6.8913G	-6.35	6.8799G	-37.95	-28.05	-9.90	1
6895MHz	Pass	6.8913G	-5.94	6.8802G	-36.63	-28.00	-8.63	2
6895MHz	Pass	6.8913G	-6.18	6.8781G	-38.93	-29.24	-9.69	3
6895MHz	Pass	6.89G	-5.88	6.8804G	-36.69	-26.20	-10.49	4
6995MHz	Pass	7.00129G	-6.50	7.0097G	-37.23	-28.62	-8.61	1
6995MHz	Pass	6.9914G	-5.80	7.0097G	-36.46	-27.95	-8.51	2
6995MHz	Pass	6.9913G	-6.12	7.0097G	-37.05	-27.96	-9.09	3
6995MHz	Pass	6.9975G	-5.75	7.0098G	-36.72	-26.27	-10.45	4
7095MHz	Pass	7.0926G	-5.46	7.081G	-35.08	-26.78	-8.30	1
7095MHz	Pass	7.08871G	-4.95	7.0788G	-35.80	-25.99	-9.81	2
7095MHz	Pass	7.0913G	-5.21	7.0775G	-37.99	-29.03	-8.96	3
7095MHz	Pass	7.09G	-4.57	7.0789G	-35.44	-27.57	-7.87	4
802.11ax HEW40_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97139G	-5.31	5.9946G	-35.17	-28.06	-7.11	1
5965MHz	Pass	5.97259G	-5.16	5.9946G	-34.64	-27.65	-6.99	2
5965MHz	Pass	5.9767G	-5.85	5.9968G	-37.02	-29.59	-7.43	3
5965MHz	Pass	5.97119G	-5.33	5.9944G	-35.19	-28.31	-6.88	4



Mask_Non-Beamforming

Appendix E.1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6165MHz	Pass	6.1614G	-4.95	6.1338G	-36.10	-28.61	-7.49	1
6165MHz	Pass	6.15761G	-4.60	6.133G	-35.77	-28.56	-7.21	2
6165MHz	Pass	6.1616G	-4.21	6.1332G	-36.76	-28.31	-8.45	3
6165MHz	Pass	6.17119G	-4.36	6.1332G	-36.57	-28.44	-8.13	4
6405MHz	Pass	6.39881G	-7.06	6.3736G	-37.86	-29.97	-7.89	1
6405MHz	Pass	6.41019G	-6.19	6.371G	-38.16	-30.80	-7.36	2
6405MHz	Pass	6.4002G	-6.57	6.371G	-39.05	-31.26	-7.79	3
6405MHz	Pass	6.39761G	-6.71	6.3762G	-37.29	-28.94	-8.35	4
6445MHz	Pass	6.43881G	-6.39	6.4198G	-35.15	-26.86	-8.29	1
6445MHz	Pass	6.44G	-5.98	6.4132G	-37.32	-29.54	-7.78	2
6445MHz	Pass	6.43741G	-6.08	6.4136G	-37.19	-29.89	-7.30	3
6445MHz	Pass	6.43641G	-6.18	6.416G	-36.69	-29.01	-7.68	4
6485MHz	Pass	6.47901G	-6.23	6.454G	-37.17	-29.38	-7.79	1
6485MHz	Pass	6.48G	-5.82	6.4536G	-37.22	-28.81	-8.41	2
6485MHz	Pass	6.49019G	-5.66	6.4528G	-38.04	-29.89	-8.15	3
6485MHz	Pass	6.489G	-6.06	6.4534G	-37.48	-29.44	-8.04	4
6525MHz	Pass	6.5288G	-6.16	6.4938G	-37.53	-28.10	-9.43	1
6525MHz	Pass	6.5202G	-5.72	6.5564G	-37.43	-29.57	-7.86	2
6525MHz	Pass	6.5276G	-5.64	6.4952G	-37.32	-28.66	-8.66	3
6525MHz	Pass	6.52G	-5.98	6.494G	-37.30	-29.43	-7.87	4
6565MHz	Pass	6.55881G	-6.09	6.5334G	-37.46	-30.00	-7.46	1
6565MHz	Pass	6.5612G	-5.74	6.533G	-37.71	-29.60	-8.11	2
6565MHz	Pass	6.55761G	-5.52	6.54G	-35.55	-26.57	-8.98	3
6565MHz	Pass	6.5614G	-5.62	6.5324G	-38.25	-29.90	-8.35	4
6685MHz	Pass	6.67881G	-6.99	6.651G	-39.46	-31.91	-7.55	1
6685MHz	Pass	6.6814G	-6.45	6.6504G	-39.01	-31.51	-7.50	2
6685MHz	Pass	6.67961G	-7.25	6.6544G	-38.47	-30.64	-7.83	3
6685MHz	Pass	6.6814G	-6.42	6.6564G	-37.20	-28.60	-8.60	4
6845MHz	Pass	6.849G	-4.92	6.814G	-36.16	-28.40	-7.76	1
6845MHz	Pass	6.8488G	-4.07	6.8136G	-35.77	-27.81	-7.96	2
6845MHz	Pass	6.8402G	-4.38	6.8666G	-32.27	-24.18	-8.09	3
6845MHz	Pass	6.8414G	-4.59	6.8136G	-36.69	-28.35	-8.34	4
6885MHz	Pass	6.87881G	-3.94	6.854G	-35.12	-26.54	-8.58	1
6885MHz	Pass	6.87881G	-3.15	6.8538G	-34.19	-26.74	-7.45	2
6885MHz	Pass	6.89019G	-3.37	6.8532G	-35.81	-27.49	-8.32	3
6885MHz	Pass	6.8802G	-3.58	6.8534G	-35.05	-27.14	-7.91	4
6925MHz	Pass	6.9286G	-5.08	6.9578G	-37.35	-29.63	-7.72	1
6925MHz	Pass	6.91881G	-4.32	6.8936G	-35.78	-28.03	-7.75	2
6925MHz	Pass	6.93G	-4.85	6.8938G	-36.92	-28.27	-8.65	3
6925MHz	Pass	6.91741G	-5.21	6.8902G	-38.69	-30.00	-8.69	4
7005MHz	Pass	7.0026G	-4.79	6.9738G	-36.20	-28.37	-7.83	1
7005MHz	Pass	6.99881G	-4.20	6.974G	-35.44	-27.94	-7.50	2
7005MHz	Pass	7.0006G	-4.64	6.9722G	-36.22	-28.67	-7.55	3
7005MHz	Pass	7.0026G	-5.04	6.9738G	-36.10	-27.98	-8.12	4
7085MHz	Pass	7.07761G	-4.55	7.0532G	-34.50	-27.53	-6.97	1
7085MHz	Pass	7.07881G	-3.89	7.0538G	-33.83	-27.23	-6.60	2
7085MHz	Pass	7.0898G	-4.24	7.053G	-34.80	-28.15	-6.65	3
7085MHz	Pass	7.09G	-4.42	7.0536G	-34.21	-27.89	-6.32	4
802.11ax HEW40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9676G	-0.71	5.9972G	-31.86	-24.70	-7.16	1
5965MHz	Pass	5.97G	-0.39	5.9974G	-31.97	-24.50	-7.47	2
5965MHz	Pass	5.9688G	-1.20	5.9974G	-31.88	-25.06	-6.82	3
5965MHz	Pass	5.97759G	-0.54	5.9974G	-30.81	-24.28	-6.53	4
6165MHz	Pass	6.15881G	-0.85	6.1274G	-34.74	-26.82	-7.92	1
6165MHz	Pass	6.1676G	-0.81	6.133G	-32.86	-24.97	-7.89	2
6165MHz	Pass	6.16G	-0.49	6.1272G	-34.53	-27.01	-7.52	3



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6165MHz	Pass	6.1676G	-0.49	6.1276G	-34.45	-26.87	-7.58	4
6405MHz	Pass	6.4G	-2.57	6.3674G	-34.96	-28.06	-6.90	1
6405MHz	Pass	6.4076G	-1.78	6.3674G	-34.79	-28.21	-6.58	2
6405MHz	Pass	6.4076G	-2.20	6.3676G	-34.98	-28.23	-6.75	3
6405MHz	Pass	6.39761G	-2.01	6.3726G	-33.33	-25.32	-8.01	4
6445MHz	Pass	6.43881G	-3.50	6.413G	-33.96	-27.12	-6.84	1
6445MHz	Pass	6.4412G	-3.17	6.4126G	-34.13	-27.57	-6.56	2
6445MHz	Pass	6.43761G	-3.07	6.4076G	-36.26	-29.36	-6.90	3
6445MHz	Pass	6.43761G	-3.06	6.4074G	-35.95	-28.97	-6.98	4
6485MHz	Pass	6.48G	-2.68	6.4526G	-33.89	-25.98	-7.91	1
6485MHz	Pass	6.4814G	-2.52	6.5174G	-33.97	-26.63	-7.34	2
6485MHz	Pass	6.4812G	-2.56	6.4526G	-34.36	-26.59	-7.77	3
6485MHz	Pass	6.49G	-2.47	6.4528G	-33.19	-26.46	-6.73	4
6525MHz	Pass	6.5276G	-3.13	6.4886G	-36.11	-28.47	-7.64	1
6525MHz	Pass	6.5202G	-2.73	6.5574G	-34.31	-27.04	-7.27	2
6525MHz	Pass	6.5288G	-2.88	6.4926G	-34.98	-27.30	-7.68	3
6525MHz	Pass	6.51761G	-2.83	6.4926G	-33.64	-26.95	-6.69	4
6565MHz	Pass	6.55381G	-3.07	6.5326G	-34.66	-27.03	-7.63	1
6565MHz	Pass	6.5626G	-2.88	6.5274G	-36.19	-29.18	-7.01	2
6565MHz	Pass	6.56G	-2.38	6.5976G	-34.70	-26.73	-7.97	3
6565MHz	Pass	6.55761G	-2.62	6.5326G	-34.16	-26.95	-7.21	4
6685MHz	Pass	6.6814G	-4.06	6.6476G	-36.93	-29.93	-7.00	1
6685MHz	Pass	6.67361G	-3.34	6.6474G	-36.43	-29.62	-6.81	2
6685MHz	Pass	6.6812G	-3.83	6.6526G	-34.80	-27.99	-6.81	3
6685MHz	Pass	6.68G	-3.51	6.6526G	-34.79	-27.33	-7.46	4
6845MHz	Pass	6.85119G	-2.54	6.8826G	-36.17	-28.84	-7.33	1
6845MHz	Pass	6.85379G	-1.59	6.8076G	-35.61	-27.84	-7.77	2
6845MHz	Pass	6.84G	-1.91	6.8128G	-33.84	-26.08	-7.76	3
6845MHz	Pass	6.85G	-1.90	6.8074G	-35.63	-27.71	-7.92	4
6885MHz	Pass	6.88G	-2.44	6.8526G	-33.88	-26.14	-7.74	1
6885MHz	Pass	6.87381G	-1.31	6.8526G	-32.99	-24.15	-8.84	2
6885MHz	Pass	6.8874G	-2.07	6.8472G	-35.84	-28.52	-7.32	3
6885MHz	Pass	6.87381G	-2.05	6.8476G	-36.11	-28.36	-7.75	4
6925MHz	Pass	6.9276G	-1.67	6.9574G	-33.03	-25.81	-7.22	1
6925MHz	Pass	6.92G	-1.02	6.9572G	-32.82	-23.92	-8.90	2
6925MHz	Pass	6.93379G	-1.44	6.9574G	-32.99	-25.86	-7.13	3
6925MHz	Pass	6.91761G	-1.61	6.9574G	-33.12	-25.18	-7.94	4
7005MHz	Pass	7.0074G	-4.69	7.0374G	-35.60	-28.53	-7.07	1
7005MHz	Pass	7.0026G	-4.07	6.9786G	-32.97	-24.84	-8.13	2
7005MHz	Pass	7.0008G	-4.19	7.0372G	-36.20	-28.55	-7.65	3
7005MHz	Pass	7.01G	-4.57	6.9726G	-36.52	-29.09	-7.43	4
7085MHz	Pass	7.0814G	-0.66	7.053G	-30.66	-24.19	-6.47	1
7085MHz	Pass	7.07381G	-0.41	7.0536G	-30.26	-23.30	-6.96	2
7085MHz	Pass	7.08G	-0.60	7.053G	-30.39	-23.70	-6.69	3
7085MHz	Pass	7.08G	-0.48	7.0526G	-30.34	-23.74	-6.60	4
802.11ax HEW80_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00018G	0.13	6.0278G	-27.08	-19.94	-7.14	1
5985MHz	Pass	5.99819G	0.55	6.0278G	-26.71	-19.47	-7.24	2
5985MHz	Pass	6.00178G	0.37	6.0278G	-26.24	-19.64	-6.60	3
5985MHz	Pass	5.99699G	0.36	6.0274G	-25.89	-19.66	-6.23	4
6145MHz	Pass	6.13181G	-0.68	6.101G	-28.99	-20.70	-8.29	1
6145MHz	Pass	6.13381G	-0.73	6.0886G	-32.05	-23.15	-8.90	2
6145MHz	Pass	6.15699G	-0.88	6.1018G	-29.20	-20.91	-8.29	3
6145MHz	Pass	6.13421G	-0.70	6.1018G	-28.70	-20.74	-7.96	4
6385MHz	Pass	6.37021G	-3.57	6.3426G	-30.24	-23.57	-6.67	1
6385MHz	Pass	6.37101G	-3.21	6.3274G	-34.27	-26.00	-8.27	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.37261G	-3.37	6.3418G	-30.76	-23.39	-7.37	3
6385MHz	Pass	6.35663G	-3.28	6.3282G	-33.05	-25.94	-7.11	4
6465MHz	Pass	6.45381G	-4.18	6.4086G	-34.20	-26.84	-7.36	1
6465MHz	Pass	6.45021G	-3.94	6.4078G	-34.37	-26.56	-7.81	2
6465MHz	Pass	6.45301G	-3.74	6.4214G	-31.58	-23.80	-7.78	3
6465MHz	Pass	6.45141G	-3.80	6.4222G	-30.84	-23.82	-7.02	4
6545MHz	Pass	6.53341G	-2.91	6.4734G	-36.04	-28.24	-7.80	1
6545MHz	Pass	6.53101G	-2.79	6.5886G	-30.88	-22.82	-8.06	2
6545MHz	Pass	6.53261G	-2.33	6.4902G	-33.08	-24.48	-8.60	3
6545MHz	Pass	6.53421G	-2.76	6.5018G	-30.60	-22.78	-7.82	4
6625MHz	Pass	6.59343G	-2.69	6.5826G	-29.90	-22.71	-7.19	1
6625MHz	Pass	6.59583G	-2.49	6.5734G	-32.28	-23.29	-8.99	2
6625MHz	Pass	6.61181G	-2.71	6.5826G	-30.06	-22.72	-7.34	3
6625MHz	Pass	6.61021G	-2.22	6.5686G	-32.61	-23.64	-8.97	4
6705MHz	Pass	6.67423G	-3.99	6.6382G	-35.19	-28.42	-6.77	1
6705MHz	Pass	6.67623G	-3.33	6.6362G	-35.34	-28.07	-7.27	2
6705MHz	Pass	6.67623G	-3.79	6.6474G	-33.94	-26.36	-7.58	3
6705MHz	Pass	6.67623G	-3.12	6.5566G	-51.12	-43.12	-8.00	4
6785MHz	Pass	6.81457G	-1.94	6.7134G	-34.37	-27.12	-7.25	1
6785MHz	Pass	6.81377G	-1.29	6.7282G	-31.43	-23.11	-8.32	2
6785MHz	Pass	6.81617G	-1.85	6.7146G	-34.51	-27.20	-7.31	3
6785MHz	Pass	6.79939G	-1.43	6.729G	-31.09	-23.23	-7.86	4
6865MHz	Pass	6.85381G	-1.27	6.8142G	-30.65	-22.51	-8.14	1
6865MHz	Pass	6.85141G	-0.63	6.8086G	-31.26	-23.02	-8.24	2
6865MHz	Pass	6.85501G	-1.33	6.8074G	-32.39	-23.98	-8.41	3
6865MHz	Pass	6.85021G	-0.84	6.7966G	-33.57	-25.22	-8.35	4
6945MHz	Pass	6.93381G	-1.16	6.8738G	-34.26	-26.39	-7.87	1
6945MHz	Pass	6.93021G	-0.59	6.9026G	-28.33	-20.60	-7.73	2
6945MHz	Pass	6.93141G	-1.38	6.875G	-34.48	-26.69	-7.79	3
6945MHz	Pass	6.93221G	-0.63	6.9022G	-28.25	-20.66	-7.59	4
7025MHz	Pass	7.01261G	-3.57	6.9678G	-33.73	-26.34	-7.39	1
7025MHz	Pass	6.99383G	-2.82	6.973G	-32.24	-24.53	-7.71	2
7025MHz	Pass	7.01061G	-3.68	6.9702G	-33.43	-25.65	-7.78	3
7025MHz	Pass	7.01381G	-3.05	6.9738G	-32.33	-24.59	-7.74	4
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99699G	1.32	6.0282G	-26.21	-18.74	-7.47	1
5985MHz	Pass	5.99659G	1.61	6.0274G	-25.41	-18.40	-7.01	2
5985MHz	Pass	6.01617G	1.35	6.0278G	-25.46	-18.71	-6.75	3
5985MHz	Pass	5.99619G	1.52	6.0666G	-34.47	-25.74	-8.73	4
6145MHz	Pass	6.16018G	1.73	6.101G	-27.32	-18.44	-8.88	1
6145MHz	Pass	6.13101G	2.13	6.1026G	-25.86	-17.92	-7.94	2
6145MHz	Pass	6.15939G	1.69	6.103G	-26.29	-18.34	-7.95	3
6145MHz	Pass	6.13141G	2.23	6.1018G	-26.47	-17.77	-8.70	4
6385MHz	Pass	6.37141G	-0.14	6.3338G	-29.97	-21.45	-8.52	1
6385MHz	Pass	6.37221G	0.18	6.3426G	-27.55	-19.89	-7.66	2
6385MHz	Pass	6.37381G	0.21	6.3426G	-26.88	-19.86	-7.02	3
6385MHz	Pass	6.35743G	0.09	6.3418G	-26.95	-19.94	-7.01	4
6465MHz	Pass	6.43623G	0.35	6.371G	-37.92	-30.47	-7.45	1
6465MHz	Pass	6.45221G	0.90	6.4218G	-27.29	-19.10	-8.19	2
6465MHz	Pass	6.43623G	0.67	6.3742G	-37.59	-29.13	-8.46	3
6465MHz	Pass	6.45221G	0.75	6.3714G	-37.64	-29.73	-7.91	4
6545MHz	Pass	6.53021G	-0.21	6.453G	-38.47	-30.24	-8.23	1
6545MHz	Pass	6.53101G	0.10	6.5018G	-28.47	-20.05	-8.42	2
6545MHz	Pass	6.53141G	0.29	6.5026G	-27.49	-19.73	-7.76	3
6545MHz	Pass	6.53101G	0.07	6.451G	-37.98	-30.60	-7.38	4
6625MHz	Pass	6.59623G	-0.12	6.533G	-37.79	-30.29	-7.50	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6625MHz	Pass	6.61141G	0.18	6.5818G	-27.42	-19.85	-7.57	2
6625MHz	Pass	6.59623G	-0.21	6.5814G	-27.80	-20.28	-7.52	3
6625MHz	Pass	6.61141G	0.27	6.5334G	-37.96	-29.75	-8.21	4
6705MHz	Pass	6.67623G	-0.80	6.6114G	-39.13	-31.43	-7.70	1
6705MHz	Pass	6.67663G	-0.12	6.611G	-38.82	-30.82	-8.00	2
6705MHz	Pass	6.67623G	-0.35	6.6618G	-27.47	-20.38	-7.09	3
6705MHz	Pass	6.67663G	-0.12	6.6138G	-37.31	-30.07	-7.24	4
6785MHz	Pass	6.75623G	0.17	6.6934G	-36.43	-29.52	-6.91	1
6785MHz	Pass	6.81137G	0.37	6.693G	-37.14	-30.37	-6.77	2
6785MHz	Pass	6.79859G	-0.39	6.6906G	-38.23	-31.13	-7.10	3
6785MHz	Pass	6.79699G	0.13	6.693G	-36.93	-29.82	-7.11	4
6865MHz	Pass	6.85101G	1.45	6.8218G	-26.45	-18.59	-7.86	1
6865MHz	Pass	6.85141G	1.60	6.8226G	-26.74	-18.47	-8.27	2
6865MHz	Pass	6.85301G	0.84	6.8226G	-26.60	-19.27	-7.33	3
6865MHz	Pass	6.85141G	1.37	6.7706G	-37.74	-29.45	-8.29	4
6945MHz	Pass	6.93181G	-1.04	6.9014G	-28.93	-21.09	-7.84	1
6945MHz	Pass	6.95979G	-0.37	6.8538G	-38.20	-30.35	-7.85	2
6945MHz	Pass	6.93181G	-1.21	6.8974G	-30.65	-21.83	-8.82	3
6945MHz	Pass	6.95779G	-0.60	6.8534G	-37.61	-30.62	-6.99	4
7025MHz	Pass	7.01181G	-11.14	6.8518G	-54.39	-51.14	-3.25	1
7025MHz	Pass	7.01101G	-10.04	6.847G	-54.48	-50.04	-4.44	2
7025MHz	Pass	7.01261G	-10.86	6.8314G	-54.70	-50.86	-3.84	3
7025MHz	Pass	7.01141G	-10.00	6.853G	-54.48	-50.00	-4.48	4
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04818G	5.66	6.3418G	-41.27	-34.18	-7.09	1
6025MHz	Pass	6.05137G	5.80	6.2714G	-37.95	-33.65	-4.30	2
6025MHz	Pass	6.05457G	5.92	6.2738G	-37.88	-33.88	-4.00	3
6025MHz	Pass	6.04898G	5.72	6.281G	-38.21	-34.28	-3.93	4
6185MHz	Pass	6.15703G	4.92	6.4362G	-42.83	-35.02	-7.81	1
6185MHz	Pass	6.16102G	5.33	5.9306G	-41.50	-34.67	-6.83	2
6185MHz	Pass	6.15943G	5.34	6.4426G	-43.46	-34.66	-8.80	3
6185MHz	Pass	6.16262G	5.16	6.4386G	-42.39	-34.84	-7.55	4
6345MHz	Pass	6.31783G	2.20	6.0946G	-45.20	-37.80	-7.40	1
6345MHz	Pass	6.31943G	2.54	6.0906G	-44.01	-37.46	-6.55	2
6345MHz	Pass	6.32022G	2.24	6.0938G	-44.97	-37.76	-7.21	3
6345MHz	Pass	6.31863G	2.21	6.0954G	-44.87	-37.79	-7.08	4
6505MHz	Pass	6.47943G	2.42	6.2538G	-44.31	-37.58	-6.73	1
6505MHz	Pass	6.52978G	2.74	6.2514G	-44.61	-37.26	-7.35	2
6505MHz	Pass	6.53217G	2.87	6.253G	-44.73	-37.13	-7.60	3
6505MHz	Pass	6.48182G	2.69	6.2522G	-43.87	-37.31	-6.56	4
6665MHz	Pass	6.63943G	2.07	6.4122G	-43.86	-37.93	-5.93	1
6665MHz	Pass	6.63783G	2.53	6.4122G	-43.94	-37.47	-6.47	2
6665MHz	Pass	6.64022G	2.02	6.4114G	-44.79	-37.98	-6.81	3
6665MHz	Pass	6.63703G	2.31	6.3962G	-43.39	-37.69	-5.70	4
6825MHz	Pass	6.85057G	3.83	6.5746G	-40.03	-36.17	-3.86	1
6825MHz	Pass	6.84818G	4.67	6.5754G	-38.72	-35.33	-3.39	2
6825MHz	Pass	6.85137G	3.68	6.5738G	-41.39	-36.32	-5.07	3
6825MHz	Pass	6.85137G	4.19	6.5714G	-40.40	-35.81	-4.59	4
6985MHz	Pass	6.95783G	4.14	6.7298G	-41.45	-35.86	-5.59	1
6985MHz	Pass	6.95863G	4.54	7.2498G	-40.90	-35.46	-5.44	2
6985MHz	Pass	6.96102G	3.78	6.733G	-42.30	-36.22	-6.08	3
6985MHz	Pass	6.95783G	4.13	6.7338G	-41.69	-35.87	-5.82	4
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04898G	6.32	6.1602G	-22.26	-13.78	-8.48	1
6025MHz	Pass	6.05217G	6.23	6.353G	-41.62	-33.77	-7.85	2
6025MHz	Pass	6.04898G	6.48	6.1602G	-23.93	-13.68	-10.25	3



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6025MHz	Pass	6.04978G	6.15	6.3794G	-42.88	-33.43	-9.45	4
6185MHz	Pass	6.15863G	7.02	6.5378G	-42.11	-31.70	-10.41	1
6185MHz	Pass	6.15943G	7.32	6.4882G	-39.52	-32.68	-6.84	2
6185MHz	Pass	6.15703G	7.24	6.4738G	-40.44	-32.76	-7.68	3
6185MHz	Pass	6.16182G	7.44	6.5378G	-42.68	-31.49	-11.19	4
6345MHz	Pass	6.32102G	4.81	6.0986G	-41.07	-34.64	-6.43	1
6345MHz	Pass	6.31943G	5.03	6.0994G	-39.03	-34.31	-4.72	2
6345MHz	Pass	6.32102G	4.71	6.0586G	-42.99	-35.29	-7.70	3
6345MHz	Pass	6.31703G	4.75	6.0994G	-40.95	-34.54	-6.41	4
6505MHz	Pass	6.47943G	4.18	6.2578G	-41.40	-35.49	-5.91	1
6505MHz	Pass	6.52978G	4.31	6.2362G	-42.35	-35.69	-6.66	2
6505MHz	Pass	6.48102G	4.50	6.2586G	-41.25	-34.90	-6.35	3
6505MHz	Pass	6.47703G	4.01	6.2386G	-41.96	-35.99	-5.97	4
6665MHz	Pass	6.63783G	5.63	6.2978G	-40.27	-34.37	-5.90	1
6665MHz	Pass	6.63863G	6.11	6.2922G	-41.95	-33.89	-8.06	2
6665MHz	Pass	6.64022G	5.83	6.2978G	-42.82	-34.17	-8.65	3
6665MHz	Pass	6.60266G	5.88	6.2954G	-40.56	-34.12	-6.44	4
6825MHz	Pass	6.85057G	5.48	6.425G	-40.81	-33.30	-7.51	1
6825MHz	Pass	6.85137G	6.39	6.4266G	-41.10	-31.17	-9.93	2
6825MHz	Pass	6.84978G	5.32	6.425G	-43.50	-34.68	-8.82	3
6825MHz	Pass	6.85057G	5.69	6.4258G	-41.54	-34.31	-7.23	4
6985MHz	Pass	6.95863G	5.29	6.5874G	-40.79	-33.02	-7.77	1
6985MHz	Pass	6.95863G	5.55	6.5858G	-41.38	-33.97	-7.41	2
6985MHz	Pass	6.95703G	5.06	6.6106G	-42.70	-34.94	-7.76	3
6985MHz	Pass	6.95623G	5.14	6.6114G	-42.05	-34.86	-7.19	4

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

30/09/2022

CF Freq
5.955GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9564G	-6.39	5.9719G	-37.45	-30.05	-7.40	1
5.9526G	-6.15	5.9696G	-35.51	-27.47	-8.04	2
5.9576G	-6.34	5.9726G	-38.66	-30.50	-8.16	3
5.9563G	-6.03	5.9687G	-34.75	-26.11	-8.64	4

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6175MHz_TX

30/09/2022

CF Freq
6.175GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1713G	-9.34	6.189G	-38.64	-29.64	-9.00	1
6.1726G	-9.16	6.1907G	-40.19	-30.02	-10.17	2
6.1726G	-8.74	6.1609G	-38.58	-29.86	-8.72	3
6.1718G	-9.19	6.1614G	-38.86	-30.30	-8.56	4

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

30/09/2022

CF Freq
6.415GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4113G	-8.80	6.4292G	-38.24	-29.43	-8.81	1
6.4101G	-8.14	6.3998G	-38.31	-29.34	-8.97	2
6.4162G	-8.47	6.4309G	-39.68	-31.46	-8.22	3
6.4126G	-8.49	6.4G	-38.49	-30.53	-7.96	4

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

30/09/2022

CF Freq
6.435GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4338G	-11.08	6.3942G	-59.91	-51.08	-8.83	1
6.4326G	-9.98	6.4201G	-39.57	-31.54	-8.03	2
6.4388G	-10.15	6.4203G	-40.03	-31.53	-8.50	3
6.4363G	-10.79	6.4504G	-41.12	-32.19	-8.93	4

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4738G	-10.98	6.4595G	-41.65	-33.06	-8.59	1
6.4759G	-10.15	6.4604G	-39.78	-31.21	-8.57	2
6.4731G	-10.65	6.4878G	-39.39	-30.99	-8.40	3
6.4714G	-10.50	6.4598G	-40.92	-32.82	-8.10	4

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5138G	-9.52	6.5011G	-38.83	-30.12	-8.71	1
6.5156G	-8.91	6.5306G	-39.29	-30.91	-8.38	2
6.5175G	-8.75	6.4979G	-40.95	-31.82	-9.13	3
6.5113G	-9.08	6.4997G	-39.59	-30.09	-9.50	4



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

30/09/2022

CF Freq
6.535GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5313G	-9.46	6.5199G	-39.71	-31.57	-8.14	1
6.5313G	-8.98	6.5209G	-38.40	-29.88	-8.52	2
6.5301G	-9.10	6.5502G	-39.76	-31.51	-8.25	3
6.5364G	-9.34	6.5517G	-40.89	-32.03	-8.86	4

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

30/09/2022

CF Freq
6.695GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6988G	-10.96	6.7099G	-40.71	-31.78	-8.93	1
6.6937G	-9.97	6.6812G	-39.26	-30.69	-8.57	2
6.69G	-10.06	6.6783G	-41.26	-33.70	-7.56	3
6.69G	-9.86	6.6799G	-39.71	-32.00	-7.71	4

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8538G	-7.56	6.8695G	-37.49	-27.59	-9.90	1
6.8538G	-6.92	6.8696G	-37.40	-27.78	-9.62	2
6.8555G	-7.77	6.8393G	-38.51	-30.46	-8.05	3
6.8564G	-7.56	6.84G	-38.24	-29.71	-8.53	4

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.874G	-7.41	6.8587G	-39.15	-30.69	-8.46	1
6.8738G	-6.99	6.86G	-37.43	-28.55	-8.88	2
6.8763G	-7.54	6.8597G	-38.11	-29.79	-8.32	3
6.8772G	-7.15	6.8591G	-38.70	-29.92	-8.78	4

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

30/09/2022

CF Freq
6.895GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8926G	-7.17	6.8809G	-37.25	-28.02	-9.23	1
6.894G	-6.83	6.8805G	-36.65	-28.90	-7.75	2
6.8926G	-7.36	6.8799G	-38.32	-29.71	-8.61	3
6.8938G	-6.96	6.8782G	-38.81	-28.01	-10.80	4

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

30/09/2022

CF Freq
6.995GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9938G	-8.01	6.9777G	-39.46	-30.99	-8.47	1
6.9914G	-7.12	7.0112G	-38.17	-29.83	-8.34	2
6.9913G	-7.55	7.0104G	-38.33	-30.16	-8.17	3
7G	-7.06	7.0113G	-38.38	-28.86	-9.52	4

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

30/09/2022

CF Freq
7.095GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0926G	-7.27	7.0782G	-38.32	-29.27	-9.05	1
7.08881G	-6.71	7.0786G	-37.85	-30.02	-7.83	2
7.0925G	-6.98	7.0777G	-39.15	-30.97	-8.18	3
7.0926G	-6.47	7.08G	-36.86	-26.60	-10.26	4

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

30/09/2022

CF Freq
5.955GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96129G	-4.31	5.9721G	-35.92	-27.98	-7.94	1
5.9538G	-3.95	5.9712G	-34.98	-27.10	-7.88	2
5.9575G	-4.16	5.9705G	-35.15	-26.59	-8.56	3
5.9564G	-3.88	5.9696G	-33.74	-24.99	-8.75	4

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6175MHz_TX

MASK

30/09/2022

CF Freq
6.175GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1776G	-3.74	6.1896G	-33.99	-24.58	-9.41	1
6.1775G	-3.52	6.1898G	-34.06	-24.98	-9.08	2
6.1738G	-3.72	6.1594G	-34.82	-26.20	-8.62	3
6.1713G	-3.36	6.1895G	-34.21	-25.19	-9.02	4

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6415MHz_TX

MASK

30/09/2022

CF Freq
6.415GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4111G	-6.44	6.4286G	-35.84	-26.54	-9.30	1
6.4112G	-5.81	6.4298G	-36.31	-27.52	-8.79	2
6.4113G	-6.04	6.4298G	-36.73	-28.16	-8.57	3
6.4101G	-5.89	6.3987G	-37.31	-28.78	-8.53	4

6.425-6.525GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6435MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4325G	-6.47	6.4188G	-37.55	-28.59	-8.96	1
6.4338G	-5.81	6.4193G	-36.64	-28.68	-7.96	2
6.4363G	-5.84	6.4183G	-37.90	-29.79	-8.11	3
6.4313G	-5.74	6.4217G	-35.44	-26.01	-9.43	4

6.425-6.525GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6475MHz_TX

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4713G	-5.96	6.4591G	-37.21	-27.62	-9.59	1
6.4713G	-5.09	6.4585G	-37.12	-28.61	-8.51	2
6.4763G	-5.58	6.49G	-36.48	-27.37	-9.11	3
6.4701G	-5.62	6.4603G	-36.14	-26.89	-9.25	4

6.425-6.525GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6515MHz_TX

30/09/2022

CF Freq
6.515GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52G	-9.36	6.5297G	-39.57	-31.07	-8.50	1
6.5113G	-8.68	6.5299G	-39.44	-30.00	-9.44	2
6.5164G	-8.73	6.5288G	-39.14	-29.78	-9.36	3
6.5126G	-8.76	6.5002G	-39.51	-30.09	-9.42	4

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

30/09/2022

CF Freq
6.535GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5312G	-5.22	6.5221G	-34.94	-25.56	-9.38	1
6.5363G	-4.71	6.5198G	-35.73	-26.27	-9.46	2
6.5313G	-4.91	6.5499G	-35.99	-27.31	-8.68	3
6.5364G	-4.83	6.5208G	-35.32	-25.01	-10.31	4

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

30/09/2022

CF Freq
6.695GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6999G	-6.06	6.6794G	-36.75	-26.96	-9.79	1
6.6912G	-5.17	6.6786G	-36.52	-27.14	-9.38	2
6.6975G	-5.25	6.6773G	-38.17	-29.38	-8.79	3
6.6913G	-5.11	6.6808G	-34.84	-25.90	-8.94	4

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

30/09/2022

CF Freq
6.855GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8513G	-4.05	6.8712G	-36.09	-27.50	-8.59	1
6.8539G	-3.66	6.8713G	-34.93	-26.15	-8.78	2
6.8575G	-3.96	6.8389G	-36.31	-24.31	-12.00	3
6.8575G	-3.50	6.8379G	-36.42	-26.18	-10.24	4

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6875MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8739G	-4.51	6.8589G	-35.59	-27.34	-8.25	1
6.8736G	-4.03	6.86G	-34.02	-24.65	-9.37	2
6.87G	-4.57	6.8595G	-35.32	-26.76	-8.56	3
6.8738G	-3.99	6.8603G	-34.37	-25.79	-8.58	4

6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6895MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8913G	-6.35	6.8799G	-37.95	-28.05	-9.90	1
6.8913G	-5.94	6.8802G	-36.63	-28.00	-8.63	2
6.8913G	-6.18	6.8781G	-38.93	-29.24	-9.69	3
6.89G	-5.88	6.8804G	-36.69	-26.20	-10.49	4

6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6995MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00129G	-6.50	7.0097G	-37.23	-28.62	-8.61	1
6.9914G	-5.80	7.0097G	-36.46	-27.95	-8.51	2
6.9913G	-6.12	7.0097G	-37.05	-27.96	-9.09	3
6.9975G	-5.75	7.0098G	-36.72	-26.27	-10.45	4

6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

7095MHz_TX

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0926G	-5.46	7.081G	-35.08	-26.78	-8.30	1
7.08871G	-4.95	7.0788G	-35.80	-25.99	-9.81	2
7.0913G	-5.21	7.0775G	-37.99	-29.03	-8.96	3
7.09G	-4.57	7.0789G	-35.44	-27.57	-7.87	4

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

30/09/2022

CF Freq
5.965GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97139G	-5.31	5.9946G	-35.17	-28.06	-7.11	1
5.97259G	-5.16	5.9946G	-34.64	-27.65	-6.99	2
5.9676G	-5.85	5.9968G	-37.02	-29.59	-7.43	3
5.97119G	-5.33	5.9944G	-35.19	-28.31	-6.88	4

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TX

30/09/2022

CF Freq
6.165GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1614G	-4.95	6.1338G	-36.10	-28.61	-7.49	1
6.15761G	-4.60	6.133G	-35.77	-28.56	-7.21	2
6.1616G	-4.21	6.1332G	-36.76	-28.31	-8.45	3
6.17119G	-4.36	6.1332G	-36.57	-28.44	-8.13	4

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

30/09/2022

CF Freq
6.405GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39881G	-7.06	6.3736G	-37.86	-29.97	-7.89	1
6.41019G	-6.19	6.371G	-38.16	-30.80	-7.36	2
6.4002G	-6.57	6.371G	-39.05	-31.26	-7.79	3
6.39761G	-6.71	6.3762G	-37.29	-28.94	-8.35	4

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

30/09/2022

CF Freq
6.445GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43881G	-6.39	6.4198G	-35.15	-26.86	-8.29	1
6.44G	-5.98	6.4132G	-37.32	-29.54	-7.78	2
6.43741G	-6.08	6.4136G	-37.19	-29.89	-7.30	3
6.43641G	-6.18	6.416G	-36.69	-29.01	-7.68	4

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

30/09/2022

CF Freq
6.485GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47901G	-6.23	6.454G	-37.17	-29.38	-7.79	1
6.48G	-5.82	6.4536G	-37.22	-28.81	-8.41	2
6.49019G	-5.66	6.4528G	-38.04	-29.89	-8.15	3
6.489G	-6.06	6.4534G	-37.48	-29.44	-8.04	4

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

30/09/2022

CF Freq
6.525GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5288G	-6.16	6.4938G	-37.53	-28.10	-9.43	1
6.5202G	-5.72	6.5564G	-37.43	-29.57	-7.86	2
6.5276G	-5.64	6.4952G	-37.32	-28.66	-8.66	3
6.52G	-5.98	6.494G	-37.30	-29.43	-7.87	4

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55881G	-6.09	6.5334G	-37.46	-30.00	-7.46	1
6.5612G	-5.74	6.533G	-37.71	-29.60	-8.11	2
6.55761G	-5.52	6.54G	-35.55	-26.57	-8.98	3
6.5614G	-5.62	6.5324G	-38.25	-29.90	-8.35	4

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67881G	-6.99	6.651G	-39.46	-31.91	-7.55	1
6.6814G	-6.45	6.6504G	-39.01	-31.51	-7.50	2
6.67961G	-7.25	6.6544G	-38.47	-30.64	-7.83	3
6.6814G	-6.42	6.6564G	-37.20	-28.60	-8.60	4

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6845MHz_TX

MASK

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849G	-4.92	6.814G	-36.16	-28.40	-7.76	1
6.8488G	-4.07	6.8136G	-35.77	-27.81	-7.96	2
6.8402G	-4.38	6.8666G	-32.27	-24.18	-8.09	3
6.8414G	-4.59	6.8136G	-36.69	-28.35	-8.34	4

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz_TX

MASK

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87881G	-3.94	6.854G	-35.12	-26.54	-8.58	1
6.87881G	-3.15	6.8538G	-34.19	-26.74	-7.45	2
6.89019G	-3.37	6.8532G	-35.81	-27.49	-8.32	3
6.8802G	-3.58	6.8534G	-35.05	-27.14	-7.91	4

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

30/09/2022

CF Freq
6.925GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9286G	-5.08	6.9578G	-37.35	-29.63	-7.72	1
6.91881G	-4.32	6.8936G	-35.78	-28.03	-7.75	2
6.93G	-4.85	6.8938G	-36.92	-28.27	-8.65	3
6.91741G	-5.21	6.8902G	-38.69	-30.00	-8.69	4

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

30/09/2022

CF Freq
7.005GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0026G	-4.79	6.9738G	-36.20	-28.37	-7.83	1
6.99881G	-4.20	6.974G	-35.44	-27.94	-7.50	2
7.0006G	-4.64	6.9722G	-36.22	-28.67	-7.55	3
7.0026G	-5.04	6.9738G	-36.10	-27.98	-8.12	4

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

30/09/2022

CF Freq
7.085GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07761G	-4.55	7.0532G	-34.50	-27.53	-6.97	1
7.07881G	-3.89	7.0538G	-33.83	-27.23	-6.60	2
7.0898G	-4.24	7.053G	-34.80	-28.15	-6.65	3
7.09G	-4.42	7.0536G	-34.21	-27.89	-6.32	4

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

30/09/2022

CF Freq
5.965GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9676G	-0.71	5.9972G	-31.86	-24.70	-7.16	1
5.97G	-0.39	5.9974G	-31.97	-24.50	-7.47	2
5.9688G	-1.20	5.9974G	-31.88	-25.06	-6.82	3
5.97759G	-0.54	5.9974G	-30.81	-24.28	-6.53	4

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6165MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15881G	-0.85	6.1274G	-34.74	-26.82	-7.92	1
6.1676G	-0.81	6.133G	-32.86	-24.97	-7.89	2
6.16G	-0.49	6.1272G	-34.53	-27.01	-7.52	3
6.1676G	-0.49	6.1276G	-34.45	-26.87	-7.58	4

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4G	-2.57	6.3674G	-34.96	-28.06	-6.90	1
6.4076G	-1.78	6.3674G	-34.79	-28.21	-6.58	2
6.4076G	-2.20	6.3676G	-34.98	-28.23	-6.75	3
6.39761G	-2.01	6.3726G	-33.33	-25.32	-8.01	4

6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6445MHz_TX

30/09/2022

CF Freq
6.445GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43881G	-3.50	6.413G	-33.96	-27.12	-6.84	1
6.4412G	-3.17	6.4126G	-34.13	-27.57	-6.56	2
6.43761G	-3.07	6.4076G	-36.26	-29.36	-6.90	3
6.43761G	-3.06	6.4074G	-35.95	-28.97	-6.98	4

6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6485MHz_TX

30/09/2022

CF Freq
6.485GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3


Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48G	-2.68	6.4526G	-33.89	-25.98	-7.91	1
6.4814G	-2.52	6.5174G	-33.97	-26.63	-7.34	2
6.4812G	-2.56	6.4526G	-34.36	-26.59	-7.77	3
6.49G	-2.47	6.4528G	-33.19	-26.46	-6.73	4

6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz_TX

MASK

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5276G	-3.13	6.4886G	-36.11	-28.47	-7.64	1
6.5202G	-2.73	6.5574G	-34.31	-27.04	-7.27	2
6.5288G	-2.88	6.4926G	-34.98	-27.30	-7.68	3
6.51761G	-2.83	6.4926G	-33.64	-26.95	-6.69	4

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6565MHz_TX

MASK

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55381G	-3.07	6.5326G	-34.66	-27.03	-7.63	1
6.5626G	-2.88	6.5274G	-36.19	-29.18	-7.01	2
6.56G	-2.38	6.5976G	-34.70	-26.73	-7.97	3
6.55761G	-2.62	6.5326G	-34.16	-26.95	-7.21	4

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

30/09/2022

CF Freq
6.685GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6814G	-4.06	6.6476G	-36.93	-29.93	-7.00	1
6.67361G	-3.34	6.6474G	-36.43	-29.62	-6.81	2
6.6812G	-3.83	6.6526G	-34.80	-27.99	-6.81	3
6.68G	-3.51	6.6526G	-34.79	-27.33	-7.46	4

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

30/09/2022

CF Freq
6.845GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85119G	-2.54	6.8826G	-36.17	-28.84	-7.33	1
6.85379G	-1.59	6.8076G	-35.61	-27.84	-7.77	2
6.84G	-1.91	6.8128G	-33.84	-26.08	-7.76	3
6.85G	-1.90	6.8074G	-35.63	-27.71	-7.92	4

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6885MHz_TX

30/09/2022

CF Freq
6.885GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88G	-2.44	6.8526G	-33.88	-26.14	-7.74	1
6.87381G	-1.31	6.8526G	-32.99	-24.15	-8.84	2
6.8874G	-2.07	6.8472G	-35.84	-28.52	-7.32	3
6.87381G	-2.05	6.8476G	-36.11	-28.36	-7.75	4

6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6925MHz_TX

30/09/2022

CF Freq
6.925GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9276G	-1.67	6.9574G	-33.03	-25.81	-7.22	1
6.92G	-1.02	6.9572G	-32.82	-23.92	-8.90	2
6.93379G	-1.44	6.9574G	-32.99	-25.86	-7.13	3
6.91761G	-1.61	6.9574G	-33.12	-25.18	-7.94	4

6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

7005MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0074G	-4.69	7.0374G	-35.60	-28.53	-7.07	1
7.0026G	-4.07	6.9786G	-32.97	-24.84	-8.13	2
7.0008G	-4.19	7.0372G	-36.20	-28.55	-7.65	3
7.01G	-4.57	6.9726G	-36.52	-29.09	-7.43	4

6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

7085MHz_TX

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0814G	-0.66	7.053G	-30.66	-24.19	-6.47	1
7.07381G	-0.41	7.0536G	-30.26	-23.30	-6.96	2
7.08G	-0.60	7.053G	-30.39	-23.70	-6.69	3
7.08G	-0.48	7.0526G	-30.34	-23.74	-6.60	4

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

30/09/2022

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00018G	0.13	6.0278G	-27.08	-19.94	-7.14	1
5.99819G	0.55	6.0278G	-26.71	-19.47	-7.24	2
6.00178G	0.37	6.0278G	-26.24	-19.64	-6.60	3
5.99699G	0.36	6.0274G	-25.89	-19.66	-6.23	4

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TX

30/09/2022

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3


Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13181G	-0.68	6.101G	-28.99	-20.70	-8.29	1
6.13381G	-0.73	6.0886G	-32.05	-23.15	-8.90	2
6.15699G	-0.88	6.1018G	-29.20	-20.91	-8.29	3
6.13421G	-0.70	6.1018G	-28.70	-20.74	-7.96	4

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6385MHz_TX

MASK

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37021G	-3.57	6.3426G	-30.24	-23.57	-6.67	1
6.37101G	-3.21	6.3274G	-34.27	-26.00	-8.27	2
6.37261G	-3.37	6.3418G	-30.76	-23.39	-7.37	3
6.35663G	-3.28	6.3282G	-33.05	-25.94	-7.11	4

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6465MHz_TX

MASK

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45381G	-4.18	6.4086G	-34.20	-26.84	-7.36	1
6.45021G	-3.94	6.4078G	-34.37	-26.56	-7.81	2
6.45301G	-3.74	6.4214G	-31.58	-23.80	-7.78	3
6.45141G	-3.80	6.4222G	-30.84	-23.82	-7.02	4

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

30/09/2022

CF Freq
6.545GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53341G	-2.91	6.4734G	-36.04	-28.24	-7.80	1
6.53101G	-2.79	6.5886G	-30.88	-22.82	-8.06	2
6.53261G	-2.33	6.4902G	-33.08	-24.48	-8.60	3
6.53421G	-2.76	6.5018G	-30.60	-22.78	-7.82	4

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

30/09/2022

CF Freq
6.625GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59343G	-2.69	6.5826G	-29.90	-22.71	-7.19	1
6.59583G	-2.49	6.5734G	-32.28	-23.29	-8.99	2
6.61181G	-2.71	6.5826G	-30.06	-22.72	-7.34	3
6.61021G	-2.22	6.5686G	-32.61	-23.64	-8.97	4

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67423G	-3.99	6.6382G	-35.19	-28.42	-6.77	1
6.67623G	-3.33	6.6362G	-35.34	-28.07	-7.27	2
6.67623G	-3.79	6.6474G	-33.94	-26.36	-7.58	3
6.67623G	-3.12	6.5566G	-51.12	-43.12	-8.00	4

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.81457G	-1.94	6.7134G	-34.37	-27.12	-7.25	1
6.81377G	-1.29	6.7282G	-31.43	-23.11	-8.32	2
6.81617G	-1.85	6.7146G	-34.51	-27.20	-7.31	3
6.79939G	-1.43	6.729G	-31.09	-23.23	-7.86	4

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

30/09/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85381G	-1.27	6.8142G	-30.65	-22.51	-8.14	1
6.85141G	-0.63	6.8086G	-31.26	-23.02	-8.24	2
6.85501G	-1.33	6.8074G	-32.39	-23.98	-8.41	3
6.85021G	-0.84	6.7966G	-33.57	-25.22	-8.35	4

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

30/09/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3


Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93381G	-1.16	6.8738G	-34.26	-26.39	-7.87	1
6.93021G	-0.59	6.9026G	-28.33	-20.60	-7.73	2
6.93141G	-1.38	6.875G	-34.48	-26.69	-7.79	3
6.93221G	-0.63	6.9022G	-28.25	-20.66	-7.59	4

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
7025MHz_TX

MASK

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01261G	-3.57	6.9678G	-33.73	-26.34	-7.39	1
6.99383G	-2.82	6.973G	-32.24	-24.53	-7.71	2
7.01061G	-3.68	6.9702G	-33.43	-25.65	-7.78	3
7.01381G	-3.05	6.9738G	-32.33	-24.59	-7.74	4

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
5985MHz_TX

MASK

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99699G	1.32	6.0282G	-26.21	-18.74	-7.47	1
5.99659G	1.61	6.0274G	-25.41	-18.40	-7.01	2
6.01617G	1.35	6.0278G	-25.46	-18.71	-6.75	3
5.99619G	1.52	6.0666G	-34.47	-25.74	-8.73	4

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6145MHz_TX

MASK

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16018G	1.73	6.101G	-27.32	-18.44	-8.88	1
6.13101G	2.13	6.1026G	-25.86	-17.92	-7.94	2
6.15939G	1.69	6.103G	-26.29	-18.34	-7.95	3
6.13141G	2.23	6.1018G	-26.47	-17.77	-8.70	4

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6385MHz_TX

MASK

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37141G	-0.14	6.3338G	-29.97	-21.45	-8.52	1
6.37221G	0.18	6.3426G	-27.55	-19.89	-7.66	2
6.37381G	0.21	6.3426G	-26.88	-19.86	-7.02	3
6.35743G	0.09	6.3418G	-26.95	-19.94	-7.01	4

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6465MHz_TX

30/09/2022

CF Freq
6.465GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43623G	0.35	6.371G	-37.92	-30.47	-7.45	1
6.45221G	0.90	6.4218G	-27.29	-19.10	-8.19	2
6.43623G	0.67	6.3742G	-37.59	-29.13	-8.46	3
6.45221G	0.75	6.3714G	-37.64	-29.73	-7.91	4

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6545MHz_TX

30/09/2022

CF Freq
6.545GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53021G	-0.21	6.453G	-38.47	-30.24	-8.23	1
6.53101G	0.10	6.5018G	-28.47	-20.05	-8.42	2
6.53141G	0.29	6.5026G	-27.49	-19.73	-7.76	3
6.53101G	0.07	6.451G	-37.98	-30.60	-7.38	4

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

30/09/2022

CF Freq
6.625GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59623G	-0.12	6.533G	-37.79	-30.29	-7.50	1
6.61141G	0.18	6.5818G	-27.42	-19.85	-7.57	2
6.59623G	-0.21	6.5814G	-27.80	-20.28	-7.52	3
6.61141G	0.27	6.5334G	-37.96	-29.75	-8.21	4

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

30/09/2022

CF Freq
6.705GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67623G	-0.80	6.6114G	-39.13	-31.43	-7.70	1
6.67663G	-0.12	6.611G	-38.82	-30.82	-8.00	2
6.67623G	-0.35	6.6618G	-27.47	-20.38	-7.09	3
6.67663G	-0.12	6.6138G	-37.31	-30.07	-7.24	4

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

30/09/2022

CF Freq
6.785GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75623G	0.17	6.6934G	-36.43	-29.52	-6.91	1
6.81137G	0.37	6.693G	-37.14	-30.37	-6.77	2
6.79859G	-0.39	6.6906G	-38.23	-31.13	-7.10	3
6.79699G	0.13	6.693G	-36.93	-29.82	-7.11	4

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6865MHz_TX

30/09/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85101G	1.45	6.8218G	-26.45	-18.59	-7.86	1
6.85141G	1.60	6.8226G	-26.74	-18.47	-8.27	2
6.85301G	0.84	6.8226G	-26.60	-19.27	-7.33	3
6.85141G	1.37	6.7706G	-37.74	-29.45	-8.29	4

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6945MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93181G	-1.04	6.9014G	-28.93	-21.09	-7.84	1
6.95979G	-0.37	6.8538G	-38.20	-30.35	-7.85	2
6.93181G	-1.21	6.8974G	-30.65	-21.83	-8.82	3
6.95779G	-0.60	6.8534G	-37.61	-30.62	-6.99	4

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

7025MHz_TX

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01181G	-11.14	6.8518G	-54.39	-51.14	-3.25	1
7.01101G	-10.04	6.847G	-54.48	-50.04	-4.44	2
7.01261G	-10.86	6.8314G	-54.70	-50.86	-3.84	3
7.01141G	-10.00	6.853G	-54.48	-50.00	-4.48	4

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

30/09/2022

CF Freq
6.025GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04818G	5.66	6.3418G	-41.27	-34.18	-7.09	1
6.05137G	5.80	6.2714G	-37.95	-33.65	-4.30	2
6.05457G	5.92	6.2738G	-37.88	-33.88	-4.00	3
6.04898G	5.72	6.281G	-38.21	-34.28	-3.93	4

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

30/09/2022

CF Freq
6.185GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15703G	4.92	6.4362G	-42.83	-35.02	-7.81	1
6.16102G	5.33	5.9306G	-41.50	-34.67	-6.83	2
6.15943G	5.34	6.4426G	-43.46	-34.66	-8.80	3
6.16262G	5.16	6.4386G	-42.39	-34.84	-7.55	4

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

30/09/2022

CF Freq
6.345GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31783G	2.20	6.0946G	-45.20	-37.80	-7.40	1
6.31943G	2.54	6.0906G	-44.01	-37.46	-6.55	2
6.32022G	2.24	6.0938G	-44.97	-37.76	-7.21	3
6.31863G	2.21	6.0954G	-44.87	-37.79	-7.08	4

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

30/09/2022

CF Freq
6.505GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47943G	2.42	6.2538G	-44.31	-37.58	-6.73	1
6.52978G	2.74	6.2514G	-44.61	-37.26	-7.35	2
6.53217G	2.87	6.253G	-44.73	-37.13	-7.60	3
6.48182G	2.69	6.2522G	-43.87	-37.31	-6.56	4

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

30/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63943G	2.07	6.4122G	-43.86	-37.93	-5.93	1
6.63783G	2.53	6.4122G	-43.94	-37.47	-6.47	2
6.64022G	2.02	6.4114G	-44.79	-37.98	-6.81	3
6.63703G	2.31	6.3962G	-43.39	-37.69	-5.70	4

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

30/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85057G	3.83	6.5746G	-40.03	-36.17	-3.86	1
6.84818G	4.67	6.5754G	-38.72	-35.33	-3.39	2
6.85137G	3.68	6.5738G	-41.39	-36.32	-5.07	3
6.85137G	4.19	6.5714G	-40.40	-35.81	-4.59	4

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

30/09/2022

CF Freq
6.985GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95783G	4.14	6.7298G	-41.45	-35.86	-5.59	1
6.95863G	4.54	7.2498G	-40.90	-35.46	-5.44	2
6.96102G	3.78	6.733G	-42.30	-36.22	-6.08	3
6.95783G	4.13	6.7338G	-41.69	-35.87	-5.82	4

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

30/09/2022

CF Freq
6.025GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04898G	6.32	6.1602G	-22.26	-13.78	-8.48	1
6.05217G	6.23	6.353G	-41.62	-33.77	-7.85	2
6.04898G	6.48	6.1602G	-23.93	-13.68	-10.25	3
6.04978G	6.15	6.3794G	-42.88	-33.43	-9.45	4

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

30/09/2022

CF Freq
6.185GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15863G	7.02	6.5378G	-42.11	-31.70	-10.41	1
6.15943G	7.32	6.4882G	-39.52	-32.68	-6.84	2
6.15703G	7.24	6.4738G	-40.44	-32.76	-7.68	3
6.16182G	7.44	6.5378G	-42.68	-31.49	-11.19	4

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

30/09/2022

CF Freq
6.345GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32102G	4.81	6.0986G	-41.07	-34.64	-6.43	1
6.31943G	5.03	6.0994G	-39.03	-34.31	-4.72	2
6.32102G	4.71	6.0586G	-42.99	-35.29	-7.70	3
6.31703G	4.75	6.0994G	-40.95	-34.54	-6.41	4

6.425-6.525GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6505MHz_TX

30/09/2022

CF Freq
6.505GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47943G	4.18	6.2578G	-41.40	-35.49	-5.91	1
6.52978G	4.31	6.2362G	-42.35	-35.69	-6.66	2
6.48102G	4.50	6.2586G	-41.25	-34.90	-6.35	3
6.47703G	4.01	6.2386G	-41.96	-35.99	-5.97	4

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

30/09/2022

CF Freq
6.665GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63783G	5.63	6.2978G	-40.27	-34.37	-5.90	1
6.63863G	6.11	6.2922G	-41.95	-33.89	-8.06	2
6.64022G	5.83	6.2978G	-42.82	-34.17	-8.65	3
6.60266G	5.88	6.2954G	-40.56	-34.12	-6.44	4

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6825MHz_TX

30/09/2022

CF Freq
6.825GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85057G	5.48	6.425G	-40.81	-33.30	-7.51	1
6.85137G	6.39	6.4266G	-41.10	-31.17	-9.93	2
6.84978G	5.32	6.425G	-43.50	-34.68	-8.82	3
6.85057G	5.69	6.4258G	-41.54	-34.31	-7.23	4

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6985MHz_TX

30/09/2022

CF Freq
6.985GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95863G	5.29	6.5874G	-40.79	-33.02	-7.77	1
6.95863G	5.55	6.5858G	-41.38	-33.97	-7.41	2
6.95703G	5.06	6.6106G	-42.70	-34.94	-7.76	3
6.95623G	5.14	6.6114G	-42.05	-34.86	-7.19	4



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.4126G	-9.27	6.3776G	-52.04	-49.27	-2.77	1
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.4G	-8.92	6.3392G	-50.35	-48.92	-1.43	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.15779G	-3.00	6.3382G	-47.24	-43.00	-4.24	1
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.04978G	1.56	6.3562G	-41.82	-38.44	-3.38	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.434G	-7.78	6.3862G	-52.19	-47.78	-4.41	2
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.47981G	-9.49	6.3876G	-50.31	-49.49	-0.82	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.43663G	-1.74	6.343G	-45.92	-41.73	-4.19	1
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.52818G	1.61	6.2322G	-41.56	-38.39	-3.17	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.6968G	-10.55	6.7362G	-52.65	-50.55	-2.10	1
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.6822G	-8.09	6.7644G	-50.24	-48.09	-2.15	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.85181G	-1.62	6.9886G	-46.02	-41.62	-4.40	3
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.80262G	2.55	6.5682G	-40.66	-37.45	-3.21	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.8982G	-9.19	6.9347G	-52.14	-49.19	-2.95	3
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.91861G	-6.59	6.9876G	-49.46	-46.59	-2.87	2
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.90784G	-4.32	6.821G	-46.82	-44.32	-2.50	2
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.95943G	2.14	6.7346G	-41.07	-37.86	-3.21	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9588G	-9.00	5.9934G	-53.79	-49.00	-4.79	1
5955MHz	Pass	5.9588G	-9.35	5.9924G	-53.80	-49.35	-4.45	2
5955MHz	Pass	5.96129G	-9.17	5.9893G	-53.85	-49.17	-4.68	3
5955MHz	Pass	5.9565G	-8.62	5.9933G	-53.89	-48.62	-5.27	4
6175MHz	Pass	6.1768G	-8.38	6.2091G	-52.61	-48.38	-4.23	1
6175MHz	Pass	6.1739G	-8.30	6.2097G	-52.66	-48.30	-4.36	2
6175MHz	Pass	6.1763G	-8.77	6.2093G	-52.66	-48.77	-3.89	3
6175MHz	Pass	6.1703G	-8.63	6.2104G	-52.73	-48.63	-4.10	4
6415MHz	Pass	6.4126G	-9.27	6.3776G	-52.04	-49.27	-2.77	1
6415MHz	Pass	6.4136G	-8.81	6.3756G	-52.03	-48.81	-3.22	2
6415MHz	Pass	6.4161G	-9.19	6.3777G	-52.14	-49.19	-2.95	3
6415MHz	Pass	6.4113G	-9.29	6.3766G	-52.16	-49.26	-2.90	4
6435MHz	Pass	6.42871G	-7.41	6.3983G	-52.04	-47.41	-4.63	1
6435MHz	Pass	6.434G	-7.78	6.3862G	-52.19	-47.78	-4.41	2
6435MHz	Pass	6.4305G	-6.99	6.3985G	-52.11	-46.99	-5.12	3
6435MHz	Pass	6.4322G	-7.27	6.3858G	-52.13	-47.27	-4.86	4
6475MHz	Pass	6.472G	-7.05	6.4382G	-52.63	-47.05	-5.58	1
6475MHz	Pass	6.4744G	-7.32	6.4424G	-52.63	-47.24	-5.39	2
6475MHz	Pass	6.4712G	-6.78	6.4409G	-52.61	-46.78	-5.83	3
6475MHz	Pass	6.4741G	-6.89	6.5104G	-52.73	-46.89	-5.84	4
6515MHz	Pass	6.517G	-7.25	6.5574G	-52.32	-47.25	-5.07	1
6515MHz	Pass	6.514G	-7.20	6.5609G	-52.37	-47.20	-5.17	2
6515MHz	Pass	6.5155G	-7.17	6.5594G	-52.47	-47.17	-5.30	3
6515MHz	Pass	6.5166G	-7.13	6.5648G	-52.44	-47.13	-5.31	4
6535MHz	Pass	6.5363G	-7.93	6.5686G	-52.27	-47.93	-4.34	1
6535MHz	Pass	6.5342G	-7.98	6.5712G	-52.52	-47.98	-4.54	2
6535MHz	Pass	6.5375G	-7.96	6.574G	-52.48	-47.96	-4.52	3
6535MHz	Pass	6.5325G	-7.89	6.5758G	-52.64	-47.89	-4.75	4
6695MHz	Pass	6.6968G	-10.55	6.7362G	-52.65	-50.55	-2.10	1
6695MHz	Pass	6.6987G	-8.91	6.7344G	-52.59	-48.91	-3.68	2
6695MHz	Pass	6.6957G	-10.26	6.7396G	-52.72	-50.26	-2.46	3
6695MHz	Pass	6.68991G	-8.68	6.7371G	-52.59	-48.68	-3.91	4
6855MHz	Pass	6.8543G	-9.24	6.8125G	-52.11	-49.24	-2.87	1
6855MHz	Pass	6.8523G	-7.74	6.805G	-52.35	-47.74	-4.61	2
6855MHz	Pass	6.8537G	-8.81	6.8069G	-52.33	-48.81	-3.52	3
6855MHz	Pass	6.8544G	-8.22	6.8157G	-52.33	-48.22	-4.11	4
6875MHz	Pass	6.8764G	-7.34	6.9087G	-52.01	-47.34	-4.67	1
6875MHz	Pass	6.88009G	-7.10	6.9081G	-52.10	-47.10	-5.00	2
6875MHz	Pass	6.8725G	-7.84	6.9249G	-52.32	-47.84	-4.48	3
6875MHz	Pass	6.872G	-7.12	6.911G	-52.16	-47.12	-5.04	4
6895MHz	Pass	6.8987G	-8.48	6.935G	-52.01	-48.48	-3.53	1
6895MHz	Pass	6.8979G	-8.17	6.944G	-51.88	-48.17	-3.71	2
6895MHz	Pass	6.8982G	-9.19	6.9347G	-52.14	-49.19	-2.95	3
6895MHz	Pass	6.8975G	-8.15	6.9416G	-52.07	-48.15	-3.92	4
6995MHz	Pass	7.00009G	-8.15	6.9583G	-51.62	-48.15	-3.47	1
6995MHz	Pass	7.00019G	-8.35	6.9593G	-51.79	-48.35	-3.44	2
6995MHz	Pass	7.00039G	-8.50	6.9558G	-51.85	-48.50	-3.35	3
6995MHz	Pass	7.00029G	-8.00	6.9556G	-51.80	-48.00	-3.80	4
7095MHz	Pass	7.0936G	-9.18	7.0574G	-56.15	-49.18	-6.97	1
7095MHz	Pass	7.0936G	-9.18	7.1288G	-56.04	-49.18	-6.86	2
7095MHz	Pass	7.0929G	-8.94	7.0558G	-56.15	-48.94	-7.21	3
7095MHz	Pass	7.0928G	-8.73	7.1303G	-56.00	-48.73	-7.27	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97759G	-6.19	6.0398G	-51.49	-46.19	-5.30	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.97899G	-6.63	6.0518G	-51.59	-46.63	-4.96	2
5965MHz	Pass	5.97319G	-6.66	6.0422G	-51.60	-46.66	-4.94	3
5965MHz	Pass	5.97279G	-6.42	6.0484G	-51.58	-46.42	-5.16	4
6165MHz	Pass	6.15921G	-4.69	6.2286G	-48.01	-44.69	-3.32	1
6165MHz	Pass	6.1602G	-4.80	6.2368G	-48.95	-44.80	-4.15	2
6165MHz	Pass	6.1626G	-5.82	6.2284G	-49.85	-45.82	-4.03	3
6165MHz	Pass	6.15601G	-5.83	6.23G	-50.15	-45.83	-4.32	4
6405MHz	Pass	6.4G	-8.92	6.3392G	-50.35	-48.92	-1.43	1
6405MHz	Pass	6.4024G	-6.45	6.3392G	-50.22	-46.45	-3.77	2
6405MHz	Pass	6.4024G	-6.89	6.3402G	-50.27	-46.89	-3.38	3
6405MHz	Pass	6.39761G	-6.79	6.339G	-50.24	-46.79	-3.45	4
6445MHz	Pass	6.43861G	-7.71	6.3806G	-49.84	-47.71	-2.13	1
6445MHz	Pass	6.43881G	-6.47	6.3792G	-49.80	-46.47	-3.33	2
6445MHz	Pass	6.43121G	-6.22	6.38G	-49.93	-46.22	-3.71	3
6445MHz	Pass	6.4404G	-6.52	6.375G	-49.86	-46.52	-3.34	4
6485MHz	Pass	6.47981G	-9.49	6.3876G	-50.31	-49.49	-0.82	1
6485MHz	Pass	6.49G	-8.30	6.3906G	-50.25	-48.30	-1.95	2
6485MHz	Pass	6.48G	-8.03	6.3864G	-50.32	-48.03	-2.29	3
6485MHz	Pass	6.47841G	-8.30	6.3874G	-50.33	-48.30	-2.03	4
6525MHz	Pass	6.53119G	-5.48	6.4326G	-50.68	-45.48	-5.20	1
6525MHz	Pass	6.53079G	-4.65	6.5878G	-50.25	-44.65	-5.60	2
6525MHz	Pass	6.53G	-4.16	6.5956G	-50.40	-44.16	-6.24	3
6525MHz	Pass	6.5206G	-4.23	6.5922G	-50.51	-44.23	-6.28	4
6565MHz	Pass	6.5626G	-6.02	6.496G	-50.59	-46.02	-4.57	1
6565MHz	Pass	6.5686G	-5.22	6.4964G	-50.64	-45.22	-5.42	2
6565MHz	Pass	6.57099G	-4.90	6.4984G	-50.50	-44.90	-5.60	3
6565MHz	Pass	6.5666G	-4.96	6.4978G	-50.68	-44.96	-5.72	4
6685MHz	Pass	6.6822G	-8.09	6.7644G	-50.24	-48.09	-2.15	1
6685MHz	Pass	6.6828G	-5.41	6.7496G	-50.20	-45.41	-4.79	2
6685MHz	Pass	6.6828G	-5.62	6.7498G	-50.09	-45.62	-4.47	3
6685MHz	Pass	6.6806G	-5.11	6.7508G	-50.24	-45.11	-5.13	4
6845MHz	Pass	6.83701G	-4.69	6.7792G	-49.84	-44.69	-5.15	1
6845MHz	Pass	6.83981G	-4.85	6.7808G	-49.86	-44.85	-5.01	2
6845MHz	Pass	6.8408G	-5.24	6.9446G	-49.99	-45.24	-4.75	3
6845MHz	Pass	6.83801G	-4.53	6.7788G	-49.78	-44.53	-5.25	4
6885MHz	Pass	6.89119G	-7.11	6.9592G	-49.49	-47.11	-2.38	1
6885MHz	Pass	6.89139G	-7.08	6.9738G	-49.62	-47.08	-2.54	2
6885MHz	Pass	6.89219G	-7.49	6.9728G	-49.66	-47.49	-2.17	3
6885MHz	Pass	6.8886G	-7.18	6.9612G	-49.68	-47.18	-2.50	4
6925MHz	Pass	6.91201G	-6.36	6.9874G	-49.24	-46.36	-2.88	1
6925MHz	Pass	6.91861G	-6.59	6.9876G	-49.46	-46.59	-2.87	2
6925MHz	Pass	6.91981G	-6.11	6.9882G	-49.42	-46.11	-3.31	3
6925MHz	Pass	6.91961G	-5.60	6.988G	-49.50	-45.60	-3.90	4
7005MHz	Pass	7.0016G	-5.29	6.9412G	-49.55	-45.29	-4.26	1
7005MHz	Pass	7.001G	-5.63	6.9434G	-49.63	-45.60	-4.03	2
7005MHz	Pass	7.0006G	-5.18	6.9418G	-49.59	-45.18	-4.41	3
7005MHz	Pass	7.001G	-5.13	6.9404G	-49.60	-45.13	-4.47	4
7085MHz	Pass	7.082G	-6.44	6.9938G	-53.27	-46.44	-6.83	1
7085MHz	Pass	7.07481G	-6.35	6.9864G	-53.26	-46.35	-6.91	2
7085MHz	Pass	7.07861G	-5.59	7.0522G	-36.30	-29.02	-7.28	3
7085MHz	Pass	7.0814G	-5.63	7.0528G	-36.16	-29.31	-6.85	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99579G	-2.22	6.1842G	-47.21	-42.22	-4.99	1
5985MHz	Pass	6.01377G	-2.41	6.185G	-47.42	-42.41	-5.01	2
5985MHz	Pass	5.99739G	-1.82	6.185G	-47.45	-41.82	-5.63	3
5985MHz	Pass	5.99619G	-1.95	6.1834G	-47.44	-41.95	-5.49	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6145MHz	Pass	6.15779G	-3.00	6.3382G	-47.24	-43.00	-4.24	1
6145MHz	Pass	6.11663G	-2.95	6.3426G	-47.32	-42.95	-4.37	2
6145MHz	Pass	6.13261G	-2.73	6.3414G	-47.39	-42.73	-4.66	3
6145MHz	Pass	6.15579G	-2.66	6.3446G	-47.32	-42.66	-4.66	4
6385MHz	Pass	6.34744G	-2.11	6.263G	-46.75	-42.05	-4.70	1
6385MHz	Pass	6.39739G	-1.91	6.2578G	-47.16	-41.91	-5.25	2
6385MHz	Pass	6.37141G	-2.05	6.2194G	-47.07	-42.05	-5.02	3
6385MHz	Pass	6.39859G	-2.32	6.2622G	-46.84	-42.32	-4.52	4
6465MHz	Pass	6.43663G	-1.74	6.343G	-45.92	-41.73	-4.19	1
6465MHz	Pass	6.43503G	-1.86	6.3402G	-46.29	-41.86	-4.43	2
6465MHz	Pass	6.42784G	-1.93	6.3402G	-46.52	-41.93	-4.59	3
6465MHz	Pass	6.45181G	-1.19	6.3422G	-46.09	-41.19	-4.90	4
6545MHz	Pass	6.53101G	-1.69	6.3874G	-46.40	-41.69	-4.71	1
6545MHz	Pass	6.55819G	-1.73	6.3706G	-46.69	-41.73	-4.96	2
6545MHz	Pass	6.55739G	-1.78	6.3634G	-46.65	-41.78	-4.87	3
6545MHz	Pass	6.55859G	-1.31	6.3786G	-46.50	-41.31	-5.19	4
6625MHz	Pass	6.59463G	-0.48	6.491G	-46.58	-40.48	-6.10	1
6625MHz	Pass	6.59623G	-0.84	6.5026G	-46.49	-40.84	-5.65	2
6625MHz	Pass	6.59623G	-0.94	6.7482G	-46.54	-40.91	-5.63	3
6625MHz	Pass	6.59383G	-0.41	6.583G	-26.03	-20.47	-5.56	4
6705MHz	Pass	6.69621G	-0.48	6.5826G	-45.88	-40.48	-5.40	1
6705MHz	Pass	6.69581G	-0.59	6.583G	-46.15	-40.59	-5.56	2
6705MHz	Pass	6.69421G	-0.84	6.5826G	-46.34	-40.84	-5.50	3
6705MHz	Pass	6.69301G	-0.45	6.5822G	-46.09	-40.45	-5.64	4
6785MHz	Pass	6.77181G	-1.09	6.967G	-46.31	-41.09	-5.22	1
6785MHz	Pass	6.79979G	-0.99	6.9602G	-46.31	-40.99	-5.32	2
6785MHz	Pass	6.79859G	-1.46	6.973G	-46.35	-41.46	-4.89	3
6785MHz	Pass	6.79579G	-0.99	6.979G	-46.41	-40.99	-5.42	4
6865MHz	Pass	6.82784G	-0.72	6.9874G	-45.78	-40.72	-5.06	1
6865MHz	Pass	6.83383G	-0.87	6.989G	-45.95	-40.87	-5.08	2
6865MHz	Pass	6.85181G	-1.62	6.9886G	-46.02	-41.62	-4.40	3
6865MHz	Pass	6.83583G	-1.01	6.9882G	-45.92	-41.01	-4.91	4
6945MHz	Pass	6.95659G	-4.24	6.8098G	-46.77	-44.24	-2.53	1
6945MHz	Pass	6.90784G	-4.32	6.821G	-46.82	-44.32	-2.50	2
6945MHz	Pass	6.95659G	-4.35	6.8154G	-47.00	-44.35	-2.65	3
6945MHz	Pass	6.93581G	-3.89	6.8138G	-46.91	-43.89	-3.02	4
7025MHz	Pass	6.99383G	-3.51	6.9022G	-46.73	-43.51	-3.22	1
7025MHz	Pass	6.99703G	-3.28	6.9022G	-46.78	-43.28	-3.50	2
7025MHz	Pass	7.00222G	-3.19	6.9022G	-46.77	-43.19	-3.58	3
7025MHz	Pass	7.00022G	-3.21	6.9014G	-46.73	-43.21	-3.52	4
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04978G	1.56	6.3562G	-41.82	-38.44	-3.38	1
6025MHz	Pass	6.04978G	2.18	6.3642G	-41.93	-37.82	-4.11	2
6025MHz	Pass	6.04978G	1.86	6.3642G	-41.89	-38.14	-3.75	3
6025MHz	Pass	6.05057G	1.88	6.3594G	-42.04	-38.12	-3.92	4
6185MHz	Pass	6.16022G	2.27	6.561G	-42.55	-37.73	-4.82	1
6185MHz	Pass	6.15703G	2.43	6.557G	-42.66	-37.57	-5.09	2
6185MHz	Pass	6.15943G	1.90	6.5594G	-42.62	-38.10	-4.52	3
6185MHz	Pass	6.15703G	2.26	6.4386G	-42.70	-37.74	-4.96	4
6345MHz	Pass	6.26908G	3.30	6.0978G	-42.15	-36.70	-5.45	1
6345MHz	Pass	6.32182G	3.29	6.0986G	-41.69	-36.71	-4.98	2
6345MHz	Pass	6.31783G	2.71	6.0938G	-41.78	-37.29	-4.49	3
6345MHz	Pass	6.28106G	2.92	6.097G	-41.61	-37.08	-4.53	4
6505MHz	Pass	6.52738G	2.27	6.2386G	-41.47	-37.73	-3.74	1
6505MHz	Pass	6.53137G	2.45	6.7578G	-42.00	-37.55	-4.45	2
6505MHz	Pass	6.53057G	2.53	6.753G	-41.67	-37.47	-4.20	3



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz	Pass	6.52818G	1.61	6.2322G	-41.56	-38.39	-3.17	4
6665MHz	Pass	6.58908G	4.25	6.4162G	-39.98	-35.75	-4.23	1
6665MHz	Pass	6.69137G	3.35	6.3994G	-40.69	-36.65	-4.04	2
6665MHz	Pass	6.68898G	3.95	6.3866G	-40.69	-36.05	-4.64	3
6665MHz	Pass	6.58908G	4.18	6.3994G	-39.93	-35.82	-4.11	4
6825MHz	Pass	6.80262G	2.55	6.5682G	-40.66	-37.45	-3.21	1
6825MHz	Pass	6.80102G	2.80	6.5714G	-41.14	-37.20	-3.94	2
6825MHz	Pass	6.84738G	2.66	6.5594G	-41.39	-37.34	-4.05	3
6825MHz	Pass	6.80182G	3.29	6.5642G	-40.88	-36.71	-4.17	4
6985MHz	Pass	6.96022G	2.16	6.7242G	-41.28	-37.84	-3.44	1
6985MHz	Pass	6.96342G	2.39	6.681G	-41.99	-37.61	-4.38	2
6985MHz	Pass	6.96022G	2.37	6.7402G	-41.26	-37.58	-3.68	3
6985MHz	Pass	6.95943G	2.14	6.7346G	-41.07	-37.86	-3.21	4



5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5955MHz_TX

MASK

07/10/2022

CF Freq
5.955GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9588G	-9.00	5.9934G	-53.79	-49.00	-4.79	1
5.9588G	-9.35	5.9924G	-53.80	-49.35	-4.45	2
5.96129G	-9.17	5.9893G	-53.85	-49.17	-4.68	3
5.9565G	-8.62	5.9933G	-53.89	-48.62	-5.27	4

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6175MHz_TX

MASK

07/10/2022

CF Freq
6.175GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1768G	-8.38	6.2091G	-52.61	-48.38	-4.23	1
6.1739G	-8.30	6.2097G	-52.66	-48.30	-4.36	2
6.1763G	-8.77	6.2093G	-52.66	-48.77	-3.89	3
6.1703G	-8.63	6.2104G	-52.73	-48.63	-4.10	4

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6415MHz_TX

MASK

07/10/2022

CF Freq
6.415GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4126G	-9.27	6.3776G	-52.04	-49.27	-2.77	1
6.4136G	-8.81	6.3756G	-52.03	-48.81	-3.22	2
6.4161G	-9.19	6.3777G	-52.14	-49.19	-2.95	3
6.4113G	-9.29	6.3766G	-52.16	-49.26	-2.90	4

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6435MHz_TX

MASK

07/10/2022

CF Freq
6.435GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42871G	-7.41	6.3983G	-52.04	-47.41	-4.63	1
6.434G	-7.78	6.3862G	-52.19	-47.78	-4.41	2
6.4305G	-6.99	6.3985G	-52.11	-46.99	-5.12	3
6.4322G	-7.27	6.3858G	-52.13	-47.27	-4.86	4

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6475MHz_TX

MASK

07/10/2022

CF Freq
6.475GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.472G	-7.05	6.4382G	-52.63	-47.05	-5.58	1
6.4744G	-7.32	6.4424G	-52.63	-47.24	-5.39	2
6.4712G	-6.78	6.4409G	-52.61	-46.78	-5.83	3
6.4741G	-6.89	6.5104G	-52.73	-46.89	-5.84	4

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6515MHz_TX

MASK

07/10/2022

CF Freq
6.515GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.517G	-7.25	6.5574G	-52.32	-47.25	-5.07	1
6.514G	-7.20	6.5609G	-52.37	-47.20	-5.17	2
6.5155G	-7.17	6.594G	-52.47	-47.17	-5.30	3
6.5166G	-7.13	6.5648G	-52.44	-47.13	-5.31	4




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6535MHz_TX

MASK

07/10/2022

CF Freq
6.535GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5363G	-7.93	6.5686G	-52.27	-47.93	-4.34	1
6.5342G	-7.98	6.5712G	-52.52	-47.98	-4.54	2
6.5375G	-7.96	6.574G	-52.48	-47.96	-4.52	3
6.5325G	-7.89	6.5758G	-52.64	-47.89	-4.75	4

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6695MHz_TX

MASK

07/10/2022

CF Freq
6.695GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6968G	-10.55	6.7362G	-52.65	-50.55	-2.10	1
6.6987G	-8.91	6.7344G	-52.59	-48.91	-3.68	2
6.6957G	-10.26	6.7396G	-52.72	-50.26	-2.46	3
6.6891G	-8.68	6.7371G	-52.59	-48.68	-3.91	4

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6855MHz_TX

MASK

07/10/2022

CF Freq
6.855GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8543G	-9.24	6.8125G	-52.11	-49.24	-2.87	1
6.8523G	-7.74	6.805G	-52.35	-47.74	-4.61	2
6.8537G	-8.81	6.8069G	-52.33	-48.81	-3.52	3
6.8544G	-8.22	6.8157G	-52.33	-48.22	-4.11	4

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz_TX

MASK

07/10/2022

CF Freq
6.875GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8764G	-7.34	6.9087G	-52.01	-47.34	-4.67	1
6.88009G	-7.10	6.9081G	-52.10	-47.10	-5.00	2
6.8725G	-7.84	6.9249G	-52.32	-47.84	-4.48	3
6.872G	-7.12	6.911G	-52.16	-47.12	-5.04	4

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6895MHz_TX

MASK

07/10/2022

CF Freq
6.895GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8987G	-8.48	6.935G	-52.01	-48.48	-3.53	1
6.8979G	-8.17	6.944G	-51.88	-48.17	-3.71	2
6.8982G	-9.19	6.9347G	-52.14	-49.19	-2.95	3
6.8975G	-8.15	6.9416G	-52.07	-48.15	-3.92	4

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6995MHz_TX

MASK

07/10/2022

CF Freq
6.995GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0009G	-8.15	6.9583G	-51.62	-48.15	-3.47	1
7.00019G	-8.35	6.9593G	-51.79	-48.35	-3.44	2
7.00039G	-8.50	6.9558G	-51.85	-48.50	-3.35	3
7.00029G	-8.00	6.9556G	-51.80	-48.00	-3.80	4

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
7095MHz_TX

MASK

07/10/2022

CF Freq
7.095GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0936G	-9.18	7.0574G	-56.15	-49.18	-6.97	1
7.0936G	-9.18	7.1288G	-56.04	-49.18	-6.86	2
7.0929G	-8.94	7.0558G	-56.15	-48.94	-7.21	3
7.0928G	-8.73	7.1303G	-56.00	-48.73	-7.27	4

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5965MHz_TX

MASK

07/10/2022

CF Freq
5.965GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97759G	-6.19	6.0398G	-51.49	-46.19	-5.30	1
5.97899G	-6.63	6.0518G	-51.59	-46.63	-4.96	2
5.97319G	-6.66	6.0422G	-51.60	-46.66	-4.94	3
5.97279G	-6.42	6.0484G	-51.58	-46.42	-5.16	4

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6165MHz_TX

MASK

11/10/2022

CF Freq
6.165GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15921G	-4.69	6.2286G	-48.01	-44.69	-3.32	1
6.1602G	-4.80	6.2368G	-48.95	-44.80	-4.15	2
6.1626G	-5.82	6.2284G	-49.85	-45.82	-4.03	3
6.15601G	-5.83	6.23G	-50.15	-45.83	-4.32	4

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6405MHz_TX

MASK

07/10/2022

CF Freq
6.405GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4G	-8.92	6.3392G	-50.35	-48.92	-1.43	1
6.4024G	-6.45	6.3392G	-50.22	-46.45	-3.77	2
6.4024G	-6.89	6.3402G	-50.27	-46.89	-3.38	3
6.39761G	-6.79	6.339G	-50.24	-46.79	-3.45	4




6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6445MHz_TX

MASK

07/10/2022

CF Freq
6.445GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43861G	-7.71	6.3806G	-49.84	-47.71	-2.13	1
6.43881G	-6.47	6.3792G	-49.80	-46.47	-3.33	2
6.43121G	-6.22	6.38G	-49.93	-46.22	-3.71	3
6.4404G	-6.52	6.375G	-49.86	-46.52	-3.34	4

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6485MHz_TX

MASK

07/10/2022

CF Freq
6.485GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47981G	-9.49	6.3876G	-50.31	-49.49	-0.82	1
6.49G	-8.30	6.3906G	-50.25	-48.30	-1.95	2
6.48G	-8.03	6.3864G	-50.32	-48.03	-2.29	3
6.47841G	-8.30	6.3874G	-50.33	-48.30	-2.03	4

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz_TX

MASK

07/10/2022

CF Freq
6.525GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53119G	-5.48	6.4326G	-50.68	-45.48	-5.20	1
6.53079G	-4.65	6.5878G	-50.25	-44.65	-5.60	2
6.53G	-4.16	6.5956G	-50.40	-44.16	-6.24	3
6.5206G	-4.23	6.5922G	-50.51	-44.23	-6.28	4

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6565MHz_TX

MASK

07/10/2022

CF Freq
6.565GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5626G	-6.02	6.496G	-50.59	-46.02	-4.57	1
6.5686G	-5.22	6.4964G	-50.64	-45.22	-5.42	2
6.57099G	-4.90	6.4984G	-50.50	-44.90	-5.60	3
6.5666G	-4.96	6.4978G	-50.68	-44.96	-5.72	4




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6685MHz_TX

MASK

07/10/2022

CF Freq
6.685GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6822G	-8.09	6.7644G	-50.24	-48.09	-2.15	1
6.6828G	-5.41	6.7496G	-50.20	-45.41	-4.79	2
6.6828G	-5.62	6.7498G	-50.09	-45.62	-4.47	3
6.6806G	-5.11	6.7508G	-50.24	-45.11	-5.13	4

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6845MHz_TX

MASK

07/10/2022

CF Freq
6.845GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83701G	-4.69	6.7792G	-49.84	-44.69	-5.15	1
6.83981G	-4.85	6.7808G	-49.86	-44.85	-5.01	2
6.8408G	-5.24	6.9446G	-49.99	-45.24	-4.75	3
6.83801G	-4.53	6.7788G	-49.78	-44.53	-5.25	4




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz_TX

MASK

07/10/2022

CF Freq
6.885GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89119G	-7.11	6.9592G	-49.49	-47.11	-2.38	1
6.89139G	-7.08	6.9738G	-49.62	-47.08	-2.54	2
6.89219G	-7.49	6.9728G	-49.66	-47.49	-2.17	3
6.8886G	-7.18	6.9612G	-49.68	-47.18	-2.50	4

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6925MHz_TX

MASK

07/10/2022

CF Freq
6.925GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91201G	-6.36	6.9874G	-49.24	-46.36	-2.88	1
6.91861G	-6.59	6.9876G	-49.46	-46.59	-2.87	2
6.91981G	-6.11	6.9882G	-49.42	-46.11	-3.31	3
6.91961G	-5.60	6.988G	-49.50	-45.60	-3.90	4

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
7005MHz_TX

MASK

07/10/2022

CF Freq
7.005GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0016G	-5.29	6.9412G	-49.55	-45.29	-4.26	1
7.001G	-5.63	6.9434G	-49.63	-45.60	-4.03	2
7.0006G	-5.18	6.9418G	-49.59	-45.18	-4.41	3
7.001G	-5.13	6.9404G	-49.60	-45.13	-4.47	4

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
7085MHz_TX

MASK

07/10/2022

CF Freq
7.085GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.082G	-6.44	6.9938G	-53.27	-46.44	-6.83	1
7.07481G	-6.35	6.9864G	-53.26	-46.35	-6.91	2
7.07861G	-5.59	7.0522G	-36.30	-29.02	-7.28	3
7.0814G	-5.63	7.0528G	-36.16	-29.31	-6.85	4




5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5985MHz_TX

MASK

07/10/2022

CF Freq
5.985GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99579G	-2.22	6.1842G	-47.21	-42.22	-4.99	1
6.01377G	-2.41	6.185G	-47.42	-42.41	-5.01	2
5.99739G	-1.82	6.185G	-47.45	-41.82	-5.63	3
5.99619G	-1.95	6.1834G	-47.44	-41.95	-5.49	4

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6145MHz_TX

MASK

07/10/2022

CF Freq
6.145GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15779G	-3.00	6.3382G	-47.24	-43.00	-4.24	1
6.11663G	-2.95	6.3426G	-47.32	-42.95	-4.37	2
6.13261G	-2.73	6.3414G	-47.39	-42.73	-4.66	3
6.15579G	-2.66	6.3446G	-47.32	-42.66	-4.66	4

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6385MHz_TX

MASK

07/10/2022

CF Freq
6.385GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.34744G	-2.11	6.263G	-46.75	-42.05	-4.70	1
6.39739G	-1.91	6.2578G	-47.16	-41.91	-5.25	2
6.37141G	-2.05	6.2194G	-47.07	-42.05	-5.02	3
6.39859G	-2.32	6.2622G	-46.84	-42.32	-4.52	4

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6465MHz_TX

MASK

07/10/2022

CF Freq
6.465GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43663G	-1.74	6.343G	-45.92	-41.73	-4.19	1
6.43503G	-1.86	6.3402G	-46.29	-41.86	-4.43	2
6.42784G	-1.93	6.3402G	-46.52	-41.93	-4.59	3
6.45181G	-1.19	6.3422G	-46.09	-41.19	-4.90	4

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz_TX

MASK

07/10/2022

CF Freq
6.545GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53101G	-1.69	6.3874G	-46.40	-41.69	-4.71	1
6.55819G	-1.73	6.3706G	-46.69	-41.73	-4.96	2
6.55739G	-1.78	6.3634G	-46.65	-41.78	-4.87	3
6.55859G	-1.31	6.3786G	-46.50	-41.31	-5.19	4

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6625MHz_TX

MASK

07/10/2022

CF Freq
6.625GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59463G	-0.48	6.491G	-46.58	-40.48	-6.10	1
6.59623G	-0.84	6.5026G	-46.49	-40.84	-5.65	2
6.59623G	-0.94	6.7482G	-46.54	-40.91	-5.63	3
6.59383G	-0.41	6.583G	-26.03	-20.47	-5.56	4

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6705MHz_TX

MASK

07/10/2022

CF Freq
6.705GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69621G	-0.48	6.5826G	-45.88	-40.48	-5.40	1
6.69581G	-0.59	6.583G	-46.15	-40.59	-5.56	2
6.69421G	-0.84	6.5826G	-46.34	-40.84	-5.50	3
6.69301G	-0.45	6.5822G	-46.09	-40.45	-5.64	4

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6785MHz_TX

MASK

07/10/2022

CF Freq
6.785GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77181G	-1.09	6.967G	-46.31	-41.09	-5.22	1
6.79979G	-0.99	6.9602G	-46.31	-40.99	-5.32	2
6.79859G	-1.46	6.973G	-46.35	-41.46	-4.89	3
6.79579G	-0.99	6.979G	-46.41	-40.99	-5.42	4

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz_TX

MASK

07/10/2022

CF Freq
6.865GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.82784G	-0.72	6.9874G	-45.78	-40.72	-5.06	1
6.83383G	-0.87	6.989G	-45.95	-40.87	-5.08	2
6.85181G	-1.62	6.9886G	-46.02	-41.62	-4.40	3
6.83583G	-1.01	6.9882G	-45.92	-41.01	-4.91	4

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6945MHz_TX

MASK

07/10/2022

CF Freq
6.945GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95659G	-4.24	6.8098G	-46.77	-44.24	-2.53	1
6.90784G	-4.32	6.821G	-46.82	-44.32	-2.50	2
6.95659G	-4.35	6.8154G	-47.00	-44.35	-2.65	3
6.93581G	-3.89	6.8138G	-46.91	-43.89	-3.02	4

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
7025MHz_TX

MASK

07/10/2022

CF Freq
7.025GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99383G	-3.51	6.9022G	-46.73	-43.51	-3.22	1
6.99703G	-3.28	6.9022G	-46.78	-43.28	-3.50	2
7.00222G	-3.19	6.9022G	-46.77	-43.19	-3.58	3
7.00022G	-3.21	6.9014G	-46.73	-43.21	-3.52	4

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6025MHz_TX

MASK

07/10/2022

CF Freq
6.025GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04978G	1.56	6.3562G	-41.82	-38.44	-3.38	1
6.04978G	2.18	6.3642G	-41.93	-37.82	-4.11	2
6.04978G	1.86	6.3642G	-41.89	-38.14	-3.75	3
6.05057G	1.88	6.3594G	-42.04	-38.12	-3.92	4

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6185MHz_TX

MASK

07/10/2022

CF Freq
6.185GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16022G	2.27	6.561G	-42.55	-37.73	-4.82	1
6.15703G	2.43	6.557G	-42.66	-37.57	-5.09	2
6.15943G	1.90	6.5594G	-42.62	-38.10	-4.52	3
6.15703G	2.26	6.4386G	-42.70	-37.74	-4.96	4

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6345MHz_TX

MASK

07/10/2022

CF Freq
6.345GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26908G	3.30	6.0978G	-42.15	-36.70	-5.45	1
6.32182G	3.29	6.0986G	-41.69	-36.71	-4.98	2
6.31783G	2.71	6.0938G	-41.78	-37.29	-4.49	3
6.28106G	2.92	6.097G	-41.61	-37.08	-4.53	4

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz_TX

MASK

07/10/2022

CF Freq
6.505GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52738G	2.27	6.2386G	-41.47	-37.73	-3.74	1
6.53137G	2.45	6.7578G	-42.00	-37.55	-4.45	2
6.53057G	2.53	6.753G	-41.67	-37.47	-4.20	3
6.52818G	1.61	6.2322G	-41.56	-38.39	-3.17	4

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6665MHz_TX

MASK

07/10/2022

CF Freq
6.665GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58908G	4.25	6.4162G	-39.98	-35.75	-4.23	1
6.69137G	3.35	6.3994G	-40.69	-36.65	-4.04	2
6.68898G	3.95	6.3866G	-40.69	-36.05	-4.64	3
6.58908G	4.18	6.3994G	-39.93	-35.82	-4.11	4

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz_TX

MASK

07/10/2022

CF Freq
6.825GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80262G	2.55	6.5682G	-40.66	-37.45	-3.21	1
6.80102G	2.80	6.5714G	-41.14	-37.20	-3.94	2
6.84738G	2.66	6.5594G	-41.39	-37.34	-4.05	3
6.80182G	3.29	6.5642G	-40.88	-36.71	-4.17	4

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6985MHz_TX

MASK

07/10/2022

CF Freq
6.985GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96022G	2.16	6.7242G	-41.28	-37.84	-3.44	1
6.96342G	2.39	6.681G	-41.99	-37.61	-4.38	2
6.96022G	2.37	6.7402G	-41.26	-37.58	-3.68	3
6.95943G	2.14	6.7346G	-41.07	-37.86	-3.21	4



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	PK	37.76M	34.68	40.00	-5.32	3	Vertical	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	37.76M	33.94	40.00	-6.06	3	Vertical	360	1.00
6185MHz	Pass	PK	99.84M	26.69	43.50	-16.81	3	Vertical	360	1.00
6185MHz	Pass	PK	299.66M	24.23	46.00	-21.77	3	Vertical	360	1.00
6185MHz	Pass	PK	437.4M	27.44	46.00	-18.56	3	Vertical	360	1.00
6185MHz	Pass	PK	648.86M	34.91	46.00	-11.09	3	Vertical	360	1.00
6185MHz	Pass	PK	934.04M	33.44	46.00	-12.56	3	Vertical	360	1.00
6185MHz	Pass	PK	37.76M	34.68	40.00	-5.32	3	Vertical	0	1.00
6185MHz	Pass	PK	101.78M	26.77	43.50	-16.73	3	Vertical	0	1.00
6185MHz	Pass	PK	249.22M	26.03	46.00	-19.97	3	Vertical	0	1.00
6185MHz	Pass	PK	439.34M	26.23	46.00	-19.77	3	Vertical	0	1.00
6185MHz	Pass	PK	513.06M	28.82	46.00	-17.18	3	Vertical	0	1.00
6185MHz	Pass	PK	656.62M	35.19	46.00	-10.81	3	Vertical	0	1.00



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	33.94	40.00	-6.06	-16.84	3	Vertical	360	1.00	50.78	19.73	0.56	37.13
PK	99.84M	26.69	43.50	-16.81	-20.47	3	Vertical	360	1.00	47.16	15.21	0.96	36.64
PK	299.66M	24.23	46.00	-21.77	-16.34	3	Vertical	360	1.00	40.57	18.36	1.71	36.41
PK	437.4M	27.44	46.00	-18.56	-12.47	3	Vertical	360	1.00	39.91	22.00	2.14	36.61
PK	648.86M	34.91	46.00	-11.09	-8.69	3	Vertical	360	1.00	43.60	25.61	2.87	37.17
PK	934.04M	33.44	46.00	-12.56	-4.84	3	Vertical	360	1.00	38.28	29.25	3.34	37.43

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	34.68	40.00	-5.32	-16.84	3	Vertical	0	1.00	51.52	19.73	0.56	37.13
PK	101.78M	26.77	43.50	-16.73	-20.24	3	Vertical	0	1.00	47.01	15.43	0.97	36.64
PK	249.22M	26.03	46.00	-19.97	-17.36	3	Vertical	0	1.00	43.39	17.59	1.53	36.48
PK	439.34M	26.23	46.00	-19.77	-12.46	3	Vertical	0	1.00	38.69	22.02	2.14	36.62
PK	513.06M	28.82	46.00	-17.18	-11.46	3	Vertical	0	1.00	40.28	23.17	2.39	37.02
PK	656.62M	35.19	46.00	-10.81	-8.78	3	Vertical	0	1.00	43.97	25.52	2.89	37.19