



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	12.34947G	44.17	54.00	-9.83	3	Vertical	105	1.26
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	12.35104G	44.47	54.00	-9.53	3	Horizontal	93	2.48
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	12.32716G	45.15	54.00	-8.85	3	Vertical	33	2.52
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	12.33346G	45.48	54.00	-8.52	3	Vertical	25	1.12
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	12.28704G	45.31	54.00	-8.69	3	Horizontal	233	1.11
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	12.28556G	45.83	54.00	-8.17	3	Vertical	22	1.48
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.9185G	63.71	68.20	-4.49	3	Vertical	161	1.40
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	5.916G	67.76	68.20	-0.44	3	Vertical	163	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	7.208G	49.64	68.20	-18.56	3	Horizontal	33	2.26
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	7.1564G	50.80	68.20	-17.40	3	Horizontal	41	2.30
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	7.169G	51.03	68.20	-17.17	3	Horizontal	54	2.34
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	7.2058G	51.15	68.20	-17.05	3	Vertical	173	1.39
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	7.2072G	51.03	68.20	-17.17	3	Horizontal	49	2.24
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.84892G	49.87	68.20	-18.33	3	Vertical	173	1.31
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	5.90626G	49.59	68.20	-18.61	3	Vertical	0	2.98
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	13.38843G	45.72	54.00	-8.28	3	Vertical	284	1.96
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	13.39034G	45.97	54.00	-8.03	3	Vertical	305	2.91
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	13.37126G	46.54	54.00	-7.46	3	Vertical	340	2.34
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	13.36917G	47.01	54.00	-6.99	3	Horizontal	214	2.61
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	13.2547G	46.36	54.00	-7.64	3	Horizontal	290	2.25
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	13.25402G	46.68	54.00	-7.32	3	Horizontal	254	2.38
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	13.33266G	47.00	54.00	-7.00	3	Horizontal	59	2.36
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	13.33429G	47.76	54.00	-6.24	3	Horizontal	178	2.15
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	7.1256G	50.86	68.20	-17.34	3	Vertical	8	1.50
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	7.125G	51.22	68.20	-16.98	3	Vertical	25	2.68
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	7.2026G	51.42	68.20	-16.78	3	Vertical	7	1.50
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	7.1255G	54.37	68.20	-13.83	3	Vertical	118	1.66
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	7.1261G	54.00	68.20	-14.20	3	Horizontal	108	1.50
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	7.13G	54.50	68.20	-13.70	3	Vertical	106	1.50
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	7.13G	59.84	68.20	-8.36	3	Horizontal	25	1.62
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	7.141G	67.90	68.20	-0.30	3	Vertical	187	3.00



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9208G	47.69	68.20	-20.51	3	Vertical	155	1.50
5955MHz	Pass	AV	5.9565G	97.20	Inf	-Inf	3	Vertical	155	1.50
5955MHz	Pass	PK	5.8083G	61.39	88.20	-26.81	3	Vertical	155	1.50
5955MHz	Pass	PK	5.9607G	109.21	Inf	-Inf	3	Vertical	155	1.50
5955MHz	Pass	AV	5.9244G	47.61	68.20	-20.59	3	Horizontal	4	1.50
5955MHz	Pass	AV	5.9496G	97.21	Inf	-Inf	3	Horizontal	4	1.50
5955MHz	Pass	PK	5.9124G	60.71	88.20	-27.49	3	Horizontal	4	1.50
5955MHz	Pass	PK	5.9496G	108.93	Inf	-Inf	3	Horizontal	4	1.50
5955MHz	Pass	AV	11.91115G	41.76	54.00	-12.24	3	Vertical	59	1.63
5955MHz	Pass	PK	11.90717G	51.34	74.00	-22.66	3	Vertical	59	1.63
5955MHz	Pass	AV	11.90917G	41.74	54.00	-12.26	3	Horizontal	349	2.29
5955MHz	Pass	PK	11.90897G	52.33	74.00	-21.67	3	Horizontal	349	2.29
6175MHz	Pass	AV	5.9086G	47.04	68.20	-21.16	3	Vertical	21	3.00
6175MHz	Pass	AV	6.1708G	97.00	Inf	-Inf	3	Vertical	21	3.00
6175MHz	Pass	PK	5.8768G	59.27	88.20	-28.93	3	Vertical	21	3.00
6175MHz	Pass	PK	6.1762G	108.37	Inf	-Inf	3	Vertical	21	3.00
6175MHz	Pass	AV	5.8918G	46.99	68.20	-21.21	3	Horizontal	27	2.17
6175MHz	Pass	AV	6.1804G	96.07	Inf	-Inf	3	Horizontal	27	2.17
6175MHz	Pass	PK	5.9098G	60.39	88.20	-27.81	3	Horizontal	27	2.17
6175MHz	Pass	PK	6.1804G	108.34	Inf	-Inf	3	Horizontal	27	2.17
6175MHz	Pass	AV	12.34947G	44.17	54.00	-9.83	3	Vertical	105	1.26
6175MHz	Pass	PK	12.34835G	55.43	74.00	-18.57	3	Vertical	105	1.26
6175MHz	Pass	AV	12.34603G	44.17	54.00	-9.83	3	Horizontal	285	1.61
6175MHz	Pass	PK	12.3476G	56.59	74.00	-17.41	3	Horizontal	285	1.61
6415MHz	Pass	AV	5.9074G	47.22	68.20	-20.98	3	Vertical	128	2.20
6415MHz	Pass	AV	6.4198G	98.24	Inf	-Inf	3	Vertical	128	2.20
6415MHz	Pass	PK	5.9122G	58.14	88.20	-30.06	3	Vertical	128	2.20
6415MHz	Pass	PK	6.4102G	108.43	Inf	-Inf	3	Vertical	128	2.20
6415MHz	Pass	AV	5.917G	47.27	68.20	-20.93	3	Horizontal	46	2.26
6415MHz	Pass	AV	6.4162G	98.33	Inf	-Inf	3	Horizontal	46	2.26
6415MHz	Pass	PK	5.9038G	57.67	88.20	-30.53	3	Horizontal	46	2.26
6415MHz	Pass	PK	6.4114G	110.08	Inf	-Inf	3	Horizontal	46	2.26
6415MHz	Pass	AV	12.8333G	43.49	68.20	-24.71	3	Vertical	274	2.98
6415MHz	Pass	PK	12.82706G	53.33	88.20	-34.87	3	Vertical	274	2.98
6415MHz	Pass	AV	12.83948G	43.57	68.20	-24.63	3	Horizontal	61	2.68
6415MHz	Pass	PK	12.83612G	53.44	88.20	-34.76	3	Horizontal	61	2.68
6435MHz	Pass	AV	5.9118G	48.45	68.20	-19.75	3	Vertical	284	2.20
6435MHz	Pass	AV	6.429G	98.23	Inf	-Inf	3	Vertical	284	2.20
6435MHz	Pass	PK	5.8854G	59.40	88.20	-28.80	3	Vertical	284	2.20
6435MHz	Pass	PK	6.4398G	106.97	Inf	-Inf	3	Vertical	284	2.20
6435MHz	Pass	AV	5.901G	48.39	68.20	-19.81	3	Horizontal	31	2.32
6435MHz	Pass	AV	6.4314G	100.54	Inf	-Inf	3	Horizontal	31	2.32
6435MHz	Pass	PK	5.9034G	59.07	88.20	-29.13	3	Horizontal	31	2.32
6435MHz	Pass	PK	6.441G	109.20	Inf	-Inf	3	Horizontal	31	2.32
6435MHz	Pass	AV	12.86959G	45.24	68.20	-22.96	3	Vertical	144	1.10
6435MHz	Pass	PK	12.86502G	54.80	88.20	-33.40	3	Vertical	144	1.10
6435MHz	Pass	AV	12.86829G	45.25	68.20	-22.95	3	Horizontal	147	1.75
6435MHz	Pass	PK	12.86907G	55.67	88.20	-32.53	3	Horizontal	147	1.75
6475MHz	Pass	AV	5.9066G	46.78	68.20	-21.42	3	Vertical	286	2.30
6475MHz	Pass	AV	6.4736G	97.13	Inf	-Inf	3	Vertical	286	2.30
6475MHz	Pass	AV	7.1736G	49.38	68.20	-18.82	3	Vertical	286	2.30
6475MHz	Pass	PK	5.7918G	57.06	88.20	-31.14	3	Vertical	286	2.30
6475MHz	Pass	PK	6.4694G	104.99	Inf	-Inf	3	Vertical	286	2.30
6475MHz	Pass	PK	7.1498G	60.50	88.20	-27.70	3	Vertical	286	2.30
6475MHz	Pass	AV	5.9248G	46.86	68.20	-21.34	3	Horizontal	32	2.31
6475MHz	Pass	AV	6.4708G	99.04	Inf	-Inf	3	Horizontal	32	2.31
6475MHz	Pass	AV	7.175G	49.34	68.20	-18.86	3	Horizontal	32	2.31
6475MHz	Pass	PK	5.7778G	58.41	88.20	-29.79	3	Horizontal	32	2.31
6475MHz	Pass	PK	6.482G	107.31	Inf	-Inf	3	Horizontal	32	2.31
6475MHz	Pass	PK	7.1554G	59.73	88.20	-28.47	3	Horizontal	32	2.31



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6475MHz	Pass	AV	12.95429G	45.28	68.20	-22.92	3	Vertical	254	2.76
6475MHz	Pass	PK	12.95172G	54.92	88.20	-33.28	3	Vertical	254	2.76
6475MHz	Pass	AV	12.95G	45.25	68.20	-22.95	3	Horizontal	137	2.37
6475MHz	Pass	PK	12.95157G	54.54	88.20	-33.66	3	Horizontal	137	2.37
6515MHz	Pass	AV	5.9074G	47.02	68.20	-21.18	3	Vertical	286	1.54
6515MHz	Pass	AV	6.5136G	96.69	Inf	-Inf	3	Vertical	286	1.54
6515MHz	Pass	AV	7.201G	49.59	68.20	-18.61	3	Vertical	286	1.54
6515MHz	Pass	PK	5.8332G	57.85	88.20	-30.35	3	Vertical	286	1.54
6515MHz	Pass	PK	6.515G	104.94	Inf	-Inf	3	Vertical	286	1.54
6515MHz	Pass	PK	7.1926G	60.71	88.20	-27.49	3	Vertical	286	1.54
6515MHz	Pass	AV	5.9074G	46.97	68.20	-21.23	3	Horizontal	33	2.26
6515MHz	Pass	AV	6.5108G	98.79	Inf	-Inf	3	Horizontal	33	2.26
6515MHz	Pass	AV	7.208G	49.64	68.20	-18.56	3	Horizontal	33	2.26
6515MHz	Pass	PK	5.8234G	57.83	88.20	-30.37	3	Horizontal	33	2.26
6515MHz	Pass	PK	6.5164G	107.06	Inf	-Inf	3	Horizontal	33	2.26
6515MHz	Pass	PK	7.1422G	59.69	88.20	-28.51	3	Horizontal	33	2.26
6515MHz	Pass	AV	13.02745G	45.37	68.20	-22.83	3	Vertical	218	1.53
6515MHz	Pass	PK	13.02848G	56.68	88.20	-31.52	3	Vertical	218	1.53
6515MHz	Pass	AV	13.02765G	45.37	68.20	-22.83	3	Horizontal	101	2.24
6515MHz	Pass	PK	13.03458G	56.68	88.20	-31.52	3	Horizontal	101	2.24
6535MHz	Pass	AV	5.912G	46.96	68.20	-21.24	3	Vertical	181	1.49
6535MHz	Pass	AV	6.5336G	97.28	Inf	-Inf	3	Vertical	181	1.49
6535MHz	Pass	AV	7.2196G	49.56	68.20	-18.64	3	Vertical	181	1.49
6535MHz	Pass	PK	5.8364G	59.33	88.20	-28.87	3	Vertical	181	1.49
6535MHz	Pass	PK	6.5392G	108.59	Inf	-Inf	3	Vertical	181	1.49
6535MHz	Pass	PK	7.2G	62.52	88.20	-25.68	3	Vertical	181	1.49
6535MHz	Pass	AV	5.9204G	47.01	68.20	-21.19	3	Horizontal	43	2.19
6535MHz	Pass	AV	6.5308G	97.41	Inf	-Inf	3	Horizontal	43	2.19
6535MHz	Pass	AV	7.193G	49.59	68.20	-18.61	3	Horizontal	43	2.19
6535MHz	Pass	PK	5.8644G	59.23	88.20	-28.97	3	Horizontal	43	2.19
6535MHz	Pass	PK	6.5308G	108.02	Inf	-Inf	3	Horizontal	43	2.19
6535MHz	Pass	PK	7.172G	62.29	88.20	-25.91	3	Horizontal	43	2.19
6535MHz	Pass	AV	13.0713G	45.40	68.20	-22.80	3	Vertical	38	1.85
6535MHz	Pass	PK	13.0688G	57.35	88.20	-30.85	3	Vertical	38	1.85
6535MHz	Pass	AV	13.06877G	45.43	68.20	-22.77	3	Horizontal	263	2.40
6535MHz	Pass	PK	13.06675G	56.65	88.20	-31.55	3	Horizontal	263	2.40
6695MHz	Pass	AV	6.694G	97.01	Inf	-Inf	3	Vertical	177	1.48
6695MHz	Pass	AV	7.195G	49.74	68.20	-18.46	3	Vertical	177	1.48
6695MHz	Pass	PK	6.694G	109.71	Inf	-Inf	3	Vertical	177	1.48
6695MHz	Pass	PK	7.193G	61.79	88.20	-26.41	3	Vertical	177	1.48
6695MHz	Pass	AV	6.696G	96.96	Inf	-Inf	3	Horizontal	34	2.25
6695MHz	Pass	AV	7.193G	49.73	68.20	-18.47	3	Horizontal	34	2.25
6695MHz	Pass	PK	6.686G	107.74	Inf	-Inf	3	Horizontal	34	2.25
6695MHz	Pass	PK	7.163G	62.07	88.20	-26.13	3	Horizontal	34	2.25
6695MHz	Pass	AV	13.38843G	45.72	54.00	-8.28	3	Vertical	284	1.96
6695MHz	Pass	PK	13.38511G	57.52	74.00	-16.48	3	Vertical	284	1.96
6695MHz	Pass	AV	13.39015G	45.70	54.00	-8.30	3	Horizontal	246	2.17
6695MHz	Pass	PK	13.38594G	57.39	74.00	-16.61	3	Horizontal	246	2.17
6855MHz	Pass	AV	6.8585G	97.38	Inf	-Inf	3	Vertical	12	2.96
6855MHz	Pass	AV	7.1952G	49.68	68.20	-18.52	3	Vertical	12	2.96
6855MHz	Pass	PK	6.8627G	107.98	Inf	-Inf	3	Vertical	12	2.96
6855MHz	Pass	PK	7.2029G	62.04	88.20	-26.16	3	Vertical	12	2.96
6855MHz	Pass	AV	6.8557G	95.65	Inf	-Inf	3	Horizontal	24	1.63
6855MHz	Pass	AV	7.1994G	49.67	68.20	-18.53	3	Horizontal	24	1.63
6855MHz	Pass	PK	6.8613G	108.06	Inf	-Inf	3	Horizontal	24	1.63
6855MHz	Pass	PK	7.2001G	61.91	88.20	-26.29	3	Horizontal	24	1.63
6855MHz	Pass	AV	13.71271G	46.51	68.20	-21.69	3	Vertical	245	2.37
6855MHz	Pass	PK	13.71092G	56.67	88.20	-31.53	3	Vertical	245	2.37
6855MHz	Pass	AV	13.71037G	46.51	68.20	-21.69	3	Horizontal	78	1.20
6855MHz	Pass	PK	13.71267G	56.40	88.20	-31.80	3	Horizontal	78	1.20
6875MHz	Pass	AV	6.8734G	97.37	Inf	-Inf	3	Vertical	25	3.00
6875MHz	Pass	AV	7.1737G	49.80	68.20	-18.40	3	Vertical	25	3.00



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6875MHz	Pass	PK	6.8682G	108.65	Inf	-Inf	3	Vertical	25	3.00
6875MHz	Pass	PK	7.13275G	63.38	88.20	-24.82	3	Vertical	25	3.00
6875MHz	Pass	AV	6.8708G	97.07	Inf	-Inf	3	Horizontal	32	1.58
6875MHz	Pass	AV	7.1672G	49.73	68.20	-18.47	3	Horizontal	32	1.58
6875MHz	Pass	PK	6.8656G	108.53	Inf	-Inf	3	Horizontal	32	1.58
6875MHz	Pass	PK	7.17435G	61.98	88.20	-26.22	3	Horizontal	32	1.58
6875MHz	Pass	AV	13.75092G	46.30	68.20	-21.90	3	Vertical	291	2.11
6875MHz	Pass	PK	13.74624G	57.86	88.20	-30.34	3	Vertical	291	2.11
6875MHz	Pass	AV	13.74909G	46.32	68.20	-21.88	3	Horizontal	171	2.54
6875MHz	Pass	PK	13.75169G	57.84	88.20	-30.36	3	Horizontal	171	2.54
6895MHz	Pass	AV	6.8978G	97.04	Inf	-Inf	3	Vertical	110	1.79
6895MHz	Pass	AV	7.2016G	49.71	68.20	-18.49	3	Vertical	110	1.79
6895MHz	Pass	PK	6.8922G	108.57	Inf	-Inf	3	Vertical	110	1.79
6895MHz	Pass	PK	7.2093G	63.10	88.20	-25.10	3	Vertical	110	1.79
6895MHz	Pass	AV	6.9006G	97.34	Inf	-Inf	3	Horizontal	21	1.52
6895MHz	Pass	AV	7.2079G	49.72	68.20	-18.48	3	Horizontal	21	1.52
6895MHz	Pass	PK	6.9006G	109.65	Inf	-Inf	3	Horizontal	21	1.52
6895MHz	Pass	PK	7.2191G	62.02	88.20	-26.18	3	Horizontal	21	1.52
6895MHz	Pass	AV	13.79135G	46.18	68.20	-22.02	3	Vertical	220	1.63
6895MHz	Pass	PK	13.79198G	57.91	88.20	-30.29	3	Vertical	220	1.63
6895MHz	Pass	AV	13.78637G	46.23	68.20	-21.97	3	Horizontal	79	1.19
6895MHz	Pass	PK	13.78751G	57.60	88.20	-30.60	3	Horizontal	79	1.19
6995MHz	Pass	AV	6.9925G	97.13	Inf	-Inf	3	Vertical	119	1.71
6995MHz	Pass	AV	7.196G	50.08	68.20	-18.12	3	Vertical	119	1.71
6995MHz	Pass	PK	6.9925G	108.52	Inf	-Inf	3	Vertical	119	1.71
6995MHz	Pass	PK	7.2265G	63.74	88.20	-24.46	3	Vertical	119	1.71
6995MHz	Pass	AV	6.996G	96.99	Inf	-Inf	3	Horizontal	113	1.70
6995MHz	Pass	AV	7.186G	50.05	68.20	-18.15	3	Horizontal	113	1.70
6995MHz	Pass	PK	6.996G	109.21	Inf	-Inf	3	Horizontal	113	1.70
6995MHz	Pass	PK	7.19G	63.43	88.20	-24.77	3	Horizontal	113	1.70
6995MHz	Pass	AV	13.99459G	46.66	68.20	-21.54	3	Vertical	257	1.11
6995MHz	Pass	PK	13.98641G	58.38	88.20	-29.82	3	Vertical	257	1.11
6995MHz	Pass	AV	13.99123G	46.65	68.20	-21.55	3	Horizontal	218	2.53
6995MHz	Pass	PK	13.9886G	57.95	88.20	-30.25	3	Horizontal	218	2.53
7095MHz	Pass	AV	7.0908G	97.20	Inf	-Inf	3	Vertical	8	1.50
7095MHz	Pass	AV	7.1256G	50.86	68.20	-17.34	3	Vertical	8	1.50
7095MHz	Pass	PK	7.1001G	109.96	Inf	-Inf	3	Vertical	8	1.50
7095MHz	Pass	PK	7.1994G	63.68	88.20	-24.52	3	Vertical	8	1.50
7095MHz	Pass	AV	7.0959G	97.24	Inf	-Inf	3	Horizontal	113	1.60
7095MHz	Pass	AV	7.1259G	50.68	68.20	-17.52	3	Horizontal	113	1.60
7095MHz	Pass	PK	7.1013G	110.50	Inf	-Inf	3	Horizontal	113	1.60
7095MHz	Pass	PK	7.1259G	64.57	88.20	-23.63	3	Horizontal	113	1.60
7095MHz	Pass	AV	14.19136G	46.87	68.20	-21.33	3	Vertical	154	1.37
7095MHz	Pass	PK	14.18969G	59.65	88.20	-28.55	3	Vertical	154	1.37
7095MHz	Pass	AV	14.19036G	46.85	68.20	-21.35	3	Horizontal	280	2.27
7095MHz	Pass	PK	14.18501G	58.96	88.20	-29.24	3	Horizontal	280	2.27
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	48.05	68.20	-20.15	3	Vertical	0	2.31
5955MHz	Pass	AV	5.9565G	96.30	Inf	-Inf	3	Vertical	0	2.31
5955MHz	Pass	PK	5.9019G	59.10	88.20	-29.10	3	Vertical	0	2.31
5955MHz	Pass	PK	5.9538G	110.25	Inf	-Inf	3	Vertical	0	2.31
5955MHz	Pass	AV	5.9247G	48.37	68.20	-19.83	3	Horizontal	43	1.72
5955MHz	Pass	AV	5.9589G	97.19	Inf	-Inf	3	Horizontal	43	1.72
5955MHz	Pass	PK	5.9073G	59.40	88.20	-28.80	3	Horizontal	43	1.72
5955MHz	Pass	PK	5.9637G	110.64	Inf	-Inf	3	Horizontal	43	1.72
5955MHz	Pass	AV	11.90649G	43.53	54.00	-10.47	3	Vertical	72	1.76
5955MHz	Pass	PK	11.91078G	53.98	74.00	-20.02	3	Vertical	72	1.76
5955MHz	Pass	AV	11.90654G	43.54	54.00	-10.46	3	Horizontal	175	1.63
5955MHz	Pass	PK	11.9054G	53.88	74.00	-20.12	3	Horizontal	175	1.63
6175MHz	Pass	AV	5.9158G	47.25	68.20	-20.95	3	Vertical	131	2.40
6175MHz	Pass	AV	6.1768G	96.68	Inf	-Inf	3	Vertical	131	2.40
6175MHz	Pass	PK	5.917G	58.45	88.20	-29.75	3	Vertical	131	2.40



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6175MHz	Pass	PK	6.1774G	108.91	Inf	-Inf	3	Vertical	131	2.40
6175MHz	Pass	AV	5.9104G	47.36	68.20	-20.84	3	Horizontal	43	1.72
6175MHz	Pass	AV	6.1768G	97.18	Inf	-Inf	3	Horizontal	43	1.72
6175MHz	Pass	PK	5.9062G	58.39	88.20	-29.81	3	Horizontal	43	1.72
6175MHz	Pass	PK	6.1768G	109.45	Inf	-Inf	3	Horizontal	43	1.72
6175MHz	Pass	AV	12.34949G	44.44	54.00	-9.56	3	Vertical	355	1.84
6175MHz	Pass	PK	12.35347G	54.67	74.00	-19.33	3	Vertical	355	1.84
6175MHz	Pass	AV	12.35104G	44.47	54.00	-9.53	3	Horizontal	93	2.48
6175MHz	Pass	PK	12.34926G	54.77	74.00	-19.23	3	Horizontal	93	2.48
6415MHz	Pass	AV	5.9218G	47.14	68.20	-21.06	3	Vertical	351	3.00
6415MHz	Pass	AV	6.4162G	96.20	Inf	-Inf	3	Vertical	351	3.00
6415MHz	Pass	PK	5.839G	57.90	88.20	-30.30	3	Vertical	351	3.00
6415MHz	Pass	PK	6.4138G	110.48	Inf	-Inf	3	Vertical	351	3.00
6415MHz	Pass	AV	5.9026G	47.18	68.20	-21.02	3	Horizontal	46	2.73
6415MHz	Pass	AV	6.4066G	96.42	Inf	-Inf	3	Horizontal	46	2.73
6415MHz	Pass	PK	5.8954G	58.22	88.20	-29.98	3	Horizontal	46	2.73
6415MHz	Pass	PK	6.4066G	108.29	Inf	-Inf	3	Horizontal	46	2.73
6415MHz	Pass	AV	12.35104G	44.47	54.00	-9.53	3	Horizontal	93	2.48
6415MHz	Pass	PK	12.34926G	54.77	74.00	-19.23	3	Horizontal	93	2.48
6415MHz	Pass	AV	12.82591G	45.27	68.20	-22.93	3	Horizontal	63	2.07
6415MHz	Pass	PK	12.82775G	56.59	88.20	-31.61	3	Horizontal	63	2.07
6535MHz	Pass	AV	5.912G	47.19	68.20	-21.01	3	Vertical	352	2.83
6535MHz	Pass	AV	6.5322G	96.49	Inf	-Inf	3	Vertical	352	2.83
6535MHz	Pass	AV	7.2308G	49.80	68.20	-18.40	3	Vertical	352	2.83
6535MHz	Pass	PK	5.9022G	58.49	88.20	-29.71	3	Vertical	352	2.83
6535MHz	Pass	PK	6.5336G	110.51	Inf	-Inf	3	Vertical	352	2.83
6535MHz	Pass	PK	7.1734G	60.61	88.20	-27.59	3	Vertical	352	2.83
6535MHz	Pass	AV	5.9204G	47.19	68.20	-21.01	3	Horizontal	38	1.50
6535MHz	Pass	AV	6.5336G	96.04	Inf	-Inf	3	Horizontal	38	1.50
6535MHz	Pass	AV	7.207G	49.92	68.20	-18.28	3	Horizontal	38	1.50
6535MHz	Pass	PK	5.8714G	58.19	88.20	-30.01	3	Horizontal	38	1.50
6535MHz	Pass	PK	6.5294G	107.77	Inf	-Inf	3	Horizontal	38	1.50
6535MHz	Pass	PK	7.1706G	60.62	88.20	-27.58	3	Horizontal	38	1.50
6535MHz	Pass	AV	13.06873G	45.72	68.20	-22.48	3	Vertical	354	1.88
6535MHz	Pass	PK	13.07444G	56.87	88.20	-31.33	3	Vertical	354	1.88
6535MHz	Pass	AV	13.07217G	45.71	68.20	-22.49	3	Horizontal	32	2.02
6535MHz	Pass	PK	13.07118G	56.36	88.20	-31.84	3	Horizontal	32	2.02
6695MHz	Pass	AV	6.698G	96.41	Inf	-Inf	3	Vertical	334	1.69
6695MHz	Pass	AV	7.194G	49.87	68.20	-18.33	3	Vertical	334	1.69
6695MHz	Pass	PK	6.698G	109.02	Inf	-Inf	3	Vertical	334	1.69
6695MHz	Pass	PK	7.188G	60.78	88.20	-27.42	3	Vertical	334	1.69
6695MHz	Pass	AV	6.689G	96.75	Inf	-Inf	3	Horizontal	42	1.70
6695MHz	Pass	AV	7.195G	49.80	68.20	-18.40	3	Horizontal	42	1.70
6695MHz	Pass	PK	6.694G	109.40	Inf	-Inf	3	Horizontal	42	1.70
6695MHz	Pass	PK	7.133G	60.02	88.20	-28.18	3	Horizontal	42	1.70
6695MHz	Pass	AV	13.39034G	45.97	54.00	-8.03	3	Vertical	305	2.91
6695MHz	Pass	PK	13.39402G	56.02	74.00	-17.98	3	Vertical	305	2.91
6695MHz	Pass	AV	13.3871G	45.92	54.00	-8.08	3	Horizontal	314	1.88
6695MHz	Pass	PK	13.39479G	56.95	74.00	-17.05	3	Horizontal	314	1.88
6855MHz	Pass	AV	6.8515G	96.36	Inf	-Inf	3	Vertical	180	3.00
6855MHz	Pass	AV	7.2022G	49.97	68.20	-18.23	3	Vertical	180	3.00
6855MHz	Pass	PK	6.8508G	110.42	Inf	-Inf	3	Vertical	180	3.00
6855MHz	Pass	PK	7.1497G	61.11	88.20	-27.09	3	Vertical	180	3.00
6855MHz	Pass	AV	6.848G	96.74	Inf	-Inf	3	Horizontal	38	1.50
6855MHz	Pass	AV	7.1665G	49.88	68.20	-18.32	3	Horizontal	38	1.50
6855MHz	Pass	PK	6.8501G	109.49	Inf	-Inf	3	Horizontal	38	1.50
6855MHz	Pass	PK	7.2029G	60.92	88.20	-27.28	3	Horizontal	38	1.50
6855MHz	Pass	AV	13.71234G	46.56	68.20	-21.64	3	Vertical	341	2.21
6855MHz	Pass	PK	13.71123G	56.96	88.20	-31.24	3	Vertical	341	2.21
6855MHz	Pass	AV	13.71066G	46.60	68.20	-21.60	3	Horizontal	178	2.89
6855MHz	Pass	PK	13.71023G	57.05	88.20	-31.15	3	Horizontal	178	2.89
6875MHz	Pass	AV	6.87145G	96.17	Inf	-Inf	3	Vertical	180	3.00



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6875MHz	Pass	AV	7.1633G	49.87	68.20	-18.33	3	Vertical	180	3.00
6875MHz	Pass	PK	6.87015G	110.74	Inf	-Inf	3	Vertical	180	3.00
6875MHz	Pass	PK	7.1516G	60.59	88.20	-27.61	3	Vertical	180	3.00
6875MHz	Pass	AV	6.86755G	96.12	Inf	-Inf	3	Horizontal	39	1.41
6875MHz	Pass	AV	7.1698G	49.87	68.20	-18.33	3	Horizontal	39	1.41
6875MHz	Pass	PK	6.8695G	108.68	Inf	-Inf	3	Horizontal	39	1.41
6875MHz	Pass	PK	7.15095G	60.46	88.20	-27.74	3	Horizontal	39	1.41
6875MHz	Pass	AV	13.75073G	46.46	68.20	-21.74	3	Vertical	132	2.89
6875MHz	Pass	PK	13.75149G	56.78	88.20	-31.42	3	Vertical	132	2.89
6875MHz	Pass	AV	13.75367G	46.53	68.20	-21.67	3	Horizontal	220	1.54
6875MHz	Pass	PK	13.75255G	57.26	88.20	-30.94	3	Horizontal	220	1.54
6895MHz	Pass	AV	6.8992G	96.79	Inf	-Inf	3	Vertical	25	2.82
6895MHz	Pass	AV	7.1946G	50.06	68.20	-18.14	3	Vertical	25	2.82
6895MHz	Pass	PK	6.9013G	110.45	Inf	-Inf	3	Vertical	25	2.82
6895MHz	Pass	PK	7.1498G	61.24	88.20	-26.96	3	Vertical	25	2.82
6895MHz	Pass	AV	6.8992G	94.57	Inf	-Inf	3	Horizontal	37	1.55
6895MHz	Pass	AV	7.2107G	49.98	68.20	-18.22	3	Horizontal	37	1.55
6895MHz	Pass	PK	6.8929G	107.44	Inf	-Inf	3	Horizontal	37	1.55
6895MHz	Pass	PK	7.1533G	60.93	88.20	-27.27	3	Horizontal	37	1.55
6895MHz	Pass	AV	13.79182G	46.37	68.20	-21.83	3	Vertical	80	2.47
6895MHz	Pass	PK	13.795G	57.52	88.20	-30.68	3	Vertical	80	2.47
6895MHz	Pass	AV	13.78625G	46.44	68.20	-21.76	3	Horizontal	333	1.01
6895MHz	Pass	PK	13.78503G	57.26	88.20	-30.94	3	Horizontal	333	1.01
6995MHz	Pass	AV	6.9985G	96.33	Inf	-Inf	3	Vertical	21	2.76
6995MHz	Pass	AV	7.1585G	50.12	68.20	-18.08	3	Vertical	21	2.76
6995MHz	Pass	PK	7.0015G	109.90	Inf	-Inf	3	Vertical	21	2.76
6995MHz	Pass	PK	7.154G	61.64	88.20	-26.56	3	Vertical	21	2.76
6995MHz	Pass	AV	6.999G	94.15	Inf	-Inf	3	Horizontal	37	1.46
6995MHz	Pass	AV	7.163G	50.06	68.20	-18.14	3	Horizontal	37	1.46
6995MHz	Pass	PK	6.9965G	106.08	Inf	-Inf	3	Horizontal	37	1.46
6995MHz	Pass	PK	7.239G	62.22	88.20	-25.98	3	Horizontal	37	1.46
6995MHz	Pass	AV	13.99445G	46.95	68.20	-21.25	3	Vertical	151	2.01
6995MHz	Pass	PK	13.99376G	57.38	88.20	-30.82	3	Vertical	151	2.01
6995MHz	Pass	AV	13.99437G	46.96	68.20	-21.24	3	Horizontal	314	2.86
6995MHz	Pass	PK	13.99386G	57.88	88.20	-30.32	3	Horizontal	314	2.86
7095MHz	Pass	AV	7.0989G	96.54	Inf	-Inf	3	Vertical	25	2.68
7095MHz	Pass	AV	7.125G	51.22	68.20	-16.98	3	Vertical	25	2.68
7095MHz	Pass	PK	7.1013G	110.19	Inf	-Inf	3	Vertical	25	2.68
7095MHz	Pass	PK	7.1691G	62.54	88.20	-25.66	3	Vertical	25	2.68
7095MHz	Pass	AV	7.0989G	94.66	Inf	-Inf	3	Horizontal	37	1.57
7095MHz	Pass	AV	7.125G	50.66	68.20	-17.54	3	Horizontal	37	1.57
7095MHz	Pass	PK	7.0866G	108.39	Inf	-Inf	3	Horizontal	37	1.57
7095MHz	Pass	PK	7.1754G	61.20	88.20	-27.00	3	Horizontal	37	1.57
7095MHz	Pass	AV	14.19092G	47.03	68.20	-21.17	3	Vertical	44	2.83
7095MHz	Pass	PK	14.18799G	57.35	88.20	-30.85	3	Vertical	44	2.83
7095MHz	Pass	AV	14.1899G	47.03	68.20	-21.17	3	Horizontal	26	2.95
7095MHz	Pass	PK	14.1899G	57.67	88.20	-30.53	3	Horizontal	26	2.95
802.11ax HEW40_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	50.31	68.20	-17.89	3	Vertical	352	2.45
5965MHz	Pass	AV	5.9698G	98.63	Inf	-Inf	3	Vertical	352	2.45
5965MHz	Pass	PK	5.9245G	61.48	88.20	-26.72	3	Vertical	352	2.45
5965MHz	Pass	PK	5.9746G	109.70	Inf	-Inf	3	Vertical	352	2.45
5965MHz	Pass	AV	5.9218G	49.28	68.20	-18.92	3	Horizontal	33	1.50
5965MHz	Pass	AV	5.9716G	97.40	Inf	-Inf	3	Horizontal	33	1.50
5965MHz	Pass	PK	5.9056G	60.28	88.20	-27.92	3	Horizontal	33	1.50
5965MHz	Pass	PK	5.9614G	108.59	Inf	-Inf	3	Horizontal	33	1.50
5965MHz	Pass	AV	11.9269G	44.21	54.00	-9.79	3	Vertical	287	2.47
5965MHz	Pass	PK	11.92829G	54.59	74.00	-19.41	3	Vertical	287	2.47
5965MHz	Pass	AV	11.92554G	43.87	54.00	-10.13	3	Horizontal	295	2.31
5965MHz	Pass	PK	11.92927G	55.45	74.00	-18.55	3	Horizontal	295	2.31
6165MHz	Pass	AV	5.9142G	48.43	68.20	-19.77	3	Vertical	146	1.50
6165MHz	Pass	AV	6.159G	98.42	Inf	-Inf	3	Vertical	146	1.50



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6165MHz	Pass	PK	5.9166G	60.62	88.20	-27.58	3	Vertical	146	1.50
6165MHz	Pass	PK	6.1542G	108.90	Inf	-Inf	3	Vertical	146	1.50
6165MHz	Pass	AV	5.9136G	48.24	68.20	-19.96	3	Horizontal	38	1.50
6165MHz	Pass	AV	6.1614G	98.58	Inf	-Inf	3	Horizontal	38	1.50
6165MHz	Pass	PK	5.8776G	61.05	88.20	-27.15	3	Horizontal	38	1.50
6165MHz	Pass	PK	6.1764G	110.78	Inf	-Inf	3	Horizontal	38	1.50
6165MHz	Pass	AV	12.32716G	45.15	54.00	-8.85	3	Vertical	33	2.52
6165MHz	Pass	PK	12.33232G	54.37	74.00	-19.63	3	Vertical	33	2.52
6165MHz	Pass	AV	12.33061G	45.07	54.00	-8.93	3	Horizontal	286	1.05
6165MHz	Pass	PK	12.32635G	53.62	74.00	-20.38	3	Horizontal	286	1.05
6405MHz	Pass	PK	5.9106G	58.85	88.20	-29.35	3	Vertical	64	2.64
6405MHz	Pass	AV	5.9202G	48.09	68.20	-20.11	3	Vertical	64	2.64
6405MHz	Pass	PK	6.3954G	104.61	Inf	-Inf	3	Vertical	64	2.64
6405MHz	Pass	AV	6.3906G	95.30	Inf	-Inf	3	Vertical	64	2.64
6405MHz	Pass	AV	5.913G	48.37	68.20	-19.83	3	Horizontal	39	2.26
6405MHz	Pass	AV	6.4014G	98.39	Inf	-Inf	3	Horizontal	39	2.26
6405MHz	Pass	PK	5.877G	59.71	88.20	-28.49	3	Horizontal	39	2.26
6405MHz	Pass	PK	6.4158G	108.13	Inf	-Inf	3	Horizontal	39	2.26
6405MHz	Pass	AV	12.80955G	46.33	68.20	-21.87	3	Vertical	319	2.50
6405MHz	Pass	PK	12.80984G	55.59	88.20	-32.61	3	Vertical	319	2.50
6405MHz	Pass	AV	12.80829G	45.91	68.20	-22.29	3	Horizontal	316	1.14
6405MHz	Pass	PK	12.80543G	55.02	88.20	-33.18	3	Horizontal	316	1.14
6445MHz	Pass	AV	5.8666G	48.47	68.20	-19.73	3	Vertical	176	1.50
6445MHz	Pass	AV	6.4594G	98.63	Inf	-Inf	3	Vertical	176	1.50
6445MHz	Pass	PK	5.9122G	60.16	88.20	-28.04	3	Vertical	176	1.50
6445MHz	Pass	PK	6.4594G	109.70	Inf	-Inf	3	Vertical	176	1.50
6445MHz	Pass	AV	5.881G	48.19	68.20	-20.01	3	Horizontal	40	2.76
6445MHz	Pass	AV	6.4414G	98.77	Inf	-Inf	3	Horizontal	40	2.76
6445MHz	Pass	PK	5.9158G	59.89	88.20	-28.31	3	Horizontal	40	2.76
6445MHz	Pass	PK	6.4558G	110.37	Inf	-Inf	3	Horizontal	40	2.76
6445MHz	Pass	AV	12.8926G	46.04	68.20	-22.16	3	Vertical	138	2.84
6445MHz	Pass	PK	12.88896G	55.16	88.20	-33.04	3	Vertical	138	2.84
6445MHz	Pass	AV	12.88605G	46.22	68.20	-21.98	3	Horizontal	334	2.77
6445MHz	Pass	PK	12.8935G	54.87	88.20	-33.33	3	Horizontal	334	2.77
6485MHz	Pass	AV	5.869G	48.07	68.20	-20.13	3	Vertical	176	1.49
6485MHz	Pass	AV	6.4892G	98.55	Inf	-Inf	3	Vertical	176	1.49
6485MHz	Pass	AV	7.1262G	50.70	68.20	-17.50	3	Vertical	176	1.49
6485MHz	Pass	PK	5.8424G	59.35	88.20	-28.85	3	Vertical	176	1.49
6485MHz	Pass	PK	6.4948G	107.81	Inf	-Inf	3	Vertical	176	1.49
6485MHz	Pass	PK	7.1626G	61.86	88.20	-26.34	3	Vertical	176	1.49
6485MHz	Pass	AV	5.8984G	48.39	68.20	-19.81	3	Horizontal	42	2.33
6485MHz	Pass	AV	6.4808G	98.75	Inf	-Inf	3	Horizontal	42	2.33
6485MHz	Pass	AV	7.1738G	50.75	68.20	-17.45	3	Horizontal	42	2.33
6485MHz	Pass	PK	5.9096G	59.61	88.20	-28.59	3	Horizontal	42	2.33
6485MHz	Pass	PK	6.471G	109.34	Inf	-Inf	3	Horizontal	42	2.33
6485MHz	Pass	PK	7.1556G	61.73	88.20	-26.47	3	Horizontal	42	2.33
6485MHz	Pass	AV	12.96621G	46.15	68.20	-22.05	3	Vertical	203	1.00
6485MHz	Pass	PK	12.96845G	54.69	88.20	-33.51	3	Vertical	203	1.00
6485MHz	Pass	AV	12.96597G	46.34	68.20	-21.86	3	Horizontal	39	2.56
6485MHz	Pass	PK	12.96831G	55.44	88.20	-32.76	3	Horizontal	39	2.56
6525MHz	Pass	AV	5.8726G	48.23	68.20	-19.97	3	Vertical	176	1.38
6525MHz	Pass	AV	6.5194G	98.47	Inf	-Inf	3	Vertical	176	1.38
6525MHz	Pass	AV	7.2082G	50.71	68.20	-17.49	3	Vertical	176	1.38
6525MHz	Pass	PK	5.9034G	59.23	88.20	-28.97	3	Vertical	176	1.38
6525MHz	Pass	PK	6.5236G	107.95	Inf	-Inf	3	Vertical	176	1.38
6525MHz	Pass	PK	7.1564G	62.18	88.20	-26.02	3	Vertical	176	1.38
6525MHz	Pass	AV	5.8894G	48.31	68.20	-19.89	3	Horizontal	41	2.30
6525MHz	Pass	AV	6.5208G	98.63	Inf	-Inf	3	Horizontal	41	2.30
6525MHz	Pass	AV	7.1564G	50.80	68.20	-17.40	3	Horizontal	41	2.30
6525MHz	Pass	PK	5.8992G	59.96	88.20	-28.24	3	Horizontal	41	2.30
6525MHz	Pass	PK	6.511G	110.61	Inf	-Inf	3	Horizontal	41	2.30
6525MHz	Pass	PK	7.1718G	61.63	88.20	-26.57	3	Horizontal	41	2.30



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6525MHz	Pass	AV	13.04859G	46.05	68.20	-22.15	3	Vertical	94	1.76
6525MHz	Pass	PK	13.04924G	54.82	88.20	-33.38	3	Vertical	94	1.76
6525MHz	Pass	AV	13.04896G	46.27	68.20	-21.93	3	Horizontal	264	2.30
6525MHz	Pass	PK	13.05285G	55.50	88.20	-32.70	3	Horizontal	264	2.30
6565MHz	Pass	AV	6.559G	98.03	Inf	-Inf	3	Vertical	174	1.34
6565MHz	Pass	AV	7.1422G	51.18	68.20	-17.02	3	Vertical	174	1.34
6565MHz	Pass	PK	6.559G	108.25	Inf	-Inf	3	Vertical	174	1.34
6565MHz	Pass	PK	7.153G	61.65	88.20	-26.55	3	Vertical	174	1.34
6565MHz	Pass	AV	6.5554G	98.43	Inf	-Inf	3	Horizontal	32	2.27
6565MHz	Pass	AV	7.135G	50.73	68.20	-17.47	3	Horizontal	32	2.27
6565MHz	Pass	PK	6.571G	107.62	Inf	-Inf	3	Horizontal	32	2.27
6565MHz	Pass	PK	7.1434G	62.21	88.20	-25.99	3	Horizontal	32	2.27
6565MHz	Pass	AV	13.13411G	46.27	68.20	-21.93	3	Vertical	68	2.88
6565MHz	Pass	PK	13.13311G	55.51	88.20	-32.69	3	Vertical	68	2.88
6565MHz	Pass	AV	13.13474G	46.39	68.20	-21.81	3	Horizontal	127	2.22
6565MHz	Pass	PK	13.13011G	54.85	88.20	-33.35	3	Horizontal	127	2.22
6685MHz	Pass	AV	6.682G	98.72	Inf	-Inf	3	Vertical	160	2.37
6685MHz	Pass	AV	7.169G	51.17	68.20	-17.03	3	Vertical	160	2.37
6685MHz	Pass	PK	6.692G	108.86	Inf	-Inf	3	Vertical	160	2.37
6685MHz	Pass	PK	7.173G	62.20	88.20	-26.00	3	Vertical	160	2.37
6685MHz	Pass	AV	6.691G	98.53	Inf	-Inf	3	Horizontal	34	2.16
6685MHz	Pass	AV	7.173G	50.98	68.20	-17.22	3	Horizontal	34	2.16
6685MHz	Pass	PK	6.676G	109.59	Inf	-Inf	3	Horizontal	34	2.16
6685MHz	Pass	PK	7.144G	62.70	88.20	-25.50	3	Horizontal	34	2.16
6685MHz	Pass	AV	13.37126G	46.54	54.00	-7.46	3	Vertical	340	2.34
6685MHz	Pass	PK	13.37358G	55.99	74.00	-18.01	3	Vertical	340	2.34
6685MHz	Pass	AV	13.36546G	46.49	54.00	-7.51	3	Horizontal	281	2.89
6685MHz	Pass	PK	13.37022G	55.68	74.00	-18.32	3	Horizontal	281	2.89
6845MHz	Pass	AV	6.838G	98.31	Inf	-Inf	3	Vertical	18	3.00
6845MHz	Pass	AV	7.1635G	51.09	68.20	-17.11	3	Vertical	18	3.00
6845MHz	Pass	PK	6.8331G	109.88	Inf	-Inf	3	Vertical	18	3.00
6845MHz	Pass	PK	7.1943G	62.88	88.20	-25.32	3	Vertical	18	3.00
6845MHz	Pass	AV	6.8408G	96.75	Inf	-Inf	3	Horizontal	24	1.50
6845MHz	Pass	AV	7.1537G	51.00	68.20	-17.20	3	Horizontal	24	1.50
6845MHz	Pass	PK	6.8513G	108.83	Inf	-Inf	3	Horizontal	24	1.50
6845MHz	Pass	PK	7.1726G	62.37	88.20	-25.83	3	Horizontal	24	1.50
6845MHz	Pass	AV	13.68761G	47.36	68.20	-20.84	3	Vertical	128	2.67
6845MHz	Pass	PK	13.69189G	56.51	88.20	-31.69	3	Vertical	128	2.67
6845MHz	Pass	AV	13.69137G	47.20	68.20	-21.00	3	Horizontal	249	2.30
6845MHz	Pass	PK	13.69235G	56.19	88.20	-32.01	3	Horizontal	249	2.30
6885MHz	Pass	AV	6.8794G	99.34	Inf	-Inf	3	Vertical	166	1.42
6885MHz	Pass	AV	7.1832G	51.15	68.20	-17.05	3	Vertical	166	1.42
6885MHz	Pass	PK	6.8892G	110.08	Inf	-Inf	3	Vertical	166	1.42
6885MHz	Pass	PK	7.2182G	60.98	88.20	-27.22	3	Vertical	166	1.42
6885MHz	Pass	AV	6.8892G	98.87	Inf	-Inf	3	Horizontal	161	1.50
6885MHz	Pass	AV	7.2042G	50.87	68.20	-17.33	3	Horizontal	161	1.50
6885MHz	Pass	PK	6.8745G	108.05	Inf	-Inf	3	Horizontal	161	1.50
6885MHz	Pass	PK	7.186G	61.79	88.20	-26.41	3	Horizontal	161	1.50
6885MHz	Pass	AV	13.76679G	47.29	68.20	-20.91	3	Vertical	254	2.25
6885MHz	Pass	PK	13.76686G	56.18	88.20	-32.02	3	Vertical	254	2.25
6885MHz	Pass	AV	13.76843G	47.18	68.20	-21.02	3	Horizontal	291	2.31
6885MHz	Pass	PK	13.76944G	56.06	88.20	-32.14	3	Horizontal	291	2.31
6925MHz	Pass	AV	6.9184G	98.80	Inf	-Inf	3	Vertical	12	2.91
6925MHz	Pass	AV	7.1692G	51.33	68.20	-16.87	3	Vertical	12	2.91
6925MHz	Pass	PK	6.9382G	110.73	Inf	-Inf	3	Vertical	12	2.91
6925MHz	Pass	PK	7.2196G	63.24	88.20	-24.96	3	Vertical	12	2.91
6925MHz	Pass	AV	6.9214G	95.75	Inf	-Inf	3	Horizontal	30	1.80
6925MHz	Pass	AV	7.2028G	51.11	68.20	-17.09	3	Horizontal	30	1.80
6925MHz	Pass	PK	6.931G	106.52	Inf	-Inf	3	Horizontal	30	1.80
6925MHz	Pass	PK	7.2214G	62.73	88.20	-25.47	3	Horizontal	30	1.80
6925MHz	Pass	AV	13.85092G	47.23	68.20	-20.97	3	Vertical	319	1.17
6925MHz	Pass	PK	13.84794G	55.79	88.20	-32.41	3	Vertical	319	1.17



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	AV	13.85252G	47.24	68.20	-20.96	3	Horizontal	74	2.15
6925MHz	Pass	PK	13.85378G	55.29	88.20	-32.91	3	Horizontal	74	2.15
7005MHz	Pass	AV	6.9936G	98.32	Inf	-Inf	3	Vertical	16	2.74
7005MHz	Pass	AV	7.1502G	51.29	68.20	-16.91	3	Vertical	16	2.74
7005MHz	Pass	PK	7.0083G	110.33	Inf	-Inf	3	Vertical	16	2.74
7005MHz	Pass	PK	7.1376G	62.94	88.20	-25.26	3	Vertical	16	2.74
7005MHz	Pass	AV	7.0062G	96.48	Inf	-Inf	3	Horizontal	108	1.69
7005MHz	Pass	AV	7.1433G	51.01	68.20	-17.19	3	Horizontal	108	1.69
7005MHz	Pass	PK	6.9963G	108.82	Inf	-Inf	3	Horizontal	108	1.69
7005MHz	Pass	PK	7.1376G	62.33	88.20	-25.87	3	Horizontal	108	1.69
7005MHz	Pass	AV	14.01088G	47.90	68.20	-20.30	3	Vertical	145	1.85
7005MHz	Pass	PK	14.01264G	56.72	88.20	-31.48	3	Vertical	145	1.85
7005MHz	Pass	AV	14.01428G	47.66	68.20	-20.54	3	Horizontal	307	1.00
7005MHz	Pass	PK	14.00803G	56.39	88.20	-31.81	3	Horizontal	307	1.00
7085MHz	Pass	AV	7.0808G	97.28	Inf	-Inf	3	Vertical	7	1.50
7085MHz	Pass	AV	7.2026G	51.42	68.20	-16.78	3	Vertical	7	1.50
7085MHz	Pass	PK	7.0859G	108.65	Inf	-Inf	3	Vertical	7	1.50
7085MHz	Pass	PK	7.1252G	63.72	88.20	-24.48	3	Vertical	7	1.50
7085MHz	Pass	AV	7.0712G	97.92	Inf	-Inf	3	Horizontal	107	1.68
7085MHz	Pass	AV	7.2329G	51.26	68.20	-16.94	3	Horizontal	107	1.68
7085MHz	Pass	PK	7.091G	109.37	Inf	-Inf	3	Horizontal	107	1.68
7085MHz	Pass	PK	7.1933G	63.26	88.20	-24.94	3	Horizontal	107	1.68
7085MHz	Pass	AV	14.16954G	47.47	68.20	-20.73	3	Vertical	172	1.04
7085MHz	Pass	PK	14.17119G	57.22	88.20	-30.98	3	Vertical	172	1.04
7085MHz	Pass	AV	14.17417G	47.45	68.20	-20.75	3	Horizontal	128	2.59
7085MHz	Pass	PK	14.16666G	55.84	88.20	-32.36	3	Horizontal	128	2.59
802.11ax HEW40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9239G	53.87	68.20	-14.33	3	Vertical	360	2.36
5965MHz	Pass	AV	5.9674G	100.17	Inf	-Inf	3	Vertical	360	2.36
5965MHz	Pass	PK	5.9221G	64.12	88.20	-24.08	3	Vertical	360	2.36
5965MHz	Pass	PK	5.9698G	111.15	Inf	-Inf	3	Vertical	360	2.36
5965MHz	Pass	AV	5.9245G	52.50	68.20	-15.70	3	Horizontal	45	1.50
5965MHz	Pass	AV	5.971G	100.07	Inf	-Inf	3	Horizontal	45	1.50
5965MHz	Pass	PK	5.9245G	62.94	88.20	-25.26	3	Horizontal	45	1.50
5965MHz	Pass	PK	5.9737G	110.26	Inf	-Inf	3	Horizontal	45	1.50
5965MHz	Pass	AV	11.93402G	44.69	54.00	-9.31	3	Vertical	131	1.05
5965MHz	Pass	PK	11.93029G	53.52	74.00	-20.48	3	Vertical	131	1.05
5965MHz	Pass	AV	11.93334G	44.57	54.00	-9.43	3	Horizontal	302	2.85
5965MHz	Pass	PK	11.92947G	53.77	74.00	-20.23	3	Horizontal	302	2.85
6165MHz	Pass	AV	5.9106G	48.59	68.20	-19.61	3	Vertical	165	1.46
6165MHz	Pass	AV	6.162G	99.34	Inf	-Inf	3	Vertical	165	1.46
6165MHz	Pass	PK	5.9088G	58.33	88.20	-29.87	3	Vertical	165	1.46
6165MHz	Pass	PK	6.1572G	109.42	Inf	-Inf	3	Vertical	165	1.46
6165MHz	Pass	AV	5.9184G	48.98	68.20	-19.22	3	Horizontal	48	1.49
6165MHz	Pass	AV	6.1608G	99.57	Inf	-Inf	3	Horizontal	48	1.49
6165MHz	Pass	PK	5.8944G	58.75	88.20	-29.45	3	Horizontal	48	1.49
6165MHz	Pass	PK	6.18G	110.38	Inf	-Inf	3	Horizontal	48	1.49
6165MHz	Pass	AV	12.33346G	45.48	54.00	-8.52	3	Vertical	25	1.12
6165MHz	Pass	PK	12.32537G	54.61	74.00	-19.39	3	Vertical	25	1.12
6165MHz	Pass	AV	12.33059G	45.46	54.00	-8.54	3	Horizontal	96	2.28
6165MHz	Pass	PK	12.32996G	54.07	74.00	-19.93	3	Horizontal	96	2.28
6405MHz	Pass	AV	5.9178G	48.42	68.20	-19.78	3	Vertical	130	2.26
6405MHz	Pass	AV	6.4038G	99.66	Inf	-Inf	3	Vertical	130	2.26
6405MHz	Pass	PK	5.8986G	58.46	88.20	-29.74	3	Vertical	130	2.26
6405MHz	Pass	PK	6.4002G	109.02	Inf	-Inf	3	Vertical	130	2.26
6405MHz	Pass	AV	5.9022G	48.47	68.20	-19.73	3	Horizontal	42	1.72
6405MHz	Pass	AV	6.3906G	99.79	Inf	-Inf	3	Horizontal	42	1.72
6405MHz	Pass	PK	5.895G	58.16	88.20	-30.04	3	Horizontal	42	1.72
6405MHz	Pass	PK	6.4098G	109.84	Inf	-Inf	3	Horizontal	42	1.72
6405MHz	Pass	AV	12.80595G	46.14	68.20	-22.06	3	Vertical	72	1.27
6405MHz	Pass	PK	12.81324G	55.20	88.20	-33.00	3	Vertical	72	1.27
6405MHz	Pass	AV	12.81209G	46.04	68.20	-22.16	3	Horizontal	303	2.68



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6405MHz	Pass	PK	12.80779G	55.81	88.20	-32.39	3	Horizontal	303	2.68
6445MHz	Pass	AV	5.899G	48.51	68.20	-19.69	3	Vertical	358	3.00
6445MHz	Pass	AV	6.4426G	99.82	Inf	-Inf	3	Vertical	358	3.00
6445MHz	Pass	PK	5.8522G	58.64	88.20	-29.56	3	Vertical	358	3.00
6445MHz	Pass	PK	6.427G	110.48	Inf	-Inf	3	Vertical	358	3.00
6445MHz	Pass	AV	5.8954G	48.61	68.20	-19.59	3	Horizontal	44	1.71
6445MHz	Pass	AV	6.451G	98.99	Inf	-Inf	3	Horizontal	44	1.71
6445MHz	Pass	PK	5.8762G	58.06	88.20	-30.14	3	Horizontal	44	1.71
6445MHz	Pass	PK	6.4498G	108.31	Inf	-Inf	3	Horizontal	44	1.71
6445MHz	Pass	AV	12.8942G	46.31	68.20	-21.89	3	Vertical	311	1.05
6445MHz	Pass	PK	12.88664G	55.95	88.20	-32.25	3	Vertical	311	1.05
6445MHz	Pass	AV	12.88802G	46.40	68.20	-21.80	3	Horizontal	338	1.55
6445MHz	Pass	PK	12.88754G	56.14	88.20	-32.06	3	Horizontal	338	1.55
6485MHz	Pass	AV	5.841G	48.43	68.20	-19.77	3	Vertical	133	2.28
6485MHz	Pass	AV	6.4808G	99.63	Inf	-Inf	3	Vertical	133	2.28
6485MHz	Pass	AV	7.1612G	50.76	68.20	-17.44	3	Vertical	133	2.28
6485MHz	Pass	PK	5.897G	57.79	88.20	-30.41	3	Vertical	133	2.28
6485MHz	Pass	PK	6.4696G	108.29	Inf	-Inf	3	Vertical	133	2.28
6485MHz	Pass	PK	7.1556G	60.34	88.20	-27.86	3	Vertical	133	2.28
6485MHz	Pass	AV	5.883G	48.75	68.20	-19.45	3	Horizontal	50	2.39
6485MHz	Pass	AV	6.4962G	99.41	Inf	-Inf	3	Horizontal	50	2.39
6485MHz	Pass	AV	7.1626G	50.81	68.20	-17.39	3	Horizontal	50	2.39
6485MHz	Pass	PK	5.9096G	59.03	88.20	-29.17	3	Horizontal	50	2.39
6485MHz	Pass	PK	6.4892G	109.14	Inf	-Inf	3	Horizontal	50	2.39
6485MHz	Pass	PK	7.1654G	60.29	88.20	-27.91	3	Horizontal	50	2.39
6485MHz	Pass	AV	12.96731G	46.56	68.20	-21.64	3	Vertical	212	1.41
6485MHz	Pass	PK	12.97293G	56.17	88.20	-32.03	3	Vertical	212	1.41
6485MHz	Pass	AV	12.9651G	46.78	68.20	-21.42	3	Horizontal	322	1.82
6485MHz	Pass	PK	12.9727G	56.28	88.20	-31.92	3	Horizontal	322	1.82
6525MHz	Pass	AV	5.8446G	48.42	68.20	-19.78	3	Vertical	141	2.14
6525MHz	Pass	AV	6.5166G	99.25	Inf	-Inf	3	Vertical	141	2.14
6525MHz	Pass	AV	7.2082G	50.88	68.20	-17.32	3	Vertical	141	2.14
6525MHz	Pass	PK	5.8544G	58.05	88.20	-30.15	3	Vertical	141	2.14
6525MHz	Pass	PK	6.518G	109.58	Inf	-Inf	3	Vertical	141	2.14
6525MHz	Pass	PK	7.1676G	60.49	88.20	-27.71	3	Vertical	141	2.14
6525MHz	Pass	AV	5.9188G	48.57	68.20	-19.63	3	Horizontal	54	2.34
6525MHz	Pass	AV	6.5208G	98.94	Inf	-Inf	3	Horizontal	54	2.34
6525MHz	Pass	AV	7.169G	51.03	68.20	-17.17	3	Horizontal	54	2.34
6525MHz	Pass	PK	5.8684G	57.94	88.20	-30.26	3	Horizontal	54	2.34
6525MHz	Pass	PK	6.5166G	108.59	Inf	-Inf	3	Horizontal	54	2.34
6525MHz	Pass	PK	7.1858G	61.13	88.20	-27.07	3	Horizontal	54	2.34
6525MHz	Pass	AV	13.05224G	46.33	68.20	-21.87	3	Vertical	311	1.96
6525MHz	Pass	PK	13.05309G	55.77	88.20	-32.43	3	Vertical	311	1.96
6525MHz	Pass	AV	13.05016G	46.70	68.20	-21.50	3	Horizontal	67	1.55
6525MHz	Pass	PK	13.05169G	56.07	88.20	-32.13	3	Horizontal	67	1.55
6565MHz	Pass	AV	6.5602G	99.71	Inf	-Inf	3	Vertical	358	2.77
6565MHz	Pass	AV	7.1602G	50.86	68.20	-17.34	3	Vertical	358	2.77
6565MHz	Pass	PK	6.5614G	109.22	Inf	-Inf	3	Vertical	358	2.77
6565MHz	Pass	PK	7.1422G	60.61	88.20	-27.59	3	Vertical	358	2.77
6565MHz	Pass	AV	6.5686G	99.35	Inf	-Inf	3	Horizontal	50	2.68
6565MHz	Pass	AV	7.1422G	50.93	68.20	-17.27	3	Horizontal	50	2.68
6565MHz	Pass	PK	6.5614G	108.94	Inf	-Inf	3	Horizontal	50	2.68
6565MHz	Pass	PK	7.141G	60.60	88.20	-27.60	3	Horizontal	50	2.68
6565MHz	Pass	AV	13.12942G	46.89	68.20	-21.31	3	Vertical	326	1.33
6565MHz	Pass	PK	13.12976G	56.27	88.20	-31.93	3	Vertical	326	1.33
6565MHz	Pass	AV	13.12757G	46.92	68.20	-21.28	3	Horizontal	9	1.15
6565MHz	Pass	PK	13.13386G	57.10	88.20	-31.10	3	Horizontal	9	1.15
6685MHz	Pass	AV	6.683G	99.55	Inf	-Inf	3	Vertical	342	1.63
6685MHz	Pass	AV	7.164G	50.81	68.20	-17.39	3	Vertical	342	1.63
6685MHz	Pass	PK	6.674G	108.86	Inf	-Inf	3	Vertical	342	1.63
6685MHz	Pass	PK	7.158G	60.41	88.20	-27.79	3	Vertical	342	1.63
6685MHz	Pass	AV	6.691G	99.74	Inf	-Inf	3	Horizontal	48	2.26



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	AV	7.181G	50.87	68.20	-17.33	3	Horizontal	48	2.26
6685MHz	Pass	PK	6.689G	109.64	Inf	-Inf	3	Horizontal	48	2.26
6685MHz	Pass	PK	7.165G	60.17	88.20	-28.03	3	Horizontal	48	2.26
6685MHz	Pass	AV	13.37114G	46.94	54.00	-7.06	3	Vertical	203	1.43
6685MHz	Pass	PK	13.36805G	56.97	74.00	-17.03	3	Vertical	203	1.43
6685MHz	Pass	AV	13.36917G	47.01	54.00	-6.99	3	Horizontal	214	2.61
6685MHz	Pass	PK	13.37029G	56.01	74.00	-17.99	3	Horizontal	214	2.61
6845MHz	Pass	AV	6.8373G	99.19	Inf	-Inf	3	Vertical	182	2.75
6845MHz	Pass	AV	7.1747G	51.03	68.20	-17.17	3	Vertical	182	2.75
6845MHz	Pass	PK	6.8415G	109.73	Inf	-Inf	3	Vertical	182	2.75
6845MHz	Pass	PK	7.1775G	60.69	88.20	-27.51	3	Vertical	182	2.75
6845MHz	Pass	AV	6.8534G	99.62	Inf	-Inf	3	Horizontal	40	1.50
6845MHz	Pass	AV	7.1943G	51.10	68.20	-17.10	3	Horizontal	40	1.50
6845MHz	Pass	PK	6.8506G	108.93	Inf	-Inf	3	Horizontal	40	1.50
6845MHz	Pass	PK	7.1628G	60.55	88.20	-27.65	3	Horizontal	40	1.50
6845MHz	Pass	AV	13.68653G	47.61	68.20	-20.59	3	Vertical	185	1.37
6845MHz	Pass	PK	13.69402G	56.76	88.20	-31.44	3	Vertical	185	1.37
6845MHz	Pass	AV	13.69011G	47.49	68.20	-20.71	3	Horizontal	114	2.65
6845MHz	Pass	PK	13.68902G	56.98	88.20	-31.22	3	Horizontal	114	2.65
6885MHz	Pass	AV	6.8822G	99.05	Inf	-Inf	3	Vertical	188	2.96
6885MHz	Pass	AV	7.1629G	51.20	68.20	-17.00	3	Vertical	188	2.96
6885MHz	Pass	PK	6.8815G	109.80	Inf	-Inf	3	Vertical	188	2.96
6885MHz	Pass	PK	7.2287G	60.69	88.20	-27.51	3	Vertical	188	2.96
6885MHz	Pass	AV	6.8703G	98.81	Inf	-Inf	3	Horizontal	42	1.47
6885MHz	Pass	AV	7.1741G	51.20	68.20	-17.00	3	Horizontal	42	1.47
6885MHz	Pass	PK	6.8906G	108.66	Inf	-Inf	3	Horizontal	42	1.47
6885MHz	Pass	PK	7.2329G	61.23	88.20	-26.97	3	Horizontal	42	1.47
6885MHz	Pass	AV	13.7732G	47.43	68.20	-20.77	3	Vertical	8	1.72
6885MHz	Pass	PK	13.77206G	57.09	88.20	-31.11	3	Vertical	8	1.72
6885MHz	Pass	AV	13.76628G	47.45	68.20	-20.75	3	Horizontal	302	1.00
6885MHz	Pass	PK	13.76724G	56.88	88.20	-31.32	3	Horizontal	302	1.00
6925MHz	Pass	AV	6.9232G	99.18	Inf	-Inf	3	Vertical	188	2.88
6925MHz	Pass	AV	7.1806G	51.07	68.20	-17.13	3	Vertical	188	2.88
6925MHz	Pass	PK	6.9214G	109.94	Inf	-Inf	3	Vertical	188	2.88
6925MHz	Pass	PK	7.2136G	60.57	88.20	-27.63	3	Vertical	188	2.88
6925MHz	Pass	AV	6.931G	99.78	Inf	-Inf	3	Horizontal	48	2.26
6925MHz	Pass	AV	7.1266G	51.08	68.20	-17.12	3	Horizontal	48	2.26
6925MHz	Pass	PK	6.9184G	109.50	Inf	-Inf	3	Horizontal	48	2.26
6925MHz	Pass	PK	7.1998G	60.50	88.20	-27.70	3	Horizontal	48	2.26
6925MHz	Pass	AV	13.84866G	47.20	68.20	-21.00	3	Vertical	90	2.30
6925MHz	Pass	PK	13.85413G	57.04	88.20	-31.16	3	Vertical	90	2.30
6925MHz	Pass	AV	13.84939G	47.53	68.20	-20.67	3	Horizontal	260	2.83
6925MHz	Pass	PK	13.85289G	56.82	88.20	-31.38	3	Horizontal	260	2.83
7005MHz	Pass	AV	6.9912G	101.35	Inf	-Inf	3	Vertical	33	2.71
7005MHz	Pass	AV	7.152G	53.02	68.20	-15.18	3	Vertical	33	2.71
7005MHz	Pass	PK	6.9924G	112.19	Inf	-Inf	3	Vertical	33	2.71
7005MHz	Pass	PK	7.125G	63.49	88.20	-24.71	3	Vertical	33	2.71
7005MHz	Pass	AV	7.011G	98.63	Inf	-Inf	3	Horizontal	48	2.22
7005MHz	Pass	AV	7.1529G	52.73	68.20	-15.47	3	Horizontal	48	2.22
7005MHz	Pass	PK	7.002G	109.29	Inf	-Inf	3	Horizontal	48	2.22
7005MHz	Pass	PK	7.1484G	62.41	88.20	-25.79	3	Horizontal	48	2.22
7005MHz	Pass	AV	14.00994G	47.95	68.20	-20.25	3	Vertical	245	1.97
7005MHz	Pass	PK	14.01126G	58.37	88.20	-29.83	3	Vertical	245	1.97
7005MHz	Pass	AV	14.01254G	48.08	68.20	-20.12	3	Horizontal	185	2.46
7005MHz	Pass	PK	14.00611G	58.15	88.20	-30.05	3	Horizontal	185	2.46
7085MHz	Pass	AV	7.0799G	99.99	Inf	-Inf	3	Vertical	118	1.66
7085MHz	Pass	AV	7.1255G	54.37	68.20	-13.83	3	Vertical	118	1.66
7085MHz	Pass	PK	7.0808G	110.61	Inf	-Inf	3	Vertical	118	1.66
7085MHz	Pass	PK	7.1333G	64.87	88.20	-23.33	3	Vertical	118	1.66
7085MHz	Pass	AV	7.0793G	100.01	Inf	-Inf	3	Horizontal	48	2.35
7085MHz	Pass	AV	7.1261G	52.79	68.20	-15.41	3	Horizontal	48	2.35
7085MHz	Pass	PK	7.0673G	110.23	Inf	-Inf	3	Horizontal	48	2.35



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	PK	7.1336G	63.58	88.20	-24.62	3	Horizontal	48	2.35
7085MHz	Pass	AV	14.17178G	47.94	68.20	-20.26	3	Vertical	289	1.67
7085MHz	Pass	PK	14.17411G	57.30	88.20	-30.90	3	Vertical	289	1.67
7085MHz	Pass	AV	14.17229G	47.88	68.20	-20.32	3	Horizontal	104	2.14
7085MHz	Pass	PK	14.16606G	56.82	88.20	-31.38	3	Horizontal	104	2.14
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	50.76	68.20	-17.44	3	Vertical	356	2.39
5985MHz	Pass	AV	6G	98.19	Inf	-Inf	3	Vertical	356	2.39
5985MHz	Pass	PK	5.919G	61.73	88.20	-26.47	3	Vertical	356	2.39
5985MHz	Pass	PK	5.9705G	109.05	Inf	-Inf	3	Vertical	356	2.39
5985MHz	Pass	AV	5.9225G	49.95	68.20	-18.25	3	Horizontal	33	1.57
5985MHz	Pass	AV	6.0015G	97.64	Inf	-Inf	3	Horizontal	33	1.57
5985MHz	Pass	PK	5.921G	60.76	88.20	-27.44	3	Horizontal	33	1.57
5985MHz	Pass	PK	5.996G	109.57	Inf	-Inf	3	Horizontal	33	1.57
5985MHz	Pass	AV	11.96566G	44.11	54.00	-9.89	3	Vertical	9	1.59
5985MHz	Pass	PK	11.97413G	53.74	74.00	-20.26	3	Vertical	9	1.59
5985MHz	Pass	AV	11.96705G	44.01	54.00	-9.99	3	Horizontal	228	1.40
5985MHz	Pass	PK	11.97387G	53.48	74.00	-20.52	3	Horizontal	228	1.40
6145MHz	Pass	AV	5.902G	48.58	68.20	-19.62	3	Vertical	144	1.50
6145MHz	Pass	AV	6.1342G	98.63	Inf	-Inf	3	Vertical	144	1.50
6145MHz	Pass	PK	5.8576G	60.15	88.20	-28.05	3	Vertical	144	1.50
6145MHz	Pass	PK	6.124G	110.19	Inf	-Inf	3	Vertical	144	1.50
6145MHz	Pass	AV	5.9134G	48.72	68.20	-19.48	3	Horizontal	35	1.68
6145MHz	Pass	AV	6.1312G	98.81	Inf	-Inf	3	Horizontal	35	1.68
6145MHz	Pass	PK	5.9194G	60.30	88.20	-27.90	3	Horizontal	35	1.68
6145MHz	Pass	PK	6.1156G	109.99	Inf	-Inf	3	Horizontal	35	1.68
6145MHz	Pass	AV	12.28749G	45.03	54.00	-8.97	3	Vertical	58	1.36
6145MHz	Pass	PK	12.29417G	55.55	74.00	-18.45	3	Vertical	58	1.36
6145MHz	Pass	AV	12.28704G	45.31	54.00	-8.69	3	Horizontal	233	1.11
6145MHz	Pass	PK	12.29399G	54.01	74.00	-19.99	3	Horizontal	233	1.11
6385MHz	Pass	AV	5.8726G	48.40	68.20	-19.80	3	Vertical	177	1.00
6385MHz	Pass	AV	6.3742G	97.35	Inf	-Inf	3	Vertical	177	1.00
6385MHz	Pass	PK	5.9098G	59.72	88.20	-28.48	3	Vertical	177	1.00
6385MHz	Pass	PK	6.3694G	108.32	Inf	-Inf	3	Vertical	177	1.00
6385MHz	Pass	AV	5.9134G	48.46	68.20	-19.74	3	Horizontal	38	2.40
6385MHz	Pass	AV	6.3706G	98.60	Inf	-Inf	3	Horizontal	38	2.40
6385MHz	Pass	PK	5.9146G	60.26	88.20	-27.94	3	Horizontal	38	2.40
6385MHz	Pass	PK	6.4006G	108.74	Inf	-Inf	3	Horizontal	38	2.40
6385MHz	Pass	AV	12.775G	45.82	68.20	-22.38	3	Vertical	7	1.65
6385MHz	Pass	PK	12.76528G	54.47	88.20	-33.73	3	Vertical	7	1.65
6385MHz	Pass	AV	12.77468G	45.94	68.20	-22.26	3	Horizontal	0	2.71
6385MHz	Pass	PK	12.7729G	54.83	88.20	-33.37	3	Horizontal	0	2.71
6465MHz	Pass	AV	5.877G	48.25	68.20	-19.95	3	Vertical	286	2.20
6465MHz	Pass	AV	6.4342G	98.22	Inf	-Inf	3	Vertical	286	2.20
6465MHz	Pass	AV	7.1342G	50.62	68.20	-17.58	3	Vertical	286	2.20
6465MHz	Pass	PK	5.7972G	57.79	88.20	-30.41	3	Vertical	286	2.20
6465MHz	Pass	PK	6.4398G	107.60	Inf	-Inf	3	Vertical	286	2.20
6465MHz	Pass	PK	7.1328G	59.74	88.20	-28.46	3	Vertical	286	2.20
6465MHz	Pass	AV	5.9232G	48.41	68.20	-19.79	3	Horizontal	38	2.36
6465MHz	Pass	AV	6.4314G	99.90	Inf	-Inf	3	Horizontal	38	2.36
6465MHz	Pass	AV	7.1538G	50.58	68.20	-17.62	3	Horizontal	38	2.36
6465MHz	Pass	PK	5.9162G	58.19	88.20	-30.01	3	Horizontal	38	2.36
6465MHz	Pass	PK	6.4664G	109.71	Inf	-Inf	3	Horizontal	38	2.36
6465MHz	Pass	PK	7.1426G	60.04	88.20	-28.16	3	Horizontal	38	2.36
6465MHz	Pass	AV	12.93406G	46.23	68.20	-21.97	3	Vertical	293	2.35
6465MHz	Pass	PK	12.93083G	55.59	88.20	-32.61	3	Vertical	293	2.35
6465MHz	Pass	AV	12.92867G	46.26	68.20	-21.94	3	Horizontal	222	2.08
6465MHz	Pass	PK	12.93016G	55.45	88.20	-32.75	3	Horizontal	222	2.08
6545MHz	Pass	AV	5.8562G	48.39	68.20	-19.81	3	Vertical	173	1.39
6545MHz	Pass	AV	6.5338G	98.53	Inf	-Inf	3	Vertical	173	1.39
6545MHz	Pass	AV	7.2058G	51.15	68.20	-17.05	3	Vertical	173	1.39
6545MHz	Pass	PK	5.8716G	60.20	88.20	-28.00	3	Vertical	173	1.39



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6545MHz	Pass	PK	6.5744G	108.24	Inf	-Inf	3	Vertical	173	1.39
6545MHz	Pass	PK	7.21G	62.09	88.20	-26.11	3	Vertical	173	1.39
6545MHz	Pass	AV	5.9164G	48.47	68.20	-19.73	3	Horizontal	36	2.27
6545MHz	Pass	AV	6.5156G	98.45	Inf	-Inf	3	Horizontal	36	2.27
6545MHz	Pass	AV	7.2254G	50.95	68.20	-17.25	3	Horizontal	36	2.27
6545MHz	Pass	PK	5.9052G	60.12	88.20	-28.08	3	Horizontal	36	2.27
6545MHz	Pass	PK	6.5618G	108.91	Inf	-Inf	3	Horizontal	36	2.27
6545MHz	Pass	PK	7.2282G	61.96	88.20	-26.24	3	Horizontal	36	2.27
6545MHz	Pass	AV	13.08629G	46.34	68.20	-21.86	3	Vertical	19	1.85
6545MHz	Pass	PK	13.08943G	55.22	88.20	-32.98	3	Vertical	19	1.85
6545MHz	Pass	AV	13.09129G	46.24	68.20	-21.96	3	Horizontal	185	1.45
6545MHz	Pass	PK	13.0887G	54.65	88.20	-33.55	3	Horizontal	185	1.45
6625MHz	Pass	AV	6.6142G	98.23	Inf	-Inf	3	Vertical	177	1.37
6625MHz	Pass	AV	7.207G	50.92	68.20	-17.28	3	Vertical	177	1.37
6625MHz	Pass	PK	6.6394G	109.10	Inf	-Inf	3	Vertical	177	1.37
6625MHz	Pass	PK	7.1986G	62.04	88.20	-26.16	3	Vertical	177	1.37
6625MHz	Pass	AV	6.6358G	98.56	Inf	-Inf	3	Horizontal	41	2.21
6625MHz	Pass	AV	7.213G	50.81	68.20	-17.39	3	Horizontal	41	2.21
6625MHz	Pass	PK	6.6154G	109.18	Inf	-Inf	3	Horizontal	41	2.21
6625MHz	Pass	PK	7.2046G	61.91	88.20	-26.29	3	Horizontal	41	2.21
6625MHz	Pass	AV	13.24611G	46.21	68.20	-21.99	3	Vertical	191	1.53
6625MHz	Pass	PK	13.25339G	55.29	74.00	-18.71	3	Vertical	191	1.53
6625MHz	Pass	AV	13.2547G	46.36	54.00	-7.64	3	Horizontal	290	2.25
6625MHz	Pass	PK	13.25331G	55.14	74.00	-18.86	3	Horizontal	290	2.25
6705MHz	Pass	AV	6.694G	97.62	Inf	-Inf	3	Vertical	177	1.27
6705MHz	Pass	AV	7.179G	50.76	68.20	-17.44	3	Vertical	177	1.27
6705MHz	Pass	PK	6.669G	108.63	Inf	-Inf	3	Vertical	177	1.27
6705MHz	Pass	PK	7.137G	62.03	88.20	-26.17	3	Vertical	177	1.27
6705MHz	Pass	AV	6.696G	98.41	Inf	-Inf	3	Horizontal	35	2.12
6705MHz	Pass	AV	7.197G	50.90	68.20	-17.30	3	Horizontal	35	2.12
6705MHz	Pass	PK	6.681G	110.05	Inf	-Inf	3	Horizontal	35	2.12
6705MHz	Pass	PK	7.141G	63.34	88.20	-24.86	3	Horizontal	35	2.12
6705MHz	Pass	AV	13.40678G	46.86	68.20	-21.34	3	Vertical	58	1.88
6705MHz	Pass	PK	13.40526G	56.67	88.20	-31.53	3	Vertical	58	1.88
6705MHz	Pass	AV	13.41462G	46.57	68.20	-21.63	3	Horizontal	175	1.48
6705MHz	Pass	PK	13.41406G	55.19	88.20	-33.01	3	Horizontal	175	1.48
6785MHz	Pass	AV	6.7542G	96.93	Inf	-Inf	3	Vertical	178	1.14
6785MHz	Pass	AV	7.1315G	50.53	68.20	-17.67	3	Vertical	178	1.14
6785MHz	Pass	PK	6.7696G	107.96	Inf	-Inf	3	Vertical	178	1.14
6785MHz	Pass	PK	7.1329G	60.91	88.20	-27.29	3	Vertical	178	1.14
6785MHz	Pass	AV	6.771G	97.96	Inf	-Inf	3	Horizontal	28	2.19
6785MHz	Pass	AV	7.1259G	50.49	68.20	-17.71	3	Horizontal	28	2.19
6785MHz	Pass	PK	6.7654G	110.15	Inf	-Inf	3	Horizontal	28	2.19
6785MHz	Pass	PK	7.1322G	61.83	88.20	-26.37	3	Horizontal	28	2.19
6785MHz	Pass	AV	13.57261G	46.93	68.20	-21.27	3	Vertical	90	1.14
6785MHz	Pass	PK	13.57429G	56.69	88.20	-31.51	3	Vertical	90	1.14
6785MHz	Pass	AV	13.57461G	46.92	68.20	-21.28	3	Horizontal	27	2.41
6785MHz	Pass	PK	13.56584G	56.23	88.20	-31.97	3	Horizontal	27	2.41
6865MHz	Pass	AV	6.8349G	100.07	Inf	-Inf	3	Vertical	166	1.49
6865MHz	Pass	AV	7.2108G	51.03	68.20	-17.17	3	Vertical	166	1.49
6865MHz	Pass	PK	6.8944G	109.57	Inf	-Inf	3	Vertical	166	1.49
6865MHz	Pass	PK	7.1905G	60.85	88.20	-27.35	3	Vertical	166	1.49
6865MHz	Pass	AV	6.8545G	100.12	Inf	-Inf	3	Horizontal	159	1.46
6865MHz	Pass	AV	7.166G	51.12	68.20	-17.08	3	Horizontal	159	1.46
6865MHz	Pass	PK	6.8552G	110.09	Inf	-Inf	3	Horizontal	159	1.46
6865MHz	Pass	PK	7.18G	61.02	88.20	-27.18	3	Horizontal	159	1.46
6865MHz	Pass	AV	13.72657G	47.18	68.20	-21.02	3	Vertical	333	3.00
6865MHz	Pass	PK	13.72583G	55.61	88.20	-32.59	3	Vertical	333	3.00
6865MHz	Pass	AV	13.726G	47.05	68.20	-21.15	3	Horizontal	223	2.32
6865MHz	Pass	PK	13.7299G	57.92	88.20	-30.28	3	Horizontal	223	2.32
6945MHz	Pass	AV	6.9144G	100.29	Inf	-Inf	3	Vertical	165	1.37
6945MHz	Pass	AV	7.2042G	51.28	68.20	-16.92	3	Vertical	165	1.37



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6945MHz	Pass	PK	6.9342G	110.94	Inf	-Inf	3	Vertical	165	1.37
6945MHz	Pass	PK	7.2258G	61.31	88.20	-26.89	3	Vertical	165	1.37
6945MHz	Pass	AV	6.915G	99.27	Inf	-Inf	3	Horizontal	160	1.44
6945MHz	Pass	AV	7.1892G	51.29	68.20	-16.91	3	Horizontal	160	1.44
6945MHz	Pass	PK	6.9156G	108.94	Inf	-Inf	3	Horizontal	160	1.44
6945MHz	Pass	PK	7.149G	61.14	88.20	-27.06	3	Horizontal	160	1.44
6945MHz	Pass	AV	13.88791G	47.09	68.20	-21.11	3	Vertical	38	2.13
6945MHz	Pass	PK	13.89002G	56.15	88.20	-32.05	3	Vertical	38	2.13
6945MHz	Pass	AV	13.88704G	47.26	68.20	-20.94	3	Horizontal	306	2.56
6945MHz	Pass	PK	13.8947G	55.77	88.20	-32.43	3	Horizontal	306	2.56
7025MHz	Pass	AV	6.9932G	98.65	Inf	-Inf	3	Vertical	18	2.73
7025MHz	Pass	AV	7.1255G	53.93	68.20	-14.27	3	Vertical	18	2.73
7025MHz	Pass	PK	7.0082G	110.40	Inf	-Inf	3	Vertical	18	2.73
7025MHz	Pass	PK	7.1255G	66.06	88.20	-22.14	3	Vertical	18	2.73
7025MHz	Pass	AV	7.0358G	96.27	Inf	-Inf	3	Horizontal	108	1.50
7025MHz	Pass	AV	7.1261G	54.00	68.20	-14.20	3	Horizontal	108	1.50
7025MHz	Pass	PK	7.0358G	107.36	Inf	-Inf	3	Horizontal	108	1.50
7025MHz	Pass	PK	7.1264G	68.18	88.20	-20.02	3	Horizontal	108	1.50
7025MHz	Pass	AV	14.05312G	47.68	68.20	-20.52	3	Vertical	79	2.92
7025MHz	Pass	PK	14.04787G	57.15	88.20	-31.05	3	Vertical	79	2.92
7025MHz	Pass	AV	14.04797G	47.66	68.20	-20.54	3	Horizontal	4	2.25
7025MHz	Pass	PK	14.05498G	57.39	88.20	-30.81	3	Horizontal	4	2.25
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.924G	56.95	68.20	-11.25	3	Vertical	46	2.48
5985MHz	Pass	AV	6.0115G	99.28	Inf	-Inf	3	Vertical	46	2.48
5985MHz	Pass	PK	5.9245G	67.69	88.20	-20.51	3	Vertical	46	2.48
5985MHz	Pass	PK	5.998G	108.94	Inf	-Inf	3	Vertical	46	2.48
5985MHz	Pass	AV	5.9215G	55.69	68.20	-12.51	3	Horizontal	44	1.59
5985MHz	Pass	AV	6.0115G	99.09	Inf	-Inf	3	Horizontal	44	1.59
5985MHz	Pass	PK	5.9215G	66.17	88.20	-22.03	3	Horizontal	44	1.59
5985MHz	Pass	PK	6G	109.55	Inf	-Inf	3	Horizontal	44	1.59
5985MHz	Pass	AV	11.97073G	44.60	54.00	-9.40	3	Vertical	243	1.75
5985MHz	Pass	PK	11.96893G	54.33	74.00	-19.67	3	Vertical	243	1.75
5985MHz	Pass	AV	11.96882G	44.82	54.00	-9.18	3	Horizontal	110	2.66
5985MHz	Pass	PK	11.96643G	54.31	74.00	-19.69	3	Horizontal	110	2.66
6145MHz	Pass	AV	5.9182G	48.79	68.20	-19.41	3	Vertical	166	1.32
6145MHz	Pass	AV	6.157G	98.20	Inf	-Inf	3	Vertical	166	1.32
6145MHz	Pass	PK	5.8942G	59.20	88.20	-29.00	3	Vertical	166	1.32
6145MHz	Pass	PK	6.1372G	109.96	Inf	-Inf	3	Vertical	166	1.32
6145MHz	Pass	AV	5.9206G	49.25	68.20	-18.95	3	Horizontal	47	1.67
6145MHz	Pass	AV	6.1384G	99.16	Inf	-Inf	3	Horizontal	47	1.67
6145MHz	Pass	PK	5.9068G	58.88	88.20	-29.32	3	Horizontal	47	1.67
6145MHz	Pass	PK	6.1336G	109.74	Inf	-Inf	3	Horizontal	47	1.67
6145MHz	Pass	AV	12.28556G	45.83	54.00	-8.17	3	Vertical	22	1.48
6145MHz	Pass	PK	12.28593G	54.77	74.00	-19.23	3	Vertical	22	1.48
6145MHz	Pass	AV	12.29118G	45.50	54.00	-8.50	3	Horizontal	324	2.88
6145MHz	Pass	PK	12.2913G	54.73	74.00	-19.27	3	Horizontal	324	2.88
6385MHz	Pass	AV	5.845G	48.60	68.20	-19.60	3	Vertical	130	2.24
6385MHz	Pass	AV	6.3646G	98.66	Inf	-Inf	3	Vertical	130	2.24
6385MHz	Pass	PK	5.8738G	57.73	88.20	-30.47	3	Vertical	130	2.24
6385MHz	Pass	PK	6.3922G	109.13	Inf	-Inf	3	Vertical	130	2.24
6385MHz	Pass	AV	5.9086G	48.56	68.20	-19.64	3	Horizontal	45	1.50
6385MHz	Pass	AV	6.397G	98.39	Inf	-Inf	3	Horizontal	45	1.50
6385MHz	Pass	PK	5.9242G	58.18	88.20	-30.02	3	Horizontal	45	1.50
6385MHz	Pass	PK	6.373G	109.23	Inf	-Inf	3	Horizontal	45	1.50
6385MHz	Pass	AV	12.7682G	46.33	68.20	-21.87	3	Vertical	246	2.72
6385MHz	Pass	PK	12.76616G	55.20	88.20	-33.00	3	Vertical	246	2.72
6385MHz	Pass	AV	12.77287G	46.12	68.20	-22.08	3	Horizontal	194	2.87
6385MHz	Pass	PK	12.76566G	54.99	88.20	-33.21	3	Horizontal	194	2.87
6465MHz	Pass	AV	5.8882G	48.40	68.20	-19.80	3	Vertical	132	1.53
6465MHz	Pass	AV	6.437G	98.93	Inf	-Inf	3	Vertical	132	1.53
6465MHz	Pass	AV	7.151G	50.75	68.20	-17.45	3	Vertical	132	1.53



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6465MHz	Pass	PK	5.765G	58.36	88.20	-29.84	3	Vertical	132	1.53
6465MHz	Pass	PK	6.4398G	110.24	Inf	-Inf	3	Vertical	132	1.53
6465MHz	Pass	PK	7.13G	60.68	88.20	-27.52	3	Vertical	132	1.53
6465MHz	Pass	AV	5.8896G	48.51	68.20	-19.69	3	Horizontal	39	1.64
6465MHz	Pass	AV	6.451G	99.16	Inf	-Inf	3	Horizontal	39	1.64
6465MHz	Pass	AV	7.1538G	50.84	68.20	-17.36	3	Horizontal	39	1.64
6465MHz	Pass	PK	5.8672G	57.89	88.20	-30.31	3	Horizontal	39	1.64
6465MHz	Pass	PK	6.4776G	108.58	Inf	-Inf	3	Horizontal	39	1.64
6465MHz	Pass	PK	7.1412G	59.67	88.20	-28.53	3	Horizontal	39	1.64
6465MHz	Pass	AV	12.93438G	46.38	68.20	-21.82	3	Vertical	44	1.91
6465MHz	Pass	PK	12.93412G	56.28	88.20	-31.92	3	Vertical	44	1.91
6465MHz	Pass	AV	12.93263G	46.36	68.20	-21.84	3	Horizontal	48	2.97
6465MHz	Pass	PK	12.93032G	56.33	88.20	-31.87	3	Horizontal	48	2.97
6545MHz	Pass	AV	5.9248G	48.43	68.20	-19.77	3	Vertical	0	2.95
6545MHz	Pass	AV	6.5128G	98.62	Inf	-Inf	3	Vertical	0	2.95
6545MHz	Pass	AV	7.2072G	50.99	68.20	-17.21	3	Vertical	0	2.95
6545MHz	Pass	PK	5.8926G	57.90	88.20	-30.30	3	Vertical	0	2.95
6545MHz	Pass	PK	6.5226G	108.48	Inf	-Inf	3	Vertical	0	2.95
6545MHz	Pass	PK	7.238G	60.93	88.20	-27.27	3	Vertical	0	2.95
6545MHz	Pass	AV	5.8618G	48.38	68.20	-19.82	3	Horizontal	49	2.24
6545MHz	Pass	AV	6.5562G	98.81	Inf	-Inf	3	Horizontal	49	2.24
6545MHz	Pass	AV	7.2072G	51.03	68.20	-17.17	3	Horizontal	49	2.24
6545MHz	Pass	PK	5.9052G	58.04	88.20	-30.16	3	Horizontal	49	2.24
6545MHz	Pass	PK	6.5184G	108.42	Inf	-Inf	3	Horizontal	49	2.24
6545MHz	Pass	PK	7.168G	60.32	88.20	-27.88	3	Horizontal	49	2.24
6545MHz	Pass	AV	13.08895G	46.50	68.20	-21.70	3	Vertical	250	1.22
6545MHz	Pass	PK	13.08565G	55.95	88.20	-32.25	3	Vertical	250	1.22
6545MHz	Pass	AV	13.08732G	46.50	68.20	-21.70	3	Horizontal	218	1.27
6545MHz	Pass	PK	13.09487G	55.51	88.20	-32.69	3	Horizontal	218	1.27
6625MHz	Pass	AV	6.6118G	98.13	Inf	-Inf	3	Vertical	28	3.00
6625MHz	Pass	AV	7.1998G	51.01	68.20	-17.19	3	Vertical	28	3.00
6625MHz	Pass	PK	6.613G	109.16	Inf	-Inf	3	Vertical	28	3.00
6625MHz	Pass	PK	7.213G	61.22	88.20	-26.98	3	Vertical	28	3.00
6625MHz	Pass	AV	6.6142G	98.36	Inf	-Inf	3	Horizontal	46	2.15
6625MHz	Pass	AV	7.2166G	50.82	68.20	-17.38	3	Horizontal	46	2.15
6625MHz	Pass	PK	6.6082G	108.59	Inf	-Inf	3	Horizontal	46	2.15
6625MHz	Pass	PK	7.1926G	60.49	88.20	-27.71	3	Horizontal	46	2.15
6625MHz	Pass	AV	13.2463G	46.71	68.20	-21.49	3	Vertical	179	2.57
6625MHz	Pass	PK	13.24788G	55.91	88.20	-32.29	3	Vertical	179	2.57
6625MHz	Pass	AV	13.25402G	46.68	54.00	-7.32	3	Horizontal	254	2.38
6625MHz	Pass	PK	13.24856G	57.18	88.20	-31.02	3	Horizontal	254	2.38
6705MHz	Pass	AV	6.691G	99.78	Inf	-Inf	3	Vertical	340	1.67
6705MHz	Pass	AV	7.147G	50.99	68.20	-17.21	3	Vertical	340	1.67
6705MHz	Pass	PK	6.697G	109.88	Inf	-Inf	3	Vertical	340	1.67
6705MHz	Pass	PK	7.188G	60.11	88.20	-28.09	3	Vertical	340	1.67
6705MHz	Pass	AV	6.692G	98.53	Inf	-Inf	3	Horizontal	44	1.50
6705MHz	Pass	AV	7.192G	51.07	68.20	-17.13	3	Horizontal	44	1.50
6705MHz	Pass	PK	6.699G	108.37	Inf	-Inf	3	Horizontal	44	1.50
6705MHz	Pass	PK	7.138G	60.59	88.20	-27.61	3	Horizontal	44	1.50
6705MHz	Pass	AV	13.40628G	46.88	68.20	-21.32	3	Vertical	90	1.58
6705MHz	Pass	PK	13.41209G	56.22	88.20	-31.98	3	Vertical	90	1.58
6705MHz	Pass	AV	13.40708G	46.82	68.20	-21.38	3	Horizontal	103	2.61
6705MHz	Pass	PK	13.40878G	57.09	88.20	-31.11	3	Horizontal	103	2.61
6785MHz	Pass	AV	6.7682G	98.98	Inf	-Inf	3	Vertical	336	2.73
6785MHz	Pass	AV	7.1322G	50.70	68.20	-17.50	3	Vertical	336	2.73
6785MHz	Pass	PK	6.7731G	108.96	Inf	-Inf	3	Vertical	336	2.73
6785MHz	Pass	PK	7.1343G	59.66	88.20	-28.54	3	Vertical	336	2.73
6785MHz	Pass	AV	6.7724G	98.53	Inf	-Inf	3	Horizontal	42	1.50
6785MHz	Pass	AV	7.1329G	50.63	68.20	-17.57	3	Horizontal	42	1.50
6785MHz	Pass	PK	6.7549G	109.13	Inf	-Inf	3	Horizontal	42	1.50
6785MHz	Pass	PK	7.1315G	59.40	88.20	-28.80	3	Horizontal	42	1.50
6785MHz	Pass	AV	13.56923G	47.52	68.20	-20.68	3	Vertical	245	2.54



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6785MHz	Pass	PK	13.56918G	57.49	88.20	-30.71	3	Vertical	245	2.54
6785MHz	Pass	AV	13.56748G	47.53	68.20	-20.67	3	Horizontal	183	2.64
6785MHz	Pass	PK	13.57014G	57.43	88.20	-30.77	3	Horizontal	183	2.64
6865MHz	Pass	AV	6.8622G	98.16	Inf	-Inf	3	Vertical	187	3.00
6865MHz	Pass	AV	7.1695G	51.22	68.20	-16.98	3	Vertical	187	3.00
6865MHz	Pass	PK	6.8615G	109.91	Inf	-Inf	3	Vertical	187	3.00
6865MHz	Pass	PK	7.2122G	60.96	88.20	-27.24	3	Vertical	187	3.00
6865MHz	Pass	AV	6.8517G	98.95	Inf	-Inf	3	Horizontal	41	1.51
6865MHz	Pass	AV	7.1639G	51.08	68.20	-17.12	3	Horizontal	41	1.51
6865MHz	Pass	PK	6.8503G	109.16	Inf	-Inf	3	Horizontal	41	1.51
6865MHz	Pass	PK	7.2108G	61.06	88.20	-27.14	3	Horizontal	41	1.51
6865MHz	Pass	AV	13.72768G	47.61	68.20	-20.59	3	Vertical	45	2.42
6865MHz	Pass	PK	13.72655G	55.71	88.20	-32.49	3	Vertical	45	2.42
6865MHz	Pass	AV	13.73164G	47.36	68.20	-20.84	3	Horizontal	86	1.66
6865MHz	Pass	PK	13.73308G	56.94	88.20	-31.26	3	Horizontal	86	1.66
6945MHz	Pass	AV	6.909G	98.41	Inf	-Inf	3	Vertical	36	3.00
6945MHz	Pass	AV	7.1388G	51.20	68.20	-17.00	3	Vertical	36	3.00
6945MHz	Pass	PK	6.9108G	109.51	Inf	-Inf	3	Vertical	36	3.00
6945MHz	Pass	PK	7.2228G	61.96	88.20	-26.24	3	Vertical	36	3.00
6945MHz	Pass	AV	6.9138G	96.16	Inf	-Inf	3	Horizontal	44	1.50
6945MHz	Pass	AV	7.1268G	51.20	68.20	-17.00	3	Horizontal	44	1.50
6945MHz	Pass	PK	6.9072G	108.48	Inf	-Inf	3	Horizontal	44	1.50
6945MHz	Pass	PK	7.1508G	60.64	88.20	-27.56	3	Horizontal	44	1.50
6945MHz	Pass	AV	13.88876G	47.74	68.20	-20.46	3	Vertical	51	1.83
6945MHz	Pass	PK	13.89224G	57.16	88.20	-31.04	3	Vertical	51	1.83
6945MHz	Pass	AV	13.895G	47.57	68.20	-20.63	3	Horizontal	129	2.42
6945MHz	Pass	PK	13.89047G	57.91	88.20	-30.29	3	Horizontal	129	2.42
7025MHz	Pass	AV	7.01G	98.84	Inf	-Inf	3	Vertical	106	1.50
7025MHz	Pass	AV	7.13G	54.50	68.20	-13.70	3	Vertical	106	1.50
7025MHz	Pass	PK	7.0091G	111.78	Inf	-Inf	3	Vertical	106	1.50
7025MHz	Pass	PK	7.1303G	67.91	88.20	-20.29	3	Vertical	106	1.50
7025MHz	Pass	AV	7.0112G	99.48	Inf	-Inf	3	Horizontal	20	1.60
7025MHz	Pass	AV	7.13G	54.28	68.20	-13.92	3	Horizontal	20	1.60
7025MHz	Pass	PK	7.0103G	110.70	Inf	-Inf	3	Horizontal	20	1.60
7025MHz	Pass	PK	7.1318G	67.60	88.20	-20.60	3	Horizontal	20	1.60
7025MHz	Pass	AV	14.0452G	47.13	68.20	-21.07	3	Vertical	188	2.76
7025MHz	Pass	PK	14.05801G	58.42	88.20	-29.78	3	Vertical	188	2.76
7025MHz	Pass	AV	12.82591G	45.27	68.20	-22.93	3	Horizontal	63	2.07
7025MHz	Pass	PK	12.82775G	56.59	88.20	-31.61	3	Horizontal	63	2.07
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9185G	63.71	68.20	-4.49	3	Vertical	161	1.40
6025MHz	Pass	AV	6.0865G	100.89	Inf	-Inf	3	Vertical	161	1.40
6025MHz	Pass	PK	5.917G	74.14	88.20	-14.06	3	Vertical	161	1.40
6025MHz	Pass	PK	6.0415G	110.51	Inf	-Inf	3	Vertical	161	1.40
6025MHz	Pass	AV	5.9215G	62.79	68.20	-5.41	3	Horizontal	29	1.50
6025MHz	Pass	AV	6.0865G	100.93	Inf	-Inf	3	Horizontal	29	1.50
6025MHz	Pass	PK	5.9205G	74.06	88.20	-14.14	3	Horizontal	29	1.50
6025MHz	Pass	PK	6.0865G	110.72	Inf	-Inf	3	Horizontal	29	1.50
6025MHz	Pass	AV	12.04781G	45.38	54.00	-8.62	3	Vertical	107	1.63
6025MHz	Pass	PK	12.05385G	56.08	74.00	-17.92	3	Vertical	107	1.63
6025MHz	Pass	AV	12.04876G	45.59	54.00	-8.41	3	Horizontal	73	2.56
6025MHz	Pass	PK	12.0547G	55.59	74.00	-18.41	3	Horizontal	73	2.56
6185MHz	Pass	AV	5.9194G	50.65	68.20	-17.55	3	Vertical	158	1.24
6185MHz	Pass	AV	6.157G	100.32	Inf	-Inf	3	Vertical	158	1.24
6185MHz	Pass	PK	5.9146G	61.47	88.20	-26.73	3	Vertical	158	1.24
6185MHz	Pass	PK	6.177G	109.04	Inf	-Inf	3	Vertical	158	1.24
6185MHz	Pass	AV	5.9114G	51.71	68.20	-16.49	3	Horizontal	34	2.14
6185MHz	Pass	AV	6.2058G	100.71	Inf	-Inf	3	Horizontal	34	2.14
6185MHz	Pass	PK	5.9234G	68.15	88.20	-20.05	3	Horizontal	34	2.14
6185MHz	Pass	PK	6.2058G	109.99	Inf	-Inf	3	Horizontal	34	2.14
6185MHz	Pass	AV	12.37108G	46.18	54.00	-7.82	3	Vertical	249	2.49
6185MHz	Pass	PK	12.37208G	55.52	74.00	-18.48	3	Vertical	249	2.49



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	AV	12.37365G	45.90	54.00	-8.10	3	Horizontal	143	1.69
6185MHz	Pass	PK	12.37189G	55.79	74.00	-18.21	3	Horizontal	143	1.69
6345MHz	Pass	PK	5.8554G	58.64	88.20	-29.56	3	Vertical	173	2.82
6345MHz	Pass	AV	5.925G	49.56	68.20	-18.64	3	Vertical	173	2.82
6345MHz	Pass	PK	6.3126G	105.94	Inf	-Inf	3	Vertical	173	2.82
6345MHz	Pass	AV	6.3678G	97.59	Inf	-Inf	3	Vertical	173	2.82
6345MHz	Pass	AV	5.8938G	50.02	68.20	-18.18	3	Horizontal	38	2.24
6345MHz	Pass	AV	6.321G	99.60	Inf	-Inf	3	Horizontal	38	2.24
6345MHz	Pass	PK	5.895G	60.04	88.20	-28.16	3	Horizontal	38	2.24
6345MHz	Pass	PK	6.3762G	110.57	Inf	-Inf	3	Horizontal	38	2.24
6345MHz	Pass	AV	12.68784G	46.53	54.00	-7.47	3	Vertical	206	1.30
6345MHz	Pass	PK	12.69077G	55.34	74.00	-18.66	3	Vertical	206	1.30
6345MHz	Pass	AV	12.68792G	46.20	54.00	-7.80	3	Horizontal	256	1.43
6345MHz	Pass	PK	12.68665G	55.15	74.00	-18.85	3	Horizontal	256	1.43
6505MHz	Pass	AV	5.84892G	49.87	68.20	-18.33	3	Vertical	173	1.31
6505MHz	Pass	AV	6.48454G	99.52	Inf	-Inf	3	Vertical	173	1.31
6505MHz	Pass	PK	5.80622G	59.55	88.20	-28.65	3	Vertical	173	1.31
6505MHz	Pass	PK	6.47844G	109.66	Inf	-Inf	3	Vertical	173	1.31
6505MHz	Pass	AV	5.85624G	49.54	68.20	-18.66	3	Horizontal	36	2.33
6505MHz	Pass	AV	6.476G	99.47	Inf	-Inf	3	Horizontal	36	2.33
6505MHz	Pass	PK	5.85502G	59.43	88.20	-28.77	3	Horizontal	36	2.33
6505MHz	Pass	PK	6.48088G	110.42	Inf	-Inf	3	Horizontal	36	2.33
6505MHz	Pass	AV	13.00884G	46.52	68.20	-21.68	3	Vertical	90	1.12
6505MHz	Pass	PK	13.00705G	55.58	88.20	-32.62	3	Vertical	90	1.12
6505MHz	Pass	AV	13.01181G	47.17	68.20	-21.03	3	Horizontal	214	2.73
6505MHz	Pass	PK	13.00912G	54.98	88.20	-33.22	3	Horizontal	214	2.73
6665MHz	Pass	AV	6.6958G	97.60	Inf	-Inf	3	Vertical	5.8	1.50
6665MHz	Pass	AV	7.1314G	52.28	68.20	-15.92	3	Vertical	5.8	1.50
6665MHz	Pass	PK	6.6364G	108.18	Inf	-Inf	3	Vertical	5.8	1.50
6665MHz	Pass	PK	7.1259G	62.70	88.20	-25.50	3	Vertical	5.8	1.50
6665MHz	Pass	AV	6.6463G	99.55	Inf	-Inf	3	Horizontal	33	2.31
6665MHz	Pass	AV	7.1831G	52.26	68.20	-15.94	3	Horizontal	33	2.31
6665MHz	Pass	PK	6.6056G	109.65	Inf	-Inf	3	Horizontal	33	2.31
6665MHz	Pass	PK	7.1952G	62.08	88.20	-26.12	3	Horizontal	33	2.31
6665MHz	Pass	AV	13.32533G	46.85	54.00	-7.15	3	Vertical	153	1.89
6665MHz	Pass	PK	13.33213G	55.29	74.00	-18.71	3	Vertical	153	1.89
6665MHz	Pass	AV	13.33266G	47.00	54.00	-7.00	3	Horizontal	59	2.36
6665MHz	Pass	PK	13.33065G	55.21	74.00	-18.79	3	Horizontal	59	2.36
6825MHz	Pass	AV	6.7986G	99.97	Inf	-Inf	3	Vertical	16	2.94
6825MHz	Pass	AV	7.1314G	52.53	68.20	-15.67	3	Vertical	16	2.94
6825MHz	Pass	PK	6.833G	110.61	Inf	-Inf	3	Vertical	16	2.94
6825MHz	Pass	PK	7.169G	62.99	88.20	-25.21	3	Vertical	16	2.94
6825MHz	Pass	AV	6.801G	98.13	Inf	-Inf	3	Horizontal	27	1.50
6825MHz	Pass	AV	7.1474G	52.34	68.20	-15.86	3	Horizontal	27	1.50
6825MHz	Pass	PK	6.8506G	108.47	Inf	-Inf	3	Horizontal	27	1.50
6825MHz	Pass	PK	7.2074G	63.65	88.20	-24.55	3	Horizontal	27	1.50
6825MHz	Pass	AV	13.65269G	48.16	68.20	-20.04	3	Vertical	319	2.00
6825MHz	Pass	PK	13.64511G	57.81	88.20	-30.39	3	Vertical	319	2.00
6825MHz	Pass	AV	13.64519G	48.35	68.20	-19.85	3	Horizontal	247	1.49
6825MHz	Pass	PK	13.64946G	57.27	88.20	-30.93	3	Horizontal	247	1.49
6985MHz	Pass	AV	6.962G	99.63	Inf	-Inf	3	Vertical	151	2.19
6985MHz	Pass	AV	7.139G	59.47	68.20	-8.73	3	Vertical	151	2.19
6985MHz	Pass	PK	6.9665G	110.41	Inf	-Inf	3	Vertical	151	2.19
6985MHz	Pass	PK	7.14G	76.62	88.20	-11.58	3	Vertical	151	2.19
6985MHz	Pass	AV	6.926G	98.76	Inf	-Inf	3	Horizontal	25	1.62
6985MHz	Pass	AV	7.13G	59.84	68.20	-8.36	3	Horizontal	25	1.62
6985MHz	Pass	PK	6.966G	108.87	Inf	-Inf	3	Horizontal	25	1.62
6985MHz	Pass	PK	7.131G	77.84	88.20	-10.36	3	Horizontal	25	1.62
6985MHz	Pass	AV	13.96574G	48.17	68.20	-20.03	3	Vertical	86	2.92
6985MHz	Pass	PK	13.9671G	56.75	88.20	-31.45	3	Vertical	86	2.92
6985MHz	Pass	AV	13.97071G	48.17	68.20	-20.03	3	Horizontal	23	1.10
6985MHz	Pass	PK	13.97213G	56.24	88.20	-31.96	3	Horizontal	23	1.10



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.916G	67.76	68.20	-0.44	3	Vertical	163	1.50
6025MHz	Pass	AV	6.049G	98.86	Inf	-Inf	3	Vertical	163	1.50
6025MHz	Pass	PK	5.915G	83.61	88.20	-4.59	3	Vertical	163	1.50
6025MHz	Pass	PK	6.058G	109.93	Inf	-Inf	3	Vertical	163	1.50
6025MHz	Pass	AV	5.9185G	67.16	68.20	-1.04	3	Horizontal	41	1.65
6025MHz	Pass	AV	6.049G	99.46	Inf	-Inf	3	Horizontal	41	1.65
6025MHz	Pass	PK	5.9125G	78.46	88.20	-9.74	3	Horizontal	41	1.65
6025MHz	Pass	PK	6.05G	108.31	Inf	-Inf	3	Horizontal	41	1.65
6025MHz	Pass	AV	12.04593G	46.20	54.00	-7.80	3	Vertical	308	2.59
6025MHz	Pass	PK	12.04735G	54.41	74.00	-19.59	3	Vertical	308	2.59
6025MHz	Pass	AV	12.05443G	46.05	54.00	-7.95	3	Horizontal	100	2.36
6025MHz	Pass	PK	12.04935G	55.05	74.00	-18.95	3	Horizontal	100	2.36
6185MHz	Pass	AV	5.917G	55.15	68.20	-13.05	3	Vertical	166	1.38
6185MHz	Pass	AV	6.2066G	99.29	Inf	-Inf	3	Vertical	166	1.38
6185MHz	Pass	PK	5.9202G	67.27	88.20	-20.93	3	Vertical	166	1.38
6185MHz	Pass	PK	6.1586G	108.73	Inf	-Inf	3	Vertical	166	1.38
6185MHz	Pass	AV	5.9242G	55.82	68.20	-12.38	3	Horizontal	46	1.49
6185MHz	Pass	AV	6.161G	100.70	Inf	-Inf	3	Horizontal	46	1.49
6185MHz	Pass	PK	5.9162G	68.82	88.20	-19.38	3	Horizontal	46	1.49
6185MHz	Pass	PK	6.2114G	110.22	Inf	-Inf	3	Horizontal	46	1.49
6185MHz	Pass	AV	12.36664G	45.88	54.00	-8.12	3	Vertical	321	2.09
6185MHz	Pass	PK	12.37334G	55.43	74.00	-18.57	3	Vertical	321	2.09
6185MHz	Pass	AV	12.36613G	45.97	54.00	-8.03	3	Horizontal	34	1.53
6185MHz	Pass	PK	12.37093G	54.86	74.00	-19.14	3	Horizontal	34	1.53
6345MHz	Pass	AV	5.9094G	49.71	68.20	-18.49	3	Vertical	129	2.26
6345MHz	Pass	AV	6.3246G	100.23	Inf	-Inf	3	Vertical	129	2.26
6345MHz	Pass	PK	5.9106G	58.21	88.20	-29.99	3	Vertical	129	2.26
6345MHz	Pass	PK	6.3222G	109.91	Inf	-Inf	3	Vertical	129	2.26
6345MHz	Pass	AV	5.9202G	50.46	68.20	-17.74	3	Horizontal	40	1.74
6345MHz	Pass	AV	6.3198G	99.48	Inf	-Inf	3	Horizontal	40	1.74
6345MHz	Pass	PK	5.9118G	59.67	88.20	-28.53	3	Horizontal	40	1.74
6345MHz	Pass	PK	6.3198G	107.12	Inf	-Inf	3	Horizontal	40	1.74
6345MHz	Pass	AV	12.68605G	47.22	54.00	-6.78	3	Vertical	53	2.68
6345MHz	Pass	PK	12.68707G	54.40	74.00	-19.60	3	Vertical	53	2.68
6345MHz	Pass	AV	12.6917G	46.42	54.00	-7.58	3	Horizontal	3	2.15
6345MHz	Pass	PK	12.69058G	55.03	74.00	-18.97	3	Horizontal	3	2.15
6505MHz	Pass	AV	5.90626G	49.59	68.20	-18.61	3	Vertical	0	2.98
6505MHz	Pass	AV	6.44306G	100.03	Inf	-Inf	3	Vertical	0	2.98
6505MHz	Pass	PK	5.90626G	59.10	88.20	-29.10	3	Vertical	0	2.98
6505MHz	Pass	PK	6.4821G	110.02	Inf	-Inf	3	Vertical	0	2.98
6505MHz	Pass	AV	5.90382G	49.45	68.20	-18.75	3	Horizontal	43	1.61
6505MHz	Pass	AV	6.44184G	99.23	Inf	-Inf	3	Horizontal	43	1.61
6505MHz	Pass	PK	5.8233G	58.63	88.20	-29.57	3	Horizontal	43	1.61
6505MHz	Pass	PK	6.44916G	107.29	Inf	-Inf	3	Horizontal	43	1.61
6505MHz	Pass	AV	13.01296G	47.65	68.20	-20.55	3	Vertical	276	2.24
6505MHz	Pass	PK	13.01275G	55.66	88.20	-32.54	3	Vertical	276	2.24
6505MHz	Pass	AV	13.01375G	47.18	68.20	-21.02	3	Horizontal	248	1.96
6505MHz	Pass	PK	13.01372G	55.78	88.20	-32.42	3	Horizontal	248	1.96
6665MHz	Pass	AV	6.6364G	100.68	Inf	-Inf	3	Vertical	0	2.72
6665MHz	Pass	AV	7.215G	52.27	68.20	-15.93	3	Vertical	0	2.72
6665MHz	Pass	PK	6.6023G	109.46	Inf	-Inf	3	Vertical	0	2.72
6665MHz	Pass	PK	7.2084G	61.07	88.20	-27.13	3	Vertical	0	2.72
6665MHz	Pass	AV	6.6496G	100.59	Inf	-Inf	3	Horizontal	47	1.50
6665MHz	Pass	AV	7.2029G	52.59	68.20	-15.61	3	Horizontal	47	1.50
6665MHz	Pass	PK	6.6947G	110.06	Inf	-Inf	3	Horizontal	47	1.50
6665MHz	Pass	PK	7.1699G	60.47	88.20	-27.73	3	Horizontal	47	1.50
6665MHz	Pass	AV	13.3336G	47.51	54.00	-6.49	3	Vertical	226	2.15
6665MHz	Pass	PK	13.32625G	57.00	74.00	-17.00	3	Vertical	226	2.15
6665MHz	Pass	AV	13.33429G	47.76	54.00	-6.24	3	Horizontal	178	2.15
6665MHz	Pass	PK	13.33309G	56.23	74.00	-17.77	3	Horizontal	178	2.15
6825MHz	Pass	AV	6.8058G	100.13	Inf	-Inf	3	Vertical	338	2.72



RSE TX above 1GHz_Non-Beamforming


Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6825MHz	Pass	AV	7.125G	57.10	68.20	-11.10	3	Vertical	338	2.72
6825MHz	Pass	PK	6.7594G	108.32	Inf	-Inf	3	Vertical	338	2.72
6825MHz	Pass	PK	7.125G	64.75	88.20	-23.45	3	Vertical	338	2.72
6825MHz	Pass	AV	6.8114G	99.86	Inf	-Inf	3	Horizontal	46	1.50
6825MHz	Pass	AV	7.1746G	56.12	68.20	-12.08	3	Horizontal	46	1.50
6825MHz	Pass	PK	6.8074G	109.64	Inf	-Inf	3	Horizontal	46	1.50
6825MHz	Pass	PK	7.1946G	65.72	88.20	-22.48	3	Horizontal	46	1.50
6825MHz	Pass	AV	13.6507G	48.32	68.20	-19.88	3	Vertical	276	2.22
6825MHz	Pass	PK	13.64943G	56.66	88.20	-31.54	3	Vertical	276	2.22
6825MHz	Pass	AV	13.6459G	48.66	68.20	-19.54	3	Horizontal	79	2.71
6825MHz	Pass	PK	13.65317G	57.32	88.20	-30.88	3	Horizontal	79	2.71
6985MHz	Pass	AV	6.923G	98.93	Inf	-Inf	3	Vertical	187	3.00
6985MHz	Pass	AV	7.141G	67.90	68.20	-0.30	3	Vertical	187	3.00
6985MHz	Pass	PK	6.961G	110.67	Inf	-Inf	3	Vertical	187	3.00
6985MHz	Pass	PK	7.141G	80.54	88.20	-7.66	3	Vertical	187	3.00
6985MHz	Pass	AV	6.9555G	99.41	Inf	-Inf	3	Horizontal	49	2.22
6985MHz	Pass	AV	7.139G	67.88	68.20	-0.32	3	Horizontal	49	2.22
6985MHz	Pass	PK	6.926G	107.89	Inf	-Inf	3	Horizontal	49	2.22
6985MHz	Pass	PK	7.137G	79.69	88.20	-8.51	3	Horizontal	49	2.22
6985MHz	Pass	AV	13.96904G	48.69	68.20	-19.51	3	Vertical	58	1.99
6985MHz	Pass	PK	13.97176G	58.14	88.20	-30.06	3	Vertical	58	1.99
6985MHz	Pass	AV	13.97359G	48.53	68.20	-19.67	3	Horizontal	97	1.29
6985MHz	Pass	PK	13.96815G	56.76	88.20	-31.44	3	Horizontal	97	1.29



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9247G	47.48	68.20	-20.72	6.03	3	Vertical	156	1.50	41.45	34.30	6.26	34.53
AV	5.9613G	97.82	Inf	-Inf	6.04	3	Vertical	156	1.50	91.78	34.28	6.28	34.52
PK	5.9244G	59.04	88.20	-29.16	6.03	3	Vertical	156	1.50	53.01	34.30	6.26	34.53
PK	5.9616G	108.34	Inf	-Inf	6.04	3	Vertical	156	1.50	102.30	34.28	6.28	34.52


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	47.66	68.20	-20.54	6.03	3	Horizontal	7	1.50	41.63	34.30	6.26	34.53
AV	5.9496G	98.06	Inf	-Inf	6.05	3	Horizontal	7	1.50	92.01	34.30	6.27	34.52
PK	5.8941G	59.20	88.20	-29.00	6.00	3	Horizontal	7	1.50	53.20	34.28	6.25	34.53
PK	5.9493G	108.69	Inf	-Inf	6.05	3	Horizontal	7	1.50	102.64	34.30	6.27	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91115G	41.76	54.00	-12.24	12.49	3	Vertical	59	1.63	29.27	38.52	8.67	34.70
PK	11.90717G	51.34	74.00	-22.66	12.48	3	Vertical	59	1.63	38.86	38.51	8.67	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90917G	41.74	54.00	-12.26	12.49	3	Horizontal	349	2.29	29.25	38.52	8.67	34.70
PK	11.90897G	52.33	74.00	-21.67	12.49	3	Horizontal	349	2.29	39.84	38.52	8.67	34.70



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9104G	47.33	68.20	-20.87	6.03	3	Vertical	130	2.31	41.30	34.30	6.26	34.53
AV	6.1774G	98.45	Inf	-Inf	6.05	3	Vertical	130	2.31	92.40	34.21	6.34	34.50
PK	5.902G	58.65	88.20	-29.55	6.02	3	Vertical	130	2.31	52.63	34.30	6.25	34.53
PK	6.172G	109.65	Inf	-Inf	6.02	3	Vertical	130	2.31	103.63	34.19	6.33	34.50


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9098G	47.34	68.20	-20.86	6.02	3	Horizontal	24	2.22	41.32	34.30	6.25	34.53
AV	6.1804G	98.52	Inf	-Inf	6.06	3	Horizontal	24	2.22	92.46	34.22	6.34	34.50
PK	5.9194G	58.35	88.20	-29.85	6.03	3	Horizontal	24	2.22	52.32	34.30	6.26	34.53
PK	6.166G	108.57	Inf	-Inf	5.99	3	Horizontal	24	2.22	102.58	34.16	6.33	34.50

**5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6175MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34947G	44.17	54.00	-9.83	13.22	3	Vertical	105	1.26	30.95	38.90	8.81	34.49
PK	12.34835G	55.43	74.00	-18.57	13.22	3	Vertical	105	1.26	42.21	38.90	8.81	34.49


**5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6175MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34603G	44.17	54.00	-9.83	13.22	3	Horizontal	285	1.61	30.95	38.90	8.81	34.49
PK	12.3476G	56.59	74.00	-17.41	13.22	3	Horizontal	285	1.61	43.37	38.90	8.81	34.49

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	47.22	68.20	-20.98	6.02	3	Vertical	128	2.20	41.20	34.30	6.25	34.53
AV	6.4198G	98.24	Inf	-Inf	6.90	3	Vertical	128	2.20	91.34	34.94	6.44	34.48
PK	5.9122G	58.14	88.20	-30.06	6.03	3	Vertical	128	2.20	52.11	34.30	6.26	34.53
PK	6.4102G	108.43	Inf	-Inf	6.88	3	Vertical	128	2.20	101.55	34.92	6.44	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	47.27	68.20	-20.93	6.03	3	Horizontal	46	2.26	41.24	34.30	6.26	34.53
AV	6.4162G	98.33	Inf	-Inf	6.89	3	Horizontal	46	2.26	91.44	34.93	6.44	34.48
PK	5.9038G	57.67	88.20	-30.53	6.02	3	Horizontal	46	2.26	51.65	34.30	6.25	34.53
PK	6.4114G	110.08	Inf	-Inf	6.88	3	Horizontal	46	2.26	103.20	34.92	6.44	34.48




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8333G	43.49	68.20	-24.71	14.73	3	Vertical	274	2.98	28.76	39.57	8.96	33.80
PK	12.82706G	53.33	88.20	-34.87	14.70	3	Vertical	274	2.98	38.63	39.55	8.96	33.81

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83948G	43.57	68.20	-24.63	14.75	3	Horizontal	61	2.68	28.82	39.58	8.96	33.79
PK	12.83612G	53.44	88.20	-34.76	14.73	3	Horizontal	61	2.68	38.71	39.57	8.96	33.80



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	48.45	68.20	-19.75	6.03	3	Vertical	284	2.20	42.42	34.30	6.26	34.53
AV	6.429G	98.23	Inf	-Inf	6.93	3	Vertical	284	2.20	91.30	34.96	6.45	34.48
PK	5.8854G	59.40	88.20	-28.80	5.95	3	Vertical	284	2.20	53.45	34.24	6.24	34.53
PK	6.4398G	106.97	Inf	-Inf	6.95	3	Vertical	284	2.20	100.02	34.98	6.45	34.48


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	48.39	68.20	-19.81	6.02	3	Horizontal	31	2.32	42.37	34.30	6.25	34.53
AV	6.4314G	100.54	Inf	-Inf	6.93	3	Horizontal	31	2.32	93.61	34.96	6.45	34.48
PK	5.9034G	59.07	88.20	-29.13	6.02	3	Horizontal	31	2.32	53.05	34.30	6.25	34.53
PK	6.441G	109.20	Inf	-Inf	6.95	3	Horizontal	31	2.32	102.25	34.98	6.45	34.48

**6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6435MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86959G	45.24	68.20	-22.96	14.87	3	Vertical	144	1.10	30.37	39.64	8.97	33.74
PK	12.86502G	54.80	88.20	-33.40	14.86	3	Vertical	144	1.10	39.94	39.63	8.97	33.74

**6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6435MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86829G	45.25	68.20	-22.95	14.87	3	Horizontal	147	1.75	30.38	39.64	8.97	33.74
PK	12.86907G	55.67	88.20	-32.53	14.87	3	Horizontal	147	1.75	40.80	39.64	8.97	33.74



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9066G	46.78	68.20	-21.42	6.02	3	Vertical	286	2.30	40.76	34.30	6.25	34.53
AV	6.4736G	97.13	Inf	-Inf	7.00	3	Vertical	286	2.30	90.13	35.00	6.47	34.47
AV	7.1736G	49.38	68.20	-18.82	8.63	3	Vertical	286	2.30	40.75	36.65	6.74	34.76
PK	5.7918G	57.06	88.20	-31.14	5.50	3	Vertical	286	2.30	51.56	33.85	6.19	34.54
PK	6.4694G	104.99	Inf	-Inf	7.00	3	Vertical	286	2.30	97.99	35.00	6.47	34.47
PK	7.1498G	60.50	88.20	-27.70	8.57	3	Vertical	286	2.30	51.93	36.60	6.73	34.76


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	46.86	68.20	-21.34	6.03	3	Horizontal	32	2.31	40.83	34.30	6.26	34.53
AV	6.4708G	99.04	Inf	-Inf	7.00	3	Horizontal	32	2.31	92.04	35.00	6.47	34.47
AV	7.175G	49.34	68.20	-18.86	8.63	3	Horizontal	32	2.31	40.71	36.65	6.74	34.76
PK	5.7778G	58.41	88.20	-29.79	5.41	3	Horizontal	32	2.31	53.00	33.77	6.18	34.54
PK	6.482G	107.31	Inf	-Inf	7.01	3	Horizontal	32	2.31	100.30	35.00	6.48	34.47
PK	7.1554G	59.73	88.20	-28.47	8.58	3	Horizontal	32	2.31	51.15	36.61	6.73	34.76

**6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6475MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95429G	45.28	68.20	-22.92	15.11	3	Vertical	254	2.76	30.17	39.70	9.00	33.59
PK	12.95172G	54.92	88.20	-33.28	15.11	3	Vertical	254	2.76	39.81	39.70	9.00	33.59


**6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6475MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95G	45.25	68.20	-22.95	15.10	3	Horizontal	137	2.37	30.15	39.70	9.00	33.60
PK	12.95157G	54.54	88.20	-33.66	15.11	3	Horizontal	137	2.37	39.43	39.70	9.00	33.59

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	47.02	68.20	-21.18	6.02	3	Vertical	286	1.54	41.00	34.30	6.25	34.53
AV	6.5136G	96.69	Inf	-Inf	7.13	3	Vertical	286	1.54	89.56	35.11	6.50	34.48
AV	7.201G	49.59	68.20	-18.61	8.69	3	Vertical	286	1.54	40.90	36.70	6.75	34.76
PK	5.8332G	57.85	88.20	-30.35	5.72	3	Vertical	286	1.54	52.13	34.03	6.22	34.53
PK	6.515G	104.94	Inf	-Inf	7.14	3	Vertical	286	1.54	97.80	35.12	6.50	34.48
PK	7.1926G	60.71	88.20	-27.49	8.68	3	Vertical	286	1.54	52.03	36.69	6.75	34.76


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	46.97	68.20	-21.23	6.02	3	Horizontal	33	2.26	40.95	34.30	6.25	34.53
AV	6.5108G	98.79	Inf	-Inf	7.11	3	Horizontal	33	2.26	91.68	35.09	6.50	34.48
AV	7.208G	49.64	68.20	-18.56	8.72	3	Horizontal	33	2.26	40.92	36.72	6.76	34.76
PK	5.8234G	57.83	88.20	-30.37	5.67	3	Horizontal	33	2.26	52.16	33.99	6.21	34.53
PK	6.5164G	107.06	Inf	-Inf	7.15	3	Horizontal	33	2.26	99.91	35.13	6.50	34.48
PK	7.1422G	59.69	88.20	-28.51	8.52	3	Horizontal	33	2.26	51.17	36.55	6.73	34.76

**6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6515MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02745G	45.37	68.20	-22.83	15.23	3	Vertical	218	1.53	30.14	39.67	9.02	33.46
PK	13.02848G	56.68	88.20	-31.52	15.23	3	Vertical	218	1.53	41.45	39.67	9.02	33.46


**6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6515MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02765G	45.37	68.20	-22.83	15.23	3	Horizontal	101	2.24	30.14	39.67	9.02	33.46
PK	13.03458G	56.68	88.20	-31.52	15.24	3	Horizontal	101	2.24	41.44	39.67	9.02	33.45

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	47.20	68.20	-21.00	6.03	3	Vertical	134	2.10	41.17	34.30	6.26	34.53
AV	6.5322G	97.89	Inf	-Inf	7.28	3	Vertical	134	2.10	90.61	35.26	6.51	34.49
AV	7.2014G	49.89	68.20	-18.31	8.69	3	Vertical	134	2.10	41.20	36.70	6.75	34.76
PK	5.884G	58.13	88.20	-30.07	5.95	3	Vertical	134	2.10	52.18	34.24	6.24	34.53
PK	6.5364G	107.38	Inf	-Inf	7.31	3	Vertical	134	2.10	100.07	35.29	6.51	34.49
PK	7.2168G	60.86	88.20	-27.34	8.72	3	Vertical	134	2.10	52.14	36.73	6.76	34.77


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9134G	47.17	68.20	-21.03	6.03	3	Horizontal	41	2.77	41.14	34.30	6.26	34.53
AV	6.5364G	98.53	Inf	-Inf	7.31	3	Horizontal	41	2.77	91.22	35.29	6.51	34.49
AV	7.2042G	49.88	68.20	-18.32	8.70	3	Horizontal	41	2.77	41.18	36.71	6.75	34.76
PK	5.9232G	58.18	88.20	-30.02	6.03	3	Horizontal	41	2.77	52.15	34.30	6.26	34.53
PK	6.5406G	108.17	Inf	-Inf	7.34	3	Horizontal	41	2.77	100.83	35.32	6.51	34.49
PK	7.1734G	61.29	88.20	-26.91	8.63	3	Horizontal	41	2.77	52.66	36.65	6.74	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0713G	45.40	68.20	-22.80	15.27	3	Vertical	38	1.85	30.13	39.63	9.03	33.39
PK	13.0688G	57.35	88.20	-30.85	15.26	3	Vertical	38	1.85	42.09	39.63	9.03	33.40

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06877G	45.43	68.20	-22.77	15.26	3	Horizontal	263	2.40	30.17	39.63	9.03	33.40
PK	13.06675G	56.65	88.20	-31.55	15.26	3	Horizontal	263	2.40	41.39	39.63	9.03	33.40



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.69G	97.09	Inf	-Inf	7.97	3	Vertical	334	2.21	89.12	35.98	6.56	34.57
AV	7.193G	49.88	68.20	-18.32	8.68	3	Vertical	334	2.21	41.20	36.69	6.75	34.76
PK	6.7G	105.89	Inf	-Inf	7.98	3	Vertical	334	2.21	97.91	36.00	6.56	34.58
PK	7.149G	60.29	88.20	-27.91	8.56	3	Vertical	334	2.21	51.73	36.59	6.73	34.76


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	98.56	Inf	-Inf	7.97	3	Horizontal	42	2.24	90.59	35.98	6.56	34.57
AV	7.189G	49.86	68.20	-18.34	8.67	3	Horizontal	42	2.24	41.19	36.68	6.75	34.76
PK	6.696G	107.99	Inf	-Inf	7.97	3	Horizontal	42	2.24	100.02	35.99	6.56	34.58
PK	7.194G	61.48	88.20	-26.72	8.68	3	Horizontal	42	2.24	52.80	36.69	6.75	34.76

**6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6695MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38843G	45.72	54.00	-8.28	16.24	3	Vertical	284	1.96	29.48	39.98	9.13	32.87
PK	13.38511G	57.52	74.00	-16.48	16.22	3	Vertical	284	1.96	41.30	39.97	9.13	32.88

**6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6695MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39015G	45.70	54.00	-8.30	16.24	3	Horizontal	246	2.17	29.46	39.98	9.13	32.87
PK	13.38594G	57.39	74.00	-16.61	16.22	3	Horizontal	246	2.17	41.17	39.97	9.13	32.88



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8522G	98.69	Inf	-Inf	7.75	3	Vertical	171	2.95	90.94	35.80	6.61	34.66
AV	7.1931G	49.87	68.20	-18.33	8.68	3	Vertical	171	2.95	41.19	36.69	6.75	34.76
PK	6.8571G	108.65	Inf	-Inf	7.75	3	Vertical	171	2.95	100.90	35.80	6.61	34.66
PK	7.1518G	60.85	88.20	-27.35	8.57	3	Vertical	171	2.95	52.28	36.60	6.73	34.76


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8529G	98.24	Inf	-Inf	7.75	3	Horizontal	29	1.64	90.49	35.80	6.61	34.66
AV	7.1987G	49.92	68.20	-18.28	8.69	3	Horizontal	29	1.64	41.23	36.70	6.75	34.76
PK	6.8585G	108.55	Inf	-Inf	7.75	3	Horizontal	29	1.64	100.80	35.80	6.61	34.66
PK	7.1497G	60.82	88.20	-27.38	8.57	3	Horizontal	29	1.64	52.25	36.60	6.73	34.76

**6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6855MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71271G	46.51	68.20	-21.69	16.54	3	Vertical	245	2.37	29.97	40.09	9.22	32.77
PK	13.71092G	56.67	88.20	-31.53	16.54	3	Vertical	245	2.37	40.13	40.09	9.22	32.77

**6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6855MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71037G	46.51	68.20	-21.69	16.54	3	Horizontal	78	1.20	29.97	40.09	9.22	32.77
PK	13.71267G	56.40	88.20	-31.80	16.54	3	Horizontal	78	1.20	39.86	40.09	9.22	32.77



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8721G	98.33	Inf	-Inf	7.75	3	Vertical	170	2.94	90.58	35.80	6.62	34.67
AV	7.17305G	49.80	68.20	-18.40	8.63	3	Vertical	170	2.94	41.17	36.65	6.74	34.76
PK	6.8773G	108.46	Inf	-Inf	7.75	3	Vertical	170	2.94	100.71	35.80	6.62	34.67
PK	7.16005G	61.54	88.20	-26.66	8.60	3	Vertical	170	2.94	52.94	36.62	6.74	34.76


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.87795G	98.05	Inf	-Inf	7.75	3	Horizontal	29	1.53	90.30	35.80	6.62	34.67
AV	7.1503G	49.88	68.20	-18.32	8.57	3	Horizontal	29	1.53	41.31	36.60	6.73	34.76
PK	6.88315G	107.62	Inf	-Inf	7.74	3	Horizontal	29	1.53	99.88	35.80	6.62	34.68
PK	7.16655G	62.05	88.20	-26.15	8.61	3	Horizontal	29	1.53	53.44	36.63	6.74	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75092G	46.30	68.20	-21.90	16.50	3	Vertical	291	2.11	29.80	40.05	9.24	32.79
PK	13.74624G	57.86	88.20	-30.34	16.50	3	Vertical	291	2.11	41.36	40.05	9.23	32.78

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74909G	46.32	68.20	-21.88	16.50	3	Horizontal	171	2.54	29.82	40.05	9.23	32.78
PK	13.75169G	57.84	88.20	-30.36	16.50	3	Horizontal	171	2.54	41.34	40.05	9.24	32.79



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8936G	97.80	Inf	-Inf	7.75	3	Vertical	172	1.39	90.05	35.80	6.63	34.68
AV	7.1953G	49.93	68.20	-18.27	8.68	3	Vertical	172	1.39	41.25	36.69	6.75	34.76
PK	6.8936G	108.32	Inf	-Inf	7.75	3	Vertical	172	1.39	100.57	35.80	6.63	34.68
PK	7.1323G	60.64	88.20	-27.56	8.46	3	Vertical	172	1.39	52.18	36.49	6.73	34.76


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8964G	98.52	Inf	-Inf	7.75	3	Horizontal	44	2.12	90.77	35.80	6.63	34.68
AV	7.2065G	50.04	68.20	-18.16	8.70	3	Horizontal	44	2.12	41.34	36.71	6.75	34.76
PK	6.8964G	109.19	Inf	-Inf	7.75	3	Horizontal	44	2.12	101.44	35.80	6.63	34.68
PK	7.1715G	61.03	88.20	-27.17	8.62	3	Horizontal	44	2.12	52.41	36.64	6.74	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79135G	46.18	68.20	-22.02	16.46	3	Vertical	220	1.63	29.72	40.01	9.25	32.80
PK	13.79198G	57.91	88.20	-30.29	16.46	3	Vertical	220	1.63	41.45	40.01	9.25	32.80


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78637G	46.23	68.20	-21.97	16.46	3	Horizontal	79	1.19	29.77	40.01	9.25	32.80
PK	13.78751G	57.60	88.20	-30.60	16.46	3	Horizontal	79	1.19	41.14	40.01	9.25	32.80

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9915G	97.23	Inf	-Inf	7.64	3	Vertical	179	2.93	89.59	35.70	6.68	34.74
AV	7.1985G	50.08	68.20	-18.12	8.69	3	Vertical	179	2.93	41.39	36.70	6.75	34.76
PK	7.0015G	108.06	Inf	-Inf	7.65	3	Vertical	179	2.93	100.41	35.71	6.68	34.74
PK	7.143G	60.90	88.20	-27.30	8.53	3	Vertical	179	2.93	52.37	36.56	6.73	34.76


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.996G	98.17	Inf	-Inf	7.64	3	Horizontal	113	1.65	90.53	35.70	6.68	34.74
AV	7.1975G	50.09	68.20	-18.11	8.69	3	Horizontal	113	1.65	41.40	36.70	6.75	34.76
PK	6.9865G	109.25	Inf	-Inf	7.64	3	Horizontal	113	1.65	101.61	35.70	6.67	34.73
PK	7.204G	62.12	88.20	-26.08	8.70	3	Horizontal	113	1.65	53.42	36.71	6.75	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99459G	46.66	68.20	-21.54	16.82	3	Vertical	257	1.11	29.84	40.39	9.31	32.88
PK	13.98641G	58.38	88.20	-29.82	16.81	3	Vertical	257	1.11	41.57	40.37	9.31	32.87

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99123G	46.65	68.20	-21.55	16.81	3	Horizontal	218	2.53	29.84	40.38	9.31	32.88
PK	13.9886G	57.95	88.20	-30.25	16.81	3	Horizontal	218	2.53	41.14	40.38	9.31	32.88



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1001G	97.56	Inf	-Inf	8.27	3	Vertical	112	1.50	89.29	36.30	6.72	34.75
AV	7.1253G	50.86	68.20	-17.34	8.41	3	Vertical	112	1.50	42.45	36.45	6.72	34.76
PK	7.1004G	108.67	Inf	-Inf	8.27	3	Vertical	112	1.50	100.40	36.30	6.72	34.75
PK	7.2093G	61.45	88.20	-26.75	8.71	3	Vertical	112	1.50	52.74	36.72	6.76	34.77


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0959G	98.43	Inf	-Inf	8.24	3	Horizontal	112	1.72	90.19	36.28	6.71	34.75
AV	7.1259G	51.14	68.20	-17.06	8.42	3	Horizontal	112	1.72	42.72	36.46	6.72	34.76
PK	7.1007G	109.82	Inf	-Inf	8.27	3	Horizontal	112	1.72	101.55	36.30	6.72	34.75
PK	7.1574G	62.16	88.20	-26.04	8.59	3	Horizontal	112	1.72	53.57	36.61	6.74	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19136G	46.87	68.20	-21.33	16.76	3	Vertical	154	1.37	30.11	40.50	9.37	33.11
PK	14.18969G	59.65	88.20	-28.55	16.76	3	Vertical	154	1.37	42.89	40.50	9.37	33.11


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19036G	46.85	68.20	-21.35	16.76	3	Horizontal	280	2.27	30.09	40.50	9.37	33.11
PK	14.18501G	58.96	88.20	-29.24	16.76	3	Horizontal	280	2.27	42.20	40.50	9.37	33.11

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9247G	48.05	68.20	-20.15	6.03	3	Vertical	0	2.31	42.02	34.30	6.26	34.53
AV	5.9565G	96.30	Inf	-Inf	6.05	3	Vertical	0	2.31	90.25	34.29	6.28	34.52
PK	5.9019G	59.10	88.20	-29.10	6.02	3	Vertical	0	2.31	53.08	34.30	6.25	34.53
PK	5.9538G	110.25	Inf	-Inf	6.05	3	Vertical	0	2.31	104.20	34.29	6.28	34.52


5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9247G	48.37	68.20	-19.83	6.03	3	Horizontal	43	1.72	42.34	34.30	6.26	34.53
AV	5.9589G	97.19	Inf	-Inf	6.04	3	Horizontal	43	1.72	91.15	34.28	6.28	34.52
PK	5.9073G	59.40	88.20	-28.80	6.02	3	Horizontal	43	1.72	53.38	34.30	6.25	34.53
PK	5.9637G	110.64	Inf	-Inf	6.03	3	Horizontal	43	1.72	104.61	34.27	6.28	34.52

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90649G	43.53	54.00	-10.47	12.48	3	Vertical	72	1.76	31.05	38.51	8.67	34.70
PK	11.91078G	53.98	74.00	-20.02	12.49	3	Vertical	72	1.76	41.49	38.52	8.67	34.70

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90654G	43.54	54.00	-10.46	12.48	3	Horizontal	175	1.63	31.06	38.51	8.67	34.70
PK	11.9054G	53.88	74.00	-20.12	12.48	3	Horizontal	175	1.63	41.40	38.51	8.67	34.70



5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9158G	47.25	68.20	-20.95	6.03	3	Vertical	131	2.40	41.22	34.30	6.26	34.53
AV	6.1768G	96.68	Inf	-Inf	6.05	3	Vertical	131	2.40	90.63	34.21	6.34	34.50
PK	5.917G	58.45	88.20	-29.75	6.03	3	Vertical	131	2.40	52.42	34.30	6.26	34.53
PK	6.1774G	108.91	Inf	-Inf	6.05	3	Vertical	131	2.40	102.86	34.21	6.34	34.50


5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9104G	47.36	68.20	-20.84	6.03	3	Horizontal	43	1.72	41.33	34.30	6.26	34.53
AV	6.1768G	97.18	Inf	-Inf	6.05	3	Horizontal	43	1.72	91.13	34.21	6.34	34.50
PK	5.9062G	58.39	88.20	-29.81	6.02	3	Horizontal	43	1.72	52.37	34.30	6.25	34.53
PK	6.1768G	109.45	Inf	-Inf	6.05	3	Horizontal	43	1.72	103.40	34.21	6.34	34.50

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34949G	44.44	54.00	-9.56	13.22	3	Vertical	355	1.84	31.22	38.90	8.81	34.49
PK	12.35347G	54.67	74.00	-19.33	13.24	3	Vertical	355	1.84	41.43	38.90	8.82	34.48


5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35104G	44.47	54.00	-9.53	13.24	3	Horizontal	93	2.48	31.23	38.90	8.82	34.48
PK	12.34926G	54.77	74.00	-19.23	13.22	3	Horizontal	93	2.48	41.55	38.90	8.81	34.49

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	47.14	68.20	-21.06	6.03	3	Vertical	351	3.00	41.11	34.30	6.26	34.53
AV	6.4162G	96.20	Inf	-Inf	6.89	3	Vertical	351	3.00	89.31	34.93	6.44	34.48
PK	5.839G	57.90	88.20	-30.30	5.75	3	Vertical	351	3.00	52.15	34.06	6.22	34.53
PK	6.4138G	110.48	Inf	-Inf	6.89	3	Vertical	351	3.00	103.59	34.93	6.44	34.48


5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9026G	47.18	68.20	-21.02	6.02	3	Horizontal	46	2.73	41.16	34.30	6.25	34.53
AV	6.4066G	96.42	Inf	-Inf	6.86	3	Horizontal	46	2.73	89.56	34.91	6.43	34.48
PK	5.8954G	58.22	88.20	-29.98	6.00	3	Horizontal	46	2.73	52.22	34.28	6.25	34.53
PK	6.4066G	108.29	Inf	-Inf	6.86	3	Horizontal	46	2.73	101.43	34.91	6.43	34.48

**5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35104G	44.47	54.00	-9.53	13.24	3	Horizontal	93	2.48	31.23	38.90	8.82	34.48
PK	12.34926G	54.77	74.00	-19.23	13.22	3	Horizontal	93	2.48	41.55	38.90	8.81	34.49


**5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82591G	45.27	68.20	-22.93	14.70	3	Horizontal	63	2.07	30.57	39.55	8.96	33.81
PK	12.82775G	56.59	88.20	-31.61	14.71	3	Horizontal	63	2.07	41.88	39.56	8.96	33.81

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.912G	47.19	68.20	-21.01	6.03	3	Vertical	352	2.83	41.16	34.30	6.26	34.53
AV	6.5322G	96.49	Inf	-Inf	7.28	3	Vertical	352	2.83	89.21	35.26	6.51	34.49
AV	7.2308G	49.80	68.20	-18.40	8.76	3	Vertical	352	2.83	41.04	36.76	6.77	34.77
PK	5.9022G	58.49	88.20	-29.71	6.02	3	Vertical	352	2.83	52.47	34.30	6.25	34.53
PK	6.5336G	110.51	Inf	-Inf	7.29	3	Vertical	352	2.83	103.22	35.27	6.51	34.49
PK	7.1734G	60.61	88.20	-27.59	8.63	3	Vertical	352	2.83	51.98	36.65	6.74	34.76


6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9204G	47.19	68.20	-21.01	6.03	3	Horizontal	38	1.50	41.16	34.30	6.26	34.53
AV	6.5336G	96.04	Inf	-Inf	7.29	3	Horizontal	38	1.50	88.75	35.27	6.51	34.49
AV	7.207G	49.92	68.20	-18.28	8.70	3	Horizontal	38	1.50	41.22	36.71	6.75	34.76
PK	5.8714G	58.19	88.20	-30.01	5.90	3	Horizontal	38	1.50	52.29	34.19	6.24	34.53
PK	6.5294G	107.77	Inf	-Inf	7.26	3	Horizontal	38	1.50	100.51	35.24	6.51	34.49
PK	7.1706G	60.62	88.20	-27.58	8.62	3	Horizontal	38	1.50	52.00	36.64	6.74	34.76

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06873G	45.72	68.20	-22.48	15.26	3	Vertical	354	1.88	30.46	39.63	9.03	33.40
PK	13.07444G	56.87	88.20	-31.33	15.27	3	Vertical	354	1.88	41.60	39.63	9.03	33.39


6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07217G	45.71	68.20	-22.49	15.27	3	Horizontal	32	2.02	30.44	39.63	9.03	33.39
PK	13.07118G	56.36	88.20	-31.84	15.27	3	Horizontal	32	2.02	41.09	39.63	9.03	33.39

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.698G	96.41	Inf	-Inf	7.98	3	Vertical	334	1.69	88.43	36.00	6.56	34.58
AV	7.194G	49.87	68.20	-18.33	8.68	3	Vertical	334	1.69	41.19	36.69	6.75	34.76
PK	6.698G	109.02	Inf	-Inf	7.98	3	Vertical	334	1.69	101.04	36.00	6.56	34.58
PK	7.188G	60.78	88.20	-27.42	8.67	3	Vertical	334	1.69	52.11	36.68	6.75	34.76


6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.689G	96.75	Inf	-Inf	7.97	3	Horizontal	42	1.70	88.78	35.98	6.56	34.57
AV	7.195G	49.80	68.20	-18.40	8.68	3	Horizontal	42	1.70	41.12	36.69	6.75	34.76
PK	6.694G	109.40	Inf	-Inf	7.98	3	Horizontal	42	1.70	101.42	35.99	6.56	34.57
PK	7.133G	60.02	88.20	-28.18	8.47	3	Horizontal	42	1.70	51.55	36.50	6.73	34.76

**6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6695MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39034G	45.97	54.00	-8.03	16.24	3	Vertical	305	2.91	29.73	39.98	9.13	32.87
PK	13.39402G	56.02	74.00	-17.98	16.26	3	Vertical	305	2.91	39.76	39.99	9.13	32.86

**6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6695MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3871G	45.92	54.00	-8.08	16.22	3	Horizontal	314	1.88	29.70	39.97	9.13	32.88
PK	13.39479G	56.95	74.00	-17.05	16.26	3	Horizontal	314	1.88	40.69	39.99	9.13	32.86



6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8515G	96.36	Inf	-Inf	7.75	3	Vertical	180	3.00	88.61	35.80	6.61	34.66
AV	7.2022G	49.97	68.20	-18.23	8.69	3	Vertical	180	3.00	41.28	36.70	6.75	34.76
PK	6.8508G	110.42	Inf	-Inf	7.75	3	Vertical	180	3.00	102.67	35.80	6.61	34.66
PK	7.1497G	61.11	88.20	-27.09	8.57	3	Vertical	180	3.00	52.54	36.60	6.73	34.76


6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.848G	96.74	Inf	-Inf	7.74	3	Horizontal	38	1.50	89.00	35.80	6.60	34.66
AV	7.1665G	49.88	68.20	-18.32	8.61	3	Horizontal	38	1.50	41.27	36.63	6.74	34.76
PK	6.8501G	109.49	Inf	-Inf	7.75	3	Horizontal	38	1.50	101.74	35.80	6.61	34.66
PK	7.2029G	60.92	88.20	-27.28	8.70	3	Horizontal	38	1.50	52.22	36.71	6.75	34.76

**6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6855MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71234G	46.56	68.20	-21.64	16.54	3	Vertical	341	2.21	30.02	40.09	9.22	32.77
PK	13.71123G	56.96	88.20	-31.24	16.54	3	Vertical	341	2.21	40.42	40.09	9.22	32.77

**6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6855MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71066G	46.60	68.20	-21.60	16.54	3	Horizontal	178	2.89	30.06	40.09	9.22	32.77
PK	13.71023G	57.05	88.20	-31.15	16.54	3	Horizontal	178	2.89	40.51	40.09	9.22	32.77



6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.87145G	96.17	Inf	-Inf	7.75	3	Vertical	180	3.00	88.42	35.80	6.62	34.67
AV	7.1633G	49.87	68.20	-18.33	8.61	3	Vertical	180	3.00	41.26	36.63	6.74	34.76
PK	6.87015G	110.74	Inf	-Inf	7.75	3	Vertical	180	3.00	102.99	35.80	6.62	34.67
PK	7.1516G	60.59	88.20	-27.61	8.57	3	Vertical	180	3.00	52.02	36.60	6.73	34.76


6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.86755G	96.12	Inf	-Inf	7.74	3	Horizontal	39	1.41	88.38	35.80	6.61	34.67
AV	7.1698G	49.87	68.20	-18.33	8.62	3	Horizontal	39	1.41	41.25	36.64	6.74	34.76
PK	6.8695G	108.68	Inf	-Inf	7.74	3	Horizontal	39	1.41	100.94	35.80	6.61	34.67
PK	7.15095G	60.46	88.20	-27.74	8.57	3	Horizontal	39	1.41	51.89	36.60	6.73	34.76

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75073G	46.46	68.20	-21.74	16.50	3	Vertical	132	2.89	29.96	40.05	9.24	32.79
PK	13.75149G	56.78	88.20	-31.42	16.50	3	Vertical	132	2.89	40.28	40.05	9.24	32.79

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75367G	46.53	68.20	-21.67	16.50	3	Horizontal	220	1.54	30.03	40.05	9.24	32.79
PK	13.75255G	57.26	88.20	-30.94	16.50	3	Horizontal	220	1.54	40.76	40.05	9.24	32.79



6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8992G	96.79	Inf	-Inf	7.74	3	Vertical	25	2.82	89.05	35.80	6.63	34.69
AV	7.1946G	50.06	68.20	-18.14	8.68	3	Vertical	25	2.82	41.38	36.69	6.75	34.76
PK	6.9013G	110.45	Inf	-Inf	7.74	3	Vertical	25	2.82	102.71	35.80	6.63	34.69
PK	7.1498G	61.24	88.20	-26.96	8.57	3	Vertical	25	2.82	52.67	36.60	6.73	34.76


6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8992G	94.57	Inf	-Inf	7.74	3	Horizontal	37	1.55	86.83	35.80	6.63	34.69
AV	7.2107G	49.98	68.20	-18.22	8.71	3	Horizontal	37	1.55	41.27	36.72	6.76	34.77
PK	6.8929G	107.44	Inf	-Inf	7.75	3	Horizontal	37	1.55	99.69	35.80	6.63	34.68
PK	7.1533G	60.93	88.20	-27.27	8.58	3	Horizontal	37	1.55	52.35	36.61	6.73	34.76

6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79182G	46.37	68.20	-21.83	16.46	3	Vertical	80	2.47	29.91	40.01	9.25	32.80
PK	13.795G	57.52	88.20	-30.68	16.46	3	Vertical	80	2.47	41.06	40.01	9.25	32.80


6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78625G	46.44	68.20	-21.76	16.46	3	Horizontal	333	1.01	29.98	40.01	9.25	32.80
PK	13.78503G	57.26	88.20	-30.94	16.46	3	Horizontal	333	1.01	40.80	40.01	9.25	32.80

6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9985G	96.33	Inf	-Inf	7.64	3	Vertical	21	2.76	88.69	35.70	6.68	34.74
AV	7.1585G	50.12	68.20	-18.08	8.60	3	Vertical	21	2.76	41.52	36.62	6.74	34.76
PK	7.0015G	109.90	Inf	-Inf	7.65	3	Vertical	21	2.76	102.25	35.71	6.68	34.74
PK	7.154G	61.64	88.20	-26.56	8.58	3	Vertical	21	2.76	53.06	36.61	6.73	34.76


6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.999G	94.15	Inf	-Inf	7.64	3	Horizontal	37	1.46	86.51	35.70	6.68	34.74
AV	7.163G	50.06	68.20	-18.14	8.61	3	Horizontal	37	1.46	41.45	36.63	6.74	34.76
PK	6.9965G	106.08	Inf	-Inf	7.64	3	Horizontal	37	1.46	98.44	35.70	6.68	34.74
PK	7.239G	62.22	88.20	-25.98	8.79	3	Horizontal	37	1.46	53.43	36.78	6.78	34.77

6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99445G	46.95	68.20	-21.25	16.82	3	Vertical	151	2.01	30.13	40.39	9.31	32.88
PK	13.99376G	57.38	88.20	-30.82	16.82	3	Vertical	151	2.01	40.56	40.39	9.31	32.88

6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99437G	46.96	68.20	-21.24	16.82	3	Horizontal	314	2.86	30.14	40.39	9.31	32.88
PK	13.99386G	57.88	88.20	-30.32	16.82	3	Horizontal	314	2.86	41.06	40.39	9.31	32.88



6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0989G	96.54	Inf	-Inf	8.25	3	Vertical	25	2.68	88.29	36.29	6.71	34.75
AV	7.125G	51.22	68.20	-16.98	8.41	3	Vertical	25	2.68	42.81	36.45	6.72	34.76
PK	7.1013G	110.19	Inf	-Inf	8.28	3	Vertical	25	2.68	101.91	36.31	6.72	34.75
PK	7.1691G	62.54	88.20	-25.66	8.62	3	Vertical	25	2.68	53.92	36.64	6.74	34.76


6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0989G	94.66	Inf	-Inf	8.25	3	Horizontal	37	1.57	86.41	36.29	6.71	34.75
AV	7.125G	50.66	68.20	-17.54	8.41	3	Horizontal	37	1.57	42.25	36.45	6.72	34.76
PK	7.0866G	108.39	Inf	-Inf	8.18	3	Horizontal	37	1.57	100.21	36.22	6.71	34.75
PK	7.1754G	61.20	88.20	-27.00	8.63	3	Horizontal	37	1.57	52.57	36.65	6.74	34.76

6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19092G	47.03	68.20	-21.17	16.76	3	Vertical	44	2.83	30.27	40.50	9.37	33.11
PK	14.18799G	57.35	88.20	-30.85	16.76	3	Vertical	44	2.83	40.59	40.50	9.37	33.11


6.875-7.125GHz_802.11ax HEW20_Nss4,(MCS0)_4TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1899G	47.03	68.20	-21.17	16.76	3	Horizontal	26	2.95	30.27	40.50	9.37	33.11
PK	14.1899G	57.67	88.20	-30.53	16.76	3	Horizontal	26	2.95	40.91	40.50	9.37	33.11

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9197G	50.18	68.20	-18.02	6.03	3	Vertical	349	2.33	44.15	34.30	6.26	34.53
AV	5.9698G	99.62	Inf	-Inf	6.02	3	Vertical	349	2.33	93.60	34.26	6.28	34.52
PK	5.9218G	59.34	88.20	-28.86	6.03	3	Vertical	349	2.33	53.31	34.30	6.26	34.53
PK	5.9695G	109.78	Inf	-Inf	6.02	3	Vertical	349	2.33	103.76	34.26	6.28	34.52


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	50.36	68.20	-17.84	6.03	3	Horizontal	3	1.39	44.33	34.30	6.26	34.53
AV	5.9698G	99.82	Inf	-Inf	6.02	3	Horizontal	3	1.39	93.80	34.26	6.28	34.52
PK	5.9194G	60.02	88.20	-28.18	6.03	3	Horizontal	3	1.39	53.99	34.30	6.26	34.53
PK	5.9497G	110.28	Inf	-Inf	6.05	3	Horizontal	3	1.39	104.23	34.30	6.27	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9269G	44.21	54.00	-9.79	12.52	3	Vertical	287	2.47	31.69	38.55	8.68	34.71
PK	11.92829G	54.59	74.00	-19.41	12.53	3	Vertical	287	2.47	42.06	38.56	8.68	34.71


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92554G	43.87	54.00	-10.13	12.52	3	Horizontal	295	2.31	31.35	38.55	8.68	34.71
PK	11.92927G	55.45	74.00	-18.55	12.53	3	Horizontal	295	2.31	42.92	38.56	8.68	34.71

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8896G	48.33	68.20	-19.87	5.97	3	Vertical	131	2.40	42.36	34.26	6.24	34.53
AV	6.1674G	99.84	Inf	-Inf	6.00	3	Vertical	131	2.40	93.84	34.17	6.33	34.50
PK	5.9214G	57.94	88.20	-30.26	6.03	3	Vertical	131	2.40	51.91	34.30	6.26	34.53
PK	6.1668G	109.51	Inf	-Inf	6.00	3	Vertical	131	2.40	103.51	34.17	6.33	34.50


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9196G	48.64	68.20	-19.56	6.03	3	Horizontal	7	1.82	42.61	34.30	6.26	34.53
AV	6.1698G	99.34	Inf	-Inf	6.01	3	Horizontal	7	1.82	93.33	34.18	6.33	34.50
PK	5.8686G	59.52	88.20	-28.68	5.87	3	Horizontal	7	1.82	53.65	34.17	6.23	34.53
PK	6.15G	108.11	Inf	-Inf	5.92	3	Horizontal	7	1.82	102.19	34.10	6.33	34.51

**5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6165MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32716G	45.15	54.00	-8.85	13.21	3	Vertical	33	2.52	31.94	38.90	8.81	34.50
PK	12.33232G	54.37	74.00	-19.63	13.21	3	Vertical	33	2.52	41.16	38.90	8.81	34.50


**5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6165MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33061G	45.07	54.00	-8.93	13.21	3	Horizontal	286	1.05	31.86	38.90	8.81	34.50
PK	12.32635G	53.62	74.00	-20.38	13.21	3	Horizontal	286	1.05	40.41	38.90	8.81	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8302G	48.24	68.20	-19.96	5.71	3	Vertical	118	2.30	42.53	34.02	6.22	34.53
AV	6.4002G	98.85	Inf	-Inf	6.85	3	Vertical	118	2.30	92.00	34.90	6.43	34.48
PK	5.9226G	59.14	88.20	-29.06	6.03	3	Vertical	118	2.30	53.11	34.30	6.26	34.53
PK	6.3942G	107.61	Inf	-Inf	6.84	3	Vertical	118	2.30	100.77	34.89	6.43	34.48


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8998G	48.54	68.20	-19.66	6.02	3	Horizontal	36	2.74	42.52	34.30	6.25	34.53
AV	6.4062G	99.38	Inf	-Inf	6.86	3	Horizontal	36	2.74	92.52	34.91	6.43	34.48
PK	5.8182G	58.86	88.20	-29.34	5.65	3	Horizontal	36	2.74	53.21	33.97	6.21	34.53
PK	6.417G	108.16	Inf	-Inf	6.89	3	Horizontal	36	2.74	101.27	34.93	6.44	34.48

**5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6405MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80955G	46.33	68.20	-21.87	14.63	3	Vertical	319	2.50	31.70	39.52	8.95	33.84
PK	12.80984G	55.59	88.20	-32.61	14.63	3	Vertical	319	2.50	40.96	39.52	8.95	33.84

**5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6405MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80829G	45.91	68.20	-22.29	14.63	3	Horizontal	316	1.14	31.28	39.52	8.95	33.84
PK	12.80543G	55.02	88.20	-33.18	14.61	3	Horizontal	316	1.14	40.41	39.51	8.95	33.85



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8942G	48.38	68.20	-19.82	6.00	3	Vertical	124	2.29	42.38	34.28	6.25	34.53
AV	6.4354G	98.83	Inf	-Inf	6.94	3	Vertical	124	2.29	91.89	34.97	6.45	34.48
PK	5.9098G	57.90	88.20	-30.30	6.02	3	Vertical	124	2.29	51.88	34.30	6.25	34.53
PK	6.4294G	108.04	Inf	-Inf	6.93	3	Vertical	124	2.29	101.11	34.96	6.45	34.48


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	48.39	68.20	-19.81	6.03	3	Horizontal	42	2.39	42.36	34.30	6.26	34.53
AV	6.4414G	99.67	Inf	-Inf	6.95	3	Horizontal	42	2.39	92.72	34.98	6.45	34.48
PK	5.9062G	58.18	88.20	-30.02	6.02	3	Horizontal	42	2.39	52.16	34.30	6.25	34.53
PK	6.4462G	108.86	Inf	-Inf	6.97	3	Horizontal	42	2.39	101.89	34.99	6.46	34.48

**6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6445MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8926G	46.04	68.20	-22.16	14.97	3	Vertical	138	2.84	31.07	39.69	8.98	33.70
PK	12.88896G	55.16	88.20	-33.04	14.96	3	Vertical	138	2.84	40.20	39.68	8.98	33.70

**6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6445MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88605G	46.22	68.20	-21.98	14.94	3	Horizontal	334	2.77	31.28	39.67	8.98	33.71
PK	12.8935G	54.87	88.20	-33.33	14.97	3	Horizontal	334	2.77	39.90	39.69	8.98	33.70



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8872G	48.48	68.20	-19.72	5.96	3	Vertical	123	2.21	42.52	34.25	6.24	34.53
AV	6.4794G	98.87	Inf	-Inf	7.01	3	Vertical	123	2.21	91.86	35.00	6.48	34.47
AV	7.1808G	50.84	68.20	-17.36	8.64	3	Vertical	123	2.21	42.20	36.66	6.74	34.76
PK	5.7892G	58.04	88.20	-30.16	5.49	3	Vertical	123	2.21	52.55	33.84	6.19	34.54
PK	6.4794G	106.82	Inf	-Inf	7.01	3	Vertical	123	2.21	99.81	35.00	6.48	34.47
PK	7.1472G	60.40	88.20	-27.80	8.55	3	Vertical	123	2.21	51.85	36.58	6.73	34.76


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9166G	48.37	68.20	-19.83	6.03	3	Horizontal	41	2.21	42.34	34.30	6.26	34.53
AV	6.4864G	100.04	Inf	-Inf	7.01	3	Horizontal	41	2.21	93.03	35.00	6.48	34.47
AV	7.143G	50.97	68.20	-17.23	8.53	3	Horizontal	41	2.21	42.44	36.56	6.73	34.76
PK	5.8172G	57.65	88.20	-30.55	5.65	3	Horizontal	41	2.21	52.00	33.97	6.21	34.53
PK	6.4808G	108.79	Inf	-Inf	7.01	3	Horizontal	41	2.21	101.78	35.00	6.48	34.47
PK	7.1766G	60.49	88.20	-27.71	8.63	3	Horizontal	41	2.21	51.86	36.65	6.74	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96621G	46.15	68.20	-22.05	15.13	3	Vertical	203	1.00	31.02	39.70	9.00	33.57
PK	12.96845G	54.69	88.20	-33.51	15.14	3	Vertical	203	1.00	39.55	39.70	9.00	33.56


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96597G	46.34	68.20	-21.86	15.13	3	Horizontal	39	2.56	31.21	39.70	9.00	33.57
PK	12.96831G	55.44	88.20	-32.76	15.13	3	Horizontal	39	2.56	40.31	39.70	9.00	33.57

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9006G	48.32	68.20	-19.88	6.02	3	Vertical	336	2.20	42.30	34.30	6.25	34.53
AV	6.5194G	99.19	Inf	-Inf	7.18	3	Vertical	336	2.20	92.01	35.16	6.50	34.48
AV	7.141G	50.91	68.20	-17.29	8.52	3	Vertical	336	2.20	42.39	36.55	6.73	34.76
PK	5.8838G	58.08	88.20	-30.12	5.95	3	Vertical	336	2.20	52.13	34.24	6.24	34.53
PK	6.5194G	108.12	Inf	-Inf	7.18	3	Vertical	336	2.20	100.94	35.16	6.50	34.48
PK	7.2124G	60.51	88.20	-27.69	8.71	3	Vertical	336	2.20	51.80	36.72	6.76	34.77


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9216G	48.52	68.20	-19.68	6.03	3	Horizontal	42	2.33	42.49	34.30	6.26	34.53
AV	6.5208G	99.81	Inf	-Inf	7.19	3	Horizontal	42	2.33	92.62	35.17	6.50	34.48
AV	7.1802G	51.12	68.20	-17.08	8.64	3	Horizontal	42	2.33	42.48	36.66	6.74	34.76
PK	5.888G	58.39	88.20	-29.81	5.96	3	Horizontal	42	2.33	52.43	34.25	6.24	34.53
PK	6.5362G	108.76	Inf	-Inf	7.31	3	Horizontal	42	2.33	101.45	35.29	6.51	34.49
PK	7.141G	60.10	88.20	-28.10	8.52	3	Horizontal	42	2.33	51.58	36.55	6.73	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04859G	46.05	68.20	-22.15	15.24	3	Vertical	94	1.76	30.81	39.65	9.02	33.43
PK	13.04924G	54.82	88.20	-33.38	15.24	3	Vertical	94	1.76	39.58	39.65	9.02	33.43

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04896G	46.27	68.20	-21.93	15.24	3	Horizontal	264	2.30	31.03	39.65	9.02	33.43
PK	13.05285G	55.50	88.20	-32.70	15.26	3	Horizontal	264	2.30	40.24	39.65	9.03	33.42



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5494G	99.46	Inf	-Inf	7.42	3	Vertical	342	2.70	92.04	35.40	6.52	34.50
AV	7.153G	50.76	68.20	-17.44	8.58	3	Vertical	342	2.70	42.18	36.61	6.73	34.76
PK	6.5494G	108.27	Inf	-Inf	7.42	3	Vertical	342	2.70	100.85	35.40	6.52	34.50
PK	7.147G	61.37	88.20	-26.83	8.55	3	Vertical	342	2.70	52.82	36.58	6.73	34.76


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5566G	99.83	Inf	-Inf	7.45	3	Horizontal	40	2.71	92.38	35.43	6.52	34.50
AV	7.1566G	50.78	68.20	-17.42	8.58	3	Horizontal	40	2.71	42.20	36.61	6.73	34.76
PK	6.5566G	109.20	Inf	-Inf	7.45	3	Horizontal	40	2.71	101.75	35.43	6.52	34.50
PK	7.1422G	59.73	88.20	-28.47	8.52	3	Horizontal	40	2.71	51.21	36.55	6.73	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13411G	46.27	68.20	-21.93	15.36	3	Vertical	68	2.88	30.91	39.60	9.05	33.29
PK	13.13311G	55.51	88.20	-32.69	15.36	3	Vertical	68	2.88	40.15	39.60	9.05	33.29

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13474G	46.39	68.20	-21.81	15.36	3	Horizontal	127	2.22	31.03	39.60	9.05	33.29
PK	13.13011G	54.85	88.20	-33.35	15.35	3	Horizontal	127	2.22	39.50	39.60	9.05	33.30



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.68G	99.27	Inf	-Inf	7.95	3	Vertical	333	1.79	91.32	35.96	6.56	34.57
AV	7.176G	50.98	68.20	-17.22	8.63	3	Vertical	333	1.79	42.35	36.65	6.74	34.76
PK	6.68G	108.37	Inf	-Inf	7.95	3	Vertical	333	1.79	100.42	35.96	6.56	34.57
PK	7.167G	59.81	88.20	-28.39	8.61	3	Vertical	333	1.79	51.20	36.63	6.74	34.76


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	99.79	Inf	-Inf	7.97	3	Horizontal	42	2.24	91.82	35.98	6.56	34.57
AV	7.156G	50.97	68.20	-17.23	8.58	3	Horizontal	42	2.24	42.39	36.61	6.73	34.76
PK	6.691G	108.96	Inf	-Inf	7.97	3	Horizontal	42	2.24	100.99	35.98	6.56	34.57
PK	7.176G	60.09	88.20	-28.11	8.63	3	Horizontal	42	2.24	51.46	36.65	6.74	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37126G	46.54	54.00	-7.46	16.16	3	Vertical	340	2.34	30.38	39.94	9.12	32.90
PK	13.37358G	55.99	74.00	-18.01	16.17	3	Vertical	340	2.34	39.82	39.95	9.12	32.90

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36546G	46.49	54.00	-7.51	16.14	3	Horizontal	281	2.89	30.35	39.93	9.12	32.91
PK	13.37022G	55.68	74.00	-18.32	16.16	3	Horizontal	281	2.89	39.52	39.94	9.12	32.90



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8569G	99.75	Inf	-Inf	7.75	3	Vertical	172	3.00	92.00	35.80	6.61	34.66
AV	7.1768G	50.98	68.20	-17.22	8.63	3	Vertical	172	3.00	42.35	36.65	6.74	34.76
PK	6.8471G	108.51	Inf	-Inf	7.74	3	Vertical	172	3.00	100.77	35.80	6.60	34.66
PK	7.1712G	61.10	88.20	-27.10	8.62	3	Vertical	172	3.00	52.48	36.64	6.74	34.76


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8527G	99.71	Inf	-Inf	7.75	3	Horizontal	32	1.50	91.96	35.80	6.61	34.66
AV	7.146G	51.03	68.20	-17.17	8.55	3	Horizontal	32	1.50	42.48	36.58	6.73	34.76
PK	6.838G	108.98	Inf	-Inf	7.75	3	Horizontal	32	1.50	101.23	35.80	6.60	34.65
PK	7.1551G	60.94	88.20	-27.26	8.58	3	Horizontal	32	1.50	52.36	36.61	6.73	34.76

**6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6845MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68761G	47.36	68.20	-20.84	16.57	3	Vertical	128	2.67	30.79	40.11	9.22	32.76
PK	13.69189G	56.51	88.20	-31.69	16.57	3	Vertical	128	2.67	39.94	40.11	9.22	32.76

**6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6845MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69137G	47.20	68.20	-21.00	16.57	3	Horizontal	249	2.30	30.63	40.11	9.22	32.76
PK	13.69235G	56.19	88.20	-32.01	16.57	3	Horizontal	249	2.30	39.62	40.11	9.22	32.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8794G	99.34	Inf	-Inf	7.75	3	Vertical	166	1.42	91.59	35.80	6.62	34.67
AV	7.1832G	51.15	68.20	-17.05	8.65	3	Vertical	166	1.42	42.50	36.67	6.74	34.76
PK	6.8892G	110.08	Inf	-Inf	7.74	3	Vertical	166	1.42	102.34	35.80	6.62	34.68
PK	7.2182G	60.98	88.20	-27.22	8.73	3	Vertical	166	1.42	52.25	36.74	6.76	34.77


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8892G	98.87	Inf	-Inf	7.74	3	Horizontal	161	1.50	91.13	35.80	6.62	34.68
AV	7.2042G	50.87	68.20	-17.33	8.70	3	Horizontal	161	1.50	42.17	36.71	6.75	34.76
PK	6.8745G	108.05	Inf	-Inf	7.75	3	Horizontal	161	1.50	100.30	35.80	6.62	34.67
PK	7.186G	61.79	88.20	-26.41	8.66	3	Horizontal	161	1.50	53.13	36.67	6.75	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76679G	47.29	68.20	-20.91	16.48	3	Vertical	254	2.25	30.81	40.03	9.24	32.79
PK	13.76686G	56.18	88.20	-32.02	16.48	3	Vertical	254	2.25	39.70	40.03	9.24	32.79

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76843G	47.18	68.20	-21.02	16.48	3	Horizontal	291	2.31	30.70	40.03	9.24	32.79
PK	13.76944G	56.06	88.20	-32.14	16.48	3	Horizontal	291	2.31	39.58	40.03	9.24	32.79



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9172G	99.78	Inf	-Inf	7.71	3	Vertical	174	2.90	92.07	35.77	6.64	34.70
AV	7.1914G	51.19	68.20	-17.01	8.67	3	Vertical	174	2.90	42.52	36.68	6.75	34.76
PK	6.922G	109.17	Inf	-Inf	7.70	3	Vertical	174	2.90	101.47	35.76	6.64	34.70
PK	7.2034G	61.16	88.20	-27.04	8.70	3	Vertical	174	2.90	52.46	36.71	6.75	34.76


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.931G	99.83	Inf	-Inf	7.69	3	Horizontal	113	1.78	92.14	35.74	6.65	34.70
AV	7.1638G	51.20	68.20	-17.00	8.61	3	Horizontal	113	1.78	42.59	36.63	6.74	34.76
PK	6.9262G	108.77	Inf	-Inf	7.69	3	Horizontal	113	1.78	101.08	35.75	6.64	34.70
PK	7.2166G	61.21	88.20	-26.99	8.72	3	Horizontal	113	1.78	52.49	36.73	6.76	34.77

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85092G	47.23	68.20	-20.97	16.55	3	Vertical	319	1.17	30.68	40.10	9.27	32.82
PK	13.84794G	55.79	88.20	-32.41	16.54	3	Vertical	319	1.17	39.25	40.10	9.26	32.82

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85252G	47.24	68.20	-20.96	16.56	3	Horizontal	74	2.15	30.68	40.11	9.27	32.82
PK	13.85378G	55.29	88.20	-32.91	16.56	3	Horizontal	74	2.15	38.73	40.11	9.27	32.82



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9972G	99.45	Inf	-Inf	7.64	3	Vertical	174	2.92	91.81	35.70	6.68	34.74
AV	7.1373G	51.09	68.20	-17.11	8.49	3	Vertical	174	2.92	42.60	36.52	6.73	34.76
PK	7.0017G	109.50	Inf	-Inf	7.65	3	Vertical	174	2.92	101.85	35.71	6.68	34.74
PK	7.1478G	61.41	88.20	-26.79	8.56	3	Vertical	174	2.92	52.85	36.59	6.73	34.76


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0062G	99.60	Inf	-Inf	7.68	3	Horizontal	115	1.74	91.92	35.74	6.68	34.74
AV	7.1526G	51.25	68.20	-16.95	8.58	3	Horizontal	115	1.74	42.67	36.61	6.73	34.76
PK	6.996G	109.99	Inf	-Inf	7.64	3	Horizontal	115	1.74	102.35	35.70	6.68	34.74
PK	7.1535G	61.65	88.20	-26.55	8.58	3	Horizontal	115	1.74	53.07	36.61	6.73	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01088G	47.90	68.20	-20.30	16.83	3	Vertical	145	1.85	31.07	40.41	9.31	32.89
PK	14.01264G	56.72	88.20	-31.48	16.82	3	Vertical	145	1.85	39.90	40.41	9.31	32.90

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01428G	47.66	68.20	-20.54	16.82	3	Horizontal	307	1.00	30.84	40.41	9.31	32.90
PK	14.00803G	56.39	88.20	-31.81	16.83	3	Horizontal	307	1.00	39.56	40.41	9.31	32.89



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0904G	99.20	Inf	-Inf	8.20	3	Vertical	112	1.55	91.00	36.24	6.71	34.75
AV	7.1285G	51.48	68.20	-16.72	8.43	3	Vertical	112	1.55	43.05	36.47	6.72	34.76
PK	7.0703G	108.78	Inf	-Inf	8.07	3	Vertical	112	1.55	100.71	36.12	6.70	34.75
PK	7.1609G	61.17	88.20	-27.03	8.60	3	Vertical	112	1.55	52.57	36.62	6.74	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.076G	99.86	Inf	-Inf	8.12	3	Horizontal	114	1.50	91.74	36.16	6.71	34.75
AV	7.2173G	51.64	68.20	-16.56	8.72	3	Horizontal	114	1.50	42.92	36.73	6.76	34.77
PK	7.0811G	110.89	Inf	-Inf	8.15	3	Horizontal	114	1.50	102.74	36.19	6.71	34.75
PK	7.1837G	62.16	88.20	-26.04	8.65	3	Horizontal	114	1.50	53.51	36.67	6.74	34.76




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16954G	47.47	68.20	-20.73	16.77	3	Vertical	172	1.04	30.70	40.50	9.36	33.09
PK	14.17119G	57.22	88.20	-30.98	16.77	3	Vertical	172	1.04	40.45	40.50	9.36	33.09


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17417G	47.45	68.20	-20.75	16.77	3	Horizontal	128	2.59	30.68	40.50	9.36	33.09
PK	14.16666G	55.84	88.20	-32.36	16.78	3	Horizontal	128	2.59	39.06	40.50	9.36	33.08

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9239G	53.87	68.20	-14.33	6.03	3	Vertical	360	2.36	47.84	34.30	6.26	34.53
AV	5.9674G	100.17	Inf	-Inf	6.03	3	Vertical	360	2.36	94.14	34.27	6.28	34.52
PK	5.9221G	64.12	88.20	-24.08	6.03	3	Vertical	360	2.36	58.09	34.30	6.26	34.53
PK	5.9698G	111.15	Inf	-Inf	6.02	3	Vertical	360	2.36	105.13	34.26	6.28	34.52


5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	52.50	68.20	-15.70	6.03	3	Horizontal	45	1.50	46.47	34.30	6.26	34.53
AV	5.971G	100.07	Inf	-Inf	6.03	3	Horizontal	45	1.50	94.04	34.26	6.29	34.52
PK	5.9245G	62.94	88.20	-25.26	6.03	3	Horizontal	45	1.50	56.91	34.30	6.26	34.53
PK	5.9737G	110.26	Inf	-Inf	6.02	3	Horizontal	45	1.50	104.24	34.25	6.29	34.52

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93402G	44.69	54.00	-9.31	12.54	3	Vertical	131	1.05	32.15	38.57	8.68	34.71
PK	11.93029G	53.52	74.00	-20.48	12.53	3	Vertical	131	1.05	40.99	38.56	8.68	34.71

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93334G	44.57	54.00	-9.43	12.54	3	Horizontal	302	2.85	32.03	38.57	8.68	34.71
PK	11.92947G	53.77	74.00	-20.23	12.53	3	Horizontal	302	2.85	41.24	38.56	8.68	34.71



5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	48.59	68.20	-19.61	6.03	3	Vertical	165	1.46	42.56	34.30	6.26	34.53
AV	6.162G	99.34	Inf	-Inf	5.98	3	Vertical	165	1.46	93.36	34.15	6.33	34.50
PK	5.9088G	58.33	88.20	-29.87	6.02	3	Vertical	165	1.46	52.31	34.30	6.25	34.53
PK	6.1572G	109.42	Inf	-Inf	5.96	3	Vertical	165	1.46	103.46	34.13	6.33	34.50

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9184G	48.98	68.20	-19.22	6.03	3	Horizontal	48	1.49	42.95	34.30	6.26	34.53
AV	6.1608G	99.57	Inf	-Inf	5.97	3	Horizontal	48	1.49	93.60	34.14	6.33	34.50
PK	5.8944G	58.75	88.20	-29.45	6.00	3	Horizontal	48	1.49	52.75	34.28	6.25	34.53
PK	6.18G	110.38	Inf	-Inf	6.06	3	Horizontal	48	1.49	104.32	34.22	6.34	34.50




5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33346G	45.48	54.00	-8.52	13.21	3	Vertical	25	1.12	32.27	38.90	8.81	34.50
PK	12.32537G	54.61	74.00	-19.39	13.21	3	Vertical	25	1.12	41.40	38.90	8.81	34.50


5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33059G	45.46	54.00	-8.54	13.21	3	Horizontal	96	2.28	32.25	38.90	8.81	34.50
PK	12.32996G	54.07	74.00	-19.93	13.21	3	Horizontal	96	2.28	40.86	38.90	8.81	34.50

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9178G	48.42	68.20	-19.78	6.03	3	Vertical	130	2.26	42.39	34.30	6.26	34.53
AV	6.4038G	99.66	Inf	-Inf	6.86	3	Vertical	130	2.26	92.80	34.91	6.43	34.48
PK	5.8986G	58.46	88.20	-29.74	6.01	3	Vertical	130	2.26	52.45	34.29	6.25	34.53
PK	6.4002G	109.02	Inf	-Inf	6.85	3	Vertical	130	2.26	102.17	34.90	6.43	34.48


5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	48.47	68.20	-19.73	6.02	3	Horizontal	42	1.72	42.45	34.30	6.25	34.53
AV	6.3906G	99.79	Inf	-Inf	6.83	3	Horizontal	42	1.72	92.96	34.88	6.43	34.48
PK	5.895G	58.16	88.20	-30.04	6.00	3	Horizontal	42	1.72	52.16	34.28	6.25	34.53
PK	6.4098G	109.84	Inf	-Inf	6.88	3	Horizontal	42	1.72	102.96	34.92	6.44	34.48

**5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6405MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80595G	46.14	68.20	-22.06	14.61	3	Vertical	72	1.27	31.53	39.51	8.95	33.85
PK	12.81324G	55.20	88.20	-33.00	14.65	3	Vertical	72	1.27	40.55	39.53	8.95	33.83

**5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6405MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81209G	46.04	68.20	-22.16	14.63	3	Horizontal	303	2.68	31.41	39.52	8.95	33.84
PK	12.80779G	55.81	88.20	-32.39	14.63	3	Horizontal	303	2.68	41.18	39.52	8.95	33.84



6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.899G	48.51	68.20	-19.69	6.02	3	Vertical	358	3.00	42.49	34.30	6.25	34.53
AV	6.4426G	99.82	Inf	-Inf	6.97	3	Vertical	358	3.00	92.85	34.99	6.46	34.48
PK	5.8522G	58.64	88.20	-29.56	5.81	3	Vertical	358	3.00	52.83	34.11	6.23	34.53
PK	6.427G	110.48	Inf	-Inf	6.92	3	Vertical	358	3.00	103.56	34.95	6.45	34.48


6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8954G	48.61	68.20	-19.59	6.00	3	Horizontal	44	1.71	42.61	34.28	6.25	34.53
AV	6.451G	98.99	Inf	-Inf	6.99	3	Horizontal	44	1.71	92.00	35.00	6.46	34.47
PK	5.8762G	58.06	88.20	-30.14	5.91	3	Horizontal	44	1.71	52.15	34.20	6.24	34.53
PK	6.4498G	108.31	Inf	-Inf	6.98	3	Horizontal	44	1.71	101.33	35.00	6.46	34.48

6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8942G	46.31	68.20	-21.89	14.98	3	Vertical	311	1.05	31.33	39.69	8.98	33.69
PK	12.88664G	55.95	88.20	-32.25	14.94	3	Vertical	311	1.05	41.01	39.67	8.98	33.71

6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88802G	46.40	68.20	-21.80	14.96	3	Horizontal	338	1.55	31.44	39.68	8.98	33.70
PK	12.88754G	56.14	88.20	-32.06	14.95	3	Horizontal	338	1.55	41.19	39.68	8.98	33.71



6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.841G	48.43	68.20	-19.77	5.75	3	Vertical	133	2.28	42.68	34.06	6.22	34.53
AV	6.4808G	99.63	Inf	-Inf	7.01	3	Vertical	133	2.28	92.62	35.00	6.48	34.47
AV	7.1612G	50.76	68.20	-17.44	8.60	3	Vertical	133	2.28	42.16	36.62	6.74	34.76
PK	5.897G	57.79	88.20	-30.41	6.01	3	Vertical	133	2.28	51.78	34.29	6.25	34.53
PK	6.4696G	108.29	Inf	-Inf	7.00	3	Vertical	133	2.28	101.29	35.00	6.47	34.47
PK	7.1556G	60.34	88.20	-27.86	8.58	3	Vertical	133	2.28	51.76	36.61	6.73	34.76


6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.883G	48.75	68.20	-19.45	5.94	3	Horizontal	50	2.39	42.81	34.23	6.24	34.53
AV	6.4962G	99.41	Inf	-Inf	7.02	3	Horizontal	50	2.39	92.39	35.00	6.49	34.47
AV	7.1626G	50.81	68.20	-17.39	8.61	3	Horizontal	50	2.39	42.20	36.63	6.74	34.76
PK	5.9096G	59.03	88.20	-29.17	6.02	3	Horizontal	50	2.39	53.01	34.30	6.25	34.53
PK	6.4892G	109.14	Inf	-Inf	7.01	3	Horizontal	50	2.39	102.13	35.00	6.48	34.47
PK	7.1654G	60.29	88.20	-27.91	8.61	3	Horizontal	50	2.39	51.68	36.63	6.74	34.76

**6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6485MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96731G	46.56	68.20	-21.64	15.13	3	Vertical	212	1.41	31.43	39.70	9.00	33.57
PK	12.97293G	56.17	88.20	-32.03	15.14	3	Vertical	212	1.41	41.03	39.70	9.00	33.56


**6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6485MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9651G	46.78	68.20	-21.42	15.13	3	Horizontal	322	1.82	31.65	39.70	9.00	33.57
PK	12.9727G	56.28	88.20	-31.92	15.14	3	Horizontal	322	1.82	41.14	39.70	9.00	33.56

6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8446G	48.42	68.20	-19.78	5.77	3	Vertical	141	2.14	42.65	34.08	6.22	34.53
AV	6.5166G	99.25	Inf	-Inf	7.15	3	Vertical	141	2.14	92.10	35.13	6.50	34.48
AV	7.2082G	50.88	68.20	-17.32	8.72	3	Vertical	141	2.14	42.16	36.72	6.76	34.76
PK	5.8544G	58.05	88.20	-30.15	5.82	3	Vertical	141	2.14	52.23	34.12	6.23	34.53
PK	6.518G	109.58	Inf	-Inf	7.16	3	Vertical	141	2.14	102.42	35.14	6.50	34.48
PK	7.1676G	60.49	88.20	-27.71	8.62	3	Vertical	141	2.14	51.87	36.64	6.74	34.76

6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9188G	48.57	68.20	-19.63	6.03	3	Horizontal	54	2.34	42.54	34.30	6.26	34.53
AV	6.5208G	98.94	Inf	-Inf	7.19	3	Horizontal	54	2.34	91.75	35.17	6.50	34.48
AV	7.169G	51.03	68.20	-17.17	8.62	3	Horizontal	54	2.34	42.41	36.64	6.74	34.76
PK	5.8684G	57.94	88.20	-30.26	5.87	3	Horizontal	54	2.34	52.07	34.17	6.23	34.53
PK	6.5166G	108.59	Inf	-Inf	7.15	3	Horizontal	54	2.34	101.44	35.13	6.50	34.48
PK	7.1858G	61.13	88.20	-27.07	8.66	3	Horizontal	54	2.34	52.47	36.67	6.75	34.76

6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05224G	46.33	68.20	-21.87	15.26	3	Vertical	311	1.96	31.07	39.65	9.03	33.42
PK	13.05309G	55.77	88.20	-32.43	15.26	3	Vertical	311	1.96	40.51	39.65	9.03	33.42

6.425-6.525GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05016G	46.70	68.20	-21.50	15.25	3	Horizontal	67	1.55	31.45	39.65	9.03	33.43
PK	13.05169G	56.07	88.20	-32.13	15.25	3	Horizontal	67	1.55	40.82	39.65	9.03	33.43



6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5602G	99.71	Inf	-Inf	7.47	3	Vertical	358	2.77	92.24	35.44	6.53	34.50
AV	7.1602G	50.86	68.20	-17.34	8.60	3	Vertical	358	2.77	42.26	36.62	6.74	34.76
PK	6.5614G	109.22	Inf	-Inf	7.48	3	Vertical	358	2.77	101.74	35.45	6.53	34.50
PK	7.1422G	60.61	88.20	-27.59	8.52	3	Vertical	358	2.77	52.09	36.55	6.73	34.76


6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5686G	99.35	Inf	-Inf	7.49	3	Horizontal	50	2.68	91.86	35.47	6.53	34.51
AV	7.1422G	50.93	68.20	-17.27	8.52	3	Horizontal	50	2.68	42.41	36.55	6.73	34.76
PK	6.5614G	108.94	Inf	-Inf	7.48	3	Horizontal	50	2.68	101.46	35.45	6.53	34.50
PK	7.141G	60.60	88.20	-27.60	8.52	3	Horizontal	50	2.68	52.08	36.55	6.73	34.76

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12942G	46.89	68.20	-21.31	15.35	3	Vertical	326	1.33	31.54	39.60	9.05	33.30
PK	13.12976G	56.27	88.20	-31.93	15.35	3	Vertical	326	1.33	40.92	39.60	9.05	33.30

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12757G	46.92	68.20	-21.28	15.35	3	Horizontal	9	1.15	31.57	39.60	9.05	33.30
PK	13.13386G	57.10	88.20	-31.10	15.36	3	Horizontal	9	1.15	41.74	39.60	9.05	33.29



6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.683G	99.55	Inf	-Inf	7.96	3	Vertical	342	1.63	91.59	35.97	6.56	34.57
AV	7.164G	50.81	68.20	-17.39	8.61	3	Vertical	342	1.63	42.20	36.63	6.74	34.76
PK	6.674G	108.86	Inf	-Inf	7.95	3	Vertical	342	1.63	100.91	35.95	6.56	34.56
PK	7.158G	60.41	88.20	-27.79	8.60	3	Vertical	342	1.63	51.81	36.62	6.74	34.76


6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	99.74	Inf	-Inf	7.97	3	Horizontal	48	2.26	91.77	35.98	6.56	34.57
AV	7.181G	50.87	68.20	-17.33	8.64	3	Horizontal	48	2.26	42.23	36.66	6.74	34.76
PK	6.689G	109.64	Inf	-Inf	7.97	3	Horizontal	48	2.26	101.67	35.98	6.56	34.57
PK	7.165G	60.17	88.20	-28.03	8.61	3	Horizontal	48	2.26	51.56	36.63	6.74	34.76

**6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6685MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37114G	46.94	54.00	-7.06	16.16	3	Vertical	203	1.43	30.78	39.94	9.12	32.90
PK	13.36805G	56.97	74.00	-17.03	16.15	3	Vertical	203	1.43	40.82	39.94	9.12	32.91

**6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6685MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36917G	47.01	54.00	-6.99	16.16	3	Horizontal	214	2.61	30.85	39.94	9.12	32.90
PK	13.37029G	56.01	74.00	-17.99	16.16	3	Horizontal	214	2.61	39.85	39.94	9.12	32.90



6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8373G	99.19	Inf	-Inf	7.75	3	Vertical	182	2.75	91.44	35.80	6.60	34.65
AV	7.1747G	51.03	68.20	-17.17	8.63	3	Vertical	182	2.75	42.40	36.65	6.74	34.76
PK	6.8415G	109.73	Inf	-Inf	7.75	3	Vertical	182	2.75	101.98	35.80	6.60	34.65
PK	7.1775G	60.69	88.20	-27.51	8.64	3	Vertical	182	2.75	52.05	36.66	6.74	34.76


6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8534G	99.62	Inf	-Inf	7.75	3	Horizontal	40	1.50	91.87	35.80	6.61	34.66
AV	7.1943G	51.10	68.20	-17.10	8.68	3	Horizontal	40	1.50	42.42	36.69	6.75	34.76
PK	6.8506G	108.93	Inf	-Inf	7.75	3	Horizontal	40	1.50	101.18	35.80	6.61	34.66
PK	7.1628G	60.55	88.20	-27.65	8.61	3	Horizontal	40	1.50	51.94	36.63	6.74	34.76

**6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6845MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68653G	47.61	68.20	-20.59	16.57	3	Vertical	185	1.37	31.04	40.11	9.22	32.76
PK	13.69402G	56.76	88.20	-31.44	16.57	3	Vertical	185	1.37	40.19	40.11	9.22	32.76

**6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6845MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69011G	47.49	68.20	-20.71	16.57	3	Horizontal	114	2.65	30.92	40.11	9.22	32.76
PK	13.68902G	56.98	88.20	-31.22	16.57	3	Horizontal	114	2.65	40.41	40.11	9.22	32.76



6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8822G	99.05	Inf	-Inf	7.74	3	Vertical	188	2.96	91.31	35.80	6.62	34.68
AV	7.1629G	51.20	68.20	-17.00	8.61	3	Vertical	188	2.96	42.59	36.63	6.74	34.76
PK	6.8815G	109.80	Inf	-Inf	7.74	3	Vertical	188	2.96	102.06	35.80	6.62	34.68
PK	7.2287G	60.69	88.20	-27.51	8.76	3	Vertical	188	2.96	51.93	36.76	6.77	34.77


6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8703G	98.81	Inf	-Inf	7.75	3	Horizontal	42	1.47	91.06	35.80	6.62	34.67
AV	7.1741G	51.20	68.20	-17.00	8.63	3	Horizontal	42	1.47	42.57	36.65	6.74	34.76
PK	6.8906G	108.66	Inf	-Inf	7.75	3	Horizontal	42	1.47	100.91	35.80	6.63	34.68
PK	7.2329G	61.23	88.20	-26.97	8.77	3	Horizontal	42	1.47	52.46	36.77	6.77	34.77

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7732G	47.43	68.20	-20.77	16.48	3	Vertical	8	1.72	30.95	40.03	9.24	32.79
PK	13.77206G	57.09	88.20	-31.11	16.48	3	Vertical	8	1.72	40.61	40.03	9.24	32.79

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76628G	47.45	68.20	-20.75	16.48	3	Horizontal	302	1.00	30.97	40.03	9.24	32.79
PK	13.76724G	56.88	88.20	-31.32	16.48	3	Horizontal	302	1.00	40.40	40.03	9.24	32.79



6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9232G	99.18	Inf	-Inf	7.69	3	Vertical	188	2.88	91.49	35.75	6.64	34.70
AV	7.1806G	51.07	68.20	-17.13	8.64	3	Vertical	188	2.88	42.43	36.66	6.74	34.76
PK	6.9214G	109.94	Inf	-Inf	7.70	3	Vertical	188	2.88	102.24	35.76	6.64	34.70
PK	7.2136G	60.57	88.20	-27.63	8.72	3	Vertical	188	2.88	51.85	36.73	6.76	34.77


6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.931G	99.78	Inf	-Inf	7.69	3	Horizontal	48	2.26	92.09	35.74	6.65	34.70
AV	7.1266G	51.08	68.20	-17.12	8.42	3	Horizontal	48	2.26	42.66	36.46	6.72	34.76
PK	6.9184G	109.50	Inf	-Inf	7.70	3	Horizontal	48	2.26	101.80	35.76	6.64	34.70
PK	7.1998G	60.50	88.20	-27.70	8.69	3	Horizontal	48	2.26	51.81	36.70	6.75	34.76

**6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6925MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84866G	47.20	68.20	-21.00	16.54	3	Vertical	90	2.30	30.66	40.10	9.26	32.82
PK	13.85413G	57.04	88.20	-31.16	16.56	3	Vertical	90	2.30	40.48	40.11	9.27	32.82

**6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
6925MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84939G	47.53	68.20	-20.67	16.54	3	Horizontal	260	2.83	30.99	40.10	9.26	32.82
PK	13.85289G	56.82	88.20	-31.38	16.56	3	Horizontal	260	2.83	40.26	40.11	9.27	32.82



6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9912G	101.35	Inf	-Inf	7.64	3	Vertical	33	2.71	93.71	35.70	6.68	34.74
AV	7.152G	53.02	68.20	-15.18	8.57	3	Vertical	33	2.71	44.45	36.60	6.73	34.76
PK	6.9924G	112.19	Inf	-Inf	7.64	3	Vertical	33	2.71	104.55	35.70	6.68	34.74
PK	7.125G	63.49	88.20	-24.71	8.41	3	Vertical	33	2.71	55.08	36.45	6.72	34.76

6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.011G	98.63	Inf	-Inf	7.71	3	Horizontal	48	2.22	90.92	35.77	6.68	34.74
AV	7.1529G	52.73	68.20	-15.47	8.58	3	Horizontal	48	2.22	44.15	36.61	6.73	34.76
PK	7.002G	109.29	Inf	-Inf	7.65	3	Horizontal	48	2.22	101.64	35.71	6.68	34.74
PK	7.1484G	62.41	88.20	-25.79	8.56	3	Horizontal	48	2.22	53.85	36.59	6.73	34.76




6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00994G	47.95	68.20	-20.25	16.83	3	Vertical	245	1.97	31.12	40.41	9.31	32.89
PK	14.01126G	58.37	88.20	-29.83	16.83	3	Vertical	245	1.97	41.54	40.41	9.31	32.89

6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01254G	48.08	68.20	-20.12	16.82	3	Horizontal	185	2.46	31.26	40.41	9.31	32.90
PK	14.00611G	58.15	88.20	-30.05	16.83	3	Horizontal	185	2.46	41.32	40.41	9.31	32.89



6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0799G	99.99	Inf	-Inf	8.14	3	Vertical	118	1.66	91.85	36.18	6.71	34.75
AV	7.1255G	54.37	68.20	-13.83	8.41	3	Vertical	118	1.66	45.96	36.45	6.72	34.76
PK	7.0808G	110.61	Inf	-Inf	8.14	3	Vertical	118	1.66	102.47	36.18	6.71	34.75
PK	7.1333G	64.87	88.20	-23.33	8.47	3	Vertical	118	1.66	56.40	36.50	6.73	34.76


6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0793G	100.01	Inf	-Inf	8.14	3	Horizontal	48	2.35	91.87	36.18	6.71	34.75
AV	7.1261G	52.79	68.20	-15.41	8.42	3	Horizontal	48	2.35	44.37	36.46	6.72	34.76
PK	7.0673G	110.23	Inf	-Inf	8.05	3	Horizontal	48	2.35	102.18	36.10	6.70	34.75
PK	7.1336G	63.58	88.20	-24.62	8.47	3	Horizontal	48	2.35	55.11	36.50	6.73	34.76

6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17178G	47.94	68.20	-20.26	16.77	3	Vertical	289	1.67	31.17	40.50	9.36	33.09
PK	14.17411G	57.30	88.20	-30.90	16.77	3	Vertical	289	1.67	40.53	40.50	9.36	33.09

6.875-7.125GHz_802.11ax HEW40_Nss4,(MCS0)_4TX
7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17229G	47.88	68.20	-20.32	16.77	3	Horizontal	104	2.14	31.11	40.50	9.36	33.09
PK	14.16606G	56.82	88.20	-31.38	16.78	3	Horizontal	104	2.14	40.04	40.50	9.36	33.08



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	54.76	68.20	-13.44	6.03	3	Vertical	158	1.38	48.73	34.30	6.26	34.53
AV	5.9915G	99.84	Inf	-Inf	6.00	3	Vertical	158	1.38	93.84	34.22	6.30	34.52
PK	5.9215G	63.35	88.20	-24.85	6.03	3	Vertical	158	1.38	57.32	34.30	6.26	34.53
PK	6.0165G	110.92	Inf	-Inf	5.91	3	Vertical	158	1.38	105.01	34.13	6.30	34.52


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	54.52	68.20	-13.68	6.03	3	Horizontal	32	1.64	48.49	34.30	6.26	34.53
AV	5.996G	100.62	Inf	-Inf	5.99	3	Horizontal	32	1.64	94.63	34.21	6.30	34.52
PK	5.9205G	63.86	88.20	-24.34	6.03	3	Horizontal	32	1.64	57.83	34.30	6.26	34.53
PK	6.0015G	109.53	Inf	-Inf	5.97	3	Horizontal	32	1.64	103.56	34.19	6.30	34.52

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96566G	44.11	54.00	-9.89	12.61	3	Vertical	9	1.59	31.50	38.63	8.70	34.72
PK	11.97413G	53.74	74.00	-20.26	12.63	3	Vertical	9	1.59	41.11	38.65	8.70	34.72


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96705G	44.01	54.00	-9.99	12.61	3	Horizontal	228	1.40	31.40	38.63	8.70	34.72
PK	11.97387G	53.48	74.00	-20.52	12.63	3	Horizontal	228	1.40	40.85	38.65	8.70	34.72

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	48.61	68.20	-19.59	6.02	3	Vertical	118	2.79	42.59	34.30	6.25	34.53
AV	6.16G	99.97	Inf	-Inf	5.97	3	Vertical	118	2.79	94.00	34.14	6.33	34.50
PK	5.911G	58.88	88.20	-29.32	6.03	3	Vertical	118	2.79	52.85	34.30	6.26	34.53
PK	6.16G	110.19	Inf	-Inf	5.97	3	Vertical	118	2.79	104.22	34.14	6.33	34.50


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	48.67	68.20	-19.53	6.03	3	Horizontal	24	2.23	42.64	34.30	6.26	34.53
AV	6.1306G	99.85	Inf	-Inf	5.84	3	Horizontal	24	2.23	94.01	34.02	6.33	34.51
PK	5.8756G	58.35	88.20	-29.85	5.91	3	Horizontal	24	2.23	52.44	34.20	6.24	34.53
PK	6.13G	110.84	Inf	-Inf	5.84	3	Horizontal	24	2.23	105.00	34.02	6.33	34.51

**5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6145MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28749G	45.03	54.00	-8.97	13.20	3	Vertical	58	1.36	31.83	38.93	8.80	34.53
PK	12.29417G	55.55	74.00	-18.45	13.19	3	Vertical	58	1.36	42.36	38.91	8.80	34.52

**5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6145MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28704G	45.31	54.00	-8.69	13.20	3	Horizontal	233	1.11	32.11	38.93	8.80	34.53
PK	12.29399G	54.01	74.00	-19.99	13.19	3	Horizontal	233	1.11	40.82	38.91	8.80	34.52



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.881G	48.35	68.20	-19.85	5.93	3	Vertical	120	2.22	42.42	34.22	6.24	34.53
AV	6.3742G	99.57	Inf	-Inf	6.79	3	Vertical	120	2.22	92.78	34.85	6.42	34.48
PK	5.9038G	58.20	88.20	-30.00	6.02	3	Vertical	120	2.22	52.18	34.30	6.25	34.53
PK	6.3754G	108.79	Inf	-Inf	6.79	3	Vertical	120	2.22	102.00	34.85	6.42	34.48


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9158G	48.53	68.20	-19.67	6.03	3	Horizontal	44	2.28	42.50	34.30	6.26	34.53
AV	6.4018G	99.30	Inf	-Inf	6.85	3	Horizontal	44	2.28	92.45	34.90	6.43	34.48
PK	5.8702G	58.41	88.20	-29.79	5.89	3	Horizontal	44	2.28	52.52	34.18	6.24	34.53
PK	6.3862G	110.09	Inf	-Inf	6.81	3	Horizontal	44	2.28	103.28	34.87	6.42	34.48

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.775G	45.82	68.20	-22.38	14.49	3	Vertical	7	1.65	31.33	39.45	8.94	33.90
PK	12.76528G	54.47	88.20	-33.73	14.45	3	Vertical	7	1.65	40.02	39.43	8.94	33.92

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77468G	45.94	68.20	-22.26	14.49	3	Horizontal	0	2.71	31.45	39.45	8.94	33.90
PK	12.7729G	54.83	88.20	-33.37	14.48	3	Horizontal	0	2.71	40.35	39.45	8.94	33.91



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.877G	48.25	68.20	-19.95	5.92	3	Vertical	286	2.20	42.33	34.21	6.24	34.53
AV	6.4342G	98.22	Inf	-Inf	6.94	3	Vertical	286	2.20	91.28	34.97	6.45	34.48
AV	7.1342G	50.62	68.20	-17.58	8.48	3	Vertical	286	2.20	42.14	36.51	6.73	34.76
PK	5.7972G	57.79	88.20	-30.41	5.54	3	Vertical	286	2.20	52.25	33.88	6.20	34.54
PK	6.4398G	107.60	Inf	-Inf	6.95	3	Vertical	286	2.20	100.65	34.98	6.45	34.48
PK	7.1328G	59.74	88.20	-28.46	8.47	3	Vertical	286	2.20	51.27	36.50	6.73	34.76


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9232G	48.41	68.20	-19.79	6.03	3	Horizontal	38	2.36	42.38	34.30	6.26	34.53
AV	6.4314G	99.90	Inf	-Inf	6.93	3	Horizontal	38	2.36	92.97	34.96	6.45	34.48
AV	7.1538G	50.58	68.20	-17.62	8.58	3	Horizontal	38	2.36	42.00	36.61	6.73	34.76
PK	5.9162G	58.19	88.20	-30.01	6.03	3	Horizontal	38	2.36	52.16	34.30	6.26	34.53
PK	6.4664G	109.71	Inf	-Inf	7.00	3	Horizontal	38	2.36	102.71	35.00	6.47	34.47
PK	7.1426G	60.04	88.20	-28.16	8.53	3	Horizontal	38	2.36	51.51	36.56	6.73	34.76

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93406G	46.23	68.20	-21.97	15.07	3	Vertical	293	2.35	31.16	39.70	8.99	33.62
PK	12.93083G	55.59	88.20	-32.61	15.06	3	Vertical	293	2.35	40.53	39.70	8.99	33.63


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92867G	46.26	68.20	-21.94	15.06	3	Horizontal	222	2.08	31.20	39.70	8.99	33.63
PK	12.93016G	55.45	88.20	-32.75	15.06	3	Horizontal	222	2.08	40.39	39.70	8.99	33.63

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9024G	48.58	68.20	-19.62	6.02	3	Vertical	134	2.27	42.56	34.30	6.25	34.53
AV	6.5324G	98.65	Inf	-Inf	7.28	3	Vertical	134	2.27	91.37	35.26	6.51	34.49
AV	7.2198G	51.01	68.20	-17.19	8.73	3	Vertical	134	2.27	42.28	36.74	6.76	34.77
PK	5.915G	58.28	88.20	-29.92	6.03	3	Vertical	134	2.27	52.25	34.30	6.26	34.53
PK	6.531G	108.12	Inf	-Inf	7.27	3	Vertical	134	2.27	100.85	35.25	6.51	34.49
PK	7.2086G	60.80	88.20	-27.40	8.71	3	Vertical	134	2.27	52.09	36.72	6.76	34.77

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.887G	48.41	68.20	-19.79	5.96	3	Horizontal	41	2.28	42.45	34.25	6.24	34.53
AV	6.5366G	99.65	Inf	-Inf	7.31	3	Horizontal	41	2.28	92.34	35.29	6.51	34.49
AV	7.175G	50.87	68.20	-17.33	8.63	3	Horizontal	41	2.28	42.24	36.65	6.74	34.76
PK	5.9192G	58.74	88.20	-29.46	6.03	3	Horizontal	41	2.28	52.71	34.30	6.26	34.53
PK	6.531G	107.73	Inf	-Inf	7.27	3	Horizontal	41	2.28	100.46	35.25	6.51	34.49
PK	7.168G	60.11	88.20	-28.09	8.62	3	Horizontal	41	2.28	51.49	36.64	6.74	34.76




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08629G	46.34	68.20	-21.86	15.28	3	Vertical	19	1.85	31.06	39.61	9.04	33.37
PK	13.08943G	55.22	88.20	-32.98	15.29	3	Vertical	19	1.85	39.93	39.61	9.04	33.36

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09129G	46.24	68.20	-21.96	15.29	3	Horizontal	185	1.45	30.95	39.61	9.04	33.36
PK	13.0887G	54.65	88.20	-33.55	15.29	3	Horizontal	185	1.45	39.36	39.61	9.04	33.36



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.595G	99.04	Inf	-Inf	7.61	3	Vertical	340	2.73	91.43	35.58	6.55	34.52
AV	7.1806G	51.07	68.20	-17.13	8.64	3	Vertical	340	2.73	42.43	36.66	6.74	34.76
PK	6.595G	107.63	Inf	-Inf	7.61	3	Vertical	340	2.73	100.02	35.58	6.55	34.52
PK	7.1782G	60.65	88.20	-27.55	8.64	3	Vertical	340	2.73	52.01	36.66	6.74	34.76


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6358G	99.55	Inf	-Inf	7.83	3	Horizontal	42	2.22	91.72	35.81	6.56	34.54
AV	7.1878G	50.96	68.20	-17.24	8.67	3	Horizontal	42	2.22	42.29	36.68	6.75	34.76
PK	6.6406G	109.96	Inf	-Inf	7.85	3	Horizontal	42	2.22	102.11	35.84	6.56	34.55
PK	7.1698G	60.42	88.20	-27.78	8.62	3	Horizontal	42	2.22	51.80	36.64	6.74	34.76

**6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6625MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24611G	46.21	68.20	-21.99	15.66	3	Vertical	191	1.53	30.55	39.69	9.08	33.11
PK	13.25339G	55.29	74.00	-18.71	15.71	3	Vertical	191	1.53	39.58	39.71	9.09	33.09


**6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6625MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2547G	46.36	54.00	-7.64	15.71	3	Horizontal	290	2.25	30.65	39.71	9.09	33.09
PK	13.25331G	55.14	74.00	-18.86	15.71	3	Horizontal	290	2.25	39.43	39.71	9.09	33.09

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.69G	98.79	Inf	-Inf	7.97	3	Vertical	334	2.20	90.82	35.98	6.56	34.57
AV	7.194G	50.96	68.20	-17.24	8.68	3	Vertical	334	2.20	42.28	36.69	6.75	34.76
PK	6.735G	108.02	Inf	-Inf	7.90	3	Vertical	334	2.20	100.12	35.93	6.57	34.60
PK	7.141G	60.27	88.20	-27.93	8.52	3	Vertical	334	2.20	51.75	36.55	6.73	34.76


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	99.83	Inf	-Inf	7.97	3	Horizontal	44	2.23	91.86	35.98	6.56	34.57
AV	7.199G	51.03	68.20	-17.17	8.69	3	Horizontal	44	2.23	42.34	36.70	6.75	34.76
PK	6.691G	108.66	Inf	-Inf	7.97	3	Horizontal	44	2.23	100.69	35.98	6.56	34.57
PK	7.201G	60.73	88.20	-27.47	8.69	3	Horizontal	44	2.23	52.04	36.70	6.75	34.76

**6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6705MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40678G	46.86	68.20	-21.34	16.29	3	Vertical	58	1.88	30.57	40.00	9.13	32.84
PK	13.40526G	56.67	88.20	-31.53	16.28	3	Vertical	58	1.88	40.39	40.00	9.13	32.85

**6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6705MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41462G	46.57	68.20	-21.63	16.30	3	Horizontal	175	1.48	30.27	40.00	9.13	32.83
PK	13.41406G	55.19	88.20	-33.01	16.30	3	Horizontal	175	1.48	38.89	40.00	9.13	32.83



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7703G	100.00	Inf	-Inf	7.82	3	Vertical	332	2.23	92.18	35.86	6.58	34.62
AV	7.1273G	50.70	68.20	-17.50	8.42	3	Vertical	332	2.23	42.28	36.46	6.72	34.76
PK	6.7605G	109.87	Inf	-Inf	7.84	3	Vertical	332	2.23	102.03	35.88	6.57	34.61
PK	7.1315G	60.70	88.20	-27.50	8.46	3	Vertical	332	2.23	52.24	36.49	6.73	34.76


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7731G	99.95	Inf	-Inf	7.81	3	Horizontal	29	1.64	92.14	35.85	6.58	34.62
AV	7.1315G	50.56	68.20	-17.64	8.46	3	Horizontal	29	1.64	42.10	36.49	6.73	34.76
PK	6.7976G	108.82	Inf	-Inf	7.75	3	Horizontal	29	1.64	101.07	35.80	6.58	34.63
PK	7.1322G	59.75	88.20	-28.45	8.46	3	Horizontal	29	1.64	51.29	36.49	6.73	34.76

**6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57261G	46.93	68.20	-21.27	16.61	3	Vertical	90	1.14	30.32	40.15	9.18	32.72
PK	13.57429G	56.69	88.20	-31.51	16.61	3	Vertical	90	1.14	40.08	40.15	9.18	32.72

**6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6785MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57461G	46.92	68.20	-21.28	16.61	3	Horizontal	27	2.41	30.31	40.15	9.18	32.72
PK	13.56584G	56.23	88.20	-31.97	16.59	3	Horizontal	27	2.41	39.64	40.13	9.18	32.72



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8349G	100.07	Inf	-Inf	7.75	3	Vertical	166	1.49	92.32	35.80	6.60	34.65
AV	7.2108G	51.03	68.20	-17.17	8.71	3	Vertical	166	1.49	42.32	36.72	6.76	34.77
PK	6.8944G	109.57	Inf	-Inf	7.75	3	Vertical	166	1.49	101.82	35.80	6.63	34.68
PK	7.1905G	60.85	88.20	-27.35	8.67	3	Vertical	166	1.49	52.18	36.68	6.75	34.76


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8545G	100.12	Inf	-Inf	7.75	3	Horizontal	159	1.46	92.37	35.80	6.61	34.66
AV	7.166G	51.12	68.20	-17.08	8.61	3	Horizontal	159	1.46	42.51	36.63	6.74	34.76
PK	6.8552G	110.09	Inf	-Inf	7.75	3	Horizontal	159	1.46	102.34	35.80	6.61	34.66
PK	7.18G	61.02	88.20	-27.18	8.64	3	Horizontal	159	1.46	52.38	36.66	6.74	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72657G	47.18	68.20	-21.02	16.52	3	Vertical	333	3.00	30.66	40.07	9.23	32.78
PK	13.72583G	55.61	88.20	-32.59	16.52	3	Vertical	333	3.00	39.09	40.07	9.23	32.78


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.726G	47.05	68.20	-21.15	16.52	3	Horizontal	223	2.32	30.53	40.07	9.23	32.78
PK	13.7299G	57.92	88.20	-30.28	16.52	3	Horizontal	223	2.32	41.40	40.07	9.23	32.78

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9144G	100.29	Inf	-Inf	7.72	3	Vertical	165	1.37	92.57	35.77	6.64	34.69
AV	7.2042G	51.28	68.20	-16.92	8.70	3	Vertical	165	1.37	42.58	36.71	6.75	34.76
PK	6.9342G	110.94	Inf	-Inf	7.68	3	Vertical	165	1.37	103.26	35.73	6.65	34.70
PK	7.2258G	61.31	88.20	-26.89	8.75	3	Vertical	165	1.37	52.56	36.75	6.77	34.77


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.915G	99.27	Inf	-Inf	7.72	3	Horizontal	160	1.44	91.55	35.77	6.64	34.69
AV	7.1892G	51.29	68.20	-16.91	8.67	3	Horizontal	160	1.44	42.62	36.68	6.75	34.76
PK	6.9156G	108.94	Inf	-Inf	7.72	3	Horizontal	160	1.44	101.22	35.77	6.64	34.69
PK	7.149G	61.14	88.20	-27.06	8.56	3	Horizontal	160	1.44	52.58	36.59	6.73	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88791G	47.09	68.20	-21.11	16.62	3	Vertical	38	2.13	30.47	40.18	9.28	32.84
PK	13.89002G	56.15	88.20	-32.05	16.62	3	Vertical	38	2.13	39.53	40.18	9.28	32.84

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88704G	47.26	68.20	-20.94	16.61	3	Horizontal	306	2.56	30.65	40.17	9.28	32.84
PK	13.8947G	55.77	88.20	-32.43	16.63	3	Horizontal	306	2.56	39.14	40.19	9.28	32.84



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0082G	99.59	Inf	-Inf	7.69	3	Vertical	25	2.94	91.90	35.75	6.68	34.74
AV	7.1285G	54.72	68.20	-13.48	8.43	3	Vertical	25	2.94	46.29	36.47	6.72	34.76
PK	6.9983G	109.34	Inf	-Inf	7.64	3	Vertical	25	2.94	101.70	35.70	6.68	34.74
PK	7.1285G	64.71	88.20	-23.49	8.43	3	Vertical	25	2.94	56.28	36.47	6.72	34.76


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9959G	99.80	Inf	-Inf	7.64	3	Horizontal	114	1.64	92.16	35.70	6.68	34.74
AV	7.1258G	56.00	68.20	-12.20	8.41	3	Horizontal	114	1.64	47.59	36.45	6.72	34.76
PK	7.0361G	110.45	Inf	-Inf	7.87	3	Horizontal	114	1.64	102.58	35.92	6.69	34.74
PK	7.1258G	66.99	88.20	-21.21	8.41	3	Horizontal	114	1.64	58.58	36.45	6.72	34.76

**6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05312G	47.68	68.20	-20.52	16.84	3	Vertical	79	2.92	30.84	40.45	9.33	32.94
PK	14.04787G	57.15	88.20	-31.05	16.84	3	Vertical	79	2.92	40.31	40.45	9.33	32.94

**6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
7025MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04797G	47.66	68.20	-20.54	16.84	3	Horizontal	4	2.25	30.82	40.45	9.33	32.94
PK	14.05498G	57.39	88.20	-30.81	16.83	3	Horizontal	4	2.25	40.56	40.45	9.33	32.95



5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	56.95	68.20	-11.25	6.03	3	Vertical	46	2.48	50.92	34.30	6.26	34.53
AV	6.0115G	99.28	Inf	-Inf	5.93	3	Vertical	46	2.48	93.35	34.15	6.30	34.52
PK	5.9245G	67.69	88.20	-20.51	6.03	3	Vertical	46	2.48	61.66	34.30	6.26	34.53
PK	5.998G	108.94	Inf	-Inf	5.98	3	Vertical	46	2.48	102.96	34.20	6.30	34.52


5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	55.69	68.20	-12.51	6.03	3	Horizontal	44	1.59	49.66	34.30	6.26	34.53
AV	6.0115G	99.09	Inf	-Inf	5.93	3	Horizontal	44	1.59	93.16	34.15	6.30	34.52
PK	5.9215G	66.17	88.20	-22.03	6.03	3	Horizontal	44	1.59	60.14	34.30	6.26	34.53
PK	6G	109.55	Inf	-Inf	5.98	3	Horizontal	44	1.59	103.57	34.20	6.30	34.52

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97073G	44.60	54.00	-9.40	12.62	3	Vertical	243	1.75	31.98	38.64	8.70	34.72
PK	11.96893G	54.33	74.00	-19.67	12.62	3	Vertical	243	1.75	41.71	38.64	8.70	34.72


5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96882G	44.82	54.00	-9.18	12.62	3	Horizontal	110	2.66	32.20	38.64	8.70	34.72
PK	11.96643G	54.31	74.00	-19.69	12.61	3	Horizontal	110	2.66	41.70	38.63	8.70	34.72

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9182G	48.79	68.20	-19.41	6.03	3	Vertical	166	1.32	42.76	34.30	6.26	34.53
AV	6.157G	98.20	Inf	-Inf	5.96	3	Vertical	166	1.32	92.24	34.13	6.33	34.50
PK	5.8942G	59.20	88.20	-29.00	6.00	3	Vertical	166	1.32	53.20	34.28	6.25	34.53
PK	6.1372G	109.96	Inf	-Inf	5.87	3	Vertical	166	1.32	104.09	34.05	6.33	34.51


5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9206G	49.25	68.20	-18.95	6.03	3	Horizontal	47	1.67	43.22	34.30	6.26	34.53
AV	6.1384G	99.16	Inf	-Inf	5.87	3	Horizontal	47	1.67	93.29	34.05	6.33	34.51
PK	5.9068G	58.88	88.20	-29.32	6.02	3	Horizontal	47	1.67	52.86	34.30	6.25	34.53
PK	6.1336G	109.74	Inf	-Inf	5.85	3	Horizontal	47	1.67	103.89	34.03	6.33	34.51

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28556G	45.83	54.00	-8.17	13.20	3	Vertical	22	1.48	32.63	38.93	8.80	34.53
PK	12.28593G	54.77	74.00	-19.23	13.20	3	Vertical	22	1.48	41.57	38.93	8.80	34.53

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29118G	45.50	54.00	-8.50	13.19	3	Horizontal	324	2.88	32.31	38.92	8.80	34.53
PK	12.2913G	54.73	74.00	-19.27	13.19	3	Horizontal	324	2.88	41.54	38.92	8.80	34.53



5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.845G	48.60	68.20	-19.60	5.77	3	Vertical	130	2.24	42.83	34.08	6.22	34.53
AV	6.3646G	98.66	Inf	-Inf	6.76	3	Vertical	130	2.24	91.90	34.83	6.41	34.48
PK	5.8738G	57.73	88.20	-30.47	5.91	3	Vertical	130	2.24	51.82	34.20	6.24	34.53
PK	6.3922G	109.13	Inf	-Inf	6.83	3	Vertical	130	2.24	102.30	34.88	6.43	34.48

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9086G	48.56	68.20	-19.64	6.02	3	Horizontal	45	1.50	42.54	34.30	6.25	34.53
AV	6.397G	98.39	Inf	-Inf	6.84	3	Horizontal	45	1.50	91.55	34.89	6.43	34.48
PK	5.9242G	58.18	88.20	-30.02	6.03	3	Horizontal	45	1.50	52.15	34.30	6.26	34.53
PK	6.373G	109.23	Inf	-Inf	6.79	3	Horizontal	45	1.50	102.44	34.85	6.42	34.48




5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.7682G	46.33	68.20	-21.87	14.47	3	Vertical	246	2.72	31.86	39.44	8.94	33.91
PK	12.766166G	55.20	88.20	-33.00	14.45	3	Vertical	246	2.72	40.75	39.43	8.94	33.92


5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77287G	46.12	68.20	-22.08	14.48	3	Horizontal	194	2.87	31.64	39.45	8.94	33.91
PK	12.765666G	54.99	88.20	-33.21	14.45	3	Horizontal	194	2.87	40.54	39.43	8.94	33.92

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8882G	48.40	68.20	-19.80	5.96	3	Vertical	132	1.53	42.44	34.25	6.24	34.53
AV	6.437G	98.93	Inf	-Inf	6.94	3	Vertical	132	1.53	91.99	34.97	6.45	34.48
AV	7.151G	50.75	68.20	-17.45	8.57	3	Vertical	132	1.53	42.18	36.60	6.73	34.76
PK	5.765G	58.36	88.20	-29.84	5.33	3	Vertical	132	1.53	53.03	33.69	6.18	34.54
PK	6.4398G	110.24	Inf	-Inf	6.95	3	Vertical	132	1.53	103.29	34.98	6.45	34.48
PK	7.13G	60.68	88.20	-27.52	8.45	3	Vertical	132	1.53	52.23	36.48	6.73	34.76


6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8896G	48.51	68.20	-19.69	5.97	3	Horizontal	39	1.64	42.54	34.26	6.24	34.53
AV	6.451G	99.16	Inf	-Inf	6.99	3	Horizontal	39	1.64	92.17	35.00	6.46	34.47
AV	7.1538G	50.84	68.20	-17.36	8.58	3	Horizontal	39	1.64	42.26	36.61	6.73	34.76
PK	5.8672G	57.89	88.20	-30.31	5.87	3	Horizontal	39	1.64	52.02	34.17	6.23	34.53
PK	6.4776G	108.58	Inf	-Inf	7.01	3	Horizontal	39	1.64	101.57	35.00	6.48	34.47
PK	7.1412G	59.67	88.20	-28.53	8.52	3	Horizontal	39	1.64	51.15	36.55	6.73	34.76

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93438G	46.38	68.20	-21.82	15.07	3	Vertical	44	1.91	31.31	39.70	8.99	33.62
PK	12.93412G	56.28	88.20	-31.92	15.07	3	Vertical	44	1.91	41.21	39.70	8.99	33.62


6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93263G	46.36	68.20	-21.84	15.06	3	Horizontal	48	2.97	31.30	39.70	8.99	33.63
PK	12.93032G	56.33	88.20	-31.87	15.06	3	Horizontal	48	2.97	41.27	39.70	8.99	33.63

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	48.43	68.20	-19.77	6.03	3	Vertical	0	2.95	42.40	34.30	6.26	34.53
AV	6.5128G	98.62	Inf	-Inf	7.12	3	Vertical	0	2.95	91.50	35.10	6.50	34.48
AV	7.2072G	50.99	68.20	-17.21	8.70	3	Vertical	0	2.95	42.29	36.71	6.75	34.76
PK	5.8926G	57.90	88.20	-30.30	5.99	3	Vertical	0	2.95	51.91	34.27	6.25	34.53
PK	6.5226G	108.48	Inf	-Inf	7.20	3	Vertical	0	2.95	101.28	35.18	6.50	34.48
PK	7.238G	60.93	88.20	-27.27	8.78	3	Vertical	0	2.95	52.15	36.78	6.77	34.77


6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8618G	48.38	68.20	-19.82	5.85	3	Horizontal	49	2.24	42.53	34.15	6.23	34.53
AV	6.5562G	98.81	Inf	-Inf	7.44	3	Horizontal	49	2.24	91.37	35.42	6.52	34.50
AV	7.2072G	51.03	68.20	-17.17	8.70	3	Horizontal	49	2.24	42.33	36.71	6.75	34.76
PK	5.9052G	58.04	88.20	-30.16	6.02	3	Horizontal	49	2.24	52.02	34.30	6.25	34.53
PK	6.5184G	108.42	Inf	-Inf	7.17	3	Horizontal	49	2.24	101.25	35.15	6.50	34.48
PK	7.168G	60.32	88.20	-27.88	8.62	3	Horizontal	49	2.24	51.70	36.64	6.74	34.76

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08895G	46.50	68.20	-21.70	15.29	3	Vertical	250	1.22	31.21	39.61	9.04	33.36
PK	13.08565G	55.95	88.20	-32.25	15.28	3	Vertical	250	1.22	40.67	39.61	9.04	33.37


6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08732G	46.50	68.20	-21.70	15.28	3	Horizontal	218	1.27	31.22	39.61	9.04	33.37
PK	13.09487G	55.51	88.20	-32.69	15.30	3	Horizontal	218	1.27	40.21	39.61	9.04	33.35

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6118G	98.13	Inf	-Inf	7.69	3	Vertical	28	3.00	90.44	35.67	6.55	34.53
AV	7.1998G	51.01	68.20	-17.19	8.69	3	Vertical	28	3.00	42.32	36.70	6.75	34.76
PK	6.613G	109.16	Inf	-Inf	7.70	3	Vertical	28	3.00	101.46	35.68	6.55	34.53
PK	7.213G	61.22	88.20	-26.98	8.72	3	Vertical	28	3.00	52.50	36.73	6.76	34.77


6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6142G	98.36	Inf	-Inf	7.71	3	Horizontal	46	2.15	90.65	35.69	6.55	34.53
AV	7.2166G	50.82	68.20	-17.38	8.72	3	Horizontal	46	2.15	42.10	36.73	6.76	34.77
PK	6.6082G	108.59	Inf	-Inf	7.67	3	Horizontal	46	2.15	100.92	35.65	6.55	34.53
PK	7.1926G	60.49	88.20	-27.71	8.68	3	Horizontal	46	2.15	51.81	36.69	6.75	34.76

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2463G	46.71	68.20	-21.49	15.66	3	Vertical	179	2.57	31.05	39.69	9.08	33.11
PK	13.24788G	55.91	88.20	-32.29	15.68	3	Vertical	179	2.57	40.23	39.70	9.08	33.10

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25402G	46.68	54.00	-7.32	15.71	3	Horizontal	254	2.38	30.97	39.71	9.09	33.09
PK	13.24856G	57.18	88.20	-31.02	15.68	3	Horizontal	254	2.38	41.50	39.70	9.08	33.10



6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	99.78	Inf	-Inf	7.97	3	Vertical	340	1.67	91.81	35.98	6.56	34.57
AV	7.147G	50.99	68.20	-17.21	8.55	3	Vertical	340	1.67	42.44	36.58	6.73	34.76
PK	6.697G	109.88	Inf	-Inf	7.97	3	Vertical	340	1.67	101.91	35.99	6.56	34.58
PK	7.188G	60.11	88.20	-28.09	8.67	3	Vertical	340	1.67	51.44	36.68	6.75	34.76


6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.692G	98.53	Inf	-Inf	7.97	3	Horizontal	44	1.50	90.56	35.98	6.56	34.57
AV	7.192G	51.07	68.20	-17.13	8.67	3	Horizontal	44	1.50	42.40	36.68	6.75	34.76
PK	6.699G	108.37	Inf	-Inf	7.98	3	Horizontal	44	1.50	100.39	36.00	6.56	34.58
PK	7.138G	60.59	88.20	-27.61	8.50	3	Horizontal	44	1.50	52.09	36.53	6.73	34.76

**6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6705MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40628G	46.88	68.20	-21.32	16.29	3	Vertical	90	1.58	30.59	40.00	9.13	32.84
PK	13.41209G	56.22	88.20	-31.98	16.30	3	Vertical	90	1.58	39.92	40.00	9.13	32.83


**6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6705MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40708G	46.82	68.20	-21.38	16.29	3	Horizontal	103	2.61	30.53	40.00	9.13	32.84
PK	13.40878G	57.09	88.20	-31.11	16.29	3	Horizontal	103	2.61	40.80	40.00	9.13	32.84

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7682G	98.98	Inf	-Inf	7.83	3	Vertical	336	2.73	91.15	35.86	6.58	34.61
AV	7.1322G	50.70	68.20	-17.50	8.46	3	Vertical	336	2.73	42.24	36.49	6.73	34.76
PK	6.7731G	108.96	Inf	-Inf	7.81	3	Vertical	336	2.73	101.15	35.85	6.58	34.62
PK	7.1343G	59.66	88.20	-28.54	8.48	3	Vertical	336	2.73	51.18	36.51	6.73	34.76


6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7724G	98.53	Inf	-Inf	7.82	3	Horizontal	42	1.50	90.71	35.86	6.58	34.62
AV	7.1329G	50.63	68.20	-17.57	8.47	3	Horizontal	42	1.50	42.16	36.50	6.73	34.76
PK	6.7549G	109.13	Inf	-Inf	7.85	3	Horizontal	42	1.50	101.28	35.89	6.57	34.61
PK	7.1315G	59.40	88.20	-28.80	8.46	3	Horizontal	42	1.50	50.94	36.49	6.73	34.76

**6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56923G	47.52	68.20	-20.68	16.60	3	Vertical	245	2.54	30.92	40.14	9.18	32.72
PK	13.56918G	57.49	88.20	-30.71	16.60	3	Vertical	245	2.54	40.89	40.14	9.18	32.72


**6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56748G	47.53	68.20	-20.67	16.59	3	Horizontal	183	2.64	30.94	40.13	9.18	32.72
PK	13.57014G	57.43	88.20	-30.77	16.60	3	Horizontal	183	2.64	40.83	40.14	9.18	32.72

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8622G	98.16	Inf	-Inf	7.74	3	Vertical	187	3.00	90.42	35.80	6.61	34.67
AV	7.1695G	51.22	68.20	-16.98	8.62	3	Vertical	187	3.00	42.60	36.64	6.74	34.76
PK	6.8615G	109.91	Inf	-Inf	7.74	3	Vertical	187	3.00	102.17	35.80	6.61	34.67
PK	7.2122G	60.96	88.20	-27.24	8.71	3	Vertical	187	3.00	52.25	36.72	6.76	34.77

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8517G	98.95	Inf	-Inf	7.75	3	Horizontal	41	1.51	91.20	35.80	6.61	34.66
AV	7.1639G	51.08	68.20	-17.12	8.61	3	Horizontal	41	1.51	42.47	36.63	6.74	34.76
PK	6.8503G	109.16	Inf	-Inf	7.75	3	Horizontal	41	1.51	101.41	35.80	6.61	34.66
PK	7.2108G	61.06	88.20	-27.14	8.71	3	Horizontal	41	1.51	52.35	36.72	6.76	34.77

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72768G	47.61	68.20	-20.59	16.52	3	Vertical	45	2.42	31.09	40.07	9.23	32.78
PK	13.72655G	55.71	88.20	-32.49	16.52	3	Vertical	45	2.42	39.19	40.07	9.23	32.78

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73164G	47.36	68.20	-20.84	16.52	3	Horizontal	86	1.66	30.84	40.07	9.23	32.78
PK	13.73308G	56.94	88.20	-31.26	16.52	3	Horizontal	86	1.66	40.42	40.07	9.23	32.78



6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.909G	98.41	Inf	-Inf	7.72	3	Vertical	36	3.00	90.69	35.78	6.63	34.69
AV	7.1388G	51.20	68.20	-17.00	8.50	3	Vertical	36	3.00	42.70	36.53	6.73	34.76
PK	6.9108G	109.51	Inf	-Inf	7.73	3	Vertical	36	3.00	101.78	35.78	6.64	34.69
PK	7.2228G	61.96	88.20	-26.24	8.74	3	Vertical	36	3.00	53.22	36.75	6.76	34.77


6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9138G	96.16	Inf	-Inf	7.72	3	Horizontal	44	1.50	88.44	35.77	6.64	34.69
AV	7.1268G	51.20	68.20	-17.00	8.42	3	Horizontal	44	1.50	42.78	36.46	6.72	34.76
PK	6.9072G	108.48	Inf	-Inf	7.73	3	Horizontal	44	1.50	100.75	35.79	6.63	34.69
PK	7.1508G	60.64	88.20	-27.56	8.57	3	Horizontal	44	1.50	52.07	36.60	6.73	34.76

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88876G	47.74	68.20	-20.46	16.62	3	Vertical	51	1.83	31.12	40.18	9.28	32.84
PK	13.89224G	57.16	88.20	-31.04	16.62	3	Vertical	51	1.83	40.54	40.18	9.28	32.84

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.895G	47.57	68.20	-20.63	16.63	3	Horizontal	129	2.42	30.94	40.19	9.28	32.84
PK	13.89047G	57.91	88.20	-30.29	16.62	3	Horizontal	129	2.42	41.29	40.18	9.28	32.84



6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.01G	98.84	Inf	-Inf	7.70	3	Vertical	106	1.50	91.14	35.76	6.68	34.74
AV	7.13G	54.50	68.20	-13.70	8.45	3	Vertical	106	1.50	46.05	36.48	6.73	34.76
PK	7.0091G	111.78	Inf	-Inf	7.69	3	Vertical	106	1.50	104.09	35.75	6.68	34.74
PK	7.1303G	67.91	88.20	-20.29	8.45	3	Vertical	106	1.50	59.46	36.48	6.73	34.76


6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0112G	99.48	Inf	-Inf	7.71	3	Horizontal	20	1.60	91.77	35.77	6.68	34.74
AV	7.13G	54.28	68.20	-13.92	8.45	3	Horizontal	20	1.60	45.83	36.48	6.73	34.76
PK	7.0103G	110.70	Inf	-Inf	7.70	3	Horizontal	20	1.60	103.00	35.76	6.68	34.74
PK	7.1318G	67.60	88.20	-20.60	8.46	3	Horizontal	20	1.60	59.14	36.49	6.73	34.76

**6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0452G	47.13	68.20	-21.07	16.83	3	Vertical	188	2.76	30.30	40.45	9.32	32.94
PK	14.05801G	58.42	88.20	-29.78	16.84	3	Vertical	188	2.76	41.58	40.46	9.33	32.95

**6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
7025MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82591G	45.27	68.20	-22.93	14.70	3	Horizontal	63	2.07	30.57	39.55	8.96	33.81
PK	12.82775G	56.59	88.20	-31.61	14.71	3	Horizontal	63	2.07	41.88	39.56	8.96	33.81



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9185G	63.71	68.20	-4.49	6.03	3	Vertical	161	1.40	57.68	34.30	6.26	34.53
AV	6.0865G	100.89	Inf	-Inf	5.74	3	Vertical	161	1.40	95.15	33.93	6.32	34.51
PK	5.917G	74.14	88.20	-14.06	6.03	3	Vertical	161	1.40	68.11	34.30	6.26	34.53
PK	6.0415G	110.51	Inf	-Inf	5.82	3	Vertical	161	1.40	104.69	34.03	6.31	34.52

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	62.79	68.20	-5.41	6.03	3	Horizontal	29	1.50	56.76	34.30	6.26	34.53
AV	6.0865G	100.93	Inf	-Inf	5.74	3	Horizontal	29	1.50	95.19	33.93	6.32	34.51
PK	5.9205G	74.06	88.20	-14.14	6.03	3	Horizontal	29	1.50	68.03	34.30	6.26	34.53
PK	6.0865G	110.72	Inf	-Inf	5.74	3	Horizontal	29	1.50	104.98	33.93	6.32	34.51




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04781G	45.38	54.00	-8.62	12.86	3	Vertical	107	1.63	32.52	38.84	8.72	34.70
PK	12.05385G	56.08	74.00	-17.92	12.90	3	Vertical	107	1.63	43.18	38.86	8.73	34.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04876G	45.59	54.00	-8.41	12.87	3	Horizontal	73	2.56	32.72	38.85	8.72	34.70
PK	12.0547G	55.59	74.00	-18.41	12.90	3	Horizontal	73	2.56	42.69	38.86	8.73	34.69



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	50.65	68.20	-17.55	6.03	3	Vertical	158	1.24	44.62	34.30	6.26	34.53
AV	6.157G	100.32	Inf	-Inf	5.96	3	Vertical	158	1.24	94.36	34.13	6.33	34.50
PK	5.9146G	61.47	88.20	-26.73	6.03	3	Vertical	158	1.24	55.44	34.30	6.26	34.53
PK	6.177G	109.04	Inf	-Inf	6.05	3	Vertical	158	1.24	102.99	34.21	6.34	34.50

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9114G	51.71	68.20	-16.49	6.03	3	Horizontal	34	2.14	45.68	34.30	6.26	34.53
AV	6.2058G	100.71	Inf	-Inf	6.15	3	Horizontal	34	2.14	94.56	34.31	6.34	34.50
PK	5.9234G	68.15	88.20	-20.05	6.03	3	Horizontal	34	2.14	62.12	34.30	6.26	34.53
PK	6.2058G	109.99	Inf	-Inf	6.15	3	Horizontal	34	2.14	103.84	34.31	6.34	34.50




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37108G	46.18	54.00	-7.82	13.25	3	Vertical	249	2.49	32.93	38.90	8.82	34.47
PK	12.37208G	55.52	74.00	-18.48	13.25	3	Vertical	249	2.49	42.27	38.90	8.82	34.47


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37365G	45.90	54.00	-8.10	13.25	3	Horizontal	143	1.69	32.65	38.90	8.82	34.47
PK	12.37189G	55.79	74.00	-18.21	13.25	3	Horizontal	143	1.69	42.54	38.90	8.82	34.47

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	49.83	68.20	-18.37	6.03	3	Vertical	117	2.24	43.80	34.30	6.26	34.53
AV	6.3198G	100.87	Inf	-Inf	6.58	3	Vertical	117	2.24	94.29	34.68	6.39	34.49
PK	5.9154G	58.27	88.20	-29.93	6.03	3	Vertical	117	2.24	52.24	34.30	6.26	34.53
PK	6.3294G	110.54	Inf	-Inf	6.63	3	Vertical	117	2.24	103.91	34.72	6.40	34.49


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9178G	50.22	68.20	-17.98	6.03	3	Horizontal	36	1.78	44.19	34.30	6.26	34.53
AV	6.3258G	100.90	Inf	-Inf	6.61	3	Horizontal	36	1.78	94.29	34.70	6.40	34.49
PK	5.8938G	58.65	88.20	-29.55	6.00	3	Horizontal	36	1.78	52.65	34.28	6.25	34.53
PK	6.3618G	109.74	Inf	-Inf	6.75	3	Horizontal	36	1.78	102.99	34.82	6.41	34.48

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68784G	46.53	54.00	-7.47	14.15	3	Vertical	206	1.30	32.38	39.28	8.92	34.05
PK	12.69077G	55.34	74.00	-18.66	14.15	3	Vertical	206	1.30	41.19	39.28	8.92	34.05


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68792G	46.20	54.00	-7.80	14.15	3	Horizontal	256	1.43	32.05	39.28	8.92	34.05
PK	12.68665G	55.15	74.00	-18.85	14.13	3	Horizontal	256	1.43	41.02	39.27	8.92	34.06

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.87698G	49.49	68.20	-18.71	5.92	3	Vertical	131	2.21	43.57	34.21	6.24	34.53
AV	6.53212G	100.29	Inf	-Inf	7.28	3	Vertical	131	2.21	93.01	35.26	6.51	34.49
PK	5.85868G	58.25	88.20	-29.95	5.83	3	Vertical	131	2.21	52.42	34.13	6.23	34.53
PK	6.46136G	109.52	Inf	-Inf	7.00	3	Vertical	131	2.21	102.52	35.00	6.47	34.47


6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.81598G	49.96	68.20	-18.24	5.64	3	Horizontal	37	2.22	44.32	33.96	6.21	34.53
AV	6.48088G	100.58	Inf	-Inf	7.01	3	Horizontal	37	2.22	93.57	35.00	6.48	34.47
PK	5.89162G	58.73	88.20	-29.47	5.99	3	Horizontal	37	2.22	52.74	34.27	6.25	34.53
PK	6.54066G	110.47	Inf	-Inf	7.35	3	Horizontal	37	2.22	103.12	35.33	6.51	34.49

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00884G	46.52	68.20	-21.68	15.20	3	Vertical	90	1.12	31.32	39.69	9.01	33.50
PK	13.00705G	55.58	88.20	-32.62	15.20	3	Vertical	90	1.12	40.38	39.69	9.01	33.50

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01181G	47.17	68.20	-21.03	15.21	3	Horizontal	214	2.73	31.96	39.69	9.01	33.49
PK	13.00912G	54.98	88.20	-33.22	15.20	3	Horizontal	214	2.73	39.78	39.69	9.01	33.50



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6298G	98.91	Inf	-Inf	7.79	3	Vertical	339	2.73	91.12	35.78	6.55	34.54
AV	7.1919G	52.34	68.20	-15.86	8.67	3	Vertical	339	2.73	43.67	36.68	6.75	34.76
PK	6.6056G	108.43	Inf	-Inf	7.65	3	Vertical	339	2.73	100.78	35.63	6.55	34.53
PK	7.1479G	60.43	88.20	-27.77	8.56	3	Vertical	339	2.73	51.87	36.59	6.73	34.76


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6518G	100.01	Inf	-Inf	7.91	3	Horizontal	42	2.41	92.10	35.90	6.56	34.55
AV	7.1303G	52.27	68.20	-15.93	8.45	3	Horizontal	42	2.41	43.82	36.48	6.73	34.76
PK	6.6463G	108.46	Inf	-Inf	7.89	3	Horizontal	42	2.41	100.57	35.88	6.56	34.55
PK	7.1446G	61.06	88.20	-27.14	8.54	3	Horizontal	42	2.41	52.52	36.57	6.73	34.76

**6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6665MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32533G	46.85	54.00	-7.15	15.98	3	Vertical	153	1.89	30.87	39.85	9.11	32.98
PK	13.33213G	55.29	74.00	-18.71	16.00	3	Vertical	153	1.89	39.29	39.86	9.11	32.97

**6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6665MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33266G	47.00	54.00	-7.00	16.02	3	Horizontal	59	2.36	30.98	39.87	9.11	32.96
PK	13.33065G	55.21	74.00	-18.79	16.00	3	Horizontal	59	2.36	39.21	39.86	9.11	32.97



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8074G	100.92	Inf	-Inf	7.74	3	Vertical	168	2.97	93.18	35.80	6.58	34.64
AV	7.1618G	53.18	68.20	-15.02	8.60	3	Vertical	168	2.97	44.58	36.62	6.74	34.76
PK	6.7514G	110.19	Inf	-Inf	7.86	3	Vertical	168	2.97	102.33	35.90	6.57	34.61
PK	7.1402G	62.99	88.20	-25.21	8.51	3	Vertical	168	2.97	54.48	36.54	6.73	34.76


6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8034G	101.08	Inf	-Inf	7.75	3	Horizontal	27	1.68	93.33	35.80	6.58	34.63
AV	7.1714G	54.68	68.20	-13.52	8.62	3	Horizontal	27	1.68	46.06	36.64	6.74	34.76
PK	6.8474G	110.22	Inf	-Inf	7.74	3	Horizontal	27	1.68	102.48	35.80	6.60	34.66
PK	7.1714G	65.71	88.20	-22.49	8.62	3	Horizontal	27	1.68	57.09	36.64	6.74	34.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65269G	48.16	68.20	-20.04	16.61	3	Vertical	319	2.00	31.55	40.15	9.21	32.75
PK	13.64511G	57.81	88.20	-30.39	16.60	3	Vertical	319	2.00	41.21	40.15	9.20	32.75

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64519G	48.35	68.20	-19.85	16.60	3	Horizontal	247	1.49	31.75	40.15	9.20	32.75
PK	13.64946G	57.27	88.20	-30.93	16.60	3	Horizontal	247	1.49	40.67	40.15	9.20	32.75



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.922G	100.55	Inf	-Inf	7.70	3	Vertical	172	2.91	92.85	35.76	6.64	34.70
AV	7.1405G	61.91	68.20	-6.29	8.51	3	Vertical	172	2.91	53.40	36.54	6.73	34.76
PK	6.967G	109.41	Inf	-Inf	7.64	3	Vertical	172	2.91	101.77	35.70	6.66	34.72
PK	7.1405G	76.53	88.20	-11.67	8.51	3	Vertical	172	2.91	68.02	36.54	6.73	34.76


6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.961G	100.48	Inf	-Inf	7.64	3	Horizontal	111	1.74	92.84	35.70	6.66	34.72
AV	7.1365G	62.42	68.20	-5.78	8.49	3	Horizontal	111	1.74	53.93	36.52	6.73	34.76
PK	6.976G	109.62	Inf	-Inf	7.64	3	Horizontal	111	1.74	101.98	35.70	6.67	34.73
PK	7.136G	78.48	88.20	-9.72	8.49	3	Horizontal	111	1.74	69.99	36.52	6.73	34.76

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96574G	48.17	68.20	-20.03	16.76	3	Vertical	86	2.92	31.41	40.33	9.30	32.87
PK	13.9671G	56.75	88.20	-31.45	16.76	3	Vertical	86	2.92	39.99	40.33	9.30	32.87


6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97071G	48.17	68.20	-20.03	16.77	3	Horizontal	23	1.10	31.40	40.34	9.30	32.87
PK	13.97213G	56.24	88.20	-31.96	16.77	3	Horizontal	23	1.10	39.47	40.34	9.30	32.87

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.916G	67.76	68.20	-0.44	6.03	3	Vertical	163	1.50	61.73	34.30	6.26	34.53
AV	6.049G	98.86	Inf	-Inf	5.79	3	Vertical	163	1.50	93.07	34.00	6.31	34.52
PK	5.915G	83.61	88.20	-4.59	6.03	3	Vertical	163	1.50	77.58	34.30	6.26	34.53
PK	6.058G	109.93	Inf	-Inf	5.78	3	Vertical	163	1.50	104.15	33.98	6.31	34.51


5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9185G	67.16	68.20	-1.04	6.03	3	Horizontal	41	1.65	61.13	34.30	6.26	34.53
AV	6.049G	99.46	Inf	-Inf	5.79	3	Horizontal	41	1.65	93.67	34.00	6.31	34.52
PK	5.9125G	78.46	88.20	-9.74	6.03	3	Horizontal	41	1.65	72.43	34.30	6.26	34.53
PK	6.05G	108.31	Inf	-Inf	5.79	3	Horizontal	41	1.65	102.52	34.00	6.31	34.52

**5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04593G	46.20	54.00	-7.80	12.86	3	Vertical	308	2.59	33.34	38.84	8.72	34.70
PK	12.04735G	54.41	74.00	-19.59	12.86	3	Vertical	308	2.59	41.55	38.84	8.72	34.70

**5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6025MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05443G	46.05	54.00	-7.95	12.90	3	Horizontal	100	2.36	33.15	38.86	8.73	34.69
PK	12.04935G	55.05	74.00	-18.95	12.87	3	Horizontal	100	2.36	42.18	38.85	8.72	34.70



5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	55.15	68.20	-13.05	6.03	3	Vertical	166	1.38	49.12	34.30	6.26	34.53
AV	6.2066G	99.29	Inf	-Inf	6.15	3	Vertical	166	1.38	93.14	34.31	6.34	34.50
PK	5.9202G	67.27	88.20	-20.93	6.03	3	Vertical	166	1.38	61.24	34.30	6.26	34.53
PK	6.1586G	108.73	Inf	-Inf	5.96	3	Vertical	166	1.38	102.77	34.13	6.33	34.50


5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	55.82	68.20	-12.38	6.03	3	Horizontal	46	1.49	49.79	34.30	6.26	34.53
AV	6.161G	100.70	Inf	-Inf	5.97	3	Horizontal	46	1.49	94.73	34.14	6.33	34.50
PK	5.9162G	68.82	88.20	-19.38	6.03	3	Horizontal	46	1.49	62.79	34.30	6.26	34.53
PK	6.2114G	110.22	Inf	-Inf	6.17	3	Horizontal	46	1.49	104.05	34.32	6.35	34.50

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36664G	45.88	54.00	-8.12	13.25	3	Vertical	321	2.09	32.63	38.90	8.82	34.47
PK	12.37334G	55.43	74.00	-18.57	13.25	3	Vertical	321	2.09	42.18	38.90	8.82	34.47

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36613G	45.97	54.00	-8.03	13.25	3	Horizontal	34	1.53	32.72	38.90	8.82	34.47
PK	12.37093G	54.86	74.00	-19.14	13.25	3	Horizontal	34	1.53	41.61	38.90	8.82	34.47